

DOC

Complete Documentation

8/12/2026

Table of Contents

1. Getting Started

1.1 What is GEO MAPID?

1.2 Sign Up

1.3 Choose License

1.4 Feedback

1.5 History Feedback

2. Project Management

2.1 Create a New Project

2.2 Pin Project

2.3 Create a New Folder

2.4 Business Intelligence (BI)

2.5 Profile

2.6 Search on Dashboard

3. Editor

3.1 Layer Management

3.2 Drawing Geometry

3.3 Data Summary

3.4 Map Control Center

3.5 Location Search

3.6 Layer Styles

3.7 Connect to API

4. Data

4.1 Data Table Fields

4.2 Upload Data Files

4.3 Import Data Premium

4.4 Import Your Data

4.5 Create a Chart

4.6 Compact List

4.7 API Documentation

5. Form

5.1 Form Builder

5.2 Input Form

5.3 Form with Management Flow

5.4 Form Response

5.5 Edit Link Each Row

5.6 Offline Form

6. SINI

6.1 What is SINI ?

6.2 Site Selection

6.3 Site Analysis

7. Toolbox

7.1 Distance

7.2 Elevation

7.3 Area

7.4 Radius

7.5 Isochrone

7.6 Grid Count Point

7.7 Routing

8. Sharing & Collaboration

8.1 Group Collaboration

8.2 Share A Row in Layer

8.3 Publication

8.4 Share Project

9. Map Service API

9.1 Manage API Keys

9.2 Monitor Usage

9.3 Basemaps Examples

What is GEO MAPID?

GEO MAPID is a web-based geospatial platform designed to help anyone create maps, analyze spatial data, and make location-based decisions with ease. With its modern interface and integrated features, GEO MAPID enables you to manage data, collaborate with your team, and build informative visualizations quickly and efficiently.

Why Does GEO MAPID Exist?

In a world increasingly driven by data, location plays a crucial role across many sectors like business, government, logistics, research, and community development. However, traditional GIS tools are often complex, expensive, and require specialized skills. GEO MAPID was created to make geospatial technology simpler, faster, and accessible to everyone.

What Can You Do With GEO MAPID?

With GEO MAPID, you can:

- Create interactive maps within minutes
- Upload and visualize spatial data
- Analyze patterns, distances, boundaries, and trends
- Build field forms for data collection
- Develop Business Intelligence dashboards
- Collaborate with your team in real-time

GEO MAPID bridges the need for spatial analysis with ease of use—delivering a lightweight, integrated platform for all your geospatial workflows.

Sign Up

Sign Up

To access our full range of features and services, you need to complete the registration process. It's quick and easy. Follow the steps below:

1. Visit the official GEO MAPID website and click the Register / Sign Up button.
2. Click the *Sign Up* Button
3. On the registration form: Enter your Organization Name in the designated field. Select the Continent where your organization is located from the dropdown list.
4. In the next step, fill in your Organization Profile: Choose your Industry from the dropdown menu (e.g., Information Technology Services). Choose your Purpose for using GEO MAPID (e.g., Spatial Data Analysis for Decision-Making). Once completed, click the Next button.
5. On the following page, enter your First Name, Last Name, and a Username you will use to log in. Click Next to continue.
6. Finally, input your Phone Number, create a Password, and confirm the password. Be sure to remember your password as you will need it to access your account. Then click Register / Submit to finish the process.

Sign In

Here's how to log in once you have registered:

1. Go to the GEO MAPID website on your device.
2. Enter your Username (or Email) and Password on the login page.
3. Click the Login button.
4. After successful login, you will be directed to the Dashboard, where you can view your profile, navigate features, and access your projects.
5. You are now ready to explore all GEO MAPID has to offer.

Forgot Password

If you can't access your MAPID account because you forgot your password, you can reset it using the email registered to your account :

1. Open the MAPID Login page.
2. Click "Forgot Password?" located below the password field.

3. Enter your registered email address.
4. Click "Send Reset Link".
5. Check your inbox for an email from MAPID containing the reset link.
6. Open the link and create a new password.
7. Confirm the new password and click "Save".

Notes

- The reset link is only valid for a limited time.
- If the email does not appear, check your Spam or Promotions folder.
- Make sure you enter the same email used when registering your MAPID account.

Choose License

Choose Licence

When signing up or upgrading your GEO MAPID account, you need to select a license plan that aligns with your usage requirements. Below is a breakdown of the available license options based on MAPID's official pricing page.

License Options

1. **Personal** Designed for individuals, researchers, and professionals. Includes: Map & Dashboard Editor Viewer Dashboard FORM MAPID (web survey) Access to premium spatial data Access to basemaps (including satellite / 3D) Optional add-ons: SINI AI (AI-powered spatial insights) SINI DATA (big-data location analytics)
2. **Team / Collaboration** For small teams and business collaboration. Includes all features of the Personal plan plus: Team management & collaboration for up to 10 users. SINI AI and SINI DATA included (no need for separate add-ons).
3. **Enterprise** Tailored for large organizations with advanced needs. Features included: Everything in the Team plan. On-premise deployment options. API integration and custom development. Dedicated data engineer support. Full access to SINI AI and SINI DATA features.

How Activate Your Licence

1. Log in to your GEO MAPID account.
2. Go to Profile
3. View Plans / License.
4. Select the license plan you want to subscribe to.
5. Complete the payment using the available method (bank transfer, e-wallet, or other).
6. Once the transaction is successful, your account will be upgraded to a licensed account automatically.
7. You now have full access to GEO MAPID's features according to your selected plan.

Redeem Code

If you have a promo or license code, this is how to redeem your code:

1. Log into your GEO MAPID account.
2. Navigate to Profile → View Plans.
3. Switch to the Redeem Code tab.

4. Enter your code and submit.

5. Your license will be activated immediately.

Feedback


The Feedback feature allows users to provide suggestions, report issues, or share input to help improve the GEO MAPID platform. Feedback can be categorized to help the team better understand and follow up on each submission.

How to Access

1. Open your project and go to the Map Editor
2. On the right-side panel, find the **Feedback** section
3. Click **Write Feedback** to open the form


How to Submit Feedback

1. Open the Feedback Form



Click the feedback button to open the input form.

2. Select Category



Choose the category that matches your feedback, such as:

- Site Selection
- Site Analysis
- GIS Tools
- Import Data
- Map
- UX Improvement
- Others


3. Write Feedback

Enter your suggestion, input, or issue in the provided field.

4. Submit Feedback

Click the **Submit** button to send your feedback.


History Feedback



Fitur **Riwayat Feedback** memungkinkan pengguna untuk melihat kembali semua feedback yang pernah dikirim.

Cara Mengakses

1. Buka **Map Editor**
2. Klik **Tulis Feedback** untuk membuka form
3. Pada form feedback, klik tombol **Riwayat Feedback**



Hasil


- Feedback berhasil dikirim ke sistem

- Tim dapat meninjau dan menggunakannya untuk pengembangan platform

Create a New Project


Go to the Dashboard

After logging into GEO MAPID, navigate to the Dashboard from the sidebar.



Click Dashboard

Click "New Project"




Click New Project

On the Dashboard, click the New Project button to start creating a new project.

Fill in Project Details

- Enter a Project Name.
- Optionally, provide a Description to explain what this project is about.
- Choose the type of project: Personal (just for you) or Team (collaborative).
- If you select Team, choose or create a Group that will be associated with this project.



Create New Project

Create the Project

Click the Create New Project button to finalize. Once created, the new project will appear in your Dashboard.

Open Map Editor

In your newly created project, click Map Editor to begin building and editing your map.


Pin Project

The **Pin Project** feature allows you to keep important projects at the top of your dashboard for faster access.

How to Pin a Project

1. Open the Dashboard

Go to the Dashboard to view all available projects.




Click Dashboard

2. Select the Project

Find the project you want to pin.

3. Open the Project Options

Click the three-dot menu (:) on the project card to open the action menu.



Click Three-dot menu

4. Pin the Project

Select **Pin** from the menu.

5. Project Pinned Successfully

The pinned project will appear in the **Pinned Projects** section at the top of the dashboard, making it easier to access.

Unpin a Project

To remove a project from the pinned list, open the same three-dot menu and select **Unpin**.

Create a New Folder

Create a New Folder

Follow the steps below to create a new folder in your workspace:

Open Your Project Workspace

Navigate to the workspace or section where you want to organize your files.

Click the “New Folder” Button

Locate the New Folder option

Enter Folder Name

A dialog box will appear.

Type the name of your new folder clearly and descriptively.

Confirm to Create

Click Create / Save to finalize the folder creation.

Folder Successfully Created

Your new folder will now appear in the workspace.

You can start adding files, maps, or related resources into it.

Business Intelligence (BI)

Business Intelligence (BI)

Business Intelligence (BI) allows you to combine spatial and non-spatial data into an interactive dashboard. With BI in GEO MAPID, you can monitor performance, analyze patterns, and visualize key metrics directly on the map.

Open the Business Intelligence Menu

1. From the left sidebar, click Business Intelligence.
2. The BI page will display your existing BI dashboards.

Create a New BI Dashboard

Click New BI Dashboard.

Enter a Dashboard Name.

1. Click Submit to create the dashboard.
2. Your new BI dashboard will appear in the list.

Add a Project or Folder

1. Open the BI dashboard you created.
2. In the left panel, click Add Project / Folder.
3. Choose Add Folder or Add Project.
4. Select the folder or project you want to attach.
5. Click Save.

The selected folder or project will now appear in the BI dashboard.

Data Initialization

1. Open the Folder BI dropdown and select the folder you added.
2. Click Data Initialization Settings.
3. In Data to Load, select the layers you want to load into BI → click Next.
4. In Data to Show on Map, choose which layers should appear on the map → click Next.
5. In Other Settings, select your Basemap, then click Save Settings.

The BI map will refresh with your selected layers and basemap.

Create a BI Card

A card is a data visualization component displayed under the BI map.

To create one:

Click Add Data.

1. Enter a Title for the card.
2. Select the Layer you want to analyze.
3. Choose the Value Columns you want to include.
4. (Optional) Choose Description Columns.
5. Select specific Rows or include all rows.
6. (Optional) Add a Default Value.
7. (Optional) Set an Eligibility Condition using “If–Then” logic.
8. Click Add Data to generate the card.

Your card will appear beneath the BI map.

Create a Group

Groups allow you to organize multiple cards.

1. Click Add Group.
2. Enter a Group Name.
3. Select the cards to include.

4. Click Save.

5. The group will appear in the BI dashboard.

Group Settings

To customize how groups behave:

Click Group Settings.

Choose a layout mode:

1. Button – cards appear when the group is clicked
2. Expand – all cards are displayed
3. Selection – only selected cards are shown

Enable or disable Show All Data.

Select which group should load by default when the BI dashboard opens.

Click Save to apply changes.

Using SINI AI in BI

SINI AI provides location-based insights directly inside BI dashboards.

Click SINI AI in the right panel.

Click + then select SINI to drop a point on the map.

SINI AI will automatically analyze the selected location, showing:

1. Points of interest
2. Demographic data
3. Spending statistics
4. Land value
5. Disaster risk indicators

Click Start Chat to ask location-based questions.

Type your question and click Ask to receive insights.

Profile

Profile

The **Profile** page allows you to view and update your personal information used across GEO MAPID. Access it through the sidebar: **Dashboard → Profile**.

Editing Your Profile

1. Open the Profile page.
2. Click Edit User.
3. Update the fields as needed.
4. Click Save to apply changes.

Profile Fields

Full Name

Your displayed name across projects and collaborations.

Bio

A short description about yourself.

Date of Birth

Select your birth date using the date picker.

Country

Choose your country of residence.

Industry

Select the industry that best fits your work.

WhatsApp Number

Enter your active WhatsApp number (verification may apply).

Email

Your registered login email. A check mark indicates verification.

Saving Changes

Click **Save** at the bottom of the page to update your profile. Changes take effect immediately.

Search on Dashboard

Search on Dashboard

Use the Dashboard Search to quickly find projects, data layers, or groups across your GEO MAPID workspace.

Steps

1. Open the Dashboard

Go to the Dashboard and locate the search bar at the top.

2. Type a Keyword

Enter a project, layer, or group name. Results will filter instantly as you type.

3. Choose a Category

Switch between:

Data – Layer data

Project – Project names

Group – Folders or groups

4. Review Results

Filtered items appear below the search bar. Scroll if needed.

5. Open an Item

Click any result to open the project, layer, or group directly.

Notes

- Use simple keywords for faster filtering.
- Switch categories to refine your search.
- Helpful for large workspaces with many datasets.

Layer Management

Layer Management

Layer Management helps you organize and control spatial data inside your project. Each layer can store geometry and attributes, and can be activated or edited at any time.

Create a New Layer

1. Open your **Project**.
2. On the left panel, click **New Layer**.
3. Enter the **Layer Name**.
4. Choose the **Geometry Type**:
 - **Point**
 - **LineString**
 - **Polygon**
5. Click **Create Layer**.
6. Your new layer will appear in the layer list.

Layer Tools

Each layer includes a set of tools you can use to manage data:

1. View Layer

Click the **View (Eye) icon** to enable or disable the layer on the map.

2. Heatmap

Convert point data into a heatmap visualization for density analysis.

3. Digitize

Add spatial features to the layer: Add points Draw lines Draw polygons

4. Table

Open the attribute table to edit or view data records.

5. Notes

Add notes to the layer for documentation or additional information.

Drawing Geometry

Drawing Tools

GEO MAPID provides three drawing modes to help you create spatial features directly on the map: **Point**, **Linestring**, and **Polygon**. Each mode is designed for different mapping needs and supports attribute editing after the shape is created.

1. Point

Use a Point when you need to mark a single location on the map.

What It's For

- Marking places of interest (POI)
- Recording survey checkpoints
- Adding labels or markers (e.g., schools, towers, shops)
- Storing GPS field observations

How to Draw a Point

1. Open your layer and click **Digitasi**.
2. Select **Point** mode.
3. Click once on the map to place the point.
4. A form appears — fill in the attributes if needed.
5. Click **Save** to store the feature.

2. LineString

Use a Linestring when you need to represent a path or continuous linear feature.

What It's For

- Roads, corridors, walking paths
- Rivers or streams
- Utility lines (cables, pipes, drainage)
- Routes for logistics or field movement

How to Draw a Linestring

1. Open your layer and click **Digitasi**.
2. Select **Linestring** mode.

3. Click on the map to place the first vertex.
4. Continue clicking to build the path.
5. Double-click to finish the line.
6. Fill in attributes (if prompted) → **Save**.

3. Polygon

Use a Polygon when you need to define an area or boundary.

What It's For

- Land parcels, lots, or property boundaries
- Coverage zones (service areas, hazard zones, planning regions)
- Mapping buildings or structures
- Collecting field survey areas

How to Draw a Polygon

1. Open your layer and click **Digitasi**.
2. Select **Polygon** mode.
3. Click to set the first vertex.
4. Add vertices around the area you want to map.
5. Double-click to close and complete the polygon.
6. Fill in the attributes → **Save**.

Data Summary

The **Summary** panel provides a quick way to download your layer data and generate compact, easy-to-read reports. This feature is available on the right sidebar inside your project.

How to Access Summary

1. Open your **Project**.
2. Make sure the **layer you want to review is active**.
3. On the right sidebar, open the **Summary** tab.

Filter by Column

You can filter the dataset directly within the Summary panel.

- Select a **column**.
- Choose a **value** to filter the table.
- The filtered result applies to both **table view** and **downloads**.

Initialize Compact List

The **Compact List** feature helps you generate a simplified summary of your data—useful for reporting, field verification, or quick evaluations.

What It Does

- Creates an easy-to-read recap from your table.
- Highlights key attributes without needing to view the full dataset.
- Helps summarize categories, counts, or specific text columns.

How to Use

1. Open **Summary**.
2. Click **Initialize Compact List**.
3. Select the **columns** you want to include.
4. Save to generate the compact version.

Map Control Center

Map Control Center

Map Control Center is a quick-access panel in the Map Editor that lets you adjust how your map is displayed. From here you can change the basemap style, switch projection, update language preferences, toggle drawing behavior, pause map movement, and manage legends — all in one place.

How to Use Map Control Center

1. Open your project in Map Editor.
2. Look for the Map Control Center panel on the map interface.
3. Select a section based on the setting you want to adjust:
 - **Basemap Style** — choose your preferred basemap
 - **Projection** — switch to a different coordinate projection
 - **Language** — change system language
 - **Snap Draw** — turn snapping ON/OFF while drawing
 - **Pause Fly To** — stop automatic camera movement
 - **Legend** — view map symbol and layer styling
4. Your adjustments apply immediately — no restart or refresh required.

Location Search

The **Location Search** tool allows you to quickly find and navigate to any place on the map.

How It Works

1. Open your **Project**.
2. At the top of the map, locate the **Search Bar**.
3. Type the name of the place or address you want to find.
4. Select a result from the list.
5. The map will automatically pan and zoom to the selected location.

Use Case

Location Search is useful when you need to:

- Jump directly to a specific area.
- Validate locations before digitizing.
- Navigate large maps efficiently.

Layer Styles

Layer Styles

Layer Styles let you control how your data appears on the map. You can adjust colors, icons, opacity, and line or polygon styles to make your map clearer and more visually consistent.

This feature is useful for organizing your dataset, improving readability, and highlighting important information.


How to Use Layer Styles

1. Open your project in the Map Editor.
2. In the Layer List, select the layer you want to style.
3. Click the Style button to open the styling panel.
4. Adjust the available style options: Point Layers: icon, size, color, opacity Line Layers: stroke color, width, dash pattern, opacity Polygon Layers: fill color, stroke color, stroke width, opacity
5. Once you're done, click Apply or Save.
6. The map will refresh automatically with the updated style.

Why Use Layer Styles?

- **Better visualization** Style helps differentiate each layer and makes the map easier to understand at a glance.
- **Highlight essential data** Use colors or thicker lines to emphasize key areas or objects.
- **Improved map clarity** Adjusting opacity or outlines helps reduce clutter on dense datasets.
- **Professional presentation** Well-designed styles make your map look clean, polished, and ready for sharing or exporting.

Connect to API



Connect to API

The **Connect to API** feature allows users to retrieve data from external API services and display it as a layer in GEO MAPID. This feature is useful for integrating data that is updated regularly without the need to manually upload files.

How to Use

1. Open Map Editor

Open the project you want to work on, then navigate to the **Map Editor**.

2. Open the Connect to API Menu

From the left panel, click **Connect to API**, then select **Create Layer from API**.

3. Configure the API Request

Enter the API information required for the request:

- **Method:** Select the appropriate request method (GET, POST, or other available methods).
- **URL:** Enter the API endpoint URL.
- **Headers:** Add headers if the API requires authentication or custom parameters.
- **Params:** Add any required query parameters.

- **Body**: Fill in the request body when using methods such as POST or PUT.

4. Select Geometry Type

Choose the geometry type that will be used to create the layer:

- **Point** – Displays data as point locations.
- **Line** – Displays data as lines or routes.
- **Polygon** – Displays data as areas or boundaries.

Make sure the API response contains geometry information that matches the selected geometry type.

5. Test the API Request

Click the **Send** button to submit the request.

The system will:

- Send the request to the specified API endpoint.
- Display the response status.
- Display the API response in the **Response** panel.

6. Create a Layer from the API Response

If the request is successful and the response format is valid, the system will create a new layer based on the data returned by the API.

Request Method

GEO MAPID supports multiple API request methods, with **GET** and **POST** being the most commonly used.

GET

The **GET** method is used to retrieve or display data from an API without modifying any existing data.

Characteristics:

- Used for retrieving data (read-only).
- Parameters are typically sent through the URL or Query Parameters.
- Does not use a request body.
- Suitable for displaying location data, assets, or spatial information from external services.

POST

The **POST** method is used to send data to a server as part of a request.

Characteristics:

- Used for submitting or processing data.
- Supports the use of a Request Body.
- Suitable for APIs that require complex parameters, custom authentication, or filtering processes before returning results.

Result


- API data is displayed as a layer in GEO MAPID.
- The layer can be managed and used like any other layer.
- Data can be visualized on the map, viewed in tables, or used for further analysis.
- Supports integration with external systems that provide data through API endpoints.

Notes

- Ensure the API endpoint is publicly accessible or uses valid authentication credentials.
- The response structure must contain geometry information that matches the selected layer type.
- If the request fails, verify the URL, parameters, headers, or authentication token being used.
- Layer loading performance depends on the size of the data and the API response time.
- Use **GET** when the API is only intended to retrieve data.
- Use **POST** when the API requires parameters to be sent through the request body.
- Make sure the selected request method follows the API documentation to ensure the request is processed correctly.

Data Table Fields

This document is designed to help you choose the right column types for **Spatial Databases** and **Forms** in GEO MAPID. Selecting the appropriate column type ensures that the collected data is organized, valid, and easy to analyze spatially.



Column Type in Map Editor

Column Type Guide for Form & Database Creation

1. Most Used

This category contains the basic data types that form the main framework of most survey forms.

- **Text**

Used for short alphanumeric data input. Suitable for names of people, object names, or manual identity codes.

- **Number**

Specifically for recording numerical values (integers or decimals). Use this for quantitative data such as age, unit counts, or meter readings.

- **Selection**

Dropdown menu (select one). Highly recommended for spatial databases to ensure consistency (data standardization) and avoid typos.

- **Single Answer Button**

Radio buttons (select one). Functions the same as *Selection*, but all options are immediately visible on the screen. Suitable for questions with few options (e.g., Yes/No, Male/Female).

- **Multi-Answer Checklist**

Checklist (select many). Use this if a single object can have multiple attributes at once (e.g., House Facilities = Electricity, Water, Gas).

- **Image**

Capture photos via camera or upload images. Mandatory for visual proof in field surveys.

- **Nested Table**

A table within the form. Use this if a single location point has multiple sub-data entries (e.g., One building has a list of many residents).

2. Number (Special Formats)

Variations of the number column with validation or specific user interfaces (UI).

- **Number with range**

Number input using a slider. Suitable for scale ratings (1-10) or percentages.

- **Phone Number**

Specific input for phone numbers. The system will ensure the number format is valid and include the country code.

- **Currency**

Number input that is automatically formatted into currency (Rupiah/Dollar). Suitable for recording land prices, costs, or taxes.

3. Date & Time

Crucial for time-series analysis (data changes over time).

- **Year**

Records only the year. Suitable for data such as "Year Built" or "Birth Year".

- **Date**

Records the complete date (day, month, year) using a calendar picker.

- **Time**

Records specific hours and minutes.

4. Other (Documents & Support)

Column types to complete data that is narrative or administrative in nature.

- **Long description**

Large text area. Use this for long field notes, respondent opinions, or incident descriptions.

- **Document File**

For attaching non-image files, such as PDF, DOCX, or Excel (e.g., Building Permit Attachments).

- **Link**

To store URL links to external websites or online references.

- **Section**

Does not store data, but is useful for organizing the form. Use this to provide titles between sections so the surveyor does not get confused.

- **Sheet**

A worksheet (like a mini-Excel) inside the form for complex matrix data input.

5. Auto Generate (Smart Automation)

A flagship feature for Spatial Databases. These columns do not need to be filled manually by the surveyor; they are filled automatically by the system. This reduces human error and speeds up the survey.

A. Region & Location Automation (Geo-Tagging)

The system will read the surveyor's GPS coordinates and automatically fill in the following administrative data:

- **Provinces**
- **Cities** (City/Regency)
- **Regencies** (District/Kecamatan)
- **Urban Villages** (Village/Kelurahan)
- **Auto Generate Street:** Converts coordinates into a full street address.
- **Auto Generate POI:** Detects the name of the nearest place/building (Point of Interest).
- **Longitude & Latitude:** Explicitly stores longitude and latitude coordinates.

B. Analysis & Calculation (Formula)

Performs data processing directly within the form:

- **Calculate Dimension**

Calculates the area or perimeter of a shape drawn on the map.

- **Counting POI**

Automatically counts specific objects around the survey location (e.g., number of electric poles within a 50m radius).

- **Math Operators**

Performs automatic mathematical calculations (e.g., 'Total Price' column = 'Quantity' multiplied by 'Unit Price').

- **Conditional Statement**

If/Then logic. (e.g., If 'House Status' = 'Heavily Damaged', then show the 'Repair Recommendation' column).

- **Simple & 2D Referring**

Retrieves reference data from another existing database (Lookup).

C. Metadata & Data Audit

Important for data validity and accountability:

- **User name**

Records which surveyor collected the data.

- **ID Data**

Assigns a unique ID to every row of data to prevent mix-ups.

- **Last Edited**

Tracks when the data was last changed.

- **Edited By**

Tracks who last changed the data (useful for quality control).

Upload Data Files

Use this feature to import your spatial or tabular datasets into your project so they can be visualized, managed, and analyzed inside GEO MAPID.

Open Your Project

1. From the Dashboard, scroll to the Projects section.
2. Click the Editor icon on the project you want to work on to enter the project workspace.

Upload Your Data

1. In the Data Panel, select **Upload File**.
2. A file selection window will appear.
3. Choose the dataset you want to upload. GEO MAPID supports: **GeoJSON, Shapefile (.zip), CSV, XLSX**
4. Ensure that the file is properly structured (clean headers, correct geometry fields, full shapefile components if using .zip).
5. Click continue to open.

Notes

- For Shapefiles, ensure all required components (.shp, .shx, .dbf, .prj) are included in the .zip file.
- CSV/XLSX uploads require valid longitude and latitude fields.
- Large files may take a few seconds to process.

Import Data Premium

The **Import Data Premium** feature lets you access and import high-quality spatial datasets provided by MAPID (e.g., demographic, POI, infrastructure, and thematic data), directly into your project workspace.

How to Use Import Data Premium

1. Access the Import Data Menu

- Navigate to your project.
- Click Import Data.
- Within Import Data, switch to the Premium Data tab to browse premium datasets.

2. Search for Premium Data

- Use the search bar to type keywords related to the dataset you need (e.g., “population”, “POI”, “transportation”).
- Results from the premium data catalog will appear as matching layers.

3. Import a Dataset

- Select a dataset from the search results.
- Click Import / Add to Project. The dataset is then added to your project’s layer list.
- Once imported, the layer shows in Map Editor and can be styled or analyzed.

Notes

- Access to premium data may depend on your GEO MAPID license, as not all plans include premium data

Import Your Data

The Search and Import Data feature allows you to find existing layers from your projects or public layers and import them directly into the current project. This is useful when reusing layers across multiple projects without re-uploading files.

1. Open the Search Data Panel

Inside the Map Editor, open the sidebar menu and select Import Data. Click Search Data to open the search panel

2. Choose a Data Source

At the top of the search window, select one of the two tabs:

- **Your Data** — Displays all layers from your own projects.
- **Premium Data** — Displays curated datasets provided by MAPID.

3. Search for a Layer

Use the search bar to type keywords related to the data you want. The search results will show:

- Layer name
- Project name
- Creator information
- Access details (editable or non-editable)

4. Import or Attach the Data

Each search result provides two actions:

- **Import** — Adds a *copy* of the dataset into your current project (editable or view-only depending on the source).
- **Attach** — Links the dataset without copying it (source-controlled, not editable).

Choose the action based on your workflow, then the layer will appear in your Layer List.

5. View and Use the Imported Layer


Once imported, the layer is immediately added to the map. You can continue by:

- Editing features
- Styling the layer
- Running analysis

Create a Chart

Charts allow you to visualize data from your layer directly inside your project. Once a chart is created, it will appear on the **Summary** page in the right sidebar.

How to Create a Chart



1. Open your Project.
2. Select the layer you want to work with, then click Edit Layer.
3. In the layer settings, choose Add Chart.
4. Fill in the chart details:

Title – the name of your chart.

Chart Type – choose one of the available chart types.

Text Column / Label Column – the field used for grouping or labeling data.

Chart Mode – choose how the chart calculates values: *Single Text Column*: counts the frequency of each unique label. *Text + Number Column*: aggregates numeric values for each label.

5. Click Save to create the chart.

Your chart will now be available on the Summary tab in the right sidebar.

Available Chart Types

MAPID supports several common chart types:

- **Line Chart**
- **Pie Chart**
- **Doughnut Chart**
- **Polar Area Chart**

Each type helps you quickly understand patterns, compare categories, and analyze distribution within your data.

Compact List

Compact List

The Compact List feature provides a simplified, card-based view of your table data. It helps you quickly review key attributes from each row without needing to scan the full data table.

Use this feature when you want to display field summaries, event snapshots, or record highlights directly on the map interface.

How to Use Compact List

1. Open your project and select the layer you want to use.
2. Go to the **Table** view.
3. Click **Create Compact List**.
4. Choose the fields you want to display in the card preview.
5. Save and view your Compact List on the right panel.

API Documentation

MAPID API menyediakan data dalam format **GeoJSON** yang siap digunakan untuk berbagai kebutuhan geospasial Anda. Mulai dari marker sederhana hingga layer geospasial yang lebih kompleks, semuanya dapat diakses melalui API yang konsisten dan mudah digunakan.

Dokumentasi ini dirancang untuk membantu Anda memahami cara kerja MAPID API dan mengimplementasikannya dalam berbagai kebutuhan aplikasi.

PRASYARAT AKSES API

Sebelum menggunakan MAPID API, pastikan Anda telah memiliki lisensi aktif pada platform GEO MAPID. Akses ke API hanya tersedia untuk pengguna yang telah terdaftar dan memiliki lisensi yang valid.

Untuk informasi lebih lanjut mengenai jenis lisensi dan cara mendapatkannya, silakan kunjungi:

Lisensi GEO MAPID


GETTING STARTED

Mulai dengan beberapa langkah sederhana berikut.

1. Pastikan anda sudah membuat project dan melakukan digitasi. Penjelasan lebih lanjut mengenai digitasi dapat mengunjungi halaman berikut :


Digitasi

2. Buka project yang anda buat pada halaman dasbor, lalu tekan tombol edit layer




Dasbor GEO MAPID

3. Setelah masuk kedalam halaman editor, langkah selanjutnya yaitu menekan tombol Edit Layer (ikon pensil), dan dapatkan MAPID API pada kolom OPEN API




Tombol Edit Layer



API Layer

4. Salin API URL yang tersedia, kemudian gunakan API Testing Tools (seperti Postman atau tools sejenis) untuk melakukan pengujian request.



API Testing menggunakan Postman

Form Builder

The Form Builder in GEO MAPID allows you to design custom data-collection forms for surveys, inspections, reporting, and internal workflows. Every form can be built using flexible field types and shared with users inside or outside your organization.

Ways to Create a Form

There are two ways to start creating a form in GEO MAPID:

1. From the Dashboard

1. Go to **Forms** from the left sidebar.
2. Click **Create New Form** to open the Form Builder workspace.

2. From a Project (Alternative Method)

1. Open your **Project**.
2. Create or select a **Layer**.
3. Click **Edit Layer**.
4. Select **Open Form Editor**.

This method links the form directly to a specific layer.

Set Form Details

When creating a new form, configure the basic information:

- **Form Name**
- **Description** (optional)
- **Folder / Group** (optional)

Form Settings

You can enable or adjust several options:

- Location capture
- Access permissions
- Required or optional fields
- Visibility rules

Field Types

All fields can be added from the right-side panel and arranged freely.

1. Text

For general text input:

- **Text** – Single-line input
- **Long Description** – Multi-line notes

2. Selection

Create selectable options:

- **Selection** – Dropdown list
- **Button** – Choose from button-style options
- **Checklist** – Select multiple items

3. Number

For numeric inputs:

- **Number** – Standard number field
- **Slider (Number)** – Adjustable slider
- **Phone Number** – Phone-formatted input
- **Currency** – Currency-formatted number

4. Sheet

- **Sheet** – Add a mini table/spreadsheet inside the form

5. Location

Use geographic and administrative references:

- **Urban Villages**
- **Regencies**
- **Cities**
- **Provinces**
- **Nearest Street**
- **Nearest POI**
- **Counting POI** – Count POIs around the object
- **Custom Counting** – Custom spatial counting rule

6. Formula

Add calculations and logic:

- **Calculate Dimension** – Compute area/size
- **Simple Referring** – Refer to one field
- **2D Referring** – Refer to multiple fields

- **Math Operators** – Basic math
- **Conditional Statement** – Logic-based values
- **Table Formula** – Formulas inside table fields

7. File

Upload documents:

- **Image**
- **Document**

8. Time

Capture date and time:

- **Year**
- **Date**
- **Time**

9. Other

Additional tools and metadata:

- **Section** – Group fields visually
- **Link** – Add URLs
- **Nested Table** – Structured table block
- **User Name** – Auto-record user
- **ID Data** – Unique ID
- **Last Edited** – Timestamp
- **Edited By** – User who last edited
- **Longitude / Latitude** – Manual coordinate input

Input Form

FORM MAPID Filling Guide

Step 1: Map Section (Location Determination)

123

Choose language

INAENG

Version 2.55.07Home

Form MAPID

Download this form for offline mode

Status

Haven't clicked on location yet


Accuracy

Haven't clicked on location yet

Enable location

Cari lokasi...

☐ Citra Satelit



Lat

-6,178407239

Long

106,84251626

The survey administrator allows manual shift points


Next

The first step in a geospatial form is determining the location point where the data is collected. There are several ways to input coordinates in FORM MAPID:

The screenshot displays the FORM MAPID mobile application interface. At the top, there is a blue header bar with three numbered steps (1, 2, 3) and the text 'Choose language'. Below this, there are two buttons: 'INA' and 'ENG', with 'ENG' being the active selection. Further down, there are two buttons: 'Version 2.55.07' and 'Home'. The main title 'Form MAPID' is prominently displayed in a white box. Below the title, there is a blue button labeled 'Download this form for offline mode'. A status section shows 'Status' and 'Accuracy' both as 'Haven't clicked on location yet'. A red-bordered button labeled 'Enable location' is highlighted. Below this, there is a map of Indonesia with a search bar labeled 'Cari lokasi...'. A toggle switch for 'Citra Satelit' is visible. The map shows several cities, including Serang, Jakarta, Bogor, Sukabumi, Bandung, and Cidolog. At the bottom left, there are input fields for 'Lat' (-6,178407239) and 'Long' (106,84251626). A text message at the bottom states 'The survey administrator allows manual shift points', followed by a blue 'Next' button.

Enable Location

- **Enable Location:** Make sure the GPS on your device is active to ensure maximum location accuracy. Click the **Enable Location** button to automatically place the pin at your current position.



Fullscreen Mode

- **Fullscreen Mode:** Drag the map and click on the desired area to manually drop a location pin. Once the point is correct, make sure the coordinates are locked (indicated by the pin bouncing upward).

1

2

3

Choose language

INA

ENG

Version 2.55.07

Home

Form MAPID

Download this form for offline mode

Status

Haven't clicked on location yet

Accuracy

Haven't clicked on location yet

Enable location

dipatiukur

Dipatiukur, Jalan Dipatiukur, Lebak Gede, Coblong, Kota Bandung, Jawa Barat, Jawa, 40133, Indonesia

Jalan Dipatiukur, Lebak Gede, Coblong, Kota Bandung, Jawa

Citra Satelit

Lat

-6,17841

Long

106,84251627

The survey administrator allows manual shift points

Next

Location Search


- Location Search:** Search for a place as a reference for the coordinate point to be entered. This location search feature supports geometry types such as **polygon** to represent areas or regions (such as cities or districts), **line** to represent linear objects like roads, and **point** to represent specific locations or exact addresses.

Geometry Types in Search Results




Semarang City (Polygon)

1. Polygon (Area Geometry) Used to represent administrative areas such as cities, regencies, districts, or sub-districts. When the search result is an area, the map will display its boundary in polygon form.



Dipatiukur Street (Line)

2. Line (Linear Geometry) Used to represent elongated objects such as roads, rivers, or specific routes. If the selected location is a road, the system will display a line following the shape of the road.



PT MAPID (Point)

3. Point (Location Point) Used to mark a specific location such as an address, building, or place. The location will be displayed as a single coordinate point on the map.

1

2

3

Choose language

INA

ENG

Version 2.55.07

Home

Form MAPID

Download this form for offline mode

Status

Haven't clicked on location yet

Accuracy

Haven't clicked on location yet

Enable location

Cari lokasi...

Citra Satelit

Lat

-6,17841

Long

106,84251627

The survey administrator allows manual shift points

Next

Edit Coordinates Based on Latitude and Longitude

- **Edit Coordinates:** Integrate coordinates from external platforms by copying the latitude and longitude values and pasting them into the provided input fields in the FORM.

1

2

3

Choose language

INA

ENG

Version 2.55.07

Home

form

Download this form for offline mode

Status

Haven't clicked on location yet

Accuracy

Haven't clicked on location yet

Enable location

Carli lokasi...

Citra Satelit

Lat

-6,178407239

Long

106,84251626

Serang

Jakarta

Bogor

Sukabumi

mas

urade

The survey administrator allows manual shift points

Next

Satellite Imagery

- **Satellite Imagery:** This feature allows you to change the map basemap to satellite view.



Coordinate Lock

- **Coordinate Lock:** The Coordinate Lock feature is used to lock the position of a point so it does not change when the map is dragged. By default, when the map is moved, the coordinate point will move along with it. However, when Coordinate Lock is enabled, you can freely move the map to view other areas without changing the previously defined coordinates.

Step 2: Input Section (Data Entry)

The screenshot displays a mobile application interface for data entry. At the top, a blue header contains three numbered steps (1, 2, 3), a language selection menu with 'INA' and 'ENG' options, and buttons for 'Version 2.55.07' and 'Home'. Below the header, the main form area is titled 'form' and includes a blue button labeled 'Download this form for offline mode'. The form contains two identical sections, each with a title ('Name' and 'Question 1'), a 'Mandatory' label in a red pill, a 'selection' label in a green pill, and a dropdown menu with the placeholder text 'Please select from the options'. At the bottom of the form is a dark grey 'Send' button. Below the button, a message states: 'The submit button will be active after all the required questions have been filled in.'

Input Form Page

After the location is determined, complete the information according to the available fields.

- **Identity & Text:** Fill in text fields such as Name, Report Title, or Description as required.
- **Options (Dropdown/Checkbox):** If there are multiple-choice questions, select the most relevant option from the list.
- **Media (Photos/Documentation):** Click the **Take Photo** (camera) button to capture field conditions directly, or select **Upload** to upload photos from your gallery.
- **Required Fields:** Ensure all fields marked with a red asterisk (*) or labeled **Required** are filled in. You cannot proceed if these fields are left empty.

Step 3: Click Submit (Data Submission)

The final step is to ensure the data is successfully saved in the system.

- **Quick Review:** Recheck whether the location point on the map is correct and ensure there are no typos in the input data.
- **Submit Button:** Find and click the **Submit** button, which is usually located at the bottom of the form.
- **Confirmation:** Wait until a notification message appears saying **“Data successfully submitted”** or **“Submission Successful.”**

Note: If you are offline (no network signal), please use the offline mode as described in:

Offline Mode Documentation

Form with Management Flow

Form with Management Flow

The Form with Management Flow allows you to manage and update form data directly from your project.

How to Use Form Management

1. Open Your Project

From the GEO MAPID Dashboard, open the project that contains the form data.

2. Access Layer Editing

In the Layer List, select the layer containing the form. Click **Edit Layer** or Open the form directly by clicking **Edit** in the **Form Builder**.

Form Response

Responses

The **Responses** page allows you to view and manage all data submitted through your form. Each response is stored inside the project and can be reviewed directly from the Dashboard.

How to View Responses

1. Open the Dashboard

Go to the GEO MAPID Dashboard from the main sidebar.

2. Select Your Project

Choose the project that contains the layer generated by your form.

3. Open the Layer Table

Inside the project, open the layer linked to your form. All submitted form entries will appear as rows in the table.

What You Can Do

- View each response as a table entry
- Open and inspect individual records
- Continue collecting new submissions through the same form

Edit Link Each Row

Edit Link Each Row

The **Edit Link per Row** feature allows you to edit table data using the form and share a unique edit link for each record.

This feature is useful for:

- Editing data directly through the form
- Allowing respondents to update their own submitted data
- Sharing edit access for specific rows without exposing the entire project

How to Edit Link Each Row

1. Open Your Project

Go to your project from the GEO MAPID Dashboard.

2. Click *Edit Layer*

Select the layer you want to manage, then click Edit Layer.

3. Enable “Edit Link Each Row”

Inside the layer settings, you will find a button labeled Edit Link Each Row.

Click it to use this feature.

4. View Data Table

After enabling it, a table will appear containing all form responses.

5. Open Form to Edit Data

Each row will have a “**Open Form**” button to edit the data using the original form.

6. Share Edit Links

You can also copy and share unique edit links so respondents can update their own entries.

Offline Form

Offline Form allows you to access and fill out MAPID forms without an internet connection. This feature is designed for fieldwork in areas with limited or unstable connectivity.

How It Works

1. **Download the Form** From the form page, select **Download Form for Offline**. The form will be saved to your device and ready to use offline.
2. **Fill the Form Offline** You can open and complete the form without an internet connection, just like an online form.
3. **Save Offline** While offline, submitted data cannot be sent to the server. Instead, use **Save Offline** to store the responses locally on your device.
4. **Submit When Online** Once an internet connection is available, open the saved offline forms and submit them to sync the data with the project.

Notes

- Offline mode supports data entry only.
- Data submission requires an active internet connection.
- Saved offline data remains on the device until successfully submitted.

This feature helps ensure data collection can continue smoothly, even in offline conditions.

What is SINI ?

SINI is a location intelligence assistant designed to support spatial-based analysis and decision-making. It helps users analyze and present insights derived from geographic and demographic data to better understand patterns, trends, and potential opportunities.

By leveraging location-related data, SINI provides meaningful insights that can be applied across various use cases, such as regional planning, business expansion, resource management, and policy development. This feature enables users to explore spatial knowledge efficiently and gain a deeper understanding of the unique characteristics of specific areas, supporting more informed and accurate decisions.

Site Selection vs Site Analysis

Site Selection and Site Analysis are closely related processes in spatial planning and development, but they serve different purposes and focus on different stages of decision-making.

Site Selection

Purpose

Site Selection is used to identify the most suitable location for a specific project or activity.

Focus

It focuses on comparing multiple potential locations based on defined criteria such as accessibility, cost, infrastructure availability, regulatory compliance, and growth potential.

Methodology

This process typically involves spatial analysis, decision modeling, and feasibility evaluation. Geographic Information Systems (GIS) and demographic data are commonly used to visualize, score, and rank candidate locations.

Site Analysis

Purpose

Site Analysis aims to gain an in-depth understanding of the characteristics and conditions of a specific location that has already been selected or shortlisted.

Focus

It examines detailed factors such as topography, land conditions, environment, socio-economic context, and other attributes that may influence development or implementation.

Methodology

Site Analysis often relies on detailed spatial data, surveys, field observations, and digital mapping technologies. Compared to Site Selection, this process is more focused, technical, and location-specific.

Summary

In summary, **Site Selection** focuses on choosing the best location from multiple alternatives based on defined criteria, while **Site Analysis** provides a deeper evaluation of a selected location to understand its opportunities and constraints. Both processes are complementary and are commonly used together to support successful planning and development outcomes.

Site Selection

Site Selection helps you identify high-potential areas for business expansion by analyzing demographic data and Points of Interest (POI) using a grid-based scoring approach.

How to Use Site Selection

1. Open Map Editor

Open your project and switch to the **Map Editor**, where the **SINI** menu is available on the right panel.

2. Open Site Selection

Click **SINI → Site Selection** to start configuring the analysis.

3. Set Location

Search for a location (city, sub-district, or village) or select an area directly on the map.

4. Configure the Grid

- **Grid Shape:** Choose **Square** or **Hexagon**.
- **Grid Size:** Select a predefined size (e.g. 500 m, 1000 m) or define a custom size based on the analysis scale.

5. Define Parameters (Formula)

- Use **pre-built templates** provided by MAPID, or
- Create a **custom formula** using POI and demographic variables. You can also use an **AI prompt** to automatically generate a formula with weights and positive/negative impacts for each parameter.

6. Run Analysis

Click **Run** to start the scoring process. A progress indicator will appear, followed by a grid map showing suitability scores.

7. Review Results

Analyze the resulting grid, where areas are ranked from **less suitable** to **very suitable** based on the selected formula. Save the grid layer to continue further evaluation using **Site Analysis**.

Site Analysis

Site Analysis allows you to evaluate specific areas on the map using demographic data, POI density, and other spatial indicators derived from your **Site Selection** results. This tool provides detailed, grid-level insights to support more informed decision-making.

How to Use Site Analysis

1. Open Map Editor

Open your project and switch to the **Map Editor**. The **SINI** menu will appear on the right side of the interface.

2. Open Site Analysis

Go to **SINI → Site Analysis** to start the analysis.

3. Select Grid Layer

Choose the grid layer generated from **Site Selection**. This layer will be used as the basis for analysis.

4. Select a Grid Cell

Click any grid cell on the map. The system will load detailed statistics for the selected cell.

5. View Analysis Details

The right-side panel displays key information, including:

- **Grid Score** – overall suitability score
- **Parameter Breakdown** – contribution of each factor
- **Positive / Negative Impact**
- **Population & Demographic Data**
- **POI Count by Category**
- **Comparison with Surrounding Grids**

Displayed values and charts may vary depending on the formula and datasets used.

6. Compare Areas

Navigate across the map and select different grid cells. Each selection updates the analysis panel, enabling quick comparison between potential sites.

Distance

The **Distance** tool is used to measure the distance between points directly on the map. The result is displayed instantly and can be saved as a new layer.

Preconditions


- You have a GEO MAPID account
- You are logged in
- You have an active license

How to Use

1. Open Map Editor


Open your project and go to the **Map Editor**.

2. Open Toolbox




Click the **Toolbox** menu to view available tools.

3. Select Distance



Choose **Distance** from the list.


4. Start Measuring



Click on the map to set the starting point, then click again to add the next point. You can add multiple points to measure multiple segments.

Example: from Jalan Merdeka to Jalan Pasir Koja.

5. View Result



The line and distance value will appear directly on the map.

6. Finish Measurement

Click **Stop** to end the measurement.

7. Save Result


- Click **Save**
- Enter a layer name
- Click **Save** again

The measurement will be saved as a new layer.

Result

- The distance layer is successfully saved
- The layer appears on the map and in the layer list

Elevation



The **Elevation** tool is used to analyze elevation profiles along a defined path on the map. The result is displayed as a chart and can be saved as a new layer.

Preconditions


- You have a GEO MAPID account
- You are logged in
- You have an active license

How to Use

1. Open Map Editor


Open your project and go to the **Map Editor**.

2. Open Toolbox



Click the **Toolbox** menu to view available tools.

3. Select Elevation



Choose **Elevation** from the list.

4. Draw the Path

Click on the map to set the starting point, then click again to set the endpoint (or multiple points if needed). A line will appear representing the elevation path.

5. Set Number of Samples

Enter the **Number of Samples** to define how many elevation points will be taken along the path. The maximum allowed value is **100**.

6. Generate Elevation

Click **Generate** to process the elevation data.

7. View Result

The system will display an **elevation chart** showing height changes along the path.

8. Save Result


- Click **Save**
- Enter a layer name
- Click **Save** again

9. The elevation result will be saved as a new layer.

Result

- The elevation layer is successfully saved
- Elevation data can be viewed again on the map and in the layer list

Area



The **Area** tool is used to filter point data within a specific area. By drawing a polygon on the map, the system will extract points located inside the area and save them as a new layer.

Preconditions


- You have a GEO MAPID account
- You are logged in
- You have a point layer
- You have an active license

How to Use

1. Open Map Editor


Open your project and go to the **Map Editor**.

2. Open Toolbox




Click the **Toolbox** menu to view available tools.

3. Select Area




Choose **Area** from the list.

4. Draw Area



Draw a polygon on the map to define the area of interest. The system will display the created polygon.

5. Select Point Layer




Choose the point layer to be used as the data source. The system will validate the selected layer.

6. Generate Data

Click **Generate** to process the data. The system will extract all points located within the polygon.

7. View Result



Points inside the selected area will be displayed on the map.

8. Save Result


- Click **Save**
- Enter a layer name
- Click **Save** again

9. The result will be saved as a new layer.

Result

- The filtered area layer is successfully saved
- The point data within the area can be viewed again on the map and in the layer list

Radius



The Radius feature is used to create a circular area from a center point and retrieve point data located within that radius. The result can be saved as a new layer.

Prerequisites


- User already has a GEO MAPID account
- User is logged in
- User has at least one point layer
- User has an active license

How to Use

1. Open Map Editor


Open your project and access the Map Editor.

2. Open Toolbox




Click the **Toolbox** menu to display the list of available tools.

3. Select Radius




Select the **Radius** tool from the list.

4. Set the Center Point



Click on a point on the map to set it as the center of the radius. The system will mark the selected point.

5. Enter Radius Value




Enter the radius value (in meters or kilometers). The system will validate the input.

6. Generate Radius

Click **Generate** to create the radius area.


The system will display a circle based on the entered value.

7. Select Point Layer




Select the point layer you want to filter.

8. Generate Data




Click **Generate** to retrieve point data located within the radius.

9. View Result



Points within the radius will be displayed on the map.

10. Save Result (Optional)




- Click **Save**
- Select the data you want to save: Radius (radius area) Filtered Points (filtered points within the radius)
- Enter the layer name
- Click **Save** again

Users can choose to save the radius area, filtered points, or both as new layers based on analysis needs.

Result

- Users can save the radius area or filtered points as layers
- The radius layer is successfully saved
- Point data within the radius can be displayed again on the map and layer list

Isochrone



The Isochrone feature is used to analyze coverage areas based on travel time or distance from a center point using a selected transportation mode. This feature can also be used to retrieve point data located within the coverage area.

Prerequisites


- User already has a GEO MAPID account
- User is logged in
- User has at least one point layer
- User has an active license

How to Use

1. Open Map Editor


Open your project and access the Map Editor.

2. Open Toolbox




Click the **Toolbox** menu to display the list of available tools.

3. Select Isochrone




Select the **Isochrone** tool from the list.

4. Set the Center Point



Click on a point on the map as the center point for the analysis. The system will mark the selected point.

5. Select Transportation Mode



Choose the transportation mode to use:

- Car
- Walk
- Truck
- Bike

6. Enter Parameters

Enter the distance or travel time value as needed.

The system will validate the input.

7. Generate Isochrone Area

Click **Generate** to process the analysis.

The system will display the isochrone coverage area on the map.

8. Select Point Layer

Select the point layer to be used as the data source.

9. Filter Data

Click **Generate (Filter)** to retrieve point data located within the isochrone area.

10. View Result

Points located within the area will be displayed on the map.

11. Save Result

- Click **Save**
- Enter the layer name
- Click **Save** again

The analysis result will be saved as a new layer.

Result

- The isochrone layer is successfully saved
- Point data within the isochrone area can be displayed again on the map and layer list

Grid Count Point

The Grid Count Point feature is used to calculate the number of point data within each grid in a selected area. The grid is generated based on the selected polygon layer, and the system calculates the number of points in each grid and displays the result visually on the map.

Prerequisites


1. User already has a GEO MAPID account
2. User is logged in
3. User has an active license
4. User has at least:
 - 1 point layer
 - 1 polygon layer

How to Use

1. Open Map Editor


Open your project and access the Map Editor.

2. Open Toolbox




Click the **Toolbox** menu to display the list of available tools.

3. Select Grid Tool




Select the **Grid** tool (Grid Count Point) from the list.

4. Select Point Layer




Select the point layer as the data source to be calculated.

5. Select Polygon Layer



Select the polygon layer as the analysis area.


6. Configure Grid Parameters



Enter the grid parameters, such as:

- Number of grids, or
- Grid size


7. Select Grid Shape



Choose the grid shape:

- Square
- Hexagon

8. Generate Grid




Click **Generate / Run** to start the process.

9. Analysis Process

The system will:



- Generate grids within the polygon area
- Calculate the number of points in each grid

10. View Result



The grids along with the point counts will be displayed on the map.


11. Configure Visualization (Optional)



Select a color scheme to customize the grid visualization.

The system will update the visualization based on the selected option.

12. Save Result




Click **Save** to save the result as a new layer.

Result

- The grid layer is successfully saved
- Each grid contains point count information
- The grid visualization is displayed on the map

Routing



The Routing feature is used to determine travel routes from one point to another based on the selected transportation mode. The generated route can be displayed on the map and saved as a layer.

Prerequisites


- User already has a GEO MAPID account
- User is logged in User has an active license

How to Use

1. Open Map Editor


Open your project and access the Map Editor.

2. Open Toolbox




Click the **Toolbox** menu to display the list of available tools.

3. Select Routing



Select the **Routing** tool from the list.


4. Set Route Points



Click on the map to set the start point and destination point.

Example: from Gambir to Cikini.

5. Select Transportation Mode



Choose the transportation mode based on your needs:

- Car
- Walk
- Truck
- Bike

6. View Route Result

The system will display the route path on the map based on the provided input.

7. Save Result

- Click **Save**

- Enter the layer name
- Click **Save** again

8. Save as Layer

The route will be saved as a new layer.

Result

- The route is displayed on the map
- The routing layer is successfully added to the layer list

Group Collaboration

Groups

Groups allow you to organize members into a shared workspace where datasets, projects, and resources can be managed collectively. Each group can have multiple members with different permission levels depending on the needs of your workflow.

Key Functions of Groups

- Create & manage member access
- Share datasets, projects, and layers securely
- Control editing or viewing permissions
- Centralize teamwork in one managed space

How to Use Groups

1. Open Dashboard on your MAPID account.
2. Go to the Groups menu.
3. Click Create Group to add a new shared workspace.
4. Fill in group details (name, description, visibility).
5. Add members by email and assign permissions as needed.
6. Save to finalize and start sharing or managing resources inside the group.
7. Use the group view to monitor access, remove users, or edit roles anytime

Share A Row in Layer

Share a Row in Layer

The **Share a Row Layer** feature allows you to share specific data from a layer with others. This feature is only available in **Viewer Mode**.

How to Use Share a Row in Layer

Follow these steps:

1. Open the Project in Viewer Mode

Open your GEO MAPID project using the *Viewer* mode.

2. Open the Layer Table

Select the layer you want to share data from, then open its table.

3. Click the Share Button

Inside the table view, click the **Share** button.

4. Create a Sharing Link

Click **Create a Sharing Link** to generate the link.

Sharing Options

You can configure the shared data in two ways:

- **Only Selected Row** – share only the specific row you choose.
- **All Data in Layer** – share all entries inside the layer.

Publication

Publication

The Publication feature lets you share your mapping project, analysis, or spatial insights with a wider audience. Use it to publish your work publicly, limit access to certain users, or even monetize it.

Open the Publication Tool

1. From the Dashboard, click the Publication button.
2. Select Write to start drafting your publication.

Compose Your Publication

1. Enter a Title for your publication.
2. Use the rich text editor to write content:
 - Use headings (H1–H6) to structure your text.
 - Format text (bold, italic) for emphasis.
 - Create bullet lists or numbered lists.
 - Insert links to external resources using the link button.
 - Add images using the image upload tool, then provide a description

Share Project


The **Share Project** feature is used to share GEO MAPID projects with other users through a link. Shared projects can only be accessed in **viewer mode**, so other users cannot make changes or edit the project.

How to Use

1. Open the Project


Open the project you want to share through the Map Editor.

2. Click the Share Button



Click the **Share** button located at the top-right corner of the page.

3. Copy the Link



A pop-up containing the project link will appear. Click **Copy** to copy the link.

4. Share the Link

Share the link with other users through any platform you prefer. User Access Users who open the link will enter viewer mode.

Users can:

- View data on the map
- Open available layers and data

Users cannot:

- Edit data Add or delete layers
- Change project configurations

Result

The project is successfully shared through a link

The project can be accessed by other users in viewer mode only

Manage API Keys

Manage API Keys

API Keys allow you to integrate MAPID services with external applications. Use the API Key Manager to create, view, and delete your keys.

How to Create an API Key

1. Open your **Dashboard**.
2. Go to the **Map Services** page.
3. In the *API Keys* section, click **Create New Key**.
4. Enter a **Key Name** and a **Description** to identify its purpose.
5. Click **Create**.

Your new API Key will appear in the list along with its details.

API Key Details

Each key displays the following information:

- **API Key** – The token used for authentication.
- **API Key Name** – The name you assigned.
- **Description** – Notes about what the key is used for.
- **Created At** – The date and time the key was generated.
- **Total Requests** – Number of API calls made using this key.

Use these details to track usage and manage integrations.

Delete an API Key

If a key is no longer needed:

1. Open the **Map Services** page.
2. Find the API Key you want to remove.
3. Click **Delete**.

Deleting a key immediately disables access for any application using it.

Monitor Usage

The Usage section helps you track how your API Keys are being used. This includes request counts, traffic distribution, and usage patterns across specific time periods.

How to Check API Usage

1. Open Map Services

From your MAPID Dashboard, open the **Map Services** page.

2. Go to the Analytics Tab

Switch to the **Analytics** tab to view your usage statistics.

3. View Usage Chart

A usage graph is displayed, showing total requests over time.

4. Filter Usage Data

You can filter the analytics using: **API Key Month Type** (request category) **Year**

5. Review Total Request Count

The total number of requests is displayed at the top of the analytics page.

Basemaps Examples

Basemap Examples

GEO MAPID provides several basemap options that you can switch at any time while working in the Map Editor. These basemaps help you adjust the visual context of your map depending on your project needs—whether for analysis, presentation, or field operations.

Available Basemaps

1. Street MAPID – 2D Building Only

A clean street-focused basemap that displays road networks and 2D building footprints. Ideal for lightweight visualization and general mapping.

2. Street MAPID

A detailed street basemap showing buildings, landmarks, road hierarchy, and other urban features. Suitable for most analytical workflows that require context-rich maps.

3. Satellite

High-resolution satellite imagery for land cover visualization, environmental analysis, and real-world terrain inspection.

4. Dark MAPID

A dark-themed basemap designed for highlighting data layers, dashboards, and nighttime-friendly visualizations.

5. Light MAPID

A minimal, bright basemap that emphasizes your data and works well for presentation-ready maps.