

# IBM disaster recovery

Name :R.Venniladevi

Reg no:921821104047

Mail: vennilakumaraguru2004@gmail.com

**Problem Definition:** The project involves creating a disaster recovery plan using IBM Cloud Virtual Servers. The objective is to safeguard business operations by developing a plan that ensures continuity for an on-premises virtual machine in unforeseen events. This plan will include setting up backup strategies, configuring replication, testing the recovery process, and guaranteeing minimal downtime. The project encompasses defining the disaster recovery strategy, implementing backup and replication, validating recovery procedures, and ensuring business continuity.

**Design Thinking:**

**Disaster Recovery Strategy:** Define the disaster recovery strategy and objectives, including recovery time objectives (RTO) and recovery point objectives (RPO).

A disaster recovery strategy is a documented plan detailing how an organization responds to potential disasters, ensuring the continuity of operations and data protection. Objectives of a disaster recovery strategy include minimizing downtime, safeguarding data, and ensuring business continuity.

**\*\*Recovery Time Objective (RTO):\*\***

RTO refers to the maximum acceptable downtime for restoring services after a disaster. It defines the time within which systems, applications, or processes must be recovered to avoid significant harm to the organization. For example, if the RTO is 4 hours, the organization must recover its systems and operations within that timeframe.

**\*\*Recovery Point Objective (RPO):\*\***

RPO defines the maximum tolerable data loss in case of a disaster. It indicates the age of the files or data to be recovered to resume normal operations. For instance, if the RPO is 1 hour, the organization can tolerate losing data created within the last hour, and the recovery process should ensure that data is restored up to that point.

A well-defined disaster recovery strategy sets clear RTO and RPO objectives tailored to the organization's specific needs and risks. It also outlines procedures, roles, responsibilities, and

technologies required to achieve these objectives, ensuring that the organization can effectively recover from various disasters and continue its operations with minimal disruption.

**Backup Configuration:** Configure regular backups of the on-premises virtual machine to capture critical data and configurations.

To configure regular backups of an on-premises virtual machine and capture critical data and configurations, you can follow these general steps:

1.       **\*\*Select Backup Software:\*\*** Choose a reliable backup software that supports virtual machine backups. Examples include Veeam Backup & Replication, Commvault, or native solutions like Windows Server Backup for Hyper-V.
2.       **\*\*Define Backup Schedule:\*\*** Set up a backup schedule based on your organization's needs. Determine how frequently you need backups (daily, weekly) and at what time. Ensure backups do not interfere with critical business operations.
3.       **\*\*Select Backup Storage:\*\*** Choose an appropriate storage solution to store your backups. It could be an on-premises backup server, network-attached storage (NAS), or cloud storage like Amazon S3, Azure Blob Storage, or Google Cloud Storage.
4.       **\*\*Configure Backup Source:\*\*** Specify the virtual machine you want to back up. Provide the necessary credentials to access the VM and any applications or databases running on it.
5.       **\*\*Define Backup Retention Policy:\*\*** Determine how long you want to retain backups. Implement a retention policy that balances your storage capacity and compliance requirements. Older backups can be archived or deleted based on this policy.
6.       **\*\*Encrypt Backups:\*\*** Enable encryption for your backups to ensure data security. Encryption should be applied both in transit and at rest to protect sensitive information.

7. **\*\*Test Backup and Recovery:\*\*** Regularly test your backup and recovery processes to ensure they work as expected. Perform test restores to a non-production environment to validate backup integrity.
8. **\*\*Monitor Backup Jobs:\*\*** Implement monitoring and alerting for backup jobs. Receive notifications for successful backups as well as failures. Monitor storage usage to prevent running out of backup space.
9. **\*\*Document the Configuration:\*\*** Document the backup configuration, including schedules, retention policies, storage locations, and recovery procedures. Keep this documentation updated for reference during emergencies.
10. **\*\*Regularly Review and Update:\*\*** Regularly review your backup strategy and update it according to changes in your infrastructure, applications, or business requirements. Regular reviews help ensure that your backup configuration remains effective and relevant.

Remember that specific steps and options might vary based on the backup software and virtualization platform you are using. Always consult the documentation of your chosen backup solution for detailed, platform-specific instructions.

**Replication Setup:** Implement replication of data and virtual machine images to IBM Cloud Virtual Servers to ensure up-to-date copies.

Setting up replication of data and virtual machine images to IBM Cloud Virtual Servers involves several steps. Here's a general guide to help you implement this process:

1. **\*\*Access IBM Cloud:\*\***

- Log in to your IBM Cloud account and navigate to the IBM Cloud Virtual Servers dashboard.

2. **\*\*Create Virtual Servers:\*\***

- Create virtual servers on IBM Cloud that will act as replication targets. Ensure these servers have sufficient resources to accommodate the replicated data and virtual machine images.

### 3. **Network Configuration:**

- Set up secure communication channels between your on-premises environment and IBM Cloud Virtual Servers. This often involves configuring Virtual Private Network (VPN) connections or Direct Link services provided by IBM Cloud.

### 4. **Replication Software/Service:**

- Choose a replication software or service compatible with both your on-premises environment and IBM Cloud. IBM Cloud offers services like IBM Hyper Protect Virtual Servers, which provide encryption and isolation for sensitive workloads.

### 5. **Configuration and Deployment:**

- Configure the replication software/service to establish a connection between your on-premises environment and IBM Cloud Virtual Servers. Provide necessary credentials, connection details, and select the data and virtual machine images you want to replicate.

### 6. **Replication Policies:**

- Define replication policies, including replication frequency and data synchronization intervals. Determine how often changes in your on-premises environment are replicated to IBM Cloud to ensure up-to-date copies.

### 7. **Monitoring and Alerts:**

- Implement monitoring for the replication process. Set up alerts to notify you of any issues, such as failed replications or connectivity problems. Regularly review these alerts to ensure the replication process is functioning correctly.

### 8. **Testing Failover and Failback:**

- Periodically test the failover process to IBM Cloud Virtual Servers to ensure that you can quickly switch to the replicated environment in case of a disaster. Also, test the failback process to your on-premises environment to validate the recovery procedure.

### 9. **Documentation:**

- Document the replication setup, including configuration details, policies, and failover/failback procedures. Keep this documentation updated, and ensure relevant team members have access to it.

#### 10. **\*\*Regular Maintenance and Updates:\*\***

- Regularly maintain and update the replication solution and associated components to ensure compatibility with changes in your environment and IBM Cloud services.

Always refer to the specific documentation provided by IBM Cloud and the chosen replication solution for detailed and platform-specific instructions during the setup process.

**Recovery Testing:** Design and conduct recovery tests to validate the recovery process and guarantee minimal downtime.

Designing and conducting recovery tests is essential to validate the recovery process and ensure minimal downtime in the event of a disaster. Here's how you can effectively plan and execute recovery tests:

#### **### Designing Recovery Tests:**

1. **\*\*Define Objectives:\*\*** Clearly outline the objectives of the recovery test. Determine what you want to achieve, such as testing specific applications, data, or entire systems.
2. **\*\*Select Test Scenarios:\*\*** Identify different disaster scenarios (e.g., server failure, data corruption) and design test cases to simulate these scenarios. This helps in evaluating various aspects of the recovery process.
3. **\*\*Involve Stakeholders:\*\*** Include key stakeholders from IT, business, and management teams in the planning process. Their input is valuable for defining recovery priorities and understanding business requirements.
4. **\*\*Document Procedures:\*\*** Document step-by-step procedures for each test scenario. Include details such as which systems or data will be recovered, the recovery methods to be used, and the expected recovery time.

5.       **\*\*Allocate Resources:\*\*** Allocate necessary resources, including personnel, hardware, and software tools, to perform the tests effectively. Ensure that everyone involved understands their roles and responsibilities.
  
6.       **\*\*Schedule Tests:\*\*** Plan the test schedule carefully. Conduct tests during non-business hours if possible to minimize the impact on regular operations. Inform all relevant parties about the test schedule and objectives.

### ### Conducting Recovery Tests:

1.       **\*\*Execute Test Scenarios:\*\*** Follow the documented procedures to execute the test scenarios. Simulate the disaster conditions as realistically as possible to evaluate the system's response.
  
2.       **\*\*Monitor Progress:\*\*** Monitor the progress of the recovery process closely. Track the time taken to recover systems, applications, and data. Note any issues, delays, or unexpected outcomes.
  
3.       **\*\*Validate Data Integrity:\*\*** Verify the integrity of recovered data and ensure that it matches the original data. Check for any discrepancies or data corruption issues that might have occurred during the recovery process.
  
4.       **\*\*Test Failover and Failback:\*\*** If applicable, test failover to backup systems and failback to primary systems. Validate the functionality and performance in both scenarios to ensure a smooth transition.
  
5.       **\*\*Gather Feedback:\*\*** Collect feedback from the team members involved in the recovery test. Document any challenges faced, lessons learned, and areas for improvement.
  
6.       **\*\*Evaluate Results:\*\*** Evaluate the results of the recovery tests against the predefined objectives. Determine whether the recovery objectives, such as Recovery Time Objectives (RTO) and Recovery Point Objectives (RPO), were met.

7. **\*\*Document Findings:\*\*** Document the findings, including successful aspects and areas that need improvement. Use this information to refine the disaster recovery plan and procedures.

8. **\*\*Review and Improve:\*\*** Organize a post-test review meeting with stakeholders to discuss the results. Identify areas for improvement and update the recovery plan and procedures accordingly.

By following these steps, you can ensure that your recovery tests are well-planned, executed effectively, and provide valuable insights for enhancing your organization's disaster recovery capabilities.

**Business Continuity:** Ensure that the disaster recovery plan aligns with the organization's overall business continuity strategy.

Aligning the disaster recovery plan with the organization's overall business continuity strategy is crucial for ensuring seamless operations during and after a disaster. Here are steps to ensure this alignment:

1. **\*\*Understand Business Objectives:\*\***

- Gain a deep understanding of the organization's overall business objectives, critical processes, and dependencies. Identify key stakeholders and their requirements.

2. **\*\*Risk Assessment:\*\***

- Conduct a comprehensive risk assessment to identify potential threats and vulnerabilities that could disrupt business operations. Evaluate the impact of these disruptions on critical processes.

3. **\*\*Define Recovery Objectives:\*\***

- Work closely with stakeholders to define clear recovery objectives, including Recovery Time Objectives (RTO) and Recovery Point Objectives (RPO), aligning them with the organization's business goals. Determine how quickly systems and processes need to be restored to minimize business impact.

4. **\*\*Integrate Business Processes:\*\***

- Ensure that the disaster recovery plan integrates seamlessly with critical business processes. Identify interdependencies between different systems, applications, and departments. Consider how disruptions in one area could affect others.

5. **\*\*Collaborate Across Departments:\*\***

- Foster collaboration between IT, operations, finance, and other relevant departments. Establish clear communication channels to facilitate coordination during disaster recovery efforts.

6. **\*\*Resource Allocation:\*\***

- Allocate resources effectively, considering both financial and human resources. Ensure that adequate resources are available to implement and maintain the disaster recovery plan.

7. **\*\*Regular Testing and Updating:\*\***

- Conduct regular tests and simulations to validate the disaster recovery plan. Identify areas for improvement and update the plan accordingly. Regular testing ensures that the plan remains effective and aligned with evolving business needs.

8. **\*\*Training and Awareness:\*\***

- Provide training and awareness programs to employees, ensuring they understand their roles and responsibilities during a disaster. Foster a culture of preparedness and emphasize the importance of business continuity.

9. **\*\*Compliance and Regulations:\*\***

- Ensure that the disaster recovery plan complies with relevant regulations and industry standards. Stay updated with legal requirements and adjust the plan as needed to remain compliant.

10. **\*\*Documentation and Reporting:\*\***

- Document the disaster recovery plan clearly, including roles, procedures, and contact information. Establish reporting mechanisms to keep stakeholders informed about the status of the disaster recovery efforts.

11. **\*\*Continuous Improvement:\*\***

- Foster a culture of continuous improvement. Regularly review the business continuity and disaster recovery strategies, incorporating lessons learned from real incidents and exercises. Adapt the strategies to address emerging threats and technologies.



By aligning the disaster recovery plan with the organization's broader business continuity strategy, you ensure that the organization can effectively respond to disasters, minimize downtime, and maintain essential business functions, ultimately safeguarding its overall stability and reputation.