

🎯 Conditional and Advanced Conditional Function Practice

These questions are designed for **data analytics practice**, helping learners think like analysts who interpret business insights from Excel data.

◇ SUMIF / SUMIFS – Revenue & Sales Analysis

1. What is the **total sales value** of *Office Chair* orders in **Delhi** handled by *Rahul Singh*?

=SUMIFS(F4:F54,C4:C54,"Delhi",D4:D54,"Office Chair",G4:G54,"Rahul Singh")

2. Find the **total revenue** generated from *External HDD* orders in **Bhopal** handled by *Karan Patel*.

3. Calculate the **total price** of *Tablet* orders in **Surat** managed by *Priya Gupta*.

4. Determine the **total sales** of *Monitor* products sold in **Nagpur** by *Sneha Jain*.

5. What is the **total revenue** from *Smartphones* sold in **Pune** by *Vikas Kumar*?

6. Find the **total sales** of *Printer* orders where **Quantity > 5**.

=SUMIFS(F4:F54,E4:E54,">5",D4:D54,"Printer")

7. Calculate the **total revenue** for *Office Chair* sold in **Delhi** and **Surat** combined.

=SUMIFS(F4:F54,C4:C54,"Delhi",D4:D54,"Office Chair")+SUMIFS(F4:F54,C4:C54,"Surat",D4:D54,"Office Chair")

◇ AVERAGEIF / AVERAGEIFS – Pricing & Performance

1. What is the **average price** of *Monitor* sold in **Bhopal** by *Sneha Jain*?

=AVERAGEIFS(F4:F54,D4:D54,"Monitor",C4:C54,"Bhopal",G4:G54,"Sneha Jain")

2. Find the **average selling price** of *Laptop* orders handled by *Vikas Kumar* in **Nagpur**.

3. Determine the **average price** of *Office Chair* sold in **Patna** by *Anjali Mishra*.

4. Calculate the **average price** of *Router* sold in **Surat** by *Rahul Singh*.

5. What is the **average price** of *Printer* sold in **Kolkata** by *Sneha Jain*?

6. Find the **average price** of *Monitor* orders with **Quantity > 5**.

=AVERAGEIFS(F4:F54,D4:D54,"Monitor",E4:E54,">5")

7. Determine the **average price** of *Tablet* sold by *Sneha Jain* in **Ahmedabad**.



◇ COUNTIF / COUNTIFS – Order & Customer Analysis

1. How many *External HDD* orders were placed in **Bengaluru** by *Karan Patel*?

=COUNTIFS(D4:D54,"External HDD",C4:C54,"Bengaluru",G4:G54,"Karan Patel")

2. Count the number of *Tablet* orders in **Ahmedabad** handled by *Sneha Jain*.
3. How many *Mouse* orders were placed in **Mumbai** by *Amit Sharma*?
4. Count the number of *Office Chair* orders in **Delhi** handled by *Rahul Singh*.
5. How many *Monitor* orders were placed in **Nagpur** by *Sneha Jain*?
6. Count how many orders have **Price > 10,000** and **Quantity > 5**.

=COUNTIFS(F4:F54,">10000",E4:E54,">5")

7. How many *Router* orders were placed by *Rahul Singh* in **Surat**?

◇ MINIFS / MAXIFS – Range & Benchmark Analysis

1. Find the **lowest price** of *Monitor* sold in **Bhopal** by *Sneha Jain*.

=MINIFS(F4:F54,D4:D54,"Monitor",C4:C54,"Bhopal",G4:G54,"Sneha Jain")

2. Find the **highest price** of *Laptop* sold in **Nagpur** by *Vikas Kumar*.
3. Determine the **minimum price** of *Office Chair* sold in **Delhi** by *Rahul Singh*.
4. Find the **maximum price** of *Tablet* sold in **Surat** by *Priya Gupta*.
5. Identify the **lowest price** of *Printer* sold in **Kolkata** by *Sneha Jain*.
6. Find the **maximum price** of *Smartphone* sold in **Mumbai** by *Amit Sharma*.
7. Determine the **highest price** of *Monitor* orders with **Quantity > 5**.

=MAXIFS(F4:F54,D4:D54,"Monitor",E4:E54,">5")



💡 Analyst-Level Scenarios (Common in Interviews)

Q1. Total revenue for a product sold by multiple salespersons in one city

Formula = `SUMIFS(F4:F54, C4:C54, "Delhi", D4:D54, "Office Chair")`

🔑 Calculates total sales of *Office Chair* in *Delhi* across all salespersons.

Q2. Average price of high-quantity orders (>5 units) for a specific product

Formula = `AVERAGEIFS(F4:F54, D4:D54, "Monitor", E4:E54, ">5")`

🔑 Returns the average price of *Monitor* orders where quantity > 5.

Q3. Count how many orders exceed ₹10,000 in price for a given salesperson

Formula = `COUNTIFS(G4:G54, "Sneha Jain", F4:F54, ">10000")`

🔑 Counts all orders handled by *Sneha Jain* with price > ₹10,000.

Q4. Find minimum price of a product sold in two cities (Delhi and Surat)

Formula = `MIN(MINIFS(F4:F54, C4:C54, "Delhi", D4:D54, "Router"),
MINIFS(F4:F54, C4:C54, "Surat", D4:D54, "Router"))`

🔑 Compares *Router* prices in *Delhi* and *Surat* and returns the lowest.

Q5. Identify maximum price of Laptop orders handled by Vikas Kumar with quantity > 3

Formula = `MAXIFS(F4:F54, D4:D54, "Laptop", G4:G54, "Vikas Kumar", E4:E54, ">3")`

🔑 Finds the highest-priced *Laptop* order managed by *Vikas Kumar* with quantity > 3.

🧠 Interview Insight

Recruiters often ask:

- “How would you calculate total sales for a product sold by multiple people?”
- “How can you compare average prices across cities using formulas?”
- “How would you identify top-performing salespersons using conditional logic?”

Practicing these questions helps learners demonstrate **logical reasoning, formula accuracy, and business interpretation** — exactly what interviewers look for.