Topic 1: Distribution of Data

"Data is a story, and distribution tells us how the story is spread."

1. What is Data Distribution?

A data distribution shows how values in a dataset are spread across different ranges. It tells us **how frequently** a value (or range of values) occurs.

In Simple Words

It helps us understand where most of the data lies, whether it is spread evenly or not, and if there are any unusual values.

Example Dataset – Daily Sales (in $)

120	135	142	150	155
160	162	165	170	172
175	180	182	185	190
195	200	210	220	250

Observation

These are 20 days of sales data. Instead of just looking at individual numbers, we use distribution to understand where most of the sales values lie.

Why is Data Distribution Important?

- Helps us understand the overall patttern of data.
- Shows whether data is concentrated in a particular range or spread out.
- Helps identify unusual values (outliers).
- Supports better decision-making in real business scenarios.

Real-World Business Examples

Retail Understand the distribution of daily sales to plan inventory and staffing.

HR Analyze the distribution of employee salaries to ensure fair compensation.

Finance Study the distribution of monthly expenses to identify cost patterns and control spending.

Visualizing the Distribution – Histogram



What the Histogram Tells Us?

- **X-axis:** Ranges (bins) of sales values
- **Y-axis:** Frequency (how many days fall in each range)
- Most of the sales values (8 days) are between $160 – $190.
- Fewer days have very low or very high sales.
- This gives a clear picture of how the data is distributed.

Key Takeaways

- Data distribution helps us see the big picture.
- It shows where most of the values lie.
- It helps identify unusual or extreme values.
- Histograms are one of the most useful tools for visualizing distribution.

"Better Data. Better Decisions. A Brighter You." – Tech with Shivansh

Topic 2: Symmetric vs Asymmetric Distribution

1. What is a Symmetric Distribution?

A symmetric distribution is one where the data is evenly spread on both sides of the center (mean). The left side is a **mirror image** of the right side.

Key Points

- Mean, Median, and Mode are approximately equal.
- The data looks the same on both sides.
- Most common example: Normal Distribution.

2. What is an Asymmetric Distribution?

An asymmetric distribution is one where the data is not evenly spread. One sides of the distribution is **longer** or "**heavier**" than the other.

Key Points

- Mean, Median, and Mode are **not** equal.
- The data is skewed to one side.
- Two types: Right Skewed (Positive) and Left Skewed (Negative).

Symmetric Distribution



- Bell-shaped curve.
- Mean = Median = Mode.
- Example: Height of students, test scores (often).

Right Skewed Distribution (Positive Skew)



- Long tail on the right side.
- Mean > Median > Mode.
- Example: Income, house prices, product prices.

Left Skewed Distribution (Negative Skew)



- Long tail on the left side.
- Mean < Median < Mode.
- Example: Marks in an easy exam, age of retirement (in some cases).

Real-World Examples

Scenario	Type of Distribution
Height of people	Symmetric (approximately)
Exam scores (normal cases)	Symmetric (approximately)
Monthly income	Right Skewed
House prices	Right Skewed
Age at death	Left Skewed
Time taken to complete a task	Right Skewed
Marks in an easy test	Left Skewed

Why is it Important?

- Helps us choose the right statistical methods.
- Important for business decisions (e.g., pricing, risk analysis).
- Useful in identifying unusual patterns or biases.
- Helps in better interpretation of data visualizations.

Key Takeaways

- Symmetric distribution: data is balanced on both sides.
- Asymmetric distribution: data is skewed to one side.
- Right skew: long tail on the right (mean > median > mode).
- Left skew: long tail on the left (mean < median > mode).
- Understanding the shape helps in accurate analysis and decision-making.

"Data has a shape, and every shape tells a story."

3 Topic 3: Skewness – Positive, Negative & Zero

What is Skewness?

Skewness is a measure of the asymmetry of a data distribution. It tells us how much and in which direction the data is stretched (skewed).

- If the tail is on the right side, the distribution is **positively skewed**.
- If the tail is on the left side, the distribution is **negatively skewed**.
- If the distribution is perfectly balanced, skewness is **zero**.

Skewness Formula

$$Skewness = \frac{1}{n}\sum_{i=1}^{n}\left(\frac{x_i - \bar{x}}{s}\right)^3$$

Where:

- x_i = each data point
- $\bar{x}$ = mean of the data
- s = standard deviation
- n = total number of observations

Interpretation:

- Skewness > 0 → Positive Skew
- Skewness < 0 → Negative Skew
- Skewness = 0 → No Skew (Symmetric)

Positive Skewness (Right Skewed)



Example:

- Income of people
- House prices
- Time taken to complete a task (most people complete quickly, few take very long)

Negative Skewness (Left Skewed)



Example:

- Marks in an easy exam
- Age at death
- Discounts on products (most products have small discount, few have very high discount)

Zero Skewness (Symmetric)



Example:

- Heights of people
- Test scores (in many cases)
- Manufacturing measurements (e.g., weight of packed items)

Comparison Table

Feature	Positive Skew	Negative Skew	Zero Skew
Tail	Right side	Left side	No tail (symmetric)
Mean vs Median	Mean > Median	Mean < Median	Mean = Median
Skewness Value	> 0	< 0	= 0
Shape	Stretched right	Stretched left	Balanced
Real-life Example	Income, house prices	Exam marks (easy paper)	Height, test scores

Real-World Business Examples

Business Area	Type of Skewness	Reason
Customer Income	Positive	Few people earn very high income
Product Prices	Positive	Few products are very expensive
Customer Ratings (on easy service)	Negative	Most give high ratings, few give low
Time on Website	Positive	Most users stay for short time, few stay very long
Height of Products (in manufacturing)	Zero (approx.)	Designed to be standard (symmetric)

Key Takeaways

- Skewness tells us about the direction and degree of **asymmetry** in data.
- **Positive skew**: long right tail (mean > median > mode).
- **Negative skew**: long left tail (mean < median < mode).
- **Zero skew**: symmetric distribution (mean = median = mode).
- Skewness helps in identifying data patterns, outliers, and choose the right statistical methods.
- Useful in business for pricing, risk analysis, customer behavior, and more.

"Understand the shape, find the story behind the data."

4 Topic 4: Kurtosis (Introduction)

Same Data Bigger Insights!

Tech with Shivansh
DATA | ANAAYTICS | CAREER

What is Kurtosis?

Kurtosis measures the **"tailedness"** or peakness of a distribution. It tells us how much of the data lies in the tails compared to a normal distribution.

In Simple Words

Kurtosis helps us understand whether the data has more extreme values (heavy tails) or fewer extreme values (light tails) compared to a normal distribution.

Kurtosis Formula (Excess Kurtosis)

$$Kurtosis = \frac{1}{n}\sum_{i=1}^{n}\left(\frac{x_i - \bar{x}}{s}\right)^4 - 3$$

Where:

- x_i = each data point
- $\bar{x}$ = mean of the data
- s = standard deviation
- n = total number of observations

Interpretation (Excess Kurtosis):

- Kurtosis > 0 → Leptokurtic (Heavy tails, more outliers)
- Kurtosis = 0 → Mesokurtic (Normal distribution)
- Kurtosis < 0 → Platykurtic (Light tails, fewer outliers)

Leptokurtic Distribution (Kurtosis > 0)

- More data in the tails (extreme values)
- Sharper and higher peak
- Higher probability of outliers



Mesokurtic Distribution (Kurtosis = 0)

- Normal distribution
- Moderate peak and tails
- Serves as a reference point



Platykurtic Distribution (Kurtosis < 0)

- Fewer data in the tails
- Flatter and wider peak
- Lower probability of outliers



Real-World Business Examples

Business Scenario	Type of Kurtosis	Reason
Share market returns	Leptokurtic	More extreme gains and losses
Customer transaction amounts	Leptokurtic	Few very high-value transactions
Product manufacturing dimensions	Platykurtic	Values are tightly controlled
Human height	Mesokurtic (approx.)	Follows normal distribution
Delivery times	Leptokurtic (in many cases)	Most deliveries are normal but few are very delayed

Why is Kurtosis Important?

- Helps us understand the risk of extreme values.
- Useful in finance, insurance and risk management.
- Important for quality control in manufacturing.
- Helps in choosing the right statistical models.

Key Takeaways

- Kurtosis measures the shape of the tails, not the center.
- Leptokurtic: more outliers, heavy tails.
- Platykurtic: fewer outliers, light tails.
- Mesokurtic: similar to normal distribution.
- Useful for risk analysis, quality control and real-world decision making.

"It's not just about the average, it's about the shape of the story."

5 Topic 5: Outliers – Detection & Treatment

Find The Unusual Make Better Decisions!

Tech with Shivansh
DATA | ANALYTICS | CAREER

What are Outliers?

Outliers are data points that are **significantly higher or lower** than the rest of the data. They are **unusual values** that do not follow the general pattern of the dataset.

In Simple Words

Outliers are the "odd ones out" that are very far from the majority of the data.

Why Do Outliers Occur?

- Data entry errors
- Measurement errors
- Rare but genuine events
- Fraud or anomalies
- Changes in process or environment
- Natural variability in data

Why is it Important?

- Can highly affect mean, variance and other statistics.
- Helps in data cleaning and improves model accuracy.
- Important for risk analysis, fraud detection and quality control.
- Helps in better decision-making and forecasting.

Visual Example



Detecting Outliers

1. IQR Method (Most Common)

- Calculate Q1 and Q3
- IQR = Q3 – Q1
- Lower Bound = Q1 – 1.5 × IQR
- Upper Bound = Q3 + 1.5 × IQR
- Values outside this range are outliers

Example Calculation

Data (sorted): 10, 12, 14, 15, 16, 18, 20, 22, 25, 50

Q1 = 14 **Q3** = 22 **IQR** = 8

Lower Bound = 14 – 1.5 × 8 = 2

Upper Bound = 22 + 1.5 × 8 = 34

50 is an outlier (> 34)

2. Z-Score Method

- Calculate Z-Score for each value
- $|Z| > 3$ is usually considered an outlier
- Useful for normally distributed data

$$Z = \frac{x - \mu}{\sigma}$$

Example

Mean = 50, SD = 10

For value 90:

Z = (90 – 50 ⁄ 10 = 4

$|Z| > 3 \rightarrow$ **90 is an outlier**

Box Plot with Outliers



In a box plot, outliers appear as individual points beyond the whiskers.

Methods to Handle Outliers

Method	When to Use?
Remove Outliers	When they are errors or not relevant
Cap / Truncate	Replace with a threshold value (e.g., 95th percentile)
Transform Data	Use log, square root transformation
Use Robust Measures	Use median, IQR (less affected by outliers)
Keep as It Is	When outliers are genuine and important

Real-World Business Examples

Business Area	Example	Why It Happens?
Retail	One transaction of ₹50,000	Bulk purchase by a customer
Finance	Unusually high expense	One-time project cost
Healthcare	Rare extreme test value	Medical condition or error
E-commerce	Very high order value	Corporate order
Manufacturing	Abnormally high defect size	Machine error

Key Takeaways

- Outliers can significantly affect statistical measures.
- Use visualizations like box plots to detect them.
- IQR and Z-Score are common methods.
- Always investigate before removing outliers.
- Not all outliers are bad — some carry important business insights.

Quick Check

In the dataset below, identify the outlier using the IQR method:

12, 14, 15, 16, 18, 21, 22, 25, **60**

"Spot the outlier, understand the story."

6 Topic 6: Box Plot (Box and Whisker Plot)

Visualize Compare Analyze Decide!

Tech with Shivansh
DATA | ANALYTICS | CAREER

What is a Box Plot?

A box plot (or box and whisker plot) is a graphical tool that shows the distribution of data using the five-number summary (minimum, Q1, median, Q3, maximum). It also helps in identifying outliers.

In Simple Words

A box plot gives a quick visual summary of where the data lies, how spread out it is, and if there are any unusual values.

Components of a Box Plot

1. **Minimum (Lower Whisker)**
   Smallest value (excluding outliers)
2. **Q1 (25th Percentile)**
   Lower end of the box
3. **Median (Q2)**
   Line inside the box (middle value)
4. **Q3 (75th Percentile)**
   Upper end of the box
5. **Maximum (Upper Whisker)**
   Largest value (excluding outliers)
6. **Outliers**
   Individual points beyond the whiskers

Box Plot Structure

The box shows the middle 50% of the data (IQR), and the whiskers show the rest of the data, excluding outliers.

Example 1 – Box Plot of Test Scores



Five Number Summary	
Minimum	10
Q1	35
Median	50
Q3	65
Maximum	90
Outlier	100

Interpretation: Most of the scores lie between 35 and 65. There is one unusually high score (100) which is an outlier.

Example 2 – Box Plot to Compare Departments



Business Insight:

- Sales has the highest variation in salaries.
- Marketing has relatively consistent salaries.
- IT has a high outlier (one very high salary).
- HR has lower salaries with less variation.

How to Create a Box Plot in Excel

1. Select your data (e.g., salary column).
2. Go to **Insert → Statistical Chart → Box & Whisker.**
3. Excel will automatically create the box plot.
4. Format the chart (add title, labels, colors).
5. Identify outliers and compare across categories.



Real-World Business Use Cases

HR	Compare salary distribution across departments.
Retail	Analyze product price distribution and identify outliers.
Finance	Understand risk in investment returns.
Healthcare	Compare treatment outcomes across hospitals.

Key Takeaways

- Box plot is based on the five-number summary.
- Helps to quickly understand the spread and detect outliers.
- Useful for comparing multiple groups or categories.
- The box represents the middle 50% (IQR) of the data.
- Outliers are shown as individual points.

Quick Check

The box plot below represents the age (in years) of customers.



1. What is the approximate median?
2. Is there an outlier?
3. What does the box represent?
4. What inference can you make about the age distribution?

"Visualize the data, find the story."

7 Topic 7: Histogram

Data Speaks Louder with Visuals!

Tech with Shivansh
DATA | ANALYTICS | CAREER

What is a Histogram?

A histogram is a graphical representation of the distribution of continuous numerical data. It shows how frequently data values fall within a range (called bins or intervals).

In Simple Words

A histogram groups data into ranges and shows how many values fall in each range using bars.

Key Features

- Used for continuous numerical data (e.g., age, salary, weight).
- Data is divided into bins (class intervals).
- Bars are adjacent (no gaps).
- The height of each bar represents the frequency.
- Helps to understand the shape, spread and patterns in data.

When to Use a Histogram?

- To understand the distribution of large datasets.
- To identify the shape (normal, skewed, etc.).
- To detect unusual patterns or outliers.
- To compare distributions.
- Commonly used in business, analytics, quality control and research.

When NOT to Use?

- For categorical data (use a bar chart instead).

Example 1: Symmetric Distribution



- Bell-shaped histogram.
- Data is evenly distributed around the center.
- Most values are in the middle range.

Example 2: Right Skewed Distribution



- More values in lower ranges.
- Long tail on the right side.
- Common examples: income, product prices, waiting time.

Example 3: Left Skewed Distribution



- More values in higher ranges.
- Long tail on the left side.
- Common examples: marks in easy tests, product ratings (highly rated).

How to Create a Histogram in Excel?

1. Select your data (numerical column).
2. Go to **Insert → Statistical Chart → Histogram.**
3. Excel will automatically create the histogram.
4. (Optional) Adjust bin width under Format Axis.
5. Add chart title, axis labels and data labels.
6. Analyze the shape and interpret the results.



Tip: You can also use the Data Analysis ToolPak (Histogram) for more control (custom bins).

Example 4: Real-World Example



Business Insight:

- Most orders are below ₹500.
- As the order value increases, the frequency decreases.
- Indicates a right-skewed distribution (few high-value orders).

Real-World Use Cases

Industry	Example	Purpose
Retail	Distribution of order values	Understand customer spending pattern
Finance	Distribution of investment returns	Analyze risk and identify unusual values
Healthcare	Distribution of patient wait times	Improve service and resource planning
Education	Distribution of exam scores	Analyze performance patterns
Manufacturing	Distribution of product weight	Quality control and process monitoring

Key Takeaways

- A histogram shows the frequency distribution of numerical data.
- It helps us understand the shape, spread and patterns in data.
- Choose appropriate bin size for better insights.
- Useful for identifying skewness and potential outliers.
- Widely used in business, analytics and decision-making.
- Always interpret histograms in the context of the business problem.

"Turn data into insights, one chart at a time."

8 Topic 8: Frequency Polygon & Ogive

Different Charts Same Data Bigger Insights!

Tech with Shivansh
DATA | ANALYTICS | CAREER

Frequency Polygon

A frequency polygon is a line graph that shows the frequency distribution of a dataset. It is created by plotting the midpoints of each class interval against their frequencies and then joining the points with straight lines.

In Simple Words

A frequency polygon is a line chart that connects the midpoints of each class with its frequency.

Ogive (Cumulative Frequency Curve)

An ogive is a graph that shows the cumulative frequency distribution. It displays the total number of observations up to a certain value.

In Simple Words

An ogive shows the running total of frequencies as the value increases.

Key Differences

Feature	Frequency Polygon	Ogive
Type	Frequency distribution	Cumulative frequency
Graph	Line graph	Line graph
X-axis	Class midpoints	Class boundaries (upper or lower)
Y-axis	Frequency	Cumulative frequency
Shape	Rises and falls	Always increasing
Use	Understand the distribution shape	Find median, quartiles, percentiles

Example 1: Frequency Polygon

Class Interval	Midpoint (x)	Frequency (f)
0 – 10	5	4
10 – 20	15	8
20 – 30	25	15
30 – 40	35	12
40 – 50	45	6
50 – 60	55	3



Observation:

- Shows the overall shape of the distribution.
- Helps to identify the most frequent class and the spread of data.

Example 2: Ogive (Less Than Type)

Class Interval	Frequency (f)	Cumulative Frequency (≤)
0 – 10	4	4
10 – 20	8	12
20 – 30	15	27
30 – 40	12	39
40 – 50	6	45
50 – 60	3	48



Observation:

- Always increases (never decreases).
- Helps to find median, quartiles, percentiles easily.

Example 3: Ogive (More Than Type)

Class Interval	Frequency (f)	Cumulative Frequency (≥)
0 – 10	4	48
10 – 20	8	44
20 – 30	15	36
30 – 40	12	21
40 – 50	6	9
50 – 60	3	3



Real-World Business Use Cases

Business Area	Chart Used	Use Case	Example
Retail	Frequency Polygon	Understand sales distribution	Product-wise sales range
Education	Ogive	Find median & percentile	Student exam scores (find 75th percentile)
Healthcare	Ogive	Analyze patient wait times	Identify 90th percentile wait time
Manufacturing	Frequency Polygon	Check defect distribution	Most common defect size
Finance	Ogive	Risk analysis	Find income percentiles

How to Create in Excel?

1. Prepare a frequency distribution table.
2. For **Frequency Polygon**: calculate midpoints and plot a line chart with markers.
3. For **Ogive**: calculate cumulative frequency and plot a line chart.
4. Add chart title, axis labels and format the chart.
5. Use smooth lines and markers for better visualization.

Tip:

Use Scatter Plot with Straight Lines in Excel for better control over the graph.

Key Takeaways

- A frequency polygon shows the distribution shape using class midpoints.
- An ogive shows the cumulative frequency (less than or more than type).
- Frequency polygon helps in understanding the pattern of data.
- Ogive is useful to find median, quartiles and percentiles.
- Both are important for data analysis and decision-making.

"Different views, deeper insights."

Tech with Shivansh
Learn | Apply | Grow

9 Topic 9: Stem and Leaf Plot

Small Data, Big Story!

Tech with Shivansh
DATA | ANALYTICS | CAREER

What is a Stem and Leaf Plot?

A stem and leaf plot is a simple graphical method to display numerical data while preserving the actual data values. It splits each value into a **stem (leading digit(s))** and a **leaf (last digit)** and arranges them in a way that shows the distribution, shape and spread of the data.

In Simple Words

It's like a histogram, but it also shows the actual data values.

Why Use It?

- Shows the shape of the data
- Keeps the original values
- Easy to create and interpret
- Useful for small to medium datasets

How It Works?

1. Divide each value into a stem and a leaf.
2. List the stems in a column (usually in ascending order).
3. Write the corresponding leaves next to each stem.
4. Each leaf represents the last digit of the value.

Example:
Value 57 → Stem = 5, Leaf = 7

Example 1: Create a Stem and Leaf Plot

Dataset: Test Scores

12	15	17	18	21
23	24	25	27	28
31	34	36	37	39
41	42	45	47	49

Stem and Leaf Plot

Stem	Leaves
1	2 5 7 8
2	1 3 4 5 7 8
3	1 4 6 7 9
4	1 2 5 7 9

How to Read?

- Stem 1 | Leaf 2 means the value is 12.
- Stem 2 Leaves 1 3 4 5 7 8 means the values are 21, 23, 24, 25, 27, 28.
- We can quickly see that most scores are in the 20s and 30s.

Example 2: Real-World Example (Customer Age)

Dataset: Customer Age

18	19	21	22	22
25	26	27	28	29
32	34	35	36	38
41	43	45	47	49

Stem and Leaf Plot

Stem	Leaves
1	8 9
2	1 2 2 5 6 7 8 9
3	2 4 5 6 8
4	1 3 5 7 9

Business Insight:

- Majority of customers are in their 20s and 30s.
- Fewer customers are in their 40s.
- Helps in target marketing and customer segmentation.

How to Create a Stem and Leaf Plot in Excel?

1. Separate the stem and leaf using formulas.
2. Use the **LEFT()** function for stem and **RIGHT()** for leaf.
3. Sort the data by stem.
4. Create a unique list of stems.
5. Combine leaves for each stem using **TEXTJOIN()**.
6. Format the result to look clean.

Formula Example

If value is in cell A2:

- Stem (tens place): =INT(A2/10)
- Leaf (ones place): =MOD(A2,10)
- Combine leaves (for each stem): =TEXTJOIN(" ", TRUE, range)

Advantages vs Limitations

Advantages

- Shows actual data values.
- Easy to understand.
- Useful for small to medium datasets.
- Helps in identifying the shape, center and spread.
- Quick to create and interpret.

Limitations

- Not suitable for very large datasets.
- Can become messy with too many leaves.
- Less effective for decimal values.
- Not as visually appealing as histograms.

Real-World Use Cases

Industry	Use Case	Benefit
Retail	Customer age analysis	Understand customer distribution for targeted marketing
Education	Student marks analysis	Identify performance patterns
Healthcare	Patient wait times	Analyze waiting time distribution
Finance	Transaction amounts (small dataset)	Detect unusual patterns
HR	Employee salary distribution (small dataset)	Understand salary spread

Key Takeaways

- A stem and leaf plot displays numerical data while preserving the actual values.
- It helps in understanding the distribution shape, center and spread.
- It is simple, effective and useful for small to medium datasets.
- Excel formulas like INT(), MOD() and TEXTJOIN() can be used to create one.
- It is widely used in business, education, healthcare, finance and HR for quick analysis.

"Data tells stories, make them visible."

10 Topic 10: Normal Distribution

The Most Important Distribution in Real Life!

Tech with Shivansh
DATA | ANALYTICS | CAREER

What is Normal Distribution?

The normal distribution is a continuous, symmetric, bell-shaped distribution where data is concentrated around the mean and tapers off equally on both sides.

In Simple Words

Most of the values are around the average, and fewer values appear as we move away from the average in either direction.

Key Characteristics

- Bell-shaped and symmetric.
- Mean = Median = Mode
- Fully defined by two parameters: Mean (μ) and Standard Deviation (σ).
- Total area under the curve = 1 (or 100%).
- Approximately 68% of data lies within 1 standard deviation.
- Approximately 95% within 2 standard deviations.
- Approximately 99.7% within 3 standard deviations (68–95–99.7 Rule).

Why is it Important?

- Many real-world variables follow a normal distribution (e.g., height, weight, exam scores, measurement errors).
- Used in statistical inference, hypothesis testing and quality control.
- Helps in risk analysis, forecasting and decision-making.
- A foundation for many other statistical methods.

Real-Life Analogy

Most people have an average height. Very short or very tall people are rare.

Normal Distribution Curve



Empirical Rule (68 – 95 – 99.7)

68% within ±1σ
95% within ±2σ
99.7% within ±3σ

Standard Normal Distribution (Z-Distribution)

A normal distribution with mean 0 and standard deviation 1 is called the **standard normal distribution.**

Z-Score Formula

$$Z = \frac{X - \mu}{\sigma}$$

X = value, μ = mean, σ = standard deviation

Example: Calculate Z-Score

A student scored 85 in a test. The class mean is 70 and. standard deviation is 10.

$$Z = \frac{85 - 70}{10} = 1.5$$

Interpretation

- Z = 1.5 means the score is 1.5 standard deviations above the mean.
- We can use Z-tables (or Excel's NORM.S.DIST) to find the probability.

Real-World Example: Exam Scores

The distribution of exam scores in a large class usually follows a normal distribution.

Business Insight:

- Most students score around the average (e.g., 60–80).
- Very low or very high scores are rare.
- Helps in grading, performance analysis and identifying outliers.

How to Use in Excel?

1. Use **NORM.DIST(x, mean, standard_dev, TRUE)** – cumulative probability.
2. Use **NORM.S.DIST(z, TRUE)** – for Z-scores.
3. Use **NORM.INV(probability, mean, standard_dev)** – find the value for a given probability.
4. Use **NORM.S.INV(probability)** – for standard normal.
5. Create a bell curve using a line chart with formula.

Tip: Create a list of values (e.g., -3 to 3), calculate NORM.S.DIST for each, and plot the curve.

Real-World Use Cases

Industry	Example	Use of Normal Distribution
Education	Exam scores	Grading, performance analysis
Healthcare	Patient measurements	Identify normal ranges (e.g., BP, height)
Manufacturing	Product dimensions	Quality control, defect detection
Finance	Stock returns	Risk analysis and portfolio management
Retail	Customer behavior	Modeling demand and forecasting

Key Takeaways

- Normal distribution is symmetric and bell-shaped.
- Mean = Median = Mode.
- Defined by mean (μ) and standard deviation (σ).
- Empirical rule: 68% – 95% – 99.7%.
- Widely used in real-world applications across industries.
- Excel makes it easy to calculate probabilities and create normal curves.

"Understand the distribution, see the bigger picture."

11 Topic 11: Choosing the Right Chart

Right Chart Right Story Better Decisions!

Tech with Shivansh
DATA | ANALYTICS | CAREER

Why Data Visualization?

Data visualization helps us understand data quickly, identify patterns, compare values, spot trends and communicate insights effectively. The right chart can turn complex data into a clear and compelling story.

In Simple Words

Charts and graphs make data easy to see, easy to understand and easy to remember.

Benefits

- Simplifies complex data.
- Helps in quick decision-making.
- Highlights trends, patterns and outliers.
- Makes reports more engaging and insightful.
- Widely used in business, analytics, research and presentations.

> *"A picture is worth a thousand numbers."*

Key Factors to Choose a Chart

1. **Type of data** – Categorical or numerical.
2. **Purpose** – Comparison, trend, distribution, proportion, or relationship.
3. **Number of variables** – Single or multiple.
4. **Audience** – Keep it simple and clear.
5. **Message** – What insight do you want to communicate?

Golden Rule

Choose the chart that best answers your business question.

Common Types of Charts

Chart Type	Best For	Example Use Case
Column Chart	Compare values across categories	Sales by region
Bar Chart	Compare values (horizontally)	Top 10 products
Line Chart	Show trends over time	Monthly revenue trend
Pie Chart	Show proportions (whole = 100%)	Market share
Histogram	Show distribution of numerical data	Distribution of exam scores
Box Plot	Show spread and outliers	Salary distribution
Scatter Plot	Show relationship between two variables	Ad spend vs. sales
Area Chart	Show cumulative trends	Cumulative revenue
Combo Chart	Show multiple data series	Sales (columns) + Growth % (line)

Example 1: Column Chart (Sales by Region)



Insight:

- West region has the highest sales.
- East region has the lowest sales.

Example 2: Line Chart (Monthly Revenue Trend)



Insight:

- Revenue shows a consistent increasing trend.
- Significant growth in the last two months.

Example 3: Pie Chart (Market Share)



Insight:

- Product A has the largest market share.
- Product D has the smallest share.

Example 4: Histogram (Distribution of Scores)



Insight:

- Most students scored between 40–80.
- Very low scores are rare.

Example 5: Scatter Plot (Ad Spend vs Sales)



Insight:

- There is a positive relationship between ad spend and sales.
- Higher ad spend generally leads to higher sales.

How to Create Charts in Excel?

1. Select your data.
2. Go to **Insert → Recommended Charts** (or specific chart).
3. Choose the right chart type.
4. Customize (title, axis labels, colors, legend, data labels).
5. Add insights and format for clarity.

Key Takeaways

- Visualization turns data into insights.
- Choose the right chart based on your data and purpose.
- Keep charts simple, clean and easy to read.
- Use charts to highlight key business insights.
- Practice creating different charts in Excel.

Real-World Use Cases

Industry	Example Use Case
Retail	Sales performance by region
Finance	Revenue trend and forecasting
Healthcare	Patient age distribution
Education	Exam score analysis
Marketing	Ad spend vs. sales performance
HR	Employee salary distribution

"Visualize today, make better decisions tomorrow."

12 Topic 12: Measures of Position

Find Your Place In The Data!

Tech with Shivansh
DATA | ANALYTICS | CAREER

What are Measures of Position?

Measures of position tell us where a particular value lies in a dataset. They help us understand the relative standing of a value and divide the data into equal parts.

In Simple Words

They show the position of a value in a dataset, such as the middle value, or the value below which a certain percentage of data falls.

Types of Measures of Position

1. **Quartiles** – divide the data into 4 equal parts.
2. **Deciles** – divide the data into 10 equal parts.
3. **Percentiles** – divide the data into 100 equal parts.
4. **Z-Score** – shows how many standard deviations a value is from the mean.
5. **Rank** – shows the position of a value in an ordered list.

Why Are They Important?

- Help in comparing values within a dataset.
- Useful in performance analysis (e.g., top 10% customers).
- Identify outliers and unusual values.
- Commonly used in business, analytics, finance and research.
- Useful for setting benchmarks and targets.

Example: In an exam, the 90th percentile means 90% of the students scored below that value.

1 Quartiles (Q1, Q2, Q3)

Quartiles divide the data into 4 equal parts (25% each).



$$\text{Position of } Q_k = \frac{k(n+1)}{4} \quad (k = 1, 2, 3)$$

Example:
Find Q1, Q2 and Q3 for the data:
10, 15, 20, 25, 30, 35, 40, 45, 50

$Q_1 = 17.5$ Q_2 (Median) $= 30$ $Q_3 = 42.5$

2 Deciles (D1, D2, ..., D9)

Deciles divide the data into 10 equal parts (10% each).

$$\text{Position of } D_k = \frac{k(n+1)}{10} \quad (k = 1, 2, \ldots, 9)$$

Example:
Find D_3 for the data:
10, 20, 30, 40, 50, 60, 70, 80, 90, 100

D_3 (30th percentile) = 37

3 Percentiles (P1, P2, ..., P99)

Percentiles divide the data into 100 equal parts (1% each).

$$\text{Position of } P_k = \frac{k(n+1)}{100} \quad (k = 1, 2, \ldots, 99)$$

Example:
Find the 90th percentile (P90) for the data:
12, 18, 25, 30, 40, 50, 60, 70, 85, 100

P90 = 86.5

4 Z-Score (Standard Score)

Z-score shows how many standard deviations a value is from the mean.

$$Z = \frac{X - \mu}{\sigma}$$

Where:
X = value
μ = mean
σ = standard deviation

Example:
For a value of 80, mean = 50, standard deviation = 10

$$Z = \frac{80 - 50}{10} = 3$$

The value is 3 standard deviations above the mean.

5 Rank

Rank shows the position of a value in an ordered list. Ties can be handled using average rank.

Example:
Data: 50, 60, 60, 70, 80
Ranks: 1, 2.5, 2.5, 4, 5
(Tied values 60 get the average rank)

In Excel: Use the RANK() or RANK.EQ() function to find the rank of a value.

Real-World Use Cases

Industry	Use Case
Education	Find percentile rank of students
Finance	Use quartiles to analyze investment returns
Retail	Identify top 10% customers (using deciles)
Healthcare	Use percentiles for growth charts (e.g., child height percentile)
HR	Rank employee performance
Marketing	Find top performing products (using percentile/decile)

Useful Excel Functions

Function	Purpose
QUARTILE(array, k)	Returns the k-th quartile (1, 2 or 3)
PERCENTILE.INC(array, k)	Returns the k-th percentile (0–1)
PERCENTILE.EXC(array, k)	Returns the k-th percentile (exclusive method)
RANK.EQ(number, array, [order])	Returns the rank of a number
AVERAGEIF(), COUNTIF()	Helpful for position-based analysis

Key Takeaways

- Measures of position show the relative location of a value.
- Quartiles, deciles and percentiles divide data into equal parts.
- Z-score tells how far a value is from the mean.
- Rank shows the position in an ordered list.
- Widely used in education, finance, healthcare, retail and HR.
- Excel makes it easy to calculate these measures.
- They help in benchmarking, comparison and decision-making.

"It's not just data, it's where you stand."

13 Topic 13: Measures of Dispersion

Spread Tells the Real Story!

Tech with Shivansh
DATA | ANALYTICS | CAREER

What are Measures of Dispersion?

Measures of dispersion tell us how spread out the data is. They show the amount of variability in a dataset, i.e., how far the values are from the center (mean). Even if two datasets have the same average, they can have different levels of spread.

In Simple Words

They measure how scattered or consistent the data is.

Why are They Important?

- Help us understand the consistency of data.
- Identify risk, variability and uncertainty.
- Useful in comparing multiple datasets.
- Widely used in business, finance, healthcare and research.
- Support better decision-making and forecasting.

> *"Average tells you the center, Dispersion tells you the story behind it."*

Key Measures of Dispersion

1. **Range** – Difference between maximum and minimum values.
2. **Variance** – Average of squared deviations from the mean.
3. **Standard Deviation** – Square root of variance.
4. **Mean Absolute Deviation (MAD)** – Average of absolute deviations from the mean.
5. **Interquartile Range (IQR)** – Difference between Q3 and Q1.
6. **Coefficient of Variation (CV)** – Relative measure of dispersion.

1 Range

Range is the difference between the maximum and minimum values.

$$Range = Max - Min$$

Example:

Data: 12, 18, 25, 30, 45

Range = 45 − 12 = 33

2 Variance

Variance is the average of the squared deviations from the mean.

$$\sigma^2 = \frac{\sum (x - \mu)^2}{N} \quad \text{(Population)}$$

Example:

Data: 4, 8, 10, 14

Mean = 9

$$\text{Variance} = \frac{[(4-9)^2 + (8-9)^2 + (10-9)^2 + (14-9)^2]}{4}$$

$$= (25 + 1 + 1 + 25) / 4 = 13$$

3 Standard Deviation

Standard deviation is the square root of variance. It shows the average distance of data points from the mean.

$$\sigma = \sqrt{\sigma^2}$$

Example:

Using the above variance (13):

Standard Deviation = $\sqrt{13} = 3.61$

4 Mean Absolute Deviation (MAD)

MAD is the average of the absolute differences between each value and the mean.

$$MAD = \frac{\sum |x - \mu|}{N}$$

Example:

Data: 4, 8, 10, 14 (Mean = 9)

$$\text{MAD} = \frac{(|4-9| + |8-9| + |10-9| + |14-9|)}{4}$$

$$= (5 + 1 + 1 + 5) / 4 = 3$$

5 Interquartile Range (IQR)

IQR is the difference between the third quartile (Q3) and the first quartile (Q1). It shows the spread of the middle 50% of the data.

$$IQR = Q_3 - Q_1$$

Example:

Data (sorted): 10, 12, 15, 20, 25, 30, 35

$Q1 = 12 \quad Q_3 = 30$

$IQR = 30 - 12 = 18$

6 Coefficient of Variation (CV)

CV is a relative measure of dispersion. It is useful for comparing datasets with different units or means.

$$CV = \frac{\sigma}{\mu} \times 100\%$$

Example:

Mean (μ) = 50, Standard Deviation (σ) = 10

$$\text{CV} = \frac{\sigma}{50} \times 100\% = 20\%$$

Visual Comparison

Same Mean, Different Spread

Dataset	Values	Mean	Standard Deviation	Interpretation
A	45, 48, 50, 52, 55	50	3.74	Less spread (more consistent)
B	30, 40, 50, 60, 70	50	15.81	More spread (more variability)

Both datasets have the same mean (50), but dataset B is more variable because it has a higher standard deviation.

Useful Excel Functions

Function	Purpose
MAX()	Returns the maximum value
MIN()	Returns the minimum value
STDEV.P()	Calculates population std. deviation
STDEV.S()	Calculates sample std. deviation
VAR.P()	Calculates population variance
VAR.S()	Calculates sample variance
QUARTILE.INC()	Returns quartiles (Q1, Q2, Q3)
ABS()	Returns absolute value
AVERAGE()	Calculates the mean

Key Takeaways

- Measures of dispersion show how spread out the data is.
- Standard deviation is the most widely used measure.
- IQR is useful for identifying outliers.
- CV helps compare datasets with different units.
- Dispersion is essential for risk analysis, forecasting and decision-making.

> *"Don't just look at the average. Understand the spread!"*

"Less assumption, more analysis."

14 Topic 14: Bringing It All Together
(Real-World Analysis & Case Study)

From Data to Decisions! You've Got This!

Tech with Shivansh
DATA | ANALYTICS | CAREER

What Will We Do in This Topic?

In this final topic, we apply everything we have learned — measures of central tendency, dispersion, position and visualization — to a real-world case study. We will analyze a dataset, calculate key statistics, create visualizations and draw meaningful business insights.

In Simple Words

We use all the statistical tools together to solve a real business problem and tell a story with data.

Steps in a Real-World Analysis

1. Understand the business problem and the dataset.
2. Clean and prepare the data.
3. Calculate key descriptive statistics (mean, median, mode, range, etc.).
4. Analyze the distribution (charts, shape, outliers).
5. Use measures of position (percentiles, quartiles) for deeper insights.
6. Summarize findings and give recommendations.

> *"Data becomes powerful when you turn analysis into action."*

Business Case Study: E-commerce Sales Analysis

Scenario:

An e-commerce company wants to understand its sales performance to improve marketing strategies, manage inventory and identify high-value customers.

Key Questions to Answer:

- What is the average order value?
- How much variation is there in sales across regions?
- What is the distribution of order values?
- Which products are in the top 10% of sales?
- Are there any outliers or unusual patterns?
- What recommendations can be made to improve business performance?

Dataset Preview (Sample)

Order ID	Customer	Region	Product	Sales (₹)
1001	Ankita	North	Laptop	55,000
1002	Rahul	West	Mobile	18,000
1003	Priya	South	Tablet	25,000
1004	Karan	East	Headphones	6,500
1005	Neha	North	Monitor	22,000
...	...	...	...	...

Key Statistical Findings

Metric	Value (₹)
Mean (Average Sales)	24,850
Median	18,000
Mode	6,500
Standard Deviation	16,420
Minimum	1,200
Maximum	98,000
Range	96,800
Q1 (25th Percentile)	8,000
Q3 (75th Percentile)	35,000

Visualizations & Insights

1. Sales Distribution (Histogram)



Insight: Most orders are between ₹0–40K. The distribution is right-skewed with a few high value orders.

2. Sales by Region (Bar Chart)



Insight: North region generates the highest sales, followed by South.

3. Top 5 Products (Column Chart)



Insight: Laptop and Mobile are the top revenue generators.

4. Box Plot (Sales by Region)



Insight: There are high value outliers in all regions, indicating premium orders.

How to Do This in Excel?

1. Clean and format the dataset.
2. Use AVERAGE, MEDIAN, MODE, STDEV, QUARTILE, PERCENTILE functions.
3. Create charts (histogram, bar chart, box plot).
4. Use conditional formatting to highlight outliers.
5. Summarize insights in a dashboard or report.
6. Present findings with clear visuals and recommendations.

Key Takeaways

- Descriptive statistics help summarize and understand data.
- Measures of position and dispersion give deeper insights.
- Visualizations make the data easy to interpret.
- Real-world analysis helps in better decision-making.
- Excel is a powerful tool to perform complete statistical analysis.
- Use insights to solve business problems and create impact.

You Did It!

You have now completed the Descriptive Statistics module! 🎉

> *"It's not just about numbers, it's about the story they tell."*

Keep Learning!

Apply these concepts, explore new datasets and keep building your analytical skills.

"Statistics turn data into knowledge, and knowledge into action."