
LBC API DOCUMENT

LBC CORPORATE PSGC LOOKUP

APRIL 2026



TECHNICAL DOCUMENTATION REVISION AND SIGN-OFF SHEET

Document Properties

	DETAILS
DOCUMENT TITLE	LBC Corporate PSGC Lookup
AUTHOR	Ma. Angelica Caldito
POSITION	Technical Presales Specialist
DATE OF CREATION	04/21/2026
DATE OF LAST REVISION	

Change Record

DATE	AUTHOR	VERSION	CHANGE REFERENCE

Reviewers

DATE	NAME	POSITION	VERSION APPROVED

Table of Contents

SECTION 1 – INTRODUCTION 4

Purpose of the Document 4

SECTION 2 – ACCOUNT REGISTRATION 4

SECTION 3 – CREATING AN API SUBSCRIPTION 6

SECTION 4 – TESTING VIA LBC DEVELOPER PORTAL 8

PSGC VALIDATE 8

SAMPLE HTTP RESPONSE: 14

A. For Serviceable 14

B. For Non-Serviceable 14

SECTION 5 – PAYLOAD AND DATA DICTIONARY 15

A. PSGC NODES 17

B. SAMPLE PAYLOAD 17

SECTION 6 – GLOSSARY OF TERMS 18

Terms and Definitions 18

SECTION 1 – INTRODUCTION

Purpose of the Document


This API provides data on barangays, cities, and validation for serviceable areas. It works in conjunction with the Pickup Request API to align and automatically suggest locations that LBC Express can service based on the shipper's and receiver's address details. Additionally, the PSGC Validate feature automatically determines whether a given area or address is serviceable or non-serviceable.

SECTION 2 – ACCOUNT REGISTRATION


In this Section, the client must follow the necessary steps to create his own account on the Developer Portal.

Note: If you already have an account and want to just subscribe to this API, proceed to Section 3.


Step 1: Click this link: https://lbcapiservice.lbcapps.com/ to be brought to the Developer interface. This dashboard will allow you to take advantage of the API services provided by LBC.



Step 2- Sign Up: Click Sign Up to create your account on the portal. Make sure to fill up all the required fields to complete the registration process.




Step 3 - Login: Use the email address and password you used when you signed up to gain access to the portal.




SECTION 3 – CREATING AN API SUBSCRIPTION


Step 1: Click Products to see the product or service list provided by LBC.




Step 2: Navigate to the product tab and search for **LBC Corporate PSGC Lookup API**. Click on it to check if you have already subscribed.




Once you're subscribed, you'll be able to view the name and status of your subscriptions.



If you're not subscribed, create a subscription name using the format **CompanyName_LBCCorpPSGCLookup**, then click the '**Subscribe**' button. Please note that your subscription will remain inactive until it is approved by the administrator.



Step 3: Click the **Profile Tab** to view the status of all your subscriptions to LBC products including LBC Corporate PSGC Lookup API. The term "Active" denotes that the LBC Admin has given their approval to the subscription. You may put the **LBCCorpPSGCLookup** API through tests using any third-party or open-source API testing tool, including Postman and the like.



SECTION 4 – TESTING VIA LBC DEVELOPER PORTAL

I. PSGC Barangays

Go to the API tab, then locate LBC Corporate PSGC Lookup. From there, find the PSGC Barangays API and click the link.

Note: Use cityId (from /cities/search) for precise results. The returned barangayId is the psgc_code for ValidateServicableArea.

A. Request URL Endpoint

Get	https://lbcapigateway.lbcapps.com/camsbackend/barangays/search[?searchTerm][&cityId][&provinceId][&limit]

B. Request Parameter:

Name	In	Required	Type	Description
searchTerm	query	true	string	Barangay name to search. Example: BATASAN HILLS
cityId	query	false	integer	Filter by city ID (from /cities/search). Example: 1381300000 for Quezon City
provinceId	query	false	integer	Filter by province ID (from /provinces/search). Example: 1300000000 for NCR
limit	query	false	integer	Max results to return (1-100, default 10)

C. Sample Request & Response

Request	Response
searchTerm = BATASAN HILLS	[{ "barangayId": 1381300139, "barangayName": "BATASAN HILLS", "cityId": 1381300000, "cityName": "QUEZON CITY", "provinceId": 1300000000, "provinceName": "NATIONAL CAPITAL REGION NCR", "fullLocationName": "NATIONAL CAPITAL REGION NCR, QUEZON CITY, BATASAN HILLS" }]

II. PSGC Cities

Go to the API tab, then locate LBC Corporate PSGC Lookup. From there, find the PSGC Cities API and click the link.

Note: Optionally filter by provinceId. Returns city IDs for use in barangay lookups.

A. Request URL Endpoint

Get	https://lbcapigateway.lbcapps.com/camsbackend/cities/search[?searchTerm][&provinceId][&limit]

B. Request Parameter:

Name	In	Required	Type	Description
searchTerm	query	true	string	City or municipality name to search. Example: QUEZON CITY
provinceId	query	false	integer	Filter by province ID (from /provinces/search). Example: 1300000000 for NCR
limit	query	false	integer	Max results to return (1-100, default 10)

C. Sample Request & Response

Request	Response

searchTerm = QUEZON CITY
limit = 5
	[{
	"cityId": 1381300000,
	"cityName": "QUEZON CITY",
	"provinceId": 1300000000,
	"provinceName": "NATIONAL CAPITAL REGION NCR",
	"barangays": [{
	"barangayId": 1381300001,
	"barangayName": "ALICIA"
	}, {
	"barangayId": 1381300002,
	"barangayName": "AMIHAN"
	}, {
	"barangayId": 1381300003,
	"barangayName": "APOLONIO SAMSON"
	}, {
	"barangayId": 1381300004,
	"barangayName": "AURORA"
	}, {
	"barangayId": 1381300005,
	"barangayName": "BAESA"
	}]
	}]

III. PSGC Provinces

Step 1: Go to the API tab, then locate LBC Corporate PSGC Lookup. From there, find the PSGC Cities API and click the link.

Note: Use cityId (from /cities/search) for precise results. The returned barangayId is the psgc_code for ValidateServicableArea.

A. Request URL Endpoint

Get	https://lbcapigateway.lbcapps.com/camsbackend/provinces/search[?searchTerm][&limit]

B. Request Parameter:

Name	In	Required	Type	Description
searchTerm	query	true	string	Province name to search (partial, case-insensitive). Example: NCR
limit	query	false	integer	Max results to return (1-100, default 10)


C. Sample Request & Response

Request	Response


searchTerm = NATIONAL CAPITAL REGION NCR
limit = 7
	[{
	"provinceId": 1300000000,
	"provinceName": "NATIONAL CAPITAL REGION NCR",
	"cities": [{
	"cityId": 1380100000,
	"cityName": "CITY OF CALOOCAN"
	}, {
	"cityId": 1380200000,
	"cityName": "CITY OF LAS PINAS"
	}, {
	"cityId": 1380300000,
	"cityName": "CITY OF MAKATI"
	}, {
	"cityId": 1380400000,
	"cityName": "CITY OF MALABON"
	}, {
	"cityId": 1380500000,
	"cityName": "CITY OF MANDALUYONG"
	}, {
	"cityId": 1380600000,
	"cityName": "CITY OF MANILA"
	}, {
	"cityId": 1380700000,
	"cityName": "CITY OF MARIKINA"
	}
	]
	}]

IV. PSGC VALIDATE


Step 1: Go to the API tab, then locate **LBC Corporate PSGC Lookup**. From there, find the **PSGC Validate** API and click the link.



Step 2: You will be directed to the **Validate Serviceable Area** page, where you can check whether a PSGC-coded location (province, city/municipality, and barangay) is serviceable. Click the **"Try it"** button in the upper-right corner of the page.



Step 3: Input the payload on the body then Click Send button.



A. Request URL Endpoint

Post	https://lbcapigateway.lbcapps.com/camsbackend/validate/validateServicableArea

B. Sample HTTP Response:

For Serviceable

HTTP response

```
HTTP/1.1 200 OK

content-type: application/json; charset=utf-8
date: Tue, 21 Apr 2026 06:58:18 GMT
request-context: appId=cid-v1:99946b0e-c784-4649-a5a4-897d668
11c9c
server: cloudflare

{
    "status": "Serviceable",
    "psgc_code": "1381300139",
    "rate_details": {
        "rate": 250,
        "category": "METRO MANILA AREA",
        "remarks": null
    }
}
```

For Non-Serviceable

HTTP response

```
HTTP/1.1 200 OK

content-type: application/json; charset=utf-8
date: Tue, 21 Apr 2026 07:21:55 GMT
request-context: appId=cid-v1:99946b0e-c784-4649-a5a4-897d668
11c9c
server: cloudflare

{
    "status": "Not Serviceable",
    "psgc_code": null,
    "rate_details": {
        "rate": 0,
        "category": null,
        "remarks": null
    }
}
```

SECTION 5 – SCENARIO on PSGC Validate

Here are the possible scenarios that may be encountered when using the sample request and response.

	Scenario	Request	Response

1	If the PSGC code, province, city, and barangay details are correct, the response will still be serviceable if the PSGC code itself is serviceable; otherwise, it will be non-serviceable.	{
		"psgc_code": 1381300139,
		"province": "NATIONAL CAPITAL REGION NCR",
		"city_municipality": "QUEZON CITY",
		"barangay": "BATASAN HILLS"
		}
			{
			"status": "Serviceable",
			"psgc_code": "1381300139",
			"rate_details": {
			"rate": 250,
			"category": "METRO MANILA AREA",
			"remarks": null
			}
			}

2	If the PSGC code is correct but the province, city, and barangay details are incorrect, the response will still be serviceable if the PSGC code itself is serviceable; otherwise, it will be non-serviceable, since the PSGC code is the primary basis for validation.	{
		"psgc_code": 1381300139,
		"province": "ABRA",
		"city_municipality": "QUEZON CITY",
		"barangay": "BATASAN HILLS"
		}
			{
			"status": "Serviceable",
			"psgc_code": "1381300139",
			"rate_details": {
			"rate": 250,
			"category": "METRO MANILA AREA",
			"remarks": null
			}
			}

3	If the PSGC code is set to 0, and the province, city, and barangay details are correct, the response will be serviceable if it's serviceable; otherwise, it will be non-serviceable.	{
		"psgc_code": 0,
		"province": "NATIONAL CAPITAL REGION NCR",
		"city_municipality": "QUEZON CITY",
		"barangay": "BATASAN HILLS"
		}
			{
			"status": "Serviceable",
			"psgc_code": "1381300139",
			"rate_details": {
			"rate": 250,
			"category": "METRO MANILA AREA",
			"remarks": null
			}
			}

4	If all details provided are incorrect, the response will not be serviceable.	{ "psgc_code": 0, "province": "METRO MANILA	{ "status": "Not Serviceable", "psgc_code": null,

		"city_municipality": "QUEZON",
		"barangay": "HILLS"
		}
			"rate_details": {
			"rate": 0,
			"category": null,
			"remarks": null
			}
			}

5	If there's no psgc_code provided, and the province, city, and barangay details are correct, the response will be serviceable if it's serviceable; otherwise, it will be non-serviceable.	{
		"province": "NATIONAL CAPITAL REGION NCR",
		"city_municipality": "QUEZON CITY",
		"barangay": "BATASAN HILLS"
		}
			{
			"status": "Serviceable",
			"psgc_code": "1381300139",
			"rate_details": {
			"rate": 250,
			"category": "METRO MANILA AREA",
			"remarks": null
			}
			}

SECTION 6 – PAYLOAD AND DATA DICTIONARY

A. PSGC NODES for PSGC Validate

Shown below is the Pickup request nodes data dictionary that will serve as the basis for creating a payload for pickup requests.

Table 1.0: Pickup Request Node Data Dictionary

Nodes	Sample Values	Descriptions
psgc_code	1381300139	A unique numeric ID assigned to barangays for consistent location identification
province	NATIONAL CAPITAL REGION NCR	Province Name
city_municipality	QUEZON CITY	City Name
barangay	BATASAN HILLS	Barangay Name

B. SAMPLE PAYLOAD


```
{
   "psgc_code": 1381300139,
   "province": "NATIONAL CAPITAL REGION NCR",
   "city_municipality": "QUEZON CITY",
   "barangay": "BATASAN HILLS"
}
```

SECTION 6 – GLOSSARY OF TERMS

Terms and Definitions

- **API** – PSGC Lookup API and other API services enable programs to connect with one another and inform developers of the best practices for delivering data and a satisfying user experience to LBC customers.

- **PSGC Lookup API –** Automates the API Service Manual including PSGC codes and HTTP responses.

- **HTTP Response**- It either gives the client access to the requested resource, notifies them when the required action has been completed, or notifies them when an error has occurred.

- **PSGC-** The Philippine Standard Geographic Code (PSGC) is a standard way to categorize and assign numeric codes to places within the Philippines. LBC's PSGC is structured on the country's four standard administrative divisions—the region, the province, the city, and the barangay.