
LBC API DOCUMENT

LBC Pickup Request API

FEBRUARY 2026



TECHNICAL DOCUMENTATION REVISION AND SIGN-OFF SHEET

Document Properties

	DETAILS
DOCUMENT TITLE	LBC Pickup Request
AUTHOR	MARRY ELEINA ADRIANO
POSITION	TECHNICAL WRITER
DATE OF CREATION	05/28/2023
DATE OF LAST REVISION	02/04/2026

Change Record

DATE	AUTHOR	VERSION	CHANGE REFERENCE
03/27/24	Marry Eleina O. Adriano	V2.1	Added Attachment 3 & 4, DestinationCode, & Client with sample values.
07/16/25	Ma. Angelica Caldito	V2.2	Revised selected values in Section 4, Table 1.0, and corrected the Product Line in Table 2.0
01/22/26	Ma. Angelica Caldito	V2.3	Corrected some values in the sample payload in Section 4
02/04/26	Ma. Angelica Caldito	V2.4	Added “Mandatory” and “Default Values” columns to Section V, Table 1.0

Reviewers

DATE	NAME	POSITION	VERSION APPROVED

TABLE OF CONTENTS

SECTION I – INTRODUCTION 4
Purpose of the Document 4
Scope of the Document 4
SECTION II – ACCOUNT REGISTRATION 4
SECTION III – CREATING AN API SUBSCRIPTION 6
SECTION IV – TESTING VIA LBC DEVELOPER PORTAL 8
HTTP response sample 9
SECTION V – PAYLOAD AND DATA DICTIONARY 10
A. PICKUP REQUEST NODES 10
B. SAMPLE PAYLOAD 14
C. PKG or PRODUCT ID LIST 15
D. API RESPONSE CODES 15
E. Pickup Request Nodes & Response Codes 16
SECTION VI – GLOSSARY OF TERMS 17
Terms and Definitions 17

SECTION I – INTRODUCTION

Purpose of the Document

One of the most important features that clients need to have in place before they can begin shipping with LBC is an application programming interface (API), and this paper provides an in-depth guide on how to utilize it. The Pickup Request API is one of the application programming interfaces (APIs) that are made accessible to customers by LBC Express Inc. These APIs enable users to make labels, create and cancel pick-up requests, manage, and obtain shipment number ranges, and schedule precise delivery of shipments.

Scope of the Document


This application programming interface (API) is utilized by LBC cargo partners for the purpose of scheduling and fulfilling transactions involving First mile Pickup, Regular Delivery, Dropoff, Pickup at LBC Branches, Direct Return to Merchant, Cross border, and Cash on Pickup services.

SECTION II – ACCOUNT REGISTRATION


In this section, the client will be guided through the necessary steps to create their own account on the Developer Portal.

Note: Proceed to Section III if you already have a registered account.


Step 1: Click this link: https://lbcapiservice.lbcapps.com/ to be brought to the Developer interface. This dashboard will allow you to take advantage of the API services provided by LBC.



Step 2- Sign Up: Click Sign Up to create your account on the portal. Make sure to fill up all the required fields to complete the registration process.




Step 2- Login: Use the email address and password you used when you signed up to gain access to the portal.




SECTION III – CREATING AN API SUBSCRIPTION

Step 1: Click Products to see the product or service list provided by LBC.




Step 2: Search for "**LBC Pickup Request**" and click the result to open it.




Step 3: Create your company subscription name using the format **CompanyName_LBCPickupRequest,** then click **Subscribe.**

Note: Your subscription will remain inactive until approved by the administrator.



Step 4: Click the **Profile Tab** to view the status of all your subscriptions to LBC products including LBC Pickup Request. The term "Active" denotes that the LBC Admin has given their approval to the subscription.




SECTION IV – TESTING VIA LBC DEVELOPER PORTAL


Step 1: Go to API's tab, locate lbcpickuprequest-v1, and click on its link to access it.



Step 2: Click the "Try it" button at the upper right corner of the page.



Step 3: Input the payload on the body then Click Send button.



HTTP response sample

```
HTTP/1.1 200 OK

cache-control: no-cache
content-encoding: gzip
content-length: 235
content-type: application/json; charset=utf-8
date: Mon, 23 Nov 2025 01:30:37 GMT
expires: -1
pragma: no-cache
server: cloudflare
vary: Accept-Encoding
x-aspnet-version: 4.0.30319
x-powered-by: ASP.NET

{
   "IsSuccess": true,
   "MessageList": [{
         "Code": "100",
         "Message": "Successfully saved. 11/23/2025 9:28:50 AM",
         "TrackingNo": "1234567894444"
   }]
}
```

NOTE: A 200 OK means the request is accepted or it is a success. However, please also refer to the "IsSuccess" field, as highlighted in the sample payload.

SECTION V – PAYLOAD AND DATA DICTIONARY

A. PICKUP REQUEST NODES

Shown below is the Pickup request nodes data dictionary that will serve as the basis for creating a payload for pickup requests.

Table 1.0: Pickup Request Node Data Dictionary

	Data Types	Sample Values	Descriptions & Possible Values	Remarks	Mandatory & Default Value
ShipmentMode	bigint	1	1 - AIR	ShipmentMode is always equal to 1.	Mandatory and Default value "1"
TrackingNo	bigint	10000000000112	* For testing purposes only, use the following Tracking No. 10000000000(1++)	* The tracking number series will be issued by the account executive/ sales to be used for the actual shipment/order.	Mandatory
Origin	nvarchar(50)	MMA	MMA – Metro Manila Area NLA – North Luzon Area SLA – South Luzon Area VIS - Visayas MIN – Mindanao	The origin must correspond to the value of the shipper's province.	Mandatory
TransactionDate	datetime	Format: MM/DD/YYYY HH:MM: SS	Values can be your Server Date/Order Date	Use the server date/order date as the order's transaction date.	Mandatory
ODZ	bit	False	Out of Delivery Zone	See the PSGC Excel file to check ODZ.	Mandatory
ShipperAccountNo	nvarchar(50)	2025062023597510	Account Number provided by LBC	Shipper Account number must come from LBC Sales	Mandatory
Shipper	nvarchar(150)	MY GIFT SHOP	Shipper Name/ Company Name	Input your Shipper Name/Company Name	Mandatory
ShipperStBldg	nvarchar(250)	2ND FLOOR RCBC BUILDING	Shipper Street/ Building Name	Input your Shipper Street or Building/ Address Line One.	Mandatory
ShipperBrgy	nvarchar(250)	DON BOSCO	* First Mile Get Barangay List	Please refer to LBCCommonRefv2 API First Mile Endpoints or Service Manual	Mandatory
ShipperCity Muncipality	nvarchar(250)	CITY OF MAKATI	* First Mile Get City List		
ShipperProvince	nvarchar(250)	NATIONAL CAPITAL REGION (NCR)	* First Mile Get Province List		

ShipperContact Number	nvarchar(250)	09461331619	Shipper Contact Number	Input the contact number of the shipper.	Mandatory
ShipperMobileNumber	nvarchar(50)	09461331619	Shipper Mobile Number	Input the mobile number of the shipper.	Non-mandatory or use the default value '0'
ProductLine	int	2	CARGO	Type or choose "cargo" as the product line for the parcel.	Mandatory
ServiceMode	int	8	DOOR TO DOOR	All parcels are picked up and delivered from the shipper's pick-up location to the consignee's location.	Mandatory
CODAmount	decimal(18,2)	0	Input 0 if not COD	Input the exact amount to be collected by the LBC courier once the shipment contains the parcel for the consignee.	Mandatory
PreferredDate	datetime	Format: MM/DD/YYYY HH:MM: SS	Preferred Date of Pickup	Corresponds to any future date the consignee requests from LBC courier to pick up the parcel.	Mandatory
Consignee	nvarchar(150)	Eleina Adriano	Consignee Name	Input of the receiver	Mandatory
ConsigneeStBldg	nvarchar(250)	48 Sta Maria St.,Valley 12	Input Consignee Street or Building	Input the street address of the consignee.	Mandatory
ConsigneeBrgy	nvarchar(250)	SAN ISIDRO	*Last Mile Get Barangay List	Please refer to lbcommonrefv2 API Last Mile endpoints or Check PSGC Service Manual Sheet.	Mandatory
ConsigneeCity Muncipality	nvarchar(250)	CITY OF PARANAQUE	*Last Mile Get City List		
ConsigneeProvince	nvarchar(250)	NATIONAL CAPITAL REGION (NCR)	*Last Mile Get Province List		
ConsigneeContact Number	nvarchar(50)	09453207087	Consignee's Contact Number	Input the consignee or the receiver's contact number.	Mandatory
ConsigneeMobile Number	nvarchar(50)	09453207087	Consignee's Mobile Number	Input the consignee or the receiver's mobile number.	Non-mandatory or use the default value '0'
ConsigneeSendSMS	int	0		0 - LBC will not send SMS notification to Consignee else 1	Non-mandatory or use the default value '0'
Quantity	int	1	No. of Package to be shipped.	Input the quantity of parcels to be shipped by the shipper.	Mandatory

PKG	int	16	Package	Take Note: PKG values depends on the Shipments please do check PKG List on Section III – C or inquire to your Account Executive	Mandatory
ACTWTkgs	decimal(18,2)	2.5	Measured in kg	It is important to input the exact size of the parcel.	Mandatory
LengthCM	decimal(18,2)	4	Measured in cm		
WidthCM	decimal(18,2)	4	Measured in cm		
HeightCM	decimal(18,2)	4	Measured in cm		
VolWTcbm	decimal(18,4)	Values can be based on the computation referring to Formula	Freight Volume of the shipment Formula – LxWxH/3500	To calculate the volume of the shipment, use the formula Length x Width x Height divided by 3500.	Mandatory
CBM	decimal(18,4)	Values can be based on the computation	CBM (L x W x H) / 1,000,000	For Sea Freight only	Mandatory
ChargeableWT	decimal(18,2)	2.41 kgs	ACTWTkgs vs VolWTcbm	Chargeable WT (volwt or actualwt which is ever higher)	Mandatory
DeclaredValue	decimal (18,2)	500	Declared Items Price or Value for valuation.	The declared value serves as the basis for the parcel's valuation and the coverage limit of the insurance policy.	Mandatory
Description	nvarchar(250)	Pampers Baby Dry Medium (15-26 lbs) - 82 pcs x 1 pack - Diaper Pants	Items Description/Name of Item	A description or name of the goods that the shipper is going to ship.	Mandatory
ForCrating	bit	0	Use 1 or 0 values only	1 –if item needs to be put on a crate else 0	Non-mandatory or use the default value '0'
AttachmentNameOne	nvarchar(50)	ORDERNUMBER	Can be an order number from the Client's system visible to their customers	Reserved Fields from the Client's system. If there's nothing, use the default value "0".	Non-mandatory or use the default value '0'
ReferenceNoOne	nvarchar(50)	ORDN-11223			
AttachmentNameTwo	nvarchar(50)	MODE	Mode can be set either Regular or Drop-off only		
ReferenceNoTwo	nvarchar(50)	REGULAR or DROP OFF			

AttachmentNameThree	nvarchar(50)	0	Any attachment the client wants to add		Non-mandatory or use the default value '0'
ReferenceNoThree	nvarchar(50)	0			
AttachmentNameFour	nvarchar(50)	0	Any attachment the client wants to add		
ReferenceNoFour	nvarchar(50)	0			
DestinationCode	nvarchar(50)	MMA	MMA – Metro Manila Area NLA – North Luzon Area SLA – South Luzon Area VIS - Visayas MIN – Mindanao		Mandatory
Client	nvarchar(5)	LBC	Name or abbreviation of Company/Client	Client Code or Alias of the Client provided by LBC IT Project Team	Mandatory

B. SAMPLE PAYLOAD

```
<?xml version="1.0" encoding="UTF-8"?>
<PickupRequestEntity xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
        <AppKey>7ea2cfa66609bfed47e03bc71df224b4</AppKey>
        <ShipmentMode>1</ShipmentMode>
        <Origin>MMA</Origin>
        <TrackingNo>1234567894444</TrackingNo>
        <TransactionDate>11/23/2025 11:28:47</TransactionDate>
        <ODZ>false</ODZ>
        <ShipperAccountNo>2015062300003</ShipperAccountNo>
        <Shipper>Jane Doe</Shipper>
        <ShipperStBldg>2ND FLOOR RCBC BUILDING</ShipperStBldg>
        <ShipperBrgy>DON BOSCO</ShipperBrgy>
        <ShipperCityMuncipality>CITY OF MAKATI<ShipperCityMuncipality>
        <ShipperProvince>NATIONAL CAPITAL REGION (NCR)</ShipperProvince>
        <ShipperContactNumber>09461331619</ShipperContactNumber>
        <ShipperSendSMS>0</ShipperSendSMS>
        <ShipperMobileNumber>09461331619</ShipperMobileNumber>
        <ProductLine>2</ProductLine>
        <ServiceMode>8</ServiceMode>
        <CODAmount>0</CODAmount>
        <PreferredDate>11/26/2025 10:10:10</PreferredDate>
        <Consignee> Eleina Adriano</Consignee>
        <ConsigneeStBldg>48 Sta Maria St.,Valley 12</ConsigneeStBldg>
        <ConsigneeBrgy> SAN ISIDRO </ConsigneeBrgy>
        <ConsigneeCityMuncipality>CITY OF PARANAQUE</ConsigneeCityMuncipality>
        <ConsigneeProvince>NATIONAL CAPITAL REGION (NCR)</ConsigneeProvince>
        <ConsigneeContactNumber>09453207087</ConsigneeContactNumber>
        <ConsigneeSendSMS>1</ConsigneeSendSMS>
        <ConsigneeMobileNumber>09171471329</ConsigneeMobileNumber>
        <Quantity>1</Quantity>
        <PKG>16</PKG>
        <ACTWTkgs>0.613</ACTWTkgs>
        <LengthCM>5</LengthCM>
        <WidthCM>3</WidthCM>
        <HeightCM>5</HeightCM>
        <VolWTcbm>1</VolWTcbm>
        <CBM>0</CBM>
        <ChargeableWT>1</ChargeableWT>
        <DeclaredValue>100</DeclaredValue>
        <Description>Fashion Apparel</Description>
        <Commodity>1</Commodity>
        <ForCrating>0</ForCrating>
        <AttachmentNameOne>ORDERNO</AttachmentNameOne>
        <ReferenceNoOne>123456789</ReferenceNoOne>
        <AttachmentNameTwo>MODE</AttachmentNameTwo>
        <ReferenceNoTwo>REGULAR</ReferenceNoTwo>
        <AttachmentNameThree>0</AttachmentNameThree>
        <ReferenceNoThree>0</ReferenceNoThree>
        <AttachmentNameFour>0</AttachmentNameFour>
        <ReferenceNoFour>0</ReferenceNoFour>
        <DestinationCode>MMA</DestinationCode>
        <Client>LBC</Client>
</PickupRequestEntity>
```

C. PKG or PRODUCT ID LIST

Shown below are the list of products or packaging options LBC Express Inc. offers to its clients.

Table 2.0 PKG or PRODUCT ID LIST

Shipment Mode	ProductLineID	Productline Description	PKG	Product Name
AIR	2	CARGO	2	PLASTIC
AIR	2	CARGO	4	CRATE
AIR	2	CARGO	6	KILOBOX-S
AIR	2	CARGO	7	KILOBOX-L
AIR	2	CARGO	16	BOX
AIR	2	CARGO	63	KILOBOX-M
AIR	2	CARGO	64	KILOBOX-XL
AIR	2	CARGO	79	PIECE
AIR	2	CARGO	80	SACK
AIR	2	CARGO	164	KILOBOX SLIM
AIR	2	CARGO	165	KILOBOX MINI
AIR	2	DOCUMENTS	3	N-POUCH REGULAR (NPR)
AIR	2	DOCUMENTS	8	N-PACK LARGE
AIR	2	DOCUMENTS	9	X POUCH
AIR	2	DOCUMENTS	45	N-PACK SMALL
AIR	2	DOCUMENTS	61	N-POUCH XL (NPXL)
AIR	2	DOCUMENTS	62	N-POUCH SS (NPSS)

D. API RESPONSE CODES

Shown below are the API response codes which can be found upon submitting the payload body for pickup requests.

Table 3.0: API Response Codes

Codes	Description	Retry
100	Successfully Saved	N
1000	Invalid Key	N
1001	Passed data is the NULL value.	Y
1002	Data passing error.	Y
1003	Data passing error.	Y
1004	Data value exception	Y
1005	Data insert exception.	Y
1006	Data insert exception	Y
1007	Duplicate booking request	Y

E. Pickup Request Nodes & Response Codes

Presented below are the list of Pickup request nodes and their corresponding response codes.

Table 4.0 Pickup Request Nodes & Response Codes

PICKUP REQUEST NODE	ERROR CODE
Shipment Mode	101
Tracking Number	102
Origin	103
Destination	104
Transaction Date	105
ODZ	106
Shipper Account no.	107
Shipper	108
Street / Bldg. (Shipper)	109
Barangay (Shipper)	110
City / Municipality (Shipper)	111
Province (Shipper)	112
Contact Number (Shipper)	113
Send SMS (Shipper)	114
Mobile Number (Shipper)	115
Product Line	117
Service Mode	118
COD Amount	119
Consignee Account No.	120
Consignee	121
Street / Bldg. (Consignee)	122
Barangay (Consignee)	123
City / Municipality (Consignee)	124
Province (Consignee)	125
Contact Number (Consignee)	126
Send SMS (Consignee)	127
Mobile Number (Consignee)	128
Quantity	130
PKG	131
ACT WT (kgs.)	132
Length (cm)	133
Width (cm)	134
Height (cm)	135
Vol WT (cbm) (L x W x H) / 3500	136
CBM (L x W x H) / 1M	137
Chargeable WT (vol wt or actual wt which is ever higher)	138

Declared Value	139
Description	140
Commodity	141
For Crating	142
Attachment Name 1	143
Reference No. 1	144
Attachment Name 2	145
Reference No. 2	146
Attachment Name 3	147
Reference No. 3	148
Attachment Name 4	149
Reference No. 4	150
Destination Code	151
Client	152

SECTION VI – GLOSSARY OF TERMS

Terms and Definitions

- API – Pickup Request API and other API services enable programs to connect with one another and inform developers of the best practices for delivering data and a satisfying user experience to LBC customers.

- Pickup Request API- Provides users and clients access to LBC Express Inc.'s pickup request API service via a developer interface, by letting them place orders for in-person pickup.

- HTTP Response- It either gives the client access to the requested resource, notifies them when the required action has been completed, or notifies them when an error has occurred.

- Payload- the information being sent to the server now a request to the API is being made. Both the request and the reply will adhere to this format.

- PSGC- The Philippine Standard Geographic Code (PSGC) is a standard way to categorize and assign numeric codes to places within the Philippines. LBC's PSGC is structured on the country's four standard administrative divisions—the region, the province, the city, and the barangay.

- Response Code Tables- This makes it possible for customers to understand specific system malfunctions, so they can figure out what went wrong and how to fix it to successfully place a pickup request.