
Generate New Notification



KP List No.	CEV2-05-20-19
-------------	---------------

March 2018

CHINA SYSTEMS

EXIMBILLS © Trade Finance System
Customer Enterprise Version 3.2.0
CEV2-05-20-19 Generate New Notification
March 2018

Copyright 2008 © China Systems Corporation

All Rights Reserved

This document is protected by United States Copyright Law and may contain Trade Secrets Information which is proprietary to China Systems Corporation. No part of this document may be copied, photocopied, reproduced, translated, distributed, or reduced to any electronic medium or machine-readable form without prior consent in writing from China Systems Corporation. The information in this document may be used only under the terms and conditions (R) of separate China Systems Corporation license agreements.

Information is subject to change without notice. China Systems Corporation makes no warranties, either expressed or implied, with respect to the software herein described as to its quality, performance, including, without limitations to, its fitness for any particular purpose.

This document may not reflect total system capability at any subsequent date as a result of development. It is also possible that it may contain references to facilities not available on your computer system. Such references should not be construed to mean that these facilities will necessarily be made available on all types of computer hardware or in all user locations.

China Systems Corporation accepts no responsibility or liability for any damages or loss of business or revenue due to the use of this document.

All trademarks, registered trademarks and trade names mentioned in this document are the sole property of their respective holders.

ORDER MORE EXIMBILLS DOCUMENTATION

Additional copies of Documentation are available for purchase from China Systems Corporation or through your local EXIMBILLS Support Office.



CHINA SYSTEMS CORPORATION

Building No. 2

No. 5 Tong Wei Road,

Xuan Wu District

Nanjing 210014

People's Republic of China

Table of Contents

Introduction	4
Modification	5
Impact on Existing Notification Parameter	5
SQL Scripts	11
Parameter Configuration for New Notification	13
CEWeb.war Modification	26
Test Scenario	35
Case1 Send Notification (email and SMS) for security pending transaction.....	35
Case2 Send Notification (email and SMS) for security refused transaction.....	39
Case3 Send Notification (email and SMS) for security released transaction	43
Case4 Send Notification (email, SMS and notice) for transaction functions	47
Case5 Send Notification (email and SMS) for STP functions	59
Documentation and Review Information.....	62

Introduction

This test case introduces the following enhancement –

In the earlier CE version, there're two types of notifications in the system, email and notice (widget notification message).

In CEv3.2.0, a new type of notification, SMS is supported in both security and transaction module. And the existing notification (email and notice) will be adjusted as well to be more consistently.

- **Notification:** A general designation for all kinds of notifications. It has the following three types:
 - ✓ **Email:** email notification. It is supported in both security and transaction functions. Attachment in the email is supported in transaction functions only.
 - ✓ **Notice:** internal notification which are displayed in the Notice Widget
 - ◆ **Message:** information only. It is supported in both security and transaction functions.
Though the message is supported in security module, there is no widget in security side. User is not able to view the message. It is not recommended to set up message for security functions.
 - ◆ **Task:** information with a Process button. Click on the button inside the notice, user can continue the transaction from widget directly. It is supported in transaction functions only.
 - ✓ **SMS:** short message service in Plain Text format. It is supported in both security and transaction functions.



NOTE:

1. In earlier version, we call notification message/task on Widget as “notification”. It is the internal notification of the CE system. To avoid confusing, we rename it as “**notice**” in CEv3.2.0.
2. The system only prepares the SMS content. Interfacing with SMS Service Center should be developed by projects.
3. The XML for email and email template is updated in CEv3.2.0. Project **MUST re-generate XML** using the latest CEv3.2.0.Utility.


Web Server	AP Server	Item	Description
		AP Server Setting	Convert Ap Server Setting to Generate XML
		AUTO Archiving XML	Convert AUTO Archiving to Generate XML
		Archive	Convert Archive to Generate XML
		Auto Process	Convert Auto Process Function Generate XML
		Batch Manager	Convert Batch Manager Function Generate XML
		CE Authorization	Convert CE Authorization to Generate XML
		CE STP Parameter	Convert CE STP Parameter to Generate XML
		CE Security Parameter	Convert CE Security Parameter to Generate XML
		Data Object	Convert Data Object to Generate XML
		Data Source Manager	Convert Data Source Manager to Generate XML
		EDI	Convert EDI to Generate XML
		Form Set	Convert FormSet to Generate XML
		GAPI Parameter	Convert GAPI Parameter to Generate XML
		Image Control	Convert Web Service Setting parameter Information to Generate XML
		Image Type	Convert Image Type to Generate XML
		Incoming Message	Convert Incoming Message to Generate XML
		Incoming Swift	Convert Incoming Swift to Generate XML
		Incoming XML	Convert Out Incoming XML to Generate XML
		Lock Record-Delete Master	Convert Transaction Lock Record-Delete Master to Generate XML
		Mail and Fax	Convert Out Mail and Fax to Generate XML
		Message Broker	Convert Message Broker to Generate XML
		Message Format	Convert Message Format parameter Information to Generate XML

Modification

Impact on Existing Notification Parameter

1. Set default Email Server

Please set a default email server. The system uses the default email server to send out email.



If the default email server is not configured, the system uses the first one in “\CSBANK\US\AP\MAIL\mailConfig.xml”.

If user wants to set different email server for different email, the method *NS.createNotification(String MTemplateName, String STemplateName, String NTemplateName)* is not adaptable. Please use method *NS.createNotification(String JsonObject)* to specify the email server name.

2. Generate XML for Email and Email Template

The XML for email and email template is updated in CEV3.2.0. Original XML name is up to the email sender name, e.g. mail_CSBankSupport.xml).

In CEV3.2.0, the file name is hard coded to “\CSBANK\US\AP\MAIL\mailConfig.xml”.

Consultant MUST re-generate XML using the latest CEV3.2.0.Utility.

XML Generator	
Web Server	AP Server
Item	Description
AP Server Setting	Convert Ap Server Setting to Generate XML
AUTO Archiving XML	Convert AUTO Archiving to Generate XML
Archive	Convert Archive to Generate XML
Auto Process	Convert Auto Process Function Generate XML
Batch Manager	Convert Batch Manager Function Generate XML
CE Authorization	Convert CE Authorization to Generate XML
CE STP Parameter	Convert CE STP Parameter to Generate XML
CE Security Parameter	Convert CE Security Parameter to Generate XML
Data Object	Convert Data Object to Generate XML
Data Source Manager	Convert Data Source Manager to Generate XML
EDI	Convert EDI to Generate XML
Form Set	Convert FormSet to Generate XML
GAPI Parameter	Convert GAPI Parameter to Generate XML
Image Control	Convert Web Service Setting parameter Information to Generate XML
Image Type	Convert Image Type to Generate XML
Incoming Message	Convert Incoming Message to Generate XML
Incoming Swift	Convert Incoming Swift to Generate XML
Incoming XML	Convert Get Incoming XML to Generate XML
Lock Record-Delete Master	Convert Transaction Lock Record-Delete Master to Generate Xml
Mail and Fax	Convert Get Mail and Fax to Generate XML
Message Broker	Convert Message Broker to Generate XML
Message Format	Convert Message Format parameter Information to Generate XML
O2M Rule	Convert O2M Rule to Generate XML
Queue Manager	Convert Queue Manager to Generate XML
Report Template	Convert Report Template Parameter to Generate XML
STD Business Unit	Convert Business Unit to Generate XML
ServerSide JS	Convert ServerSide JS Generate JS
Swift Message	Convert Swift Message to Generate XML
TSU Mapping	Convert TSU Mapping parameter Information to Generate XML
Table Structure	Convert Table Structure to Xml
Task	Convert Get Task Information to Generate XML
TimeZone	Convert Country TimeZone and SubCountry TimeZone to Generate XML
Transfer to	Convert Transfer to Generate XML
Web Service Setting	Convert Web Service Setting parameter Information to Generate XML


\\CSBANK\US\AP\MAIL\mailConfig.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<MAIL>
  <SERVERS>
    <SERVER ISDEFAULT='Y'>
      <SERVERNAME>CSBankSupport</SERVERNAME>
      <SERVERDESC>CS Bank Email Notification</SERVERDESC>
      <USERNAME/>
      <PASSWORD encrypt="false"/>
      <SERVER TYPE="S">10.39.100.2</SERVER>
      <PORT>25</PORT>
    </SERVER>
  </SERVERS>
  <TEMPLATES>
    <TEMPL>
      <MODULE>SYST</MODULE>
      <TEMPLID>FS15070900000000</TEMPLID>
      <TEMPLNAME>ForgotPassword</TEMPLNAME>
      <TEMPLDESC>Forgot Password</TEMPLDESC>
      <SUBJECT TYPE="V">Chinasystem CE</SUBJECT>
      <RCVADDR TYPE="F"/>
      <CCADDR TYPE="F"/>
      <TEMPHTML/>
      <SENDFORMAT>AF</SENDFORMAT>
      <SENDADDR TYPE="V">cesupport@chinasystems.com</SENDADDR>
      <CONTENT TYPE="TXT">ForgotPassword.ftl</CONTENT>
    </TEMPL>
    <TEMPL>
      <MODULE>IMLC</MODULE>
      <TEMPLID>FS08112000000000</TEMPLID>
      <TEMPLNAME>Apply for Import LC</TEMPLNAME>
      <TEMPLDESC>Apply for Import LC</TEMPLDESC>
      <SUBJECT TYPE="F">EMAIL_SUBJECT</SUBJECT>
      <RCVADDR TYPE="F">EMAIL_TO</RCVADDR>
      <CCADDR TYPE="V"/>
      <TEMPHTML>IMLC_ApplyImpLc.jsp</TEMPHTML>
      <SENDFORMAT>AF</SENDFORMAT>
      <SENDADDR TYPE="V">cev2@chinasystems.com</SENDADDR>
      <CONTENT TYPE="TXT">IMLC_ApplyImpLc.ftl</CONTENT>
    </TEMPL>
  </TEMPLATES>
</MAIL>
```


```
<TEMPL>
.....
</TEMPL>
.....
</TEMPLATES>
</MAIL>
```


3. Move the old “Notification” function to “Output Device”.

(1) In eralier version, the Notice is set in “Transaction Function → Notification” function.



(2) Now the Notice is set in “Output Device” function. Its setting is the same as before.






4. Rename the old “Notification” widget to “Notice”

- (1) Update description in widget definition XML
 \CE_SYS\WIDGETS\Notification\widget.xml

Original cotent	New content
<pre><iw:itemSet id="idescriptor"> <iw:item id="title" alias="title" lang="" readOnly="false" value=" Notification "/> </iw:itemSet></pre>	<pre><iw:itemSet id="idescriptor"> <iw:item id="title" alias="title" lang="" readOnly="false" value=" Notice "/> </iw:itemSet></pre>

Note: User has to click on ‘Personalize’ button to remove existing Notification widget, and drag it in again to make the change take effect.




- (2) Update the existing FTL files

File	Original cotent	New cotent
\CE_SYS\FTL\notification\IMLC_Appl yAmend.ftl	<pre>\${tmplNode.SUBJECT}
 </br> This is a notification of \${screenData.PARENT_MAIN_REF}, The Amount is \${screenData.LC_CCY}\${screenData.L C_AMT}.</pre>	<pre>\${tmplNode.SUBJECT}
 </br> This is a notice of \${screenData.PARENT_MAIN_REF}, The Amount is \${screenData.LC_CCY}\${screenData.L C_AMT}.</pre>
\CE_SYS\FTL\notification\IMLC_Appl yImpLc.ftl	<pre>\${tmplNode.SUBJECT}
 </br> This is a test notification of \${screenData.C_MAIN_REF}, The Amount is</pre>	<pre>\${tmplNode.SUBJECT}
 </br> This is a test notice of \${screenData.C_MAIN_REF}, The Amount is</pre>


	<code>\${screenData.LC_CCY}\${screenData.LC_AMT}</code> .	<code>\${screenData.LC_CCY}\${screenData.LC_AMT}</code> .
--	---	---

(3) Update function description for all functions in 'Notification Maintain'.



Generate function parameters.

(4) Update product description



Generate product parameter.

(5) Update Transaction Screen

File	Original content	New content
CEWeb.war\CSBAN\K\US\WEB\STD\STAN_Notification.jsp	<pre> <% /** * \$Id: STAN_Clause.jsp,v 1.6 2011/05/13 02:48:17 yinqiaojun Exp \$ * * @module: Standing Module * @function: Clause */ %> <%@ taglib uri = "/EXIMTAGS" prefix = "EXIMTAGS"%> <%@ taglib uri = "/CETAGS" prefix = "CETAGS"%> <%@ taglib uri="/EXIMTAGS" prefix="EXIM"%> <%@ taglib uri="/SECUTAGS" prefix="SECU"%> </pre>	<pre> <% /** * \$Id: STAN_Clause.jsp,v 1.6 2011/05/13 02:48:17 yinqiaojun Exp \$ * * @module: Standing Module * @function: Clause */ %> <%@ taglib uri = "/EXIMTAGS" prefix = "EXIMTAGS"%> <%@ taglib uri = "/CETAGS" prefix = "CETAGS"%> <%@ taglib uri="/EXIMTAGS" prefix="EXIM"%> <%@ taglib uri="/SECUTAGS" prefix="SECU"%> </pre>

<pre> <style> .notification_detail { /*height: 300px;*/ } </style> <EXIMTAGS:IncludeFile filePath= "../JS/STAN_Notification.js"/> <SECU:EditTrx formName="MAINFORM" funcName="WIN_LOAD" tableName="STD_NOTIFICATION"/> <div id="0_div" class="notification_detail" title="Main" > <input name="C_NOTI_SUBJ" type="hidden" class="CHAR_O" title="Notify Subject : " id="C_NOTI_SUBJ" value=""> <input name="C_ADD_BY" type="hidden" class="CHAR_O" title="Notification Creator : " id="C_ADD_BY" value=""> <input name="C_ADD_UNIT" type="hidden" class="CHAR_O" title="Notification Creator unit : " id="C_ADD_UNIT" value=""> <input name="C_ADD_DATE" type="hidden" class="CHAR_O" title="Notification Create time : " id="C_ADD_DATE" value=""> <input name="C_NOTI_TYPE" type="hidden" class="CHAR_O" title="Notify Type : " id="C_NOTI_TYPE" value=""> <input name="C_NOTI_ID" type="hidden" class="CHAR_O" title="Notify Id" id="C_NOTI_ID" isShow = "false" value=""> <input name="C_NOTI_CONT" type="hidden" class="CHAR_O" title="Notify Content : " id="C_NOTI_CONT" value=""> </div> <div id="div_prod_cnty" align="left"> </div> <iframe id="fldName" name="fldName" width="1px" height="1px" border=0 frameborder=0 style="visibility:hidden" src="../../screen/SYS_Dummy.htm"></iframe> </pre>	<pre> <style> .notification_detail { /*height: 300px;*/ } </style> <EXIMTAGS:IncludeFile filePath= "../JS/STAN_Notification.js"/> <SECU:EditTrx formName="MAINFORM" funcName="WIN_LOAD" tableName="STD_NOTIFICATION"/> <div id="0_div" class="notification_detail" title="Main" > <input name="C_NOTI_SUBJ" type="hidden" class="CHAR_O" title="Notice Subject : " id="C_NOTI_SUBJ" value=""> <input name="C_ADD_BY" type="hidden" class="CHAR_O" title="Notice Creator : " id="C_ADD_BY" value=""> <input name="C_ADD_UNIT" type="hidden" class="CHAR_O" title="Notice Creator unit : " id="C_ADD_UNIT" value=""> <input name="C_ADD_DATE" type="hidden" class="CHAR_O" title="Notice Create time : " id="C_ADD_DATE" value=""> <input name="C_NOTI_TYPE" type="hidden" class="CHAR_O" title="Notice Type : " id="C_NOTI_TYPE" value=""> <input name="C_NOTI_ID" type="hidden" class="CHAR_O" title="Notice Id" id="C_NOTI_ID" isShow = "false" value=""> <input name="C_NOTI_CONT" type="hidden" class="CHAR_O" title="Notice Content : " id="C_NOTI_CONT" value=""> </div> <div id="div_prod_cnty" align="left"> </div> <iframe id="fldName" name="fldName" width="1px" height="1px" border=0 frameborder=0 style="visibility:hidden" src="../../screen/SYS_Dummy.htm"></iframe> </pre>
--	--

SQL Scripts

1. Run below SQL in Database to add Widgets in Personalize.

Add a new table CETRX.TRX_SMS

```
CREATE TABLE CETRX.TRX_SMS
(
  C_SMS_ID          VARCHAR2(32) NOT NULL,
  C_BK_GROUP_ID     VARCHAR2(12) NOT NULL,
  C_CNTY_CODE       VARCHAR2(3)  NOT NULL,
  C_MTmpl_NAME      VARCHAR2(32) NOT NULL,
  C_SEND_FROM       VARCHAR2(128) NULL,
  C_CONTENT         CLOB          NULL,
  C_ERR_INFO        CLOB          NULL,
  C_APPLY_BU        VARCHAR2(12) NULL,
  C_APPLY_BY        VARCHAR2(32) NULL,
  D_APPL_DATE       DATE          NOT NULL,
  D_OP_DATE         DATE          NULL,
  C_SMS_STATUS      VARCHAR2(1)  NOT NULL,
  C_SMS_TYPE        VARCHAR2(10) NULL,
  C_BUSINESS_KEY    VARCHAR2(256) NULL
);
ALTER TABLE CETRX.TRX_SMS
  ADD CONSTRAINT PK_TRX_SMS
    PRIMARY KEY (C_SMS_ID);
COMMIT;
```

Add a new table “TRX_SMS_RECVER_INFO”

```
CREATE TABLE CETRX.TRX_SMS_RECVER_INFO
(
  C_SMS_ID          VARCHAR2(32) NOT NULL,
  C_SMS_ADDR        VARCHAR2(20) NOT NULL,
  C_SMS_STATUS      VARCHAR2(1)  NOT NULL,
  D_OP_DATE         DATE          NULL
);
COMMIT;
```

Update the existed table

```
ALTER TABLE CETRX.TRX_NOTIFY_EMAIL_REF_SEC MODIFY (C_CNTY_CODE NOT NULL);
ALTER TABLE CETRX.TRX_NOTIFY_EMAIL_REF_SEC MODIFY(C_FKEY NULL);
ALTER TABLE CETRX.TRX_NOTIFY_EMAIL_REF_SEC MODIFY(C_MODULE NULL);
ALTER TABLE CETRX.TRX_NOTIFY_EMAIL_REF_SEC DROP PRIMARY KEY;
ALTER TABLE CETRX.TRX_NOTIFY_EMAIL_REF_SEC ADD CONSTRAINT TRX_NOTIFY_EMAIL_REF_SEC_PK PRIMARY KEY
(C_CNTY_CODE, C_MAIL_ID);
COMMIT;
```


Add a new field to store phone number, this is only for reference.

```
ALTER TABLE CEUSER.SEC_USER_INFO ADD C_PHONE_NO VARCHAR2(15) NULL;
ALTER TABLE CEUSER.SEC_USER_INFO_LOG ADD C_PHONE_NO VARCHAR2(15) NULL;
ALTER TABLE CEUSER.SEC_USER_INFO_TEMP ADD C_PHONE_NO VARCHAR2(15) NULL;
ALTER TABLE CEUSER.SEC_USER_INFO_TEMP_LOG ADD C_PHONE_NO VARCHAR2(15) NULL;
```

Add C_GRP_CODE filed in {Module_AUTH} table if it doesn't have this filed.

```
ALTER TABLE CETRX.IMLC_AUTH ADD C_GRP_CODE VARCHAR2(20) NULL;
ALTER TABLE CETRX.EXLC_AUTH ADD C_GRP_CODE VARCHAR2(20) NULL;
ALTER TABLE CETRX.IMCO_AUTH ADD C_GRP_CODE VARCHAR2(20) NULL;
ALTER TABLE CETRX.EXCO_AUTH ADD C_GRP_CODE VARCHAR2(20) NULL;
ALTER TABLE CETRX.IWGT_AUTH ADD C_GRP_CODE VARCHAR2(20) NULL;
ALTER TABLE CETRX.OWGT_AUTH ADD C_GRP_CODE VARCHAR2(20) NULL;
```

2. Import the updated tables and generate the layout XMLs.



Generated XMLs are:

\PARA\CSBANK\US\AP\LAYO\UT\CETRX.IMLC_AUTH.xml
 \PARA\CSBANK\US\AP\LAYO\UT\CETRX.EXLC_AUTH.xml
 \PARA\CSBANK\US\AP\LAYO\UT\CETRX.IMCO_AUTH.xml
 \PARA\CSBANK\US\AP\LAYO\UT\CETRX.EXCO_AUTH.xml
 \PARA\CSBANK\US\AP\LAYO\UT\CETRX.IWGT_AUTH.xml
 \PARA\CSBANK\US\AP\LAYO\UT\CETRX.OWGT_AUTH.xml

\PARA\CSBANK\US\AP\LAYO\UT\CETRX.TRX_SMS.xml
 \PARA\CSBANK\US\AP\LAYO\UT\CETRX.TRX_SMS_RECVER_INFO.xml
 \PARA\CSBANK\US\AP\LAYO\UT\CETRX.TRX_NOTIFY_EMAIL_REF_SEC.xml

\PARA\CSBANK\US\AP\LAYO\UT\CEUSER.SEC_USER_INFO.xml
 \PARA\CSBANK\US\AP\LAYO\UT\CEUSER.SEC_USER_INFO_TEMP.xml

\PARA\CE_SYS\SYST\dbdict.xml

Parameter Configuration for New Notification

1. CEUtility Update

- (1) "dom4j-1.6.1.jar" can be found in the CEV3.2.0.Utility Release. Please copy it into {Utility_Root}/lib folder.

- (2) Modify CEUtility.bat file, adding the highlighted content as following:

```
@if "%JAVA_HOME%" == "" echo Please set JAVA_HOME && exit
"%JAVA_HOME%\bin\java" -version
"%JAVA_HOME%\bin\java" -classpath
"lib\CSUtility.jar;lib\ojdbc6.jar;lib\db2jcc4.jar;lib\msbase.jar;lib\mssqlserver.jar;lib\msutil.jar;lib\alloy.jar;lib\bsf.jar;lib\bsf_js.jar;lib\crys\cecore.jar;lib\crys\celib.jar;lib\crys\ceplugins.jar;lib\crys\cereports.jar;lib\crys\cesession.jar;lib\com.ibm.mq.jar;lib\com.ibm.mqjms.jar;lib\crys\CorbalDL.jar;lib\crys\ebus405.jar;lib\ibm.jms.connector.jar;lib\crys\icu4j.jar;lib\jms.jar;lib\jtds-1.2.jar;lib\log4j-1.2.6.jar;lib\jaxpLib\jaxp-api.jar;lib\crys\rasapp.jar;lib\crys\rascore.jar;lib\crys\serialization.jar;lib\Tidy.jar;lib\xerces.jar;lib\commons-io.jar;lib\xml-apis.jar;lib\parser.jar;lib\wsdl4j-1.6.2.jar;lib\jaxpLib\xercesImpl.jar;lib\xalan.jar;lib\serializer.jar;lib\XmlSchema-1.3.2;lib\xml-apis-1.3.03.jar;lib\dom4j-1.6.1.jar"
com.cs.ce.ceMainFrm.CESysFrame
```

- (3) Update CEUserFunction.xml under {Utility_Root} folder.

Comment the following codes.

```
<?xml version="1.0" encoding="UTF-8"?>
<UtilityWorkBench>
  <FunctionDesc>
    .....
    <!--item>
      <desc>Notification</desc>
      <class>com.cs.eximbills.uwt.notification.Notification</class>
      <itemType>FUNC</itemType>
      <funcType>42</funcType>
    </item-->
    .....
  </FunctionDesc>
</UtilityWorkBench>
```

- (4) Add a new parameter in {Utility_Root}\ce_params\Script_XML\MethodOfNotification.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<ParserScript>
  <Group desc="Notification Methods">
    <method>NS.includeCommonJS(String JSTmpNm)</method>
    <method>NS.createNotification(String JsonObject)</method>
    <method>NS.createNotification(String MailTemplateName, String SmsTemplateName, String
NoticeTemplateName)</method>
    <method>NS.setSubject(String NotificationContainer,String mailSubject,String noticeSubject)</method>
    <method>NS.sendToAuthorisedUsers(String NotificationContainer)</method>
    <method>NS.sendToMailGrpUsers(String NotificationContainer)</method>
    <method>NS.sendToMaker(String NotificationContainer)</method>
    <method>NS.sendToNextAuthorizers(String NotificationContainer)</method>
    <method>NS.isNeedToNotifyCurrntOpUser()</method>
    <method>NS.appendCurrntOperateUser(String NotificationContainer)</method>
    <method>NS.ccToAuthorisedUsers(String NotificationContainer)</method>
    <method>NS.ccToMaker(String NotificationContainer)</method>
    <method>NS.addMailAttachments(String NotificationContainer,String ImageType, String
formName)</method>
  </Group>
  <Group desc="Common Methods">
    <method>NS.getCompanyInfo(String CompanyFieldName )</method>
    <method>NS.getFieldValue(String FieldName)</method>
    <method>NS.getOriginalFieldValue(String FieldName)</method>
    <method>NS.sysGetCUBK(String CUBKrule, String KeyField)</method>
    <method>NS.sysGetCUBK(String CUBKrule, String KeyField)</method>
    <method>NS.getSysDate()</method>
    <method>NS.toDouble(String AmtFieldName)</method>
```

```

        <method>NS.toFloat(String AmtFieldName)</method>
        <method>NS.toInteger(String AmtFieldName)</method>
        <method>NS.toLong(String AmtFieldName)</method>
        <method>NS.writeLog(String)</method>
    </Group>
</ParserScript>

```

(5) Update parameter in {Utility_Root}\ce_params\Script_XML\ MethodOfNotify.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<ParserScript>
    <Group desc="Email Methods">
        <method>NS.appendAllImage(String MailID)</method>
        <method>NS.appendCC(String MailID, String[] MailAddresses)</method>
        <method>NS.attachFormReport(String MailID, String FormName)</method>
        <method>NS.attachImage(String MailID, String ImageType)</method>
        <method>NS.attachImageByID(String MailID, String ImageIndexes)</method>
        <method>NS.attachImageByIDs(String MailID, String[] ImageIndexes, String Separator)</method>
        <method>NS.appendSendTo(String MailID, String[] MailAddresses)</method>
        <method>NS.createMail(String MailName, String MailTemplateName)</method>
        <method>NS.getNextAuthorizersMail(String FieldName)</method>
        <method>NS.getNextBankAuthorizersMail(String)</method>
        <method>NS.getNextCompanyAuthorizersMail(String)</method>
        <method>NS.repeatNextAuthMail(String MailID, Boolean)</method>
        <method>NS.setAutoSend(String MailID, Boolean)</method>
        <method>NS.setAwaitingAuthSend(String MailID, Boolean)</method>
        <method>NS.setCC(String MailID, String[] MailAddresses)</method>
        <method>NS.setReleaseSend(String MailID, Boolean)</method>
        <method>NS.setSendTo(String MailID, String[] MailAddresses)</method>
    </Group>
    <Group desc="Notice Methods">
        <method>NS.createNotification(String templateName)</method>
        <method>NS.setNotifySubject(String notificationID, String subject)</method>
        <method>NS.setNotifyTo(String notificationID, String[][] userInfo)</method>
        <method>NS.appendNotifyTo(String notificationID, String[][] userInfo)</method>
        <method>NS.setNotifyPara(String notificationID, String parName, String parValue)</method>
    </Group>
    <Group desc="Common Methods">
        <method>NS.getCompanyInfo(String FieldList)</method>
        <method>NS.getCurrentUserInfo()</method>
        <method>NS.getAuthedUsers()</method>
        <method>NS.getMakerInfo()</method>
        <method>NS.getNextAuthorizerInfo()</method>
        <method>NS.getNextAuthorizerMaxCount()</method>
        <method>NS.getNextAuthorizerMinCount()</method>
        <method>NS.getNextReleaseUsers()</method>
        <method>NS.getRecvNsUsers()</method>
        <method>NS.isRelease()</method>
        <method>NS.isLastAuthorizer()</method>
        <method>NS.getEventTimes()</method>
        <method>NS.getFuncId()</method>
        <method>NS.getFieldValue(String FieldName)</method>
        <method>NS.getOriginalFieldValue(String FieldName)</method>
        <method>NS.sysGetCUBK(String mappingName, String KeyFieldName)</method>
        <method>NS.sysGetCUBK(String mappingName, String[] KeyFieldNames)</method>
        <method>NS.getSysDate()</method>
        <method>NS.toDouble(String)</method>
        <method>NS.toFloat(String)</method>
        <method>NS.toInteger(String)</method>
        <method>NS.toLong(String)</method>
        <method>NS.writeLog(String)</method>
    </Group>
</ParserScript>

```


Currently, Utility can support methods grouping for setting parameters expediently.

2. Run System Parameters function as utility admin. Add the system paramers.

System Parameter	Description
SMS_SERVER_SEND_TYPE	This is used to define how the SMS server send out the message. BATCH, send out multiple SMS messages by batch at a time. The thread should find SMS messages from table “CETRX.TRX_SMS”. If one of message fails to send out, all messages in the batch can not be send out. SINGLE, send out one SMS message at a time. The thread should find SMS messages from table “CETRX.TRX_SMS_RECVER_INFO”. Each message has its own status.
PHONE_FIELD_NAME	This is used to define the field of user phone number to which the SMS will send. It is a field in CEUSER.SEC_USER_INFO, e.g. <PHONE_FIELD_NAME>C_PHONE_NO</PHONE_FIELD_NAME>
MAIL_ADDR_FIELD_NAME	This is used to define the field of user email address to which the email notification will send. It is a field in CEUSER.SEC_USER_INFO, e.g. <MAIL_ADDR_FIELD_NAME>C_PRIVATE_MAIL</MAIL_ADDR_FIELD_NAME>

3. Add a new Business Component “GenerateNotificationNew”

It is used as function attribute to generated notification according to the pre-defined new notification JS.



4. Notification Templates

(1) The notification content is defined in FTL file:

- SMS: {ce.user.dir}\CE_SYS\FTL\SMS\
- Email: {ce.user.dir}\CE_SYS\FTL\MAIL\
- Notice: {ce.user.dir}\CE_SYS\FTL\NOTIFICATION\

(2) FTL sample:

Dear Customer,

Thank you for using CE. The information has been created, its ID is \${screenData.C_UNIT_CODE}.
The current status is: \${sysInfo.sysStatus}.

If you have any questions, please email customer support at support@chinasystems.com.

Sincerely,
Chinasystems Team

(3) Variables in the FTL

screenData	Value is from the transaction screen field, e.g., \${screenData.LC_NO}
userInfo	Value is from field of user related table CEUSER.SEC_USER_INFO, e.g., \${userInfo.C_USER_ID}
sysInfo	Only the following system information are provided: ✓ \${sysInfo.sysStatus}: the C_TRX_STATUS value's description of current step ✓ \${sysInfo.preSysStatus}: the C_TRX_STATUS value's description of last step. It can not be used for pending function since system cannot get value if the record is newly added. ✓ \${sysInfo.currDate}: system date in customer's date format ✓ \${sysInfo.currDateTime}: system date and time in customer's date format

5. Notification JS Methods


The following methods are newly added for notification. It can be used for all 3 types of notification, email, notice and SMS.

**NOTE:**

1. The new notification JS methods can be used for both security and transaction functions.
2. For transaction functions which were set the old notify JS methods for email and notice, there is no need to update the parameter. The old ones are still working. But the old notify JS and the new notification JS can not be configured at the same time for one function.
3. For security functions, only the new notification JS methods are supported.

The difference from the old version is that these new methods are all set in Pending functions that create new records no matter when the notification sends out. Take Operator Maintain for example-

If consultant want to send email in both create and release/refuse function, he has to set the notification js for different status in Add Operator function.



Methods	Description
NS.createNotification <i>Create notification</i>	This is used to create the specified type of notification. Parameter: - String MTTemplateName: a email template name is expected. - String STTemplateName: a SMS template name is expected. - String NTTemplateName: a notice template name is expected. Return: Object of Notification container


	Example: <pre>//create three types of notification var ns = NS.createNotification("Apply for Import LC","Apply for Import LC","Apply Import LC Task"); //create email and notice only var ns = NS.createNotification("Apply for Import LC","", "Apply Import LC Task"); OR var ns = NS.createNotification("Apply for Import LC",null,"Apply Import LC Task");</pre> Note: ✓ The system uses the default email server to send out email. If no default email server is configured, the system uses the first one in "CSBANK\US\AP\MAIL\mailConfig.xml". ✓ If user want to set different email server for different email, this method is not adaptable. Please use the method NS.createNotification(String JsonObject) to specify the email server name. ✓ If the notice type is task, system will automatically generate the business keys. There is no need to set the parameters manually.
NS.createNotification Create notification by JSON	This is used to create the specified type of notification from JSON object. Parameter: String JsonObject: a JSON Object is expected Return: Object of Notification container Example: <pre>var jsonStr = '{"mailServer':'CSBankSupport','mailTemplate':'Apply for Import LC','smsTemplate':'Apply for Import LC','noticeTemplate':'Apply Import LC Task'}'; var ns = NS.createNotification(jsonStr);</pre> Note: The highlighted key name (mailServer, mailTemplate, smsTemplate, noticeTemplate) is hard coded and can not change. If a type of notification is not required, user do not have to set the key name, it is optional. For example, <pre>// send out SMS only var jsonStr = '{"mailServer':'CSBankSupport','smsTemplate':'Apply for Import LC'}';</pre>
NS.sendToNextAuthorizers Send notification to next authorizers	This is used to send notification to the next authorizers. Parameter: String NotificationContainer: a string of pre-defined Notification container is expected which is defined in NS.createNotification method. Return: Void

	Example: <pre>var ns = NS.createNotification("Apply for Import LC","Apply for Import LC","Apply Import LC Task"); NS.sendToNextAuthorizers(ns);</pre> Note: The system get user's email address and phone number for SMS according to the field set in system parameter <MAIL_ADDR_FIE LD_NAME> and <PHONE_FIELD_NAME> respectively.
NS.addMailAttachments Add attachment(image and form) to email	This is used to attach uploaded images or generated forms into the email. Parameter: 1. String NotificationContainer: a string of pre-defined Notification container is expected, which is defined in NS.createNotification method. 2. String ImageType: image type name(s) is expected. If there're more than one type, split the value by ";". If to send all image types, set the value as "ALL". 3. String formName: form name(s) is expected. If there're more than one name, split the value by ";". If to send all forms, set the value as "ALL". Return: Void Example: <pre>var ns = NS.createNotification("Apply for Import LC","Apply for Import LC","Apply Import LC Task");</pre> //attach uploaded "charges" image and "IMLC_ApplyImpLc" form. NS.addMailAttachments(ns,"Charges","IMLC_ApplyImpLc"); //attach all generated forms and no image NS.addMailAttachments(ns,null,ALL); //attach 2 types of image and no form NS.addMailAttachments(ns,"Charges;Invoices",null);
NS.setSubject Create subject for email and notice	This is used to set subject to email and notice. Parameter: 1. String NotificationContainer: a string of pre-defined Notification container is expected, which is defined in NS.createNotification method. 2. String mailSubject: subject name for the email is expected. 3. String noticeSubject: subject name for the notice is expected. Return: Void Example: <pre>var ns = NS.createNotification("Release New Created User","Release New Created User",""); NS.setSubject(ns,"CSBANK - Login User ID","New User Released");</pre>

NS.ccToMaker <i>Cc email to the maker</i>	This is used to cc maker's address into the email. Parameter: 1. String NotificationContainer: a string of pre-defined Notification container is expected, which is defined in NS.createNotification method. Return: Void Example: <pre>var ns = NS.createNotification("Release New Created User","Release New Created User",""); NS.setSubject(ns,"Release New Created User","Release New Created User"); NS.ccToMaker(ns);</pre> Note: The system get user's email address according to the field set in system parameter <MAIL_ADDR_FIELD_NAME>.
NS.ccToAuthorisedUsers <i>Cc email to authorizer who has already authorized this record.</i>	This is used to cc notification to authorizer who authorized the record except the current user. Parameter: 1. String NotificationContainer: a string of pre-defined Notification container is expected, which is defined in NS.createNotification method. Return: Void Example: <pre>var ns = NS.createNotification("Release New Created User","Release New Created User",""); NS.setSubject(ns,"Release New Created User","Release New Created User"); NS.ccToAuthorisedUsers (ns);</pre> Note: The system get user's email address according to the field set in system parameter <MAIL_ADDR_FIELD_NAME>.
NS.sendToAuthorisedUsers <i>Send notification to authorizer who has already authorized this record.</i>	This is used to send notification to authorizer who authorized the record except the current user. Parameter: 1. String NotificationContainer: a string of pre-defined Notification container is expected, which is defined in NS.createNotification method. Return: Void

	Example: <pre>var ns = NS.createNotification("Release New Created User","Release New Created User",""); NS.setSubject(ns,"Release New Created User","Release New Created User"); NS.sendToAuthorisedUsers (ns);</pre> Note: The system get user's email address and phone number for SMS according to the field set in system parameter <MAIL_ADDR_FIE LD_NAME> and <PHONE_FIELD_NAME> respectively.
NS.sendToMaker Send notification to the maker	This is used to send notification to maker who created the record. Parameter: 1. String NotificationContainer: a string of pre-defined Notification container is expected, which is defined in NS.createNotification method. Return: Void Example: <pre>var ns = NS.createNotification("Release New Created User","Release New Created User",""); NS.setSubject(ns,"Release New Created User","Release New Created User"); NS.sendToMaker (ns);</pre> Note: The system get user's email address and phone number for SMS according to the field set in system parameter <MAIL_ADDR_FIE LD_NAME> and <PHONE_FIELD_NAME> respectively.
NS.sendToMailGrpUsers Send email to users who are in one email group	This is used to send email to the email group which is defined in Standing Module > "Email Group Maintenance" and "Email Notification" functions. Parameter: 1. String NotificationContainer: a string of pre-defined Notification container is expected, which is defined in NS.createNotification method. Return: Void Example: <pre>var ns = NS.createNotification("Apply for Import LC","Apply for Import LC","Apply Import LC Task"); NS.sendToMailGrpUsers(ns);</pre> Note: In previous version, consultant has to write complicated code to get the email address from "Email Group Maintenance" and "Email Notification" functions. In CEv3.2.0, consultant can use this new method directly to retrieve the email address.

NS.appendCurrntOperateUser Send notification to the processed user	This is used to send notification to the user (admin or operator) who are processed by the administrator. For example, admin update the FAP for operator OP1. With this method, the email will send to the OP1 to notify the FAP change. Parameter: 1. String NotificationContainer: a string of pre-defined Notification container is expected, which is defined in NS.createNotification method. Return: Void Example: <pre>var ns = NS.createNotification("Release New Created User","Release New Created User", ""); NS.setSubject(ns,"Release New Created User","Release New Created User"); NS.appendCurrntOperateUser (ns);</pre> Note: ✓ The system get user's email address and phone number for SMS according to the field set in system parameter <MAIL_ADDR_FIE LD_NAME> and <PHONE_FIELD_NAME> respectively. ✓ The method is for the user related functions. It is NOT applicable for unit related function or transaction functions.
NS.isNeedToNotifyCurrntOpUser Check the user whether log on CE successfully.	This is used to check whether the user has logged onto the system successfully. It is used along with the NS.appendCurrntOperateUser method. For example, admin update the FAP for operator OP1. With this method, the email will send to the OP1 to notify the FAP change only when the user is in use (the user logged onto the system successfully at least once). Parameter: N/A Return: boolean 1. true: the user is in use (the user logged onto the system successfully at least once) 2. false: the user is not in use (the user never logged onto the system successfully) Example: <pre>If (NS.isNeedToNotifyCurrntOpUser()){ NS.appendCurrntOperateUser(ns); }</pre>


NS.includeCommonJS	This is used to include the notification common js into each transaction function.  Parameter: - String JSTmpNm: a notification common JS name is expected. Return: Void Example: <pre>NS.includeCommonJS("SECUTemplate");</pre> Note: ✓ This method can only use once in each transaction function. Circular reference is not allowed. ✓ The variables in notification common JS must unique and can not be the same with those in each transaction function. ✓ It's recommended to put this method in the first line of notification js in the transaction function.
NS.getCompanyInfo <i>Get the company information according to unit code</i>	This is used to get the field value of company. Parameter: String fieldName: a company field name (field in CEUSER.SEC_BUSINESS_UNIT) is expected. Return: String object of Company's information Example: <pre>NS.getCompanyInfo("C_UNIT_CODE");</pre> Note: The system get unit field value from CEUSER.SEC_BUSINESS_UNIT table.
NS.getFieldValue <i>Get field value from screen</i>	This is used to get the field value from transaction screen. Parameter: String fieldName: a screen field name is expected. Return: String object of screen field value Example: <pre>NS.getFieldValue("C_MAIN_REF");</pre>
NS.getOriginalFieldValue <i>Get original value for screen field</i>	This is used to get the screen field original value. Parameter: String fieldName: a screen field name is expected. Return: String object of screen field original value

	Example: NS.getOriginalFieldValue ("BENE_NM");
NS.sysGetCUBK Get value by CUBK	This is used to get value by the CUBK rule with only one key field. Parameter: - String CUBKrule: a CUBK rule name is expected. - String keyField: the key field of CUBK rule is expected. Return: String of CUBK value Example: NS.sysGetCUBK("GetParty", "PARTY_ID");
NS.sysGetCUBK Get value by CUBK	This is used to get value by the CUBK rule with several key fields. Parameter: - String CUBKrule: a CUBK rule name is expected. - Array keyFields: the key field array of CUBK rule is expected. Return: array of CUBK values Example: var keyArr = new Array(); keyArr.push("PARTY_ID"); keyArr.push("PARTY_NM") NS.sysGetCUBK("InqPartyAccount", "keyArr");
NS.getSysDate Get system date	This is used to get the system date. Parameter: N/A Return: String of system date Example: var sysDate = NS.getSysDate ();
NS.toDouble Convert a double number which is string type to double type for calculate	This is used to convert number from string type to double type for calculation. Parameter: String strDouble: a string type value is expected. Return: double type value Example: var amountFloat = CAL. toDouble ("1000.34");
NS.toFloat Convert a float number which is string type to float type for calculate	This is used to convert number from string type to float type for calculation. Parameter: String strFloat: a string type value is expected. Return: float type value Example: var amountFloat = NS.toFloat ("1000.34");


NS.toInteger <i>Convert a Integer number which is string type to Integer type for calculate</i>	This is used to convert number from string type to int type for calculation. Parameter: String strInteger: a string type value is expected. Return: integer type value Example: <pre>var amountInt = NS.toInteger ("1000");</pre>
NS.toLong <i>Convert a long number which is string type to long type for calculate</i>	This is used to convert number from string type to long type for calculation. Parameter: String strLong: a string type value is expected. Return: long type value Example: <pre>var amountLong = NS.toLong ("1000");</pre>
NS.writeLog <i>Write log</i>	This is used to print out information for debugging in the log file. Parameter: String logContent: a statements for debugging is expected. Return: Void Example: <pre>var loginfo = NS.writeLog ("This is a test.");</pre>

6. Add a new Batch Task for SMS

(1) Add a new Batch Manager “SMSNotification”



(2) Add the sub task “DealSMSNotification” under the above batch manager



(3) Generate XML for Batch Manager

```
{ce.user.dir}\{Bank group}\{Country Code}\AP\BATCHTASK\taskmgr_root.xml
{ce.user.dir}\{Bank group}\{Country Code}\AP\BATCHTASK\task_SMSNotification.xml
```

CEWeb.war Modification

Edit JSP and JS files followed by the following section.

```
\CEWeb.war\CSBANK\US\WEB\SECU\SecuOperator.lbi  
\CEWeb.war \CSBANK\US\WEB\SCRN\IMLC_ApplyImpLc.jsp  
\CEWeb.war\screen\mailReport.jsp  
  
\JS\SECU_SecuOperator.js
```

JSP/JS Modification

Use the New Version Code to cover the Old Version Code for each file listed in the following table.

JSP Name	Old Version Code	New Version Code
\\CEWeb.war\\CSBANK\\US\\WEB\\SECU\\SecuOperator.lbi	<pre> <tr> <td nowrap ></td> <td nowrap></td> <!-- CEV2-01-01-09 hank 20150616 start --> <td class="FldLabel">Language </td> <td><select name="C_LANG_VAL" class="CHAR_O" id="C_LANG_VAL" title="Language" > <EXIMTAGS:FldConv fldName="C_LANG_VAL" smType="false"/> </select> </td> <!-- CEV2-01-01-09 hank 20150616 end --> </tr> </pre>	<pre> <tr> <!-- CEV2-01-01-09 hank 20150616 start --> <td class="FldLabel">Language </td> <td><select name="C_LANG_VAL" class="CHAR_O" id="C_LANG_VAL" title="Language" > <EXIMTAGS:FldConv fldName="C_LANG_VAL" smType="false"/> </select> </td> <!-- CEV2-01-01-09 hank 20150616 end --> <td nowrap class="FldLabel">Phone No.</td> <td nowrap><input name="C_PHONE_NO" type="text" class="CHAR_O" id="C_PHONE_NO" title="Phone No." value="" maxlength="80"></td> </tr> </pre>
JS\\SECU_SecuOperator.js	<pre> function OnInit(){ try { //generate dynamic drop menu before WIN_LOAD() InitCmpID(); InitCmpName(); WIN_LOAD(); var vForm = document.MAINFORM; //CEV2-01-24-01 bruce edit for regional code 20170920S document.getElementById("REG_CNT_CD").disabled = true; //CEV2-01-24-01 bruce edit for regional code 20170920E if (document.forms[0].TXN_DATE && SYS_DATE) { // SYS_DATE = SYS_CONVERT_DISPLAY_DATE(SYS_DATE); // vForm.TXN_DATE.value = SYS_DATE; vForm.TXN_DATE.value = SYS_CONVERT_DISPLAY_DATE(SYS_DATE); vForm.TXN_DATE.className = "DATE_O"; } if (ITEM_ID == "New") { document.MAINFORM.I_USER_TYPE.value = "2"; } } } </pre>	<pre> function OnInit(){ try { //generate dynamic drop menu before WIN_LOAD() InitCmpID(); InitCmpName(); WIN_LOAD(); var vForm = document.MAINFORM; //CEV2-01-24-01 bruce edit for regional code 20170920S document.getElementById("REG_CNT_CD").disabled = true; //CEV2-01-24-01 bruce edit for regional code 20170920E if (document.forms[0].TXN_DATE && SYS_DATE) { // SYS_DATE = SYS_CONVERT_DISPLAY_DATE(SYS_DATE); // vForm.TXN_DATE.value = SYS_DATE; vForm.TXN_DATE.value = SYS_CONVERT_DISPLAY_DATE(SYS_DATE); vForm.TXN_DATE.className = "DATE_O"; } if (ITEM_ID == "New") { document.MAINFORM.I_USER_TYPE.value = "2"; } } } </pre>

	<pre> //default date format to yyyy-mm-dd document.MAINFORM.C_DATE_FORM.value = "yyyy-mm-dd"; //default currency to USD document.MAINFORM.C_CURRENCY.value = "USD"; vForm.C_INACTIVE_CHECKBOX.checked = false; vForm.C_CHANGE_PSW_CHECKBOX.checked = false; var vUserId = vForm.C_USER_ID; attachObjEvent(vUserId, "onkeydown", charactercheck); } if (ITEM_ID == "Edit") { var vForm = document.MAINFORM; disableFld(vForm.C_UNIT_CODE); disableFld(vForm.C_DFLT_UNIT_CODE); disableFld(vForm.C_USER_ID); disableFld(vForm.I_LOGON_RETRIES); disableFld(vForm.EFFECTIVE_DATE); disableFld(vForm.EXPIRY_DATE); disableFld(vForm.C_INACTIVE_CHECKBOX); disableFld(vForm.C_CHANGE_PSW_CHECKBOX); //CEV2-01-01-09 hank 2015-07-17 s disableFld(vForm.C_CHANGE_EMAIL_CHECKBOX); //CEV2-01-01-09 e document.getElementById("2_table").style.display = "none"; genRefuse(); //CEV2-01-24-01 bruce edit for regional code 20170920S var isBank = isUnitBank(); if("T" == isBank){ document.getElementById("REG_CNT_CD").disabled = false; } //CEV2-01-24-01 bruce edit for regional code 20170920E if (vForm.C_INACTIVE.value == "T") { vForm.C_INACTIVE_CHECKBOX.checked = true; } else { vForm.C_INACTIVE_CHECKBOX.checked = false; } if (vForm.C_CHANGE_PSW.value == "T") { vForm.C_CHANGE_PSW_CHECKBOX.checked = true; } else { vForm.C_CHANGE_PSW_CHECKBOX.checked = false; } } </pre>	<pre> //default date format to yyyy-mm-dd document.MAINFORM.C_DATE_FORM.value = "yyyy-mm-dd"; //default currency to USD document.MAINFORM.C_CURRENCY.value = "USD"; vForm.C_INACTIVE_CHECKBOX.checked = false; vForm.C_CHANGE_PSW_CHECKBOX.checked = false; var vUserId = vForm.C_USER_ID; attachObjEvent(vUserId, "onkeydown", charactercheck); } if (ITEM_ID == "Edit") { var vForm = document.MAINFORM; disableFld(vForm.C_UNIT_CODE); disableFld(vForm.C_DFLT_UNIT_CODE); disableFld(vForm.C_USER_ID); disableFld(vForm.I_LOGON_RETRIES); disableFld(vForm.EFFECTIVE_DATE); disableFld(vForm.EXPIRY_DATE); disableFld(vForm.C_INACTIVE_CHECKBOX); disableFld(vForm.C_CHANGE_PSW_CHECKBOX); //CEV2-01-01-09 hank 2015-07-17 s disableFld(vForm.C_CHANGE_EMAIL_CHECKBOX); //CEV2-01-01-09 e document.getElementById("2_table").style.display = "none"; genRefuse(); //CEV2-01-24-01 bruce edit for regional code 20170920S var isBank = isUnitBank(); if("T" == isBank){ document.getElementById("REG_CNT_CD").disabled = false; } //CEV2-01-24-01 bruce edit for regional code 20170920E if (vForm.C_INACTIVE.value == "T") { vForm.C_INACTIVE_CHECKBOX.checked = true; } else { vForm.C_INACTIVE_CHECKBOX.checked = false; } if (vForm.C_CHANGE_PSW.value == "T") { vForm.C_CHANGE_PSW_CHECKBOX.checked = true; } else { vForm.C_CHANGE_PSW_CHECKBOX.checked = false; } } </pre>
--	---	---

	<pre> //CEV2-01-01-09 hank 2015-07-17 s if (vForm.C_CHANGE_MAIL.value == "T") { vForm.C_CHANGE_EMAIL_CHECKBOX.checked = true; } else { vForm.C_CHANGE_EMAIL_CHECKBOX.checked = false; } //CEV2-01-01-09 e } if (ITEM_ID == "Inquire") { disableAllFld(); hideButton("prim_confirm"); document.getElementById("EFFECTIVE_DATE").disabled = true; document.getElementById("EXPIRY_DATE").disabled = true; document.getElementById("2_table").style.display = "none"; if (vForm.C_INACTIVE.value == "T") { vForm.C_INACTIVE_CHECKBOX.checked = true; } else { vForm.C_INACTIVE_CHECKBOX.checked = false; } if (vForm.C_CHANGE_PSW.value == "T") { vForm.C_CHANGE_PSW_CHECKBOX.checked = true; } else { vForm.C_CHANGE_PSW_CHECKBOX.checked = false; } //CEV2-01-01-09 hank 2015-07-17 s if (vForm.C_CHANGE_MAIL.value == "T") { vForm.C_CHANGE_EMAIL_CHECKBOX.checked = true; } else { vForm.C_CHANGE_EMAIL_CHECKBOX.checked = false; } //CEV2-01-01-09 e } if ("Delete" == ITEM_ID) { </pre>	<pre> //CEV2-01-01-09 hank 2015-07-17 s if (vForm.C_CHANGE_MAIL.value == "T") { vForm.C_CHANGE_EMAIL_CHECKBOX.checked = true; } else { vForm.C_CHANGE_EMAIL_CHECKBOX.checked = false; } //CEV2-01-01-09 e } if (ITEM_ID == "Inquire") { disableAllFld(); hideButton("prim_confirm"); document.getElementById("EFFECTIVE_DATE").disabled = true; document.getElementById("EXPIRY_DATE").disabled = true; document.getElementById("2_table").style.display = "none"; if (vForm.C_INACTIVE.value == "T") { vForm.C_INACTIVE_CHECKBOX.checked = true; } else { vForm.C_INACTIVE_CHECKBOX.checked = false; } if (vForm.C_CHANGE_PSW.value == "T") { vForm.C_CHANGE_PSW_CHECKBOX.checked = true; } else { vForm.C_CHANGE_PSW_CHECKBOX.checked = false; } //CEV2-01-01-09 hank 2015-07-17 s if (vForm.C_CHANGE_MAIL.value == "T") { vForm.C_CHANGE_EMAIL_CHECKBOX.checked = true; } else { vForm.C_CHANGE_EMAIL_CHECKBOX.checked = false; } //CEV2-01-01-09 e } if ("Delete" == ITEM_ID) { </pre>
--	---	---

	<pre> disableAllFld(); document.getElementById("EFFECTIVE_DATE").disabled = true; document.getElementById("EXPIRY_DATE").disabled = true; } if (ITEM_ID == "ActiveUser") { var vForm = document.MAINFORM; disableFld(vForm.C_UNIT_CODE); disableFld(vForm.C_DFLT_UNIT_CODE); disableFld(vForm.C_USER_ID); disableFld(vForm.C_USER_DESC); disableFld(vForm.I_AUTH_LEVEL); disableFld(vForm.I_MULTI_LOGIN); disableFld(vForm.C_LANG_VAL); //CEV2-01-01-09 hank 2015-07-29 s disableFld(vForm.C_PRIVATE_MAIL); //CEV2-01-01-09 e document.getElementById("2_table").style.display = "none"; if (vForm.C_INACTIVE.value == "T") { vForm.C_INACTIVE_CHECKBOX.checked = true; } else { vForm.C_INACTIVE_CHECKBOX.checked = false; } if (vForm.C_CHANGE_PSW.value == "T") { vForm.C_CHANGE_PSW_CHECKBOX.checked = true; } else { vForm.C_CHANGE_PSW_CHECKBOX.checked = false; } //CEV2-01-01-09 hank 2015-07-17 s if (vForm.C_CHANGE_MAIL.value == "T") { vForm.C_CHANGE_EMAIL_CHECKBOX.checked = true; } else { vForm.C_CHANGE_EMAIL_CHECKBOX.checked = false; } //CEV2-01-01-09 e usrControl(); } </pre>	<pre> disableAllFld(); document.getElementById("EFFECTIVE_DATE").disabled = true; document.getElementById("EXPIRY_DATE").disabled = true; } if (ITEM_ID == "ActiveUser") { var vForm = document.MAINFORM; disableFld(vForm.C_UNIT_CODE); disableFld(vForm.C_DFLT_UNIT_CODE); disableFld(vForm.C_USER_ID); disableFld(vForm.C_USER_DESC); disableFld(vForm.I_AUTH_LEVEL); disableFld(vForm.I_MULTI_LOGIN); disableFld(vForm.C_LANG_VAL); //CEV2-01-01-09 hank 2015-07-29 s disableFld(vForm.C_PRIVATE_MAIL); //CEV2-01-01-09 e //CEV2-05-20-19 Nancy 2015-07-29 s disableFld(vForm.C_PHONE_NO); //CEV2-05-20-19 e document.getElementById("2_table").style.display = "none"; if (vForm.C_INACTIVE.value == "T") { vForm.C_INACTIVE_CHECKBOX.checked = true; } else { vForm.C_INACTIVE_CHECKBOX.checked = false; } if (vForm.C_CHANGE_PSW.value == "T") { vForm.C_CHANGE_PSW_CHECKBOX.checked = true; } else { vForm.C_CHANGE_PSW_CHECKBOX.checked = false; } //CEV2-01-01-09 hank 2015-07-17 s if (vForm.C_CHANGE_MAIL.value == "T") { vForm.C_CHANGE_EMAIL_CHECKBOX.checked = true; } else { vForm.C_CHANGE_EMAIL_CHECKBOX.checked = false; } //CEV2-01-01-09 e </pre>
--	--	--

	<pre> if (ITEM_ID == "ResetPsw") { var vForm = document.MAINFORM; disableFld(vForm.C_USER_ID); disableFld(vForm.C_UNIT_CODE); disableFld(vForm.C_USER_DESC); disableFld(vForm.EFFECTIVE_DATE); disableFld(vForm.EXPIRY_DATE); disableFld(vForm.C_INACTIVE_CHECKBOX); disableFld(vForm.I_LOGON_RETRIES); disableFld(vForm.I_AUTH_LEVEL); disableFld(vForm.C_CHANGE_PSW_CHECKBOX); disableFld(vForm.I_MULTI_LOGIN); disableFld(vForm.C_DFLT_UNIT_CODE); disableFld(vForm.C_LANG_VAL); //CEV2-01-01-09 alisa 2015-10-27 s document.getElementById("2_table").style.display = ""; //CEV2-01-01-09 alisa 2015-10-27 e //CEV2-01-01-09 hank 2015-06-19 s disableFld(vForm.C_CHANGE_EMAIL_CHECKBOX); disableFld(vForm.C_PRIVATE_MAIL); //CEV2-01-01-09 e if (vForm.C_INACTIVE.value == "T") { vForm.C_INACTIVE_CHECKBOX.checked = true; } else { vForm.C_INACTIVE_CHECKBOX.checked = false; } if (vForm.C_CHANGE_PSW.value == "T") { vForm.C_CHANGE_PSW_CHECKBOX.checked = true; } else { vForm.C_CHANGE_PSW_CHECKBOX.checked = false; } doCheckConfirmPassword(); } if (ITEM_ID == "Release") { RelOnInit(); } iniParam(); DisableProtectFields(); </pre>	<pre> usrControl(); } if (ITEM_ID == "ResetPsw") { var vForm = document.MAINFORM; disableFld(vForm.C_USER_ID); disableFld(vForm.C_UNIT_CODE); disableFld(vForm.C_USER_DESC); disableFld(vForm.EFFECTIVE_DATE); disableFld(vForm.EXPIRY_DATE); disableFld(vForm.C_INACTIVE_CHECKBOX); disableFld(vForm.I_LOGON_RETRIES); disableFld(vForm.I_AUTH_LEVEL); disableFld(vForm.C_CHANGE_PSW_CHECKBOX); disableFld(vForm.I_MULTI_LOGIN); disableFld(vForm.C_DFLT_UNIT_CODE); disableFld(vForm.C_LANG_VAL); //CEV2-01-01-09 alisa 2015-10-27 s document.getElementById("2_table").style.display = ""; //CEV2-01-01-09 alisa 2015-10-27 e //CEV2-01-01-09 hank 2015-06-19 s disableFld(vForm.C_CHANGE_EMAIL_CHECKBOX); disableFld(vForm.C_PRIVATE_MAIL); //CEV2-01-01-09 e //CEV2-05-20-19 Nancy 2015-07-29 s disableFld(vForm.C_PHONE_NO); //CEV2-05-20-19 e if (vForm.C_INACTIVE.value == "T") { vForm.C_INACTIVE_CHECKBOX.checked = true; } else { vForm.C_INACTIVE_CHECKBOX.checked = false; } if (vForm.C_CHANGE_PSW.value == "T") { vForm.C_CHANGE_PSW_CHECKBOX.checked = true; } else { vForm.C_CHANGE_PSW_CHECKBOX.checked = false; } doCheckConfirmPassword(); } </pre>
--	--	---

	<pre> setFldValue("_TRX_STATUS", "SEC_USERINFO"); //CEV2-01-23-01 carly 20180207 S showTab("0"); initPrevTab(); hidePrew4SecUser(); //CEV2-01-23-01 carly 20180207 E } catch (e) { showExcp("SECU_SecuOperator", e); } } </pre>	<pre> if (ITEM_ID == "Release") { RelOnInit(); } iniParam(); DisableProtectFields(); setFldValue("_TRX_STATUS", "SEC_USERINFO"); //CEV2-01-23-01 carly 20180207 S showTab("0"); initPrevTab(); hidePrew4SecUser(); //CEV2-01-23-01 carly 20180207 E } catch (e) { showExcp("SECU_SecuOperator", e); } } </pre>
JS\SECU_SecuOperator.js	<pre> function RelOnInit(){ try { var vForm = document.MAINFORM; disableFld(vForm.C_USER_ID); disableFld(vForm.C_UNIT_CODE); disableFld(vForm.C_USER_DESC); disableFld(vForm.EFFECTIVE_DATE); disableFld(vForm.EXPIRY_DATE); disableFld(vForm.C_INACTIVE_CHECKBOX); disableFld(vForm.I_LOGON_RETRIES); disableFld(vForm.I_AUTH_LEVEL); disableFld(vForm.C_CHANGE_PSW_CHECKBOX); disableFld(vForm.I_MULTI_LOGIN); disableFld(vForm.C_DFLT_UNIT_CODE); disableFld(vForm.C_LANG_VAL); //CEV2-01-01-09 hank 2015-06-19 s disableFld(vForm.C_CHANGE_EMAIL_CHECKBOX); disableFld(vForm.C_PRIVATE_MAIL); //CEV2-01-01-09 e if (vForm.C_INACTIVE.value == "T") { vForm.C_INACTIVE_CHECKBOX.checked = true; } else { vForm.C_INACTIVE_CHECKBOX.checked = false; } if (vForm.C_CHANGE_PSW.value == "T") { vForm.C_CHANGE_PSW_CHECKBOX.checked = true; </pre>	<pre> function RelOnInit(){ try { var vForm = document.MAINFORM; disableFld(vForm.C_USER_ID); disableFld(vForm.C_UNIT_CODE); disableFld(vForm.C_USER_DESC); disableFld(vForm.EFFECTIVE_DATE); disableFld(vForm.EXPIRY_DATE); disableFld(vForm.C_INACTIVE_CHECKBOX); disableFld(vForm.I_LOGON_RETRIES); disableFld(vForm.I_AUTH_LEVEL); disableFld(vForm.C_CHANGE_PSW_CHECKBOX); disableFld(vForm.I_MULTI_LOGIN); disableFld(vForm.C_DFLT_UNIT_CODE); disableFld(vForm.C_LANG_VAL); //CEV2-01-01-09 hank 2015-06-19 s disableFld(vForm.C_CHANGE_EMAIL_CHECKBOX); disableFld(vForm.C_PRIVATE_MAIL); //CEV2-01-01-09 e //CEV2-05-20-19 Nancy 2015-07-29 s disableFld(vForm.C_PHONE_NO); //CEV2-05-20-19 e if (vForm.C_INACTIVE.value == "T") { vForm.C_INACTIVE_CHECKBOX.checked = true; } else { vForm.C_INACTIVE_CHECKBOX.checked = false; </pre>

	<pre> } else { vForm.C_CHANGE_PSW_CHECKBOX.checked = false; } //CEV2-01-01-09 hank 2015-07-16 s if (vForm.C_CHANGE_MAIL.value == "T") { vForm.C_CHANGE_EMAIL_CHECKBOX.checked = true; } else { vForm.C_CHANGE_EMAIL_CHECKBOX.checked = false; } //CEV2-01-01-09 e if (LAST_STATUS == "E" LAST_STATUS == "D") { document.getElementById("2_table").style.display = "none"; } if (LAST_STATUS == "T") { document.getElementById("2_table").style.display = "none"; } //CEV2-01-01-09 alisa 2015-10-27 s if (LAST_STATUS == "P") { document.getElementById("2_table").style.display = ""; } //CEV2-01-01-09 alisa 2015-10-27 e doCheckConfirmPassword(); insertHiddenField(vForm, "C_TRX_STATUS", ""); insertHiddenField(vForm, "C_IS_AGREE", "Y"); genRelease(); } catch (e) { showExcppt("SECU_SecuOperator", e); } </pre>	<pre> if (vForm.C_CHANGE_PSW.value == "T") { vForm.C_CHANGE_PSW_CHECKBOX.checked = true; } else { vForm.C_CHANGE_PSW_CHECKBOX.checked = false; } //CEV2-01-01-09 hank 2015-07-16 s if (vForm.C_CHANGE_MAIL.value == "T") { vForm.C_CHANGE_EMAIL_CHECKBOX.checked = true; } else { vForm.C_CHANGE_EMAIL_CHECKBOX.checked = false; } //CEV2-01-01-09 e if (LAST_STATUS == "E" LAST_STATUS == "D") { document.getElementById("2_table").style.display = "none"; } if (LAST_STATUS == "T") { document.getElementById("2_table").style.display = "none"; } //CEV2-01-01-09 alisa 2015-10-27 s if (LAST_STATUS == "P") { document.getElementById("2_table").style.display = ""; } //CEV2-01-01-09 alisa 2015-10-27 e doCheckConfirmPassword(); insertHiddenField(vForm, "C_TRX_STATUS", ""); insertHiddenField(vForm, "C_IS_AGREE", "Y"); genRelease(); } catch (e) { showExcppt("SECU_SecuOperator", e); } </pre>
\CEWeb.war \CSBANK\US\WEB\S CRN\IMLC_ApplyImp Lc.jsp	<pre> <input name="CURRNT_STATUS" type="hidden" class="CHAR_O" id="CURRNT_STATUS" title="Current Status" value=""> <input name="NXT_STATUS" type="hidden" class="CHAR_O" id="NXT_STATUS" title="Next Status" value=""> <input name="C_MAIN_REF" type="hidden" class="CHAR_O" id="C_MAIN_REF" title="CE Main Reference" value=""> <input name="BK_MAIN_REF" type="hidden" class="CHAR_O" </pre>	<pre> <input name="CURRNT_STATUS" type="hidden" class="CHAR_O" id="CURRNT_STATUS" title="Current Status" value=""> <input name="NXT_STATUS" type="hidden" class="CHAR_O" id="NXT_STATUS" title="Next Status" value=""> <input name="C_MAIN_REF" type="hidden" class="CHAR_O" id="C_MAIN_REF" title="CE Main Reference" value=""> <input name="BK_MAIN_REF" type="hidden" class="CHAR_O" </pre>

	<pre>id="BK_MAIN_REF" title="Bank Main Reference" value=""> <input name="TEMP_DOC_PRE" type="hidden" class="CHAR_O" id="TEMP_DOC_PRE" title="Documents Required"> <input name="TTL_PCT" type="hidden" class="INT_O" id="TTL_PCT" title="Total Percentage" value=""> <input name="PARENT_MAIN_REF" type="hidden" class="CHAR_O" id="PARENT_MAIN_REF" title="Parent Main Reference" value=""> <input name="EMAIL_SUBJECT" type="hidden" class="CHAR_O" id="EMAIL_SUBJECT" title="Email Subject" value=""> <input name="EMAIL_TO" type="hidden" class="CHAR_O" id="EMAIL_TO" title="Email Send to" value=""> <input name="PARTIAL_SHIP" type="hidden" class="CHAR_O" id="PARTIAL_SHIP" title="Partial Shipment" value=""></pre>	<pre>id="BK_MAIN_REF" title="Bank Main Reference" value=""> <input name="TEMP_DOC_PRE" type="hidden" class="CHAR_O" id="TEMP_DOC_PRE" title="Documents Required"> <input name="TTL_PCT" type="hidden" class="INT_O" id="TTL_PCT" title="Total Percentage" value=""> <input name="PARENT_MAIN_REF" type="hidden" class="CHAR_O" id="PARENT_MAIN_REF" title="Parent Main Reference" value=""> <input name="EMAIL_SUBJECT" type="hidden" class="CHAR_O" id="EMAIL_SUBJECT" title="Email Subject" value=""> <input name="EMAIL_TO" type="hidden" class="CHAR_O" id="EMAIL_TO" title="Email Send to" value=""> <input name="PARTIAL_SHIP" type="hidden" class="CHAR_O" id="PARTIAL_SHIP" title="Partial Shipment" value=""> <input name="C_PHONE_NO" type="hidden" class="CHAR_O" id="C_PHONE_NO" title="Phone No." value=""></pre>
<pre>\CEWeb.war\screen\mailReport.jsp</pre>	<pre><tr> <td height="120px" colspan=2 valign="top"><div align="left"> <textarea name="C_CONTENT" id="C_CONTENT<%=i%>" cols="150" rows="20" class="CHAR_O"></textarea><div id="C_CONTENT_HTML<%=i%>" style="display:none"></div> </div></td> </tr> <tr> <td height="20px" colspan=2 valign="top"><input type="button" name="SEND_BUTTON" value="SEND" class="prim"/> <input type="button" name="send2" value="CLOSE" onclick="javascript:window.close();" class="prim"/></td> </tr> </table> <a id="VIEWSOURCE<%=i%>" style="display:none;cursor:pointer">view mail content source <a id="HIDDENSOURCE<%=i%>" style="display:none;cursor:pointer">hidden mail content source </form></pre>	<pre><tr> <td height="120px" colspan=2 valign="top"><div align="left"> <textarea name="C_CONTENT" id="C_CONTENT<%=i%>" cols="150" rows="20" class="CHAR_O"></textarea> <div id="C_CONTENT_HTML<%=i%>" cols="150" rows="20" class="CHAR_O" style="display:none"></div> </div></td> </tr> <tr> <td height="20px" colspan=2 valign="top"><input type="button" name="SEND_BUTTON" value="SEND" class="prim"/> <input type="button" name="send2" value="CLOSE" onclick="javascript:window.close();" class="prim"/></td> </tr> </table> <!--a id="VIEWSOURCE<%=i%>" style="display:none;cursor:pointer">view mail content source <a id="HIDDENSOURCE<%=i%>" style="display:none;cursor:pointer">hidden mail content source</a--> </form></pre>

Test Scenario


Case1 Send Notification (email and SMS) for security pending transaction

Introduction

Send Notification (email and SMS) for security pending transaction.

Pre-condition

- Function attribute
Add the new notification attribute in Add Operator function



- Notification Template setting
SMS content FTL file: {ce.user.dir}\CE_SYS\FTL\SMS\SECU_CreateUser.ftl

Dear Customer,

Thank you for using CE. We have created account for you. Your account is

Company Code: \${screenData.C_UNIT_CODE}

Login ID: \${screenData.C_USER_ID}.

The current status is: \${sysInfo.sysStatus}

Please logon your mail to set your password later.

If you have any questions, please email customer support at support@chinasystems.com.

Sincerely,

Chinasystems Team

Email content FTL file: {ce.user.dir}\CE_SYS\FTL\MAIL\SECU_CreateUser.ftl

Dear Customer,

Thank you for using CE. We have created account for you. Your account is

Company Code: \${screenData.C_UNIT_CODE}

Login ID: \${screenData.C_USER_ID}.

The current status is: \${sysInfo.sysStatus}


Please set your password according to Initialization Password mail.

If you have any questions, please email customer support at support@chinasystems.com.

Sincerely,


Chinasystems Team

3. Mail Template Setting




Note: Mail Template Name MUST be unique in the system.

4. SMS Template Setting



5. Set JS in New Notification for pending status

The notification will send out to maker, the authorizers who can release the record upon adding an operator and CC to maker.



```
var ns = NS.createNotification("Create User Information","Create User Information","");
NS.setSubject(ns,"Create User Information","Create User Information");
NS.ccToMaker(ns);
NS.sendToMaker(ns);
NS.sendToNextAuthorizers(ns);
```

Or

```
var jsonStr = "{'mailServer':'CSBankSupport','mailTemplate':'Create User Infromation','smsTemplate':'Create User Infromation'}";
var ns = NS.createNotification(jsonStr);
NS.setSubject(ns,"Create User Infromation","Create User Infromation");
NS.sendToMaker(ns);
NS.ccToMaker(ns);
NS.sendToNextAuthorizers(ns);
```

6. Generated XML

\CSBANK\US\AP\NEWNOTIFICATION\F02121800000_Pending.js
 \CSBANK\US\AP\FUNCATTR\fatr_F02121800000P.xml
 \CSBANK\US\AP\MAIL\mailConfig.xml
 \CSBANK\US\AP\SMS\SMS_Config.xml

Transaction Processing

1. Login the CE by superofficer.
2. Add a new Operator.

The image displays two screenshots of the 'Add Operator' form. The top screenshot shows the 'Basic Information' tab, which includes fields for User ID, User Description, Unit Code, Default Unit Code, Regional Country Code, Email Address, and Phone No. The bottom screenshot shows the 'Advanced Security Information' tab, which includes checkboxes for Inactive/Suspended, Change Password at Next Login, Change Email at Next Login, and Login Retries, along with Effective Date and Expiry Date fields. Both screenshots show a 'CONFIRM' button at the bottom right.

3. Click on CONFIRM button to create the operator.
4. Check Logs, the notification (email and SMS) is generated and will send to maker and the authorizer who can release the record.

```
[03] INSERT INTO CTRX.TRX_NOTIFY_EMAIL
(C_MAIL_ID,C_BK_GROUP_ID,C_CNTY_CODE,C_MODULE_TYPE,C_MAIL_STATUS,C_MSEND_NAME,C_MTMPL_NAME,
C_MTEMPL_DESC,D_INIT_DATE,C_APPLY_BY,C_SUBJECT,C_SEND_FROM,C_SEND_TO,C_CC,C_CONTENT,C_MAIL_SEN
DTYPE) VALUES ('20180528023010517246673583984375','CSBANK','US','OTHER','R','CSBankSupport','Create User
Infromation','Create User Infromation',TO_DATE('2018-05-28 11:30:10','YYYY-MM-DD
HH24:MI:SS'),'superofficer','Create User
Infromation','cesupport@chinasystems.com','MOP@chinasystems.com;APPLESSO1@chinasystems.com;APPLESSO2@
chinasystems.com;APPLESSO3@chinasystems.com;sean.zhang@chinasystems.com;SSO01@chinasystems.com;supero
fficer@chinasystems.com;superofficer2@chinasystems.com','superofficer@chinasystems.com','Dear Customer,
Thank you for using CE. We have created account for you. Your account is
Company Code: NANCYBGRP
Login ID: MOP.
The current status is: New
Please set your password according to Initialization Password mail.

If you have any questions, please email customer support at support@chinasystems.com.
Sincerely,
Chinasystems Team,'TXT')
```

```

[04] INSERT INTO CETRX.TRX_NOTIFY_EMAIL_REF_SEC (C_MAIL_ID,C_CNTY_CODE,C_MODULE,C_FKEY) VALUES
('20180528023010517246673583984375','US','SECU','C_UNIT_CODE:NANCYBGRP
C_USER_ID:MOP
')
[05] INSERT INTO CETRX.TRX_SMS
(C_SMS_ID,C_BK_GROUP_ID,C_CNTY_CODE,C_MTMPL_NAME,C_CONTENT,C_APPLY_BU,C_APPLY_BY,D_APPL_DATE,
D_OP_DATE,C_SMS_STATUS,C_SMS_TYPE,C_BUSINESS_KEY) VALUES
('20180528023010517819305419921875','CSBANK','US','Create User Infomation','Dear Customer,

Thank you for using CE. We have created account for you. Your account is

Company Code: NANCYBGRP
Login ID: MOP.
The current status is: New
Please logon your mail to set your password later.

If you have any questions, please email customer support at support@chinasystems.com.

Sincerely,
Chinasystems Team','superofficer','CSOFFICE',TO_DATE('2018-05-28 02:30:10','YYYY-MM-DD
HH24:MI:SS'),TO_DATE('2018-05-28 02:30:10','YYYY-MM-DD HH24:MI:SS'),'R','TXT','C_UNIT_CODE:NANCYBGRP
C_USER_ID:MOP
')
[06] INSERT INTO CETRX.TRX_SMS_RECVER_INFO (C_SMS_ID,C_SMS_ADDR,C_SMS_STATUS,D_OP_DATE)
VALUES ('20180528023010517819305419921875','13584019534','R',TO_DATE('2018-05-28 02:30:10','YYYY-MM-DD
HH24:MI:SS'))
[07] INSERT INTO CETRX.TRX_SMS_RECVER_INFO (C_SMS_ID,C_SMS_ADDR,C_SMS_STATUS,D_OP_DATE)
VALUES ('20180528023010517819305419921875','13584019534','R',TO_DATE('2018-05-28 02:30:10','YYYY-MM-DD
HH24:MI:SS'))
[08] INSERT INTO CETRX.TRX_SMS_RECVER_INFO (C_SMS_ID,C_SMS_ADDR,C_SMS_STATUS,D_OP_DATE) VALUES
('20180528023010517819305419921875','113584019537','R',TO_DATE('2018-05-28 02:30:10','YYYY-MM-DD
HH24:MI:SS'))

```

Case2 Send Notification (email and SMS) for security refused transaction


Introduction

Send Notification (email and SMS) for security refused transaction.

Pre-condition

1. Function attribute

Add the new notification attribute in Release Operator function



NOTE:

In security module, the function attribute "GenerateNotificationNew" should be set for every function which needs to send out notification, even it is a Release function.


2. Notification Template setting

\\CE_SYS\FTL\MAIL\SECU_CreateUserRefuse.ftl

\\CE_SYS\FTL\SMS\SECU_CreateUserRefuse.ftl


Dear Customer,
Thank you for using CE. Your account has been refused. The refuse reason is \${screenData.C_REFUSE_REASON}
If you have any questions, please email customer support at support@chinasystems.com.
Sincerely,
Chinasystems Team

3. Mail Template Setting




Note: Mail Template Name MUST be unique in the system.

4. SMS Template Setting



7. Set JS in New Notification for refuse status
The notification will send out to maker and CC to maker.



\\CSBANK\US\AP\NEWNOTIFICATION\F02121800000_Refuse.js


```
var ns = NS.createNotification("Refuse New Created User","Refuse New Created User","");
NS.setSubject(ns,"Refuse New Created User","Refuse New Created User");
NS.ccToMaker(ns);
NS.sendToMaker(ns);
```

Or


```
var jsonStr = "{ 'mailServer': 'CSBankSupport', 'mailTemplate': 'Refuse New Created User', 'smsTemplate': 'Refuse New Created User' }";
var ns = NS.createNotification(jsonStr);
NS.setSubject(ns,"Create User Infomation","Create User Infomation");
NS.sendToMaker(ns);
NS.ccToMaker(ns);
```

5. Generated XML


```
\CSBANK\US\AP\NEWNOTIFICATION\F02121800000_Refuse.js
\CSBANK\US\AP\MAIL\mailConfig.xml
\CSBANK\US\AP\SMS\SMS_Config.xml
```

Transaction Processing


1. Login the CE by superofficer.
2. Click on Operator Maintain > Authorise Operator function.



3. Select Refuse option and enter the reason.



4. Click on the RELEASE button to confirm it.



5. Check Logs, the notification (email and SMS) is generated and will send to maker.

```
[01] UPDATE CEUSER.SEC_USER_INFO_TEMP SET C_TRX_STATUS = 'F',C_STATUS_NAME = 'Rejected',C_ADD_FLAG =
'T',C_LOCKED_FLAG = 'F',C_REFUSE_REASON = 'refusal' WHERE C_BK_GROUP_ID = 'CSBANK' AND
C_UNIT_CODE = 'NANCYBGRP' AND C_USER_ID = 'MOP'
[02] INSERT INTO CETRX.TRX_NOTIFY_EMAIL
(C_MAIL_ID,C_BK_GROUP_ID,C_CNTY_CODE,C_MODULE_TYPE,C_MAIL_STATUS,C_MSEND_NAME,C_MTMPL_NAME,
C_MTMPL_DESC,D_INIT_DATE,C_APPLY_BY,C_SUBJECT,C_SEND_FROM,C_SEND_TO,C_CC,C_CONTENT,C_MAIL_SEN
DTYPE) VALUES ('20180528053958974328704833984375','CSBANK','US','OTHER','R','CSBankSupport','Refuse New
Created User','Refuse New Created User',TO_DATE('2018-05-28 14:39:59','YYYY-MM-DD
HH24:MI:SS'),'superofficer','Refuse New Created
User','cesupport@chinasystems.com','superofficer@chinasystems.com','superofficer@chinasystems.com',Dear
Customer,

Thank you for using CE. Your account has been refused.The refuse reason is refusal

If you have any questions, please email customer support at support@chinasystems.com.

Sincerely,
Chinasystems Team,'TXT')
[03] INSERT INTO CETRX.TRX_NOTIFY_EMAIL_REF_SEC (C_MAIL_ID,C_CNTY_CODE,C_MODULE,C_FKEY) VALUES
('20180528053958974328704833984375','US','SECU','C_UNIT_CODE:NANCYBGRP
C_USER_ID:MOP
')
[04] INSERT INTO CETRX.TRX_SMS
(C_SMS_ID,C_BK_GROUP_ID,C_CNTY_CODE,C_MTMPL_NAME,C_CONTENT,C_APPLY_BU,C_APPLY_BY,D_APPL_DATE,
D_OP_DATE,C_SMS_STATUS,C_SMS_TYPE,C_BUSINESS_KEY) VALUES
('20180528053958974875152587890625','CSBANK','US','Refuse New Created User','Dear Customer,

Thank you for using CE. Your account has been refused.The refuse reason is refusal

If you have any questions, please email customer support at support@chinasystems.com.

Sincerely,
Chinasystems Team','superofficer','CSOFFICE',TO_DATE('2018-05-28 05:39:59','YYYY-MM-DD
HH24:MI:SS'),TO_DATE('2018-05-28 05:39:59','YYYY-MM-DD HH24:MI:SS'),'R','TXT','C_UNIT_CODE:NANCYBGRP
C_USER_ID:MOP
')
[05] INSERT INTO CETRX.TRX_SMS_RECVER_INFO (C_SMS_ID,C_SMS_ADDR,C_SMS_STATUS,D_OP_DATE) VALUES
('20180528053958974875152587890625','13584019534','R',TO_DATE('2018-05-28 05:39:59','YYYY-MM-DD
HH24:MI:SS'))
[06] INSERT INTO CETRX.TRX_SMS_RECVER_INFO (C_SMS_ID,C_SMS_ADDR,C_SMS_STATUS,D_OP_DATE) VALUES
('20180528053958974875152587890625','13584019534','R',TO_DATE('2018-05-28 05:39:59','YYYY-MM-DD
HH24:MI:SS'))
```

Case3 Send Notification (email and SMS) for security released transaction

Introduction

Send Notification (email and SMS) for security released transaction.

Pre-condition

1. Notification Template setting

\\CE_SYS\FTL\MAIL\SECU_CreateUserRelease.ftl
 \\CE_SYS\FTL\SMS\SECU_CreateUserRelease.ftl

Dear Customer,


Thank you for using CE. Your account has been released. Your account is
 Company Code: \${screenData.C_UNIT_CODE}
 Login ID: \${screenData.C_USER_ID}

Please logon your mail to set your password later.

If you have any questions, please email customer support at support@chinasystems.com.


Sincerely,
 Chinasystems Team

2. Mail Template Setting




Note: Mail Template Name MUST be unique in the system.

3. SMS Template Setting



4. Set JS in New Notification for released status

The notification will send out to maker, the processed user in case it is in use (user logged onto the system successfully at least once) and CC to maker.



\\CSBANK\US\AP\NEWNOTIFICATION\F02121800000_FinalRelease.js

```


var ns = NS.createNotification("Release New Created User", "Release New Created User", "");
NS.setSubject(ns, "Release New Created User", "Release New Created User");
NS.sendToMaker(ns);
NS.ccToMaker(ns);
if ( NS.isNeedToNotifyCurrntOpUser() ) {
    NS.appendCurrntOperateUser(ns);
}
NS.writeLog("Nancy whether need to send mail:" + NS.isNeedToNotifyCurrntOpUser());
  
```

5. Generated XML


\\CSBANK\US\AP\NEWNOTIFICATION\F02121800000_FinalRelease.js
 \\CSBANK\US\AP\MAIL\mailConfig.xml
 \\CSBANK\US\AP\SMS\SMS_Config.xml

Transaction Processing

1. Login the CE by superofficer.
2. Click on Operator Maintain > Authorise Operator function.



3. Release the recrd.



4. Check Logs, the notification (email and SMS) is generated and will send out to maker.

The processed user (MOP) is newly added and does not log onto CE. So the notification will not send to him. It is controlled by the method `NS.isNeedToNotifyCurrntOpUser()`.

```
[12] INSERT INTO CETRX.TRX_NOTIFY_EMAIL
(C_MAIL_ID,C_BK_GROUP_ID,C_CNTY_CODE,C_MODULE_TYPE,C_MAIL_STATUS,C_MSEND_NAME,C_MTMPL_NAME,
C_MTMPL_DESC,D_INIT_DATE,C_APPLY_BY,C_SUBJECT,C_SEND_FROM,C_SEND_TO,C_CC,C_CONTENT,C_MAIL_SEN
DTYPE) VALUES ('20180528063304365005340576171875','CSBANK','US','OTHER','R','CSBankSupport','Release New
Created User','Release New Created User',TO_DATE('2018-05-28 15:33:04','YYYY-MM-DD
HH24:MI:SS'),'superofficer','Release New Created
User','cesupport@chinasystems.com','superofficer@chinasystems.com','superofficer@chinasystems.com','Dear
Customer,
```

Thank you for using CE. Your account has been released.Your account is

Company Code: NANCYBGRP

Login ID: MOP

The current status is: Authorised

Please set your password according to Initialization Password mail.

If you have any questions, please email customer support at support@chinasystems.com.

Sincerely,

Chinasystems Team,'TXT')

```
[13] INSERT INTO CETRX.TRX_NOTIFY_EMAIL_REF_SEC (C_MAIL_ID,C_CNTY_CODE,C_MODULE,C_FKEY) VALUES
('20180528063304365005340576171875','US','SECU','C_UNIT_CODE:NANCYBGRP
```

```
C_USER_ID:MOP
')
[14] INSERT INTO CETRX.TRX_SMS
(C_SMS_ID,C_BK_GROUP_ID,C_CNTY_CODE,C_MTMPL_NAME,C_CONTENT,C_APPLY_BU,C_APPLY_BY,D_APPL_DATE,
D_OP_DATE,C_SMS_STATUS,C_SMS_TYPE,C_BUSINESS_KEY) VALUES
('20180528063304365207916259765625','CSBANK','US','Release New Created User','Dear Customer,

Thank you for using CE. Your account has been released. Your account is
Company Code: NANCYBGRP
Login ID: MOP

Please logon your mail to set your password later.

If you have any questions, please email customer support at support@chinasystems.com.

Sincerely,
Chinasystems Team','superofficer','CSOFFICE',TO_DATE('2018-05-28 06:33:04','YYYY-MM-DD
HH24:MI:SS'),TO_DATE('2018-05-28 06:33:04','YYYY-MM-DD HH24:MI:SS'),'R','TXT','C_UNIT_CODE:NANCYBGRP
C_USER_ID:MOP
')
[15] INSERT INTO CETRX.TRX_SMS_RECVER_INFO (C_SMS_ID,C_SMS_ADDR,C_SMS_STATUS,D_OP_DATE) VALUES
('20180528063304365207916259765625','13584019534','R',TO_DATE('2018-05-28 06:33:04','YYYY-MM-DD
HH24:MI:SS'))
[16] INSERT INTO CETRX.TRX_SMS_RECVER_INFO (C_SMS_ID,C_SMS_ADDR,C_SMS_STATUS,D_OP_DATE) VALUES
('20180528063304365207916259765625','13584019534','R',TO_DATE('2018-05-28 06:33:04','YYYY-MM-DD
HH24:MI:SS'))
```

Case4 Send Notification (email, SMS and notice) for transaction functions

Introduction

Send Notification (email, SMS and notice) for transaction functions.



NOTE:

For transaction functions which were set the old notify JS methods for email and notice, there is no need to update the parameter. The old ones are still working.


Here for testing purpose, we delete the existing notify JS and set up the new notification JS.

The old notify JS and the new notification JS can not be configured at the same time for one function.


Pre-condition

1. Function Attribute

Add the new notification attribute in Apply for Impor LC function




2. Mail Template Setting




6. Set JS in New Notification for partially released status

The notification will send to users who authorized the transaction (except current authorizer), all possible authorizers and CC to maker.



7. Set JS in New Notification for final released status

The notification will send to users who authorized the transaction (except current authorizer), CC to maker and users who authorized the transaction (except current authorizer).



8. Generate parameter files

```

{ce.user.dir}\{Bank group}\{Country Code}\AP\MAIL\mailConfig.xml
{ce.user.dir}\{Bank group}\{Country Code}\AP\SMS\SMS_Config.xml
{ce.user.dir}\{Bank group}\{Country Code}\AP\FUNCATTR\attr_F05030700829P.xml
{ce.user.dir}\{Bank group}\{Country Code}\AP\NOTIFICATION\NOTIFICATION_TEMPLATE.xml
{ce.user.dir}\{Bank group}\{Country Code}\AP\NEWNOTIFICATION\F05030700829_Pending.js
{ce.user.dir}\{Bank group}\{Country Code}\AP\NEWNOTIFICATION\F05030700829_PartialRelease.js
{ce.user.dir}\{Bank group}\{Country Code}\AP\NEWNOTIFICATION\F05030700829_FinalRelease.js
  
```

9. Security setting for the company group user and authorization rule

1) Authorise Rule for the company group



The transaction needs 1 class1 and 1 class2 user to do authorization.

2) Transaction Operators

OP1 is a **class1** user and do not have the “Authorise Transaction” FAP

OP2 is a **class1** user and have the “Authorise Transaction” FAP

OP3 is a **class2** user and have the “Authorise Transaction” FAP

OP4 is a **class3** user and have the “Authorise Transaction” FAP. But OP4 has a special Operator Class **class1** in company “NANCYCOM”.

Transaction Processing

1. OP1 logon CE and create an import LC record.

2. Confirm the transaction record.

Document Name	Document Description	Document Format	Action
IMLC_ApplyImpLc	Apply for Import LC	pdf	View Report

Mail Description	Action
Apply for Import LC	View Mail
New Notification for Apply LC	View Mail

3. Check Logs for the pending transaction.

The transaction needs 1 class1 and 1 class2 user to do authorization.

OP1 create the transaction, but he doesn't have the Authorize Function FAP, so he cannot receive the email which was generated by *NS.sendToNextAuthorizers(ns)* method.

OP4's default Authorize level is class 3, but he has an Operator Class setting class 1 for the company. So he can authorize the record.

Following part is notice:

```

[12] INSERT INTO CETRX.STD_NOTIFICATION
(C_NOTI_ID,C_NOTI_TYPE,C_ADD_BY,C_ADD_UNIT,C_ADD_DATE,C_NOTI_SUBJ,C_NOTI_CONT,C_NOTI_KEY) VALUES
('20180531012720110002288818359375','T','OP1','NANCYGRP',TO_DATE('2018-05-31 10:27:20','YYYY-MM-DD
HH24:MI:SS'),'Apply LC','<B>Apply LC</B><br/>
</br>
This is a test notification of IMLC00000013, The Amount is
USD5005.00.','CATA_FUNC_ID=F05030700829&FUNC_ID=F05030700871&C_MAIN_REF=IMLC00000013&I_EVENT_TI
MES=1&C_UNIT_CODE=NANCYCOM')
[13] INSERT INTO CETRX.STD_NOTIFICATION_STATUS (C_NOTI_ID,C_UNIT_CODE,C_USER_ID,C_READ_STATUS)
VALUES ('20180531012720110002288818359375','NANCYGRP','OP2','F')
[14] INSERT INTO CETRX.STD_NOTIFICATION_STATUS (C_NOTI_ID,C_UNIT_CODE,C_USER_ID,C_READ_STATUS)
VALUES ('20180531012720110002288818359375','NANCYGRP','OP4','F')
[15] INSERT INTO CETRX.STD_NOTIFICATION
(C_NOTI_ID,C_NOTI_TYPE,C_ADD_BY,C_ADD_UNIT,C_ADD_DATE,C_NOTI_SUBJ,C_NOTI_CONT,C_NOTI_KEY) VALUES
('20180531012720147155059814453125','M','OP1','NANCYGRP',TO_DATE('2018-05-31 10:27:20','YYYY-MM-DD
HH24:MI:SS'),'Apply Import LC Current User','<B>Apply Import LC Current User</B><br/>
<hr/>
</br>
You have submit this LC IMLC00000013.','FUNC_ID=null')
[16] INSERT INTO CETRX.STD_NOTIFICATION_STATUS (C_NOTI_ID,C_UNIT_CODE,C_USER_ID,C_READ_STATUS)
VALUES ('20180531012720147155059814453125','NANCYGRP','OP1','F')
[17] INSERT INTO CETRX.TRX_DOCS_HEADER
(C_BK_GROUP_ID,C_CNTY_CODE,C_UNIT_CODE,C_MAIN_REF,I_EVENT_TIMES,C_MODULE,C_EVENT_NAME,C_FUNC
_ID,D_SYS_OP_DATE,T_SYS_OP_TIME,C_TRX_REF,C_FUNC_NAME,C_EVENT_STATE,C_LAST_MODI_OP,C_LAST_MODI_
DATE,C_LAST_MODI_TIME,C_LAST_MODI_BU,C_DOC_GEN_STATE) VALUES
('CSBANK','US','NANCYCOM','IMLC00000013',1,'IMLC','Transaction','F05030700829',TO_DATE('2018-05-31','YYYY-MM
-DD'),TO_DATE('10:27:20','HH24:MI:SS'),'IMLC00000013','Apply for Import
LC','P','P',TO_DATE('2018-05-31','YYYY-MM-DD'),TO_DATE('10:27:20','HH24:MI:SS'),'NANCYGRP','F')
[18] INSERT INTO CETRX.TRX_FORM_REPORT
(C_TRX_STATUS,C_REPORT_FORMAT,C_TRX_EVENT,C_TRX_FUNC_ID,C_TRX_FUNC_NAME,C_USER_ID,C_REPORT_IND
X,C_BK_GROUP_ID,C_CNTY_CODE,C_MAIN_REF,C_TRX_REF,I_EVENT_TIMES,C_GROUP_CODE,C_UNIT_CODE,D_SYS_
OP_DATE,C_PRODUCT_NAME,C_MODULE,C_REPORT_STATUS,C_KEY_DATA,C_REPORT_DESC,C_REPORT_TNAME)
VALUES ('P','pdf','Transaction','F05030700829','Apply for Import
LC','OP1','20180531012720217931060791015625','CSBANK','US','IMLC00000013','IMLC00000013',1,'NANCYGRP','NA
NCYCOM',TO_DATE('2018-05-31','YYYY-MM-DD'),'P08071500000','IMLC','S','<?xml version="1.0" encoding="UTF-8"?>
<root><KEYFIELD><MainRef DATATYPE="11" DATATYPEDESC="String">IMLC00000013</MainRef><CompanyCode
DATATYPE="11" DATATYPEDESC="String">NANCYCOM</CompanyCode><EventTimes DATATYPE="11"
DATATYPEDESC="String">1</EventTimes></KEYFIELD></root>','Apply for Import LC','IMLC_ApplyImpLc')
[19] INSERT INTO CETRX.TRX_TRANSFER_TO
(C_BK_GROUP_ID,C_CNTY_CODE,C_TRX_REF,C_MAIN_REF,I_EVENT_TIMES,C_UNIT_CODE,C_MODULE,C_TRX_TYPE,C
_TRFT_MAP_NAME,C_EVENT_NAME,C_FUNC_ID,C_FUNC_NAME,C_OP_TYPE,C_SQL,D_SYS_OP_DATE,T_SYS_OP_TIM
E) VALUES
('CSBANK','US','IMLC00000013','IMLC00000013',1,'NANCYCOM','IMLC','R','UpdateApplyforIMLC','Transaction','F05030
700829','Apply for Import LC','U',<root><SQL>UPDATE CETRX.IMLC_EM_ISSUE SET CURRNT_STATUS = ? WHERE
C_MAIN_REF = ?<FV COL="1" NAME="CURRNT_STATUS" TYPE="12">Apply for IMLC</FV><FV COL="2"
NAME="PARENT_MAIN_REF" TYPE="1">IMLC00000013</FV></SQL><SQL>UPDATE CETRX.TRX_INBOX SET
CURRNT_STATUS = ? WHERE C_MODULE = ? AND C_UNIT_CODE = ? AND C_MAIN_REF = ? <FV COL="1"
NAME="CURRNT_STATUS" TYPE="12">Apply for IMLC</FV><FV COL="2" NAME="C_MODULE"
TYPE="1">IMLC</FV><FV COL="3" NAME="C_UNIT_CODE" TYPE="1">NANCYCOM</FV><FV COL="4"
NAME="C_MAIN_REF"
TYPE="1">IMLC00000013</FV></SQL></root>,TO_DATE('2018-05-31','YYYY-MM-DD'),TO_DATE('10:27:20','HH24:MI:S
S'))
[20] INSERT INTO CETRX.TRX_TRANSFER_TO
(C_BK_GROUP_ID,C_CNTY_CODE,C_TRX_REF,C_MAIN_REF,I_EVENT_TIMES,C_UNIT_CODE,C_MODULE,C_TRX_TYPE,C
_TRFT_MAP_NAME,C_EVENT_NAME,C_FUNC_ID,C_FUNC_NAME,C_OP_TYPE,C_SQL,D_SYS_OP_DATE,T_SYS_OP_TIM
E,C_INBOX_SQL) VALUES
('CSBANK','US','IMLC00000013','IMLC00000013',1,'NANCYCOM','IMLC','R','UpdateApplyforIMLC','Transaction','F05030
700829','Apply for Import LC','D',<root><SQL>UPDATE CETRX.IMLC_EM_ISSUE SET CURRNT_STATUS = ? WHERE
C_MAIN_REF = ?<FV COL="1" NAME="CURRNT_STATUS" TYPE="12">Apply for LC</FV><FV COL="2"
NAME="PARENT_MAIN_REF" TYPE="1">IMLC00000013</FV></SQL><SQL>UPDATE CETRX.TRX_INBOX SET
CURRNT_STATUS = ? WHERE C_MODULE = ? AND C_UNIT_CODE = ? AND C_MAIN_REF = ? <FV COL="1"
NAME="CURRNT_STATUS" TYPE="12">Apply for LC</FV><FV COL="2" NAME="C_MODULE" TYPE="1">IMLC</FV><FV
COL="3" NAME="C_UNIT_CODE" TYPE="1">NANCYCOM</FV><FV COL="4" NAME="C_MAIN_REF"
TYPE="1">IMLC00000013</FV></SQL></root>,TO_DATE('2018-05-31','YYYY-MM-DD'),TO_DATE('10:27:20','HH24:MI:S
S'),'C_INBOX_SQL')

```

The following part is new notification:

```
[21] INSERT INTO CETRX.TRX_NOTIFY_EMAIL
(C_MAIL_ID,C_BK_GROUP_ID,C_CNTY_CODE,C_MODULE_TYPE,C_MAIL_STATUS,C_MSEND_NAME,C_MTMPL_NAME,
C_MTMPL_DESC,D_INIT_DATE,C_APPLY_BU,C_APPLY_BY,C_SUBJECT,C_SEND_FROM,C_SEND_TO,C_CC,C_CONTENT,
C_MAIL_SENDDTYPE) VALUES
('20180531012720268782440185546875','CSBANK','US','TRANS','R','CSBankSupport','New Notification for Apply
LC','New Notification for Apply LC',TO_DATE('2018-05-31 10:27:20','YYYY-MM-DD
HH24:MI:SS'),'NANCYCOM','OP1','New Notification for Apply
LC','cev2@chinasystems.com','OP2@chinasystems.com;OP4@chinasystems.com','OP1@chinasystems.com','Dear
Sir/Madam,
```

This email has been sent to notify you about the LC
with reference number: <IMLC00000013>, current status is Awaiting Corporate Approval. Please check and authorize
it.

Processed by Customer Enterprise e-trade solution: Apply for Import LC.

NOTE: This e-mail is for your information and does not require a response,
we kindly ask that you do NOT REPLY to this e-mail.

Regards,
CEBaseLine Support
www.chinasystems.com,'HTML')

```
[22] INSERT INTO CETRX.TRX_NOTIFY_EMAIL_REF_TRX
(C_MAIL_ID,C_CNTY_CODE,C_MODULE,C_BK_GROUP_ID,C_UNIT_CODE,C_MAIN_REF,I_EVENT_TIMES,C_TRX_REF)
VALUES
('20180531012720268782440185546875','US','IMLC','CSBANK','NANCYCOM','IMLC00000013','1','IMLC00000013')
[23] INSERT INTO CETRX.TRX_NOTIFY_EMAIL_ATTACH
(C_MAIL_ID,C_BK_GROUP_ID,C_CNTY_CODE,C_ATTACH_SOURCE,C_ATTACH_ID) VALUES
('20180531012720268782440185546875','CSBANK','US','FORM','IMLC_ApplyImpLc')
```

This following part is SMS.

```
[24] INSERT INTO CETRX.TRX_SMS
(C_SMS_ID,C_BK_GROUP_ID,C_CNTY_CODE,C_MTMPL_NAME,C_CONTENT,C_APPLY_BU,C_APPLY_BY,D_APPL_DATE,
D_OP_DATE,C_SMS_STATUS,C_SMS_TYPE,C_BUSINESS_KEY) VALUES
('20180531012720268949066162109375','CSBANK','US','New Notification for Apply LC','Dear Sir/Madam,
```

This email has been sent to notify you about the LC
with reference number: <IMLC00000013>, current status is Awaiting Corporate Approval. Please check and authorize
it.

Processed by Customer Enterprise e-trade solution: Apply for Import LC.

NOTE: This e-mail is for your information and does not require a response,
we kindly ask that you do NOT REPLY to this e-mail.

Regards,
CEBaseLine Support
www.chinasystems.com','OP1','NANCYGRP',TO_DATE('2018-05-31 01:27:20','YYYY-MM-DD
HH24:MI:SS'),TO_DATE('2018-05-31 01:27:20','YYYY-MM-DD HH24:MI:SS'),'R','TXT','C_MAIN_REF:IMLC00000013
C_UNIT_CODE:NANCYCOM
I_EVENT_TIMES:1')

```
[25] INSERT INTO CETRX.TRX_SMS_RECVER_INFO (C_SMS_ID,C_SMS_ADDR,C_SMS_STATUS,D_OP_DATE) VALUES
('20180531012720268949066162109375','13584019537','R',TO_DATE('2018-05-31 01:27:20','YYYY-MM-DD
HH24:MI:SS'))
```

```
[26] INSERT INTO CETRX.TRX_SMS_RECVER_INFO (C_SMS_ID,C_SMS_ADDR,C_SMS_STATUS,D_OP_DATE) VALUES
('20180531012720268949066162109375','23584019537','R',TO_DATE('2018-05-31 01:27:20','YYYY-MM-DD
HH24:MI:SS'))
```

```
[27] INSERT INTO CETRX.TRX_SMS_RECVER_INFO (C_SMS_ID,C_SMS_ADDR,C_SMS_STATUS,D_OP_DATE) VALUES
('20180531012720268949066162109375','43584019537','R',TO_DATE('2018-05-31 01:27:20','YYYY-MM-DD
HH24:MI:SS'))
```

4. OP2 logon CE and check the notification.

China Systems

Home

Search For: []

Recent Functions:

- Import Letters of Credit - Authorize Transaction
- Email Notification - Add Email Notification
- Email Group Maintenance - Authorize Email Group

Notification

Labels	Filter	More	Total: 22
Apply LC			
Someone Authorized LC			
Someone Authorized LC			
Someone Authorized LC			
Someone Authorized LC			
Someone Authorized LC			
Someone Authorized LC			
Someone Authorized LC			
Someone Authorized LC			
Someone Authorized LC			

Open More

Task Detail

Notify Subject: Apply LC

Notification Creator: OP2

Notification Create time: 2018-05-31 10:27:20

Notify Type: Apply LC

Notify Content: This is a test notification of IMLC00000013. The Amount is USD5005.00.

CANCEL PROCESS

Copyright © China Systems 2011. All Rights Reserved. HOME | ABOUT US | SOLUTIONS | PARTNERS | CAREERS | PRESS | CONTACT US

Click on "Process" button to authorize the record.

Release ☒ Refuse ☐

Main Parties Shipment / Expiry Documents Instructions

Maintain Image(s) Upload DataFile

Date of Application: 2018-05-31

Our Ref Number: IMLC00000013

Type of LC: IRREVOCABLE

LC Currency: USD

LC Amount: 5,005.00

Tolerance - Specification % +/-: PLEASE SELECT

Positive tolerance: 0

Negative tolerance: 0

Total Exposure: 5,005.00

Additional Amounts Covered: []

Available By: BY PAYMENT

Tenor Days / Type: 0 PLEASE SELECT

Deferred Payment Terms: []

Drafts At: []

Mixed Payment Details: []

CANCEL NEXT>>

5. OP2 authorize the record.

Instruction Completed

<<BACK

Document Name	Document Description	Document Format	Action
IMLC_ApplyImpLc	Apply for Import LC	pdf	View Report

Mail Description	Action
Apply for Import LC	View Mail
New Notification for Apply LC	View Mail
New Notification for Apply LC	View Mail

6. Check logs for the partially authorized transaction.

The transaction needs 1 class1 and 1 class2 user to do authorization.

OP1 is the creator, he receive email by *NS.ccToMaker(ns)* method.

OP3 is a class2 user, so he can receive the email by *NS.sendToNextAuthorizers(ns)* method after OP2 authorise this record.

Current authorizer (OP2) CANNOT receive email since the *NS.sendToAuthorisedUsers(ns)*; method does not include current user.

```
[04] INSERT INTO CETRX.STD_NOTIFICATION
(C_NOTI_ID,C_NOTI_TYPE,C_ADD_BY,C_ADD_UNIT,C_ADD_DATE,C_NOTI_SUBJ,C_NOTI_CONT,C_NOTI_KEY) VALUES
('20180531055205593999725341796875','T','OP2','NANCYGRP',TO_DATE('2018-05-31 14:52:05','YYYY-MM-DD
HH24:MI:SS'),'Need You Authorize','<B>Need You Authorize</B><br/>
</br>
This is a test notification of IMLC00000013, The Amount is
USD5005.00.','CATA_FUNC_ID=F05030700829&FUNC_ID=F05030700871&C_MAIN_REF=IMLC00000013&I_EVENT_TI
MES=1&C_UNIT_CODE=NANCYCOM')
[05] INSERT INTO CETRX.STD_NOTIFICATION_STATUS (C_NOTI_ID,C_UNIT_CODE,C_USER_ID,C_READ_STATUS)
VALUES ('20180531055205593999725341796875','NANCYGRP','OP3','F')
[06] INSERT INTO CETRX.STD_NOTIFICATION
(C_NOTI_ID,C_NOTI_TYPE,C_ADD_BY,C_ADD_UNIT,C_ADD_DATE,C_NOTI_SUBJ,C_NOTI_CONT,C_NOTI_KEY) VALUES
('20180531055205681837127685546875','M','OP2','NANCYGRP',TO_DATE('2018-05-31 14:52:05','YYYY-MM-DD
HH24:MI:SS'),'SomeOne Authorized LC','<B>SomeOne Authorized LC</B><br/>
<hr/>
</br>
OP2 have Authorized the transaction IMLC00000013.','FUNC_ID=null')
[07] INSERT INTO CETRX.STD_NOTIFICATION_STATUS (C_NOTI_ID,C_UNIT_CODE,C_USER_ID,C_READ_STATUS)
VALUES ('20180531055205681837127685546875','NANCYGRP','OP3','F')
[08] INSERT INTO CETRX.IMLC_AUTH
(C_MAIN_REF,C_AUTH_USER,I_EVENT_TIMES,C_UNIT_CODE,C_GRP_CODE,I_AUTH_LEVEL,C_AUTH_STAT,T_AUTH_TI
ME,C_TRX_REF,D_AUTH_DATE) VALUES
('IMLC00000013','OP2',1,'NANCYCOM','NANCYGRP',1,'T',TO_DATE('14:52:05','HH24:MI:SS'),'IMLC00000013',TO_DATE
('2018-05-31','YYYY-MM-DD'))
[09] UPDATE CETRX.IMLC_MASTER SET C_TRX_STATUS = 'T',C_LOCKED_FLAG = 'F' WHERE C_MAIN_REF =
'IMLC00000013' AND C_UNIT_CODE = 'NANCYCOM'
[10] UPDATE CETRX.IMLC_EM_ISSUE SET C_TRX_STATUS = 'T',C_LOCKED_FLAG = 'F' WHERE C_TRX_REF =
'IMLC00000013' AND C_UNIT_CODE = 'NANCYCOM' AND C_MAIN_REF = 'IMLC00000013' AND C_TRX_REF =
'IMLC00000013'
[11] UPDATE CETRX.TRX_DOCS_HEADER SET C_EVENT_STATE = 'T' WHERE C_MAIN_REF = 'IMLC00000013' AND
C_UNIT_CODE = 'NANCYCOM' AND C_BK_GROUP_ID = 'CSBANK' AND C_CNTY_CODE = 'US' AND
I_EVENT_TIMES = 1 AND C_MODULE = 'IMLC'
[12] INSERT INTO CETRX.TRX_NOTIFY_EMAIL
(C_MAIL_ID,C_BK_GROUP_ID,C_CNTY_CODE,C_MODULE_TYPE,C_MAIL_STATUS,C_MSEND_NAME,C_MTMPL_NAME,
C_MTMPL_DESC,D_INIT_DATE,C_APPLY_BU,C_APPLY_BY,C_SUBJECT,C_SEND_FROM,C_SEND_TO,C_CC,C_CONTENT,
C_MAIL_SENDTYPE) VALUES
('20180531055205838761566162109375','CSBANK','US','TRANS','R','CSBankSupport','New Notification for Apply
LC','New Notification for Apply LC',TO_DATE('2018-05-31 14:52:05','YYYY-MM-DD
HH24:MI:SS'),'NANCYCOM','OP2','Partial
Release','cev2@chinasystems.com','OP3@chinasystems.com','OP1@chinasystems.com',Dear Sir/Madam,

This email has been sent to notify you about the LC
with reference number: <IMLC00000013>, current status is Partially Authorised. Please check and authorize it.
Processed by Customer Enterprise e-trade solution: Authorise Transaction.

NOTE: This e-mail is for your information and does not require a response,
we kindly ask that you do NOT REPLY to this e-mail.

Regards,
CEBaseLine Support
www.chinasystems.com,'HTML')
[13] INSERT INTO CETRX.TRX_NOTIFY_EMAIL_REF_TRX
(C_MAIL_ID,C_CNTY_CODE,C_MODULE,C_BK_GROUP_ID,C_UNIT_CODE,C_MAIN_REF,I_EVENT_TIMES,C_TRX_REF)
VALUES
('20180531055205838761566162109375','US','IMLC','CSBANK','NANCYCOM','IMLC00000013',1,'IMLC00000013')
[14] INSERT INTO CETRX.TRX_NOTIFY_EMAIL_ATTACH
(C_MAIL_ID,C_BK_GROUP_ID,C_CNTY_CODE,C_ATTACH_SOURCE,C_ATTACH_ID) VALUES
('20180531055205838761566162109375','CSBANK','US','FORM','IMLC_ApplyImpLc')
```

```
[15] INSERT INTO CETRX.TRX_SMS
(C_SMS_ID,C_BK_GROUP_ID,C_CNTY_CODE,C_MTMPL_NAME,C_CONTENT,C_APPLY_BU,C_APPLY_BY,D_APPL_DATE,
D_OP_DATE,C_SMS_STATUS,C_SMS_TYPE,C_BUSINESS_KEY) VALUES
('20180531055205838758758544921875','CSBANK','US','New Notification for Apply LC','Dear Sir/Madam,
```

This email has been sent to notify you about the LC
with reference number: <IMLC00000013>, current status is Partially Authorised. Please check and authorize it.
Processed by Customer Enterprise e-trade solution: Authorise Transaction.

NOTE: This e-mail is for your information and does not require a response,
we kindly ask that you do NOT REPLY to this e-mail.

Regards,


CEBaseLine Support

www.chinasystems.com','OP2','NANCYGRP',TO_DATE('2018-05-31 05:52:05','YYYY-MM-DD
HH24:MI:SS'),TO_DATE('2018-05-31 05:52:05','YYYY-MM-DD HH24:MI:SS'),'R','TXT','C_MAIN_REF:IMLC00000013
C_UNIT_CODE:NANCYCOM
I_EVENT_TIMES:1')


```
[16] INSERT INTO CETRX.TRX_SMS_RECVER_INFO (C_SMS_ID,C_SMS_ADDR,C_SMS_STATUS,D_OP_DATE) VALUES
('20180531055205838758758544921875','13584019537','R',TO_DATE('2018-05-31 05:52:05','YYYY-MM-DD  
HH24:MI:SS'))
```

```
[17] INSERT INTO CETRX.TRX_SMS_RECVER_INFO (C_SMS_ID,C_SMS_ADDR,C_SMS_STATUS,D_OP_DATE) VALUES
('20180531055205838758758544921875','33584019537','R',TO_DATE('2018-05-31 05:52:05','YYYY-MM-DD  
HH24:MI:SS'))
```


7. OP3 logon CE and check notification.



The first is a message about someone has authorized the record.



The second is a task that user can continue the transaction from widget directly.



8. Click on “PROCESS” button to authorize the record.

9. OP3 authorize the record.

Instruction Completed

<<BACK

Document Name	Document Description	Document Format	Action
IMLC_ApplyImplc	Apply for Import LC	pdf	View Report

Mail Description	Action
Apply for Import LC	View Mail
New Notification for Apply LC	View Mail
New Notification for Apply LC	View Mail
New Notification for Apply LC	View Mail

10. Check Logs for the final authorized transaction

The transaction needs 1 class1 and 1 class2 user to do authorization.

OP1 is the creator, he receive email by *NS.ccToMaker(ns)* method.

OP2 has authorized the record and he can receive email by *NS.sendToAuthorisedUsers (ns)* method after OP3 authorise this record.

Current authorizer OP3 CANNOT receive email by the *NS.ccToAuthorisedUsers(ns)* method does not include current user.

```
[05] INSERT INTO CETRX.STD_NOTIFICATION
(C_NOTI_ID,C_NOTI_TYPE,C_ADD_BY,C_ADD_UNIT,C_ADD_DATE,C_NOTI_SUBJ,C_NOTI_CONT,C_NOTI_KEY) VALUES
('20180531063723394985931396484375','M','OP3','NANCYGRP',TO_DATE('2018-05-31 15:37:23','YYYY-MM-DD
HH24:MI:SS'),'Someone Authorized LC','<B>Someone Authorized LC</B></B></hr>
</br>
OP3 have Authorized the transaction IMLC00000013.','FUNC_ID=null')
[06] INSERT INTO CETRX.STD_NOTIFICATION_STATUS (C_NOTI_ID,C_UNIT_CODE,C_USER_ID,C_READ_STATUS)
VALUES ('20180531063723394985931396484375','NANCYGRP','OP2','F')
[07] INSERT INTO CETRX.IMLC_AUTH
(C_MAIN_REF,C_AUTH_USER,I_EVENT_TIMES,C_UNIT_CODE,C_GRP_CODE,I_AUTH_LEVEL,C_AUTH_STAT,T_AUTH_TI
ME,C_TRX_REF,D_AUTH_DATE) VALUES
('IMLC00000013','OP3',1,'NANCYCOM','NANCYGRP',2,'A',TO_DATE('15:37:23','HH24:MI:SS'),'IMLC00000013',TO_DATE
('2018-05-31','YYYY-MM-DD'))
[08] UPDATE CETRX.IMLC_MASTER SET C_TRX_STATUS = 'A',C_LOCKED_FLAG = 'F' WHERE C_MAIN_REF =
'IMLC00000013' AND C_UNIT_CODE = 'NANCYCOM'
[09] UPDATE CETRX.IMLC_EM_ISSUE SET C_TRX_STATUS = 'A',C_LOCKED_FLAG = 'F' WHERE C_TRX_REF =
'IMLC00000013' AND C_UNIT_CODE = 'NANCYCOM' AND C_MAIN_REF = 'IMLC00000013' AND C_TRX_REF =
'IMLC00000013'
[10] INSERT INTO CETRX.TRX_GAPI_ASYNC
(C_MAIN_REF,C_BK_GROUP_ID,C_CNTY_CODE,I_EVENT_TIMES,C_UNIT_CODE,C_MODULE,C_EVENT_NAME,C_FUNC_
ID,D_SYS_OP_DATE,T_SYS_OP_TIME,D_SYS_REL_DATE,T_SYS_REL_TIME,C_RELEASE_OP,C_RELEASE_BU,C_RELEASE_
DATE,C_ASYNC_ID,C_TRX_REF,C_TRX_TYPE,C_FUNC_NAME,C_GAPI_STATE,C_LAST_MODI_OP,C_LAST_MODI_DATE,C
```



```

_LAST_MODI_BU,C_OTH_SYSTEM,C_OS_INTF,C_TRX_CONT,C_GAPI_MAP_NAME,C_IS_RESEND,C_GAPI_SEND_STATU
S,IDLE_TIME) VALUES
('IMLC00000013','CSBANK','US',1,'NANCYCOM','IMLC','Transaction','F05030700829',TO_DATE('2018-05-31','YYYY-MM-DD'),TO_DATE('15:37:23','HH24:MI:SS'),TO_DATE('2018-05-31','YYYY-MM-DD'),TO_DATE('15:37:23','HH24:MI:SS'),'OP3','NANCYGRP',TO_DATE('2018-05-31','YYYY-MM-DD'),'20180531063723540060760498046875','IMLC00000013','R','A
pply for Import
LC','M','OP3',TO_DATE('2018-05-31','YYYY-MM-DD'),'NANCYGRP','BKTS','IMLC.001.ImpLcApplctn',<message
GAPI_NAME="ApplyforImport LC"><msg-selector><send/></msg-selector><send-item hasAttach="true"><item
name="image"/></send-item><msg-state><send-state>ok</send-state><recv-state/><recv-err-info/></msg-state><h
eader><gapi-resend>N</gapi-resend><trx-type>RE</trx-type><event-name>Transaction</event-name><function-id>
F05030700829</function-id><trx-date>2018-05-31</trx-date><trx-user>OP1</trx-user><module>IMLC</module><ba
nk-grp>CSBANK</bank-grp><country>US</country><main-ref>IMLC00000013</main-ref><trx-ref>IMLC00000013</tr
x-ref><event-times>1</event-times><unti-code>NANCYCOM</unti-code></header><msg-header><msg-seq-no/><int
erface-mapping-name>ApplyforImport
LC</interface-mapping-name><gapi-type>MQ</gapi-type><gapi-type-value/><msg-os-id>BKTS</msg-os-id><msg-os-i
ntf-id>IMLC.001.ImpLcApplctn</msg-os-intf-id><send-queue-id>Q_CE1</send-queue-id><recv-queue-id/><time-out>
0</time-out><time-out-ack-delay>0</time-out-ack-delay><msg-format/><reformat-class/><msg-id>17</msg-id></ms
g-header><out-adp-header><C_OTH_SYS_...truncated...,'ApplyforImport LC','N','R',TO_DATE('2018-05-31
15:37:23','YYYY-MM-DD HH24:MI:SS'))
[11] INSERT INTO CETRX.TRX_OUTPUT_INFO
(C_BK_GROUP_ID,C_CNTY_CODE,C_UNIT_CODE,C_MAIN_REF,C_TRX_REF,I_EVENT_TIMES,C_MODULE,C_CONTENT,C
_TRANSFER_STATE,C_GAPI_NAME,C_TRXDATA) VALUES
('CSBANK','US','NANCYCOM','IMLC00000013','IMLC00000013',1,'IMLC',<root
queueid=""><TRXDATA><C_BK_GROUP_ID>CSBANK</C_BK_GROUP_ID><C_CNTY_CODE>US</C_CNTY_CODE><C_UNI
T_CODE>NANCYCOM</C_UNIT_CODE><C_MAIN_REF>IMLC00000013</C_MAIN_REF><C_TRX_REF>IMLC00000013</
C_TRX_REF><I_EVENT_TIMES>1</I_EVENT_TIMES><C_MODULE>IMLC</C_MODULE></TRXDATA></root>,'N','Applyfo
rImport LC',<message GAPI_NAME="ApplyforImport LC"><msg-selector><send/></msg-selector><send-item
hasAttach="true"><item
name="image"/></send-item><msg-state><send-state>ok</send-state><recv-state/><recv-err-info/></msg-state><h
eader><gapi-resend>N</gapi-resend><trx-type>RE</trx-type><event-name>Transaction</event-name><function-id>
F05030700829</function-id><trx-date>2018-05-31</trx-date><trx-user>OP1</trx-user><module>IMLC</module><ba
nk-grp>CSBANK</bank-grp><country>US</country><main-ref>IMLC00000013</main-ref><trx-ref>IMLC00000013</tr
x-ref><event-times>1</event-times><unti-code>NANCYCOM</unti-code></header><msg-header><msg-seq-no/><int
erface-mapping-name>ApplyforImport
LC</interface-mapping-name><gapi-type>MQ</gapi-type><gapi-type-value/><msg-os-id>BKTS</msg-os-id><msg-os-i
ntf-id>IMLC.001.ImpLcApplctn</msg-os-intf-id><send-queue-id>Q_CE1</send-queue-id><recv-queue-id/><time-out>
0</time-out><time-out-ack-delay>0</time-out-ack-delay><msg-format/><reformat-class/><msg-id>17</msg-id></ms
g-header><out-adp-header><C_OTH_SYS_...truncated...>
[12] UPDATE CETRX.TRX_GAPI_HEADER SET C_GAPI_STATE = 'M',C_RELEASE_OP = 'OP3',C_RELEASE_BU =
'NANCYGRP',C_RELEASE_DATE = TO_DATE('2018-05-31','YYYY-MM-DD'),D_SYS_REL_DATE =
TO_DATE('2018-05-31','YYYY-MM-DD'),T_SYS_REL_TIME = TO_DATE('15:37:23','HH24:MI:SS') WHERE C_TRX_REF =
'IMLC00000013' AND C_MAIN_REF = 'IMLC00000013' AND C_BK_GROUP_ID = 'CSBANK' AND C_UNIT_CODE =
'NANCYCOM' AND C_MODULE = 'IMLC' AND I_EVENT_TIMES = 1 AND C_TRX_TYPE = 'R' AND
C_GAPI_MAP_NAME = 'ApplyforImport LC'
[13] UPDATE CETRX.TRX_DOCS_HEADER SET C_EVENT_STATE = 'A' WHERE C_MAIN_REF = 'IMLC00000013' AND
C_UNIT_CODE = 'NANCYCOM' AND C_BK_GROUP_ID = 'CSBANK' AND C_CNTY_CODE = 'US' AND
I_EVENT_TIMES = 1 AND C_MODULE = 'IMLC'
[14] UPDATE CETRX.IMLC_EM_ISSUE SET CURRNT_STATUS = 'Apply for IMLC' WHERE C_MAIN_REF =
'IMLC00000013'
[15] UPDATE CETRX.TRX_INBOX SET CURRNT_STATUS = 'Apply for IMLC' WHERE C_MODULE = 'IMLC' AND
C_UNIT_CODE = 'NANCYCOM' AND C_MAIN_REF = 'IMLC00000013'
[16] INSERT INTO CETRX.TRX_NOTIFY_EMAIL
(C_MAIL_ID,C_BK_GROUP_ID,C_CNTY_CODE,C_MODULE_TYPE,C_MAIL_STATUS,C_MSEND_NAME,C_MTMPL_NAME,
C_MTEMPL_DESC,D_INIT_DATE,C_APPLY_BU,C_APPLY_BY,C_SUBJECT,C_SEND_FROM,C_SEND_TO,C_CC,C_CONTENT,
C_MAIL_SENDTYPE) VALUES
('20180531063723578071441650390625','CSBANK','US','TRANS','R','CSBankSupport','New Notification for Apply
LC','New Notification for Apply LC',TO_DATE('2018-05-31 15:37:23','YYYY-MM-DD
HH24:MI:SS'),'NANCYCOM','OP3','Final
Authorise','cev2@chinasystems.com','OP2@chinasystems.com','OP1@chinasystems.com;OP2@chinasystems.com',D
ear Sir/Madam,

This email has been sent to notify you about the LC
with reference number: <IMLC00000013>, current status is Authorised. Please check and authorize it.
Processed by Customer Enterprise e-trade solution: Authorise Transaction.

NOTE: This e-mail is for your information and does not require a response,

```

we kindly ask that you do NOT REPLY to this e-mail.

Regards,

CEBaseLine Support

www.chinasystems.com,'HTML')

[17] INSERT INTO CETRX.TRX_NOTIFY_EMAIL_REF_TRX

(C_MAIL_ID,C_CNTY_CODE,C_MODULE,C_BK_GROUP_ID,C_UNIT_CODE,C_MAIN_REF,I_EVENT_TIMES,C_TRX_REF) VALUES

('20180531063723578071441650390625','US','IMLC','CSBANK','NANCYCOM','IMLC00000013','1','IMLC00000013')

[18] INSERT INTO CETRX.TRX_NOTIFY_EMAIL_ATTACH

(C_MAIL_ID,C_BK_GROUP_ID,C_CNTY_CODE,C_ATTACH_SOURCE,C_ATTACH_ID) VALUES

('20180531063723578071441650390625','CSBANK','US','FORM','IMLC_ApplyImpLc')

[19] INSERT INTO CETRX.TRX_SMS

(C_SMS_ID,C_BK_GROUP_ID,C_CNTY_CODE,C_MTMPL_NAME,C_CONTENT,C_APPLY_BU,C_APPLY_BY,D_APPL_DATE, D_OP_DATE,C_SMS_STATUS,C_SMS_TYPE,C_BUSINESS_KEY) VALUES

('20180531063723582405487060546875','CSBANK','US','New Notification for Apply LC','Dear Sir/Madam,

This email has been sent to notify you about the LC

with reference number: <IMLC00000013>, current status is Authorised. Please check and authorize it.

Processed by Customer Enterprise e-trade solution: Authorise Transaction.

NOTE: This e-mail is for your information and does not require a response,

we kindly ask that you do NOT REPLY to this e-mail.

Regards,

CEBaseLine Support

www.chinasystems.com','OP3','NANCYGRP',TO_DATE('2018-05-31 06:37:23','YYYY-MM-DD

HH24:MI:SS'),TO_DATE('2018-05-31 06:37:23','YYYY-MM-DD HH24:MI:SS'),'R','TXT','C_MAIN_REF:IMLC00000013

C_UNIT_CODE:NANCYCOM

I_EVENT_TIMES:1')

[20] INSERT INTO CETRX.TRX_SMS_RECVER_INFO (C_SMS_ID,C_SMS_ADDR,C_SMS_STATUS,D_OP_DATE) VALUES

('20180531063723582405487060546875','13584019537','R',TO_DATE('2018-05-31 06:37:23','YYYY-MM-DD

HH24:MI:SS'))

[21] INSERT INTO CETRX.TRX_SMS_RECVER_INFO (C_SMS_ID,C_SMS_ADDR,C_SMS_STATUS,D_OP_DATE) VALUES

('20180531063723582405487060546875','23584019537','R',TO_DATE('2018-05-31 06:37:23','YYYY-MM-DD

HH24:MI:SS'))

[22] INSERT INTO CETRX.TRX_SMS_RECVER_INFO (C_SMS_ID,C_SMS_ADDR,C_SMS_STATUS,D_OP_DATE) VALUES

('20180531063723582405487060546875','23584019537','R',TO_DATE('2018-05-31 06:37:23','YYYY-MM-DD

HH24:MI:SS'))

Case5 Send Notification (email and SMS) for STP functions


Introduction

Send Notification (email, SMS and notice) for STP functions in transaction module


Pre-condition

1. Function Attribute


Add the new notification attribute in the STP function




2. Mail Template Setting



3. SMS Template Setting



4. Set JS in New Notification for pending status



The notification will send to all the authorizers who has authorized the transaction at CE side by *NS.sendToAuthorisedUsers(ns)* method and CC to maker.

For example: OP2 and OP3 authorized “Apply for Import LC” record, system will send out email to the two operators when it receives the Bank Decision from bank by *NS.sendToAuthorisedUsers(ns)* method.



NOTE:

For STP functions, the notification JS is only required in pending status.

5. Generate parameter files

```
{ce.user.dir}\{Bank group}\{Country Code}\AP\MAIL\mailConfig.xml
{ce.user.dir}\{Bank group}\{Country Code}\AP\SMS\SMS_Config.xml
{ce.user.dir}\{Bank group}\{Country Code}\AP\FUNCATTR\attr_F05030700859.xml
{ce.user.dir}\{Bank group}\{Country Code}\AP\NEWNOTIFICATION\F05030700859_Pending.js
```

Transaction Processing

1. Receive message from bank side.
2. Check Logs

```
[06] INSERT INTO CETRX.TRX_NOTIFY_EMAIL
(C_MAIL_ID,C_BK_GROUP_ID,C_CNTY_CODE,C_MODULE_TYPE,C_MAIL_STATUS,C_MSEND_NAME,C_MTMPL_NAME,
C_MTEMPL_DESC,D_INIT_DATE,C_APPLY_BU,C_APPLY_BY,C_SUBJECT,C_SEND_FROM,C_SEND_TO,C_CC,C_CONTENT,
C_MAIL_SENDTYPE) VALUES
('20180604061431017705657958984375','CSBANK','US','TRANS','R','CSBankSupport','New Notify IMLC Bank
Decision','New Notify IMLC Bank Decision',TO_DATE('2018-06-04 15:14:31','YYYY-MM-DD
HH24:MI:SS'),'NANCYCOM','CSBANK','New Notify IMLC Bank
Decision','cesupport@chinasystems.com','OP2@chinasystems.com;OP3@chinasystems.com','OP1@chinasystems.co
m','Dear Sir/Madam,
```

This email has been sent to notify you about the decision on LC
with reference number: IMLC00000013, current status is Authorised replied by
CSBank. It is Accepted.
Processed by Customer Enterprise e-trade solution: Bank Decision on Import LC Application.

NOTE: This e-mail is for your information and does not require a response,
we kindly ask that you do NOT REPLY to this e-mail.

Regards,

CEBaseLine Support
www.chinasystems.com,'TXT')

```

[07] INSERT INTO CETRX.TRX_NOTIFY_EMAIL_REF_TRX
(C_MAIL_ID,C_CNTY_CODE,C_MODULE,C_BK_GROUP_ID,C_UNIT_CODE,C_MAIN_REF,I_EVENT_TIMES,C_TRX_REF)
VALUES
('20180604061431017705657958984375','US','IMLC','CSBANK','NANCYCOM','IMLC00000013','6','IMLC00000013')
[08] INSERT INTO CETRX.TRX_SMS
(C_SMS_ID,C_BK_GROUP_ID,C_CNTY_CODE,C_MTMPL_NAME,C_CONTENT,C_APPLY_BU,C_APPLY_BY,D_APPL_DATE,
D_OP_DATE,C_SMS_STATUS,C_SMS_TYPE,C_BUSINESS_KEY) VALUES
('20180604061431018833953857421875','CSBANK','US','New Notify IMLC Bank Decision','Dear Sir/Madam,

This email has been sent to notify you about the decision on LC
with reference number: IMLC00000013, current status is Authorised replied by
CSBank. It is Accepted.
Processed by Customer Enterprise e-trade solution: Bank Decision on Import LC Application.

NOTE: This e-mail is for your information and does not require a response,
we kindly ask that you do NOT REPLY to this e-mail.

Regards,

CEBaseLine Support
www.chinasystems.com','CSBANK','DEFAULT',TO_DATE('2018-06-04 06:14:31','YYYY-MM-DD
HH24:MI:SS'),TO_DATE('2018-06-04 06:14:31','YYYY-MM-DD HH24:MI:SS'),'R','TXT','C_MAIN_REF:IMLC00000013
C_UNIT_CODE:NANCYCOM
I_EVENT_TIMES:6')
[09] INSERT INTO CETRX.TRX_SMS_RECVER_INFO (C_SMS_ID,C_SMS_ADDR,C_SMS_STATUS,D_OP_DATE) VALUES
('20180604061431018833953857421875','13584019537','R',TO_DATE('2018-06-04 06:14:31','YYYY-MM-DD
HH24:MI:SS'))
[10] INSERT INTO CETRX.TRX_SMS_RECVER_INFO (C_SMS_ID,C_SMS_ADDR,C_SMS_STATUS,D_OP_DATE) VALUES
('20180604061431018833953857421875','23584019537','R',TO_DATE('2018-06-04 06:14:31','YYYY-MM-DD
HH24:MI:SS'))
[11] INSERT INTO CETRX.TRX_SMS_RECVER_INFO (C_SMS_ID,C_SMS_ADDR,C_SMS_STATUS,D_OP_DATE) VALUES
('20180604061431018833953857421875','33584019537','R',TO_DATE('2018-06-04 06:14:31','YYYY-MM-DD
HH24:MI:SS'))

```

Documentation and Review Information

Resource	Signature	Date
Author	Nancy	2018-04-02
Manager		
Reviewer/ Modified By	Michelle	2018-06-15
QC Cross Review By		
SLS Recreator		
SYS Developer		