Secure | https://github.com/IBM-EPBL/IBM-Project-5877-1658818627/blob/main/MODEL%20BUILDING/Model%20building

IBM-Project-5877-1658

```
/usr/local/lib/python3.7/dist-packages/ipykernel_launcher.py:6: UserWarning: `Model.fit_generator` is deprecated and will be removed in a future version. Please use `Model.fit

Epoch 1/10
97/97 [==============================] - 600s 6s/step - loss: 0.9744 - accuracy: 0.6336 - val_loss: 0.9600 - val_accuracy: 0.6353
Epoch 2/10
97/97 [==============================] - 594s 6s/step - loss: 0.7424 - accuracy: 0.7069 - val_loss: 0.9975 - val_accuracy: 0.6353
Epoch 3/10
97/97 [==============================] - 595s 6s/step - loss: 0.5972 - accuracy: 0.7812 - val_loss: 1.1393 - val_accuracy: 0.6176
Epoch 4/10
97/97 [==============================] - 594s 6s/step - loss: 0.4651 - accuracy: 0.8122 - val_loss: 1.1309 - val_accuracy: 0.5941
Epoch 5/10
97/97 [==============================] - 595s 6s/step - loss: 0.3979 - accuracy: 0.8349 - val_loss: 1.1914 - val_accuracy: 0.5706
Epoch 6/10
97/97 [==============================] - 595s 6s/step - loss: 0.3280 - accuracy: 0.8689 - val_loss: 1.2503 - val_accuracy: 0.5824
Epoch 7/10
97/97 [==============================] - 596s 6s/step - loss: 0.3338 - accuracy: 0.8741 - val_loss: 1.0894 - val_accuracy: 0.6176
Epoch 8/10
97/97 [==============================] - 599s 6s/step - loss: 0.2654 - accuracy: 0.9123 - val_loss: 1.1027 - val_accuracy: 0.6471
Epoch 9/10
97/97 [==============================] - 595s 6s/step - loss: 0.2324 - accuracy: 0.9143 - val_loss: 1.2071 - val_accuracy: 0.6118
Epoch 10/10
97/97 [==============================] - 596s 6s/step - loss: 0.1750 - accuracy: 0.9381 - val_loss: 1.1278 - val_accuracy: 0.6353
#save the model
model.save('level.h5')
```

© 2022 GitHub, Inc. Terms Privacy Security Status Docs Contact GitHub Pricing API Training Blog About

Secure | https://github.com/IBM-EPBL/IBM-Project-5877-1658818627/blob/main/MODEL%20BUILDING/Model%20building

IBM-Project-5877-16588

```
 block4_pool (MaxPooling2D)  (None, 14, 14, 512)       0

 block5_conv1 (Conv2D)       (None, 14, 14, 512)       2359808

 block5_conv2 (Conv2D)       (None, 14, 14, 512)       2359808

 block5_conv3 (Conv2D)       (None, 14, 14, 512)       2359808

 block5_pool (MaxPooling2D)  (None, 7, 7, 512)         0

 flatten (Flatten)           (None, 25088)             0

 dense (Dense)               (None, 3)                 75267

=================================================================
Total params: 14,789,955
Trainable params: 75,267
Non-trainable params: 14,714,688
_________________________________________________________________
# tell the model what cost and optimization method to use
model.compile(
  loss='categorical_crossentropy',
  optimizer='adam',
  metrics=['accuracy']
)
train_datagen = ImageDataGenerator(rescale = 1./255,
                                   shear_range = 0.2,
                                   zoom_range = 0.2,
                                   horizontal_flip = True)

test_datagen = ImageDataGenerator(rescale = 1./255)
training_set = train_datagen.flow_from_directory(trainPath
```

Type here to search

ENG 01:26 17-11-2022

Secure | https://github.com/IBM-EPBL/IBM-Project-5877-1658818627/blob/main/MODEL%20BUILDING/Model%20building


```
training_set = train_datagen.flow_from_directory(trainPath,
                                                 target_size = (224, 224),
                                                 batch_size = 10,
                                                 class_mode = 'categorical')

test_set = test_datagen.flow_from_directory(testPath,
                                            target_size = (224, 224),
                                            batch_size = 10,
                                            class_mode = 'categorical')
Found 979 images belonging to 3 classes.
Found 171 images belonging to 3 classes.
import sys
# fit the model
r = model.fit_generator(
  training_set,
  validation_data=test_set,
  epochs=10,
  steps_per_epoch=979//10,
  validation_steps=171//10)
/usr/local/lib/python3.7/dist-packages/ipykernel_launcher.py:8: UserWarning: `Model.fit_generator` is deprecated and will be removed in a future version. Please use `Model.fit

Epoch 1/10
97/97 [==============================] - 596s 6s/step - loss: 1.2100 - accuracy: 0.5253 - val_loss: 1.0260 - val_accuracy: 0.6294
Epoch 2/10
97/97 [==============================] - 588s 6s/step - loss: 0.7407 - accuracy: 0.7110 - val_loss: 0.9575 - val_accuracy: 0.6706
Epoch 3/10
97/97 [==============================] - 589s 6s/step - loss: 0.6132 - accuracy: 0.7534 - val_loss: 0.8389 - val_accuracy: 0.7000
Epoch 4/10
97/97 [==============================] - 587s 6s/step - loss: 0.4645 - accuracy: 0.8390 - val_loss: 1.3165 - val_accuracy: 0.6412
Epoch 5/10
97/97 [==============================] - 589s 6s/step - loss: 0.4019 - accuracy: 0.8514 - val_loss: 1.0316 - val_accuracy: 0.6529
Epoch 6/10
97/97 [==============================] - 588s 6s/step - loss: 0.2716 - accuracy: 0.8999 - val_loss: 1.0882 - val_accuracy: 0.6529
```

Type here to search

ENG 01:27 17-11-2022

Secure | https://github.com/IBM-EPBL/IBM-Project-5877-1658818627/blob/main/MODEL%20BUILDING/Model%20building


```
192
193  test_set = test_datagen.flow_from_directory(testPath,
194                                              target_size = (224, 224),
195                                              batch_size = 10,
196                                              class_mode = 'categorical')
197  Found 979 images belonging to 3 classes.
198  Found 171 images belonging to 3 classes.
199  r = model1.fit_generator(
200    training_set,
201    validation_data=test_set,
202    epochs=10,
203    steps_per_epoch=979//10,
204    validation_steps=171//10)
205  /usr/local/lib/python3.7/dist-packages/ipykernel_launcher.py:6: UserWarning: `Model.fit_generator` is deprecated and will be removed in a future version. Please use `Model.fit
206
207  Epoch 1/10
208  97/97 [==============================] - 600s 6s/step - loss: 0.9744 - accuracy: 0.6336 - val_loss: 0.9600 - val_accuracy: 0.6353
209  Epoch 2/10
210  97/97 [==============================] - 594s 6s/step - loss: 0.7424 - accuracy: 0.7069 - val_loss: 0.9975 - val_accuracy: 0.6353
211  Epoch 3/10
212  97/97 [==============================] - 595s 6s/step - loss: 0.5972 - accuracy: 0.7812 - val_loss: 1.1393 - val_accuracy: 0.6176
213  Epoch 4/10
214  97/97 [==============================] - 594s 6s/step - loss: 0.4651 - accuracy: 0.8122 - val_loss: 1.1309 - val_accuracy: 0.5941
215  Epoch 5/10
216  97/97 [==============================] - 595s 6s/step - loss: 0.3979 - accuracy: 0.8349 - val_loss: 1.1914 - val_accuracy: 0.5706
217  Epoch 6/10
218  97/97 [==============================] - 595s 6s/step - loss: 0.3280 - accuracy: 0.8689 - val_loss: 1.2503 - val_accuracy: 0.5824
219  Epoch 7/10
220  97/97 [==============================] - 596s 6s/step - loss: 0.3338 - accuracy: 0.8741 - val_loss: 1.0894 - val_accuracy: 0.6176
221  Epoch 8/10
222  97/97 [==============================] - 599s 6s/step - loss: 0.2654 - accuracy: 0.9123 - val_loss: 1.1027 - val_accuracy: 0.6471
223  Epoch 9/10
224  97/97 [==============================] - 595s 6s/step - loss: 0.2324 - accuracy: 0.9143 - val_loss: 1.2071 - val_accuracy: 0.6118
```

Type here to search

ENG 01:27 17-11-2022

Secure | https://github.com/IBM-EPBL/IBM-Project-5877-1658818627/blob/main/MODEL%20BUILDING/Model%20building

IBM-Project-5877-16588

```
97/97 [==============================] - 588s 6s/step - loss: 0.2716 - accuracy: 0.8999 - val_loss: 1.0882 - val_accuracy: 0.6529
Epoch 7/10
97/97 [==============================] - 594s 6s/step - loss: 0.2722 - accuracy: 0.9071 - val_loss: 1.0481 - val_accuracy: 0.6765
Epoch 8/10
97/97 [==============================] - 592s 6s/step - loss: 0.2265 - accuracy: 0.9289 - val_loss: 1.3173 - val_accuracy: 0.6059
Epoch 9/10
97/97 [==============================] - 593s 6s/step - loss: 0.2981 - accuracy: 0.8751 - val_loss: 1.1330 - val_accuracy: 0.6941
Epoch 10/10
97/97 [==============================] - 592s 6s/step - loss: 0.2247 - accuracy: 0.9123 - val_loss: 1.5393 - val_accuracy: 0.5706
#save the model
model.save('body.h5')
#import load_model class for loading h5 file
from tensorflow.keras.models import load_model
#import image class to process the images
from tensorflow.keras.preprocessing import image
from tensorflow.keras.applications.inception_v3 import preprocess_input
import numpy as np
#load one random image from local system
img=image.load_img(r'/content/drive/MyDrive/dataset1/body/training/00-front/0002.JPEG',target_size=(224,224))
#convert image to array format
x=image.img_to_array(img)
import numpy as np
x=np.expand_dims(x,axis=0)
img_data=preprocess_input(x)
img_data.shape
(1, 224, 224, 3)
img_data.shape
(1, 224, 224, 3)
model.predict(img_data)
1/1 [==============================] - 1s 732ms/step
array([[9.9837422e-01, 1.6256354e-03, 7.2354190e-08]], dtype=float32)
output=np.argmax(model.predict(img_data), axis=1)
output
```

Type here to search

ENG 01:27 17-11-2022

Secure | https://github.com/IBM-EPBL/IBM-Project-5877-1658818627/blob/main/MODEL%20BUILDING/Model%20building

IBM-Project-5877-16588

```
model.summary()
Model: "model"
_________________________________________________________________
 Layer (type)                Output Shape              Param #
=================================================================
 input_1 (InputLayer)        [(None, 224, 224, 3)]     0

 block1_conv1 (Conv2D)       (None, 224, 224, 64)      1792

 block1_conv2 (Conv2D)       (None, 224, 224, 64)      36928

 block1_pool (MaxPooling2D)  (None, 112, 112, 64)      0

 block2_conv1 (Conv2D)       (None, 112, 112, 128)     73856

 block2_conv2 (Conv2D)       (None, 112, 112, 128)     147584

 block2_pool (MaxPooling2D)  (None, 56, 56, 128)       0

 block3_conv1 (Conv2D)       (None, 56, 56, 256)       295168

 block3_conv2 (Conv2D)       (None, 56, 56, 256)       590080

 block3_conv3 (Conv2D)       (None, 56, 56, 256)       590080

 block3_pool (MaxPooling2D)  (None, 28, 28, 256)       0

 block4_conv1 (Conv2D)       (None, 28, 28, 512)       1180160

 block4_conv2 (Conv2D)       (None, 28, 28, 512)       2359808

 block4_conv3 (Conv2D)       (None, 28, 28, 512)       2359808
```

Type here to search

Secure | https://github.com/IBM-EPBL/IBM-Project-5877-1658818627/blob/main/MODEL%20BUILDING/Model%20building

IBM-Project-5877-16588

```
output
1/1 [==============================] - 1s 535ms/step
array([0])
imageSize = [224, 224]

trainPath = r"/content/drive/MyDrive/dataset1/level/training"

testPath = r"/content/drive/MyDrive/dataset1/level/validation"
vgg1 = VGG16(input_shape=imageSize + [3], weights='imagenet',include_top=False)
for layer in vgg1.layers:
  layer.trainable = False
# our layers - you can add more if you want
x = Flatten()(vgg1.output)
prediction = Dense(3, activation='softmax')(x)
# create a model object
model1 = Model(inputs=vgg1.input, outputs=prediction)
# tell the model what cost and optimization method to use
model1.compile(
  loss='categorical_crossentropy',
  optimizer='adam',
  metrics=['accuracy']
)
train_datagen = ImageDataGenerator(rescale = 1./255,
                                   shear_range = 0.2,
                                   zoom_range = 0.2,
                                   horizontal_flip = True)

test_datagen = ImageDataGenerator(rescale = 1./255)
training_set = train_datagen.flow_from_directory(trainPath,
                                                 target_size = (224, 224),
                                                 batch_size = 10,
                                                 class_mode = 'categorical')
```

Type here to search

ENG 01:27 17-11-2022

Secure | https://github.com/IBM-EPBL/IBM-Project-5877-1658818627/blob/main/MODEL%20BUILDING/Model%20building

228 lines (195 sloc) | 11.4 KB

Raw Blame

```
1
2  from google.colab import drive
3  drive.mount('/content/drive')
4  Drive already mounted at /content/drive; to attempt to forcibly remount, call drive.mount("/content/drive", force_remount=True).
5  from tensorflow.keras.layers import Dense, Flatten, Input
6  from tensorflow.keras.models import Model
7  from tensorflow.keras.preprocessing import image
8  from tensorflow.keras.preprocessing.image import ImageDataGenerator, load_img
9  from tensorflow.keras.applications.vgg16 import VGG16, preprocess_input
10 from glob import glob
11 import numpy as np
12 import matplotlib.pyplot as plt
13 imageSize = [224, 224]
14
15 trainPath = r"/content/drive/MyDrive/dataset1/body/training"
16
17 testPath = r"/content/drive/MyDrive/dataset1/body/validation"
18 # adding preprocessing layers to the front of vgg
19
20 vgg = VGG16(input_shape=imageSize + [3], weights='imagenet',include_top=False)
21 Downloading data from https://storage.googleapis.com/tensorflow/keras-applications/vgg16/vgg16_weights_tf_dim_ordering_tf_kernels_notop.h5
22 58889256/58889256 [==============================] - 0s 0us/step
23 # don't train existing weights
24 for layer in vgg.layers:
25   layer.trainable = False
26 # our layers - you can add more if you want
27 x = Flatten()(vgg.output)
28 prediction = Dense(3, activation='softmax')(x)
29 # create a model object
30 model = Model(inputs=vgg.input, outputs=prediction)
31 # view the structure of the model
32 model.summary()
```

Type here to search

ENG 01:26