AKWA

FACTORY TEST REPORT

Board fleet commissioning and operational verification

Report ID: AKWA-20261024-222410
Generated: 2026-10-24 22:24:02 +0000

BOARDS TESTED	ONLINE	OFFLINE	SOURCE
8	**0**	**8**	/home/admin/device-client-logs

Purpose and acceptance scope

This report records the factory verification state of the AKWA board fleet at the time of generation. It confirms SSH reachability, operating system uptime, reboot history, and the latest monitoring values available in each board's seconde log directory.

Functional checks

Check	Method	Acceptance evidence
Network and SSH	Open an SSH session using the configured server-side credentials.	Board returns a command response.
Uptime	Read /proc/uptime from the board.	Current uptime is present and non-negative.
Reboot history	Enumerate reboot CSV files and read the final row of each file.	Each file has a boot UUID and derived reboot time.
Monitoring	Read the final semicolon-delimited row in each CSV.	Timestamp, uptime, CPU, memory, temperature and disk values are captured.

Board-by-board results

01 HARDIOTM71090E25D

FAIL - OFFLINE

IP address: 192.168.1.25 | MAC address: cc:c4:b2:7c:90:74 | Hostname: -

Current uptime	Latest boot UUID	Latency	Checked at
-	-	8009 ms	2026-10-24 22:24:10 +0000

Connection result: Timed out while waiting for handshake

02 HARDIOTM77E79EC4E

FAIL - OFFLINE

IP address: 192.168.1.148 | MAC address: cc:c4:b2:7c:90:ab | Hostname: -

Current uptime	Latest boot UUID	Latency	Checked at
-	-	8009 ms	2026-10-24 22:24:10 +0000

Connection result: Timed out while waiting for handshake

03 HARDIOTM775CADCEA

FAIL - OFFLINE

IP address: 192.168.1.27 | MAC address: cc:c4:b2:7c:92:17 | Hostname: -

Current uptime	Latest boot UUID	Latency	Checked at
-	-	8009 ms	2026-10-24 22:24:10 +0000

Connection result: Timed out while waiting for handshake

04 HARDIOTM7B9404A9B

FAIL - OFFLINE

IP address: 192.168.1.30 | MAC address: cc:c4:b2:7c:90:c5 | Hostname: -

Current uptime	Latest boot UUID	Latency	Checked at
-	-	8009 ms	2026-10-24 22:24:10 +0000

Connection result: Timed out while waiting for handshake

05 HARDIOTM735AAD8F8

FAIL - OFFLINE

IP address: 192.168.1.169 | MAC address: cc:c4:b2:7c:8f:e9 | Hostname: -

Current uptime	Latest boot UUID	Latency	Checked at
-	-	8009 ms	2026-10-24 22:24:10 +0000

Connection result: Timed out while waiting for handshake

06 HARDIOTM7E9B4DD73

FAIL - OFFLINE

IP address: 192.168.1.96 | MAC address: cc:c4:b2:7c:92:0e | Hostname: -

Current uptime	Latest boot UUID	Latency	Checked at
-	-	8009 ms	2026-10-24 22:24:10 +0000

Connection result: Timed out while waiting for handshake

07 HARDIOTM7B67E30FB

FAIL - OFFLINE

IP address: 192.168.1.33 | MAC address: cc:c4:b2:7c:8f:a7 | Hostname: -

Current uptime	Latest boot UUID	Latency	Checked at
-	-	8009 ms	2026-10-24 22:24:10 +0000

Connection result: Timed out while waiting for handshake

08 HARDIOTM75862E63E

FAIL - OFFLINE

IP address: 192.168.1.180 | MAC address: cc:c4:b2:7c:8f:8e | Hostname: -

Current uptime	Latest boot UUID	Latency	Checked at
-	-	8009 ms	2026-10-24 22:24:10 +0000

Connection result: Timed out while waiting for handshake