

Aerial Intelligence in Agriculture: A Feasibility and Implementation Guide for AI-Powered Drone Monitoring of Tea Plantations

Section 1: The Challenge - Pathological Threats to Tea Plantations

The global tea industry, a cornerstone of economies in numerous countries, faces persistent threats from a variety of plant diseases. These pathogens can significantly reduce both the yield and quality of tea leaves, leading to substantial economic losses and jeopardizing the livelihoods of millions who depend on its cultivation.¹ Traditional methods of disease monitoring rely on manual inspection by agricultural experts, a process that is labor-intensive, time-consuming, subjective, and often too slow to prevent widespread outbreaks.² The development of an automated, real-time monitoring system presents a transformative opportunity to shift from reactive treatment to proactive management, thereby securing the future of this vital agricultural sector. This section establishes the foundational problem by identifying the primary diseases, detailing their visual characteristics for automated analysis, and quantifying their economic impact.

1.1 A Taxonomy of Common Tea Leaf Diseases

Tea plants (*Camellia sinensis*) are susceptible to a wide range of pathogenic threats, primarily fungal and algal in nature. The feasibility of an aerial monitoring system is predicated on its ability to accurately identify these specific threats. The most prevalent and economically damaging diseases, particularly those affecting the foliage, are the primary targets for a drone-based computer vision system. While diseases affecting the root system, such as Brown and Red Root Rot, cause severe damage, their subterranean nature makes them undetectable by standard aerial imaging and thus fall outside the scope of this particular technological solution.³

The primary foliar diseases relevant to this analysis include:

- **Blister Blight (*Exobasidium vexans*):** Widely considered the most destructive foliar disease in Asian tea plantations, capable of causing massive crop losses.⁴ It thrives in wet, cloudy conditions and primarily attacks the young, tender shoots that are most valuable for tea production.⁴
- **Grey Blight (*Pestalotiopsis theae*):** A widespread fungal disease reported in all major tea-growing regions. It attacks the mature "maintenance leaves," which are crucial for nourishing the plant's new growth, indirectly leading to significant reductions in yield.⁶
- **Brown Blight:** Caused by the fungus *Colletotrichum camelliae*, this disease affects leaves of all ages and is favored by high humidity and poor air circulation.³
- **Red Rust (*Cephaleuros parasiticus*):** An algal disease that, while often not directly harmful to the plant, can create lesions on leaves and stems, predisposing the plant to secondary infections and affecting overall vigor.³
- **Twig Dieback and Stem Canker:** A condition often caused by fungi like *Phomopsis theae*, which leads to the death of entire branches and can result in yield losses of up to 50%.⁷
- **Other Notable Diseases:** Additional foliar diseases that can be visually identified include Anthracnose, Black Blight, White Spot, and Bird's Eye Spot.⁷

Understanding this taxonomy is the first step in framing the computer vision problem. Each disease represents a distinct "class" that an Artificial Intelligence (AI) model must be trained to recognize.

1.2 Visual Symptomatology: The Basis for Automated Detection

The entire premise of using AI-powered drones for disease detection rests on a fundamental principle: these diseases manifest as visually distinguishable patterns on the plant's leaves and stems. These changes in color, texture, and shape serve as the features that a computer vision model, particularly a deep learning algorithm, can be trained to identify with high accuracy. The specific and detailed nature of these symptoms confirms the viability of an image-based detection approach.

Key visual signatures for each major disease are as follows:

- **Blister Blight:** The infection begins with small, "pinhole-size" spots on very young leaves. As the leaf grows, these spots enlarge, become transparent, and turn light brown. The defining characteristic appears after about a week: a "white and velvety" blister forms on the lower leaf surface, often surrounded by a dark green, water-soaked zone. After releasing its spores, the blister turns brown. Infected young stems often become bent and distorted, providing another visual cue.³
- **Red Rust:** This algal disease presents as roughly circular, raised lesions on the upper leaf surface that are characteristically purple to reddish-brown. As the infection ages, it takes on a greenish-gray appearance, resembling lichen.³

- **Brown and Grey Blight:** Symptoms start as small, oval, pale yellow-green spots, frequently surrounded by a distinct yellow halo. As the spots enlarge, they turn brown or grey and develop "concentric rings with scattered, tiny black dots." In later stages, the dried tissue may fall out, creating holes in the leaf and leading to defoliation.³
- **Twig Dieback/Stem Canker:** The initial signs are the browning and drooping of affected leaves. The disease progresses down the shoot, causing it to dry out and die from the tip downwards. On the branches, shallow, slowly spreading lesions known as cankers may be visible.³

The existence of these distinct visual features is the cornerstone of the project's technical feasibility. A deep learning model, such as a Convolutional Neural Network (CNN), is specifically designed to learn hierarchical features from images, starting from simple edges and colors and building up to complex patterns like concentric rings or velvety textures. This makes it an ideal tool for this classification task.

However, a critical challenge lies in the potential for symptom overlap. Research has noted that "the visual symptoms of diseases such as algal leaf spot and grey blight are often similar, leading to misclassifications by disease detection models".⁸ This indicates that while the problem is solvable, it is not trivial. A successful system must be trained on a large and diverse dataset that includes many examples of these similar-looking diseases, enabling the model to learn the subtle, differentiating features that might be imperceptible to an untrained human eye. This complexity necessitates a robust model architecture and a meticulously curated dataset.

Table 1: Common Tea Diseases and Their Visual Signatures				
Disease Name	Pathogen	Target Plant Part	Key Visual Symptoms	Favorable Conditions
Blister Blight	<i>Exobasidium vexans</i>	Young leaves and stems	- Initial pinhole-sized spots on young leaves. - Spots become transparent, then light brown. - White, velvety blisters on lower leaf surface. - Blisters turn brown after spore release. - Stems	Cloudy, wet weather ³

			become bent and distorted.	
Red Rust	<i>Cephaleuros parasiticus</i> (Alga)	Leaves and stems	- Roughly circular, raised, purple to reddish-brown lesions. - Primarily on the upper leaf surface. - Older infections turn greenish-gray, resembling lichen.	Poor soil drainage, imbalanced nutrition, high temperature and humidity ³
Brown/Grey Blight	<i>Pestalotiopsis theae</i> / <i>Colletotrichum</i> spp.	Leaves of any age	- Small, oval, pale yellow-green spots, often with a yellow halo. - Spots grow and turn brown or gray. - Develop concentric rings with tiny black dots. - Dried tissue falls out, causing holes and defoliation.	Poor air circulation, high temperature, high humidity, or prolonged leaf wetness ³
Twig Dieback / Stem Canker	<i>Phomopsis theae</i> / <i>Fusarium</i> spp.	Twigs and branches	- Browning and drooping of leaves. - Shoots become dry and die from the tip downward. - Shallow, spreading lesions (cankers) on branches.	Rainy weather favors spread; dry conditions promote development ³

1.3 Economic and Agronomic Impact of Unchecked Disease Spread

The motivation for developing an advanced monitoring system is rooted in the severe economic consequences of tea plant diseases. These pathogens do not merely cause cosmetic damage; they strike at the heart of the tea production cycle, reducing both the quantity and quality of the harvest, which directly translates to lost revenue for growers and

the industry at large.

Blister blight is consistently identified as the single most significant threat, especially in Asia. It is described as "the most serious disease affecting shoots of tea" and is "capable of causing enormous crop loss".⁴ Its preference for young shoots means it destroys the very parts of the plant that are harvested for high-quality tea. The economic loss from blister blight is considered higher than that from animal pests, making it the primary pathological concern for many plantations.⁵ Similarly, grey blight, by attacking the mature leaves responsible for photosynthesis and nutrient supply, "indirectly result[s] in huge crop loss" by weakening the entire plant and stunting the growth of new, harvestable foliage.⁶ For other diseases like twig dieback, specific studies have reported devastating yield losses in the range of 40% to 50% in affected areas.⁷

The cumulative effect of these diseases is a significant drag on the productivity and profitability of tea estates. Early and accurate detection is therefore not just an agricultural convenience but a critical economic imperative. A system that can identify an outbreak in its nascent stages—when it is just a few spots on a handful of plants—allows for targeted, immediate intervention. This prevents the pathogen from spreading across an entire field, saving the bulk of the crop from infection and drastically reducing the financial impact. The strong economic incentive to mitigate these losses provides a compelling business case for the adoption of new technologies like AI-powered drone monitoring.

Section 2: The Solution - An Analysis of AI-Powered Aerial Monitoring

The convergence of Unmanned Aerial Vehicles (UAVs), advanced imaging sensors, and powerful AI algorithms has created a new paradigm in agriculture known as precision farming. This technological suite offers a powerful solution to the challenges of disease monitoring in tea plantations. By providing a "bird's-eye view" with superhuman analytical capabilities, an AI-powered drone system can deliver timely, data-driven insights that enable growers to manage their crops with unprecedented efficiency and accuracy.⁹ This section dissects the technology stack, evaluates its economic viability, and critically examines the regulatory landscape that governs its implementation, particularly within the context of Sri Lanka.

2.1 The Technology Stack: Drones, Sensors, and AI Platforms

A complete aerial monitoring system is composed of three interconnected components: the aerial platform, the sensor payload, and the data processing engine.

- **Drones (UAVs):** The choice of drone depends on the scale and topography of the plantation. **Fixed-wing drones** are highly efficient for surveying vast, relatively flat areas, capable of covering up to 400 hectares in a single flight.⁹ However, for the often

steep, terraced, and irregularly shaped landscapes of tea estates, **multirotor drones** (e.g., quadcopters) offer superior maneuverability, the ability to hover for detailed inspection, and the flexibility to navigate complex terrain.

- **Sensors:** The sensor is the "eye" of the system, responsible for capturing the data to be analyzed.
 - **RGB Cameras:** Standard high-resolution Red-Green-Blue cameras are the baseline technology. They capture images in the visible spectrum, making them perfectly suited for identifying the visual symptoms of color, shape, and texture changes described in Section 1. Numerous successful academic and commercial projects rely solely on RGB imagery.¹¹
 - **Multispectral and Hyperspectral Imagers:** These advanced sensors capture data from narrow bands across the electromagnetic spectrum, including near-infrared (NIR), which is invisible to the human eye. Healthy vegetation strongly reflects NIR light, while stressed or diseased plants reflect less. By calculating a **Normalized Difference Vegetation Index (NDVI)** from this data, it is possible to detect plant stress days or even weeks before visible symptoms like yellowing or lesions appear.¹² This offers a path toward pre-symptomatic detection, representing a significant leap in proactive crop management.
- **AI Platforms:** This is the "brain" of the system. Raw drone footage holds limited value until it is processed and analyzed by AI.¹⁰ The platform uses computer vision and machine learning models to transform thousands of images into actionable intelligence. The research field is dominated by deep learning, with several architectures proving highly effective:
 - **Convolutional Neural Networks (CNNs):** These are the foundational models for image classification. Numerous studies have developed custom Deep Convolutional Neural Networks (DCNNs) to classify tea diseases with accuracies ranging from 81% to over 94%.⁶
 - **Object Detection Models (e.g., YOLO, Faster R-CNN):** These more advanced models not only classify an image but also draw a bounding box around the specific location of the disease on the leaf. This provides more granular information for targeted treatment. Recent research using an improved YOLOv10 model for tea disease detection has shown exceptional performance in handling complex backgrounds and occluded leaves.²
 - **Advanced Classifiers (e.g., EfficientNet, Vision Transformers):** State-of-the-art architectures have pushed accuracy even higher, with studies reporting rates of 98-99% for plant disease classification, demonstrating the immense potential of these techniques.¹⁴

2.2 Economic Feasibility: Cost-Benefit Analysis and ROI Projections

The adoption of any new technology in agriculture is contingent on a clear and compelling

economic benefit. While the initial investment can be significant, the long-term returns from drone-based monitoring are substantial, driven by cost savings, efficiency gains, and yield improvements.

- **Investment Costs:** The cost spectrum is wide. A commercial-grade, mid-sized agricultural drone can cost around \$150,000.⁹ The development and integration of a custom AI system for a large enterprise can range from \$100,000 to several million dollars.¹⁶ However, this high barrier to ownership has fueled an alternative, more accessible model: **Drone-as-a-Service (DaaS)**. Plantation owners can hire a service provider for a fraction of the cost. Typical pricing for drone services ranges from \$5-\$10 per acre for multispectral monitoring and \$12-\$20 per acre for precision spraying.¹⁷ This service-based approach dramatically lowers the barrier to entry, making the technology accessible even to smaller operations. For a student innovator, this market structure is significant; the core value proposition can be a superior AI analysis software that is sold to or licensed by existing drone service providers, decoupling the student's work from the high capital cost of hardware.
- **Return on Investment (ROI):** The benefits manifest in several key areas:
 - **Reduced Input Costs:** The primary saving comes from precision application. By identifying diseased areas with millimeter-level accuracy, drones enable targeted spraying of fungicides and pesticides.⁹ This can reduce overall chemical usage by up to 35%, leading to direct cost savings and a reduced environmental impact.⁹ In Sri Lanka, the cost savings are stark: drone spraying can cost as little as LKR 1,060 per acre, compared to LKR 2,500-3,000 for manual methods.¹⁸
 - **Increased Labor Efficiency:** Drones automate the slow and arduous task of manual field scouting. A drone can accomplish in 10 minutes what takes a human 5-6 hours to do manually, such as spraying an acre of land.¹⁸ This frees up labor for other critical tasks and reduces operational costs.¹²
 - **Improved Crop Yield and Quality:** By enabling early detection and rapid intervention, the system minimizes crop loss that would otherwise occur from unchecked disease spread.⁹ Industry projections estimate yield improvements of 8-18% from enhanced crop monitoring alone, and up to 15-35% when combined with AI-driven predictive analytics for disease outbreaks.¹⁷ The overall ROI for drone usage in agriculture is estimated to be between \$2 and \$12 per acre, depending on the specific crop and application.¹⁶

The comparison with satellite imagery provides a crucial layer of analysis. For large, uniform croplands like wheat or corn, satellite monitoring can be more cost-effective.¹⁹ However, the unique topography of tea plantations—often on steep, terraced hillsides—plays to the drone's strengths. A drone's ability to fly at low altitudes, navigate complex terrain, and capture ultra-high-resolution images of individual bushes provides a level of detail and accuracy that satellite imagery cannot match in this specific context. Therefore, despite being potentially more expensive per acre, the quality of data and actionable insights derived from drones are likely superior for the specific application of tea plantation management.

2.3 The Regulatory Gauntlet: Navigating Sri Lanka's Drone Laws

For any drone project in Sri Lanka, the technical and economic feasibility is secondary to the regulatory feasibility. The country has a comprehensive and stringent set of laws governing drone operations, and navigating this bureaucratic framework is a critical, non-negotiable step. The process is multi-layered, involving several government agencies, and requires significant lead time and meticulous documentation. For a student project with a fixed timeline, understanding and initiating this process at the very outset is the most critical determinant of success.

The primary governing body is the **Civil Aviation Authority of Sri Lanka (CAASL)**, but approvals are also required from the **Ministry of Defence (MOD)**, the **Telecommunication Regulatory Commission of Sri Lanka (TRCSL)**, and local police authorities.²⁰

The key steps and rules are summarized in the table below. The complexity and sequential nature of these approvals—where one cannot proceed to the next step without clearance from the previous—mean that the administrative timeline can easily exceed the technical development timeline. The requirement for MOD security clearance for any flight, the need for specific permissions for each location and time, and the involvement of local police underscore the government's security-conscious approach. Any aspiring drone operator must be prepared for a rigorous and potentially lengthy approval cycle. This administrative barrier is, in practice, the most significant challenge to implementing a drone-based project in Sri Lanka.

Table 2: Summary of Sri Lankan Drone Regulations for Agricultural Use					
Requirement Category	Key Action Required	Governing Body	Relevant Drone Class	Estimated Timeline/Cost	Source(s)
Importation	Obtain sequential No-Objection letters/licenses <i>before</i> bringing a drone into the country.	1. MOD 2. CAASL 3. TRCSL 4. Import & Export Control Dept.	All drones	Several weeks; involves multiple agencies.	²⁰
Drone Registration	Register the drone with the	CAASL	All drones with cameras must	Free, can be done online.	²²

	CAASL. A registration number will be issued.		be registered.	Response within a few days.	
Pilot Registration	Pilot must be at least 18 and obtain registration after a competency check.	CAASL	Drones >200g with a camera (Categories A, B, C).	Requires passing a competency check.	²²
Security Clearance	Obtain a Security Clearance Certificate for flight operations. Must specify exact locations, dates, and times.	Ministry of Defence (MOD)	All drone flights.	Apply at least 4 weeks in advance. This is the most critical and time-consuming step.	²⁴
Flight Permission	Obtain final flight permission from the CAASL after receiving MOD clearance.	CAASL	All drone flights. Drones >1kg may need permission for each individual flight.	Fees apply (e.g., ~LKR 16,000 for 30 days).	²⁴
Insurance	Obtain mandatory third-party liability insurance.	Private Insurers	Drones >250g. Minimum coverage varies by weight (e.g., LKR 400,000 for drones 0.9-4 kg).	Varies by provider.	²⁰
Operational Rules	- Maintain Visual Line of Sight (VLOS). - Max altitude 100-150 feet	CAASL, Local Police, Air Force	All drone flights.	N/A	²¹

	(30-45m) unless special permission granted. - Daylight operation only. - Prohibited over sensitive areas (military, national parks, etc.). - Inform local police and Air Force Operations Room before each flight.				
--	---	--	--	--	--

Section 3: The Competitive Landscape - Pioneers in AgriTech Disease Detection

The concept of using drones and AI in agriculture is not new, and a growing ecosystem of companies and research institutions is actively developing and deploying solutions across the globe. Understanding this competitive landscape is essential for identifying established best practices, recognizing technological trends, and carving out a unique value proposition for a new project. The analysis reveals a focus on specific high-value crops and a strategic trend toward software and data analytics as the core business, rather than hardware manufacturing.

3.1 Regional Innovators and Their Methodologies

Several key players in South and Southeast Asia provide valuable case studies on how this technology is being implemented in practice.

- HAWKS AI (Philippines):** This initiative, backed by the Philippine government's Department of Science and Technology (DOST), represents a state-sponsored push into agricultural AI. Operating under the ASIMOV-HAWKS program, it has developed an AI-enhanced decision support system primarily targeting the country's vital banana industry, which has been threatened by Panama disease.²⁷ Their methodology involves using drones equipped with cameras to capture real-time imagery, which is then processed by the HAWKS AI platform to detect diseases, conduct crop inventories, and

generate plant counts.²⁹ This model showcases a government-led approach to solving a specific, high-impact agricultural problem.

- **Agright Technologies (Philippines):** A commercial entity that highlights the real-world business evolution in this space. Partnering with agricultural giant Dole Asia, Agright initially used drones for visual identification of TR4 disease in banana plantations across thousands of hectares.¹⁹ However, they encountered challenges with the cost and frequency of drone imagery for such large-scale operations. Consequently, they strategically pivoted to using satellite imagery analytics through the EOSDA Crop Monitoring platform. This shift demonstrates a crucial business reality: the choice of data acquisition platform (drone vs. satellite) is a pragmatic decision based on cost, scale, and specific use-case requirements. Their work extends to both the Philippines and Sri Lanka.¹⁹
- **Fuselage Innovations (India):** This Kochi-based startup focuses on the application side of drone technology. Rather than just monitoring, their primary service is precision spraying of biofertilizers and other inputs. They have operational experience across a diverse range of crops, including paddy fields, pineapple, cashew, and notably, tea plantations in multiple Indian states.³¹ Their expertise lies in optimizing spray nozzle technology to match the absorption rates of specific plants, showcasing a deep integration of agronomic knowledge with drone engineering.
- **Plantix (India):** While not a drone-based company, Plantix is a significant player in the broader AI-for-agriculture domain. It is a mobile application that allows farmers to take a picture of a diseased leaf with their smartphone, and the app's AI model diagnoses the issue from a database covering 31 major crops.³¹ Its success underscores the power and accessibility of AI-driven diagnostics and highlights a trend toward empowering individual farmers with low-cost, easy-to-use tools.
- **Triple20 (Netherlands/Philippines):** An early explorer in this field, this Dutch-based consultancy was investigating the potential of UAVs for banana disease detection in the Philippines as far back as 2015.³² Their early involvement signifies that the core concepts have been under development for nearly a decade, with recent advances in AI and drone hardware now making them commercially viable.

3.2 Technology Deep Dive: A Comparative Analysis of Competitor Solutions

A closer look at the technologies employed by these innovators and related academic research reveals a sophisticated and rapidly evolving landscape.

- **Data Acquisition Platform:** The primary choice is between drones and satellites. Drones, such as the DJI AIR 2S used in advanced research projects, offer unparalleled spatial resolution (capturing fine details on individual leaves) and temporal flexibility (flying on-demand).² This is ideal for early-stage detection and complex terrain. Satellites, as adopted by Agright, offer massive scale and lower cost-per-acre, making

them suitable for monitoring disease spread across vast, established plantations.¹⁹ The data itself is typically captured by high-resolution RGB cameras, with multispectral sensors providing an advanced capability for pre-symptomatic stress detection.

- **AI Model Architecture:** The field has moved decisively beyond simple image processing to embrace deep learning. The choice of model architecture depends on the specific task:
 - **Classification:** For identifying *if* a disease is present and *what* it is, a wide array of CNN architectures are used. Academic studies have demonstrated the power of models like a custom DCNN, an improved **EfficientNetV2-B4** (achieving 99.99% accuracy in one study), and lightweight models like **MobileNetV3**, which are efficient enough to be deployed on mobile devices.⁶
 - **Detection and Localization:** For identifying *where* the disease is on the leaf, object detection models are the standard. The **YOLO (You Only Look Once)** family of models is particularly popular due to its speed and accuracy. A recent study on tea diseases utilized an **improved YOLOv10** network, specifically enhanced with a Shape-IoU loss function to better handle overlapping lesions and a Wavelet Transform Convolution to improve feature extraction from complex backgrounds.²
- **The AI Core as the Central Asset:** A critical pattern emerges from this analysis: the AI model itself is the most valuable and defensible component of the technology stack. Agright Technologies could switch its data source from drones to satellites because its core asset was the analytical capability to interpret agricultural imagery, not the hardware used to capture it. This suggests that the long-term competitive advantage lies in creating a highly accurate, proprietary AI model trained on a vast and diverse dataset for a specific crop. The hardware is increasingly becoming a commodity, while the specialized software and data create a powerful moat.

3.3 Market Gaps and Opportunities for a Specialized Tea-Focused Solution

Synthesizing the competitive analysis reveals several strategic opportunities for a new project focused on tea plantations.

- **Deep Crop Specialization:** Many competitors, while technologically advanced, cater to a broad range of crops or focus on a single, different high-value crop like bananas. Tea cultivation has its own unique set of diseases, growth cycles, and topographical challenges. There is a clear opportunity to develop a solution that is deeply specialized for tea, with an AI model trained exclusively on the seven or eight common tea diseases and optimized for the specific lighting and environmental conditions of tea estates. This focus would likely result in superior accuracy compared to a more generalized model.
- **Closing the Loop: Integrated "See and Treat" Systems:** The current market often shows a separation between monitoring services (like Agright) and application services

(like Fuselage Innovations). A significant market opportunity exists for an integrated system that "closes the loop." Such a system would use one drone (or a swarm) to perform real-time detection and, upon positive identification of a disease, autonomously dispatch a second drone to apply a precise dose of treatment directly to the affected plants. This "see and treat" capability would represent the pinnacle of precision agriculture, maximizing efficiency and minimizing environmental impact.

- **Democratizing Technology for Smallholders:** The high-end solutions offered by companies working with large corporations like Dole leave a vast, underserved market of smallholder farmers. In Sri Lanka and many other tea-growing regions, smallholders are a critical part of the production chain. A business model focused on accessibility—perhaps a community-based drone stewardship program where a local entrepreneur operates a drone and provides affordable analysis services to dozens of small farms, as envisioned in one study—could be both socially impactful and commercially viable.³⁴ The technology itself could be a simplified, robust AI model deployed via a smartphone app, similar to the Plantix model but specialized for tea.

Table 3: Comparative Analysis of Competitor and Research Solutions					
Company/Project Name	Target Crop(s)	Technology Platform	Data Acquisition Method	AI Model/Methodology	Key Value Proposition/Outcome
HAWKS AI (Philippines)	Bananas, other crops	Drone-based system	RGB Camera	Custom AI for detection and counting	Government-backed decision support for disease management and crop inventory.
Agriht Technologies (Philippines/Sri Lanka)	Bananas, Rice	Satellite & Drone	Satellite Imagery (EOSDA), RGB Drone Imagery	Cloud-based image analytics	Cost-effective, large-scale monitoring of disease spread for corporate farms.
Fuselage Innovations (India)	Tea, Paddy, Pineapple, Cashew	Drone-based system	Not specified (likely RGB)	Not specified (focus on application)	Precision spraying of biofertilizers and other inputs to

					reduce costs and improve absorption.
Plantix (India)	31 major crops	Mobile App	Smartphone Camera	AI-based image classification	Accessible, low-cost disease diagnosis directly for farmers via a mobile app.
Academic Research (YOLOv10 Project)	Tea	Drone-based system	RGB Camera (DJI AIR 2S)	Improved YOLOv10 Object Detection	High-accuracy localization of tea diseases, overcoming challenges of occlusion and complex backgrounds.
Academic Research (EfficientNetV2 Project)	General crops	Drone-based system	RGB Camera	Improved EfficientNetV2-B4 Classification	Extremely high accuracy (99.99%) classification with a cost-effective and computationally efficient model.

Section 4: Project Blueprint - A University Student's Guide to Implementation

This section provides a practical, step-by-step blueprint for a university student to design, build, and test a proof-of-concept system for AI-powered tea disease detection. The approach prioritizes accessibility, leveraging affordable hardware, open-source software, and publicly available data to create a "Minimum Viable Project" (MVP). This MVP pathway is designed to be achievable within the constraints of an academic semester, providing a powerful learning experience and a tangible outcome.

4.1 Phase 1: Foundational Setup - Hardware and Software Selection

The first phase involves acquiring the necessary tools. The selection is guided by the principles of low cost, programmability, and a strong support community.

4.1.1 Selecting an Affordable, Programmable Drone

Commercial agricultural drones are prohibitively expensive for a student project. Fortunately, the educational drone market offers several excellent, low-cost alternatives that are specifically designed for programming and experimentation.

- **Primary Recommendation: Ryze/DJI Tello EDU:** This is arguably the best entry-point for this type of project. At a cost of around \$159, it is highly affordable. Crucially, it features a built-in 5-megapixel camera capable of capturing 720p video, which is sufficient for collecting images for a proof-of-concept model. Its most important feature is its official Software Development Kit (SDK), which allows for control via Python scripts. This enables a student to programmatically command the drone to take off, fly a predetermined path, capture images, and land—the core functions needed for automated data collection.³⁵
- **Alternative Option: Robolink CoDrone EDU:** Another strong contender, the CoDrone EDU also emphasizes programmability with Python and block-based coding. It is equipped with multiple sensors and is designed to be durable for classroom environments. While it may be slightly more expensive than the Tello, it offers a robust educational ecosystem.³⁷

4.1.2 Onboard vs. Offboard Processing: The Role of Companion Computers

A key architectural decision is where the AI model will run.

- **Offboard Processing (Recommended for MVP):** This is the simplest and most practical starting point. In this configuration, the drone's only job is to capture images and transmit them to a ground station, which is typically a laptop. The computationally intensive task of running the AI model for inference (i.e., making a prediction) is handled by the laptop's more powerful CPU or GPU. This approach decouples the complex AI processing from the real-time flight control, significantly reducing the project's complexity. The Tello EDU can stream its video feed directly to a computer, making this an ideal setup.
- **Onboard Processing (Advanced Extension):** For a more advanced project aiming for real-time, autonomous decision-making in the air, the processing must be done onboard the drone. This requires a lightweight, powerful "companion computer."
 - **NVIDIA Jetson Nano:** This is a small, affordable (~\$99) single-board computer

specifically designed for running AI applications at the "edge." It has a dedicated GPU, making it far more capable of running deep learning models than a standard microcontroller.³⁸

- **Raspberry Pi 5:** A more general-purpose option, the latest Raspberry Pi is powerful enough to run lightweight AI models. Its performance can be significantly boosted by adding an AI accelerator module, making it another viable choice for onboard processing.³⁹

4.1.3 Software and Libraries: The Open-Source Ecosystem

The project can be built almost entirely on free, powerful, and well-documented open-source software.

- **Programming Language:** Python is the universal standard for AI and data science and is the language of choice for this project.
- **AI/Deep Learning Frameworks:**
 - **TensorFlow with Keras API:** TensorFlow is a comprehensive machine learning platform developed by Google. Its high-level Keras API is exceptionally user-friendly, making it ideal for students and beginners to define, train, and evaluate complex neural networks with just a few lines of code.⁴⁰
 - **PyTorch:** An alternative to TensorFlow, PyTorch is also widely used in both academia and industry and is known for its flexibility.
- **Computer Vision Library: OpenCV (Open Source Computer Vision Library)** is an indispensable tool. It will be used for all fundamental image processing tasks, such as reading and writing images, resizing them to the required input size for the model, converting color spaces, and performing data augmentation.⁴⁰
- **Drone Control:** The official Python SDK provided by the drone manufacturer (e.g., the Tello SDK) will be used to communicate with and control the drone.

Table 4: Recommended Drones and Companion Computers for Student Projects					
Component Type	Model Name	Key Features	Estimated Cost	Suitability	Source(s)
Drone	Ryze/DJI Tello EDU	- 5MP Camera (720p video) - Python & Swift SDK - 13 min	~\$159 USD	Beginner (MVP)	³⁵

		flight time - Lightweight and durable			
Drone	Robolink CoDrone EDU	- Python & Blockly SDK - 7 onboard sensors - 8 min flight time - Modular and repairable	~\$249 USD	Beginner	³⁷
Companion Computer	NVIDIA Jetson Nano	- Dedicated GPU for AI - Runs full Linux desktop - Extensive NVIDIA support libraries	~\$99 USD	Advanced (Onboard)	³⁸
Companion Computer	Raspberry Pi 5	- Powerful quad-core CPU - Can be paired with AI accelerators - Large community support	~\$60-80 USD	Intermediate (Onboard)	³⁹

4.2 Phase 2: Data Acquisition and Preparation

Data is the lifeblood of any AI model. The quality and quantity of the training data will directly determine the system's accuracy. Fortunately, a student does not need to start from zero.

4.2.1 Leveraging Public Datasets for Tea Diseases

A massive advantage for this project is the existence of several publicly available, pre-labeled image datasets specifically for tea leaf diseases. Using one of these datasets can save hundreds of hours of manual data collection and annotation, allowing the student to focus on the model-building process.

- **Kaggle "Identifying Disease in Tea Leaves" Dataset:** Contains images of 7 common tea diseases (Red leaf spot, Algal leaf spot, Bird's eye spot, Gray blight, White spot, Anthracnose, Brown blight) plus a "healthy" class. Each class has over 100 images.⁴²

- **Roboflow "Tea Leaf Plant diseases" Dataset:** An annotated dataset with 882 images across 8 classes, ready for use in training computer vision models.⁴³
- **Mendeley Data "Tea Leaf Diseases Dataset":** A very large dataset with 31,265 images (4,009 raw and 27,256 augmented) across 6 categories, including pest damage and environmental stress.⁴⁴
- **PMC Article Dataset:** Contains 3,960 high-resolution (1024x1024 pixels) images of Tea Leaf Blight, Tea Red Leaf Spot, Tea Red Scab, and Healthy leaves, collected from tea gardens in Bangladesh.⁴⁵

Starting with one or more of these datasets is the most efficient path forward for the initial model development.

Table 5: Publicly Available Tea Leaf Disease Datasets					
Dataset Source	Number of Classes	Total Images	Image Resolution	Key Diseases Covered	Source(s)
Kaggle	8	~800+	Variable	Anthracnose, Algal Leaf, Bird Eye Spot, Brown Blight, Gray Light, Red Leaf Spot, White Spot	⁴²
Roboflow Universe	8	882	Variable	Same as Kaggle dataset	⁴³
Mendeley Data	6	31,265 (raw + augmented)	Variable	Red Spider, Red Rust, Heliopeltis, Sunlight Scorching, Thrips, Healthy	⁴⁴
PMC Article	4	3,960	1024x1024	Tea Leaf Blight, Tea Red Leaf Spot, Tea Red Scab, Healthy	⁴⁵

4.2.2 Guidelines for Building a Custom Dataset

To improve the model's performance on local tea varieties or to add new disease classes, the

student may eventually want to collect their own data. Best practices for this include:

- **Varied Conditions:** Capture images at different times of day (morning, noon, afternoon) to expose the model to various lighting conditions. Also, capture images from multiple angles and distances.²
- **High Resolution:** Use the highest resolution possible. This allows the model to learn fine-grained details and provides flexibility for cropping and resizing later.⁴⁶
- **Accurate Labeling:** This is the most critical step. Each image must be correctly identified and placed in a folder corresponding to its class (e.g., all images of blister blight go into a folder named `blister_blight`). Mislabeling will confuse the model and severely degrade its accuracy. If possible, consult with an agricultural expert or use reliable botanical guides.³
- **Data Augmentation:** It is essential to artificially expand the dataset to improve model robustness and prevent overfitting. This involves applying random transformations to the training images. Using the `ImageDataGenerator` class in Keras or similar tools in other libraries, one can easily apply operations like:
 - Rotation (e.g., by up to 25 degrees)
 - Horizontal and vertical flipping
 - Zooming
 - Shearing
 - Adjusting brightness and contrastThis creates slightly modified versions of existing images, teaching the model to recognize a disease regardless of its orientation, size, or lighting.¹⁵

4.3 Phase 3: Building and Training the Detection Model

This is the core AI development phase where the collected data is used to teach a model to recognize tea diseases.

4.3.1 A Practical Approach: Implementing a Convolutional Neural Network (CNN)

For a student new to deep learning, building a simple CNN from scratch is an excellent learning exercise. Using the Keras API, a sequential model can be constructed layer by layer:

1. **Input Layer:** Defines the shape of the input images (e.g., 224x224 pixels with 3 color channels).
2. **Convolutional Layers (Conv2D):** These are the feature extractors. Each layer applies a set of learnable filters to the image to detect patterns like edges, corners, textures, and colors.
3. **Activation Function (ReLU):** Applied after each convolutional layer to introduce non-linearity, allowing the model to learn more complex patterns.
4. **Pooling Layers (MaxPooling2D):** These layers downsample the feature maps, reducing

the computational load and making the detected features more robust to variations in position.

5. **Flatten Layer:** Converts the 2D feature maps into a 1D vector to be fed into the final classification layers.
6. **Dense Layers:** Fully connected layers that perform the final classification based on the features extracted by the convolutional layers.
7. **Output Layer:** A final dense layer with a softmax activation function that outputs a probability distribution across all the disease classes. The class with the highest probability is the model's prediction.

4.3.2 Advanced Architectures for Higher Accuracy (YOLO, MobileNetV3)

While building a CNN from scratch is educational, a far more effective approach for achieving high accuracy is **transfer learning**. This technique leverages a model that has already been pre-trained on a massive dataset (like ImageNet, which contains millions of images) and adapts it for a new, specific task. The pre-trained model has already learned to recognize a rich hierarchy of visual features, which are highly relevant for tea leaf disease detection.

- **The Process:**
 1. Load a pre-trained model, such as MobileNetV3 or EfficientNet, without its final classification layer.
 2. "Freeze" the weights of the early layers of the model. This prevents the well-learned general features from being altered during training.
 3. Add new, custom classification layers (Dense layers) on top of the pre-trained base.
 4. Train this new composite model on the tea leaf disease dataset. Only the weights of the new layers will be updated.
- **The Benefit:** This approach requires significantly less data and computational power than training from scratch and almost always results in higher accuracy. One study on tea diseases explicitly demonstrated that using transfer learning improved recognition accuracy from 94.45% to 95.88%.³³ This is the single most powerful technique for ensuring the technical success of a student-level project.

4.3.3 Model Training, Validation, and Performance Metrics

The model training process involves the following steps:

1. **Data Splitting:** The dataset must be split into three distinct sets: a **training set** (typically 70-80% of the data) used to train the model, a **validation set** (10-15%) used to tune hyperparameters and monitor for overfitting during training, and a **test set** (10-15%) that is held back and used only once at the very end to provide an unbiased evaluation of the final model's performance.⁴⁷
2. **Training Loop:** The model is trained for a set number of "epochs." In each epoch, the

model processes the entire training dataset, makes predictions, calculates the error (loss), and adjusts its internal weights to reduce that error through a process called backpropagation, guided by an optimizer like "Adam".¹⁵

3. **Evaluation:** After training, the model's performance is evaluated on the unseen test set.

Key metrics include:

- **Accuracy:** The percentage of correct predictions.
- **Precision:** Of all the times the model predicted a specific disease, what percentage was correct?
- **Recall:** Of all the actual instances of a specific disease, what percentage did the model correctly identify?
- **F1-Score:** The harmonic mean of precision and recall, providing a single balanced measure.

A realistic and achievable goal for this project is an accuracy of over 90%, as consistently demonstrated in the literature.⁶

4.4 Phase 4: System Integration and Field Testing

The final phase involves bridging the gap between the trained AI model and the physical drone to create a functional, end-to-end system.

4.4.1 Integrating the Model with the Drone's SDK

A Python script will serve as the master controller for the proof-of-concept. The script will perform the following sequence of actions:

1. Load the trained and saved deep learning model (e.g., a .h5 or .pkl file).
2. Import the drone's SDK library.
3. Establish a connection with the drone over Wi-Fi.
4. Use SDK commands to initiate takeoff and have the drone hover at a safe altitude.
5. Access the drone's video stream, capture a single frame (image), and save it.
6. Preprocess the captured image (resize, normalize) to match the input format required by the AI model.
7. Pass the preprocessed image to the model to get a prediction.
8. Print the predicted class and confidence score to the console.
9. Use an SDK command to safely land the drone.

4.4.2 Developing a Simple User Interface for Data Visualization

While printing results to a console is functional, a simple graphical user interface (GUI) makes the project more impressive and user-friendly. Lightweight Python libraries like **Streamlit** or **Gradio** are perfect for this. They allow a developer to create a simple web-based interface in

just a few lines of code. The interface could have a button to "Start Scan," which triggers the drone flight and image capture, and then displays the captured image along with the model's prediction (e.g., "Predicted Class: Grey Blight").⁴⁸

4.4.3 A Step-by-Step Guide to a Proof-of-Concept Flight

This sequence outlines a safe and effective test of the integrated system.

1. Pre-Flight Checklist:

- **Safety First:** For initial tests, operate indoors in a clear, open space. Instead of a real plant, use a high-quality printed photo of a diseased tea leaf. This eliminates risks associated with outdoor flight and provides a controlled, repeatable test case.
- **Regulatory Compliance:** For any outdoor flight in Sri Lanka, ensure all necessary permits from the CAASL and MOD have been obtained and local authorities have been notified as required by law.²⁵ This step is non-negotiable.
- **Hardware Check:** Ensure drone batteries and the laptop are fully charged.

2. Execution:

- Place the target (the printed photo or a potted plant) in a well-lit area.
- Run the main Python integration script.

3. Automated Sequence:

- The script commands the drone to take off and hover at a pre-set distance and altitude from the target.
- The drone captures an image from its camera.
- The image is sent to the AI model running on the laptop.
- The model outputs its prediction.

4. Verification:

- The prediction is displayed on the console or the simple UI.
- The script commands the drone to land.

5. Analysis:

- Compare the model's prediction to the known "ground truth" of the image.
- Document the success or failure, and iterate on the model or the script as needed.

Successfully completing this sequence demonstrates a fully functional, end-to-end proof-of-concept, representing a significant achievement for a university-level project.

Section 5: Strategic Recommendations and Future Outlook

The development of an AI-powered drone system for tea plantation monitoring is a technically

feasible and economically compelling project. For a university student, it represents an outstanding opportunity to engage with cutting-edge technologies at the intersection of AI, robotics, and agriculture. However, moving from a successful proof-of-concept to a viable real-world solution requires a strategic approach that acknowledges key success factors and anticipates future technological trends.

5.1 Key Success Factors for Project Viability

To maximize the chances of success, both in an academic setting and beyond, several factors are critical:

- **Adopt a "Regulatory First" Mindset:** Particularly in a jurisdiction like Sri Lanka, the regulatory process is not an afterthought; it is the primary gatekeeper of feasibility. Any project plan must begin with a thorough understanding of the requirements set forth by the CAASL and MOD. Initiating the application process for security clearance and flight permits should be the very first step, as the lead times involved can be substantial.²⁴ A project that ignores this reality risks failure due to administrative, not technical, shortcomings.
- **Embrace an Iterative, MVP-Driven Approach:** The blueprint outlined in Section 4 is designed as a Minimum Viable Project (MVP). The goal should be to first build the simplest possible end-to-end system that works. Start with a public dataset, an off-the-shelf educational drone, and offboard processing. Once this core functionality is proven, the project can be iterated upon and expanded with more advanced features like a custom dataset, onboard processing, or object detection models. This iterative methodology manages complexity and ensures that there is a functional prototype at every stage of development.
- **Prioritize Data Quality and Diversity:** The adage "garbage in, garbage out" is especially true for deep learning. The single greatest determinant of the AI model's real-world performance will be the quality of the training data. A robust model requires a large, diverse dataset with accurately labeled images captured under a wide variety of real-world conditions (lighting, angles, leaf age, disease severity).⁴⁶ Continuous data collection and periodic model retraining are essential for maintaining high accuracy over time.
- **Foster Collaboration with Domain Experts:** A computer scientist can build a model, but an agronomist knows tea. Collaborating with local tea estates, agricultural universities, or government bodies like the Tea Research Institute of Sri Lanka can provide invaluable benefits. These partners can offer access to real-world test sites, provide expert verification of disease labels for custom datasets, and ensure that the technological solution is addressing a genuine and pressing need for the end-user.

5.2 Future Trends: From Detection to Automated Treatment

The current project focuses on detection and diagnosis, but this is just the first step in a broader technological evolution. The future of this technology lies in creating fully autonomous, integrated crop management systems.

- **Integrated "See and Treat" Systems:** The logical evolution is to pair the diagnostic drone with an application drone. An advanced system could autonomously identify a specific patch of Blister Blight and immediately dispatch a precision spraying drone to treat only that localized area.³¹ This closes the loop from detection to treatment, maximizing response speed while minimizing chemical usage and human intervention.
- **Pre-Symptomatic Detection with Advanced Sensors:** The next frontier is identifying disease before it is visible to the naked eye. The increasing affordability and miniaturization of multispectral and hyperspectral sensors will enable drones to detect subtle changes in a plant's spectral signature that indicate stress long before visible lesions appear.⁹ This would shift the paradigm from early detection to predictive prevention.
- **Holistic Farm Management Platforms:** Future systems will not rely on visual data alone. Drone imagery will be integrated with a host of other data sources, such as IoT sensors monitoring soil moisture and nutrient levels, local weather station forecasts, and historical yield data.¹² A central AI platform will synthesize this multi-modal data to create a comprehensive digital twin of the plantation, offering predictive insights and optimizing everything from irrigation schedules to harvest timing.

5.3 Concluding Analysis: The Viability of Student-Led Innovation in AgriTech

The project of developing an AI-powered drone for monitoring tea plantations is unequivocally feasible for a university student. The convergence of three powerful trends has democratized the tools of innovation:

1. The availability of **affordable, programmable drones** with high-quality cameras has removed the primary hardware barrier.³⁵
2. The proliferation of **powerful, open-source AI frameworks** like TensorFlow and PyTorch has made state-of-the-art deep learning accessible to individual developers.⁴⁰
3. The existence of **publicly available, high-quality image datasets** for tea diseases dramatically reduces the most time-consuming phase of project development.⁴²

While the technological barriers have fallen, significant hurdles remain in the regulatory and operational domains. The stringent legal framework in Sri Lanka presents a formidable challenge that requires careful planning and patience. Furthermore, scaling a lab-based proof-of-concept into a reliable, robust field service that can withstand the rigors of daily agricultural use is a complex engineering and business challenge.

Despite these challenges, the potential rewards are immense. For a student, completing such a project provides an invaluable portfolio piece that demonstrates expertise in a range of

high-demand skills, from robotics and AI to data science. It can serve as the foundation for postgraduate research or, with an entrepreneurial spirit, evolve into a specialized AgriTech startup. The growing support for drone technology within Sri Lanka's agricultural sector, including financial backing from institutions like the Bank of Ceylon and interest from government bodies, indicates a receptive and growing market for such innovations.¹⁸ The future of agriculture will be data-driven, and student-led projects like this are not just academic exercises; they are the seeds of that future.

Works cited

1. Machine Learning-Based Tea Leaf Disease Detection: A Comprehensive Review - arXiv, accessed on October 12, 2025, <https://arxiv.org/pdf/2311.03240>
2. (PDF) Research on the Yunnan Large-Leaf Tea Tree Disease ..., accessed on October 12, 2025, https://www.researchgate.net/publication/391611871_Research_on_the_Yunnan_Large-Leaf_Tea_Tree_Disease_Detection_Model_Based_on_the_Improved_YOLOv10_Network_and_UAV_Remote_Sensing
3. Tea Diseases - Agriculture - Vikaspedia, accessed on October 12, 2025, <https://agriculture.vikaspedia.in/viewcontent/agriculture/crop-production/integrated-pest-managment/ipm-for-commercial-crops/ipm-strategies-for-tea/tea-diseases?lgn=en>
4. Identification guide for diseases of tea (Camellia sinensis) - CTAHR, accessed on October 12, 2025, <https://www.ctahr.hawaii.edu/oc/freepubs/pdf/PD-33.pdf>
5. (PDF) Diseases and Pests of Tea: Overview and Possibilities of Integrated Pest and Disease Management - ResearchGate, accessed on October 12, 2025, https://www.researchgate.net/publication/249010391_Diseases_and_Pests_of_Tea_Overview_and_Possibilities_of_Integrated_Pest_and_Disease_Management
6. Grey Blight Disease Detection on Tea Leaves Using Improved Deep Convolutional Neural Network - PMC, accessed on October 12, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC9873464/>
7. A and B, Symptoms of twig dieback of tea plants. - ResearchGate, accessed on October 12, 2025, https://www.researchgate.net/figure/A-and-B-Symptoms-of-twigs-dieback-of-tea-plants_fig9_350160136
8. Detection of Tea Leaf Diseases Using Deep Transfer Learning - Essex Research Repository, accessed on October 12, 2025, <https://repository.essex.ac.uk/39381/1/Accepted.pdf>
9. AI Drones in Agriculture: Transforming Crop Monitoring and Precision Farming - Keymakr, accessed on October 12, 2025, <https://keymakr.com/blog/ai-drones-in-agriculture-transforming-crop-monitoring-and-precision-farming/>
10. Image Processing & Drone Imagery: Multi-Industry Insights - Medium, accessed on October 12, 2025, <https://medium.com/@API4AI/image-processing-drone-imagery-multi-industry-insights-e66a29f10777>

11. Plant Disease Detection by Imaging Sensors – Parallels and Specific Demands for Precision Agriculture and Plant Phenotyping - APS Journals, accessed on October 12, 2025, <https://apsjournals.apsnet.org/doi/10.1094/PDIS-03-15-0340-FE>
12. Best Drone Agriculture: Agriculture Drone Images & AI Farming - Farmonaut, accessed on October 12, 2025, <https://farmonaut.com/precision-farming/best-drone-agriculture-agriculture-drone-images-ai-farming>
13. A Machine Learning Approach to Drone-Based Crop Health Monitoring and Disease Detection - European Journal of Computer Science and Information Technology (EJCSIT), accessed on October 12, 2025, <https://ejournals.org/ejcsit/vol13-issue25-2025/a-machine-learning-approach-to-drone-based-crop-health-monitoring-and-disease-detection/>
14. Artificial Intelligence-Based Drone System for Multiclass Plant ..., accessed on October 12, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC9218756/>
15. Towards precision agriculture tea leaf disease detection using CNNs and image processing - PMC, accessed on October 12, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC12095766/>
16. 5 Ways Drones Are Making AI More Accessible to Farmers - Global Ag Tech Initiative, accessed on October 12, 2025, <https://www.globalagtechinitiative.com/in-field-technologies/drones-uavs/5-ways-drones-are-making-ai-more-accessible-to-farmers/>
17. Agriculture Drone Services Pricing & Value 2025 - Farmonaut, accessed on October 12, 2025, <https://farmonaut.com/precision-farming/agriculture-drone-services-pricing-value-2025>
18. Bank of Ceylon's Support in Agricultural Drone Technology – A Game-Changer for Sri Lanka, accessed on October 12, 2025, <https://www.boc.lk/news/articles/bank-of-ceylons-support-in-agricultural-drone-technology-has-been-a-game-changer>
19. Agright Technologies Helps Dole Fight Banana Fungi, accessed on October 12, 2025, <https://eos.com/blog/dole-asias-leap-into-agtech-with-agright-technologies/>
20. Drones - Civil Aviation Authority - Sri Lanka, accessed on October 12, 2025, <https://www.caa.lk/en/drones>
21. Drone registration Sri Lanka | Flying a drone permission service, accessed on October 12, 2025, <https://www.serenitysrilankatours.com/drone-registration-sri-lanka/>
22. Drone Laws in Sri Lanka | UAV Coach (2023), accessed on October 12, 2025, <https://uavcoach.com/drone-laws-in-sri-lanka/>
23. Flying drone in Sri Lanka with Permit And without Worries - Dune Towers, accessed on October 12, 2025, <https://www.dunetowers.com/blog/flying-drone-in-sri-lanka-2/>
24. Sri Lanka Drone Laws - UAV Systems, accessed on October 12, 2025, <https://uavsystemsinternational.com/pages/sri-lanka-drone-laws>
25. Flying a Drone in Sri Lanka: What You Need to Know - The Middle Age Wanderer,

- accessed on October 12, 2025,
<https://themiddleagewanderer.com/can-you-fly-a-drone-in-sri-lanka/>
26. [Guide] Read before Flying a Drone in Sri Lanka : r/srilanka - Reddit, accessed on October 12, 2025,
https://www.reddit.com/r/srilanka/comments/1ircc8i/guide_read_before_flying_a_drone_in_sri_lanka/
 27. AI Got It: HAWKS AI technology to provide solution to disease detection and crop management among others - DOST, accessed on October 12, 2025,
<https://www.dost.gov.ph/knowledge-resources/news/84-2024-news/3797-ai-got-it-hawks-ai-technology-to-provide-solution-to-disease-detection-and-crop-management-among-others.html>
 28. DOST pitches AI-powered drone tech for disease detection, crop management, accessed on October 12, 2025,
<https://newsbytes.ph/2024/10/17/dost-pitches-ai-powered-drone-tech-for-disease-detection-crop-management/>
 29. HAWKS AI Bolsters Crop Management in the Philippines - OpenGov Asia, accessed on October 12, 2025,
<https://archive.opengovasia.com/2024/10/14/hawks-ai-bolsters-crop-management-in-the-philippines/>
 30. AI Got It: Exploring AI technologies in various sectors - DOST-STII, accessed on October 12, 2025,
<http://sntpost.dost.gov.ph/dost/ai-got-it-exploring-ai-technologies-in-various-sectors>
 31. Farming with AI and drones to increase yields, manage resources and reduce pests, accessed on October 12, 2025,
<https://india.mongabay.com/2024/04/farming-with-ai-and-drones-to-increase-yields-manage-resources-and-reduce-pests/>
 32. Drone Technology Aids Banana Disease Detection In The Philippines | Food Logistics, accessed on October 12, 2025,
<https://www.foodlogistics.com/safety-security/regulations/news/12042190/drone-technology-aids-banana-disease-detection-in-the-philippines>
 33. Tea leaf disease and insect identification based on improved MobileNetV3 - Frontiers, accessed on October 12, 2025,
<https://www.frontiersin.org/journals/plant-science/articles/10.3389/fpls.2024.1459292/full>
 34. From the Field The Big Picture: Can drones improve farmer livelihoods in Sri Lanka? - Alliance Bioversity International - CIAT, accessed on October 12, 2025,
<https://alliancebioversityciat.org/stories/big-picture-can-drones-improve-farmer-livelihoods-sri-lanka>
 35. What's the best educational drone for a STEM program?, accessed on October 12, 2025,
<https://www.thedronegirl.com/2019/06/12/best-educational-drone-stem-program/>
 36. Best Drones for Schools | Tech & Learning, accessed on October 12, 2025,
<https://www.techlearning.com/buying-guides/best-drones-for-schools>

37. CoDrone EDU | RoboLink, accessed on October 12, 2025, <https://www.robolink.com/products/codrone-edu>
38. Drones Projects for Engineering Students - ElProCus, accessed on October 12, 2025, <https://www.elprocus.com/drones-projects-for-engineering-students/>
39. Best board for computer vision drone : r/diydrones - Reddit, accessed on October 12, 2025, https://www.reddit.com/r/diydrones/comments/1hwtxwa/best_board_for_computer_vision_drone/
40. Python OpenCV Leaf Disease Detection - Safeguard Your Green Haven, accessed on October 12, 2025, <https://pythongeeks.org/python-opencv-leaf-disease-detection/>
41. Plant Leaf Disease Detection Using Deep Learning - SSGMCE Shegaon, accessed on October 12, 2025, https://www.ssgmce.ac.in/uploads/UG_Projects/cse/Gr%20No-06-Project-Report.pdf
42. Identifying Disease in Tea leaves - Kaggle, accessed on October 12, 2025, <https://www.kaggle.com/datasets/shashwatwork/identifying-disease-in-tea-leafs>
43. Tea Leaf Plant diseases Classification Model by RRT - Roboflow Universe, accessed on October 12, 2025, <https://universe.roboflow.com/rrt/tea-leaf-plant-diseases>
44. Tea Leaf Diseases Dataset: Towards Accurate Field Diagnosis Using Image-Based Detection - Mendeley Data, accessed on October 12, 2025, <https://data.mendeley.com/datasets/mkzyfj8bkj/1>
45. High-resolution dataset for tea garden disease management: Precision agriculture insights, accessed on October 12, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC11914274/>
46. Building Quality and Accurate Image Datasets for AI Models - Sapien, accessed on October 12, 2025, <https://www.sapien.io/blog/creating-high-quality-and-effective-image-datasets>
47. How to Build a Quality Satellite Imagery Dataset for Agricultural Use Cases - Omdena, accessed on October 12, 2025, <https://www.omdena.com/blog/satellite-imagery-dataset>
48. How to Plant Disease Detection with python | Streamlit #tensorflow - YouTube, accessed on October 12, 2025, <https://www.youtube.com/watch?v=jJmyfiyNv04>
49. Crop Disease Detection Using YOLOv8 | Computer Vision Project - YouTube, accessed on October 12, 2025, https://www.youtube.com/watch?v=-25_zYUs67E