

## Code Files

### about.html

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>About Us - Verdaily</title>

  <link rel="stylesheet" href="styles.css">

  <link rel="stylesheet" href="para.css">

  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.0/css/all.min.css" />

  <link rel="preconnect" href="https://fonts.googleapis.com">

  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>

  <link href="https://fonts.googleapis.com/css2?family=Roboto+Slab:wght@100..900&display=swap" rel="stylesheet">

  <link rel="icon" href="logo/favicon.png" type="image/png">

  <style>

    /* Base Styles */

    * {

      font-family: "Roboto Slab", serif;

      box-sizing: border-box;

    }

    body {

      display: flex;

      flex-direction: column;
```

## Code Files

```
min-height: 100vh;
```

```
margin: 0;
```

```
padding: 0;
```

```
background-color: #f4f8fc;
```

```
}
```

```
a {
```

```
text-decoration: none;
```

```
color: inherit;
```

```
}
```

```
/* Content Styles */
```

```
.container {
```

```
max-width: 800px;
```

```
margin: 20px auto;
```

```
padding: 20px;
```

```
background-color: #ffffff;
```

```
border-radius: 8px;
```

```
box-shadow: 0 0 20px rgba(0, 0, 0, 0.1);
```

```
}
```

```
h1, h2 {
```

```
color: #333;
```

```
font-size: 2rem;
```

## Code Files

```
}
```

```
p {
```

```
    font-size: 1.2rem;
```

```
    margin-bottom: 1em;
```

```
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
    <!-- Navbar Placeholder -->
```

```
<div id="navbar-placeholder"></div> <!-- This will be replaced by navbar.html -->
```

```
<div class="container">
```

```
    
```

```
    <h1>Welcome to Verdaily</h1>
```

```
    <p>At <strong>Verdaily</strong>, our mission is to become your go-to source for the latest and most insightful articles in the realms of business and science. We are committed to delivering high-quality content, including news, discoveries, case studies, and informative articles that cater to anyone interested in these fields. Our goal is to ensure that you find valuable and accessible information that meets your research and reading needs.</p>
```

```
    <h2>Who We Serve</h2>
```

```
    <p>Our audience includes anyone eager to explore the dynamic worlds of business and science. Whether you're a
```

## Code Files

student, a professional, an entrepreneur, or simply a curious mind, our content is designed for you. We aim to empower our readers with knowledge and insights that are relevant not only to India but also to a global audience.</p>

### <h2>Our Approach</h2>

<p>At Verdaily, we believe in simplicity and clarity. Our articles are written in formal yet straightforward language, ensuring that complex ideas are presented in an easily digestible format. We focus primarily on topics related to business, startups, entrepreneurship, finance, and economic trends.</p>

<p>We are proud to provide content in both English and Hindi, making our insights accessible to a broader audience. Our comprehensive case studies and articles are crafted to be engaging, informative, and up-to-date, helping you stay ahead in today's fast-paced environment.</p>

### <h2>What Makes Us Unique</h2>

<p>What sets Verdaily apart is our commitment to quality and relevance. We strive to offer the best insights in the business and science world, using simple words and sentences that make learning enjoyable. Our focus on comprehensive yet clear case studies ensures that our readers can easily grasp the concepts and apply them to real-world scenarios.</p>

### <h2>Join Us on This Journey</h2>

<p>We invite you to explore our articles and case studies, and we encourage you to start reading today. Dive into the wealth of knowledge we provide, and let Verdaily be your trusted companion on your journey of discovery in business and science.</p>

</div>

<script src="navbar.js" defer></script>

</body>

## Code Files

</html>

### article.html

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<meta name="description" content="Read the latest articles on business and science.">

<title id="page-title">Article</title>

<link rel="stylesheet" href="styles.css">

<link rel="stylesheet" href="para.css">

<link rel="preconnect" href="https://fonts.googleapis.com">

<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>

<link href="https://fonts.googleapis.com/css2?family=Nunito:ital,wght@0,200..1000;1,200..1000&display=swap"  
rel="stylesheet">

<link href="https://fonts.googleapis.com/css2?family=Nunito:wght@400;700&display=swap" rel="stylesheet">

<!-- Font Awesome for Social Media Icons -->

<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.0/css/all.min.css" />

<link rel="preconnect" href="https://fonts.googleapis.com">

<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>

<link href="https://fonts.googleapis.com/css2?family=Roboto+Slab:wght@100..900&display=swap" rel="stylesheet">

<link rel="icon" href="logo/favicon.png" type="image/png">

## Code Files

```
<style>
```

```
  /* Basic Reset */
```

```
  * {
```

```
    margin: 0;
```

```
    padding: 0;
```

```
  }
```

```
  body {
```

```
    font-family: 'Nunito', sans-serif !important;
```

```
    margin: 0px !important;
```

```
    padding: 0px !important;
```

```
    background-color: #ffffff;
```

```
  }
```

```
  .content {
```

```
    width: 100%;
```

```
    display: flex;
```

```
    align-items: center;
```

```
    flex-direction: column;
```

```
  }
```

```
  .container {
```

## Code Files

```
max-width: 900px;

margin: 20px 10px;

padding: 0 0px;

background-color: #ffffff;

/* box-shadow: 0 2px 4px rgba(0, 0, 0, 0.1); */

padding-bottom: 40px;
}
```

```
.article-images {

  width: 100%;

  height: auto;

  padding: 0px !important;
}
```

```
.article-content {

  padding: 12px;
}
```

```
.article-titles {

  margin-top: 0px !important;

  font-size: 2.2rem !important;

  margin-bottom: 0px !important;
}
```

## Code Files

```
.article-text {  
  
    margin-top: 60px;  
  
}
```

```
.article-meta {  
  
    font-size: 0.9em;  
  
    color: #7c85ff;  
  
    margin-bottom: 20px;  
  
}
```

```
.social-media {  
  
    display: flex;  
  
    justify-content: center;  
  
    gap: 20px;  
  
    margin-top: 40px;  
  
}
```

```
.social-media a {  
  
    color: #333;  
  
    font-size: 1.5em;  
  
    transition: color 0.3s;  
  
}
```

```
.social-media a i {
```



## Code Files

```
color: #004992;  
  
}
```

```
.social-media a:hover {  
  
    color: #0073e6;  
  
}
```

```
/* Responsive Styles */
```

```
@media (max-width: 768px) {  
  
    .container {  
  
        margin: 0px;  
  
    }  
  
}
```

```
.article-titles {  
  
    font-size: 2.1rem !important;  
  
}  
  
}
```

```
@media (max-width: 480px) {  
  
    .article-titles {  
  
        font-size: 1.6rem !important;  
  
    }  
  
}
```

## Code Files

```
.container {  
  
  white-space: pre-line;  
  
}
```

```
b {  
  
  color: #444444;  
  
  line-height: 1;  
  
}
```

```
p {  
  
  line-height: 1;  
  
  font-size: 1.26rem;  
  
  margin: 0;  
  
  padding: 0;  
  
  color: #525252;  
  
}
```

```
strong {  
  
  line-height: 1;  
  
}
```

```
br {  
  
  line-height: .4;
```

## Code Files

```
}
```

```
ul {  
  
    line-height: 1;  
  
}
```

```
li {  
  
    line-height: 1;  
  
    color: #525252;  
  
    font-size: 22px;  
  
}
```

```
h2 {  
  
    color: #1f1f1f;  
  
}
```

```
ul {  
  
    list-style: none;  
  
}
```

```
h1,
```

```
h2,
```

```
h3,
```

```
h4 {
```

```
    color: #333;
```

## Code Files

```
}
```

```
h1 {
```

```
    font-size: 2.2rem !important;
```

```
}
```

```
h2 {
```

```
    font-size: 1.9rem !important;
```

```
}
```

```
h3 {
```

```
    font-size: 1.6rem !important;
```

```
}
```

```
p {
```

```
    color: #525252 !important;
```

```
    font-size: 1.26rem !important;
```

```
    /* margin-bottom: 1em; */
```

```
}
```

```
ul {
```

```
    font-size: 1.26rem !important;
```

```
}
```

```
li {
```

## Code Files

```
color: #525252;

list-style: none;

font-size: 1.26rem !important;

}
```

```
strong {

    font-size: 1.26rem !important;

    color: #363636;

}
```

```
@media (max-width:768px) {

    h1 {

        font-size: 2rem !important;

    }

}
```

```
h2 {

    font-size: 1.8rem !important;

}
```

```
h3 {

    font-size: 1.4rem !important;

}
```

```
p {

    font-size: 1.26rem !important;
```

## Code Files

```
}
```

```
li {
```

```
    font-size: 1.26rem !important;
```

```
}
```

```
ul {
```

```
    font-size: 1.26rem !important;
```

```
}
```

```
strong {
```

```
    font-size: 1.26rem;
```

```
}
```

```
}
```

```
@media (max-width:480px) {
```

```
    h1 {
```

```
        font-size: 1.7rem !important;
```

```
    }
```

```
    h2 {
```

```
        font-size: 1.4rem !important;
```

```
    }
```

## Code Files

```
h3 {  
  
  font-size: 1.2rem !important;  
  
}
```

```
p {  
  
  font-size: 1.12rem !important;  
  
}
```

```
li {  
  
  font-size: 1.12rem !important;  
  
}
```

```
ul {  
  
  font-size: 1.12rem !important;  
  
}
```

```
strong {  
  
  font-size: 1.12rem !important;  
  
}
```

```
}
```

```
.lang {  
  
  display: flex;  
  
  justify-content: center;
```

## Code Files

```
/* Center the buttons horizontally */  
  
margin: 20px 0;  
  
/* Add some vertical spacing */  
  
}  
  
.lang button {  
  
    background-color: #007BFF;  
  
    /* Bootstrap primary color */  
  
    color: white;  
  
    /* Text color */  
  
    border: none;  
  
    /* Remove default border */  
  
    border-radius: 5px;  
  
    /* Rounded corners */  
  
    padding: 10px 20px;  
  
    /* Top/bottom and left/right padding */  
  
    font-size: 16px;  
  
    /* Increase font size */  
  
    cursor: pointer;  
  
    /* Change cursor on hover */  
  
    transition: background-color 0.3s ease, transform 0.2s;  
  
    /* Smooth transition for hover effects */  
  
    margin: 0 10px;  
  
    /* Add horizontal margin between buttons */  
  
}
```



## Code Files

```
.lang button:hover {  
  
    background-color: #0056b3;  
  
    /* Darker shade on hover */  
  
    transform: scale(1.05);  
  
    /* Slightly enlarge the button on hover */  
  
}
```

```
.lang button:focus {  
  
    outline: none;  
  
    /* Remove outline on focus */  
  
    box-shadow: 0 0 0 2px rgba(0, 123, 255, 0.5);  
  
    /* Add a shadow for better visibility */  
  
}
```

```
</style>
```

```
</head>
```

```
v<body>
```

```
<!-- Navbar Placeholder -->
```

```
<div id="navbar-placeholder"></div> <!-- This will be replaced by navbar.html -->
```

```
<div class="content">
```

```
<div class="container">
```

```
<div class="article-content">
```

```
<h1 class="article-titles" id="article-titles">Loading...</h1>
```

## Code Files

```
<div class="article-meta" id="article-meta">Loading...</div>



<div class="lang">

  <button id="english-btn">English</button>

  <button id="hindi-btn">Hindi</button>

</div>

<div class="article-text" id="article-text">Loading content...</div>

</div>

</div>

<!-- Social Media Sharing Links

<h3 class="social-media">share this</h3>

<div class="social-media">

  <a href="#" id="whatsapp-share" target="_blank" aria-label="Share on WhatsApp">

    <i class="fab fa-whatsapp"></i>

  </a>

  <a href="#" id="facebook-share" target="_blank" aria-label="Share on Facebook">

    <i class="fab fa-facebook-f"></i>

  </a>

  <a href="#" id="twitter-share" target="_blank" aria-label="Share on Twitter">

    <i class="fab fa-twitter"></i>

  </a>

  <a href="#" id="instagram-share" target="_blank" aria-label="Visit our Instagram">

    <i class="fab fa-instagram"></i>

  </a>

</div>
```

## Code Files

```
</div> -->
```

```
<!-- <footer>
```

```
<p>
```

```
  <a href="privacy-policy.html">Privacy Policy</a> |
```

```
  <a href="terms-and-conditions.html">Terms and Conditions</a> |
```

```
  <a href="contact.html">Contact Us</a>
```

```
</p>
```

```
<p class="copyright">&copy; 2024 Verdaily. All rights reserved.</p>
```

```
</footer> -->
```

```
<div class="art">
```

```
  <h1 class="content" style="margin-block: 16px;">Similar Articles</h1>
```

```
  <section class="article-list" id="article-list">
```

```
    <!-- Articles will be dynamically loaded here -->
```

```
</section>
```

```
<!-- Include your separate JavaScript file -->
```

```
<script src="similar.js" defer></script>
```

```
</div>
```

```
<script>
```

```
  document.addEventListener('DOMContentLoaded', function () {
```

```
    const articleTitle = document.getElementById('article-titles');
```

## Code Files

```
const articleMeta = document.getElementById('article-meta');

const articleImage = document.getElementById('article-images');

const articleText = document.getElementById('article-text');

let currentLanguage = 'english'; // Default language is English


// Function to get URL parameter

function getQueryParam(param) {

    const urlParams = new URLSearchParams(window.location.search);

    return urlParams.get(param);

}


const articleNumber = getQueryParam('article');


if (!articleNumber) {

    articleTitle.textContent = 'Article Not Found';

    document.title = 'Article Not Found'; // Update the page title

    articleMeta.textContent = "";

    articleText.textContent = 'No article specified. Please return to the homepage.';

    articleImage.src = 'images/placeholder.png';

    return;

}


// Fetch articles.csv to get metadata

fetch('articles.csv')

    .then(response => response.text())
```

## Code Files

```
.then(data => {

    const articles = parseCSV(data);

    const article = articles.find(a => a.number === articleNumber);

    if (!article) {

        articleTitle.textContent = 'Article Not Found';

        document.title = 'Article Not Found'; // Update the page title

        articleMeta.textContent = "";

        articleText.textContent = 'The specified article does not exist.';

        articleImage.src = 'images/placeholder.png';

        return;

    }

    // Update metadata

    articleTitle.textContent = article.title || 'Untitled Article';

    document.title = article.title || 'Untitled Article'; // Update the page title

    articleMeta.textContent = `${article.postDate} | ${article.category1}${article.category2 ? ' | ' +
article.category2 : ''}`;

    // Update image

    articleImage.src = article.imageSrc || 'images/placeholder.png';

    articleImage.alt = article.title || 'Article Image';

    // Fetch article content based on the current language

    fetchArticleContent(article.number);
```

## Code Files

```
    })

    .catch(error => {

        console.error('Error loading articles:', error);

        articleTitle.textContent = 'Error';

        document.title = 'Error'; // Update the page title

        articleMeta.textContent = "";

        articleText.textContent = 'An error occurred while loading the article.';

        articleImage.src = 'images/placeholder.png';

    });

// Function to parse CSV

function parseCSV(data) {

    const lines = data.trim().split('\n');

    const headers = lines[0].split(',');

    return lines.slice(1).map(line => {

        const cols = line.split(',');

        return {

            number: cols[0],

            title: cols[1] === '?' ? '' : cols[1],

            imageSrc: cols[2] === '?' ? 'images/placeholder.png' : cols[2],

            postDate: cols[3] === '?' ? 'Unknown Date' : cols[3],

            category1: cols[4] === '?' ? '' : cols[4],

            category2: cols[5] === '?' ? '' : cols[5],

        };

    });

}
```

## Code Files

```
});  
  
}  
  
  
// Function to fetch article content based on language  
  
function fetchArticleContent(articleNumber) {  
  
    const articleFile = currentLanguage === 'hindi' ? `${articleNumber}-hindi.txt` : `${articleNumber}.txt`;  
  
    fetch(`articles/${articleFile}`)  
  
        .then(response => {  
  
            if (!response.ok) {  
  
                throw new Error('Content not found');  
  
            }  
  
            return response.text();  
  
        })  
  
        .then(content => {  
  
            articleText.innerHTML = content; // Assuming the .txt file contains HTML content  
  
        })  
  
        .catch(error => {  
  
            console.error('Error loading article content:', error);  
  
            articleText.textContent = 'Error loading article content.';  
  
        });  
  
}  
  
  
// Language button event listeners  
  
document.getElementById('english-btn').addEventListener('click', function () {
```

## Code Files

```
currentLanguage = 'english'; // Set to English

fetchArticleContent(articleNumber); // Fetch article content again

});
```

```
document.getElementById('hindi-btn').addEventListener('click', function () {

    currentLanguage = 'hindi'; // Set to Hindi

    fetchArticleContent(articleNumber); // Fetch article content again

});
```

```
});
```

```
</script>
```

```
<!-- socila media -->
```

```
<script>
```

```
document.addEventListener('DOMContentLoaded', function () {
```

```
    const articleUrl = window.location.href; // Get the current article URL
```

```
    const articleTitle = document.querySelector('h1').innerText; // Get the article title (adjust this selector as
```

```
needed)
```

```
    // Update WhatsApp share link
```

```
    document.getElementById('whatsapp-share').href =
```

```
`https://api.whatsapp.com/send?text=${encodeURIComponent(articleTitle)}%20${encodeURIComponent(articleUrl)}`;
```

```
    // Update Facebook share link
```

```
    document.getElementById('facebook-share').href =
```

```
`https://www.facebook.com/sharer/sharer.php?u=${encodeURIComponent(articleUrl)}`;
```



## Code Files

```
// Update Twitter share link
```

```
document.getElementById('twitter-share').href =  
`https://twitter.com/intent/tweet?text=${encodeURIComponent(articleTitle)}&url=${encodeURIComponent(articleUrl)}`;
```

```
// Instagram share link (not a direct share)
```

```
document.getElementById('instagram-share').href = `https://www.instagram.com/`; // Instagram doesn't allow  
direct sharing links for articles
```

```
});
```

```
</script>
```

```
<script>
```

```
document.addEventListener('DOMContentLoaded', function () {  
  
    const articleTitle = document.getElementById('article-titles');  
  
    const articleMeta = document.getElementById('article-meta');  
  
    const articleImage = document.getElementById('article-images');  
  
    const articleText = document.getElementById('article-text');
```

```
// Function to get URL parameter
```

```
function getQueryParam(param) {  
  
    const urlParams = new URLSearchParams(window.location.search);  
  
    return urlParams.get(param);  
  
}
```

```
const articleNumber = getQueryParam('article');
```

## Code Files

```
if (!articleNumber) {

    // Handle case when no article is specified

    return;

}

// Track the article visit

trackArticleVisit(articleNumber);

// Fetch articles.csv to get metadata

fetch('articles.csv')

    .then(response => response.text())

    .then(data => {

        const articles = parseCSV(data);

        const article = articles.find(a => a.number === articleNumber);

        if (article) {

            // Update article details on the page

        }

    })

    .catch(error => {

        console.error('Error loading articles:', error);

    });

// Function to track article visit

function trackArticleVisit(articleNumber) {

    let history = JSON.parse(localStorage.getItem('articleHistory')) || [];
```

## Code Files

```
// Remove the article if it already exists in the history
```

```
history = history.filter(article => article !== articleNumber);
```

```
// Add the article to the end of the history
```

```
history.push(articleNumber);
```

```
// Limit to last 36 visited articles
```

```
if (history.length > 36) {
```

```
    history.shift(); // Remove the oldest entry
```

```
}
```

```
localStorage.setItem('articleHistory', JSON.stringify(history));
```

```
}
```

```
// Add your other functions like parseCSV, etc. here
```

```
});
```

```
</script>
```

```
<script src="navbar.js"></script>
```

```
</body>
```

```
</html>
```

## Code Files

### bookmarks.html

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <meta name="description" content="Your bookmarked articles on Verdaily.">

  <title>Verdaily - Bookmarks</title>

  <script src="https://cdn.onesignal.com/sdks/web/v16/OneSignalSDK.page.js" defer></script>

  <link rel="stylesheet" href="styles.css">

  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.0/css/all.min.css" />

  <link rel="preconnect" href="https://fonts.googleapis.com">

  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>

  <link href="https://fonts.googleapis.com/css2?family=Roboto+Slab:wght@100..900&display=swap" rel="stylesheet">

  <link rel="icon" href="logo/favicon.png" type="image/png">

  <style>

    /* Remove Bookmark Button Styles */

.remove-bookmark-btn {

  background: none;

  border: none;

  cursor: pointer;

  font-size: 1.5em;

  color: #ff4d4d; /* Red color for the trash icon */

  transition: color 0.3s ease;
```

## Code Files

```
}
```

```
.remove-bookmark-btn:hover {  
  
    color: #cc0000; /* Darker red on hover */  
  
}
```

```
/* Ensure the remove button aligns with existing article actions */
```

```
.article-actions {  
  
    display: flex;  
  
    align-items: center;  
  
    padding: 0 20px 20px 0;  
  
}
```

```
/* Adjustments for Smaller Screens */
```

```
@media (max-width: 768px) {  
  
    .remove-bookmark-btn {  
  
        font-size: 1.3em;  
  
    }  
  
}
```

```
@media (max-width: 480px) {  
  
    .remove-bookmark-btn {  
  
        font-size: 1.2em;  
  
    }  
  
}
```

## Code Files

```
</style>

</head>

<body>

  <!-- Navbar Placeholder -->

  <div id="navbar-placeholder"></div> <!-- This will be replaced by navbar.html -->


  <!-- Page Title -->

  <h1 style="text-align: center; margin-top: 40px;">Your Bookmarked Articles</h1>


  <!-- Bookmarks Section -->

  <div class="art">

    <section class="article-list" id="bookmark-list">

      <!-- Bookmarked Articles will be dynamically loaded here -->

    </section>

  </div>


  <script>

    document.addEventListener('DOMContentLoaded', function () {

      const bookmarkList = document.getElementById('bookmark-list');


      const bookmarks = getBookmarks();


      if (bookmarks.length === 0) {
```

## Code Files

```
bookmarkList.innerHTML = '<p style="text-align: center;">You have no bookmarked articles.</p>';  
  
} else {  
  
    renderBookmarks(bookmarks);  
  
}
```

```
function getBookmarks() {  
  
    const bookmarks = localStorage.getItem('bookmarks');  
  
    return bookmarks ? JSON.parse(bookmarks) : [];  
  
}
```

```
function renderBookmarks(bookmarks) {  
  
    bookmarkList.innerHTML = "";  
  
    bookmarks.forEach(article => {  
  
        const articleItem = createBookmarkItem(article);  
  
        bookmarkList.appendChild(articleItem);  
  
    });  
  
}
```

```
function createBookmarkItem(article) {  
  
    const articleItem = document.createElement('div');  
  
    articleItem.classList.add('article-item');  
  
    articleItem.innerHTML = `  
  
        <div class="article-image">  
  
              
  
        </div>
```

## Code Files

```
<div class="article-content">

  <div class="article-title">${article.title}</div>

  <div class="article-meta">${formatDate(article.postDate)} | ${article.category1}${article.category2 ? ' | ' +
article.category2 : ''}</div>

</div>

<div class="article-actions">

  <button class="remove-bookmark-btn" title="Remove Bookmark">

    <i class="fa-solid fa-trash"></i>

  </button>

</div>
`;

// Handle article click (excluding remove bookmark button)
articleItem.addEventListener('click', function (e) {

  if (!e.target.closest('.remove-bookmark-btn')) {

    window.location.href = `article.html?article=${article.number}`;

  }

});

// Handle remove bookmark button click

const removeBtn = articleItem.querySelector('.remove-bookmark-btn');

removeBtn.addEventListener('click', function (e) {

  e.stopPropagation(); // Prevent triggering the article click

  removeBookmark(article.number);

  articleItem.remove();
```



## Code Files

```
if (bookmarkList.children.length === 0) {  
  
    bookmarkList.innerHTML = '<p style="text-align: center;">You have no bookmarked articles.</p>';  
  
}  
  
});  
  
return articleItem;  
  
}
```

```
function removeBookmark(articleNumber) {  
  
    let bookmarks = getBookmarks();  
  
    bookmarks = bookmarks.filter(item => item.number !== articleNumber);  
  
    localStorage.setItem('bookmarks', JSON.stringify(bookmarks));  
  
}
```

```
function formatDate(dateStr) {  
  
    const [day, month, year] = dateStr.split('-');  
  
    return `${day}-${month}-${year}`;  
  
}
```

```
});
```

```
</script>
```

```
<script src="navbar.js" defer></script>
```

```
</body>
```

```
</html>
```

## Code Files

### contact.html

```
<!DOCTYPE html>

<html lang="en">


<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Contact Us - Verdaily</title>

  <link rel="stylesheet" href="styles.css">

  <link rel="stylesheet" href="para.css">

  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.0/css/all.min.css" />

  <link rel="preconnect" href="https://fonts.googleapis.com">

  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>

  <link href="https://fonts.googleapis.com/css2?family=Roboto+Slab:wght@100..900&display=swap" rel="stylesheet">

  <link rel="icon" href="logo/favicon.png" type="image/png">

  <style>

  </style>

</head>


<body>


  <!-- Navbar Placeholder -->

  <div id="navbar-placeholder"></div> <!-- This will be replaced by navbar.html -->

  <div class="container">
```

## Code Files

```
<h1>Contact Us</h1>

<p>If you have any questions or concerns, feel free to reach out to us.</p>

<p>You can contact us via email at:</p>

                <p><strong>Email:</strong>    <a    href="mailto:verdaily0@gmail.com"    style="color:
#4a77f1;">verdaily0@gmail.com</a>

        </p>

</div>

<script src="navbar.js" defer></script>

</body>

</html>
```

## convert\_to\_pdf.py

```
import os

from fpdf import FPDF

# Create a PDF class

class PDF(FPDF):

    def header(self):

        self.set_font('Arial', 'B', 12)

        self.cell(0, 10, 'Code Files', 0, 1, 'C')

    def chapter_title(self, title):

        self.set_font('Arial', 'B', 12)

        self.cell(0, 10, title, 0, 1, 'L')
```

## Code Files

```
self.ln(2)
```

```
def chapter_body(self, body):
```

```
    self.set_font('Arial', '', 10) # Use a font that supports more characters
```

```
    # Encode the body to handle UTF-8 characters
```

```
    self.multi_cell(0, 10, body.encode('latin-1', 'replace').decode('latin-1'))
```

```
    self.ln()
```

```
# Specify your directory containing code files
```

```
directory = r"C:\Users\pc\OneDrive\Documents\Verdaily - Copy" # Change this to your folder path
```

```
pdf = PDF()
```

```
pdf.add_page()
```

```
# Iterate through files in the directory
```

```
for filename in os.listdir(directory):
```

```
    if filename.endswith(('.py', '.js', '.html', '.css', '.java')): # Add your file types here
```

```
        pdf.chapter_title(filename)
```

```
        with open(os.path.join(directory, filename), 'r', encoding='utf-8') as file:
```

```
            content = file.read()
```

```
            pdf.chapter_body(content)
```

```
# Save the PDF
```

```
pdf.output("Code_Files.pdf")
```

## Code Files

```
print("PDF created successfully!")
```

### history.html

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <title>History - Verdaily</title>
```

```
  <link rel="stylesheet" href="styles.css">
```

```
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.0/css/all.min.css" />
```

```
  <link rel="preconnect" href="https://fonts.googleapis.com">
```

```
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
```

```
  <link href="https://fonts.googleapis.com/css2?family=Roboto+Slab:wght@100..900&display=swap" rel="stylesheet">
```

```
  <link rel="icon" href="logo/favicon.png" type="image/png">
```

```
<style>
```

```
  /* Base Styles */
```

```
  * {
```

```
    font-family: "Roboto Slab", serif;
```

```
    box-sizing: border-box;
```

```
  }
```

```
  body {
```

```
    margin: 0;
```

## Code Files

```
padding: 0;

background-color: #f4f8fc;

}
```

```
a {

text-decoration: none;

color: inherit;

}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<!-- Navbar Placeholder -->
```

```
<div id="navbar-placeholder"></div> <!-- This will be replaced by navbar.html -->
```

```
<!-- Page Title -->
```

```
<h1 style="text-align: center; margin-top: 40px;">History</h1>
```

```
<div class="art">
```

```
<section class="article-list" id="article-list">
```

```
<!-- Articles will be dynamically loaded here -->
```

```
</section>
```

```
</div>
```

```
<script>
```

```
document.addEventListener('DOMContentLoaded', function () {
```

## Code Files

```
const articleList = document.getElementById('article-list');

const history = JSON.parse(localStorage.getItem('articleHistory')) || [];

// Limit to last 36 articles and reverse the order for latest first

const recentArticles = history.slice(-36).reverse(); // Reverse the array here

recentArticles.forEach(articleNumber => {

  fetch('articles.csv')

    .then(response => response.text())

    .then(data => {

      const articles = parseCSV(data);

      const article = articles.find(a => a.number === articleNumber);

      if (article) {

        const articleItem = createArticleItem(article);

        articleList.appendChild(articleItem);

      }

    });

});

function parseCSV(data) {

  const rows = data.trim().split('\n').slice(1); // Remove the header row

  return rows.map(row => {

    const cols = row.split(',');

    return {

      number: cols[0],
```

## Code Files

```
title: cols[1] === '?' ? '' : cols[1],

imageSrc: cols[2] === '?' ? 'placeholder.png' : cols[2],

postDate: cols[3] === '?' ? '01-01-1970' : cols[3],

category1: cols[4] === '?' ? '' : cols[4],

category2: cols[5] === '?' ? '' : cols[5],

};

});

}
```

```
function createArticleItem(article) {

    const articleItem = document.createElement('div');

    articleItem.classList.add('article-item');

    articleItem.innerHTML = `

        <div class="article-image">

            

        </div>

        <div class="article-title">${article.title}</div>

        <div class="article-meta">${article.postDate} | ${article.category1} ${article.category2 ? '|' : ''} +
article.category2 : "></div>

    `;

    articleItem.addEventListener('click', function () {

        window.location.href = `article.html?article=${article.number}`;

    });

}
```



## Code Files

```
        return articleItem;

    }

    });

</script>

<script src="navbar.js" defer></script>

</body>

</html>
```

### index.html

```
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <meta name="description" content="Read the latest articles on business and science.">

    <title>Verdaily</title>

    <script src="https://cdn.onesignal.com/sdks/web/v16/OneSignalSDK.page.js" defer></script>

    <link href="https://fonts.googleapis.com/css2?family=Nunito:wght@400;700&display=swap" rel="stylesheet">

    <link rel="stylesheet" href="styles.css">

    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/font-awesome@6.4.0/css/all.min.css" />

    <link rel="preconnect" href="https://fonts.googleapis.com">

    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
```

## Code Files

```
<link href="https://fonts.googleapis.com/css2?family=Roboto+Slab:wght@100..900&display=swap" rel="stylesheet">

<link rel="icon" href="logo/favicon.png" type="image/png">

</head>

<body>

  <!-- Navbar Placeholder -->

  <div id="navbar-placeholder"></div> <!-- This will be replaced by navbar.html -->

  <!-- Hero Section

  <section class="hero">

    <div class="hero-content">

      <h1>Welcome to Verdaily</h1>

      <p style="font-size: 22px; font-weight: 200;">Engage with articles on science and business,<br> focusing on
        innovations, successful business stories, case studies,<br> and future trends.<br>

      </p>

    </div>

  </section> -->

  <!-- Search Bar -->

  <div class="search-bar">

    <i class="fa-solid fa-magnifying-glass"></i>

    <input type="text" id="searchInput" placeholder="Search for articles...">

  </div>

  <div class="art">

    <section class="article-list" id="article-list">
```

## Code Files

```
<!-- Articles will be dynamically loaded here -->

</section>

</div>

<script>

document.addEventListener('DOMContentLoaded', function () {

  const articleList = document.getElementById('article-list');

  const searchInput = document.getElementById('searchInput');

  fetch('articles.csv')

    .then(response => response.text())

    .then(data => {

      let articles = parseCSV(data);

      // Sort articles by latest date first

      articles.sort((a, b) => parseDate(b.postDate) - parseDate(a.postDate));

      renderArticles(articles);

      searchInput.addEventListener('input', function () {

        const query = searchInput.value.toLowerCase();

        const filteredArticles = articles.filter(article => {

          // Check title, category1, category2, and all tags for the search query

          return (

            article.title.toLowerCase().includes(query) ||

            article.category1.toLowerCase().includes(query) ||
```

## Code Files

```
        article.category2.toLowerCase().includes(query) ||

        (article.tags && article.tags.some(tag => tag.toLowerCase().includes(query)))

    );

});

renderArticles(filteredArticles);

});

})

.catch(error => console.error('Error loading articles:', error));

function parseCSV(data) {

    const rows = data.trim().split('\n').slice(1); // Remove the header row

    return rows.map(row => {

        const cols = row.split(',');

        const tags = cols.slice(6).filter(tag => tag !== '?'); // Collect all tags from columns starting from index 6

        return {

            number: cols[0],

            title: cols[1] === '?' ? '' : cols[1],

            imageSrc: cols[2] === '?' ? 'placeholder.png' : cols[2],

            postDate: cols[3] === '?' ? '01-01-1970' : cols[3], // Set a default date if unknown

            category1: cols[4] === '?' ? '' : cols[4],

            category2: cols[5] === '?' ? '' : cols[5],

            tags: tags.length > 0 ? tags : null // Include tags in the article object

        };

    });

}
```

## Code Files

```
function parseDate(dateStr) {  
  
  const [day, month, year] = dateStr.split('-').map(num => parseInt(num, 10));  
  
  return new Date(year, month - 1, day);  
  
}
```

```
function renderArticles(articles) {  
  
  articleList.innerHTML = "";  
  
  articles.forEach(article => {  
  
    const articleItem = createArticleItem(article);  
  
    articleList.appendChild(articleItem);  
  
  });  
  
}
```

```
function createArticleItem(article) {  
  
  const articleItem = document.createElement('div');  
  
  articleItem.classList.add('article-item');  
  
  articleItem.innerHTML = `  
  
    <div class="article-image">  
  
        
  
    </div>  
  
    <div class="article-content">  
  
      <div class="article-title">${article.title}</div>  
  
      <div class="article-meta">${formatDate(article.postDate)} | ${article.category1}${article.category2 ? ' | ' +  
article.category2 : ''}</div>
```

## Code Files

```
</div>

<div class="article-actions">

  <button class="bookmark-btn" title="Bookmark Article">

    <i class="fa-regular fa-bookmark"></i>

  </button>

</div>

`;

// Handle article click (excluding bookmark button)
articleItem.addEventListener('click', function (e) {

  if (!e.target.closest('.bookmark-btn')) {

    window.location.href = `article.html?article=${article.number}`;

  }

});

// Handle bookmark button click

const bookmarkBtn = articleItem.querySelector('.bookmark-btn');

bookmarkBtn.addEventListener('click', function (e) {

  e.stopPropagation(); // Prevent triggering the article click

  toggleBookmark(article, bookmarkBtn);

});

// Initialize bookmark state

updateBookmarkIcon(article, bookmarkBtn);
```

## Code Files

```
    return articleItem;
}

function formatDate(dateStr) {

    // Optional: Format the date to a more readable format if desired

    const [day, month, year] = dateStr.split('-');

    return `${day}-${month}-${year}`;
}

// Bookmark Functionality

// Function to toggle bookmark state

function toggleBookmark(article, button) {

    let bookmarks = getBookmarks();

    const articleIndex = bookmarks.findIndex(item => item.number === article.number);

    if (articleIndex > -1) {

        // Article is already bookmarked; remove it

        bookmarks.splice(articleIndex, 1);

    } else {

        // Add the article to bookmarks

        bookmarks.push(article);

    }

    // Save updated bookmarks to localStorage
```

## Code Files

```
localStorage.setItem('bookmarks', JSON.stringify(bookmarks));

// Update the bookmark icon

updateBookmarkIcon(article, button);

}

// Function to get bookmarks from localStorage

function getBookmarks() {

    const bookmarks = localStorage.getItem('bookmarks');

    return bookmarks ? JSON.parse(bookmarks) : [];

}

// Function to update the bookmark icon based on bookmark state

function updateBookmarkIcon(article, button) {

    const bookmarks = getBookmarks();

    const isBookmarked = bookmarks.some(item => item.number === article.number);

    const icon = button.querySelector('i');

    if (isBookmarked) {

        icon.classList.remove('fa-regular', 'fa-bookmark');

        icon.classList.add('fa-solid', 'fa-bookmark');

    } else {

        icon.classList.remove('fa-solid', 'fa-bookmark');

        icon.classList.add('fa-regular', 'fa-bookmark');

    }

}
```



## Code Files

```
    }

    });

</script>

<script src="navbar.js" defer></script>

</body>

</html>
```

### navbar.html

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <link rel="stylesheet" href="styles.css">

  <title>Document</title>

</head>

<body>

<header>

  <div class="logo-container">

    <a href="index.html"></a>

  </div>

  <div class="but">

    <div class="history menu">

      <a href="history.html">
```

## Code Files

```
<button>History</button>
```

```
</a>
```

```
</div>
```

```
<div class="bookmarks menu">
```

```
<a href="bookmarks.html">
```

```
<button>Bookmarks</button>
```

```
</a>
```

```
</div>
```

```
<div class="privacy menu">
```

```
<a href="privacy-policy.html">
```

```
<button>Privacy Policy</button>
```

```
</a>
```

```
</div>
```

```
<div class="terms menu">
```

```
<a href="terms-and-conditions.html">
```

```
<button>Terms and conditions</button>
```

```
</a>
```

```
</div>
```

```
<div class="contact menu">
```

```
<a href="contact.html">
```

```
<button>Contact Us</button>
```

```
</a>
```

```
</div>
```

```
<div class="about menu">
```

```
<a href="about.html">
```

## Code Files

```
<button>About Us</button>

</a>

</div>

</div>

<!-- Hamburger Icon -->

<div class="hamburger" aria-label="Menu" tabindex="0">

  <i class="fas fa-bars"></i>

</div>

<!-- Dropdown Menu -->

<div class="dropdown-menu">

  <a href="index.html">Home</a>

  <a href="history.html">History</a>

  <a href="bookmarks.html">Bookmarks</a>

  <a href="privacy-policy.html">Privacy Policy</a>

  <a href="terms-and-conditions.html">Terms and conditions</a>

  <a href="contact.html">Contact Us</a>

  <a href="about.html">About Us</a>

</div>

</header>

<!-- Sliding Menu -->

<div class="menu-container">

  <div class="close-menu" aria-label="Close Menu" tabindex="0">&times;</div>

  <a href="index.html">Home</a>
```

## Code Files

```
<a href="history.html">History</a>

<a href="bookmarks.html">Bookmarks</a>

<a href="privacy-policy.html">Privacy Policy</a>

<a href="terms-and-conditions.html">Terms and conditions</a>

<a href="contact.html">Contact Us</a>

<a href="about.html">About Us</a>

</div>

<script src="navbar.js"></script>

</body>

</html>
```

### navbar.js

```
// navbar.js

document.addEventListener("DOMContentLoaded", function () {

  // Load the navbar dynamically

  fetch('navbar.html')

    .then(response => response.text())

    .then(data => {

      document.getElementById('navbar-placeholder').innerHTML = data;

      const hamburger = document.querySelector('.hamburger');

      const dropdownMenu = document.querySelector('.dropdown-menu');

      const menuContainer = document.querySelector('.menu-container');
```

## Code Files

```
const closeMenu = document.querySelector('.close-menu');

// Dropdown Menu Functionality

hamburger.addEventListener('click', function (e) {

    e.stopPropagation(); // Prevent the click from bubbling up to the window

    dropdownMenu.classList.toggle('show');

    menuContainer.classList.toggle('show'); // Toggle sliding menu

});

// Close the sliding menu

closeMenu.addEventListener('click', function () {

    menuContainer.classList.remove('show');

});

// Close the dropdown menu when clicking outside

window.addEventListener('click', function (e) {

    if (!hamburger.contains(e.target) && !dropdownMenu.contains(e.target)) {

        dropdownMenu.classList.remove('show');

    }

    if (!hamburger.contains(e.target) && !menuContainer.contains(e.target)) {

        menuContainer.classList.remove('show'); // Close sliding menu

    }

});

// Close menu on navigation link click
```

## Code Files

```
const dropdownLinks = document.querySelectorAll('.dropdown-menu a');

dropdownLinks.forEach(link => {

  link.addEventListener('click', () => {

    dropdownMenu.classList.remove('show');

    menuContainer.classList.remove('show'); // Also close sliding menu

  });

});

// Close sliding menu on menu link click

const menuLinks = document.querySelectorAll('.menu-container a');

menuLinks.forEach(link => {

  link.addEventListener('click', () => {

    menuContainer.classList.remove('show');

  });

});

// Accessibility Enhancements

hamburger.addEventListener('keydown', function (e) {

  if (e.key === 'Enter' || e.key === ' ') {

    e.preventDefault();

    dropdownMenu.classList.toggle('show');

    menuContainer.classList.toggle('show'); // Toggle sliding menu

  }

});
```

## Code Files

```
// Close menu with Escape key

window.addEventListener('keydown', function (e) {

  if (e.key === 'Escape') {

    dropdownMenu.classList.remove('show');

    menuContainer.classList.remove('show'); // Close sliding menu

  }

});

})

.catch(error => console.error('Error loading navbar:', error));

});
```

### para.css

```
/* Base Styles */

* {

  font-family: "Roboto Slab", serif;

  box-sizing: border-box;

}

body {

  display: flex;

  flex-direction: column;

  min-height: 100vh;

  margin: 0;

  padding: 0;
```

## Code Files

```
background-color: #f4f8fc;

}

a {

    text-decoration: none;

    color: inherit;

}

/* Content Styles */

.container {

    max-width: 800px;

    margin: 20px auto;

    padding: 20px;

    background-color: #ffffff;

    border-radius: 8px;

    box-shadow: 0 0 20px rgba(0, 0, 0, 0.1);

}

b {

    color: #444444;

    line-height: 1;

}

p {
```



## Code Files

```
line-height: 1;

font-size: 1.247rem;

margin: 0;

padding: 0;

color: #525252;

}
```

```
strong {

    line-height: 1;

}
```

```
br {

    line-height: .4;

}
```

```
ul {

    line-height: 1;

}
```

```
li {

    line-height: 1;

    color: #525252;

    font-size: 22px;

}
```

## Code Files

```
h2 {  
  
  color: #1f1f1f;  
  
}
```

```
ul {  
  
  list-style: none;  
  
}
```

```
h1,  
  
h2,  
  
h3,  
  
h4 {  
  
  color: #333;  
  
}
```

```
h1 {  
  
  font-size: 2.2rem !important;  
  
}
```

```
h2 {  
  
  font-size: 1.9rem !important;  
  
}
```

```
h3 {  
  
  font-size: 1.6rem !important;
```

## Code Files

```
}
```

```
p {
```

```
  color: #525252 !important;
```

```
  font-size: 1.247rem !important;
```

```
  /* margin-bottom: 1em; */
```

```
}
```

```
ul {
```

```
  font-size: 1.247rem !important;
```

```
}
```

```
li {
```

```
  color: #525252;
```

```
  list-style: none;
```

```
  font-size: 1.247rem !important;
```

```
}
```

```
strong {
```

```
  font-size: 1.247rem !important;
```

```
  color: #363636;
```

```
}
```

```
@media (max-width:768px) {
```

```
  h1 {
```

## Code Files

```
font-size: 2rem !important;  
}
```

```
h2 {  
  
font-size: 1.8rem !important;  
}
```

```
h3 {  
  
font-size: 1.4rem !important;  
}
```

```
p {  
  
font-size: 1.247rem !important;  
}
```

```
li {  
  
font-size: 1.247rem !important;  
}
```

```
ul {  
  
font-size: 1.247rem !important;  
}
```

```
strong {  
  
font-size: 1.247rem;
```

## Code Files

```
}
```

```
}
```

```
@media (max-width:480px) {
```

```
  h1 {
```

```
    font-size: 1.7rem !important;
```

```
  }
```

```
  h2 {
```

```
    font-size: 1.4rem !important;
```

```
  }
```

```
  h3 {
```

```
    font-size: 1.2rem !important;
```

```
  }
```

```
  p {
```

```
    font-size: 1.1rem !important;
```

```
  }
```

```
  li {
```

```
    font-size: 1.1rem !important;
```

```
  }
```

## Code Files

```
ul {  
  
    font-size: 1.1rem !important;  
  
}  
  
strong {  
  
    font-size: 1.1rem !important;  
  
}  
  
}
```

### privacy-policy.html

```
<!DOCTYPE html>  
  
<html lang="en">  
  
<head>  
  
    <meta charset="UTF-8">  
  
    <meta name="viewport" content="width=device-width, initial-scale=1.0">  
  
    <title>Privacy Policy - Verdaily</title>  
  
    <link rel="stylesheet" href="styles.css">  
  
    <link rel="stylesheet" href="para.css">  
  
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.0/css/all.min.css" />  
  
    <link rel="preconnect" href="https://fonts.googleapis.com">  
  
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>  
  
    <link href="https://fonts.googleapis.com/css2?family=Roboto+Slab:wght@100..900&display=swap" rel="stylesheet">  
  
    <link rel="icon" href="logo/favicon.png" type="image/png">
```

## Code Files

</head>

<body>

<!-- Navbar Placeholder -->

<div id="navbar-placeholder"></div> <!-- This will be replaced by navbar.html -->

<div class="container">

<h1>Privacy Policy</h1>

<p><strong>Effective Date:</strong> 03-10-2024</p>

<p>At <strong>Verdaily</strong> (verdaily.com), we are committed to protecting your privacy. This Privacy Policy outlines how we collect, use, and safeguard data when you visit our website. By accessing or using our website, you agree to the terms of this policy.</p>

<h2>1. Information We Collect</h2>

<p>We do not collect personal information such as names, email addresses, or phone numbers. However, our website may store non-personal data in the form of cookies and local storage for functional and performance purposes.</p>

<h3>Local Storage</h3>

<p>We utilize local storage to enhance your user experience. This may include saving your article history, preferences, or theme settings directly on your device. The data stored in local storage is accessible only by you and remains under your control.</p>

## Code Files

### <h2>2. Use of Cookies and Tracking Technologies</h2>

<p>Our website uses cookies and similar technologies to:</p>

<ul>

<li><strong>Enhance user experience:</strong> We use cookies to remember your preferences and settings.</li>

<li><strong>Display personalized advertisements:</strong> We utilize Google AdSense, which may use cookies to serve ads based on your browsing history and interests.</li>

</ul>

<p>You can control cookie settings through your browser preferences, allowing you to clear or disable cookies as desired.</p>

### <h2>3. Third-Party Services</h2>

<p>We may employ third-party services to support the operation of our website. These services may access limited user data, such as cookies and analytics data. These third-party services include:</p>

<ul>

<li><strong>Google AdSense:</strong> We use Google AdSense to serve advertisements on our website.

Google

AdSense may use cookies to display personalized ads based on your browsing behavior. For more information, please visit <a href="https://policies.google.com/privacy" target="\_blank">Google's Privacy Policy</a>.</li>

<li><strong>Google Analytics:</strong> We may use Google Analytics to analyze website traffic and user behavior. Google Analytics also uses cookies to collect data about user interactions. For more information, please visit <a href="https://policies.google.com/privacy" target="\_blank">Google Analytics Privacy Policy</a>.</li>

</ul>



## Code Files

### <h2>4. Data Retention</h2>

<p>Any data stored in local storage remains on your device and is under your control. We do not retain any personal data on our servers.</p>

### <h2>5. User Rights</h2>

<p>Since we do not collect personal information, there is no user data for you to request, modify, or delete. However, you can clear local storage or disable cookies through your browser settings at any time.</p>

### <h2>6. Children's Privacy</h2>

<p>Our website does not target or knowingly collect data from individuals under the age of 13. If you are a parent or guardian and believe that your child has provided us with any information, please contact us immediately.</p>

### <h2>7. How to Contact Us</h2>

<p>If you have any questions or concerns about this Privacy Policy, feel free to contact us at:</p>

<p><strong>Email:</strong> <a href="mailto:verdaily0@gmail.com" style="color: #7676e7;">verdaily0@gmail.com</a>

</p>

### <h2>8. Changes to This Privacy Policy</h2>

<p>We may update this Privacy Policy from time to time to reflect changes in our practices. Any modifications will be posted on this page, and we encourage you to review this policy periodically. We will notify you of significant changes via a notice on our website.</p>

</div>

## Code Files

```
<script src="navbar.js" defer></script>

</body>

</html>
```

### related-articles.html

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <meta name="description" content="Read the latest articles on business and science.">

  <title>Verdaily</title>

  <link rel="stylesheet" href="styles.css">

  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.0/css/all.min.css" />

  <link rel="icon" href="logo/favicon.png" type="image/png">

</head>

<body>

  <!-- Navbar Placeholder -->

  <div id="navbar-placeholder"></div>

  <div class="art">

    <h1>Articles</h1>

    <input type="text" id="searchInput" placeholder="Search articles..." />

    <section class="article-list" id="article-list">
```

## Code Files

```
<!-- Articles will be dynamically loaded here -->
```

```
</section>
```

```
<!-- Include your separate JavaScript file -->
```

```
<script src="load-articles.js" defer></script>
```

```
</body>
```

```
</html>
```

### similar.js

```
document.addEventListener('DOMContentLoaded', function () {

  const articleList = document.getElementById('article-list');

  const searchInput = document.getElementById('searchInput');

  // Get the article number from the URL

  const urlParams = new URLSearchParams(window.location.search);

  const currentArticleNumber = urlParams.get('article');

  fetch('articles.csv')

    .then(response => response.text())

    .then(data => {

      let articles = parseCSV(data);

      // Find the current article to get its tags
```

## Code Files

```
const currentArticle = articles.find(article => article.number === currentArticleNumber);

const currentTags = currentArticle ? currentArticle.tags : [];

// Filter articles by current article's tags

const filteredArticles = articles.filter(article => {

  return article.number !== currentArticleNumber && // Exclude the current article

    currentTags.some(tag => article.tags && article.tags.includes(tag));

});

// Sort filtered articles by latest date first

filteredArticles.sort((a, b) => parseDate(b.postDate) - parseDate(a.postDate));

renderArticles(filteredArticles);

searchInput.addEventListener('input', function () {

  const query = searchInput.value.toLowerCase();

  const searchFilteredArticles = filteredArticles.filter(article => {

    // Check title, category1, category2, and all tags for the search query

    return (

      article.title.toLowerCase().includes(query) ||

      article.category1.toLowerCase().includes(query) ||

      article.category2.toLowerCase().includes(query) ||

      (article.tags && article.tags.some(tag => tag.toLowerCase().includes(query)))

    );

  });

});
```

## Code Files

```
renderArticles(searchFilteredArticles);

});

})

.catch(error => console.error('Error loading articles:', error));

function parseCSV(data) {

  const rows = data.trim().split('\n').slice(1); // Remove the header row

  return rows.map(row => {

    const cols = row.split(',');

    const tags = cols.slice(6).filter(tag => tag !== '?'); // Collect all tags from columns starting from index 6

    return {

      number: cols[0],

      title: cols[1] === '?' ? '' : cols[1],

      imageSrc: cols[2] === '?' ? 'placeholder.png' : cols[2],

      postDate: cols[3] === '?' ? '01-01-1970' : cols[3], // Set a default date if unknown

      category1: cols[4] === '?' ? '' : cols[4],

      category2: cols[5] === '?' ? '' : cols[5],

      tags: tags.length > 0 ? tags : null // Include tags in the article object

    };

  });

}
```

```
function parseDate(dateStr) {

  const [day, month, year] = dateStr.split('-').map(num => parseInt(num, 10));

  return new Date(year, month - 1, day);

}
```

## Code Files

```
}
```

```
function renderArticles(articles) {
```

```
  articleList.innerHTML = "";
```

```
  articles.forEach(article => {
```

```
    const articleItem = createArticleItem(article);
```

```
    articleList.appendChild(articleItem);
```

```
  });
```

```
}
```

```
function createArticleItem(article) {
```

```
  const articleItem = document.createElement('div');
```

```
  articleItem.classList.add('article-item');
```

```
  articleItem.innerHTML = `
```

```
    <div class="article-image">
```

```
      
```

```
    </div>
```

```
    <div class="article-content">
```

```
      <div class="article-title">${article.title}</div>
```

```
      <div class="article-meta">${formatDate(article.postDate)} | ${article.category1}${article.category2 ? ' | ' +
```

```
article.category2 : ''}</div>
```

```
    </div>
```

```
    <div class="article-actions">
```

```
      <button class="bookmark-btn" title="Bookmark Article">
```

```
        <i class="fa-regular fa-bookmark"></i>
```

## Code Files

```
</button>
```

```
</div>
```

```
`;
```

```
// Handle article click (excluding bookmark button)
```

```
articleItem.addEventListener('click', function (e) {
```

```
  if (!e.target.closest('.bookmark-btn')) {
```

```
    window.location.href = `article.html?article=${article.number}`;
```

```
  }
```

```
});
```

```
// Handle bookmark button click
```

```
const bookmarkBtn = articleItem.querySelector('.bookmark-btn');
```

```
bookmarkBtn.addEventListener('click', function (e) {
```

```
  e.stopPropagation(); // Prevent triggering the article click
```

```
  toggleBookmark(article, bookmarkBtn);
```

```
});
```

```
// Initialize bookmark state
```

```
updateBookmarkIcon(article, bookmarkBtn);
```

```
return articleItem;
```

```
}
```

```
function formatDate(dateStr) {
```

## Code Files

```
// Optional: Format the date to a more readable format if desired

const [day, month, year] = dateStr.split('-');

return `${day}-${month}-${year}`;

}

// Bookmark Functionality

// Function to toggle bookmark state

function toggleBookmark(article, button) {

  let bookmarks = getBookmarks();

  const articleIndex = bookmarks.findIndex(item => item.number === article.number);

  if (articleIndex > -1) {

    // Article is already bookmarked; remove it

    bookmarks.splice(articleIndex, 1);

  } else {

    // Add the article to bookmarks

    bookmarks.push(article);

  }

  // Save updated bookmarks to localStorage

  localStorage.setItem('bookmarks', JSON.stringify(bookmarks));

  // Update the bookmark icon

  updateBookmarkIcon(article, button);
```



## Code Files

```
}

// Function to get bookmarks from localStorage

function getBookmarks() {

    const bookmarks = localStorage.getItem('bookmarks');

    return bookmarks ? JSON.parse(bookmarks) : [];

}

// Function to update the bookmark icon based on bookmark state

function updateBookmarkIcon(article, button) {

    const bookmarks = getBookmarks();

    const isBookmarked = bookmarks.some(item => item.number === article.number);

    const icon = button.querySelector('i');

    if (isBookmarked) {

        icon.classList.remove('fa-regular', 'fa-bookmark');

        icon.classList.add('fa-solid', 'fa-bookmark');

    } else {

        icon.classList.remove('fa-solid', 'fa-bookmark');

        icon.classList.add('fa-regular', 'fa-bookmark');

    }

}

});
```

**styles.css**

## Code Files

```
@import url('https://fonts.googleapis.com/css2?family=Nunito:wght@400;700&display=swap');
```

```
/* Base Styles */
```

```
* {  
  
  font-family: "Nunito", serif;  
  
  box-sizing: border-box;  
  
}
```

```
body {  
  
  display: flex;  
  
  flex-direction: column;  
  
  min-height: 100vh;  
  
  margin: 0;  
  
  padding: 0;  
  
  background-color: #f4f8fc;  
  
}
```

```
a {  
  
  text-decoration: none;  
  
  color: inherit;  
  
}
```

```
/* Header Styles */
```

```
header {
```

## Code Files

```
display: flex;

justify-content: space-between;

align-items: center;

padding: 20px 40px;

position: relative;

background-color: #f4f8fc;

/* Optional: Add a background color to the header */

box-shadow: 0 2px 4px rgba(0, 0, 0, 0.1);

/* Optional: Add subtle shadow for depth */

}


/* Logo Container */

.logo-container {

    flex: 1;

}


header img {

    width: 100%;

    max-width: 300px;

    /* Adjusted max-width for larger screens */

    height: auto;

    min-width: 200px;

    /* Ensures the logo doesn't get too small */

    transition: max-width 0.3s ease, min-width 0.3s ease;

}
```

## Code Files

```
/* Navigation Buttons */
```

```
.but {  
  
  display: flex;  
  
  gap: 20px;  
  
  flex: 2;  
  
  justify-content: flex-end;  
  
}
```

```
.but .menu button {  
  
  color: #333333;  
  
  background: #f4f8fc;  
  
  font-weight: 600;  
  
  border: none;  
  
  height: 48px;  
  
  width: 160px;  
  
  font-size: 1.4rem;  
  
  border-radius: 4px;  
  
  padding: 10px 0;  
  
  justify-content: center;  
  
  align-items: center;  
  
  cursor: pointer;  
  
  transition: background-color 0.3s ease, color 0.3s ease;  
  
}
```

## Code Files

```
.but .menu button h3 {  
  
    margin-bottom: 20px;  
  
}
```

```
.but .menu button:hover {  
  
    background-color: #e0e7ff;  
  
    color: #4a77f1;  
  
}
```

```
/* Hamburger Menu Styles */
```

```
.hamburger {  
  
    display: none;  
  
    /* Hidden by default */  
  
    font-size: 28px;  
  
    cursor: pointer;  
  
    color: #333;  
  
    flex: 1;  
  
    text-align: right;  
  
}
```

```
.dropdown-menu {  
  
    display: none;  
  
    position: absolute;  
  
    top: 70px;  
  
    right: 40px;
```

## Code Files

```
background-color: #fff;

box-shadow: 0 8px 16px rgba(0, 0, 0, 0.2);

border-radius: 5px;

z-index: 1000;

min-width: 150px;

overflow: hidden;

}


.dropdown-menu a {

    display: block;

    padding: 12px 16px;

    color: #333;

    transition: background-color 0.3s ease, color 0.3s ease;

}


.dropdown-menu a:hover {

    background-color: #f1f1f1;

    color: #4a77f1;

}


/* Hero Section */

.hero {

    background-color: #f4f8fc;

    padding: 80px 200px;

    text-align: center;
```

## Code Files

```
}
```

```
.hero-content h1 {  
  
  font-size: 3em;  
  
  margin: 0 0 20px 0;  
  
  color: #333;  
  
}
```

```
.hero-content p {  
  
  font-size: 1.4em;  
  
  color: #555;  
  
  margin: 0;  
  
}
```

```
/* Search Bar */
```

```
.search-bar {  
  
  text-align: center;  
  
  margin: 40px 0;  
  
}
```

```
.search-bar i {  
  
  position: relative;  
  
  top: 10px;  
  
  left: -35%;  
  
  font-size: 1.2em;
```

## Code Files

```
    color: #888;

}

.search-bar input[type="text"] {

    width: 50%;

    max-width: 600px;

    padding: 12px 20px 12px 40px;

    font-size: 1em;

    border-radius: 25px;

    border: 1px solid #ddd;

    box-shadow: 0 0 5px rgba(0, 0, 0, 0.1);

    transition: width 0.3s ease;

}

.search-bar input[type="text"]:focus {

    outline: none;

    border-color: #4a77f1;

    box-shadow: 0 0 10px rgba(74, 119, 241, 0.2);

}

/* Article List */

.art {

    flex: 1;

    margin-inline: 100px;

}
```



## Code Files

```
.article-list {  
  
  display: flex;  
  
  flex-wrap: wrap;  
  
  justify-content: space-between;  
  
  padding: 0 40px;  
  
  margin: 0;  
  
}
```

```
.article-item {  
  
  background-color: #fff;  
  
  flex: 1 1 calc(33.33% - 40px);  
  
  /* Default width for larger screens */  
  
  margin: 20px;  
  
  border-radius: 7px;  
  
  box-shadow: 0 0 30px 5px rgba(157, 160, 182, 0.2);  
  
  transition: transform 0.3s ease;  
  
  cursor: pointer;  
  
}
```

```
.article-item:hover {  
  
  transform: scale(1.01);  
  
}
```

```
.article-image {
```

## Code Files

```
width: 100%;

padding-bottom: 56.25%;

position: relative;

background-color: #ddd;

overflow: hidden;

border-top-left-radius: 7px;

border-top-right-radius: 7px;

}


.article-image img {

    position: absolute;

    top: 50%;

    left: 50%;

    transform: translate(-50%, -50%) scale(1);

    width: 100%;

    height: 100%;

    object-fit: cover;

    transition: transform 0.3s ease;

    /* Smooth zoom effect */

}


.article-item:hover .article-image img {

    transform: translate(-50%, -50%) scale(1.1);

    /* Zoom image on hover */

}
```

## Code Files

```
.article-title {  
  
    font-size: 1.4rem;  
  
    font-weight: bold;  
  
    margin: 20px;  
  
    color: #333;  
  
}
```

```
.article-meta {  
  
    font-size: 1em;  
  
    color: #4b4b4b;  
  
    margin: 0 20px 20px 20px;  
  
}
```

```
/* Responsive Styles */
```

```
@media (max-width: 1200px) {  
  
    .art {  
  
        margin-inline: 0px;  
  
    }  
  
  
  
    .hero {  
  
        padding: 60px 100px;  
  
    }  
  
}
```

## Code Files

```
.hero-content h1 {  
  
    font-size: 2.5em;  
  
}  
  
.hero-content p {  
  
    font-size: 1.2em;  
  
}  
}  
  
@media (max-width: 1024px) {  
  
    .article-item {  
  
        flex: 1 1 calc(50% - 40px);  
  
        /* 2 articles per row on tablets */  
  
    }  
  
}  
  
@media (max-width: 768px) {  
  
    .hero {  
  
        padding: 60px 50px;  
  
    }  
  
    .hero-content h1 {  
  
        font-size: 2em;  
  
    }  
}
```

## Code Files

```
.hero-content p {  
  
    font-size: 1.1em;  
  
}
```

```
.article-list {  
  
    padding: 0 10px;  
  
}
```

```
.article-item {  
  
    margin: 10px;  
  
    flex: 1 1 calc(50% - 40px);  
  
    /* 1 article per row on mobile landscape */  
  
}
```

```
.search-bar input[type="text"] {  
  
    width: 80%;  
  
}  
  
}
```

```
@media (max-width: 1200px) {  
  
    header {  
  
        padding: 15px 20px;  
  
    }  
  
}
```

```
.logo-container {
```

## Code Files

```
flex: 2;  
  
}
```

```
header img {  
  
  max-width: 250px;  
  
  min-width: 180px;  
  
}
```

```
.but {  
  
  display: none;  
  
}
```

```
.hamburger {  
  
  display: block;  
  
  flex: 1;  
  
  text-align: right;  
  
}  
  
}
```

```
@media (max-width: 480px) {  
  
  .hero {  
  
    padding: 40px 20px;  
  
  }
```

```
.hero-content h1 {
```

## Code Files

```
font-size: 1.8em;  
  
}
```

```
.hero-content p {  
  
    font-size: 1em;  
  
}
```

```
.search-bar input[type="text"] {  
  
    width: 90%;  
  
    padding: 10px 15px 10px 35px;  
  
}
```

```
.article-list {  
  
    padding: 0 10px;  
  
}
```

```
.article-item {  
  
    flex: 1 1 100%;  
  
    /* 1 article per row on mobile portrait */  
  
    margin: 10px 0;  
  
}
```

```
.dropdown-menu {  
  
    right: 20px;  
  
    top: 60px;
```

## Code Files

```
}  
  
}  
  
/* Dropdown Menu Animation */  
  
.dropdown-menu.show {  
  
  display: block;  
  
  animation: fadeIn 0.3s ease-in-out;  
  
}  
  
@keyframes fadeIn {  
  
  from {  
  
    opacity: 0;  
  
    transform: translateY(-10px);  
  
  }  
  
  to {  
  
    opacity: 1;  
  
    transform: translateY(0);  
  
  }  
  
}  
  
p {  
  
  color: #525252;  
  
  font-size: 1.4rem;  
  
  margin: 0;
```



## Code Files

```
    line-height: 1.2;

}


footer {

    width: 100%;

    text-align: center;

    padding: 20px;

    background-color: #222;

    color: #fff;

    font-family: 'Roboto Slab', serif;

}


footer p {

    font-size: 1em;

}


footer a {

    color: #4c74af;

    text-decoration: none;

}


footer .copyright {

    font-size: 1em;

    color: #999999;

}
```

## Code Files

```
/* Sliding Menu Styles */

.menu-container {

    position: fixed;

    top: 0;

    right: -300px; /* Initially hide the menu off-screen */

    width: 300px;

    height: 100%; /* Full height */

    background-color: #fff;

    box-shadow: -2px 0 5px rgba(0, 0, 0, 0.5);

    transition: right 0.3s ease; /* Smooth transition */

    z-index: 1000; /* Ensure it's above other content */

    display: flex;

    flex-direction: column; /* Arrange items vertically */

    overflow-y: auto; /* Enable vertical scrolling */

}


/* When the menu is visible */

.menu-container.show {

    right: 0; /* Slide in when visible */

}
```

## Code Files

```
/* Menu link styles */
```

```
.menu-container a {  
  
    display: block;  
  
    padding: 20px;  
  
    color: #333;  
  
    text-decoration: none;  
  
    transition: background-color 0.3s ease;  
  
}
```

```
/* Hover effect for links */
```

```
.menu-container a:hover {  
  
    background-color: #f1f1f1;  
  
}
```

```
/* Hamburger icon styles */
```

```
.hamburger {  
  
    cursor: pointer;  
  
    font-size: 28px;  
  
    color: #333;  
  
}
```

```
/* Close Button Styles */
```

```
.close-menu {  
  
    position: absolute;  
  
    top: 20px;
```

## Code Files

```
right: 20px; /* Move close button to the right */

font-size: 24px;

cursor: pointer;

z-index: 1100; /* Ensure close button is above other content */

}
```

```
/* Additional spacing for menu items */

.menu-container a {

    margin-top: 40px; /* Adjust this value as needed */

}
```

```
/* Bookmark Button Styles */

.article-actions {

    display: flex;

    align-items: center;

    padding: 0 20px 20px 0;

    justify-content: flex-end;

}
```

```
.bookmark-btn {

    background: none;

    border: none;
```

## Code Files

```
cursor: pointer;

font-size: 1.9em;

color: #0099ff; /* Orange color for the bookmark icon */

transition: color 0.3s ease;

}
```

```
.bookmark-btn:hover {

    color: #00cbe6; /* Darker orange on hover */

}
```

/\* Adjustments for Smaller Screens \*/

```
@media (max-width: 768px) {

    .article-actions {

        padding: 0 10px 10px 0;

    }

}
```

```
.bookmark-btn {

    font-size: 1.3em;

}

}
```

```
@media (max-width: 480px) {

    .article-actions {

        padding: 0 5px 5px 0;

    }

}
```

## Code Files

```
.bookmark-btn {

    font-size: 1.2em;

}

}

/* Remove the default tap highlight on touch devices */

* {

    -webkit-tap-highlight-color: transparent; /* For Safari and older iOS */

}

/* Prevent default blue outline on buttons and links */

button, a {

    outline: none; /* Removes the focus outline */

}

/* Optional: Add custom styles for better user experience */

button:focus, a:focus {

    outline: none; /* Removes the outline when focused */

    box-shadow: none; /* Removes any box-shadow */

}
```

**terms-and-conditions.html**

## Code Files

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Terms and Conditions - Verdaily</title>

  <link rel="stylesheet" href="styles.css">

  <link rel="stylesheet" href="para.css">

  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.0/css/all.min.css" />

  <link rel="preconnect" href="https://fonts.googleapis.com">

  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>

  <link href="https://fonts.googleapis.com/css2?family=Roboto+Slab:wght@100..900&display=swap" rel="stylesheet">

  <link rel="icon" href="logo/favicon.png" type="image/png">

  <style>

    /* Base Styles */

    * {

      font-family: "Roboto Slab", serif;

      box-sizing: border-box;

    }

    body {

      display: flex;

      flex-direction: column;

      min-height: 100vh;
```

## Code Files

```
margin: 0;

padding: 0;

background-color: #f4f8fc;

}

a {

    text-decoration: none;

    color: inherit;

}

/* Content Styles */

.container {

    max-width: 800px;

    margin: 20px auto;

    padding: 20px;

    background-color: #ffffff;

    border-radius: 8px;

    box-shadow: 0 0 20px rgba(0, 0, 0, 0.1);

}

h1,

h2 {

    color: #333;

}
```



## Code Files

```
p {  
  
    margin-bottom: 1em;  
  
}
```

```
ul {  
  
    margin: 0 0 1em 20px;  
  
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<!-- Navbar Placeholder -->
```

```
<div id="navbar-placeholder"></div> <!-- This will be replaced by navbar.html -->
```

```
<div class="container">
```

```
    <h1>Terms and Conditions</h1>
```

```
    <p><strong>Effective Date:</strong> 03-10-2024</p>
```

```
    <p>Welcome to <strong>Verdaily</strong> (verdaily.com). By accessing or using our website, you agree to comply  
with and be bound by these Terms and Conditions. If you do not agree with any part of these terms, please do not use  
our website.</p>
```

## Code Files

### <h2>1. Acceptance of Terms</h2>

<p>By using our website, you confirm that you accept these Terms and Conditions and agree to comply with them.</p>

### <h2>2. Changes to Terms</h2>

<p>We may update these Terms and Conditions from time to time. Any changes will be posted on this page, and we will notify you through a notice on our website. Your continued use of the website after changes are made constitutes acceptance of the new terms.</p>

### <h2>3. User Obligations</h2>

<p>You agree to use our website responsibly and only for lawful purposes. You must not:</p>

<ul>

<li>Copy or reproduce any content from our website without our permission.</li>

<li>Send spam or unsolicited messages to other users.</li>

<li>Engage in any actions that could harm the website or disrupt the experience for other users.</li>

</ul>

### <h2>4. Intellectual Property</h2>

<p>All content, logos, and trademarks displayed on this website are the property of <strong>Verdaily</strong> or third parties. You may not reproduce, distribute, or use any content without prior written permission from us. You are allowed to share links to our content but must not copy or reproduce the content itself.</p>

### <h2>5. User-Generated Content</h2>

<p>Users are not permitted to submit any posts, comments, or other content on our website. The only permitted actions are to search for and read the content available on the site. We reserve the right to moderate content should this

## Code Files

policy change in the future.</p>

### <h2>6. Limitation of Liability</h2>

<p><strong>Verdaily</strong> shall not be liable for any direct, indirect, incidental, or consequential damages arising from your use of or inability to use our website or any content on it. The content provided on our website is for informational purposes only and may not always be accurate or up-to-date. Your use of the website is at your own risk, and we make no guarantees regarding the accuracy, reliability, or completeness of the content provided.</p>

### <h2>7. Indemnification</h2>

<p>You agree to protect and defend <strong>Verdaily</strong>, including its employees and affiliates, against any claims or legal issues that arise from your use of the website or your violation of these terms.</p>

### <h2>8. Governing Law</h2>

<p>These Terms and Conditions shall be governed by and construed in accordance with the laws of India. Any disputes arising in connection with these terms shall be subject to the exclusive jurisdiction of the courts of India.</p>

### <h2>9. Third-Party Services</h2>

<p>Our website uses Google AdSense to serve advertisements. Google AdSense may use cookies to display personalized ads based on your browsing behavior. For more information, please visit <a href="https://policies.google.com/privacy" target="\_blank">Google's Privacy Policy</a>, as it governs how they use and process your data.</p>

### <h2>10. Contact Information</h2>

<p>If you have any questions or concerns about these Terms and Conditions, please contact us at:</p>

<p><strong>Email:</strong> <a href="mailto:verdaily0@gmail.com" style="color:

## Code Files

```
#7676e7;">verdaily0@gmail.com</a></p>
```

```
</div>
```

```
<script src="navbar.js" defer></script>
```

```
</body>
```

```
</html>
```

### white.css

```
/* Base Styles */
```

```
* {
```

```
  font-family: "Roboto Slab", serif;
```

```
  box-sizing: border-box;
```

```
}
```

```
body {
```

```
  display: flex;
```

```
  flex-direction: column;
```

```
  min-height: 100vh;
```

```
  margin: 0;
```

```
  padding: 0;
```

```
  background-color: #f4f8fc;
```

```
}
```

```
a {
```

## Code Files

```
text-decoration: none;

color: inherit;

}

/* Header Styles */

header {

  display: flex;

  justify-content: space-between;

  align-items: center;

  padding: 20px 40px;

  position: relative;

  background-color: #f4f8fc;

  /* Optional: Add a background color to the header */

  box-shadow: 0 2px 4px rgba(0, 0, 0, 0.1);

  /* Optional: Add subtle shadow for depth */

}

/* Logo Container */

.logo-container {

  flex: 1;

}

header img {

  width: 100%;

  max-width: 300px;
```

## Code Files

```
/* Adjusted max-width for larger screens */

height: auto;

min-width: 200px;

/* Ensures the logo doesn't get too small */

transition: max-width 0.3s ease, min-width 0.3s ease;

}
```

```
/* Navigation Buttons */
```

```
.but {

    display: flex;

    gap: 20px;

    flex: 2;

    justify-content: flex-end;

}
```

```
.but .menu button {

    color: #333333;

    background: #f4f8fc;

    font-weight: 600;

    border: none;

    height: 48px;

    width: 160px;

    font-size: 1.4rem;

    border-radius: 4px;

    padding: 10px 0;
```

## Code Files

```
justify-content: center;

align-items: center;

cursor: pointer;

transition: background-color 0.3s ease, color 0.3s ease;

}
```

```
.but .menu button h3 {

    margin-bottom: 20px;

}
```

```
.but .menu button:hover {

    background-color: #e0e7ff;

    color: #4a77f1;

}
```

*/\* Hamburger Menu Styles \*/*

```
.hamburger {

    display: none;

    /* Hidden by default */

    font-size: 28px;

    cursor: pointer;

    color: #333;

    flex: 1;

    text-align: right;

}
```

## Code Files

```
.dropdown-menu {  
  
    display: none;  
  
    position: absolute;  
  
    top: 70px;  
  
    right: 40px;  
  
    background-color: #fff;  
  
    box-shadow: 0 8px 16px rgba(0, 0, 0, 0.2);  
  
    border-radius: 5px;  
  
    z-index: 1000;  
  
    min-width: 150px;  
  
    overflow: hidden;  
  
}  
  
.dropdown-menu a {  
  
    display: block;  
  
    padding: 12px 16px;  
  
    color: #333;  
  
    transition: background-color 0.3s ease, color 0.3s ease;  
  
}  
  
.dropdown-menu a:hover {  
  
    background-color: #f1f1f1;  
  
    color: #4a77f1;  
  
}
```



## Code Files

```
/* Hero Section */
```

```
.hero {  
  
  background-color: #f4f8fc;  
  
  padding: 80px 200px;  
  
  text-align: center;  
  
}
```

```
.hero-content h1 {  
  
  font-size: 3em;  
  
  margin: 0 0 20px 0;  
  
  color: #333;  
  
}
```

```
.hero-content p {  
  
  font-size: 1.4em;  
  
  color: #555;  
  
  margin: 0;  
  
}
```

```
/* Search Bar */
```

```
.search-bar {  
  
  text-align: center;  
  
  margin: 40px 0;  
  
}
```

## Code Files

```
.search-bar i {  
  
    position: relative;  
  
    top: 10px;  
  
    left: -35%;  
  
    font-size: 1.2em;  
  
    color: #888;  
  
}
```

```
.search-bar input[type="text"] {  
  
    width: 50%;  
  
    max-width: 600px;  
  
    padding: 12px 20px 12px 40px;  
  
    font-size: 1em;  
  
    border-radius: 25px;  
  
    border: 1px solid #ddd;  
  
    box-shadow: 0 0 5px rgba(0, 0, 0, 0.1);  
  
    transition: width 0.3s ease;  
  
}
```

```
.search-bar input[type="text"]:focus {  
  
    outline: none;  
  
    border-color: #4a77f1;  
  
    box-shadow: 0 0 10px rgba(74, 119, 241, 0.2);  
  
}
```

## Code Files

```
/* Article List */
```

```
.art {  
  
    flex: 1;  
  
    margin-inline: 100px;  
  
}
```

```
.article-list {  
  
    display: flex;  
  
    flex-wrap: wrap;  
  
    justify-content: space-between;  
  
    padding: 0 40px;  
  
    margin: 0;  
  
}
```

```
.article-item {  
  
    background-color: #fff;  
  
    flex: 1 1 calc(33.33% - 40px);  
  
    /* Default width for larger screens */  
  
    margin: 20px;  
  
    border-radius: 7px;  
  
    box-shadow: 0 0 30px 5px rgba(157, 160, 182, 0.2);  
  
    transition: transform 0.3s ease;  
  
    cursor: pointer;  
  
}
```

## Code Files

```
.article-item:hover {  
  
    transform: scale(1.01);  
  
}
```

```
.article-image {  
  
    width: 100%;  
  
    padding-bottom: 56.25%;  
  
    position: relative;  
  
    background-color: #ddd;  
  
    overflow: hidden;  
  
    border-top-left-radius: 7px;  
  
    border-top-right-radius: 7px;  
  
}
```

```
.article-image img {  
  
    position: absolute;  
  
    top: 50%;  
  
    left: 50%;  
  
    transform: translate(-50%, -50%) scale(1);  
  
    width: 100%;  
  
    height: 100%;  
  
    object-fit: cover;  
  
    transition: transform 0.3s ease;  
  
    /* Smooth zoom effect */
```

## Code Files

```
}
```

```
.article-item:hover .article-image img {  
  
    transform: translate(-50%, -50%) scale(1.1);  
  
    /* Zoom image on hover */  
  
}
```

```
.article-title {  
  
    font-size: 1.4rem;  
  
    font-weight: bold;  
  
    margin: 20px;  
  
    color: #333;  
  
}
```

```
.article-meta {  
  
    font-size: 1em;  
  
    color: #4b4b4b;  
  
    margin: 0 20px 20px 20px;  
  
}
```

```
/* Responsive Styles */  
  
@media (max-width: 1200px) {  
  
    .art {  
  
        margin-inline: 0px;
```

## Code Files

```
}

.hero {

  padding: 60px 100px;

}

.hero-content h1 {

  font-size: 2.5em;

}

.hero-content p {

  font-size: 1.2em;

}

}

@media (max-width: 1024px) {

  .article-item {

    flex: 1 1 calc(50% - 40px);

    /* 2 articles per row on tablets */

  }

}

@media (max-width: 768px) {

  .hero {
```

## Code Files

```
padding: 60px 50px;

}

.hero-content h1 {

font-size: 2em;

}

.hero-content p {

font-size: 1.1em;

}

.article-list {

padding: 0 10px;

}

.article-item {

margin: 10px;

flex: 1 1 calc(50% - 40px);

/* 1 article per row on mobile landscape */

}

.search-bar input[type="text"] {

width: 80%;

}

}
```

## Code Files

```
@media (max-width: 1200px) {
```

```
  header {
```

```
    padding: 15px 20px;
```

```
  }
```

```
.logo-container {
```

```
  flex: 2;
```

```
}
```

```
header img {
```

```
  max-width: 250px;
```

```
  min-width: 180px;
```

```
}
```

```
.but {
```

```
  display: none;
```

```
}
```

```
.hamburger {
```

```
  display: block;
```

```
  flex: 1;
```

```
  text-align: right;
```

```
}
```

```
}
```



## Code Files

```
@media (max-width: 480px) {  
  
  .hero {  
  
    padding: 40px 20px;  
  
  }  
  
  .hero-content h1 {  
  
    font-size: 1.8em;  
  
  }  
  
  .hero-content p {  
  
    font-size: 1em;  
  
  }  
  
  .search-bar input[type="text"] {  
  
    width: 90%;  
  
    padding: 10px 15px 10px 35px;  
  
  }  
  
  .article-list {  
  
    padding: 0 10px;  
  
  }  
  
  .article-item {  
  
    flex: 1 1 100%;  
  
    /* 1 article per row on mobile portrait */  
  }  
}
```

## Code Files

```
margin: 10px 0;

}

.dropdown-menu {

    right: 20px;

    top: 60px;

}

}

/* Dropdown Menu Animation */

.dropdown-menu.show {

    display: block;

    animation: fadeIn 0.3s ease-in-out;

}

@keyframes fadeIn {

    from {

        opacity: 0;

        transform: translateY(-10px);

    }

    to {

        opacity: 1;

        transform: translateY(0);

    }

}
```

## Code Files

```
}
```

```
p {
```

```
  color: #525252;
```

```
  font-size: 1.4rem;
```

```
  margin: 0;
```

```
  line-height: 1.2;
```

```
}
```

```
footer {
```

```
  width: 100%;
```

```
  text-align: center;
```

```
  padding: 20px;
```

```
  background-color: #222;
```

```
  color: #fff;
```

```
  font-family: 'Roboto Slab', serif;
```

```
}
```

```
footer p {
```

```
  font-size: 1em;
```

```
}
```

```
footer a {
```

```
  color: #4c74af;
```

```
  text-decoration: none;
```

## Code Files

```
}
```

```
footer .copyright {
```

```
    font-size: 1em;
```

```
    color: #999999;
```

```
}
```

```
/* Sliding Menu Styles */
```

```
.menu-container {
```

```
    position: fixed;
```

```
    top: 0;
```

```
    right: -300px; /* Initially hide the menu off-screen */
```

```
    width: 300px;
```

```
    height: 100%; /* Full height */
```

```
    background-color: #fff;
```

```
    box-shadow: -2px 0 5px rgba(0, 0, 0, 0.5);
```

```
    transition: right 0.3s ease; /* Smooth transition */
```

```
    z-index: 1000; /* Ensure it's above other content */
```

```
    display: flex;
```

```
    flex-direction: column; /* Arrange items vertically */
```

```
    overflow-y: auto; /* Enable vertical scrolling */
```

```
}
```

## Code Files

```
/* When the menu is visible */

.menu-container.show {

    right: 0; /* Slide in when visible */

}


/* Menu link styles */

.menu-container a {

    display: block;

    padding: 20px;

    color: #333;

    text-decoration: none;

    transition: background-color 0.3s ease;

}


/* Hover effect for links */

.menu-container a:hover {

    background-color: #f1f1f1;

}


/* Hamburger icon styles */

.hamburger {

    cursor: pointer;

    font-size: 28px;

    color: #333;
```

## Code Files

```
}
```

```
/* Close Button Styles */
```

```
.close-menu {  
  
    position: absolute;  
  
    top: 20px;  
  
    right: 20px; /* Move close button to the right */  
  
    font-size: 24px;  
  
    cursor: pointer;  
  
    z-index: 1100; /* Ensure close button is above other content */  
  
}
```

```
/* Additional spacing for menu items */
```

```
.menu-container a {  
  
    margin-top: 40px; /* Adjust this value as needed */  
  
}
```

```
/* Bookmark Button Styles */
```

```
.article-actions {  
  
    display: flex;  
  
    align-items: center;  
  
    padding: 0 20px 20px 0;
```

## Code Files

```
justify-content: flex-end;

}

.bookmark-btn {

    background: none;

    border: none;

    cursor: pointer;

    font-size: 1.9em;

    color: #0099ff; /* Orange color for the bookmark icon */

    transition: color 0.3s ease;

}

.bookmark-btn:hover {

    color: #00cbe6; /* Darker orange on hover */

}

/* Adjustments for Smaller Screens */

@media (max-width: 768px) {

    .article-actions {

        padding: 0 10px 10px 0;

    }

    .bookmark-btn {

        font-size: 1.3em;

    }

}
```

## Code Files

```
}
```

```
@media (max-width: 480px) {
```

```
  .article-actions {
```

```
    padding: 0 5px 5px 0;
```

```
  }
```

```
  .bookmark-btn {
```

```
    font-size: 1.2em;
```

```
  }
```

```
}
```