

SOFTWARE PROCESS MODELING

Software Development Life Cycles




Session Outcomes

- What is a
 - Software Process
 - SDLC
 - Life Cycle Model
- Life Cycle Models
 - Waterfall Model
 - Prototyping Model
 - Incremental Model
 - Spiral Model
- Comparison and Selection




What is an Engineering Process?





What is a Software Development Process?


• A set of Activities and Associated Results that produce a Software.





Fundamental Process Activities

- 1. Software Specification
- 2. Software Development
- 3. Software Validation
- 4. Software Evolution





1. Software Specification

- Specification involves clearly documenting the expectations on the system to be built
- Lays out requirements, and may include written and diagrammatic description of the services that the future system must provide.





2. Software Development

 Software development involves designing and implementing the system according

to the software specification



3. Software Validation

 Software validation involves checking and verifying whether the system fulfills the requirements.





4. Software Evolution


 Software needs to be changed and upgraded with time.





What is a SDLC?

The Software
 Development Life Cycle
 (SDLC) is a framework that
 defines activities
 performed throughout
 the software development
 process





Life Cycle Model (Process Model)

- A software life cycle (process) model:
 - is a descriptive and diagrammatic model of the life cycle of a software product;
 - identifies all the activities and phases necessary for software development;
 - establishes a precedence ordering among the different activities.
- Life cycle models encourage systematic and disciplined software development.



Life Cycle Models

- Traditional Approaches
 - 1. Waterfall Model
 - Incremental Model
 - Prototyping Model
 - 4. Spiral Model
 - 5. Unified Process
- Modern Approaches
 - Agile Methods (XP, Scrum)
 - Secure Software Development




Life Cycle Models



1 Waterfall Model



Waterfall Model





Waterfall model

- Waterfall model is the most well known software lifecycle development model.
- It is very simple to understand and use.
- Each phase begins only after the previous phase is over.
- Also called Linear Model
- This model specifies what the system is supposed to do (i.e. define the requirements) before building the system (i.e. designing)



1. Feasibility Study

- This is the first phase of any SDLC model.
- The project objective is determined during this phase.
- The client and company developing the software decide if they should;
 - Keep the existing system as is, or
 - Build a new software



Why do a feasibility study?

- To provide management with enough information to know:
 - Whether the project can be done
 - Whether the final product will benefit its users
 - What the alternative solutions are
 - Whether there is a preferred alternative







Example – Library System

What are the feasibility criteria for a 'Library

System'?





2. The Requirements Phase

- Aim: to understand the customer's requirements:
- A customer may be a single person, a group, a department, or an entire organization:
- This phase involves two distinct activities:
 - 1. Requirements Gathering and Requirements Analysis
 - 2. Requirements Specification



2a.1 Requirement Gathering

- The goal of this phase is for the stakeholders to find out the 'what to be done'.
- Questions answered during this phase include:
 - Who will use the system?
 - How will they use the system?
 - What will be the input for the system?
 - What will be the output from the system?
- Requirement Gathering involve collecting information through meetings, interviews and discussions



2a.2 Requirements Analysis

- Aim: To understand exactly what the customer needs.. which may not be what they ask for:
 - data to be input to the system;
 - processing to be performed on these data;
 - data to be output from the system;
 - characteristics of the system as a whole;
 - constraints on the system/project.
- WHAT, not HOW!





2b Requirements Specification

- Requirements are documented in a Software Requirements Specification (SRS).
- The SRS forms the basis of a legal contract with the customer:
- Software Engineers who specialize in requirements gathering, analysis, and specification are called (Systems/ Business / Requirement) Analysts.



3. Design

- Architects and Designers craft a high-level and low level design of the software.
 - Architectural Design
 - Low level Design
- Decisions are made about hardware, software and the system architecture.
- A design specification document (DSD) records this information.

from

default

ownername : String



4. Development

- On receiving system design documents, the work is divided in modules.
- A set of developers code the software as per the established design specification, using a chosen programming language
- Programmers carry out some program testing to discover faults in the program and remove these faults in the debugging process





5. Testing

- The testing phase ensures that the software requirements are in place and that the software works as expected.
- When a defect is identified, testers inform the developers.
- If the defect is valid, developers resolve it and create a new version of the software which then repeats the testing phase.
- The cycle continues until all defects are mitigated and the software is ready for deployment into the production environment.



6. Deployment and Maintenance.

- Once the software is error free, it is deployed into the operating environment.
- While the customers are using the software, any issues will be brought to the attention of the maintenance team
- They work to resolve them immediately.





Waterfall in practise

THE MARKET HAS CHANGED.


LET'S ADD THIS

FEATURE TO THE APP.





SCOPE IS ALREADY SET IN STONE.





Waterfall Model - Strengths

- Simple and easy to manage— each phase has specific deliverables.
- Milestones are better understood
- Sets requirements stability
- Works well for smaller projects where requirements are very well understood.
- A schedule can be set with deadlines.



Waterfall Model - Weaknesses

- No working software is produced until end.
- High uncertainty.
- Delays discovery of serious errors.
- After requirements phase, there is no formal way to make changes to the requirements.
- Not a good model for
 - complex projects
 - projects where requirements are at a moderate to high risk of changing



When to use Waterfall Model

- Software requirements clearly defined and known
- Product definition is stable
- New version of the existing software system is created
- Software development technologies and tools are well known
- Ample resources with required expertise are available



2 Iterative Model




Iterative Waterfall Model

- The classical waterfall model is idealistic:
 - It assumes that no defects are introduced during any of the development phases.
- In practice, defects are introduced during every phase of the software life cycle:
 - Hence feedback paths must be added to the classical waterfall model.
- The resulting Iterative Waterfall Model is one of the most widely used process models....



Iterative Waterfall Mode





Iterative Waterfall Model

- Strengths
 - Defects are detected and fixed early through the feedback path
- Weaknesses
 - Limited customer interactions
 - Difficult to incorporate change requests



3 Incremental Model




Incremental model

- Incremental model is an evolution of waterfall model.
 - The product is designed, implemented, integrated and tested as a series of incremental builds.
- The incremental model prioritizes requirements of the system and then implements them in groups.
- It is the process of constructing a partial implementation of a total system and slowly adding increased functionality or performance.



Incremental model





Incremental model - Strengths

- Generates working software quickly and early during the software life cycle.
- More flexible less costly to change scope and requirements.
- Easier to test and debug.
- Easier to manage risk.
- Lowers initial delivery cost.
- Less stress for the development team.



Incremental model - Weaknesses

- Requires good planning and design
- Demarcation of increments can be difficult in a practical application.
- Each phase of an iteration is rigid and do not overlap each other.
- Total cost of the system might not be lower.
- Problems may arise pertaining to system architecture because not all requirements are gathered up front for the entire software life cycle.



When to use Incremental model

- On projects which have lengthy development schedules
- A need to get basic functionality to the market early
- Most of the requirements are known upfront but are expected to evolve over time
- On a project with new technology



Mini-Case 1

 The project is to develop an inventory control system for a new super market in town. It should have all the regular functionalities such as adding new stocks, getting reports such as inventory reorder report and daily sales report etc. A project team has previous experience developing inventory systems for other clients.





4 Prototyping Model




Prototype Model

- Instead of freezing the requirements before coding or design, a prototype is built to clearly understand the requirements.
- This prototype is built based on the current requirements.
- Through examining this prototype, the client gets a better understanding of the features of the final product.
- Requirements may be changed with the client feedback on the prototype.



Prototype Model





Prototyping Model - Strengths

- Ability to clarify user's expectations for the system to be developed
- Prototype stimulates awareness of additional needed functionality
- Better user satisfaction
- Early user feedback



Prototyping Model - Weaknesses

- Scope Creep The system scope may expand beyond original plans.
- Overall maintainability may be overlooked.
- The customer may want the prototype be delivered.
- Process may continue forever




When to Use Prototyping

- Requirements are unstable or have to be clarified
- Many user interfaces
- New technology
- New, original development
- Developers are not familiar with the technical and development tools



Selection of Approach





Question

- A company is developing an advanced version of their current software available in the market, what model approach would they prefer?
- a) Waterfall
- b) Incremental
- c) Prototyping





Question

Selection of a model is based on...?

- a) Requirements
- b) Development team
- c) Users
- d) Project type and associated risk
- e) All of the mentioned







- Meta Model combines iterative and prototype development with the systematic, controlled aspects of the waterfall model.
- Allows for incremental releases
- Introduced by Barry Boehm in 1986.
- Allows elements of the product to be added in when they become available or known.
- Emphasises on risk management








- Quadrant 1: Planning
 - Determine objectives, alternatives, and constraints.
- Quadrant 2: Risk Analysis
 - Evaluate alternatives, identify, resolve risks.
- Quadrant 3: Development & Test
 - Develop, verify, next-level product.
- Quadrant 4: Evaluation
 - Analyse feedback and plan next phases.







Question

- Which of the following models will not be able to give the desired outcome if user's participation is not involved?
- a) Waterfall
- b) Spiral
- c) Prototyping





Spiral Model - Strengths

- Focus on risk analysis.
- Good for large and mission critical projects
- A working software is produced early
- The design does not have to be perfect
- Early and frequent feedback from users
- Cumulative costs assessed frequently



Spiral Model - Weaknesses

- Can be a costly model to use.
- Risk analysis requires expertise.
- Success is highly dependent on the risk analysis phase.
- Doesn't work well for smaller projects.



When to use Spiral Model

- For medium to high-risk projects
- New technology to be used
- Complex, constantly changing and continuous Requirements
- Significant changes are expected (research and exploration)
- Users are unsure of their needs



Question

Which of the following life cycle model can be chosen if the development team has less experience on similar projects?

- a) Spiral
- b) Waterfall
- d) Iterative





Activities

Which life cycle is suitable?





Mini-Case 2

 A library management system is required for a National Library with a number of branches in many cities. System should link to a number of other online libraries, databases, journals and university libraries through web and manage different user subscriptions. The project team has little experience in developing library systems before. However there is not much pressure on time.



Mini-Case 3

 A Project is to develop a complete system for a new bank. System will have many users, interrelationships, and functions. The project has few risks related to requirements definition. These risks needs to be reduced.

IT 1060						
	Waterfall	V-Shaped	Evolutiona ry Prototypin g	Spiral	Iterative and Incremental	Agile
Unclear User Requirement	Poor	Poor	Good	Excellent	Good	Excellent
Unfamiliar Technology	Poor	Poor	Excellent	Excellent	Good	Poor
Complex System	Good	Good	Excellent	Excellent	Good	Poor
Reliable system	Good	Good	Poor	Excellent	Good	Good
Short Time Schedule	Poor	Poor	Good	Poor	Excellent	Excellent
Strong Project Management	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent
Cost limitation	Poor	Poor	Poor	Poor	Excellent	Excellent
Skills limitation	Good	Good	Poor	Poor	Good	Excellent
Documentation s	Excellent	Excellent	Good	Good	Excellent	Poor
Component reusability	Excellent	Excellent	Poor	Poor	Excellent	Poor or computing



References

- I. Sommerville, Software Engineering, 10th ed., Addison-Wesley, 2011. – Chapter 2
- Roger Pressman, Software Engineering: A Practitioner's Approach
 - Chapter 2