

1. Write a script for variable binning using R.

```
library(foreign)

read.xport (foreign)

read.xport(file)
```

3. Write a script for variable binning using R.

```
install.packages("haven")

library(haven)

dat= read_sas("path to file", "path to formats catalog")

Eg: path <- system.file("examples", "iris.sas7bdat", package = "haven")

read_sas(path)
```

3. Write a script for variable binning using R.

```
Library(foreign)

read.arff(file)

Eg: read.arff(system.file("arff", "contact-lenses.arff", package = "RWeka"))
```

3. Write a script for variable binning using R.

```
read_tsv(file, col_names = TRUE, col_types = NULL,

  locale = default_locale(), na = c("", "NA"), quoted_na = TRUE,

  quote = "\"", comment = "", trim_ws = TRUE, skip = 0,

  n_max = Inf, guess_max = min(1000, n_max),

  progress = show_progress(), skip_empty_rows = TRUE)

read_csv(file, col_names = TRUE, col_types = NULL,

  locale = default_locale(), na = c("", "NA"), quoted_na = TRUE,

  quote = "\"", comment = "", trim_ws = TRUE, skip = 0,

  n_max = Inf, guess_max = min(1000, n_max),

  progress = show_progress(), skip_empty_rows = TRUE)
```