Show Data

```
<thead>
       Id
       </thead>
     <?php
     $stmt = $dbCon->prepare("select...");
     $stmt->execute()
     ?>
     <?php
          while($row = $stmt->fetch(PDO::FETCH OBJ))
             ?>
             <?php echo$row->id?>
             <?php
```

Insert Data

```
<div class="container">
    <form method="POST">
            <label class="col-form-label mt-4" for="fname">Marke:</label><br>
            <input class="form-control" type="text" id="marke" name="marke"><br>
            <input class="btn btn-primary" name="save" type="submit" id="save" value="Speichern"><br><br>
    </form>
</div>
<?php
    if(isset($ POST['save'])&& $ POST["save"]!="")
        try
            $query = "insert into auto(marke)
                values(?)";
            $marke = $ POST['marke'];
            $stmt = $dbCon->prepare($query);
            $stmt->execute([$marke]);
            ?>
            <div class="alert alert-success" role="alert">
                <?php echo 'Eintrag wurde mit ID: ' . $dbCon->lastInsertId() . ' hinzugefügt' ?>
            </div>
            <?php
        catch (Exception $e)
            echo $e->getMessage() . '!' . $e->getCode();
elseif(isset($ POST['save']))
    echo 'save';
?>
```

DB-Schema (Show Databases)

```
<div class="container">
<thead>
         \langle t.r \rangle
            DB Name
            Show Details
         </thead>
      <?php
      $stmt = $dbCon->query("show databases");
      $stmt->execute()
      ?>
      <?php
            while(($row = $stmt->fetchColumn(0)) !== false)
                ?>
                <?php echo$row?>
                <form action="show tables.php?daten=<?php echo $row?>" method="POST">
                   <a class="nav-link"><button>Details</button></a>
                </form>
                </form>
                <?php
      </div>
```

DB-Schema (Show Tables from Database)

</div>

```
?>
<div class="container">
<a>Datenbank-Name <?php echo $datenbank ?></a>
<thead>
         Table Names
            Show Details
            Show Data
         </thead>
      <?php
      $stmt = $dbCon->query("show tables from $datenbank");
      $stmt->execute()
      while(($row = $stmt->fetchColumn(0)) !== false)
                <?php echo$row?>
                <a class="nav-link" href="show information.php?tabelle=<?php echo $row?>&datenbank=<?php echo $datenbank?>"><button>Beschreibung</button></a>
                <a class="nav-link" href="show_details.php?tabelle=<?php echo $row?>&datenbank=<?php echo $datenbank?>"><button>Inhalt</button></a>
                <?php
```

DB-Schema (Information columns/datatypes/...)

```
<?php
   $tabelle = $ GET["tabelle"];
   $db = $ GET["datenbank"];
<div class="container">
<a>Table-Name <?php echo $tabelle ?></a>
<thead>
         Fields
            Type
            Nullable
            Key
            Default
            Extra
         </thead>
      <?php
      $stmt = $dbCon->query("use $db");
      $stmt->execute();
      $stmt = $dbCon->query("describe $tabelle");
      $stmt->execute();
      $result = $stmt->fetchAll(PDO::FETCH ASSOC);
      ?>
      <?php
            foreach($result as $column)
               <?php echo$column['Field']?>
               <?php echo$column['Type']?>
               <?php echo$column['Null']?>
               <?php echo$column['Key']?>
               <?php echo$column['Default']?>
               <?php echo$column['Extra']?>
               <?php
      </div>
```

DB-Schema (Show Data)

```
<?php
   $tabelle = $ GET["tabelle"];
   $db = $ GET["datenbank"];
?>
<div class="container">
<a>Table-Name <?php echo $tabelle ?></a>
<?php
       $stmt1 = $dbCon->query("use $db");
       $stmt1->execute();
       $stmt1 = $dbCon->query("describe $tabelle");
       $stmt1->execute();
       $result = $stmt1->fetchAll(PDO::FETCH ASSOC);
       <thead>
       <?php
              foreach($result as $column)
                  <?php echo$column['Field']?>
       </thead>
       <?php
       $stmt = $dbCon->query("use $db");
       $stmt->execute();
       $stmt = $dbCon->query("select * from $tabelle");
       $stmt->execute();
       $columnCnt=$stmt->columnCount();
       ?>
       while($rows = $stmt->fetch(PDO::FETCH OBJ))
                  foreach ($rows as $row)
                     <?php echo $row?>
                     <?php
                  <?php
       </div>
```

Search (normal)

```
<div class="container">
$smt = $dbCon->prepare('select modell from auto');
       $smt->execute();
       $data = $smt->fetchAll();
   <select name="modell">
       <option></option>
              foreach ($data as $row): ?>
              <option><?=$row["modell"]?></option>
          <?php endforeach?>
   <input class="btn btn-secondary my-2 my-sm-0" type="submit" name="btnSubmit" value="Search">
</form>
if(isset($ POST['btnSubmit']))
   $query=$_POST['query'];
   $query=$_POST['modell'];
   <thead>
              Test
          </thead>
       <?php
       $marke=$query;
       $sql = "SELECT * FROM auto WHERE marke LIKE concat('%',:marke,'%') AND modell like concat('%',:modell,'%')";
       $stmt = $dbCon->prepare($sql);
       $stmt->bindParam(':marke', $_POST['query']);
$stmt->bindParam(':modell', $_POST['modell']);
       $stmt->execute();
       while ($row = $stmt->fetch (PDO::FETCH OBJ))
                  <?php echo$row->id?>
                  <?php
       </div>
<?php
```

Search (Citybikeverwaltung)

```
<div class="container">
<form class="d-flex" method="POST" action="?page=search">
<fieldset>
    <div class="form-group row">
      <div class="col-sm-10">
      <input type="text" name="id" placeholder="KundenID">
     </div>
    </div>
    <fieldset class="form-group">
      <legend class="mt-4">Zeitraum</legend>
      <div class="form-check">
        <label class="form-check-label">
         <input type="radio" class="form-check-input" name="optionsRadios" id="optionsRadios1" value="option1">
         voriger Monat
       </label>
      </div>
      <div class="form-check">
        <label class="form-check-label">
          <input type="radio" class="form-check-input" name="optionsRadios" id="optionsRadios2" value="option2">
         aktueller Monat
       </label>
      </div>
      <div class="form-check">
        <label class="form-check-label">
          <input type="radio" class="form-check-input" name="optionsRadios" id="optionsRadios3" value="option3">
         nächster Monat
       </label>
      </div>
      <div class="form-check">
        <label class="form-check-label">
          <input type="radio" class="form-check-input" name="optionsRadios" id="optionsRadios4" value="option4" checked>
         alle
       </label>
     </div>
    </fieldset>
    <input class="btn btn-secondary my-2 my-sm-0" type="submit" name="btnSubmit" value="Search">
 </fieldset>
</form>
```

```
<?php
if(isset($ POST['btnSubmit']))
   $id=$ POST['id'];
   $month=$ POST['optionsRadios'];
   <thead>
           KundenId
              Vorname
              Nachname
              Ausgeliehen von
              Ausgeliehen bis
              Abholort
              Rückgabeort
           </thead>
       <?php
       $timestamp = time();
       if($month == 'option3')
           $month = date("Y-m-", strtotime("+1 months"));
       else if($month == 'option2')
           $month = date("Y-m-", $timestamp);
       else if($month == 'option1')
           $month = date("Y-m-", strtotime("-4 months"));
       else
           $month = 'option4';
       if($month == 'option4')
           Ssql = "select p.idPerson, p.Vorname, p.Nachname, v.DatumVon, v.DatumBis, sb.Standortname as Standortbis,
           sv.Standortname as Standortvon from verleih as v join produkt as pr on v.Produkt idProdukt=pr.idProdukt
           join standort as sv on v.StandortVon=sv.idStandort join standort as sb on v.StandortBis=sb.idStandort
           join person as p on v.Person idPerson=p.idPerson WHERE p.idPerson LIKE concat('%',:id,'%')";
       else
           $sql = "select p.idPerson, p.Vorname, p.Nachname, v.DatumVon, v.DatumBis, sb.Standortname as Standortbis,
           sv.Standortname as Standortvon from verleih as v join produkt as pr on v.Produkt idProdukt=pr.idProdukt
           join standort as sv on v.StandortVon=sv.idStandort join standort as sb on v.StandortBis=sb.idStandort
           join person as p on v.Person idPerson=p.idPerson
           WHERE p.idPerson LIKE concat('%',:id,'%') AND v.DatumVon LIKE concat('%',:month,'%')
           AND v.DatumBis LIKE concat('%',:month,'%')";
```

```
$stmt = $dbCon->prepare($sql);
      $stmt->bindParam(':id', $_POST['id']);
      if ($month != 'option4')
         $stmt->bindParam(':month', $month);
      $stmt->execute();
      ?>
      <?php
             while($row = $stmt->fetch(PDO::FETCH OBJ))
                ?>
                <?php echo$row->idPerson?>
                <?php echo$row->Vorname?>
                <?php echo$row->Nachname?>
                <?php echo$row->DatumVon?>
                <?php echo$row->DatumBis?>
                <?php echo$row->Standortvon?>
                <?php echo$row->Standortbis?>
                <?php
      </div>
<?php
```