Status	Finished
Started	Tuesday, 20 October 2026, 4:20 PM
Completed	Tuesday, 20 October 2026, 4:23 PM
Duration	2 mins 57 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Suppose d = {“john”:40, “peter”:45}, to delete the entry for “john” what command do we use?

a. del d(“john”:40)

b. d.delete(“john”:40)

c. d.delete(“john”)

d. del d[“john”] ✓

Question **2**

Correct

Mark 1.00 out of 1.00

What will be the Output of the following code?
dl={1:10, 2:20, 3:30, 4:40}
d2={5:50, 6:60, 7:70}
dl.update (d2)
print (dl)

a. [(1, 10), (2, 20), (3, 30), (4, 40), (5, 50)]

b. {1:10, 2: 20, 4: 40, 5: 50, 6: 60, 7: 70}

c. [1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70]

d. {1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70} ✓

Question **3**

Correct

Mark 1.00 out of 1.00

In Python, Dictionaries are immutable

Select one:

True

False ✓

Question **4**

Correct

Mark 1.00 out of 1.00

In dictionary Keys and values are separated by ____.

a. Comma(,)

b. dot(.)

c. Colon (:) ✓

d. Semicolon(;)

Question **5**

Correct

Mark 1.00 out of 1.00

clear() method is used to delete the dictionary.

a. False ✓

b. True

Question **6**

Correct

Mark 1.00 out of 1.00

Following statement return values in the form of: D1.keys() # D1 is a dictionary

a. string

b. tuple

c. dictionary

d. list ✓

Question **7**

Correct

Mark 1.00 out of 1.00

Dictionary is a ____ data type.

a. Mapping ✓

b. Sequence

c. Ordered

d. None of the mentioned

Question **8**

Correct

Mark 1.00 out of 1.00

Which of the following are true of Python dictionaries:

a) All the keys in a dictionary must be of the same type.

b) Items are accessed by their position in a dictionary.

c) A dictionary can contain any object type except another dictionary.

d) Dictionaries can be nested to any depth.

e) Dictionaries are mutable.

f) Dictionaries are accessed by key.

- a. a,b
- b. c,d,e
- c. d,e,f ✓
- d. b,c

Question **9**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code snippet?

```
a={}
a['a']=1
a['b']=[2,3,4]
print(a)
```

- a. {'b': [2], 'a': 1}
- b. {'b': [2, 3, 4], 'a': 1} ✓
- c. {'b': [2], 'a': [3]}
- d. Error

Question **10**

Correct

Mark 1.00 out of 1.00

Which of the following function create a dictionary from a sequence of key-value pairs

- a. dict ✓
- b. convert
- c. dictionary
- d. create

Question **11**

Correct

Mark 1.00 out of 1.00

All elements in dictionary are separated by ____.

a. dot(.)
b. Semicolon(;)
c. Colon (
d. Comma(,) ✓

Question **12**

Correct

Mark 1.00 out of 1.00

Both keys and values are unique in dictionary.

a. True
b. False ✓

Question **13**

Correct

Mark 1.00 out of 1.00

____ function returns the value corresponding to the key passed as the argument.

a. get ✓
b. del
c. update
d. values

Question **14**

Correct

Mark 1.00 out of 1.00

Dictionaries are flexible in nature, means elements can be added or removed from it.

a. False
b. True ✓

Question **15**

Correct

Mark 1.00 out of 1.00

There is no index value in dictionary like we have in List.(T/F)

a. False
b. True ✓