Status	Finished
Started	Tuesday, 13 October 2026, 11:18 PM
Completed	Tuesday, 13 October 2026, 11:23 PM
Duration	4 mins 23 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {1, 2, 3, 4, 5}
set2 = {6, 7, 1, 3, 4, 8, 2, 5}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. True ✓

True

b. True

False

c. False

True

d. False

False

Question **2**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
t1 = (1,2,3)
t2 = (4,5,6)
x = t1+t2
print(x)
```

a. (1,2,3,3,2,1)

b. (1,2,3,4,5,6) ✓

c. (1,2,3)(4,5,6)

d. Error

Question **3**

Correct

Mark 1.00 out of 1.00

What will be printed when the following code executes?

```
a = ("Python Programming")
```

```
print type(a)
```

a. <class 'int'>

b. str

c. <class 'tuple'>

d. <class 'str'> ✓

Question **4**

Correct

Mark 1.00 out of 1.00

Which of the following Python code will create a set?

(i) set1=set((0,9,0))
(ii) set1=set([0,2,9])
(iii) set1={}

a. ii

b. All of the above

c. i,ii ✓

d. iii

Question **5**

Correct

Mark 1.00 out of 1.00

What is the output of the following code

```
aSet = {1, 'rec', ('cse', 'ece'), True}
print(aSet)
```

a. {'rec', 1, ('cse', 'ece'),True}

b. {'rec', 1, ('cse', 'ece')} ✓

c. {'rec', True, ('cse', 'ece')}

d. Error

Question **6**

Correct

Mark 1.00 out of 1.00

What will the below Python code do?

```
set1={2,3}

set2={3,2}

set3={2,1}

if(set1==set2):

    print("yes")

else:

    print("no")

if(set1==set3):

    print("yes")

else:

    print("no")
```

a. "==" is not supported for set in Python

b. Yes, No ✓

c. No, No

d. Yes, Yes

Question **7**

Correct

Mark 1.00 out of 1.00

What will be the output of below Python code?

```
tupl=("python","programming","Computer")
print(tupl[-3:0])
```

a. () ✓

b. Error

c. Computer

d. (Computer)

Question **8**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

my_t1 = (1, 2, 3, 4)

my_t1.append((5, 6, 7))

print(len(my_t1))

a. Error ✓

b. 1

c. 2

d. 5

Question **9**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t1 = (1,2,3,(4,5))
t2 = (3,2,1,(4,5))
print(t1>t2)
```

a. False ✓

b. Error

c. Error

d. True

Question **10**

Correct

Mark 1.00 out of 1.00

Select which is true for Python tuple?

a. We can change the tuple once created

b. A tuple maintains the order of items ✓

c. A tuple is unordered

d. None of these

Question **11**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
>>>t = (1, 2, 4, 3, 8, 9)
>>>[t[i] for i in range(0, len(t), 2)]
```

a. [2, 3, 9]

b. (1, 4, 8)

c. [1, 2, 4, 3, 8, 9]

d. [1, 4, 8] ✓

Question **12**

Correct

Mark 1.00 out of 1.00

What is the output of the following code?

```
aTuple = (10, 20, 30, 40, 50, 60, 70, 80)
print(aTuple[2:5], aTuple[:4], aTuple[3:])
```

a. (30, 40, 50)(40, 50, 60, 70, 80)

b. (30, 40, 50) (10, 20, 30, 40)

c. (30, 40, 50) (10, 20, 30, 40) (40, 50, 60, 70, 80) ✓

d. (10, 20, 30, 40) (40, 50, 60, 70, 80)

Question **13**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

t = (11, 3)

x = 3 * t

print(x)

- a. (11, 3, 11, 3, 11, 3) ✓
- b. (11,3,11,11,3,11,11,11,3)
- c. [11,11,11,3,3,3]
- d. (11,3)(11,3)(11,3)

Question **14**

Correct

Mark 1.00 out of 1.00

Which of the following options will produce the same output?

```
t = (15, 83, 21, 49, 60,45,52,85,100)
# options i, ii, iii, or iv
print(t[:-1])
print(t[0:5])
print(t[0:8])
print(t[-7:])
```

- a. ii,iv
- b. iii,iv
- c. i,ii
- d. i,iii ✓

Question **15**

Correct

Mark 1.00 out of 1.00

What is printed when the following code is run?

```
tup = ('30', '3', '2', '8')
print(sorted(tup,reverse = True))
```

- a. ['2', '3', '8', '30']
- b. ['2', '3', '30', '8']
- c. ['8', '30', '3', '2'] ✓
- d. ['30', '8', '3', '2']