Mathematical and Logical Foundations of Computer Science

Theorem proving

Vincent Rahli

(some slides were adapted from Benedikt Ahrens' slides)

University of Birmingham

Where are we?

- Symbolic logic
- Propositional logic
- ▶ Predicate logic
- ► Intuitionistic vs. Classical logic
- ► Type theory

Today

Theorem proving using Lean

- Propositional Logic in Lean
- ▶ Proofs as programs in Lean

Today

Theorem proving using Lean

- Propositional Logic in Lean
- Proofs as programs in Lean

Useful links:

- online version:
 - https://leanprover.github.io/live/master/
- reference manual:
 - https://leanprover.github.io/reference/index.html
- theorem proving in Lean: https://leanprover.github.io/ theorem_proving_in_lean/index.html

Today

Theorem proving using Lean

- Propositional Logic in Lean
- Proofs as programs in Lean

Useful links:

online version:

```
https://leanprover.github.io/live/master/
```

reference manual:

```
https://leanprover.github.io/reference/index.html
```

theorem proving in Lean: https://leanprover.github.io/ theorem_proving_in_lean/index.html

Further reading:

Chapter 4 of http://leanprover.github.io/logic_and_proof/

Theorem provers (or **proof assistants**) are formal verification tools that help establish claims

Theorem provers (or **proof assistants**) are formal verification tools that help establish claims

Of both

- mathematical results
- hardware & software verification

Theorem provers (or **proof assistants**) are formal verification tools that help establish claims

Of both

- mathematical results
- hardware & software verification

Why use formal verification tools?

Theorem provers (or proof assistants) are formal verification tools that help establish claims

Of both

- mathematical results
- hardware & software verification

Why use formal verification tools?

- computer checked proofs are less error prone than pen-and-paper proofs
 - those tools can check that we do not make mistakes
 - they can handle low level details "fairly" automatically
 - they can easily check and re-check proofs

Theorem provers (or **proof assistants**) are formal verification tools that help establish claims

Of both

- mathematical results
- hardware & software verification

Why use formal verification tools?

- computer checked proofs are less error prone than pen-and-paper proofs
 - those tools can check that we do not make mistakes
 - they can handle low level details "fairly" automatically
 - they can easily check and re-check proofs
- To rely on safety-critical systems, they need to be checked/verified to the highest standards possible
 - Such as power plants, airplanes, autonomous vehicles, etc.
 - failures can be catastrophic (loss of lives, money, data, etc.)!

Example of a mistake in Mathematical proofs: Voevodsky (Fields medalist) discovered a mistake in one of his paper. "A technical argument by a trusted author, which is hard to check and looks similar to arguments known to be correct, is hardly ever checked in detail" - Vladimir Voevodsky, 2014,

https://www.ias.edu/ideas/2014/voevodsky-origins

Example of a mistake in Mathematical proofs: Voevodsky (Fields medalist) discovered a mistake in one of his paper. "A technical argument by a trusted author, which is hard to check and looks similar to arguments known to be correct, is hardly ever checked in detail" - Vladimir Voevodsky, 2014,

https://www.ias.edu/ideas/2014/voevodsky-origins

Example of a mistake in Mathematical proofs: Voevodsky (Fields medalist) discovered a mistake in one of his paper. "A technical argument by a trusted author, which is hard to check and looks similar to arguments known to be correct, is hardly ever checked in detail" - Vladimir Voevodsky, 2014,

https://www.ias.edu/ideas/2014/voevodsky-origins

Many examples of costly hardware & software failures:

▶ 1994: Intel Pentium bug in the floating point unit

Example of a mistake in Mathematical proofs: Voevodsky (Fields medalist) discovered a mistake in one of his paper. "A technical argument by a trusted author, which is hard to check and looks similar to arguments known to be correct, is hardly ever checked in detail" - Vladimir Voevodsky, 2014,

https://www.ias.edu/ideas/2014/voevodsky-origins

- ▶ 1994: Intel Pentium bug in the floating point unit
- 1996: ESA (European Space Agency) Ariane 5 launcher self-destructs

Example of a mistake in Mathematical proofs: Voevodsky (Fields medalist) discovered a mistake in one of his paper. "A technical argument by a trusted author, which is hard to check and looks similar to arguments known to be correct, is hardly ever checked in detail" - Vladimir Voevodsky, 2014,

https://www.ias.edu/ideas/2014/voevodsky-origins

- ▶ 1994: Intel Pentium bug in the floating point unit
- ▶ 1996: ESA (European Space Agency) Ariane 5 launcher self-destructs
- ▶ 2010/2015: Toyota Prius software "glitches"

Example of a mistake in Mathematical proofs: Voevodsky (Fields medalist) discovered a mistake in one of his paper. "A technical argument by a trusted author, which is hard to check and looks similar to arguments known to be correct, is hardly ever checked in detail" - Vladimir Voevodsky, 2014,

https://www.ias.edu/ideas/2014/voevodsky-origins

- ▶ 1994: Intel Pentium bug in the floating point unit
- 1996: ESA (European Space Agency) Ariane 5 launcher self-destructs
- 2010/2015: Toyota Prius software "glitches"
- 2012/2014: Heartbleed security bug in the OpenSSL crypto library

Example of a mistake in Mathematical proofs: Voevodsky (Fields medalist) discovered a mistake in one of his paper. "A technical argument by a trusted author, which is hard to check and looks similar to arguments known to be correct, is hardly ever checked in detail" - Vladimir Voevodsky, 2014,

https://www.ias.edu/ideas/2014/voevodsky-origins

- ▶ 1994: Intel Pentium bug in the floating point unit
- 1996: ESA (European Space Agency) Ariane 5 launcher self-destructs
- 2010/2015: Toyota Prius software "glitches"
- 2012/2014: Heartbleed security bug in the OpenSSL crypto library
- 2018: TSB online banking "glitches"

Example of a mistake in Mathematical proofs: Voevodsky (Fields medalist) discovered a mistake in one of his paper. "A technical argument by a trusted author, which is hard to check and looks similar to arguments known to be correct, is hardly ever checked in detail" - Vladimir Voevodsky, 2014,

https://www.ias.edu/ideas/2014/voevodsky-origins

Many examples of costly hardware & software failures:

- ▶ 1994: Intel Pentium bug in the floating point unit
- 1996: ESA (European Space Agency) Ariane 5 launcher self-destructs
- ▶ 2010/2015: Toyota Prius software "glitches"
- 2012/2014: Heartbleed security bug in the OpenSSL crypto library
- ▶ 2018: TSB online banking "glitches"

Could we avoid these issues using formal verification?

Several kinds of formal verification tools:

Several kinds of formal verification tools:

- automated
 - e.g., SAT/SMT solvers such as Z3
 - e.g., Model checkers such as Spin, Prism
 - automatically search solutions to problems

Several kinds of formal verification tools:

automated

- e.g., SAT/SMT solvers such as Z3
- e.g., Model checkers such as Spin, Prism
- automatically search solutions to problems

interactive

- e.g., Agda, Coq, Lean, etc.
- provide ways of building and verifying proofs
- every single proof step is checked to be correct w.r.t. some logical foundations

Several kinds of formal verification tools:

- automated
 - e.g., SAT/SMT solvers such as Z3
 - e.g., Model checkers such as Spin, Prism
 - automatically search solutions to problems

interactive

- e.g., Agda, Coq, Lean, etc.
- provide ways of building and verifying proofs
- every single proof step is checked to be correct w.r.t. some logical foundations
- many systems, such as Lean, support both automated and interactive theorem proving

Formal verification tools such as theorem provers are especially useful in computer science to

Formal verification tools such as theorem provers are especially useful in computer science to

- prove mathematical results, e.g.,
 - four-color theorem
 - odd-order theorem

Formal verification tools such as theorem provers are especially useful in computer science to

- prove mathematical results, e.g.,
 - four-color theorem
 - odd-order theorem
- prove the correctness of hardware & software systems, e.g.,
 - CompCert: a C compiler verified in Coq
 - CakeML: a verified ML language in HOL4
 - sel4: a microkernel in Isabelle

Formal verification tools such as theorem provers are especially useful in computer science to

- prove mathematical results, e.g.,
 - four-color theorem
 - odd-order theorem
- prove the correctness of hardware & software systems, e.g.,
 - CompCert: a C compiler verified in Coq
 - CakeML: a verified ML language in HOL4
 - sel4: a microkernel in Isabelle

Many companies nowadays use formal verification tools to ensure the correctness of their hardware & software systems, such as (see https://github.com/ligurio/practical-fm):

Airbus	Amazon	ARM
BAE Systems	Data61	Ethereum
Facebook	Galois	Google
Microsoft	NASA	

In hardware & software system verification, formal verification tools are used to **mathematically prove** that **systems** (programs or models) satisfy formal **specifications**

In hardware & software system verification, formal verification tools are used to **mathematically prove** that **systems** (programs or models) satisfy formal **specifications**

Example: For a sorting algorithm, we want to prove that the result is sorted

In hardware & software system verification, formal verification tools are used to **mathematically prove** that **systems** (programs or models) satisfy formal **specifications**

Example: For a sorting algorithm, we want to prove that the result is sorted

Example: For a "remove" algorithm that removes an element from a collection, we want to prove that the resulting collection does not contain the element

Benefits and drawbacks of formal verification by theorem proving:

exhaustive (cover all cases)

- exhaustive (cover all cases)
- rigorous (includes all required logical steps)

- exhaustive (cover all cases)
- rigorous (includes all required logical steps)
- difficult and time consuming

- exhaustive (cover all cases)
- rigorous (includes all required logical steps)
- difficult and time consuming
- lead to large proofs

- exhaustive (cover all cases)
- rigorous (includes all required logical steps)
- difficult and time consuming
- lead to large proofs
- relies on the correctness of the prover

We will now show how to prove mechanically-checked theorems using the Lean theorem prover

- developed by Microsoft Research
- it runs in the browser
- you can install it on your machines

We will now show how to prove mechanically-checked theorems using the Lean theorem prover

- developed by Microsoft Research
- it runs in the browser
- you can install it on your machines

Lean implements a logical system:

- it is based on a dependent type theory, which includes predicate and propositional logic
- it supports constructive reasoning and has a computational interpretation that allows viewing proofs as programs and propositions as types
- it implements a sequent calculus
- it relies on tactics to apply rules (we will see a few today)

Theorem Proving in Lean

Let us switch to Lean now

https://leanprover.github.io/live/master/
see the file called prop.lean

Conclusion

What did we cover today?

- Theorem proving
- Propositional Logic in Lean
- Proofs as programs in Lean

Conclusion

What did we cover today?

- Theorem proving
- Propositional Logic in Lean
- Proofs as programs in Lean

Further reading:

Chapter 4 of

http://leanprover.github.io/logic_and_proof/

Conclusion

What did we cover today?

- Theorem proving
- Propositional Logic in Lean
- Proofs as programs in Lean

Further reading:

Chapter 4 of http://leanprover.github.io/logic_and_proof/

Next time?

▶ Theorem proving