Write your name here	Other nam	nes
Pearson Edexcel GCE	Centre Number	Candidate Number
Further F Mathema Advanced/Advance	atics FP2	
Wednesday 6 June 2018 Time: 1 hour 30 minute	•	Paper Reference 6668/01
You must have: Mathematical Formulae and	Statistical Tables (Pink)	Total Marks

Candidates may use any calculator allowed by the regulations of the Joint Council for Qualifications. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

## **Instructions**

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
   Coloured pencils and highlighter pens must not be used.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
   there may be more space than you need.
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- When a calculator is used, the answer should be given to an appropriate degree of accuracy.

## **Information**

- The total mark for this paper is 75.
- The marks for each question are shown in brackets
   use this as a guide as to how much time to spend on each question.

## **Advice**

- Read each guestion carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶



P51466A
©2018 Pearson Education Ltd.

DO NOT WRITE IN THIS AREA

(b) Hence, using the method of differences, show that

$$\sum_{r=1}^{n} \frac{1}{(r+3)(r+4)} = \frac{n}{a(n+a)}$$

where a is a constant to be found.

**(5)** 

		30	1
(c)	Find the exact value of	r=15	(r+3)(r+4)

**(2)** 


NOT WRITEIN THIS AREA

Question 1 continued	Le
duestion 1 continued	



Question 1 continued	

	Leave blank
Question 1 continued	June
	Q1
(Total 8 marks)	



2. A transformation from the z-plane to the w-plane is given by

$$w = \frac{1 - iz}{z}, \qquad z \neq 0$$

The transformation maps points on the real axis in the z-plane onto the line l in the w-plane.

Find an equation of the line l.

(	11
ľ	T)

		(4)

Question 2 continued		blank
	Question 2 continued	
		02
(Total 4 marks)		
	(Total 4 marks)	



**(5)** 

3. (a) By writing  $\frac{\pi}{12} = \frac{\pi}{3} - \frac{\pi}{4}$ , show that

(i) 
$$\sin\left(\frac{\pi}{12}\right) = \frac{1}{4}\left(\sqrt{6} - \sqrt{2}\right)$$

(ii) 
$$\cos\left(\frac{\pi}{12}\right) = \frac{1}{4}\left(\sqrt{6} + \sqrt{2}\right)$$

 $\frac{1}{12} \cos\left(\frac{1}{12}\right) = \frac{1}{4}(\sqrt{6} + \sqrt{2}) \tag{4}$ 

(b) Hence find the exact values of z for which

$$z^4 = 4\left(\cos\frac{\pi}{3} + i\sin\frac{\pi}{3}\right)$$

Give your answers in the form z = a + ib where  $a, b \in \mathbb{R}$ 



	Leave
	blank
Overtion 2 continued	Clark
Question 3 continued	



Question 3 continued		

Question 3 continued	
Q	3
(Total 9 marks)	



12 21 > 4	
$ x^2 - 2  > 4x$	(
	(

	Leave
	blank
Question 4 continued	
Question 4 continued	



Question 4 continued	Leave
	Q4
(Total 7 marks)	



5.

$$y\frac{\mathrm{d}^2 y}{\mathrm{d}x^2} + 3x\frac{\mathrm{d}y}{\mathrm{d}x} - 3y^2 = 0$$

Given that at x = 0, y = 2 and  $\frac{dy}{dx} = 1$ 

(a) show that, at x = 0,  $\frac{d^3y}{dx^3} = \frac{3}{2}$ 

**(6)** 

(b) Find a series solution for y up to and including the term in  $x^3$ 

**(3)** 

estion 5 continued	



Question 5 continued		

Question 5 continued	blank
Question 5 continued	
	Q5
(Total 9 marks)	



blank

6.	(a)	Find the	general	solution	of the	differential	equation
v.	(a)	I mu mc	general	Solution	or the	unital	cquation

$$6\frac{d^2y}{dx^2} + 5\frac{dy}{dx} - 6y = x - 6x^2$$
(8)

(b) Find the particular solution for which 
$$y = 0$$
 and  $\frac{dy}{dx} = \frac{3}{2}$  when  $x = 0$  (5)

	L	eave
	bl	lank
Question 6 continued		



Question 6 continued	
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_

Question 6 continued		Leave blank
		Q6
	(Total 13 marks)	



7.




Figure 1

The curve C shown in Figure 1 has polar equation

$$r = 2 + \sqrt{3}\cos\theta, \qquad 0 \leqslant \theta < 2\pi$$

The tangent to C at the point P is parallel to the initial line.

(a) Show that 
$$OP = \frac{1}{2}(3 + \sqrt{7})$$
 (6)

(b) Find the exact area enclosed by the curve C.

(6)	



24

	Leave
	blank
Question 7 continued	



Question 7 continued	

Question 7 continued		blank
Question / continued		
		Q7
	(Total 12 marks)	
	(Total 12 marks)	+



**8.** (a) Using the substitution  $t = x^2$ , or otherwise, find

$$\int 2x^5 e^{-x^2} dx$$

**(6)** 

(b) Hence find the general solution of the differential equation

$$x\frac{\mathrm{d}y}{\mathrm{d}x} + 4y = 2x^2 \mathrm{e}^{-x^2}$$

giving your answer in the form y = f(x).

**(4)** 

Given that y = 0 when x = 1

(c) find the particular solution of this differential equation, giving your solution in the form y = f(x).

(3)

	Leave
	blank
Question 8 continued	



Question 8 continued	

D	b
Question 8 continued	
	_
	—
	_
	_
	_
	I



	(Total 13 marks)
	TOTAL FOR PAPER: 75 MARKS
**************************************	
END	

**Question 8 continued**