

## Example#1

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<title>Document</title>
```

```
</head>
```

```
<body>
```

```
<!-- Content goes here -->
```

```
</body>
```

```
</html>
```

## Example #2

### Example #3

<input type="text" value="John Doe"/>	<input type="text" value="John Doe"/>
---------------------------------------	---------------------------------------


### Example #4

<input type="text" value="John Doe"/>	<input type="text" value="John Doe"/>
---------------------------------------	---------------------------------------

### Example #5

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>My First HTML5 Page</title>
</head>
<body>
<header>
<h1>Welcome to My Website</h1>
</header>
<nav>
```

```
<ul>
<li><a href="#home">Home</a></li>
<li><a href="#about">About</a></li>
<li><a href="#contact">Contact</a></li>
</ul>
</nav>
<section>
<h2>About Us</h2>
<p>Lorem ipsum dolor sit amet, consectetur adipiscing elit...</p>
</section>
<footer>
<p>&copy; 2023 My Website. All rights reserved.</p>
</footer>
</body>
</html>
```



#### Example #6

```
<!-- Document Language -->
<meta http-equiv="Content-Language" content="en">
<!-- Character Set for Forms -->
<meta http-equiv="Accept-Charset" content="UTF-8">
<!-- Prevent Search Engine Indexing -->
<meta name="robots" content="index, follow">
<!-- Author Meta Tag -->
<meta name="author" content="John Doe">
```

#### Example #7

```
<article>
```

```
<h2>Article Title</h2>
<p>Article content goes here.</p>
</article>
```



#### Example #8

```
<main>
<h1>Main Content Heading</h1>
<p>Main content goes here.</p>
</main>
```



#### Example #9

```
<aside>
<h2>Related Information</h2>
<p>Additional content goes here.</p>
</aside>
```



#### Example #10

```
<figure>
```

****  
**<figcaption>Image Caption</figcaption>**  
**</figure>**

## Article Title

Article content goes here.

## Main Content Heading

Main content goes here.

## Related Information

Additional content goes here.



Image Caption

## Example #11

**<div id="container">**

**<p>This is a paragraph inside a generic container.</p>**

**</div>**

**<span style="color: red;">This is inline text with red color.</span>**

**<p>This is <b>bold</b> and <i>italic</i> text.</p>**

## Article Title

Article content goes here.

## Main Content Heading

Main content goes here.

## Related Information

Additional content goes here.



Image Caption

This is a paragraph inside a generic container.

This is inline text with red color.

This is **bold** and *italic* text.


## Example #12

<audio controls>

<source src="audio.mp3" type="audio/mp3">

Your browser does not support the audio tag.


</audio>



## Example #13

<video controls width="480" height="270">

```
<source src="video.mp4" type="video/mp4">
Your browser does not support the video tag.
</video>
```



#### Example #14


```
<video controls width="480" height="270">
<source src="video.mp4" type="video/mp4">
Your browser does not support the video tag.
<track kind="captions" label="English" src="captions.vtt" srclang="en" default>
</video>
```

#### Example #15

```
<canvas id="myCanvas" width="400" height="200"></canvas>
```

#### Example #16

```
<script>
// Get the canvas element
var canvas = document.getElementById("myCanvas");
// Get the 2D rendering context
var ctx = canvas.getContext("2d");
// Perform drawing operations using the context
ctx.fillStyle = "red";
ctx.fillRect(10, 10, 50, 50);
</script>
```



### Example #17

```
function draw() {  
var canvas = document.getElementById("myCanvas");  
var ctx = canvas.getContext("2d");  
// Perform drawing operations  
requestAnimationFrame(draw); // Call draw function again for the next animation  
frame  
}  
draw(); // Initial call to start the animation loop
```

### Example #18

```
<svg width="200" height="200">  
<!-- SVG content goes here -->  
</svg>
```

### Example #19

```
<svg width="200" height="200">  
<rect width="100" height="100" fill="blue" />  
<circle cx="50" cy="50" r="40" fill="green" />  
<path d="M10 80 Q 95 10 180 80" fill="transparent" stroke="black" />  
<text x="20" y="40" font-family="Arial" font-size="20" fill="red">Hello, SVG!</text>  
</svg>
```





## Example #20

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>SVG Example</title>
</head>
<body>
<h1>SVG Example</h1>
<svg width="200" height="200">
<circle cx="100" cy="100" r="80" fill="orange" />
</svg>
<p>This is a simple SVG circle embedded in an HTML document.</p>
</body>
```

