10/4/24, 9:19 AM about:blank

# **Build CarModel and CarMake Django Models**



#### Estimated time needed: 90 minutes

A dealership typically manages cars from one or more makers or manufacturers, and customers should be allowed to review the cars they purchased from a dealer.

In this lab, you will create the CarModel and CarMake models in the Django app.

- A car model includes basic information such as its make, year, type, and dealer id.
- A car make includes basic information such as name and description.

# **Environment setup**

If your lab workspace has not been reset, you can skip this section. If not, to continue from what you have done previously, do the following:

- 1. git clone or pull from your created GitHub repository.
- 2. Run the following to set up the Django environment:
- 1. 1
- 2. 2
- 3. 3
- 4. 4
- cd /home/project/xrwvm-fullstack\_developer\_capstone/server
- 2. pip install virtualenv
- 3. virtualenv djangoenv
- 4. source djangoenv/bin/activate



- 3. Install the required packages by running the following command:
- 1. 1
- 1. python3 -m pip install -U -r requirements.txt

## Copied! Executed!

- 4. Run the following command to perform model migrations:
- 1. 1
- 2. 2
- 3. 3
- python3 manage.py makemigrations
- 2. python3 manage.py migrate
- 3. python3 manage.py runserver



# Steps to Build CarModel and CarMake models

You will need to create two new models in server/djangoapp/models.py:

- A CarMake model to save some data about a car's make.
- A CarModel model to save some data about a car's model.
- 1. Create a car make Django model class CarMake(models.Model):
  - Name
  - Description
  - o Any other fields you would like to include in a car make
  - A \_\_str\_\_ method to print a car make object
- ► Click here for a sample

about:blank 1/5

10/4/24, 9:19 AM about:blank

- 2. Create a car model Django model class CarModel(models.Model):
  - o Many-to-one relationship to CarMake model (One car make can have many car models, using a ForeignKey field)
  - o Dealer Id (IntegerField) refers to a dealer created in Cloudant database
  - o Name
  - o Type (CharField with a choices argument to provide limited choices such as Sedan, SUV, and Wagon)
  - Year (DateField)
  - o Any other fields you would like to include in a car model
  - A \_\_str\_\_ method to print the car make and car model object
- ► Click here for a sample
  - 3. You need to register the CarMake and CarModel on the admin site so you can conveniently manage their content (i.e., perform CRUD operations). Refer to the previous <u>Django Admin Site</u> lab for more details.
- ▶ Click here for sample code
  - 4. Run migrations for the models.
  - 1. 1
  - 2. 2
  - python3 manage.py makemigrations
  - python3 manage.py migrate --run-syncdb



Note: The --run-syncdb allows creating tables for apps without migrations.

Refer to the previous Django ORM lab for more details:

CRUD on Django Model Objects

# Steps to register the CarMake and CarModel models with the admin site

- 1. First, you must have superuser access on the admin site (if not created before).
- 2. Please use root as the user name and root as the password for your reviewer to log in to your app.
- 3. Open a new terminal and build your client by running the following commands:
- 1. 1
- 2. 2
- 1. cd /home/project/xrwvm-fullstack\_developer\_capstone/server/frontend
- npm install
- 3. npm run build



- 4. Start the server from the terminal where django application was running if it is not already running.
- 1. 1
- python3 manage.py runserver

#### Copied!

5. Click the button below to launch the admin page to login with the root credentials.

#### Django Admin

Click here if you get an error

#### Take a screenshot for peer review:

- 1. After you log in to the admin site, please take a screenshot and name it as admin\_login.jpg or admin\_login.png for peer review.
- 2. In addition, you may want to log out as the admin user. You will be redirected to the admin login page again. Take a screenshot and name it admin\_logout.ppg or admin\_logout.ppg.
- 3. Open djangoapp/views.py, import CarMake and CarModel in it after the other import statements in the beginning of the file, and add a method to get the list of cars by including the following code:

about:blank 2/5

10/4/24, 9:19 AM about:blank

```
1. 1
```

1. from .models import CarMake, CarModel

```
Copied!
 2. 2
 3. 3
 4. 4
 5.5
 6.6
 7. 7
 8.8
 9.9
10. 10
 1. def get_cars(request):
        count = CarMake.objects.filter().count()
 2.
 3.
        print(count)
        if(count == 0):
 4.
 5.
            initiate()
 6.
        car_models = CarModel.objects.select_related('car_make')
 7.
        cars = []
        for car_model in car_models:
 8.
            cars.append({"CarModel": car_model.name, "CarMake": car_model.car_make.name})
 9.
10.
        return JsonResponse({"CarModels":cars})
```

#### Copied!

4. Open server/djangoapp/urls.py and add the path for get\_cars in it.

path(route='get\_cars', view=views.get\_cars, name ='getcars'),

## Copied!

5. Open server/djangoapp/populate.py and paste the following code in it to populate data in your database. The data is populated when the first call is made to get\_cars, if the CarModel is empty. If you wish to add data manually, skip this step.

```
3. 3
 4. 4
 5.5
 6.6
 7. 7
 8.8
 9.9
10. 10
11. 11
12. 12
13. 13
14. 14
15. 15
16. 16
17. 17
18. 18
19. 19
20. 20
21. 21
22. 22
23. 23
24. 24
25. 25
26. 26
27. 27
28. 28
29. 29
30. 30
31. 31
32. 32
33. 33
34. 34
35. 35
36. 36
37. 37
38. 38
 1. from .models import CarMake, CarModel
 2.
 3.
    def initiate():
          car_make_data = [
 4.
               {"name":"NISSAN", "description":"Great cars. Japanese technology"}, {"name":"Mercedes", "description":"Great cars. German technology"},
 5.
 6.
```

about:blank 3/5

```
10/4/24, 9:19 AM
               {"name":"Audi", "description":"Great cars. German technology"},
{"name":"Kia", "description":"Great cars. Korean technology"},
    9.
               {"name":"Toyota", "description":"Great cars. Japanese technology"},
   10.
   11.
           car_make_instances = []
   12.
   13.
           for data in car_make_data:
                   car_make_instances.append(CarMake.objects.create(name=data['name'], description=data['description']))
   14.
   15.
   16.
   17.
           # Create CarModel instances with the corresponding CarMake instances
             18.
           car_model_data = [
   19.
   20.
   21.
   22.
   23.
   24.
   25.
   26.
   27.
   28.
   29.
   30.
   31.
   32.
   33.
   34.
               # Add more CarModel instances as needed
   35.
```

Copied!

36. 37.

38.

6. Alternatively, if you wish to add the Car makes and models manually, you can go to the admin page and add them as per your wish. Please note that you will only be allowed to choose from one of the makes and models in these tables to post a review in the later part of the project.

CarModel.objects.create(name=data['name'], car\_make=data['car\_make'], type=data['type'], year=data['year'])

### Django Admin

7. Click the Get Cars button below to check the list of cars added.

If you chose to populate, it will show 5 CarMakes and 15 Car Models, 3 under each make. Else it will show what you added.

Get Cars

## Take a screenshot for peer review:

for data in car model data:

- 8. Please take a screenshot of the car and model and name it cars.jpg or cars.png for peer review.
- 9. Click on the Django Admin button below and take a screenshot of the car models and save it as car models.png or car models.jpg.

Django Admin

# Commit your updated project to GitHub

Commit all updates to the GitHub repository to can save your work.

If you need to refresh your memory on how to commit and push your code to GitHub in the Theia lab environment, please refer to this lab <u>Working with git in the lab environment</u>

## **Summary**

In this lab, you have created the CarModel and CarMake models in your Django app.

## Author(s)

Lavanya T S

## Other Contributor(s)

Upkar Lidder Yan Luo

about:blank 4/5

10/4/24, 9:19 AM about:blank

Priya

© IBM Corporation. All rights reserved.

about:blank 5/5