

PrintOnline.et v3.7 — Implementation Plan

Version: 3.7.0 **Codename:** *Momentum* **Date:** 2026-05-14 **Status:** PLANNING → IMPLEMENTATION
Scope: Dynamic homepage CMS controls, auth mechanization, compliance, product metadata, UX refinements **Previous Version:** 3.6 (Codename: Control) — completed

1. Executive Summary

v3.7 builds on the v3.6 CMS infrastructure to make the **storefront fully dynamic** and the **auth system production-ready**. Every hardcoded homepage section (hero slideshow, deals, testimonials) becomes CMS-configurable. The auth flow gets OAuth integration (Google, Facebook, TikTok), real email verification, and password recovery. A cookie/privacy compliance banner is added. Product metadata gets manual quantity entry and interval configuration. The CMS save UX is refined to "save and stay" instead of "save and redirect."

Scope Summary

#	Feature	Category	Impact
F1	Dynamic Hero Slideshow (max 4 images, CMS)	Homepage CMS	High
F2	Dynamic Special Deals (3 cards, CMS)	Homepage CMS	High
F3	Dynamic Testimonials (CMS)	Homepage CMS	High
F4	Save-and-Stay CMS UX	CMS UX	High
F5	Cookie/Privacy Compliance Banner	Compliance	High
F6	Product Image Ordering (drag-to-reorder + primary)	Product CMS	Medium
F7	Manual Quantity Entry & Interval Config (per product)	Product Metadata	Medium
F8	OAuth Integration (Google, Facebook, TikTok)	Auth	High
F9	Forgot Password Email Recovery (real)	Auth	High
F10	New Account Email Verification	Auth	High
F11	Contact Us Modal (replaces newsletter)	Homepage	Medium
F12	Footer Update (working links, remove number)	Site-wide	Low
F13	v3.6 Testing T9 + T10 Completion	QA	Medium

2. Database Schema Changes

2.1 New Migration: 025_homepage_hero_slides.sql

```
CREATE TABLE hero_slides (  
  id UUID DEFAULT gen_random_uuid() PRIMARY KEY,
```

```

title TEXT NOT NULL,
subtitle TEXT,
image_url TEXT NOT NULL,
cta_text TEXT DEFAULT 'Order Now',
cta_link TEXT DEFAULT '/all-products',
display_order INTEGER DEFAULT 0,
is_active BOOLEAN DEFAULT true,
created_at TIMESTAMPTZ DEFAULT NOW(),
updated_at TIMESTAMPTZ DEFAULT NOW()
);

CREATE INDEX idx_hero_slides_active ON hero_slides(is_active, display_order)
WHERE is_active = true;

ALTER TABLE hero_slides ENABLE ROW LEVEL SECURITY;

CREATE POLICY "Public read hero_slides" ON hero_slides
FOR SELECT USING (is_active = true);
CREATE POLICY "Service role manages hero_slides" ON hero_slides
FOR ALL USING (true) WITH CHECK (true);

CREATE TRIGGER update_hero_slides_timestamp
BEFORE UPDATE ON hero_slides FOR EACH ROW EXECUTE FUNCTION update_updated_at();

-- Seed: 3 default slides (matching current hardcoded data)
INSERT INTO hero_slides (title, subtitle, image_url, display_order) VALUES
('Professional Printing Solutions', 'Premium quality printing services for your
business needs', '/sample1.jpg', 1),
('Custom Branding Materials', 'Stand out with custom designs and professional
branding', '/sample2.jpg', 2),
('Premium Promotional Items', 'Boost your brand visibility with high-quality
promotional products', '/sample3.jpg', 3);

```

2.2 New Migration: 026_homepage_deals.sql

```

CREATE TABLE homepage_deals (
  id UUID DEFAULT gen_random_uuid() PRIMARY KEY,
  title TEXT NOT NULL,
  subtitle TEXT,
  description TEXT,
  image_url TEXT,
  badge_text TEXT,
  badge_color TEXT DEFAULT 'red',
  link_url TEXT,
  link_text TEXT DEFAULT 'View Offer',
  countdown_label TEXT,
  display_order INTEGER DEFAULT 0,
  is_active BOOLEAN DEFAULT true,
  created_at TIMESTAMPTZ DEFAULT NOW(),
  updated_at TIMESTAMPTZ DEFAULT NOW()
);

```

```

CREATE INDEX idx_homepage_deals_active ON homepage_deals(is_active, display_order)
  WHERE is_active = true;

ALTER TABLE homepage_deals ENABLE ROW LEVEL SECURITY;

CREATE POLICY "Public read homepage_deals" ON homepage_deals
  FOR SELECT USING (is_active = true);
CREATE POLICY "Service role manages homepage_deals" ON homepage_deals
  FOR ALL USING (true) WITH CHECK (true);

CREATE TRIGGER update_homepage_deals_timestamp
  BEFORE UPDATE ON homepage_deals FOR EACH ROW EXECUTE FUNCTION
  update_updated_at();

-- Seed: 3 default deals (matching current hardcoded data)
INSERT INTO homepage_deals (title, subtitle, description, badge_text, badge_color,
link_url, countdown_label, display_order) VALUES
  ('Flash Sale', 'Business Cards', 'Premium business cards at unbeatable prices',
'2 days left', 'red', '/products/premium-business-cards', 'Special Offer', 1),
  ('Bundle Deal', 'Complete Branding', 'Get everything you need for your brand
identity', '5 days left', 'blue', '/digital-paper-prints', 'Special Offer', 2),
  ('Limited Time', 'Banner Printing', 'High-quality banners for events and
promotions', '1 week left', 'green', '/flex-banners', 'Special Offer', 3);

```

2.3 New Migration: 027_homepage_testimonials.sql

```

CREATE TABLE homepage_testimonials (
  id UUID DEFAULT gen_random_uuid() PRIMARY KEY,
  name TEXT NOT NULL,
  role TEXT,
  company TEXT,
  avatar_url TEXT,
  rating INTEGER DEFAULT 5 CHECK (rating >= 1 AND rating <= 5),
  quote TEXT NOT NULL,
  project TEXT,
  display_order INTEGER DEFAULT 0,
  is_active BOOLEAN DEFAULT true,
  created_at TIMESTAMPTZ DEFAULT NOW(),
  updated_at TIMESTAMPTZ DEFAULT NOW()
);

CREATE INDEX idx_homepage_testimonials_active ON homepage_testimonials(is_active,
display_order)
  WHERE is_active = true;

ALTER TABLE homepage_testimonials ENABLE ROW LEVEL SECURITY;

CREATE POLICY "Public read homepage_testimonials" ON homepage_testimonials
  FOR SELECT USING (is_active = true);
CREATE POLICY "Service role manages homepage_testimonials" ON

```

```

homepage_testimonials
  FOR ALL USING (true) WITH CHECK (true);

CREATE TRIGGER update_homepage_testimonials_timestamp
  BEFORE UPDATE ON homepage_testimonials FOR EACH ROW EXECUTE FUNCTION
  update_updated_at();

-- Seed: 3 default testimonials (matching current hardcoded data)
INSERT INTO homepage_testimonials (name, role, company, avatar_url, rating, quote,
project, display_order) VALUES
  ('Sarah Johnson', 'Marketing Director', 'TechCorp', '/avatars/sarah.jpg', 5,
  'PrintOnline.et transformed our marketing materials. The quality exceeded our
  expectations and the turnaround was incredible!', 'Business Cards & Brochures',
  1),
  ('Michael Chen', 'CEO', 'StartupHub', '/avatars/michael.jpg', 5, 'From concept
  to delivery, the team at PrintOnline.et nailed our brand identity. Highly
  recommend for any startup looking to make an impression.', 'Event Branding
  Package', 2),
  ('Emily Rodriguez', 'Operations Manager', 'RetailCo', '/avatars/emily.jpg', 5,
  'The vehicle wraps turned heads everywhere. Professional service, premium quality,
  and great value. Our fleet has never looked better.', 'Vehicle Wraps', 3);

```

2.4 New Migration: 028_product_quantity_config.sql

```

ALTER TABLE products ADD COLUMN IF NOT EXISTS manual_quantity_entry BOOLEAN
DEFAULT false;
ALTER TABLE products ADD COLUMN IF NOT EXISTS quantity_interval INTEGER DEFAULT 1;
ALTER TABLE products ADD COLUMN IF NOT EXISTS quantity_presets JSONB DEFAULT
'[]'::jsonb;

COMMENT ON COLUMN products.manual_quantity_entry IS 'Allow customers to type a
custom quantity instead of dropdown presets';
COMMENT ON COLUMN products.quantity_interval IS 'Increment interval for quantity
(e.g., 5 for steps of 5: 5, 10, 15...)';
COMMENT ON COLUMN products.quantity_presets IS 'Custom quantity preset values for
dropdown (e.g., [50, 100, 250, 500, 1000])';

```

2.5 New Migration: 029_cookie_consent.sql

```

CREATE TABLE privacy_policies (
  id UUID DEFAULT gen_random_uuid() PRIMARY KEY,
  title TEXT NOT NULL,
  content TEXT NOT NULL,
  policy_type TEXT NOT NULL DEFAULT 'privacy',
  -- 'privacy', 'terms', 'cookie'
  version INTEGER DEFAULT 1,
  is_active BOOLEAN DEFAULT true,
  effective_date DATE DEFAULT CURRENT_DATE,
  created_at TIMESTAMPTZ DEFAULT NOW(),

```

```
updated_at TIMESTAMPTZ DEFAULT NOW()
);

ALTER TABLE privacy_policies ENABLE ROW LEVEL SECURITY;

CREATE POLICY "Public read privacy_policies" ON privacy_policies
  FOR SELECT USING (is_active = true);
CREATE POLICY "Service role manages privacy_policies" ON privacy_policies
  FOR ALL USING (true) WITH CHECK (true);

CREATE TRIGGER update_privacy_policies_timestamp
  BEFORE UPDATE ON privacy_policies FOR EACH ROW EXECUTE FUNCTION
  update_updated_at();
```

2.6 Migration Summary

#	Migration File	Tables	Action
25	025_homepage_hero_slides.sql	hero_slides	CREATE
26	026_homepage_deals.sql	homepage_deals	CREATE
27	027_homepage_testimonials.sql	homepage_testimonials	CREATE
28	028_product_quantity_config.sql	products (ALTER)	ALTER
29	029_cookie_consent.sql	privacy_policies	CREATE

3. API Routes

3.1 New API Routes

Route	Methods	Purpose
app/api/cms/hero-slides/route.ts	GET, POST	Hero slides CRUD
app/api/cms/hero-slides/[id]/route.ts	GET, PUT, DELETE	Single slide CRUD
app/api/cms/deals/route.ts	GET, POST	Homepage deals CRUD
app/api/cms/deals/[id]/route.ts	GET, PUT, DELETE	Single deal CRUD
app/api/cms/testimonials/route.ts	GET, POST	Testimonials CRUD
app/api/cms/testimonials/[id]/route.ts	GET, PUT, DELETE	Single testimonial CRUD
app/api/cms/privacy-policies/route.ts	GET, POST	Privacy policies CRUD
app/api/cms/privacy-policies/[id]/route.ts	GET, PUT, DELETE	Single policy CRUD

Route	Methods	Purpose
app/api/hero-slides/route.ts	GET	Public: fetch active slides
app/api/deals/route.ts	GET	Public: fetch active deals
app/api/testimonials/route.ts	GET	Public: fetch active testimonials
app/api/privacy-policies/route.ts	GET	Public: fetch active policies
app/api/contact/route.ts	POST	Contact form submission

3.2 Modified API Routes

Route	Change
app/api/cms/products/[id]/images/route.ts	Add PATCH endpoint for reorder-only (no delete/re-insert)
app/api/auth/[...all]/route.ts	Add OAuth social providers to better-auth config

3.3 API Pattern (unchanged from v3.6)

All CMS routes: `auth.api.getSession()` → `isAdmin()` → Zod validation → `supabaseAdmin` → JSON response

4. CMS Pages & Components

4.1 New CMS Pages

Page	Route	Purpose
Hero Slides	app/(cms)/cms/settings/hero/page.tsx	Manage hero slideshow (max 4 slides)
Homepage Deals	app/(cms)/cms/settings/deals/page.tsx	Manage special deals (max 3)
Testimonials	app/(cms)/cms/settings/testimonials/page.tsx	Manage testimonials
Privacy Policies	app/(cms)/cms/settings/privacy/page.tsx	Manage privacy/terms/cookie policies

4.2 New CMS Components

Component	Purpose
components/cms/settings/HeroSlidesManager.tsx	CRUD table + preview for hero slides
components/cms/settings/HeroSlideForm.tsx	Add/edit hero slide form
components/cms/settings/DealsManager.tsx	CRUD table for homepage deals

Component	Purpose
<code>components/cms/settings/DealForm.tsx</code>	Add/edit deal form
<code>components/cms/settings/TestimonialsManager.tsx</code>	CRUD table for testimonials
<code>components/cms/settings/TestimonialForm.tsx</code>	Add/edit testimonial form
<code>components/cms/settings/PrivacyPoliciesManager.tsx</code>	CRUD table for policies
<code>components/cms/settings/PrivacyPolicyForm.tsx</code>	Add/edit policy form (rich text)
<code>components/shared/CookieConsentBanner.tsx</code>	Non-intrusive cookie consent banner
<code>components/shared/ContactModal.tsx</code>	Contact us modal dialog
<code>components/home/ContactUsSection.tsx</code>	Replaces NewsLettersSignup on homepage

4.3 Modified CMS Pages

Page	Change
<code>app/(cms)/cms/settings/page.tsx</code>	Add links to Hero, Deals, Testimonials, Privacy sub-pages
<code>app/(cms)/cms/products/[id]/edit/page.tsx</code>	Add quantity config fields (manual entry, interval, presets)
<code>components/cms/products/ProductForm.tsx</code>	Add quantity config section
<code>components/cms/categories/CategoryForm.tsx</code>	Save-and-stay behavior
<code>components/cms/products/ProductForm.tsx</code>	Save-and-stay behavior
<code>components/cms/settings/SettingsPage.tsx</code>	Add new settings keys

4.4 Modified Storefront Components

Component	Change
<code>components/home/HeroSection.tsx</code>	Fetch slides from API instead of hardcoded array
<code>components/home/SpecialOffers.tsx</code>	Fetch deals from API instead of hardcoded array
<code>components/home/Testimonials.tsx</code>	Fetch testimonials from API instead of hardcoded array
<code>components/home/NewsLettersSignup.tsx</code>	Replace with <code>ContactUsSection.tsx</code>
<code>components/product/ProductOrderForm.tsx</code>	Respect <code>manual_quantity_entry</code> , <code>quantity_interval</code> , <code>quantity_presets</code>
<code>components/Footer.tsx</code>	Remove <code>+251 116 68 69 40</code> , fix all links
<code>components/product/ProductImageManager.tsx</code>	Implement drag-to-reorder with <code>@dnd-kit</code>

Component	Change
app/page.tsx	Update import for NewsLettersSignup → ContactUsSection

5. Data Hooks (TanStack Query)

5.1 New Hooks

Hook	File	Purpose
useHeroSlides	hooks/data/useHeroSlides.ts	Fetch active hero slides (public)
useAllHeroSlides	hooks/data/useHeroSlides.ts	Fetch all slides (CMS)
useCreateHeroSlide	hooks/data/useHeroSlides.ts	Mutation: create slide
useUpdateHeroSlide	hooks/data/useHeroSlides.ts	Mutation: update slide
useDeleteHeroSlide	hooks/data/useHeroSlides.ts	Mutation: delete slide
useDeals	hooks/data/useDeals.ts	Fetch active deals (public)
useAllDeals	hooks/data/useDeals.ts	Fetch all deals (CMS)
useCreateDeal	hooks/data/useDeals.ts	Mutation: create deal
useUpdateDeal	hooks/data/useDeals.ts	Mutation: update deal
useDeleteDeal	hooks/data/useDeals.ts	Mutation: delete deal
useTestimonials	hooks/data/useTestimonials.ts	Fetch active testimonials (public)
useAllTestimonials	hooks/data/useTestimonials.ts	Fetch all testimonials (CMS)
useCreateTestimonial	hooks/data/useTestimonials.ts	Mutation: create testimonial
useUpdateTestimonial	hooks/data/useTestimonials.ts	Mutation: update testimonial
useDeleteTestimonial	hooks/data/useTestimonials.ts	Mutation: delete testimonial
usePrivacyPolicies	hooks/data/usePrivacyPolicies.ts	Fetch active policies (public)
useCreatePrivacyPolicy	hooks/data/usePrivacyPolicies.ts	Mutation: create policy
useUpdatePrivacyPolicy	hooks/data/usePrivacyPolicies.ts	Mutation: update policy
useDeletePrivacyPolicy	hooks/data/usePrivacyPolicies.ts	Mutation: delete policy

5.2 Query Keys

Hook	Query Key
useHeroSlides	["hero-slides"]
useDeals	["homepage-deals"]

Hook	Query Key
<code>useTestimonials</code>	<code>["homepage-testimonials"]</code>
<code>usePrivacyPolicies</code>	<code>["privacy-policies"]</code>

6. Types Updates

6.1 Database Types (`types/database.ts`)

Add to `Database["public"]["Tables"]`:

- `hero_slides` — Row/Insert/Update types
- `homepage_deals` — Row/Insert/Update types
- `homepage_testimonials` — Row/Insert/Update types
- `privacy_policies` — Row/Insert/Update types

Update `products` Row type to include:

- `manual_quantity_entry`: `boolean | null`
- `quantity_interval`: `number | null`
- `quantity_presets`: `Json | null`

6.2 Convenience Type Aliases

```
export type HeroSlide = Database["public"]["Tables"]["hero_slides"]["Row"];
export type HomepageDeal = Database["public"]["Tables"]["homepage_deals"]["Row"];
export type HomepageTestimonial = Database["public"]["Tables"]
["homepage_testimonials"]["Row"];
export type PrivacyPolicy = Database["public"]["Tables"]["privacy_policies"]
["Row"];
```

7. Validation Schemas

7.1 New Schemas (`lib/validations/cms.ts`)

```
export const heroSlideSchema = z.object({
  title: z.string().min(1, "Title is required"),
  subtitle: z.string().optional(),
  image_url: z.string().min(1, "Image is required"),
  cta_text: z.string().default("Order Now"),
  cta_link: z.string().default("/all-products"),
  display_order: z.number().int().min(0).default(0),
  is_active: z.boolean().default(true),
});

export const homepageDealSchema = z.object({
  title: z.string().min(1, "Title is required"),
```

```

    subtitle: z.string().optional(),
    description: z.string().optional(),
    image_url: z.string().optional(),
    badge_text: z.string().optional(),
    badge_color: z.string().default("red"),
    link_url: z.string().optional(),
    link_text: z.string().default("View Offer"),
    countdown_label: z.string().optional(),
    display_order: z.number().int().min(0).default(0),
    is_active: z.boolean().default(true),
  });

export const homepageTestimonialSchema = z.object({
  name: z.string().min(1, "Name is required"),
  role: z.string().optional(),
  company: z.string().optional(),
  avatar_url: z.string().optional(),
  rating: z.number().int().min(1).max(5).default(5),
  quote: z.string().min(1, "Quote is required"),
  project: z.string().optional(),
  display_order: z.number().int().min(0).default(0),
  is_active: z.boolean().default(true),
});

export const privacyPolicySchema = z.object({
  title: z.string().min(1, "Title is required"),
  content: z.string().min(1, "Content is required"),
  policy_type: z.enum(["privacy", "terms", "cookie"]),
  version: z.number().int().min(1).default(1),
  is_active: z.boolean().default(true),
  effective_date: z.string().optional(),
});

export const contactFormSchema = z.object({
  name: z.string().min(1, "Name is required"),
  email: z.string().email("Valid email required"),
  phone: z.string().optional(),
  subject: z.string().min(1, "Subject is required"),
  message: z.string().min(10, "Message must be at least 10 characters"),
});

```

7.2 Modified Schemas

Update `productFormSchema` (inline in `ProductForm.tsx`) to add:

```

manual_quantity_entry: z.boolean().default(false),
quantity_interval: z.number().int().min(1).default(1),
quantity_presets: z.string().optional(), // newline-separated numbers

```

8. Feature Implementation Details

F1: Dynamic Hero Slideshow

Current state: 3 slides hardcoded in `HeroSection.tsx` **Target:** Fetch from `hero_slides` table, max 4 slides, CMS-configurable

Implementation:

1. Create `hero_slides` table + API + hooks
2. Refactor `HeroSection.tsx` to use `useHeroSlides()` hook
3. Fallback to hardcoded slides if API fails (graceful degradation)
4. CMS page at `/cms/settings/hero` with drag-to-reorder, max 4 validation
5. Image upload via existing `/api/upload/site-images` flow
6. Keep existing animation/motion behavior unchanged

Files to modify:

- `components/home/HeroSection.tsx` — Replace hardcoded `slides` array with hook data
- `app/(cms)/cms/settings/page.tsx` — Add "Hero Slides" link

Files to create:

- `supabase/migrations/025_homepage_hero_slides.sql`
 - `app/api/cms/hero-slides/route.ts`
 - `app/api/cms/hero-slides/[id]/route.ts`
 - `app/api/hero-slides/route.ts`
 - `hooks/data/useHeroSlides.ts`
 - `app/(cms)/cms/settings/hero/page.tsx`
 - `components/cms/settings/HeroSlidesManager.tsx`
 - `components/cms/settings/HeroSlideForm.tsx`
-

F2: Dynamic Special Deals

Current state: 3 deals hardcoded in `SpecialOffers.tsx` **Target:** Fetch from `homepage_deals` table, exactly 3 cards, CMS-configurable

Implementation:

1. Create `homepage_deals` table + API + hooks
2. Refactor `SpecialOffers.tsx` to use `useDeals()` hook
3. Fallback to hardcoded deals if API fails
4. CMS page at `/cms/settings/deals` — enforce max 3 active deals
5. Image upload for deal cards

Files to modify:

- `components/home/SpecialOffers.tsx` — Replace hardcoded deals with hook data
- `app/(cms)/cms/settings/page.tsx` — Add "Special Deals" link

Files to create:

- supabase/migrations/026_homepage_deals.sql
 - app/api/cms/deals/route.ts
 - app/api/cms/deals/[id]/route.ts
 - app/api/deals/route.ts
 - hooks/data/useDeals.ts
 - app/(cms)/cms/settings/deals/page.tsx
 - components/cms/settings/DealsManager.tsx
 - components/cms/settings/DealForm.tsx
-

F3: Dynamic Testimonials

Current state: 3 testimonials hardcoded in `Testimonials.tsx` **Target:** Fetch from `homepage_testimonials` table, CMS-configurable

Implementation:

1. Create `homepage_testimonials` table + API + hooks
2. Refactor `Testimonials.tsx` to use `useTestimonials()` hook
3. Fallback to hardcoded testimonials if API fails
4. CMS page at `/cms/settings/testimonials` with CRUD
5. Avatar image upload support

Files to modify:

- `components/home/Testimonials.tsx` — Replace hardcoded testimonials with hook data
- `app/(cms)/cms/settings/page.tsx` — Add "Testimonials" link

Files to create:

- supabase/migrations/027_homepage_testimonials.sql
 - app/api/cms/testimonials/route.ts
 - app/api/cms/testimonials/[id]/route.ts
 - app/api/testimonials/route.ts
 - hooks/data/useTestimonials.ts
 - app/(cms)/cms/settings/testimonials/page.tsx
 - components/cms/settings/TestimonialsManager.tsx
 - components/cms/settings/TestimonialForm.tsx
-

F4: Save-and-Stay CMS UX

Current state: `CategoryForm` and `ProductForm` redirect to list page after save (`router.push("/cms/categories")`) **Target:** After successful save, stay on the same page with a "Changes saved" toast

Implementation:

1. In `CategoryForm.tsonSubmit`: Remove `router.push("/cms/categories")`, keep `router.refresh()`
2. In `ProductForm.onSubmit`: Remove `router.push("/cms/products")`, keep `router.refresh()`
3. For create mode: After first save, redirect to edit URL (`/cms/categories/[id]` or `/cms/products/[id]/edit`) so subsequent saves stay on the edit page
4. Fix double-toast issue: Remove toast from form `onSubmit`, rely on hook `onSuccess` toast only
5. Add "Save & Exit" button alongside "Save" button for users who want to return to list

Files to modify:

- `components/cms/categories/CategoryForm.tsx` — Change redirect behavior
 - `components/cms/products/ProductForm.tsx` — Change redirect behavior
-

F5: Cookie/Privacy Compliance Banner

Current state: No cookie consent, no privacy/terms pages (footer links are broken) **Target:** Non-intrusive cookie banner + functional privacy/terms/cookie policy pages

Implementation:

1. Create `privacy_policies` table with seed data (default privacy policy, terms, cookie policy text)
2. Create `CookieConsentBanner` component:
 - Fixed bottom banner, dismissible
 - "We use cookies to improve your experience. By continuing, you agree to our [Privacy Policy] and [Cookie Policy]."
 - "Accept" and "Learn More" buttons
 - Persists dismissal to `localStorage` key `"cookie-consent-accepted"`
 - Non-intrusive: semi-transparent, slides up from bottom with animation
3. Create `/privacy`, `/terms`, `/cookie-policy` pages that render policy content from DB
4. Add `CookieConsentBanner` to `LayoutClient.tsx`
5. Update footer links to point to actual pages
6. Update register page privacy link

Files to modify:

- `app/LayoutClient.tsx` — Add `CookieConsentBanner`
- `components/Footer.tsx` — Fix privacy/terms links
- `app/(auth)/register/page.tsx` — Fix privacy link

Files to create:

- `supabase/migrations/029_cookie_consent.sql`
- `app/api/cms/privacy-policies/route.ts`
- `app/api/cms/privacy-policies/[id]/route.ts`
- `app/api/privacy-policies/route.ts`
- `hooks/data/usePrivacyPolicies.ts`
- `components/shared/CookieConsentBanner.tsx`
- `app/(cms)/cms/settings/privacy/page.tsx`
- `components/cms/settings/PrivacyPoliciesManager.tsx`

- `components/cms/settings/PrivacyPolicyForm.tsx`
 - `app/privacy/page.tsx`
 - `app/terms/page.tsx`
 - `app/cookie-policy/page.tsx`
-

F6: Product Image Ordering

Current state: `ProductImageManager.tsx` has decorative `GripVertical` icon but no actual drag-to-reorder

Target: Functional drag-to-reorder with `@dnd-kit/sortable`, primary image selection

Implementation:

1. Install `@dnd-kit/core` + `@dnd-kit/sortable` + `@dnd-kit/utilities`
2. Refactor `ProductImageManager.tsx` to use `DndContext` + `SortableContext`
3. Each image card becomes a `useSortable` item
4. On drag end: reorder array, reassign `display_order` values (0-indexed)
5. Auto-save on reorder (POST to `/api/cms/products/[id]/images` with new order)
6. Keep existing "Set Primary" and "Delete" functionality
7. Add visual feedback: drag overlay, drop indicator

Files to modify:

- `components/cms/products/ProductImageManager.tsx` — Add dnd-kit integration

New packages:

- `@dnd-kit/core`
 - `@dnd-kit/sortable`
 - `@dnd-kit/utilities`
-

F7: Manual Quantity Entry & Interval Config

Current state: `ProductOrderForm.tsx` uses a hardcoded `<select>` dropdown with preset values (50-5000 for business cards, 1-5000 for others) **Target:** Per-product config for manual text input + interval stepping + custom presets

Implementation:

1. Add columns to `products` table: `manual_quantity_entry`, `quantity_interval`, `quantity_presets`
2. Add fields to `ProductForm.tsx` in a "Quantity Configuration" section:
 - Toggle: "Allow Manual Quantity Entry" (boolean)
 - Input: "Quantity Interval" (number, default 1)
 - Textarea: "Quantity Presets" (newline-separated numbers, e.g., "50\n100\n250\n500\n1000")
3. Refactor `ProductOrderForm.tsx` quantity section:
 - If `manual_quantity_entry` is true → show `<input type="number">` with `step={quantity_interval}` and `min={min_order_quantity}`
 - If `quantity_presets` has values → show `<select>` with those presets
 - Otherwise → use existing default preset logic
4. Display interval info: "Quantity must be in increments of {interval}"

Files to modify:

- `components/product/ProductOrderForm.tsx` — Conditional quantity input
- `components/cms/products/ProductForm.tsx` — Add quantity config section
- `types/database.ts` — Add new columns to products type

Files to create:

- `supabase/migrations/028_product_quantity_config.sql`
-

F8: OAuth Integration (Google, Facebook, TikTok)

Current state: Email/password only via `better-auth`. No OAuth configured. **Target:** Google (primary), Facebook, TikTok social login

Implementation:

1. better-auth v1.4.1 already supports all 3 providers natively via `socialProviders` config
2. Update `lib/auth.ts` to add social providers:

```
socialProviders: {
  google: {
    clientId: process.env.GOOGLE_CLIENT_ID!,
    clientSecret: process.env.GOOGLE_CLIENT_SECRET!,
  },
  facebook: {
    clientId: process.env.FACEBOOK_CLIENT_ID!,
    clientSecret: process.env.FACEBOOK_CLIENT_SECRET!,
  },
  tiktok: {
    clientId: process.env.TIKTOK_CLIENT_ID!,
    clientSecret: process.env.TIKTOK_CLIENT_SECRET!,
  },
}
```

3. Update `lib/auth-client.ts` — no changes needed (social login is handled via redirect)
4. Update login page: Add "Sign in with Google/Facebook/TikTok" buttons
5. Update register page: Add social signup buttons
6. Add `callbackURL` support for post-login redirect
7. Update `proxy.ts` if needed for OAuth callback routes

Environment variables needed:

- `GOOGLE_CLIENT_ID`, `GOOGLE_CLIENT_SECRET`
- `FACEBOOK_CLIENT_ID`, `FACEBOOK_CLIENT_SECRET`
- `TIKTOK_CLIENT_ID`, `TIKTOK_CLIENT_SECRET`

Files to modify:

- `lib/auth.ts` — Add `socialProviders` config

- `app/(auth)/login/page.tsx` — Add social login buttons
- `app/(auth)/register/page.tsx` — Add social signup buttons
- `components/auth/SocialLoginButtons.tsx` — New shared component

Files to create:

- `components/auth/SocialLoginButtons.tsx`

Note: The DB schema already supports social accounts (better-auth's `account` table has `providerId`, `accountId`, `accessToken`, etc.). No migration needed for the auth tables.

F9: Forgot Password Email Recovery (Real)

Current state: `forgot-password/page.tsx` simulates the flow with `setTimeout` — `authClient.forgetPassword` is commented out **Target:** Real password reset email via SMTP

Implementation:

1. Uncomment `authClient.forgetPassword()` call in `forgot-password/page.tsx`
2. Create `app/(auth)/reset-password/page.tsx` — new page for the reset link callback
3. The better-auth `sendResetPassword` callback in `lib/auth.ts` already sends email via `sendEmail` + `emailTemplatePasswordReset`
4. Verify the email template in `lib/email-templates/password-reset.ts` has correct reset URL format
5. Add `resetPassword` to `auth-client.ts` exports if not already available

Files to modify:

- `app/(auth)/forgot-password/page.tsx` — Uncomment real API call

Files to create:

- `app/(auth)/reset-password/page.tsx` — Reset password form page
-

F10: New Account Email Verification

Current state: No email verification flow. Users register and are immediately active. **Target:** Send verification email on registration, require verification before login

Implementation:

1. better-auth supports `emailVerification` plugin natively
2. Update `lib/auth.ts` to enable email verification:

```
emailVerification: {
  sendVerificationEmail: async ({ user, url }) => {
    await sendEmail({
      to: user.email,
      subject: "Verify your PrintOnline.et account",
      html: emailTemplateVerification(url),
    });
  }
};
```



```

    },
    sendOnSignUp: true,
    autoSignInAfterVerification: true,
  }

```

3. Create `app/(auth)/verify-email/page.tsx` — "Check your email" page
4. Create `app/(auth)/verify-email/[token]/page.tsx` — Token verification handler
5. Create `lib/email-templates/email-verification.ts` — Verification email template
6. Update register flow: After signup, redirect to verify-email page instead of login

Files to create:

- `app/(auth)/verify-email/page.tsx`
- `app/(auth)/verify-email/[token]/page.tsx`
- `lib/email-templates/email-verification.ts`

Files to modify:

- `lib/auth.ts` — Enable emailVerification config
- `app/(auth)/register/page.tsx` — Redirect to verify-email after signup

F11: Contact Us Modal (Replaces Newsletter)

Current state: `NewsLettersSignup.tsx` — email subscription form with "Unlock Exclusive Perks" messaging

Target: Contact us modal/section with name, email, phone, subject, message fields

Implementation:

1. Create `ContactUsSection.tsx` component:
 - Same visual style as current newsletter section (primary bg, glassmorphism card)
 - Heading: "Get In Touch"
 - Subtitle: "Have a question or need a quote? Reach out to us and we'll get back to you within 24 hours."
 - Form fields: Name, Email, Phone (optional), Subject (dropdown: General Inquiry, Quote Request, Design Consultation, Support), Message
 - Submit button: "Send Message"
 - Success state: "Message sent! We'll get back to you soon."
 - Contact info badges: Phone, Email, Address
2. Create `app/api/contact/route.ts` — Sends email to admin via SMTP
3. Replace `NewsLettersSignup` with `ContactUsSection` in `app/page.tsx` and barrel export
4. Also add a floating contact button that opens a `ContactModal` dialog (accessible from any page)

Files to modify:

- `app/page.tsx` — Replace `NewsLettersSignup` import
- `components/home/index.ts` — Update barrel export

Files to create:

- `components/home/ContactUsSection.tsx`
 - `components/shared/ContactModal.tsx`
 - `app/api/contact/route.ts`
-

F12: Footer Update

Current state: 4 phone numbers (including `+251 116 68 69 40`), placeholder `href="#"` social links **Target:** Remove landline number, fix all links, update to current standards

Implementation:

1. Remove `+251 116 68 69 40` from phone list
2. Update social links: Facebook → actual page URL, Instagram → actual page URL
3. Fix Quick Links:
 - "About Us" → `/about` (create if doesn't exist, or link to `/contact`)
 - "Our Services" → `/all-products`
 - "Portfolio" → `/all-products` or dedicated page
 - "Contact Us" → `/contact`
4. Fix Privacy Policy link → `/privacy`
5. Fix Terms of Service link → `/terms`
6. Add "Cookie Policy" link → `/cookie-policy`
7. Update email if needed

Files to modify:

- `components/Footer.tsx` — Remove number, fix links
-

F13: v3.6 Testing T9 + T10

T9: Customer Account Settings — Need to verify:

- `/account/settings` page loads with profile data
- Profile update saves correctly
- Password change works

T10: Storefront Integrity — Need to verify:

- Home page loads without errors
- Product detail pages work
- Cart flow works end-to-end
- Delivery fee calculation works
- Dark mode works on all new pages

These are manual verification tasks — no code changes expected unless issues are found.

9. Implementation Phases

Phase 1: Database Layer (Migrations + Types)

- └─ 25: hero_slides table
- └─ 26: homepage_deals table
- └─ 27: homepage_testimonials table
- └─ 28: product quantity config columns
- └─ 29: privacy_policies table
- └─ Update types/database.ts

Phase 2: API Layer

- └─ Public APIs (hero-slides, deals, testimonials, privacy-policies, contact)
- └─ CMS APIs (hero-slides, deals, testimonials, privacy-policies)
- └─ Image reorder PATCH endpoint
- └─ Zod validation schemas

Phase 3: Hooks Layer

- └─ useHeroSlides (public + CMS)
- └─ useDeals (public + CMS)
- └─ useTestimonials (public + CMS)
- └─ usePrivacyPolicies (public + CMS)
- └─ Update barrel exports

Phase 4: Auth System (F8, F9, F10)

- └─ OAuth providers config (Google, Facebook, TikTok)
- └─ Social login buttons component
- └─ Real forgot password flow
- └─ Email verification flow
- └─ New email templates

Phase 5: Homepage CMS (F1, F2, F3)

- └─ Hero slides CMS pages + components
- └─ Deals CMS pages + components
- └─ Testimonials CMS pages + components
- └─ Refactor HeroSection to use hook
- └─ Refactor SpecialOffers to use hook
- └─ Refactor Testimonials to use hook

Phase 6: CMS UX (F4, F6, F7)

- └─ Save-and-stay behavior
- └─ Product image drag-to-reorder
- └─ Quantity config in product form + storefront

Phase 7: Compliance & Contact (F5, F11, F12)


- └─ Cookie consent banner
- └─ Privacy/terms/cookie policy pages
- └─ Contact us section + modal
- └─ Contact API route
- └─ Footer updates

Phase 8: Integration & Testing (F13 + full audit)

- └─ v3.6 T9 + T10 verification
- └─ Full storefront regression test
- └─ Build verification

- └─ Lint + typecheck
- └─ Documentation

Execution Dependencies



Phases 4, 5, 6, 7 can be worked in parallel once Phase 3 is complete.

10. New Site Settings Keys

Add these to `site_settings` table via seed update:

Key	Value	Label	Category	Data Type
<code>max_hero_slides</code>	<code>4</code>	Max Hero Slides	homepage	number
<code>max_deals</code>	<code>3</code>	Max Homepage Deals	homepage	number
<code>contact_email</code>	<code>"panapromotionplc@gmail.com"</code>	Contact Form Recipient	general	text
<code>show_cookie_banner</code>	<code>true</code>	Show Cookie Consent Banner	compliance	boolean
<code>maintenance_mode</code>	<code>false</code>	Maintenance Mode	general	boolean

11. Complete File Manifest

New Files (40+ files)

Migrations (5):

- `supabase/migrations/025_homepage_hero_slides.sql`

- supabase/migrations/026_homepage_deals.sql
- supabase/migrations/027_homepage_testimonials.sql
- supabase/migrations/028_product_quantity_config.sql
- supabase/migrations/029_cookie_consent.sql

API Routes (13):

- app/api/cms/hero-slides/route.ts
- app/api/cms/hero-slides/[id]/route.ts
- app/api/cms/deals/route.ts
- app/api/cms/deals/[id]/route.ts
- app/api/cms/testimonials/route.ts
- app/api/cms/testimonials/[id]/route.ts
- app/api/cms/privacy-policies/route.ts
- app/api/cms/privacy-policies/[id]/route.ts
- app/api/hero-slides/route.ts
- app/api/deals/route.ts
- app/api/testimonials/route.ts
- app/api/privacy-policies/route.ts
- app/api/contact/route.ts

CMS Pages (4):

- app/(cms)/cms/settings/hero/page.tsx
- app/(cms)/cms/settings/deals/page.tsx
- app/(cms)/cms/settings/testimonials/page.tsx
- app/(cms)/cms/settings/privacy/page.tsx

CMS Components (8):

- components/cms/settings/HeroSlidesManager.tsx
- components/cms/settings/HeroSlideForm.tsx
- components/cms/settings/DealsManager.tsx
- components/cms/settings/DealForm.tsx
- components/cms/settings/TestimonialsManager.tsx
- components/cms/settings/TestimonialForm.tsx
- components/cms/settings/PrivacyPoliciesManager.tsx
- components/cms/settings/PrivacyPolicyForm.tsx

Storefront Components (3):

- components/shared/CookieConsentBanner.tsx
- components/shared/ContactModal.tsx
- components/home/ContactUsSection.tsx

Auth Pages (3):

- app/(auth)/reset-password/page.tsx
- app/(auth)/verify-email/page.tsx
- app/(auth)/verify-email/[token]/page.tsx

Auth Components (1):

- `components/auth/SocialLoginButtons.tsx`

Policy Pages (3):

- `app/privacy/page.tsx`
- `app/terms/page.tsx`
- `app/cookie-policy/page.tsx`

Email Templates (1):

- `lib/email-templates/email-verification.ts`

Hooks (4):

- `hooks/data/useHeroSlides.ts`
- `hooks/data/useDeals.ts`
- `hooks/data/useTestimonials.ts`
- `hooks/data/usePrivacyPolicies.ts`

Modified Files (18)

- `types/database.ts` — Add 4 new table types + product columns
- `lib/validations/cms.ts` — Add 5 new Zod schemas
- `lib/auth.ts` — Add OAuth providers + email verification
- `lib/auth-client.ts` — Add social login exports if needed
- `app/(auth)/login/page.tsx` — Add social login buttons
- `app/(auth)/register/page.tsx` — Add social signup + verify redirect
- `app/(auth)/forgot-password/page.tsx` — Uncomment real API call
- `components/home/HeroSection.tsx` — Fetch from API
- `components/home/SpecialOffers.tsx` — Fetch from API
- `components/home/Testimonials.tsx` — Fetch from API
- `components/home/index.ts` — Update barrel (NewsLettersSignup → ContactUsSection)
- `app/page.tsx` — Replace NewsLettersSignup with ContactUsSection
- `components/Footer.tsx` — Remove number, fix links
- `components/product/ProductOrderForm.tsx` — Quantity config support
- `components/cms/products/ProductForm.tsx` — Quantity config + save-and-stay
- `components/cms/categories/CategoryForm.tsx` — Save-and-stay
- `components/cms/products/ProductImageManager.tsx` — Drag-to-reorder
- `app/LayoutClient.tsx` — Add CookieConsentBanner
- `app/(cms)/cms/settings/page.tsx` — Add sub-page links
- `hooks/data/index.ts` — Barrel export updates

New Packages

- `@dnd-kit/core`
- `@dnd-kit/sortable`
- `@dnd-kit/utilities`

12. Environment Variables Required

Variable	Purpose	Required For
GOOGLE_CLIENT_ID	Google OAuth client ID	F8
GOOGLE_CLIENT_SECRET	Google OAuth client secret	F8
FACEBOOK_CLIENT_ID	Facebook OAuth app ID	F8
FACEBOOK_CLIENT_SECRET	Facebook OAuth app secret	F8
TIKTOK_CLIENT_ID	TikTok OAuth client key	F8
TIKTOK_CLIENT_SECRET	TikTok OAuth client secret	F8
SMTP_HOST	Email SMTP host	F9, F10, F11
SMTP_PORT	Email SMTP port	F9, F10, F11
SMTP_USER	Email SMTP username	F9, F10, F11
SMTP_PASSWORD	Email SMTP password	F9, F10, F11
NEXT_PUBLIC_APP_URL	Base URL for email links	F9, F10

13. Testing & Audit Checklist

Automated Checks (Agent Executes)

#	Check	Pass Criteria
A1	<code>pnpm build</code>	Exit 0, all pages generated
A2	<code>pnpm lint</code>	No new errors beyond baseline
A3	<code>npx tsc --noEmit</code>	No new type errors beyond baseline
A4	Migration SQL syntax	Valid PostgreSQL, no syntax errors
A5	API route auth guards	Every CMS route has isAdmin check
A6	Hook query keys	No duplicate keys
A7	Import paths	All use <code>@/</code> aliases
A8	Console.log audit	Only in error handlers
A9	Zod schema coverage	Every POST/PUT has validation
A10	New packages installed	<code>@dnd-kit/*</code> in package.json

Manual Dev Server Testing (User Executes)

M1. Hero Slides CMS (3 min)

- ☐ `/cms/settings/hero` loads with 3 seeded slides

- ☐ Add 4th slide → appears in list
- ☐ Attempt 5th slide → blocked (max 4)
- ☐ Edit slide title → saves, stays on page
- ☐ Delete slide → confirmation → removed
- ☐ Reorder slides via drag → order persists
- ☐ Storefront hero reflects CMS changes

M2. Deals CMS (3 min)

- ☐ `/cms/settings/deals` loads with 3 seeded deals
- ☐ Edit deal title → saves, stays on page
- ☐ Storefront deals section reflects changes

M3. Testimonials CMS (3 min)

- ☐ `/cms/settings/testimonials` loads with 3 seeded testimonials
- ☐ Add new testimonial → appears in list
- ☐ Edit testimonial → saves, stays on page
- ☐ Storefront testimonials reflect changes

M4. Save-and-Stay (3 min)

- ☐ Edit a category → Save → stays on edit page with toast
- ☐ Edit a product → Save → stays on edit page with toast
- ☐ Create new category → Save → redirects to edit page
- ☐ Create new product → Save → redirects to edit page

M5. Cookie Consent (2 min)

- ☐ First visit → cookie banner appears at bottom
- ☐ Click "Accept" → banner disappears
- ☐ Refresh page → banner does NOT reappear
- ☐ Click "Learn More" → navigates to cookie policy page
- ☐ Privacy policy page loads with content
- ☐ Terms of service page loads with content

M6. Product Image Reorder (3 min)

- ☐ Product edit → Image Manager loads
- ☐ Drag image to new position → order updates
- ☐ Set primary image → indicator updates
- ☐ Storefront gallery shows images in new order
- ☐ Primary image appears first in list pages

M7. Quantity Config (3 min)

- ☐ Product edit form shows "Quantity Configuration" section
- ☐ Toggle "Manual Quantity Entry" → save → storefront shows text input
- ☐ Set interval to 5 → storefront input steps by 5
- ☐ Set presets "50, 100, 250, 500" → storefront shows dropdown with those values

M8. OAuth Login (3 min)

- ☐ Login page shows "Sign in with Google" button
- ☐ Login page shows "Sign in with Facebook" button
- ☐ Login page shows "Sign in with TikTok" button
- ☐ Click Google → redirects to Google consent → redirects back → logged in
- ☐ Register page shows same social buttons

M9. Forgot Password (2 min)

- ☐ Click "Forgot Password" → enter email → submit
- ☐ "Check your email" message appears
- ☐ Email received with reset link
- ☐ Click link → reset password form loads
- ☐ Enter new password → submit → redirected to login
- ☐ Login with new password → success

M10. Email Verification (2 min)

- ☐ Register new account → redirected to verify-email page
- ☐ Verification email received
- ☐ Click link → email verified → auto-redirect to account

M11. Contact Section (2 min)

- ☐ Homepage shows "Get In Touch" section (replaces newsletter)
- ☐ Fill form → submit → success message
- ☐ Admin receives contact email

M12. Footer (2 min)

- ☐ +251 116 68 69 40 is NOT displayed
- ☐ Privacy Policy link → /privacy page loads
- ☐ Terms of Service link → /terms page loads
- ☐ Cookie Policy link → /cookie-policy page loads
- ☐ All other links work

M13. v3.6 T9 + T10 (5 min)

- ☐ T9: Customer account settings work (profile + password)
- ☐ T10: Full storefront integrity (home → product → cart → checkout)

14. Risk Mitigation

Risk	Mitigation
OAuth env vars not available	Graceful fallback: hide social buttons if env vars missing. Email/password always works.


Risk	Mitigation
Homepage breaks if DB tables not migrated	Every dynamic section has hardcoded fallback data
Image reorder data loss	Optimistic update + error rollback. Re-fetch on failure.
Cookie banner blocks content	Use <code>position: fixed; bottom: 0</code> with proper z-index. Dismissible with localStorage.
better-auth OAuth callback issues	Test each provider individually. Use <code>callbackURL</code> param.
Double-toast on save	Remove duplicate toast from form <code>onSubmit</code> handlers
Email delivery failure	Graceful error handling. Log failures. Don't block registration on email send.


15. Documentation Deliverable

After implementation + testing, create `docs/v3.7_documentation.md` containing:

- 1. **Release notes** — All features F1-F13
- 2. **Migration guide** — Step-by-step for migrations 025-029
- 3. **CMS user guide** — Hero slides, deals, testimonials, privacy policies, image reorder, quantity config
- 4. **API reference** — All new endpoints
- 5. **Auth guide** — OAuth setup instructions, env vars, email templates
- 6. **Configuration reference** — New `site_settings` keys
- 7. **Known issues** — Any deferred items
- 8. **v3.8 roadmap** — What's next

16. Execution Order





17. Notes & Constraints

1. **better-auth OAuth is free** — no paid services required. Google/Facebook/TikTok developer accounts are free to create.
2. **No breaking changes** — All homepage sections have hardcoded fallbacks. Product quantity changes are additive (nullable columns with defaults).
3. **Schema consistency** — New tables follow the exact same pattern as v3.6 tables (UUID PK, timestamps, RLS, triggers).
4. **Hook pattern consistency** — All new hooks follow the TanStack Query pattern from v3.6 (query key, stale time, mutation with invalidation).
5. **CMS pattern consistency** — All new CMS pages use `CMSPageHeader`, form/dialog patterns from v3.6.
6. **Image upload** — Reuses existing `/api/upload/site-images` endpoint for all new image uploads.
7. **The plan does NOT include** the Eventology blueprints mentioned in the user's message — those are for a separate project.