

“HISOB” FANIDAN TEST SAVOLLARI 2- SEMESTR

1. Bu formula qanday nomlanadi?

$$\int_a^b f(x) dx = F(x)|_a^b = F(b) - F(a)$$

- 1) Nyuton-Leybnis formulasi *
- 2) Nyuton formulasi
- 3) Leybnis formulasi
- 4) Bernulli formulasi

2. Bu formula qanday nomlanadi?

$$\int_a^b u dv = [uv]|_a^b - \int_a^b v du$$

- 1) Aniq integralni bo‘laklab integrallash *
- 2) Aniqmas integralni bo‘laklab integrallash
- 3) Aniq integralda o‘zgaruvchini almashtirish
- 4) Aniqmas integralda o‘zgaruvchini almashtirish

3. Bu formula qanday nomlanadi?

$$\int_a^b f(x) dx = \int_a^b f(\varphi(t)) \varphi'(t) dt$$

- 1) Aniq integralni bo‘laklab integrallash
- 2) Aniqmas integralni bo‘laklab integrallash
- 3) Aniq integralda o‘zgaruvchini almashtirish *
- 4) Aniqmas integralda o‘zgaruvchini almashtirish

4. $\int_a^b c f(x) dx = ?$

- 1) $c \int_a^b f(x) dx$ *
- 2) $-c \int_a^b f(x) dx$
- 3) $\int_a^b f(x) dx$
- 4) $\int_a^b c f(x) dx$

5. $\int_a^b [f_1(x) + f_2(x)] dx = ?$

- 1) $\int_a^b f_1(x) dx \pm \int_a^b f_2(x) dx$
- 2) $\int_a^b f_1(x) dx + \int_a^b f_2(x) dx$ *
- 3) $\int_a^b f_1(x) dx - \int_a^b f_2(x) dx$
- 4) $\int_a^b f_1(x) dx \cdot \int_a^b f_2(x) dx$

6. $\int_a^b f(x) dx = ?$

- 1) $\int_b^a f(x) dx$
- 2) $\pm \int_b^a f(x) dx$

$$3) - \int_a^b f(x)dx$$

$$4) - \int_b^a f(x)dx *$$

7. Agar $f(x)$ funksiya uchun

$\int_a^c f(x)dx, \int_a^b f(x)dx, \int_c^b f(x)dx$, mavjud bo'lsa, u holda ushbu tenglik o'rinli bo'ladi:

$$1) \int_a^b f(x)dx = \int_a^c f(x)dx$$

$$2) \int_a^b f(x)dx = \int_c^b f(x)dx$$

$$3) \int_a^b f(x)dx = \int_a^c f(x)dx + \int_c^b f(x)dx *$$

$$4) \int_a^c f(x)dx = 1$$

8. $\int_a^a f(x)dx = ?$

$$1) 11$$

$$2) 0 *$$

$$3) 1$$

$$4) -1$$

9. $\int_0^1 dx = ?$

$$1) 11$$

$$2) 0$$

$$3) 1 *$$

$$4) -1$$

10. $\int_1^4 x^2 dx = ?$

$$1) 10$$

$$2) 0$$

$$3) 21 *$$

$$4) 1$$

11. $\int_0^2 3x^2 dx = ?$

$$1) 3$$

$$2) 0$$

$$3) 8 *$$

$$4) 1$$

12. $\int_0^2 2x dx = ?$

$$1) 2$$

$$2) 0$$

$$3) 4 *$$

$$4) 1$$

13. $\int_1^e \frac{1}{x} dx = ?$
 1) 2
 2) 0
 3) 4
 4) 1 *

14. $\int_1^5 \frac{1}{x} dx = ?$
 1) 1
 2) $\ln 2$
 3) $\ln 4$
 4) $\ln 5$ *

15. $\int_1^5 \frac{4}{x} dx = ?$
 1) 1
 2) $2\ln 2$
 3) $3\ln 4$
 4) $4\ln 5$ *

16. $\int_1^2 \frac{3}{x} dx = ?$
 1) 1
 2) $\ln 2$
 3) $3\ln 2$ *
 4) $4\ln 5$

17. $\int_0^2 e^x dx = ?$
 1) $e^3 - 1$
 2) 0
 3) $e^2 - 1$ *
 4) 1

18. $\int_0^3 e^x dx = ?$
 1) $e^4 - 1$
 2) 0
 3) $e^3 - 1$ *
 4) 1

19. $\int_0^5 e^x dx = ?$
 1) $e^4 - 1$
 2) 0
 3) $e^5 - 1$ *
 4) 1

20. Tekis figuraning yuzi qanday formula orqali hisoblanadi?

1) $S = \int_a^b f(x) dx$ *

2) $S = \int_a^a f(x) dx$

3) $S = \int_b^b f(x) dx$

4) $S = - \int_a^b f(x) dx$

21. $\int_0^{\infty} \frac{dx}{1+x^2}$ integralning yaqinlashishini tekshiring.

1) integralning yaqinlashuvchi va $\frac{\pi}{2}$ ga teng *

2) integralning uzoqlashuvchi va $\frac{\pi}{2}$ ga teng

3) integralning yaqinlashuvchi va π ga teng

4) integralning uzoqlashuvchi va π ga teng

22. Sonli $a_1, a_2, a_3, \dots, a_n, \dots$, ketma-ketlik hadlaridan tuzilgan

$$\sum_{n=1}^{\infty} a_n \equiv a_1 + a_2 + \dots + a_n, \dots$$

ifodaga ... deyiladi.

1) sonli qator *

2) ifodali qator

3) oddiy qator

4) funksional qator

23. $\sum_{n=1}^{\infty} a_n$ ($a_n \geq 0$) qator uchun $\lim_{n \rightarrow \infty} \sqrt[n]{a_n} = q$ bo'lib: $q < 1$ bo'lganda qator

yaqinlashuvchi, $q > 1$ bo'lganda qator uzoqlashuvchi bo'ladi.

1) Koshi alomati *

2) Dalamber alomati

3) Koshining integral alomati

4) Qatorlar yaqinlashishining zaruriy sharti

24. $\sum_{n=1}^{\infty} a_n$ ($a_n \geq 0$) qator uchun $\lim_{n \rightarrow \infty} \frac{a_{n+1}}{a_n} = b$ bo'lib: $b < 1$ bo'lganda qator

yaqinlashuvchi, $b > 1$ bo'lganda qator uzoqlashuvchi bo'ladi.

1) Koshi alomati

2) Dalamber alomati *

3) Koshining integral alomati

4) Qatorlar yaqinlashishining zaruriy sharti

25. $\frac{2}{3} + \frac{4}{9} + \frac{6}{27} + \frac{8}{81} + \dots$ qator yaqinlashish tekshirilsin.

1) Yaqinlashuvchi *

2) Uzoqlashuvchi

3) Aniqlab bo'lmaydi

4) Yaqinlashuvchi ham emas, uzoqlashuvchi ham emas

26. Funksiyaning x bo'yicha birinchi tartibli xususiy hosilasini toping:

$$u = x^3 + 3x^2y - y^3$$

1) $u'_x = 3x^2 + 6xy$ *

2) $u'_x = 3x^2 - 6xy$

3) $u'_x = 3x^2 - 3y^2$

4) $u'_x = 3x^2 - 3y^2$

27. Funksiyaning y bo'yicha birinchi tartibli xususiy hosilasini toping:

$$u = x^3 + 3x^2y - y^3$$

1) $u'_y = 3x^2 + 6xy$

2) $u'_y = 3x^2 - 6xy$

3) $u'_y = 3x^2 - 3y^2$ *

4) $u'_y = 3x^2 + 3y^2$

28. Funksiyaning x bo'yicha birinchi tartibli xususiy hosilasini toping:

$$u = x^4 + 3x^2y - y^4$$

1) $u'_x = 4x^3 + 6xy$ *

2) $u'_x = 4x^3 - 6xy$

3) $u'_x = 3x^2 - 4y^3$

4) $u'_x = 3x^2 + 4y^3$

29. Funksiyaning y bo'yicha birinchi tartibli xususiy hosilasini toping:

$$u = x^4 + 3x^2y - y^4$$

1) $u'_y = 4x^3 + 6xy$

2) $u'_y = 4x^3 - 6xy$

3) $u'_y = 3x^2 - 4y^3$ *

4) $u'_y = 3x^2 + 4y^3$

30. $f(x; y) = \frac{3xy}{x-y-4}$ ikki o'zgaruvchili funksiyaning aniqlanish

sohasini toping.

1) $x - y = 4$

2) $x - y \neq 0$

3) $x - y \neq 4$ *

4) $x + y \neq 0$

31. $f(x; y) = \frac{2xy}{x+y}$ ikki o'zgaruvchili funksiyaning aniqlanish sohasini

toping.

1) $x - y \neq 0$

2) $x + y \neq 0$ *

3) $xy \neq 0$

4) $2xy \neq 0$

32. $f(x; y) = \frac{2xy}{x-y}$ ikki o'zgaruvchili funksiyaning aniqlanish sohasini

toping.

1) $x - y \neq 0$ *

2) $x + y \neq 0$

3) $xy \neq 0$

4) $2xy \neq 0$

33. $f(x; y) = \frac{2x-y}{\sqrt{x-y}}$ ikki o'zgaruvchili funksiyaning aniqlanish sohasini

toping.

1) $x - y \neq 0$

2) $x + y \neq 0$

3) $x - y > 0$

4) $2xy \neq 0$

34. $f(x; y) = \frac{2x-y}{\sqrt{x+y}}$ ikki o'zgaruvchili funksiyaning aniqlanish sohasini

toping.

1) $x - y < 0$

2) $x + y > 0$ *

3) $x - y > 0$

4) $2xy \neq 0$

35. $f(x; y) = \frac{2x-y}{\sqrt{2x-y}}$ ikki o'zgaruvchili funksiyaning aniqlanish

sohasini toping.

1) $2x - y < 0$

2) $x + y > 0$

3) $x - y > 0$

4) $2x - y > 0$ *

36. $f(x; y) = \sin \frac{2x-y}{\sqrt{2xy}}$ ikki o'zgaruvchili funksiyaning aniqlanish

sohasini toping.

1) $x - y < 0$

2) $x + y > 0$

3) $2xy > 0$ *

4) $2xy \neq 0$

37. $f(x; y) = \cos(x^2 - y)$ ikki o'zgaruvchili funksiyaning aniqlanish

sohasini toping.

1) $x - y < 0$

2) $x + y > 0$

3) $2xy > 0$

4) $x \in R$ *

38. $f(x; y) = \frac{\sin(xy)}{x^2+4y}$ ikki o'zgaruvchili funksiyaning aniqlanish

sohasini toping.

1) $x - y < 0$

2) $x^2 + 4y \neq 0$ *

3) $2xy > 0$

4) $x \in R$

39. $y' = \frac{5}{\cos^2 x}$ differensial tenglama uchun $y(0) = 3$ bo'ladigan boshlang'ich shartni qanoatlantiruvchi Koshi masalasini yeching.
- 1) $y = 5tgx + 3$ *
 - 2) $y = 5ctgx + 3$
 - 3) $y = 5ctgx - 3$
 - 4) $y = 5tgx - 3$
40. $y' = \frac{3}{\cos^2 x}$ differensial tenglama uchun $y(0) = 3$ bo'ladigan boshlang'ich shartni qanoatlantiruvchi Koshi masalasini yeching.
- 1) $y = 3tgx + 3$ *
 - 2) $y = 3ctgx + 3$
 - 3) $y = 3ctgx - 3$
 - 4) $y = 3tgx - 3$
41. $y' = \frac{2}{\cos^2 x}$ differensial tenglama uchun $y(0) = 3$ bo'ladigan boshlang'ich shartni qanoatlantiruvchi Koshi masalasini yeching.
- 1) $y = 2tgx + 3$ *
 - 2) $y = 2ctgx + 3$
 - 3) $y = 2ctgx - 3$
 - 4) $y = 2tgx - 3$
42. $y' = 1 + 2x$ differensial tenglama uchun $y(2) = 9$ bo'ladigan boshlang'ich shartni qanoatlantiruvchi Koshi masalasini yeching.
- 1) $y = x + x^2 + 3$ *
 - 2) $y = x + x^2$
 - 3) $y = x + x^2 - 3$
 - 4) $y = x - x^2$
43. $y' = 1 - 2x$ differensial tenglama uchun $y(2) = 9$ bo'ladigan boshlang'ich shartni qanoatlantiruvchi Koshi masalasini yeching.
- 1) $y = x + x^2 + 11$
 - 2) $y = x + x^2$
 - 3) $y = x - x^2 + 11$ *
 - 4) $y = x - x^2$
44. $y = x^2$ funksiya $y' = 2x$ differensial tenglamaning ... yechimi.
- 1) xususiy *
 - 2) maxsus
 - 3) umumiy
 - 4) dastlabki
45. $x' = 5 + 3t$ differensial tenglamani yeching.
- 1) $x = 5t - \frac{3t^2}{2} + C$
 - 2) $x = 5t - \frac{3t^2}{2}$
 - 3) $x = 5t + \frac{3t^2}{2} + C$ *
 - 4) $x = 5t + \frac{3t^2}{2}$

46. $x' = 4 + 3t$ differensial tenglamani yeching.

- 1) $x = 4t - \frac{3t^2}{2} + C$
- 2) $x = 4t - \frac{3t^2}{2}$
- 3) $x = 4t + \frac{3t^2}{2} + C$ *
- 4) $x = 4t + \frac{3t^2}{2}$

yg

47. $a_1 + b_1i$ va $a_2 + b_2i$ kompleks sonlarni qo'shing

- 1) $(a_1 - a_2) + (b_1 + b_2)i$
- 2) $(a_1 + a_2) + (b_1 - b_2)i$
- 3) $(a_1 + a_2) + (b_1 + b_2)i$ *
- 4) $(a_1 + 2a_2) + (b_1 + b_2)i$

48. $a_1 + b_1i$ va $a_2 + b_2i$ kompleks sonlarni ayiring

- 1) $(a_1 - a_2) + (b_1 + b_2)i$
- 2) $(a_1 + a_2) + (b_1 - b_2)i$
- 3) $(a_1 + a_2) + (b_1 + b_2)i$
- 4) $(a_1 - a_2) + (b_1 - b_2)i$ *

49. $y' = 1 + 2x$ differensial tenglama uchun $y(2) = 9$ bo'ladigan boshlang'ich shartni qanoatlantiruvchi Koshi masalasini yeching.

- 5) $y = x + x^2 + 3$ *
- 6) $y = x + x^2$
- 7) $y = x + x^2 - 3$
- 8) $y = x - x^2$

50. $y' = 1 - 2x$ differensial tenglama uchun $y(2) = 9$ bo'ladigan boshlang'ich shartni qanoatlantiruvchi Koshi masalasini yeching.

- 5) $y = x + x^2 + 11$
- 6) $y = x + x^2$
- 7) $y = x - x^2 + 11$ *
- 8) $y = x - x^2$

51. $y = x^2$ funksiya $y' = 2x$ differensial tenglamaning ... yechimi.

- 5) xususiy *
- 6) maxsus
- 7) umumiy
- 8) dastlabki

52. $y = 2x^2$ funksiya $y' = 4x$ differensial tenglamaning ... yechimi.

- 1) xususiy *
- 2) maxsus
- 3) umumiy
- 4) dastlabki

53. $y = 4x^2$ funksiya $y' = 8x$ differensial tenglamaning ... yechimi.

- 1) xususiy *
- 2) maxsus
- 3) umumiy

- 4) dastlabki
54. $y = 3x^2$ funksiya $y' = 6x$ differensial tenglamaning ... yechimi.
- 1) xususiy *
 - 2) maxsus
 - 3) umumiy
 - 4) dastlabki
55. $y''' = \cos x$ korinishdagi tenglama differensial tenglamalar deyiladi.
- 1) ikkinchi tartibli
 - 2) birinchi tartibli
 - 3) uchunchi tartibli *
 - 4) tartibli
56. $y'' = \sin x$ korinishdagi tenglama differensial tenglamalar deyiladi.
- 1) ikkinchi tartibli *
 - 2) birinchi tartibli
 - 3) uchunchi tartibli
 - 4) tartibli
57. $y''' = \tan x$ korinishdagi tenglama differensial tenglamalar deyiladi.
- 1) ikkinchi tartibli
 - 2) birinchi tartibli
 - 3) uchunchi tartibli *
 - 4) tartibli
58. $y'' = x + 6$ korinishdagi tenglama differensial tenglamalar deyiladi.
- 1) ikkinchi tartibli *
 - 2) birinchi tartibli
 - 3) uchunchi tartibli
 - 4) tartibli
59. Agar $a_1 + b_1 i$ va $a_2 + b_2 i$ kompleks sonlarda $a_1 = a_2; b_1 = b_2$ bo'lsa, ular deyiladi.
- 1) teng *
 - 2) mavhum
 - 3) ekvivalent
 - 4) haqiqiy
60. $\int e^{3x} dx = ?$
- 1) $e^{3x \ln a} + C$
 - 2) $\frac{1}{3} e^{3x} + C$ *
 - 3) $\frac{1}{\ln a} + C$
 - 4) $\frac{a^x}{\ln a} + C$
61. $\int \frac{dx}{\sin^2 4x} = ?$.

- 1) $\operatorname{ctg} x + C$
 2) $-\frac{1}{4} \operatorname{ctg} 4x + C *$
 3) $\operatorname{tg} 4x + C$
 4) $\cos x + C$
62. $\int \frac{dx}{\cos^2 5x} = ?$.
- 1) $\operatorname{ctg} x + C$
 2) $\frac{1}{5} \operatorname{tg} 5x + C *$
 3) $\operatorname{ctg} 5x + C$
 4) $\cos 5x + C$
63. Hisoblang $(1+i)+(2+4i)$
- 1) $3+5i *$
 2) $3-5i$
 3) $1,5i - 3$
 4) $-1-3,5i$
64. Hisoblang $(1+i) \cdot (2+4i)$
- 1) $-2+6i *$
 2) $2+6i$
 3) $1,5i - 3$
 4) $6+6i$
65. Hisoblang $(2+i) \cdot (3+5i)$
- 1) $1+13i *$
 2) $2+6i$
 3) $1i - 3$
 4) $6+6i$
66. Ko'paytmani bajaring: $(2+3i) \cdot (2+3i)$
- 1) $-5+12i *$
 2) $6+8i$
 3) $5+15i$
 4) $6-8i$
67. Hisoblang $(3+5i)+(2+3i)$
- 1) $5+8i *$
 2) $6+8i$
 3) $5+15i$
 4) $6-8i$
68. Hisoblang $(3+5i)-(2+3i)$
- 1) $1+2i *$
 2) $1+3i$
 3) $1+15i$
 4) $6-8i$
69. Ayirmani toping $(-5+2i)-(8-9i)$
- 1) $-13+11i *$
 2) $12+11i$
 3) $13-11i$

- 4) $13+11i$
70. Hisoblang $(5+7i)-(2+3i)$
- 1) $3+4i$ *
 - 2) $1+3i$
 - 3) $-3-5i$
 - 4) $6-8i$
71. Hisoblang $(1+i)-(2+4i)$
- 1) $-1-3i$ *
 - 2) $3+1,5i$
 - 3) $1,5i-3$
 - 4) $-1-3,5i$
72. Hisoblang $(3+5i)(2+3i)$
- 1) $-9+19i$ *
 - 2) $9+19i$
 - 3) $5+9i$
 - 4) $9-8i$
73. Amallarni bajaring: $(7+3i)+(4-3i)$
- 1) 11 *
 - 2) 7
 - 3) 5
 - 4) $6-8i$
74. $\lim_{x \rightarrow 1} \frac{x^2+3x+2}{x^2-2x+5}$ ni hisoblang.
- 1) 10
 - 2) 8
 - 3) 7
 - 4) 6 *
75. $\lim_{x \rightarrow 1} \frac{x^2+3x+2}{x^2-2x+5}$ ni hisoblang.
- 1) 10
 - 2) 8
 - 3) 7
 - 4) 6 *
76. $\lim_{x \rightarrow 2} \frac{x^2+3x+2}{x^2-2x+5} = ?$
- 1) 1
 - 2) 2
 - 3) $\frac{1}{5}$
 - 4) $3\frac{3}{5}$ *
77. Funksiyaning berilish usullari:
- 1) jadval usuli va grafik usul.
 - 2) analitik usul, grafik usul.
 - 3) analitik usul, jadval usuli.
 - 4) analitik usul, jadval usuli va grafik usul. *

78. $\int x^{-4} dx = ?$
 1) $\frac{x^{-3}}{-3} + C$ *
 2) $\frac{x^{-4}}{5} + C$
 3) $4x^3 + C$
 4) $x^4 + C$
79. $\int (12\cos x + 13\sin x) dx$
 1) $12\sin x - 13\cos x + C$ *
 2) $-12\cos x + 13\sin x$
 3) $12\cos x + 13\sin x$
 4) $-12\sin x + 13\cos x$
80. $\int (6\cos x + 3x^2) dx = ?$
 1) $6\sin x + x^3 + C$ *
 2) $6\sin x + 3x^3 + C$
 3) $-6\sin x + x^3 + C$
 4) $6\cos x + x^3 + C$
81. $\int (7\cos x + 3x^2) dx = ?$
 1) $7\sin x + x^3 + C$ *
 2) $7\sin x + 3x^3 + C$
 3) $-7\sin x + x^3 + C$
 4) $7\cos x + x^3 + C$
82. $2+4i$ kompleks sonning modulini toping
 1) 6
 2) 8
 3) $\sqrt{20}$ *
 4) 20
83. $\int \left(x - \frac{1}{x} - 1\right) dx$ ni hisoblang.
 1) $\frac{x^2}{2} - \ln x - x + C$ *
 2) $\frac{x^2}{2} + \ln x - x + C$
 3) $\frac{x^2}{2} + \ln x + x + C$
 4) $\frac{x^2}{2} - \ln x - x$
84. $\int (x - 1) dx$ ni hisoblang.
 1) $\frac{x^2}{2} - x + C$ *
 2) $\frac{x^2}{2} + x + C$
 3) $\frac{x^2}{2} + 2x + C$
 4) $\frac{x^2}{2} - 5x$
85. $\int (e^x + x) dx = ?$
 1) $e^x + \frac{x^2}{2} + C$ *

- 2) $e^x + C$
 3) $\frac{x^2}{2} + C$
 4) $e^x + x + C$
86. $\int (e^x + 5x) dx = ?$
 1) $e^x + \frac{5x^2}{2} + C$ *
 2) $e^x + 5 + C$
 3) $\frac{x^2}{2} + C$
 4) $e^x + 5x + C$
87. $\int (e^x + 3x) dx = ?$
 1) $e^x + \frac{3x^2}{2} + C$ *
 2) $e^x + 3 + C$
 3) $\frac{x^2}{2} + C$
 4) $e^x + 3x + C$
88. $\int (\cos x + 3x^2) dx = ?$
 1) $\sin x + x^3 + C$ *
 2) $\sin x + 3x^3 + C$
 3) $-\sin x + x^3 + C$
 4) $\cos x + x^3 + C$
89. $z = 4 - 5i$ kompleks sonning qo'shmasini toping
 1) $z = 4 - 5i$
 2) $z = 4 + 5i$ *
 3) $z = 2 - 5i$
 4) $z = 5 - 5i$
90. Haqiqiy qismi 4 va mavhum qismi -5 bo'lgan kompleks sonni belgilang
 1) $z = 3 - 5i$
 2) $z = -7 - 3i$
 3) $z = 3 - 7i$
 4) $z = 4 - 5i$ *
91. Haqiqiy qismi -7 va mavhum qismi -3 bo'lgan kompleks sonni belgilang
 1) $z = 3 - 5i$
 2) $z = -7 - 3i$ *
 3) $z = 3 - 7i$
 4) $z = 4 - 5i$
92. Haqiqiy qismi 3 va mavhum qismi 7 bo'lgan kompleks sonni belgilang
 1) $z = 3 - 5i$
 2) $z = -7 - 3i$
 3) $z = 3 + 7i$ *
 4) $z = 4 - 5i$
93. Haqiqiy qismi -6 va mavhum qismi -7 bo'lgan kompleks sonni belgilang

- 1) $z = 3 - 5i$
- 2) $z = -7 - 3i$
- 3) $z = -6 - 7i$ *
- 4) $z = 4 - 5i$

94. $z_1 = \sqrt{3} + i$ ni $z_2 = -3 - 3i$ ga algebraik bo'ling.

- 1) $\frac{\sqrt{3}-1}{6} + \frac{\sqrt{3}-1}{6}i$
- 2) 1
- 3) $-\frac{\sqrt{3}+1}{6} + \frac{\sqrt{3}+1}{6}i$
- 4) $-\frac{\sqrt{3}-1}{6} + \frac{\sqrt{3}-1}{6}i$ *

95. $z_1 = \sqrt{3} + i$ ni $z_2 = -3 - 3i$ ga algebraik qo'shing

- 1) $\frac{\sqrt{3}-1}{6} + \frac{\sqrt{3}-1}{6}i$
- 2) 1
- 3) $-\frac{\sqrt{3}+1}{6} + \frac{\sqrt{3}+1}{6}i$
- 4) $(\sqrt{3} - 3) - 2i$ *

96. $z_1 = \sqrt{3} + i$ ni $z_2 = -3 - 3i$ ga algebraik ayiring

- 1) $\frac{\sqrt{3}-1}{6} + \frac{\sqrt{3}-1}{6}i$
- 2) $(\sqrt{3} + 3) + 4i$ *
- 3) $-\frac{\sqrt{3}+1}{6} + \frac{\sqrt{3}+1}{6}i$
- 4) 1

97. $\int_1^2 \frac{7}{2x} dx = ?$

- 1) $3.5 \ln 3$
- 2) $7 \ln 3$
- 3) $3.5 \ln 2$ *
- 4) $7 \ln 2$

98. $\int_{-1}^1 (x+1)^2 dx$

- 1) $2\frac{2}{5}$
- 2) $2\frac{2}{3}$ *
- 3) $2\frac{3}{5}$
- 4) $2\frac{7}{25}$

99. $f(x)$ funksiyaning (a, b) intervaldagi barcha boshlang'ich funksiyalari $\int f(x) dx$ ko'rinishda belgilanib, bu ifoda $f(x)$ funksiyaning ... deb ataladi.

- 1) aniqmas integrali *
- 2) aniq integrali
- 3) boshlang'ichi

4) asosi

100. $\int_0^{\frac{\pi}{4}} \sin x dx = ?$

1) 0

2) $\frac{1}{2}$

3) $\frac{2\sqrt{2}}{3}$

4) $\frac{\sqrt{2}}{2}$ *