

Smart Contract Security Audit Report

22.09.2022

Versatile Finance Audit

Helping Businesses Incubate Ideas Into Reality

info@versatile.finance

Summary

Project Name: Vault Finance

Contract Address:

Factory: 0x506CbD9C43B7c00Ed047A1fe7B21f35B332f9e57

Router: 0x80d1fac4833C746a4ad098fFcD2d845200Bbe18A

FeeFactory: 0x890b3835B1e6D806DDE665F6E4B1918dCf6af8AC

Vault: 0x48406726ca48a05dDb331aEf4e0e623B4BF1C8AD

Client contact: Vault Finance Team

Blockchain: Binance smart chain

Language: Solidity

Project website: https://thevaultfinance.com

Buy Tax: 0 - 30%

Sell Tax: 0 - 30%

Token name: Vault Finance

Token supply: 1,000,000,000,000,000

Token ticker: VFX

Decimals: 18

Dividend distributor: 0x046f8e4c1aad90851b75eab856cfdb08bfeeaa43

Contract deployer address: 0x32f1C25148DeCbdBe69E1cc2F87E0237BC34b700

Swap: 0x979a52abcd0C6ef43b3673f34760EB3594a4c583

Contract's current owner address: 0x32f1c25148decbdbe69e1cc2f87e0237bc34b700

Background

Versatile Finance was commissioned by Vault Finance Team to perform an audit of the smart contract.

https://bscscan.com/address/0xc3149FF9B960A59e1967a97adCc7560cB7Ae8e04 https://bscscan.com/address/0x72d892a36EC529cB2b81430E8d73364aB78277f0 https://bscscan.com/address/0x0Fa0544003C3Ad35806d22774ee64B7F6b56589b https://bscscan.com/address/0x509500A4d68E84dcea864006eadc7D568aF45d16

The purpose of this audit was to achieve the following:

- Identify potential security issues with smart contracts
- Formally check the logic behind given smart contracts.

Information in this report should be used for understanding the risk exposure of smart contracts, and as a guide to improving the security posture of smart contracts by remediating the issues that were identified.

What is an audit

A smart contract audit is a comprehensive review process designed to discover logical errors, security vulnerabilities, and optimization opportunities within code. The Versatile Finance manages this a step further by verifying economic logic to ensure the stability of smart contracts and highlighting privileged functionality to create a report that is easy to understand for developers and community members.

Techniques and Methods

- The code quality
- Use of best practices
- Implementation of ERC-20 token standards.
- Efficient use of gas.
- Code is safe from re-entrancy and other vulnerabilities.
- Code risk issue analysis and recommendations
- Ownership privileges
- Code documentation and comments match logic and expected behavior.
- Token distribution and calculations are as per the intended behavior mentioned in the whitepaper.

The following techniques, methods, and tools were used to review all the smart contracts.

Structural Analysis

We analyze the design patterns and structure of smart contracts. A thorough check is done to ensure the smart contract is structured in a way that will not have any issues.

Static Analysis

A static Analysis of Smart Contracts is done to identify contract vulnerabilities. In this step, a series of automated tools and manual testings are used to test the security of smart contracts.

Code Review / Manual Analysis

Manual Analysis or review of code is done to identify new vulnerabilities or verify the vulnerabilities found during the static analysis. Contracts is completely manually analyzed line by line, and the logic is checked and compared with what's mentioned in the whitepaper to make sure everything's functioned as intended.

Gas Consumption

We check the behavior of smart contracts in production. Manual testings are done in DEXs to know how much gas gets consumed and the possibilities of optimization of code to reduce gas consumption.

Issue Categories

Every issue in this report has been assigned a severity level. There are four levels of severity and each of them has been explained below.

High severity issues

NO High severity issues found

A high severity issue or vulnerability means that your smart contract can be exploited. Issues on this level are critical to the smart contract's performance or functionality and we recommend these issues be fixed before moving to a live environment.

Medium-level severity issues

NO Medium severity issues found

The issues marked as medium severity usually arise because of errors and deficiencies in the smart contract code. Issues on this level could potentially bring problems and they can still be fixed. This can put users' funds at risk and has a medium to the high probability of exploitation.

Low-level severity issues

NO Low severity issues found

Informational

NO informational issues found

These are severity four issues that indicate an improvement request, a general question, a cosmetic or documentation error, or a request for information. There is low-to-no impact.

Owner privileges

Token

The owner can blacklist/unblock wallets from the contract

```
ftrace|funcSig
function toggleBlacklist(address account 1) external onlyOwnerOrSentinel {
    _blacklist[account 1] = !_blacklist[account 1];
    emit Blacklisted(account 1, _blacklist[account 1]);
}
```

The owner can add/remove sentinel users

```
ftrace|funcSig
function toggleSentinel(address account 1) external onlyOwner {
    _sentinels[account 1] = !_sentinels[account 1];
    emit Sentinel(account 1, _sentinels[account 1]);
}
```

The owner can enable trading, once enabled can not disable again

```
ftrace|funcSig
function enableTrading() external onlyOwner {
    require(!tradingEnabled, "Trading has already been enabled");

    tradingEnabled = true;
    emit TradingEnabled();
}
```

The owner can add/remove wallets, who can do transfers before start trading

The owner can change minimum distribution period and minimum distribution amount

```
ftrace|funcSig
function setDistributionCriteria(
    uint256 _minPeriod ↑,
    uint256 _minDistribution ↑
) external onlyOwner {
    dividendDistributor.setDistributionCriteria(
        _minPeriod ↑,
        _minDistribution ↑
    );
}
```

The owner can change distribution gas limit maximum up to 750000

```
ftrace|funcSig
function setDistributorSettings(uint256 gas 1) external onlyOwner {
    require(gas 1 < 750000, "Gas must be lower than 750000");
    distributorGas = gas 1;
}</pre>
```

The owner can include/exclude wallets from rewards

```
ftrace|funcSig
function setIsDividendExempt(address holder1, bool exempt1)
    external
    onlyOwner
{
    require(holder1 != address(this), "Holder can't be token");
    isDividendExempt[holder1] = exempt1;

    if (exempt1) {
        dividendDistributor.setShare(holder1, 0);
    } else {
        dividendDistributor.setShare(holder1, balanceOf(holder1));
    }
}
```

Owner can change maximum daily trade volume minimum up to 300 billion tokens per day

Owner can include/exclude wallets from max daily volume

```
ftrace|funcSig
function setExcludeFromDailyVolumeLimit(address _wallet ↑, bool _flag ↑)
    external
    onlyOwner
{
    _excludedFromCheckingDailyVolume[_wallet ↑] = _flag ↑;
}
```

Router

The owner can whitelist tokens from the router, only whitelisted tokens can use the router

```
ftrace | funcSig
function setWhitelist(address _addr f, bool _flag f) external onlyOwner {
    whitelist[_addr f] = _flag f;
}
```

The owner can enable router to public trading

```
ftrace|funcSig
function enablePublicTrading(bool _flag 1) external onlyOwner {
    isPublicTrading = _flag 1;
}
```

Owner can add/remove Liquidity providers, only liquidity providers can add LPs to the token

```
ftrace|funcSig
function setLiquidityProvider(
   address _token1,
   address _addr1,
   bool _flag1
) external onlyOwner {
   require(
        INovationFactory(factory).existToken(_token1),
        "NovationRouter: UNAPPROVED TOKEN"
   );
   [pProviders[_token1][_addr1] = _flag1;
   if (_flag1 && ![pProviders[WETH][_addr1]) [pProviders[WETH][_addr1] = true;
}
```

Factory

The owner can change fees setter address

```
ftrace|funcSig
function setFeeToSetter(address _feeToSetter1) external {
    require(msg.sender == feeToSetter, "Novation: FORBIDDEN");
    feeToSetter = _feeToSetter1;
}
```

The owner can add/remove tokens

```
ftrace|funcSig
function addToken(address _token 1) external {
    require(msg.sender == feeToSetter, "Novation: FORBIDDEN");
    require(!tokens.contains(_token 1), "Novation: FORBIDDEN");
    tokens.add(_token 1);
}

ftrace|funcSig
function removeToken(address _token 1) external {
    require(msg.sender == feeToSetter, "Novation: FORBIDDEN");
    require(tokens.contains(_token 1), "Novation: FORBIDDEN");
    tokens.remove(_token 1);
}
```

Fee Factory

The owner can distribute collected fees

```
ftrace|funcSig
function distribute() external onlyTokenOwner {
    _distribute();
}
```

The owner can change all buy and sell fees

The owner can change token owner

```
ftrace|funcSig
function updateTokenOwner(address _owner1) external onlySwapper {
    require(_owner1 != address(0), "invalid owner");
    tokenOwner = _owner1;
}
```

The owner can change the fees distribution method

```
ftrace|funcSig
function setIsManual(bool _flag 1) external onlyTokenOwner {
    isManual = _flag 1;
}
```

The owner can set minimum token amount to perform auto distribution

```
ftrace | funcSig
function setMinForAutoDistribution(uint256 _amount 1)
    external
    onlyTokenOwner
{
    minForAutoDistribution = _amount 1;
}
```

The owner can change liquidity receiver and marketing wallet address

```
ftrace|funcSig
function setLiquidityReceiver(address _wallet ↑) external onlyTokenOwner {
    liquidityReceiver = _wallet ↑;
}

ftrace|funcSig
function setMarketingWallet(address _wallet ↑) external onlyTokenOwner {
    marketingWallet = _wallet ↑;
}
```

The owner can update dividend tracker address

```
ftrace|funcSig
function setDividendTracker(address _tracker1) external onlyTokenOwner {
    dividendTracker = _tracker1;
}
```

The owner can add reserved wallets

```
ftrace|funcSig
function setReservedWallet(uint256 index1, address _wallet1)
    external
    onlyTokenOwner
{
    require(index1 < reservedBuyFees.length, "invalid index");
    reservedWallets[index1] = _wallet1;
}</pre>
```

The owner can change fees to reserved wallets

The owner can change max sell amount

```
ftrace|funcSig
function setMaxSellAmount(uint256 _amount 1) external onlyTokenOwner {
    maxSellAmount = _amount 1;
}
```

The owner can include/exclude wallets from fees

```
ftrace|funcSig
function excludeFee(address _addrf, bool _flagf) external onlyTokenOwner {
    isFeeExempt[_addrf] = _flagf;
}
```

The owner can get stuck BNB balance in the contract

Audit Results

Vulnerability Category	Status
Arbitrary Jump/Storage Write	pass
BRC20 Token standards	pass
Compiler errors	pass
Latest compiler version	pass
Authorization of function call to untrusted contract	pass
Dependence on Predictable Variables	pass
Ether/Token Theft	pass
Gas consumption	pass
Safemath features	pass
Fallback usage	pass
Deprecated items	pass
Redundant code	pass
Overriding variables	pass
Flash Loans	pass
Front Running	pass
Improper Events	pass
Improper Authorization Scheme	pass
Integer Over/Underflow	pass
Business logic issues	pass

Orcle issues	pass
Race Conditions	pass
Reentrancy	pass
Signature Issues	pass
Unbounded Loops	pass
Unused Code	pass
Pseudo random number generator (PRNG)	pass
Fake deposit	pass

Vault Finance Token

Contracts Description Table

Contract	Туре	Bases		
L	Function Name	Visibility	Mut abilit y	Modifiers
IDividendDi stributor	Interface			
L	setDistributionCriteria	External .		NO.
L	setShare	External .		NO.
L	deposit	External .	ØÞ	NO.
L	process	External .		NO.
DividendDis tributor	Implementation	IDividendDi stributor		
L		Public		NO.
L	setDistributionCriteria	External		onlyToken
L	setShare	External		onlyToken
L		External	a	NO.
L	deposit	Public J	ØD	NO.
L	process	External .		onlyToken

L	shouldDistribute	Internal 🦲		
L	distributeDividend	Internal 🖺		
L	claimDividend	External		NO.
L	getUnpaidEarnings	Public J		NO.
L	getCumulativeDividends	Internal 🦲		
L	addShareholder	Internal 🦲		
L	removeShareholder	Internal 🦲		
VaultFinanc eV2	Implementation	ERC20, Ownable		
L		Public .		ERC20
L	toggleBlacklist	External J		onlyOwner OrSentinel
L	toggleSentinel	External .		onlyOwner
L	enableTrading	External .		onlyOwner
L	setCanTransferBeforeTrading	External .		onlyOwner
L	blacklisted	Public J		NO.
L	sentinel	Public J		NO
L	canTransferBeforeTrading	Public		NO
L	approve	Public		NO
L	_transfer	Internal 🦺		
			l	

L	burn	Public J	NO.
L	setDistributionCriteria	External	onlyOwner
L	setDistributorSettings	External	onlyOwner
L	setIsDividendExempt	External	onlyOwner
L	setExcludeFromDailyVolumeLimit	External	onlyOwner
L	setMaxDailySellLimit	External J	onlyOwner
L	updateSwap	External J	onlyOwner
L	todayVolume	External J	NO.
Ownable	Implementation	Context	
L		Public	NO.
L	owner	Public .	NO
L	_checkOwner	Internal 🦺	
L	renounceOwnership	Public	onlyOwner
L	transferOwnership	Public	onlyOwner
L	_transferOwnership	Internal 🦲	
Context	Implementation		
L	_msgSender	Internal 🦰	
L	_msgData	Internal 🦰	

Pausable	Implementation	Context	
L		Public !	NO
L	paused	Public !	NO
L	_requireNotPaused	Internal 🦺	
L	_requirePaused	Internal 🖺	
L	_pause	Internal 🖺	whenNotPa used
L	_unpause	Internal 🖺	whenPause d
ERC20	Implementation	Context, IERC20, IERC20Met adata	
L		Public .	NO
L	name	Public !	NO
L	symbol	Public !	NO
L	decimals	Public !	NO
L	totalSupply	Public .	NO
L	balanceOf	Public .	NO
L	transfer	Public .	NO
L	allowance	Public !	NO

L	approve	Public	NO.
L	transferFrom	Public	NO.
L	increaseAllowance	Public .	NO.
L	decreaseAllowance	Public .	NO.
L	_transfer	Internal 🦲	
L	_mint	Internal 🦲	
L	_burn	Internal 🦲	
L	_approve	Internal 🦲	
L	_spendAllowance	Internal 🦺	
L	_beforeTokenTransfer	Internal 🦲	
L	_afterTokenTransfer	Internal 🦲	
IERC20	Interface		
L	totalSupply	External .	NO
L	balanceOf	External	NO.
L	transfer	External	NO.
L	allowance	External	NO.
L	approve	External	NO.
L	transferFrom	External .	NO.

IERC20Meta data	Interface	IERC20	
L	name	External	NO
L	symbol	External	NO
L	decimals	External	NO
SafeERC20	Library		
L	safeTransfer	Internal 🦺	
L	safeTransferFrom	Internal 🦲	
L	safeApprove	Internal 🦲	
L	safeIncreaseAllowance	Internal 🦺	
L	safeDecreaseAllowance	Internal 🦲	
L	safePermit	Internal 🦺	
L	_callOptionalReturn	Private 🖺	
IERC20Perm it	Interface		
L	permit	External	NO
L	nonces	External !	NO.
L	DOMAIN_SEPARATOR	External	NO.

Address	Library		
L	isContract	Internal 🦺	
L	sendValue	Internal 🦺	
L	functionCall	Internal 🦺	
L	functionCall	Internal 🦺	
L	functionCallWithValue	Internal 🦺	
L	functionCallWithValue	Internal 🦺	
L	functionStaticCall	Internal 🦺	
L	functionStaticCall	Internal 🦺	
L	functionDelegateCall	Internal 🦺	
L	functionDelegateCall	Internal 🦺	
L	verifyCallResult	Internal 🦺	
SafeMath	Library		
L	tryAdd	Internal 🦺	
L	trySub	Internal 🦺	
L	tryMul	Internal 🦺	
L	tryDiv	Internal 🦺	
L	tryMod	Internal 🦺	
L	add	Internal 🦲	

L	sub	Internal 🦲	
L	mul	Internal 🦲	
L	div	Internal 🦲	
L	mod	Internal 🦲	
L	sub	Internal 🦲	
L	div	Internal 🦺	
L	mod	Internal 🦺	
Enumerable Set	Library		
L	_add	Private 傄	
L	_remove	Private 🖺	
L	_contains	Private 🖺	
L	_length	Private 🖺	
L	_at	Private 🖺	
L	_values	Private 🖺	
L	add	Internal 🦲	
L	remove	Internal 🦲	
L	contains	Internal 🦺	
L	length	Internal 🦲	


L	at	Internal 🦺	
L	values	Internal 🦺	
L	add	Internal 🦺	
L	remove	Internal 🦺	
L	contains	Internal 🦺	
L	length	Internal 🦺	
L	at	Internal 🦲	
L	values	Internal 🦲	
L	add	Internal 🦺	
L	remove	Internal 🦲	
L	contains	Internal 🦲	
L	length	Internal 🦲	
L	at	Internal 🦺	
L	values	Internal 🦲	
INovationR outer02	Interface	INovationR outer01	
L	removeLiquidityETHSupportingFeeOnTr ansferTokens	External	NO
L	removeLiquidityETHWithPermitSupporti ngFeeOnTransferTokens	External .	NO.

L	swapExactTokensForTokensSupportingF eeOnTransferTokens	External		NO
L	swapExactETHForTokensSupportingFee OnTransferTokens	External	въ	NO.
L	swapExactTokensForETHSupportingFee OnTransferTokens	External		NO.
INovationR outer01	Interface			
L	factory	External		NO.
L	WETH	External		NO
L	addLiquidity	External		NO.
L	addLiquidityETH	External	ØD.	NO.
L	removeLiquidity	External		NO.
L	removeLiquidityETH	External		NO.
L	removeLiquidityWithPermit	External		NO.
L	removeLiquidityETHWithPermit	External		NO.
L	swapExactTokensForTokens	External		NO.
L	swapTokensForExactTokens	External		NO.
L	swapExactETHForTokens	External	Ø.	NO.
L	swapTokensForExactETH	External		NO.
L	swapExactTokensForETH	External		NO

L	swapETHForExactTokens	External .	5 D	NO.
L	quote	External .		NO
L	getAmountOut	External .		NO
L	getAmountIn	External .		NO
L	getAmountsOut	External .		NO
L	getAmountsIn	External .		NO
INovationFa ctory	Interface			
L	feeTo	External .		NO
L	feeToSetter	External .		NO
L	getPair	External .		NO
L	allPairs	External .		NO
L	allPairsLength	External .		NO
L	createPair	External .		NO
L	setFeeTo	External .		NO
L	setFeeToSetter	External		NO.
L	INIT_CODE_PAIR_HASH	External .		NO.
L	existToken	External J		NO.

Legend

Symbol	Meaning
	Function can modify state
8 •	Function is payable



Factory

Contracts Description Table

Contract	Туре	Bases		
L	Function Name	Visibility	Mutability	Modifiers
NovationFactory	Implementation	INovationFactory		
L		Public		NO.
L	allPairsLength	External		NO
L	createPair	External		NO.
L	setFeeTo	External .		NO.
L	setFeeToSetter	External .		NO.
L	addToken	External .		NO.
L	removeToken	External .		NO.
L	existToken	External .		NO.
L	getAllTokens	External .		NO.
EnumerableSet	Library			
L	_add	Private 🖺		
L	_remove	Private 🖺		
L	_contains	Private 🖺		

L	_length	Private 🖺	
L	_at	Private 🖺	
L	_values	Private 🖺	
L	add	Internal 🦲	
L	remove	Internal 🦲	
L	contains	Internal 🦲	
L	length	Internal 🦲	
L	at	Internal 🦲	
L	values	Internal 🦲	
INovationFactory	Interface		
L	feeTo	External	NO
L	feeToSetter	External	NO
L	getPair	External	NO
L	allPairs	External	NO
L	allPairsLength	External	NO.
L	createPair	External	NO.
L	setFeeTo	External [NO
L	setFeeToSetter	External	NO
L	INIT_CODE_PAIR_HASH	External	NO

L	existToken	External	NO.
NovationPair	Implementation	INovationPair, NovationERC20	
L	getReserves	Public	NO
L	_safeTransfer	Private 🖺	
L		Public [NO.
L	initialize	External	NO.
L	_update	Private 🖺	
L	_mintFee	Private 🖺	
L	mint	External	lock
L	burn	External	lock
L	swap	External	lock
L	skim	External	lock
L	sync	External	lock
INovationPair	Interface		
L	name	External [NO
L	symbol	External !	NO
L	decimals	External [NO


L	totalSupply	External	NO
L	balanceOf	External .	NO.
L	allowance	External	NO.
L	approve	External .	NO.
L	transfer	External .	NO.
L	transferFrom	External	NO.
L	DOMAIN_SEPARATOR	External	NO.
L	PERMIT_TYPEHASH	External	NO.
L	nonces	External	NO.
L	permit	External	NO
L	MINIMUM_LIQUIDITY	External	NO
L	factory	External	NO
L	token0	External	NO
L	token1	External	NO
L	getReserves	External	NO
L	price0CumulativeLast	External	NO
L	price1CumulativeLast	External	NO
L	kLast	External	NO
L	mint	External	NO
L	burn	External	NO

L	swap	External	NO
L	skim	External	NO
L	sync	External	NO
L	initialize	External	NO
Math	Library		
L	min	Internal 🦲	
L	sqrt	Internal 🦲	
UQ112x112	Library		
L	encode	Internal 🦰	
L	uqdiv	Internal 🦲	
IERC20	Interface		
L	name	External	NO
L	symbol	External	NO
L	decimals	External	NO
L	totalSupply	External	NO
L	balanceOf	External	NO.
L	allowance	External	NO.

L	approve	External	NO
L	transfer	External	NO
L	transferFrom	External	NO
INovationCallee	Interface		
L	novationCall	External	NO
NovationERC20	Implementation	INovationERC20	
L		Public [NO.
L	_mint	Internal 🦲	
L	_burn	Internal 🦲	
L	_approve	Private 🖺	
L	_transfer	Private 🖺	
L	approve	External	NO
L	transfer	External	NO
L	transferFrom	External	NO.
L	permit	External	NO
INovationERC20	Interface		
L	name	External	NO

L	symbol	External [NO
L	decimals	External	NO.
L	totalSupply	External	NO
L	balanceOf	External [NO
L	allowance	External	NO.
L	approve	External	NO.
L	transfer	External [NO
L	transferFrom	External [NO.
L	DOMAIN_SEPARATOR	External	NO.
L	PERMIT_TYPEHASH	External [NO
L	nonces	External	NO
L	permit	External	NO.
SafeMath	Library		
L	add	Internal 🦰	
L	sub	Internal 🦰	
L	mul	Internal 🦲	

Symbol	Meaning
	Function can modify state
d D	Function is payable



Router

Contracts Description Table

Contract	Туре	Bases		
L	Function Name	Visibility	Muta bility	Modif iers
NovationRo uter	Implementation	INovationR outer02		
L		Public .		NO
L		External .	<u>s</u>	NO
L	setLiquidityProvider	External		onlyO wner
L	setWhitelist	External		onlyO wner
L	enablePublicTrading	External		onlyO wner
L	_addLiquidity	Internal 🦲		
L	addLiquidity	External [ensur e
L	addLiquidityETH	External	g p	ensur e
L	removeLiquidity	Public J		ensur e
L	removeLiquidityETH	Public J		ensur e
L	removeLiquidityWithPermit	External J		NO

L	removeLiquidityETHWithPermit	External		NO
L	removeLiquidityETHSupportingFeeOnTransf erTokens	Public		ensur e
L	removeLiquidityETHWithPermitSupportingF eeOnTransferTokens	External		NO
L	_swap	Internal 🦲		
L	swapExactTokensForTokens	External		ensur e
L	swapTokensForExactTokens	External		ensur e
L	swapExactETHForTokens	External	5 D	ensur e
L	swapTokensForExactETH	External		ensur e
L	swapExactTokensForETH	External		ensur e
L	swapETHForExactTokens	External	GD	ensur e
L	_swapSupportingFeeOnTransferTokens	Internal 🦺		
L	swapExactTokensForTokensSupportingFeeO nTransferTokens	External		ensur e
L	swapExactETHForTokensSupportingFeeOnTr ansferTokens	External	5	ensur e
L	swapExactTokensForETHSupportingFeeOnTr ansferTokens	External		ensur e
L	quote	Public J		NO
L	getAmountOut	Public J		NO

L	getAmountIn	Public		NO
L	getAmountsOut	Public		NO
L	getAmountsIn	Public .		NO
TransferHel per	Library			
L	safeApprove	Internal 🦲		
L	safeTransfer	Internal 🦲		
L	safeTransferFrom	Internal 🦲		
L	safeTransferETH	Internal 🦲		
INovationRo uter02	Interface	INovationR outer01		
L	removeLiquidityETHSupportingFeeOnTransf erTokens	External		NO
L	removeLiquidityETHWithPermitSupportingF eeOnTransferTokens	External		NO
L	swapExactTokensForTokensSupportingFeeO nTransferTokens	External J		NO.
L	swapExactETHForTokensSupportingFeeOnTr ansferTokens	External J	GD	NO
L	swapExactTokensForETHSupportingFeeOnTr ansferTokens	External		NO

INovationRo uter01	Interface			
L	factory	External		NO
L	WETH	External !		NO
L	addLiquidity	External .		NO
L	addLiquidityETH	External .	S.	NO
L	removeLiquidity	External .		NO
L	removeLiquidityETH	External .		NO
L	removeLiquidityWithPermit	External		NO
L	removeLiquidityETHWithPermit	External .		NO
L	swapExactTokensForTokens	External .		NO
L	swapTokensForExactTokens	External		NO
L	swapExactETHForTokens	External .	<u>s</u>	NO
L	swapTokensForExactETH	External .		NO
L	swapExactTokensForETH	External		NO
L	swapETHForExactTokens	External	<u>u</u>	NO
L	quote	External		NO
L	getAmountOut	External		NO
L	getAmountIn	External		NO
L	getAmountsOut	External J		NO.


L	getAmountsIn	External J	NO
INovationFa ctory	Interface		
L	feeTo	External J	NO
L	feeToSetter	External J	NO
L	getPair	External J	NO
L	allPairs	External J	NO
L	allPairsLength	External J	NO
L	createPair	External J	NO
L	setFeeTo	External J	NO
L	setFeeToSetter	External	NO
L	INIT_CODE_PAIR_HASH	External	NO
L	existToken	External J	NO
NovationLib rary	Library		
L	sortTokens	Internal 🦺	
L	pairFor	Internal 🦺	
L	getReserves	Internal 🦺	
L	quote	Internal 🦺	

L	getAmountOut	Internal 🖺	
L	getAmountIn	Internal 🦲	
L	getAmountsOut	Internal 🦺	
L	getAmountsIn	Internal 🦺	
SafeMath	Library		
L	add	Internal 🦲	
L	sub	Internal 🖺	
L	mul	Internal 🖺	
INovationPai r	Interface		
L	name	External	NO
L	symbol	External	NO
L	decimals	External	NO
L	totalSupply	External	NO
L	balanceOf	External	NO
L	allowance	External	NO
L	approve	External [NO
L	transfer	External	NO

L	transferFrom	External J	NO
L	DOMAIN_SEPARATOR	External .	NO
L	PERMIT_TYPEHASH	External .	NO
L	nonces	External .	NO
L	permit	External	NO
L	MINIMUM_LIQUIDITY	External	NO
L	factory	External J	NO
L	token0	External J	NO
L	token1	External J	NO
L	getReserves	External J	NO.
L	price0CumulativeLast	External J	NO
L	price1CumulativeLast	External J	NO.
L	kLast	External	NO
L	mint	External	NO
L	burn	External J	NO
L	swap	External J	NO
L	skim	External J	NO
L	sync	External J	NO
L	initialize	External J	NO

IERC20	Interface			
L	name	External J		NO
L	symbol	External		NO
L	decimals	External		NO
L	totalSupply	External J		NO
L	balanceOf	External J		NO
L	allowance	External J		NO
L	approve	External J		NO
L	transfer	External J		NO
L	transferFrom	External J		NO
IWETH	Interface			
L	deposit	External	gp	NO
L	transfer	External		NO
L	withdraw	External J		NO

Symbol	Meaning
	Function can modify state
S D	Function is payable



Fee Distributor

Contracts Description Table

Contract	Туре	Bases		
L	Function Name	Visibility	Mutability	Modifiers
NovationFactory	Implementation	INovationFactory		
L		Public		NO
L	allPairsLength	External		NO.
L	createPair	External .		NO.
L	setFeeTo	External .		NO.
L	setFeeToSetter	External .		NO.
L	addToken	External .		NO.
L	removeToken	External .		NO.
L	existToken	External .		NO
L	getAllTokens	External .		NO.
EnumerableSet	Library			
L	_add	Private 🖺		
L	_remove	Private 🖺		
L	_contains	Private 🖺		

L	_length	Private 🎒	
L	_at	Private 🖺	
L	_values	Private 🖺	
L	add	Internal 🖺	
L	remove	Internal 🖺	
L	contains	Internal 🖺	
L	length	Internal 🖺	
L	at	Internal 🖺	
L	values	Internal 🖺	
NovationPair	Implementation	INovationPair, NovationERC20	
L	getReserves	Public	NO.
L	_safeTransfer	Private 🖺	
L		Public	NO
L	initialize	External J	NO
L	_update	Private 🖺	
L	_mintFee	Private 🖺	
L	mint	External J	lock
L	burn	External	lock

L	swap	External		lock
L	skim	External		lock
L	sync	External		lock
INovationPair	Interface			
L	name	External		NO
L	symbol	External		NO
L	decimals	External .		NO
L	totalSupply	External .		NO
L	balanceOf	External .		NO
L	allowance	External .		NO
L	approve	External .		NO
L	transfer	External .		NO
L	transferFrom	External .		NO
L	DOMAIN_SEPARATOR	External .		NO
L	PERMIT_TYPEHASH	External		NO
L	nonces	External .		NO
L	permit	External		NO
L	MINIMUM_LIQUIDITY	External		NO
L	factory	External		NO
L	<u> </u>	1	ı	l

L	token0	External	NO
L	token1	External	NO
L	getReserves	External	NO
L	price0CumulativeLast	External	NO
L	price1CumulativeLast	External	NO
L	kLast	External	NO
L	mint	External	NO
L	burn	External	NO
L	swap	External	NO
L	skim	External	NO
L	sync	External	NO
L	initialize	External	NO
Math	Library		
L	min	Internal 🦲	
L	sqrt	Internal 🦰	
UQ112x112	Library		
L	encode	Internal 🦲	
L	uqdiv	Internal 🖺	

IERC20	Interface		
L	name	External .	NO.
L	symbol	External .	NO.
L	decimals	External .	NO
L	totalSupply	External	NO
L	balanceOf	External J	NO
L	allowance	External	NO
L	approve	External	NO.
L	transfer	External J	NO
L	transferFrom	External J	NO.
INovationCallee	Interface		
L	novationCall	External	NO
NovationERC20	Implementation	INovationERC20	
L		Public .	NO
L	_mint	Internal 🖺	
L	_burn	Internal 🖺	
L	_approve	Private 🖺	

L	_transfer	Private 🖺	
L	approve	External	NO
L	transfer	External	NO
L	transferFrom	External .	NO
L	permit	External	NO
INovationERC20	Interface		
L	name	External	NO
L	symbol	External	NO
L	decimals	External	NO
L	totalSupply	External	NO
L	balanceOf	External	NO
L	allowance	External	NO
L	approve	External	NO
L	transfer	External .	NO
L	transferFrom	External .	NO
L	DOMAIN_SEPARATOR	External .	NO
L	PERMIT_TYPEHASH	External .	NO
L	nonces	External .	NO
L	permit	External .	NO

SafeMath	Library		
L	add	Internal 🖲	
L	sub	Internal 🖺	
L	mul	Internal 🖺	
NovationPair	Implementation	INovationPair, NovationERC20	
L	getReserves	Public	NO
L	_safeTransfer	Private 🖺	
L		Public	NO
L	initialize	External	NO
L	_update	Private 🖺	
L	_mintFee	Private 🍧	
L	mint	External	lock
L	burn	External	lock
L	swap	External	lock
L	skim	External	lock
L	sync	External	lock

Symbol	Meaning
	Function can modify state
8 •	Function is payable



Pair

Contracts Description Table

Contract	Туре	Bases		
L	Function Name	Visibility	Mutability	Modifiers
NovationPair	Implementation	INovationPair, NovationERC20		
L	getReserves	Public [NO
L	_safeTransfer	Private 🖺		
L		Public [NO
L	initialize	External		NO
L	_update	Private 🖺		
L	_mintFee	Private 🖺		
L	mint	External		lock
L	burn	External		lock
L	swap	External		lock
L	skim	External		lock
L	sync	External		lock
INovationPair	Interface			
L	name	External		NO

L	symbol	External	NO
L	decimals	External	NO
L	totalSupply	External	NO.
L	balanceOf	External	NO
L	allowance	External	NO
L	approve	External	NO.
L	transfer	External	NO
L	transferFrom	External	NO
L	DOMAIN_SEPARATOR	External	NO
L	PERMIT_TYPEHASH	External	NO
L	nonces	External	NO
L	permit	External	NO
L	MINIMUM_LIQUIDITY	External	NO
L	factory	External	NO
L	token0	External	NO
L	token1	External	NO
L	getReserves	External	NO
L	price0CumulativeLast	External	NO
L	price1CumulativeLast	External	NO
L	kLast	External	NO


L	mint	External	NO
L	burn	External [NO
L	swap	External	NO
L	skim	External [NO
L	sync	External [NO
L	initialize	External	NO
Math	Library		
L	min	Internal 🦰	
L	sqrt	Internal 🦰	
UQ112x112	Library		
L	encode	Internal 🦲	
L	uqdiv	Internal 🦲	
IERC20	Interface		
L	name	External	NO
L	symbol	External	NO
L	decimals	External	NO
L	totalSupply	External	NO

L	balanceOf	External	NO
L	allowance	External	NO
L	approve	External	NO
L	transfer	External	NO
L	transferFrom	External	NO
INovationFactory	Interface		
L	feeTo	External	NO.
L	feeToSetter	External	NO.
L	getPair	External	NO
L	allPairs	External	NO
L	allPairsLength	External	NO
L	createPair	External	NO
L	setFeeTo	External	NO
L	setFeeToSetter	External	NO
L	INIT_CODE_PAIR_HASH	External	NO
L	existToken	External	NO.
INovationCallee	Interface		
L	novationCall	External .	NO !

NovationERC20	Implementation	INovationERC20	
L		Public .	NO
L	_mint	Internal 🖺	
L	_burn	Internal 🖺	
L	_approve	Private 🖺	
L	_transfer	Private 🖺	
L	approve	External .	NO.
L	transfer	External .	NO
L,	transferFrom	External .	NO.
L,	permit	External .	NO.
INovationERC20	Interface		
L	name	External	NO
L	symbol	External	NO
L	decimals	External	NO
L	totalSupply	External .	NO
L	balanceOf	External .	NO.
L	allowance	External .	NO.
L	approve	External .	NO

L	transfer	External	NO
L	transferFrom	External	NO
L	DOMAIN_SEPARATOR	External	NO
L	PERMIT_TYPEHASH	External	NO
L	nonces	External	NO
L	permit	External	NO
SafeMath	Library		
L	add	Internal 🦲	
L	sub	Internal 🦰	
L	mul	Internal 🦰	

Symbol	Meaning	
	Function can modify state	
6	Function is payable	



Audit conclusion

Versatile Finance team has performed in-depth testings, line by line manual code review, and automated audit of the smart contract. The smart contract was analyzed mainly for common smart contract vulnerabilities, exploits, manipulations, and hacks. According to the smart contract audit.

Smart contract functional Status: PASS

Number of risk issues: 0

Solidity code functional issue level: **PASS**

Number of owner privileges: 23

Centralization risk correlated to the active owner: LOW

Smart contract active ownership: YES

Disclaimer

This is a limited report on our findings based on our analysis, in accordance with good industry practice as of the date of this report, in relation to cybersecurity vulnerabilities and issues in the framework and algorithms based on smart contracts, the details of which are set out in this report. In order to get a full view of our analysis, it is crucial for you to read the full report. While we have done our best in conducting our analysis and producing this report, it is important to note that you should not rely on this report and cannot claim against us on the basis of what it says or doesn't say, or how we produced it, and it is important for you to conduct your own independent investigations before making any decisions. We go into more detail on this in the disclaimer below – please make sure to read it in full.

DISCLAIMER: By reading this report or any part of it, you agree to the terms of this disclaimer. If you do not agree to the terms, then please immediately cease reading this report, and delete and destroy any and all copies of this report downloaded and/or printed by you. This report is provided for information purposes only and on a non-reliance basis and does not constitute investment advice. No one shall have any right to rely on the report or its contents, and Versatile Finance and its affiliates (including holding companies, shareholders, subsidiaries, employees, directors, officers, and other representatives) (Versatile Finance) owe no duty of care towards you or any other person, nor does Versatile Finance make any warranty or representation to any person on the accuracy or completeness of the report. The report is provided "as is", without any conditions, warranties, or other terms of any kind except as set out in this disclaimer, and Versatile Finance hereby excludes all representations, warranties, conditions, and other terms (including, without limitation, the warranties implied by law of satisfactory quality, fitness for purpose and the use of reasonable care and skill) which, but for this clause, might have effect in relation to the report. Except and only to the extent that it is prohibited by law, Versatile Finance hereby excludes all liability and responsibility, and neither you nor any other person shall have any claim against Versatile Finance, for any amount or kind of loss or damage that may result to you or any other person (including without limitation, any direct, indirect, special, punitive, consequential or pure economic loss or damages, or any loss of income, profits, goodwill, data, contracts, use of money, or business interruption, and whether in delict, tort (including without limitation negligence), contract, breach of statutory duty, misrepresentation (whether innocent or negligent) or otherwise under any claim of any nature whatsoever in any jurisdiction) in any way arising from or connected with this report and the use, inability to use or the results of the use of this report, and any reliance on this report. The analysis of the security is purely based on the smart contracts alone. No applications or operations were reviewed for security. No product code has been reviewed.