

```

import { useState, useEffect, useRef } from "react";

const NAV_LINKS = [
  { label: "About", href: "#about" },
  { label: "How It Works", href: "#how" },
  { label: "Risk Tiers", href: "#risk" },
  { label: "Fees", href: "#fees" },
  { label: "Referral", href: "#referral" },
];

const RISK_TIERS = [
  { pct: "0.1%", label: "Micro", risk: "Minimal Risk", desc: "Ultra-conservative." },
  { pct: "0.5%", label: "Cautious", risk: "Very Low Risk", desc: "Gentle growth." },
  { pct: "1%", label: "Conservative", risk: "Low Risk", desc: "Our most popular t" },
  { pct: "5%", label: "Moderate", risk: "Medium Risk", desc: "Balanced approach." },
  { pct: "10%", label: "Balanced", risk: "Med-High Risk", desc: "Higher targets r" },
  { pct: "15%", label: "Aggressive", risk: "High Risk", desc: "Significant drawdo" },
  { pct: "20%", label: "Maximum", risk: "Very High Risk", desc: "Maximum aggressi" },
];

const HOW_STEPS = [
  { n: "01", title: "Register & Get Referred", desc: "Complete your registration" },
  { n: "02", title: "Pay Monthly Subscription", desc: "$4.99/month keeps your acc" },
  { n: "03", title: "KYC Verification", desc: "Upload a government-issued ID. We" },
  { n: "04", title: "Make Your Referral", desc: "Your account is verified, but tr" },
  { n: "05", title: "Open Your Trading Account", desc: "Receive a link to registe" },
  { n: "06", title: "Choose Risk Tier & Trade", desc: "Select your risk tier. You" },
];

const COUNTRIES = [
  { code: "NG", name: "Nigeria", flag: "🇳🇬" },
  { code: "GH", name: "Ghana", flag: "🇬🇭" },
  { code: "ZA", name: "South Africa", flag: "🇿🇦" },
  { code: "KE", name: "Kenya", flag: "🇰🇪" },
  { code: "ET", name: "Ethiopia", flag: "🇪🇹" },
  { code: "EG", name: "Egypt", flag: "🇪🇬" },
  { code: "TZ", name: "Tanzania", flag: "🇹🇿" },
  { code: "UG", name: "Uganda", flag: "🇺🇬" },
  { code: "DZ", name: "Algeria", flag: "🇩🇿" },
  { code: "SD", name: "Sudan", flag: "🇸🇩" },
  { code: "MA", name: "Morocco", flag: "🇲🇦" },
  { code: "AO", name: "Angola", flag: "🇦🇴" },
  { code: "MZ", name: "Mozambique", flag: "🇲🇿" },
  { code: "CM", name: "Cameroon", flag: "🇨🇲" },
];

```

```

{ code: "CI", name: "Ivory Coast", flag: "🇳🇪" },
{ code: "NE", name: "Niger", flag: "🇳🇪" },
{ code: "BF", name: "Burkina Faso", flag: "🇳🇪" },
{ code: "ML", name: "Mali", flag: "🇳🇪" },
{ code: "MW", name: "Malawi", flag: "🇳🇪" },
{ code: "ZM", name: "Zambia", flag: "🇳🇪" },
{ code: "SN", name: "Senegal", flag: "🇳🇪" },
{ code: "SO", name: "Somalia", flag: "🇳🇪" },
{ code: "TD", name: "Chad", flag: "🇳🇪" },
{ code: "ZW", name: "Zimbabwe", flag: "🇳🇪" },
{ code: "RW", name: "Rwanda", flag: "🇳🇪" },
{ code: "BJ", name: "Benin", flag: "🇳🇪" },
{ code: "TN", name: "Tunisia", flag: "🇳🇪" },
{ code: "LY", name: "Libya", flag: "🇳🇪" },
{ code: "US", name: "United States", flag: "🇺🇸" },
{ code: "GB", name: "United Kingdom", flag: "🇬🇧" },
{ code: "CA", name: "Canada", flag: "🇨🇦" },
{ code: "AU", name: "Australia", flag: "🇦🇺" },
{ code: "DE", name: "Germany", flag: "🇩🇪" },
{ code: "FR", name: "France", flag: "🇫🇷" },
{ code: "IT", name: "Italy", flag: "🇮🇹" },
{ code: "ES", name: "Spain", flag: "🇪🇸" },
{ code: "NL", name: "Netherlands", flag: "🇳🇱" },
{ code: "BR", name: "Brazil", flag: "🇧🇷" },
{ code: "IN", name: "India", flag: "🇮🇳" },
{ code: "CN", name: "China", flag: "🇨🇳" },
{ code: "JP", name: "Japan", flag: "🇯🇵" },
{ code: "KR", name: "South Korea", flag: "🇰🇷" },
{ code: "AE", name: "UAE", flag: "🇦🇪" },
{ code: "SA", name: "Saudi Arabia", flag: "🇸🇦" },
{ code: "QA", name: "Qatar", flag: "🇶🇦" },
{ code: "TR", name: "Turkey", flag: "🇹🇷" },
{ code: "PK", name: "Pakistan", flag: "🇵🇰" },
{ code: "BD", name: "Bangladesh", flag: "🇧🇩" },
{ code: "PH", name: "Philippines", flag: "🇵🇭" },
{ code: "ID", name: "Indonesia", flag: "🇮🇩" },
{ code: "MY", name: "Malaysia", flag: "🇲🇾" },
{ code: "SG", name: "Singapore", flag: "🇸🇬" },
{ code: "MX", name: "Mexico", flag: "🇲🇽" },
{ code: "AR", name: "Argentina", flag: "🇦🇷" },
{ code: "CO", name: "Colombia", flag: "🇨🇴" },
{ code: "ZZ", name: "Other", flag: "🌐" },
];

```

```

function useInView(ref, threshold) {
  var t = threshold || 0.15;
  var _a = useState(false), inView = _a[0], setInView = _a[1];

```

```

useEffect(function() {
  var observer = new IntersectionObserver(
    function(entries) { if (entries[0].isIntersecting) setInView(true); },
    { threshold: t }
  );
  if (ref.current) observer.observe(ref.current);
  return function() { observer.disconnect(); };
}, [ref, t]);
return inView;
}

function AnimatedSection(props) {
  var children = props.children;
  var className = props.className || "";
  var delay = props.delay || 0;
  var ref = useRef(null);
  var inView = useInView(ref);
  return (
    <div ref={ref} className={className} style={{ opacity: inView ? 1 : 0, transf
      {children}
    </div>
  );
}

function PpgLogo() {
  return (
    <svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 700 220" style={{ width:
      <defs>
        <linearGradient id="goldBase" x1="0%" y1="0%" x2="100%" y2="0%">
          <stop offset="0%" stopColor="#8a6520" stopOpacity="1" />
          <stop offset="35%" stopColor="#c4a050" stopOpacity="1" />
          <stop offset="50%" stopColor="#f5e098" stopOpacity="1" />
          <stop offset="65%" stopColor="#c4a050" stopOpacity="1" />
          <stop offset="100%" stopColor="#8a6520" stopOpacity="1" />
        </linearGradient>
        <linearGradient id="shimmer" x1="0%" y1="0%" x2="100%" y2="0%">
          <stop offset="0%" stopColor="#f5e098" stopOpacity="0">
            <animate attributeName="offset" values="-1;2" dur="2.8s" repeatCount=
          </stop>
          <stop offset="10%" stopColor="ffffff" stopOpacity="0.55">
            <animate attributeName="offset" values="-0.8;2.2" dur="2.8s" repeatCo
          </stop>
          <stop offset="20%" stopColor="#f5e098" stopOpacity="0">
            <animate attributeName="offset" values="-0.6;2.4" dur="2.8s" repeatCo
          </stop>
        </linearGradient>
        <linearGradient id="goldLine" x1="0%" y1="0%" x2="100%" y2="0%">

```

```

        <stop offset="0%" stopColor="#8a6520" stopOpacity="1" />
        <stop offset="50%" stopColor="#e8d080" stopOpacity="1" />
        <stop offset="100%" stopColor="#8a6520" stopOpacity="1" />
    </linearGradient>
    <filter id="glow">
        <feGaussianBlur stdDeviation="3" result="coloredBlur"/>
        <feMerge><feMergeNode in="coloredBlur"/><feMergeNode in="SourceGraphic" />
    </filter>
    <filter id="subtleGlow">
        <feGaussianBlur stdDeviation="1.5" result="coloredBlur"/>
        <feMerge><feMergeNode in="coloredBlur"/><feMergeNode in="SourceGraphic" />
    </filter>
    <mask id="textMask">
        <text x="350" y="84" fontFamily="Georgia, 'Times New Roman', serif" fontSiz
    </mask>
    <mask id="subMask">
        <text x="350" y="130" fontFamily="Arial, Helvetica, sans-serif" fontSiz
    </mask>
</defs>
<rect x="0" y="0" width="700" height="100" fill="url(#goldBase)" mask="url(
<rect x="0" y="0" width="700" height="100" fill="url(#shimmer)" mask="url(
<line x1="38" y1="122" x2="178" y2="122" stroke="url(#goldLine)" strokeWidt
<line x1="522" y1="122" x2="662" y2="122" stroke="url(#goldLine)" strokeWid
<rect x="0" y="110" width="700" height="30" fill="url(#goldBase)" mask="url
<rect x="0" y="110" width="700" height="30" fill="url(#shimmer)" mask="url(
<line x1="38" y1="158" x2="662" y2="158" stroke="#c4a050" strokeWidth="0.5"
<text x="350" y="185" fontFamily="Arial, Helvetica, sans-serif" fontSize="1
</svg>
);
}

```

```

function CountrySelect(props) {
    var value = props.value;
    var onChange = props.onChange;
    var _a = useState(""), search = _a[0], setSearch = _a[1];
    var _b = useState(false), open = _b[0], setOpen = _b[1];
    var ref = useRef(null);

    var filtered = COUNTRIES.filter(function(c) {
        return c.name.toLowerCase().indexOf(search.toLowerCase()) > -1;
    });

    var selected = COUNTRIES.find(function(c) { return c.name === value; }) || COUN

    useEffect(function() {
        function handleClick(e) {
            if (ref.current && !ref.current.contains(e.target)) setOpen(false);

```

```

    }
    document.addEventListener("mousedown", handleClick);
    return function() { document.removeEventListener("mousedown", handleClick); }
}, []);

var inputBase = { background: "rgba(5,8,20,0.6)", border: "1px solid rgba(196,1

return (
  <div ref={ref} style={{ position: "relative" }}>
    <div
      onClick={function() { setOpen(!open); setSearch(""); }}
      style={{ ...inputBase, borderRadius: 6, padding: "10px", cursor: "pointer" }}
      <span style={{ fontSize: 18 }}>{selected.flag}</span>
      <span style={{ flex: 1 }}>{selected.name}</span>
      <span style={{ color: "#c4a050", fontSize: 10 }}>{open ? "▲" : "▼"}</span>
    </div>
    {open && (
      <div style={{ position: "absolute", top: "100%", left: 0, right: 0, zIndex: 1000 }}>
        <div style={{ padding: "8px" }}>
          <input
            autoFocus
            value={search}
            onChange={function(e) { setSearch(e.target.value); }}
            placeholder="Search country..."
            style={{ ...inputBase, borderRadius: 6, padding: "8px 10px", width: 100% }}
          />
        </div>
        <div style={{ maxHeight: 220, overflowY: "auto" }}>
          {filtered.map(function(c) {
            return (
              <div
                key={c.code}
                onClick={function() { onChange(c.name); setOpen(false); }}
                style={{ display: "flex", alignItems: "center", gap: 10, padding: "5px 10px" }}
                onMouseEnter={function(e) { e.currentTarget.style.backgroundColor = "#c4a050"; }}
                onMouseLeave={function(e) { e.currentTarget.style.backgroundColor = "#f0f0f0"; }}
                <span style={{ fontSize: 18 }}>{c.flag}</span>
                <span style={{ fontFamily: "'DM Sans', sans-serif", fontSize: 14 }}>{c.name}</span>
              </div>
            );
          })}
          {filtered.length === 0 && (
            <div style={{ padding: "12px", fontFamily: "'DM Sans', sans-serif", fontSize: 14 }}>
              No results found.
            </div>
          )}
        </div>
      </div>
    )}
  </div>
);

```

```

    </div>
  );
}

function Navbar(props) {
  var onOpenRegister = props.onOpenRegister;
  var _a = useState(false), scrolled = _a[0], setScrolled = _a[1];
  var _b = useState(false), menuOpen = _b[0], setMenuOpen = _b[1];

  useEffect(function() {
    var fn = function() { setScrolled(window.scrollY > 20); };
    window.addEventListener("scroll", fn);
    return function() { window.removeEventListener("scroll", fn); };
  }, []);

  return (
    <nav style={{ position: "fixed", top: 0, left: 0, right: 0, zIndex: 100, back
      <div style={{ maxWidth: 1200, margin: "0 auto", display: "flex", alignItems
        <div style={{ display: "flex", alignItems: "center", width: "280px", heig
          <PpgLogo />
        </div>
      <div className={menuOpen ? "nav-links open" : "nav-links"}>
        {NAV_LINKS.map(function(l) {
          return <a key={l.label} href={l.href} onClick={function() { setMenuOp
        }}}
      <button onClick={function() { setMenuOpen(false); onOpenRegister(); }}
    </div>
    <button onClick={function() { setMenuOpen(!menuOpen); }} className="menu-
      {menuOpen ? "x" : "≡"}
    </button>
  </div>
  <style>{"\n      @import url('https://fonts.googleapis.com/css2?family=Pl
</nav>
  );
}

```

```

function Hero(props) {
  var onOpenRegister = props.onOpenRegister;
  return (
    <section style={{ minHeight: "100vh", display: "flex", alignItems: "center",
      <div style={{ position: "absolute", inset: 0, backgroundImage: "linear-grad
    <div style={{ position: "absolute", top: "20%", left: "5%", width: 400, hei
    <div style={{ position: "absolute", bottom: "10%", right: "5%", width: 500,
    <div style={{ textAlign: "center", maxWidth: 900, position: "relative", zIn
      <div style={{ display: "inline-flex", alignItems: "center", gap: 8, backg
        <div style={{ width: 6, height: 6, background: "#4ade80", borderRadius:
        <span style={{ fontFamily: "'DM Sans', sans-serif", fontSize: 11, color

```

```

</div>
<h1 style={{ fontFamily: "'Playfair Display', serif", fontSize: "clamp(2.
  Trade with Purpose.<br />
  <span style={{ background: "linear-gradient(135deg,#c4a050,#f0d080)", W
</h1>
<p style={{ fontFamily: "'DM Sans', sans-serif", fontSize: "clamp(0.95rem
  PPG Trading Club is an exclusive, members-only forex trading community.
</p>
<div style={{ display: "flex", gap: 12, justifyContent: "center", flexWra
  <button onClick={onOpenRegister} style={{ background: "linear-gradient(
    Join the Club - $4.99/Mo
  </button>
  <a href="#how" style={{ border: "1px solid rgba(196,160,80,0.3)", color
    See How It Works
  </a>
</div>
<div className="stats-grid" style={{ display: "flex", justifyContent: "ce
  [{" $100", "Min Deposit"], ["7", "Risk Tiers"], ["24H", "Withdrawals"],
  return (
    <div key={i} className="stats-item" style={{ padding: "0 24px", tex
      <div style={{ fontFamily: "'Playfair Display', serif", fontSize:
        <div style={{ fontFamily: "'DM Sans', sans-serif", fontSize: 11,
      </div>
    );
  )}}
</div>
</div>
</section>
);
}

function About() {
  return (
    <section id="about" style={{ padding: "80px 1rem", background: "#070a1a" }}>
      <div style={{ maxWidth: 1200, margin: "0 auto" }}>
        <AnimatedSection>
          <div className="about-split" style={{ display: "flex", gap: 48 }}>
            <div style={{ flex: 1 }}>
              <div style={{ fontFamily: "'DM Sans', sans-serif", fontSize: 11, co
              <h2 style={{ fontFamily: "'Playfair Display', serif", fontSize: "cl
                Penny Partners Group Built on Trust
              </h2>
              <p style={{ fontFamily: "'DM Sans', sans-serif", color: "#7878a0",
                We are Penny Partners Group (PPG Solutions), a CAC-registered Nig
              </p>
              <p style={{ fontFamily: "'DM Sans', sans-serif", color: "#7878a0",
                PPG Trading Club is our flagship initiative. Our vetted managers

```

```

</p>
<div style={{ display: "flex", gap: 12, flexWrap: "wrap" }}>
  <div style={{ background: "rgba(196,160,80,0.05)", border: "1px s
    <div style={{ fontFamily: "'DM Mono', monospace", fontSize: 11,
      <div style={{ fontFamily: "'DM Sans', sans-serif", fontSize: 12
    </div>
    <div style={{ background: "rgba(196,160,80,0.05)", border: "1px s
      <div style={{ fontFamily: "'DM Mono', monospace", fontSize: 11,
        <div style={{ fontFamily: "'DM Sans', sans-serif", fontSize: 12
      </div>
    </div>
  </div>
</div>
<div style={{ flex: 1, display: "grid", gridTemplateColumns: "repeat(
  [[
    { icon: "🔑", title: "Your Account, Your Money", desc: "You open
    { icon: "👁️", title: "Watch Every Trade Live", desc: "Every membe
    { icon: "📊", title: "Expert Management", desc: "Our vetted manag
    { icon: "🏢", title: "Formally Registered", desc: "PPG is registe
  ].map(function(c, i) {
    return (
      <div key={i} style={{ background: "rgba(255,255,255,0.01)", bor
        <div style={{ fontSize: 24, marginBottom: 8 }}>{c.icon}</div>
        <div style={{ fontFamily: "'DM Sans', sans-serif", fontWeight
          <div style={{ fontFamily: "'DM Sans', sans-serif", fontSize:
        </div>
      </div>
    );
  })}
</div>
</div>
</AnimatedSection>
</div>
</section>
);
}

function HowItWorks() {
  return (
    <section id="how" style={{ padding: "80px 1rem", background: "#050814" }}>
      <div style={{ maxWidth: 1100, margin: "0 auto" }}>
        <AnimatedSection>
          <div style={{ textAlign: "center", marginBottom: 48 }}>
            <div style={{ fontFamily: "'DM Sans', sans-serif", fontSize: 11, colo
              <h2 style={{ fontFamily: "'Playfair Display', serif", fontSize: "clam
                <p style={{ fontFamily: "'DM Sans', sans-serif", color: "#7878a0", ma
              </div>
            </div>
          </AnimatedSection>
          <div style={{ display: "grid", gridTemplateColumns: "repeat(auto-fit, min

```



```

    {HOW_STEPS.map(function(step, i) {
      return (
        <AnimatedSection key={i} delay={i * 0.04}>
          <div style={{ background: "rgba(255,255,255,0.01)", border: "1px
            <div style={{ fontFamily: "'DM Mono', monospace", fontSize: 12,
              <h3 style={{ fontFamily: "'Playfair Display', serif", fontSize:
                <p style={{ fontFamily: "'DM Sans', sans-serif", fontSize: 13,
              </div>
            </AnimatedSection>
          });
        })}
      </div>
    </div>
  </section>
);
}

```

```

function RiskTiers() {
  var _a = useState(2), selected = _a[0], setSelected = _a[1];
  return (
    <section id="risk" style={{ padding: "80px 1rem", background: "#070a1a" }}>
      <div style={{ maxWidth: 1100, margin: "0 auto" }}>
        <AnimatedSection>
          <div style={{ textAlign: "center", marginBottom: 48 }}>
            <div style={{ fontFamily: "'DM Sans', sans-serif", fontSize: 11, color:
              <h2 style={{ fontFamily: "'Playfair Display', serif", fontSize: "clamp(
                <p style={{ fontFamily: "'DM Sans', sans-serif", color: "#7878a0", margin:
                  You choose your risk tolerance. Your assigned manager follows it ex
                </p>
              </div>
            </AnimatedSection>
          <div style={{ display: "grid", gridTemplateColumns: "repeat(auto-fill, minmax(
            {RISK_TIERS.map(function(tier, i) {
              return (
                <AnimatedSection key={i} delay={i * 0.03}>
                  <div
                    onClick={function() { setSelected(i); }}
                    style={{ background: selected === i ? "rgba(196,160,80,0.04)" :
                      {tier.badge && (
                        <div style={{ position: "absolute", top: 12, right: 12, background:
                          </div>
                        <div style={{ fontFamily: "'Playfair Display', serif", fontSize:
                          <div style={{ fontFamily: "'DM Sans', sans-serif", fontWeight:
                          <div style={{ fontFamily: "'DM Sans', sans-serif", fontSize: 10
                          <p style={{ fontFamily: "'DM Sans', sans-serif", fontSize: 13,
                          <div style={{ fontFamily: "'DM Mono', monospace", fontSize: 11,
                          </div>
                        </div>
                      </div>
                    </div>
                  </div>
                </div>
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
)

```

```

        </AnimatedSection>
    );
    })}
</div>
<AnimatedSection>
    <div style={{ background: "rgba(255,200,50,0.02)", border: "1px solid r
    <div style={{ fontSize: 18, flexShrink: 0 }}>⚠️</div>
    <p style={{ fontFamily: "'DM Sans', sans-serif", fontSize: 12, color:
        Risk Warning: All percentage figures are potential daily targets. T
    </p>
    </div>
    </AnimatedSection>
</div>
</section>
);
}

```

```

function Fees() {
    return (
        <section id="fees" style={{ padding: "80px 1rem", background: "#050814" }}>
            <div style={{ maxWidth: 1000, margin: "0 auto" }}>
                <AnimatedSection>
                    <div className="fees-split" style={{ display: "flex", gap: 40 }}>
                        <div style={{ flex: 1 }}>
                            <div style={{ fontFamily: "'DM Sans', sans-serif", fontSize: 11, co
                            <h2 style={{ fontFamily: "'Playfair Display', serif", fontSize: "cl
                                Transparent Fees. No Hidden Costs.
                            </h2>
                            <p style={{ fontFamily: "'DM Sans', sans-serif", color: "#7878a0",
                                We believe in complete transparency. Our fees are simple, clear,
                            </p>
                            <div style={{ borderLeft: "2px solid #c4a050", paddingLeft: 16 }}>
                                <div style={{ fontFamily: "'DM Sans', sans-serif", fontWeight: 70
                                    <p style={{ fontFamily: "'DM Sans', sans-serif", fontSize: 13, co
                                        Our profit share is strictly performance-based. We use standard
                                    </p>
                                </div>
                            </div>
                        </div>
                        <div style={{ flex: 1, background: "rgba(255,255,255,0.01)", border:
                            <div style={{ fontFamily: "'DM Sans', sans-serif", fontSize: 11, fo
                            <div style={{ display: "flex", alignItems: "baseline", gap: 4, marg
                                <span style={{ fontFamily: "'Playfair Display', serif", fontSize:
                                    <span style={{ fontFamily: "'DM Sans', sans-serif", color: "#6060
                                </div>
                            <div style={{ display: "flex", flexDirection: "column", gap: 12 }}>
                                {[
                                    "Access to vetted platform managers",

```

```

    "Real-time view-only MT5 tracking",
    "Flexible risk tier switching",
    "24/7 direct capital withdrawal control",
    "15% direct referral commission tier",
  ].map(function(f, i) {
    return (
      <div key={i} style={{ display: "flex", gap: 10, alignItems: "
        <span style={{ color: "#c4a050", fontSize: 12 }}>✓</span>
        <span style={{ fontFamily: "'DM Sans', sans-serif", fontSiz
      </div>
    );
  }}}
</div>
</div>
</div>
</AnimatedSection>
</div>
</section>
);
}

```

```

function Referral() {
  return (
    <section id="referral" style={{ padding: "80px 1rem", background: "#070a1a" }}
      <div style={{ maxWidth: 1100, margin: "0 auto" }}>
        <AnimatedSection>
          <div className="referral-box" style={{ background: "linear-gradient(135
            <div style={{ flex: 1.2 }}>
              <div style={{ fontFamily: "'DM Sans', sans-serif", fontSize: 11, co
                <h2 style={{ fontFamily: "'Playfair Display', serif", fontSize: "cl
                  Our 15% Mutual Referral System
                </h2>
              <p style={{ fontFamily: "'DM Sans', sans-serif", color: "#7878a0",
                To maintain high community standards and security, PPG Trading Cl
              </p>
              <p style={{ fontFamily: "'DM Sans', sans-serif", color: "#7878a0",
                When someone registers using your link, you instantly earn a 15%
              </p>
            </div>
          <div style={{ flex: 0.8, display: "flex", flexDirection: "column", ga
            <div style={{ background: "rgba(5,8,20,0.3)", border: "1px solid rg
              <div style={{ fontFamily: "'DM Mono', monospace", fontSize: 18, f
                <div style={{ fontFamily: "'DM Sans', sans-serif", fontSize: 13,
                  <div style={{ fontFamily: "'DM Sans', sans-serif", fontSize: 12,
                </div>
              </div>
            <div style={{ background: "rgba(5,8,20,0.3)", border: "1px solid rg
              <div style={{ fontFamily: "'DM Mono', monospace", fontSize: 18, f

```



```

    setTimeout(function() {
        setLoading(false);
        setStatus({ type: "success", msg: "Application received! Our team will cont
    }, 1200);
};

var fieldStyle = { width: "100%", background: "rgba(5,8,20,0.6)", border: "1px
var labelStyle = { display: "block", fontFamily: "'DM Sans', sans-serif", fontS

return (
    <div style={{ position: "fixed", inset: 0, zIndex: 200, display: "flex", alig
    <div onClick={onClose} style={{ position: "absolute", inset: 0, background:
    <div style={{ position: "relative", zIndex: 210, width: "100%", maxWidth: "
        <button onClick={onClose} style={{ position: "absolute", top: 16, right:
        <div style={{ textAlign: "center", marginBottom: 24 }}>
            <h2 style={{ fontFamily: "'Playfair Display', serif", fontSize: "1.75re
            <p style={{ fontFamily: "'DM Sans', sans-serif", color: "#606080", font
        </div>

        {status.msg && (
            <div style={{ background: status.type === "success" ? "rgba(74,222,128,
                {status.msg}
            </div>
        )}

    <form onSubmit={handleSubmit} style={{ display: "flex", flexDirection: "c
    <div>
        <label style={labelStyle}>Full Name *</label>
        <input type="text" name="fullName" value={formData.fullName} onChange
    </div>
    <div className="form-row">
        <div style={{ flex: 1 }}>
            <label style={labelStyle}>Email Address *</label>
            <input type="email" name="email" value={formData.email} onChange={h
        </div>
        <div style={{ flex: 1 }}>
            <label style={labelStyle}>Phone / WhatsApp *</label>
            <input type="tel" name="phone" value={formData.phone} onChange={han
        </div>
    </div>
    <div className="form-row">
        <div style={{ flex: 1 }}>
            <label style={labelStyle}>Country</label>
            <CountrySelect value={formData.country} onChange={handleCountry} />
        </div>
        <div style={{ flex: 1 }}>
            <label style={labelStyle}>Referral ID *</label>

```

```

        <input type="text" name="referralId" value={formData.referralId} on
    </div>
</div>
<div className="form-row">
    <div style={{ flex: 1 }}>
        <label style={labelStyle}>Preferred Risk Tier</label>
        <select name="riskTier" value={formData.riskTier} onChange={handleC
            {RISK_TIERS.map(function(t) { return <option key={t.pct} value={t
        </select>
    </div>
    <div style={{ flex: 1 }}>
        <label style={labelStyle}>Broker Preference</label>
        <select name="broker" value={formData.broker} onChange={handleChang
            <option value="No Preference">No Preference</option>
            <option value="Exness">Exness (Recommended)</option>
            <option value="HFM">HFM (HotForex)</option>
            <option value="FXTM">FXTM</option>
        </select>
    </div>
</div>
<button type="submit" disabled={loading} style={{ marginTop: 8, backgro
    {loading ? "Processing Application..." : "Submit Application"}}
</button>
<p style={{ fontFamily: "'DM Sans', sans-serif", fontSize: 11, color: "
    Full member portal with live dashboard, KYC upload, and account manag
</p>
</form>
</div>
</div>
);
}

```

```

function CacBanner() {
    return (
        <div style={{ background: "linear-gradient(90deg, #03050d 0%, #0a0f20 40%, #0
            <div style={{ position: "absolute", inset: 0, backgroundImage: "linear-grad
            <div style={{ maxWidth: 900, margin: "0 auto", display: "flex", alignItems:
                <div style={{ display: "flex", alignItems: "center", gap: 10 }}>
                    <div style={{ width: 36, height: 36, background: "linear-gradient(135de
                        <div style={{ textAlign: "left" }}>
                            <div style={{ fontFamily: "'DM Sans', sans-serif", fontSize: 10, colo
                                <div style={{ fontFamily: "'DM Sans', sans-serif", fontSize: 13, colo
                            </div>
                        </div>
                    </div>
                <div style={{ width: 1, height: 32, background: "rgba(196,160,80,0.2)" }}
                <div style={{ fontFamily: "'DM Sans', sans-serif", fontSize: 12, color: "
                    PPG Solutions Global Trading Co. · CAC Registration No. on file · Est.

```

```

    </div>
    <div style={{ width: 1, height: 32, background: "rgba(196,160,80,0.2)" }}
    <div style={{ display: "flex", alignItems: "center", gap: 6 }}>
      <div style={{ width: 6, height: 6, background: "#4ade80", borderRadius:
        <span style={{ fontFamily: "'DM Sans', sans-serif", fontSize: 12, color
      </div>
    </div>
  </div>
);
}

```

```

function Footer() {
  return (
    <footer style={{ background: "#03050d", borderTop: "1px solid rgba(196,160,80
    <CacBanner />
    <div style={{ padding: "40px 1rem 28px", maxWidth: 1200, margin: "0 auto" }
    <div style={{ display: "flex", justifyContent: "space-between", alignItem
    <div style={{ maxWidth: 340 }}>
      <div style={{ fontFamily: "'Playfair Display', serif", fontWeight: 90
      <p style={{ fontFamily: "'DM Sans', sans-serif", fontSize: 12, color:
        Nigeria's trusted forex trading cooperative. Building wealth throug
      </p>
      <div style={{ display: "flex", flexDirection: "column", gap: 4 }}>
        {[
          <img alt="Email icon" data-bbox="288 488 308 503"/> contact.ppgsolutions@gmail.com",
          <img alt="Phone icon" data-bbox="638 488 658 503"/> +234 813 050 0659",
          <img alt="Location pin icon" data-bbox="873 488 893 503"/>
        ].map((link, i) => {
          return <div key={i} style={{ fontFamily: "'DM Sans', sans-serif",
            </div>
        </div>
      </div>
    <div style={{ display: "flex", gap: 48, flexWrap: "wrap" }}>
      {[
        { title: "Club", links: ["About PPG", "How It Works", "Risk Tiers",
        { title: "Join", links: ["Register", "Referral Program", "KYC Verif
        { title: "Legal", links: ["Risk Disclaimer", "Terms of Service", "P
      ]}.map(function(col, i) {
        return (
          <div key={i}>
            <div style={{ fontFamily: "'DM Sans', sans-serif", fontSize: 10
            <div style={{ display: "flex", flexDirection: "column", gap: 10
              {col.links.map(function(l) {
                return <a key={l} href="#" style={{ fontFamily: "'DM Sans',
              </div>
            </div>
          </div>
        </div>
      </div>
    );
  </div>
</div>

```

```

    <div style={{ borderTop: "1px solid rgba(196,160,80,0.06)", paddingTop: 2
      <div style={{ fontFamily: "'DM Sans', sans-serif", fontSize: 11, color:
        © {new Date().getFullYear()} PPG Solutions Global Trading Co. All rig
      </div>
      <div style={{ fontFamily: "'DM Sans', sans-serif", fontSize: 11, color:
        Forex trading involves substantial risk. You may lose all invested ca
      </div>
    </div>
  </div>
</footer>
);
}

```

```

export default function App() {
  var _a = useState(false), isRegisterOpen = _a[0], setIsRegisterOpen = _a[1];
  return (
    <div style={{ minHeight: "100vh", background: "#050814", color: "#f0e8d0", ov
      <Navbar onOpenRegister={function() { setIsRegisterOpen(true); }} />
      <Hero onOpenRegister={function() { setIsRegisterOpen(true); }} />
      <About />
      <HowItWorks />
      <RiskTiers />
      <Fees />
      <Referral />
      <Footer />
      <RegisterModal isOpen={isRegisterOpen} onClose={function() { setIsRegisterO
        <a href="https://wa.me/2348130500659" target="_blank" rel="noreferrer" styl
      </div>
    );
  }
}

```