Appendix A:

1,572 lines of code

app.js:

```
JavaScript
//Johanan Abraham
//12/20/2022
const express = require("express");
const bodyParser = require("body-parser");
const mongoose = require("mongoose");
const app = express();
app.set("view engine", "ejs");
app.use(bodyParser.urlencoded({extended: true}));
app.use(express.static("public"));
// -----MongoDB Stuff-----
mongoose.connect("mongodb+srv://admin-jo:iatestpassword2023@ia202
3.05snhr0.mongodb.net/usersDB", {useNewUrlParser: true});
11
mongoose.connect("mongodb+srv://admin-jo:iatestpassword2023@ia202
3.05snhr0.mongodb.net/schedulerDB", {useNewUrlParser: true});
const conn =
mongoose.createConnection('mongodb+srv://admin-jo:iatestpassword2
023@ia2023.05snhr0.mongodb.net/schedulerDB', {useNewUrlParser:
true});
//Setting up DB
const usersSchema = {
  memberID: Number,
```

```
password: String,
  name: String,
  ipAddress: String,
 classes: Array
};
const eventsSchema = {
 title: String,
 date: String,
  startTime: String,
  endTime: String,
  instructor: String,
  image: String,
  spotsLeft: Number,
 description: String,
};
const User = mongoose.model("User", usersSchema);
const Event = conn.model("Event", eventsSchema);
const user1 = new User({
  memberID: 25968
});
const user2 = new User({
 memberID: 53201
});
const user3 = new User({
 memberID: 42716
});
const defaultUsers = [user1, user2, user3];
```

```
//change the descriptions
const event2 = new Event({
 title: "Yoga Level One",
 date: "03/15/2023",
 startTime: "2:30pm",
 endTime: "3:30pm",
  instructor: "Sebastian Vettel",
  image:"/images/yoga.jpg",
  spotsLeft: 25,
  description: "A fun and relaxing class for intermediate to
beginners looking to improve their yoga skills."
});
const event1 = new Event({
 title: "Boxing 101",
 date: "03/15/2023",
  startTime: "2:30pm",
 endTime: "3:30pm",
  instructor: "Max Verstappen",
  image: "/images/boxing.jpg",
  spotsLeft: 25,
  description: "This class is designed to introduce participants
to the fundamentals of boxing, from footwork and punching
technique to defensive strategies and conditioning drills."
});
const event5 = new Event({
 title: "Advanced Self-Defense",
  date: "03/21/2023",
  startTime: "5:30pm",
 endTime: "6:30pm",
  instructor: "Sergio Perez",
 image: "/images/defense.webp",
  spotsLeft: 15,
```

```
description: "Only for experienced students looking to develop
their self-defense skills"
});
const event3 = new Event({
  title: "Positive Mindefulness",
 date: "03/18/2023",
  startTime: "10:30am",
 endTime: "11:30pm",
 instructor: "Daniel Riciardo",
  image: "/images/mindefullness.webp",
  spotsLeft: 15,
 description: "All levels are welcome! The goal of this class is
to improve your overall mindefulness"
});
const event4 = new Event({
 title: "Money Management 101",
 date: "03/21/2023",
  startTime: "2:30pm",
 endTime: "3:30pm",
  instructor: "Lance Stroll",
  image: "/images/money.jpg",
 spotsLeft: 35,
 description: "This class is specifically for beginners looking
to gain tips for money management."
});
const event9 = new Event({
 title: "Effective Leadership",
 date: "04/13/2023",
  startTime: "6:30pm",
 endTime: "7:30pm",
  instructor: "Mattia Binotto",
  image: "/images/leader.jpg",
  spotsLeft: 35,
```

```
description: "This class is open to all levels and for those
seeking to become effective leaders."
});
const event6 = new Event({
  title: "How to Deal with Adversity",
 date: "04/10/2023",
  startTime: "12:30am",
 endTime: "1:30pm",
 instructor: "Alex Albon",
  image: "/images/adversity.jpg",
  spotsLeft: 35,
 description: "This class is open to all levels and delves into
the topic of how to deal with adversity."
});
const event8 = new Event({
 title: "Anger Management",
 date: "04/13/2023".
  startTime: "2:30pm",
 endTime: "3:00pm",
 instructor: "Yuki Tsunoda and Kimi Raikkonen",
  image: "/images/anger.jpg",
  spotsLeft: 25,
 description: "This class is specifically for beginners students
and those seeking to improve their control on their tempers."
});
const event7 = new Event({
 title: "Fitness Stamina",
 date: "04/13/2023",
  startTime: "2:30pm",
 endTime: "3:30pm",
  instructor: "Fernando Alonso",
  image: "/images/stam.jpg",
  spotsLeft: 35,
```

```
description: "This class is designed to help participants
increase their endurance through a combination of cardiovascular
exercises and strength training."
});
const event10 = new Event({
  title: "How to Build Self-Confidence",
 date: "04/18/2023",
  startTime: "5:30pm",
  endTime: "6:30pm",
  instructor: "George Russell",
  image: "/images/confi.webp",
  spotsLeft: 15.
  description: "This class is designed to help participants
develop a positive and resilient mindset by teaching them
practical techniques to overcome self-doubt and negative
self-talk."
});
const event11 = new Event({
  title: "Strategic Conversationalism",
 date: "04/18/2023",
  startTime: "5:30pm",
  endTime: "6:30pm",
  instructor: "Lewis Hamilton",
  image: "/images/strat.jpg",
  spotsLeft: 15,
  description: "This class is designed to help participants
improve their communication skills and build stronger
relationships through intentional and strategic conversations."
});
const defaultEvents = [event1, event2, event3,
event4, event5, event6, event7, event8, event9, event10, event11];
```

```
let ipAdress = ∅;
let tempIP = 0;
// -----Rendering the Schedule Page-----
app.get("/schedule", function(req, res){
 Event.find({}, function(err, foundEvents){
   if (foundEvents.length === 0){
     Event.insertMany(defaultEvents, function(err){
       if(err){
         console.log(err);
       } else{
         console.log("Sucessfully saved events into the DB");
       }
     });
     res.redirect("/schedule");
   } else{
     res.render("schedule", {events: foundEvents,
addedClassIsMatch: null, noResults: false});
   }
 });
});
//Started: 3/7/23
// -----Adding Classes For Users-----
app.post("/schedule", function(req, res){
 function findClass(req, res, callback, callback2){
   fetch('https://ipapi.co/json/')
    .then(function(response) {
     return response.json();
```

```
})
    .then(function(data) {
     tempIP = data.ip;
      const idOfAddedClass = req.body.addClass; //finds the id of
the class that the user wants to add
      let classTitle = "";
     let classDate = "";
     let spots = 0;
     let startTime = "";
      Event.findOne({_id: idOfAddedClass}, {"title":1, "date":1,
"spotsLeft":1, "startTime":1}, function(err, foundEvent){ //querys
the DB
        classTitle = foundEvent.title;
        classDate = foundEvent.date;
        spots = foundEvent.spotsLeft;
        startTime = foundEvent.startTime;
        callback(req, res, classTitle, classDate, idOfAddedClass,
spots, tempIP, startTime, callback2)
     });
   })
 }
 function checkAvailability(req, res, classTitle, classDate,
idOfAddedClass, spots, tempIP, startTime, callback2){
    spots = spots - 1;
    const newClass = [classTitle, classDate, startTime];
   let takenClass = false;
    User.findOne({ipAddress: tempIP}, {"classes":1, "date":1,
"startTime":1}, function(err, foundUser){ //querys the DB
     console.log(foundUser);
      let classes = foundUser.classes;
      classes.forEach((c) \Rightarrow {
        console.log(c[1]);
```

```
if(c[0] === classTitle \mid | (c[1] === classDate && c[2] ===
startTime)){
         takenClass = true;
     });
     callback2(reg, res, takenClass, tempIP, idOfAddedClass,
spots, newClass)
   });
 }
 function updateDB(req, res, takenClass, tempIP, idOfAddedClass,
spots, newClass){
   // console.log(takenClass);
   if(takenClass === false){
      Event.updateOne({_id: idOfAddedClass}, {$set: {spotsLeft:
spots } }, function(err, res){
       if (err) throw err;
     User.updateOne({ipAddress:tempIP}, {$push: {classes:
newClass} }, function(err,res){ //updating the DB
       if (err) throw err;
      });
     Event.find({}, function(err, foundEvents){
        res.render("schedule", {events: foundEvents,
addedClassIsMatch: false, noResults: false});
     });
    }
   else{
      Event.find({}, function(err, foundEvents){
        res.render("schedule", {events: foundEvents,
addedClassIsMatch: true, noResults: false});
      });
```

```
}
 findClass(req, res, checkAvailability, updateDB);
});
app.get("/search-bar", function(req, res){
  res.redirect("/schedule");
})
app.post("/search-bar", function(req, res){
 function handleSearchBar(req, res, callback1){
    const searchValue = req.body.searchbar;
    let searchResults = [];
    Event.find({}, function(err, foundEvents){
      foundEvents.forEach(function(event){
        // title, date, and instructor
        if(event.title === searchValue || event.date ===
searchValue || event.instructor === searchValue){
          console.log(searchValue);
          searchResults.push(event);
          console.log(searchResults);
        }
      })
      let noRes = false;
      if(searchResults.length === 0){
        noRes = true;
      callback1(req, res, searchResults, noRes);
    });
```

```
}
 function renderResults(req, res, searchResults, noRes){
    console.log(searchResults);
   res.render("schedule", {events: searchResults,
addedClassIsMatch: false, noResults: noRes});
 handleSearchBar(req, res, renderResults);
})
// -----Rendering Stuff-----
app.get("/", function(req, res){
  fetch('https://ipapi.co/json/')
  .then(function(response) {
   return response.json();
  .then(function(data) {
   ipAdress = data.ip;
   })
 User.find({}, function(err, foundUsers){
   if (foundUsers.length === 0){
     User.insertMany(defaultUsers, function(err){
        if(err){
         console.log(err);
        } else{
         console.log("Sucessfully saved users into the DB");
     });
      res.redirect("/");
    } else{
```

```
res.render("home-page");
    }
 });
});
// -----Signing Up and Saving
Credentials-----
//Completed: 1/09/2023 10:53am
app.post("/sign-up", function(req, res){
  var result = undefined;
  var output = undefined;
  var computationFinished = undefined;
  function query(req, res, id, callback, callback2){
    User.findOne({memberID:id}, function(err, foundUser){
//Method to find member in the DB
     if(err){
       console.log(err);
      if(foundUser !== null){ //If a user is found it sets result
to true
       result = true;
      }else{
        result = false;
      callback(req, res, result, callback2); //calls the callback
function to update variables
    }) //End of User.findOne function
  } //End of query function
```

```
function logResult(req, res, logResult, callback2){
    output = result;
    computationFinished = true; //updates all the variables and
calls the second callback function
    callback2(req, res, computationFinished)
  }
  function updateDB(req, res, computationFinished){
    if(computationFinished){ //this function handles updating the
DB
      if(output == true){
        const pass = req.body.p;
        const n = req.body.n;
        User.updateOne({memberID:req.body.ID}, {$set: {password:}
pass, name: n, ipAddress: ipAdress} }, function(err,res){
//updating the DB
          if (err) throw err;
        });
        console.log("right cred");
        res.render("sign-up", {wrongCred:false});
      } else{
        console.log("wrong cred");
        res.render("sign-up", {wrongCred:true}); //If there is
not member then it displays the error message
    }
  query(req, res, req.body.ID, logResult, updateDB);
});//End of sign-up post
app.get("/sign-up", function(req, res){
```

```
res.render("sign-up", {wrongCred:null});
});
// -----End of all sign-up related
functions-----
// -----Signing In and Authenticating
Credentials-----
//Started: 1/11/2023 10:36am
//Completed: 1/11/2023 11:12am
app.get("/sign-in", function(req, res){
  res.render("sign-in", {wrongCred:null});
});
app.post("/sign-in", function(req, res){
 var result = undefined;
 var output = undefined;
 var computationFinished = undefined;
 function query(req, res, id, pass, callback){
    User.findOne({memberID:id, password:pass}, function(err,
foundUser){ //Method to find member in the DB
     if(err){
       console.log(err);
     if(foundUser === undefined || foundUser === null){ //If a
user is found it sets result to true
       result = false;
     }else{
       result = true;
      }
```

```
callback(req, res, result); //calls the callback function
to update variables
   }); //End of User.findOne function
  } //End of query function
  function logResult(req, res, result){
    output = result;
    computationFinished = true; //updates all the variables and
calls the second callback function
   if(output == true){
      res.render("sign-in", {wrongCred:false});
    } else{
     console.log(output);
      res.render("sign-in", {wrongCred:true}); //If there is not
member then it displays the error message
   }
  }
  query(req, res, req.body.ID, req.body.p, logResult);
});//End of sign-up post
app.get("/sign-in", function(req, res){
  res.render("sign-in", {wrongCred:null});
})
// -----End of sign in functions-----
app.get("/profile", function(req, res){
  fetch('https://ipapi.co/json/')
  .then(function(response) {
   return response.json();
  })
  .then(function(data) {
   ipAdress = data.ip;
```

```
User.findOne({ipAddress:ipAdress}, {"name":1, "classes":1},
function(err, foundUser){
      // console.log(foundUser);
      res.render("profile", {userName: foundUser.name,
addedClasses: foundUser.classes});
    });
    })
})
app.get("/our-team", function(req, res){
  res.render("our-team");
})
let port = process.env.PORT;
if (port == null || port == "") {
 port = 3000;
}
// -----Running the website on
localhost:3000-----
app.listen(port, function(){
 console.log("Server started on port 3000.");
});
```

footer.ejs:

```
JavaScript
<br/>
<br/>
<br/>
<!-- Navbar -->
<footer id="footer">
```

header.ejs:

```
JavaScript
<body>
 <!-- Navbar -->
   <div class="navigation-bar">
     <nav class="navbar navbar-expand-lg">
       <div class="container-fluid">
         <h1 class="webTitle"><a class="mainTitle"
href="/">F1tness</a></h1>
         <form action="/schedule" method="GET">
              <button class="otherButton" type="submit"</pre>
name="button">Schedule Classes/button>
                <!-- <input type="submit" value="Schedule
Classes"/> -->
            </form>
          class="nav-item">
            <form action="/our-team" method="GET">
```

```
<input class="otherButton" type="submit"</pre>
value="Our Team"/>
              </form>
            class="nav-item">
              <div class="dropdown">
                <button style="margin-right: 25px !important;"</pre>
class="btn btn-secondary" type="button" id="dropdownMenuButton"
data-toggle="dropdown" aria-haspopup="true"
aria-expanded="false">
                  <i class="fa-solid fa-bars"></i>
                  <i class="fa-regular fa-user"></i>
                </button>
                <div class="dropdown-menu"</pre>
aria-labelledby="dropdownMenuButton">
                  <form action="/sign-up" method="GET">
                     <button class="dropdown-item" type="submit"</pre>
name="button">Sign Up</button>
                       <!-- <input type="submit" value="Sign In"/>
-->
                  </form>
                  <form action="/sign-in" method="GET">
                     <button class="dropdown-item" type="submit"</pre>
name="button">Sign In</button>
                       <!-- <input type="submit" value="Sign In"/>
-->
                  </form>
                  <form action="/profile" method="GET">
                     <button class="dropdown-item" type="submit"</pre>
name="button">My Profile</button>
                      <!-- <input type="submit" value="My
Profile"/> -->
                  </form>
                </div>
```

home-page.ejs:

```
JavaScript
<!doctype html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width,</pre>
initial-scale=1">
  <title>Home Page</title>
  <link rel="stylesheet" href="/css/styles.css">
  link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/boots
trap.min.css" rel="stylesheet"
integrity="sha384-rbsA2VBKQhggwzxH7pPCaAq046Mgn0M80zW1RWuH61DGLwZ"
JEdK2Kadq2F9CUG65" crossorigin="anonymous">
  <script src="https://code.jquery.com/jquery-3.3.1.slim.min.js"</pre>
integrity="sha384-q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfR
vH+8abtTE1Pi6jizo" crossorigin="anonymous"></script>
  <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.14.7/dist/umd/poppe
r.min.js"
```

```
integrity="sha384-U02eT0CpHqdSJQ6hJty5KVphtPhzWj9W01c1HTMGa3JDZwr
nQq4sF86dIHNDz0W1" crossorigin="anonymous"></script>
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.3.1/dist/js/bootstr
ap.min.js"
integrity="sha384-JjSmVgyd0p3pXB1rRibZUAYoIIy60rQ6VrjIEaFf/nJGzIx
FDsf4x0xIM+B07jRM" crossorigin="anonymous"></script>
  <script src="https://kit.fontawesome.com/a11b299805.js"</pre>
crossorigin="anonymous"></script>
  <link rel="preconnect" href="https://fonts.googleapis.com">
 <link rel="preconnect" href="https://fonts.gstatic.com"</pre>
crossorigin>
 link
href="https://fonts.googleapis.com/css2?family=Montserrat:wght@30
0;400;700&family=Source+Sans+Pro:wght@300&display=swap"
rel="stylesheet">
  </head>
<body>
<%- include("header") -%>
<!-- Main body -->
<img src="/images/grid.jpg" alt="">
<section id="features">
  <div class="row">
    <div class="feature-box col-lg-4">
      <i class="icon fa-solid fa-gauge fa-4x" style="color:"></i></i>
      <h3>Speed</h3>
      We provide high-speed workouts that simulate the
adrenaline rush of F1 racing.
    </div>
    <div class="feature-box col-lg-4">
      <i class="icon fa-solid fa-dumbbell fa-4x"></i></i>
      <h3>Strength</h3>
```

```
We help build strength and endurance through
personalized coaching and state-of-the-art facilities.
    </div>
    <div class="feature-box col-lg-4">
      <i class="icon fa-solid fa-bullseye fa-4x"></i>
     <h3>Precision</h3>
      We emphasize technique and precision in every workout,
inspired by the precision and focus of F1 drivers.
    </div>
  </div>
</section>
<div class="webIntro">
  <div class="whatIs">
    <h2 class="introTitle">What is F1tness?</h2>
    Welcome to F1tness, the ultimate destination for Formula
One fans and fitness enthusiasts alike! Our unique gym brings the
high-speed world of F1 to your workouts with a team of
experienced instructors who are all former or current F1 drivers.
From cardio to strength training, our programs are designed to
push you to your limits and help you achieve your fitness goals.
Whether you're a die-hard F1 fan or just looking for an exciting
new way to get in shape, F1tness has everything you need to rev
up your fitness routine. Join us today and experience the
adrenaline-fueled world of F1 like never before!
  </div>
</div>
<section id="testimonials">
```

```
<div id="carouselExampleControls" class="carousel slide"</pre>
data-ride="carousel" data-interval="0">
    <div class="carousel-inner">
      <div class="carousel-item active">
        <h2 class="testText">"As an avid F1 fan, working out with
F1 drivers was a dream come true. The personalized training plans
were tough but rewarding, and I learned so much about the sport
from the drivers themselves." </h2>
        <img class="testImg" src="/images/donald.jpg" alt="">
        <em>Connor Anderson
      </div>
      <div class="carousel-item">
        <h2 class="testText">"While I was impressed with the
gym's state-of-the-art facilities and personalized coaching from
actual F1 drivers, it was the F1 theme that made my experience at
F1tness truly unforgettable, creating an immersive and exciting
atmosphere that motivated me to push my limits and achieve my
fitness goals."</h2>
        <img class="testImg" src="/images/bob.jpg" alt="">
        <em>Zhang Wei</em>
      </div>
      <div class="carousel-item">
        <h2 class="testText">"Wow, wow! The two owners are
brilliant for creating this gym, thanks Jo and Thomas I am
forever grateful!"</h2>
        <img class="testImg" src="/images/mark.jpg" alt="">
        <em>Mark Duncan</em>
      </div>
    <a class="carousel-control-prev"</pre>
href="#carouselExampleControls" role="button" data-slide="prev">
      <span class="carousel-control-prev-icon"</pre>
aria-hidden="true"></span>
      <span class="sr-only">Previous</span>
    </a>
```

```
<a class="carousel-control-next"</pre>
href="#carouselExampleControls" role="button" data-slide="next">
      <span class="carousel-control-next-icon"</pre>
aria-hidden="true"></span>
     <span class="sr-only">Next</span>
   </a>
</div>
</section>
<section id="pricing">
<div class="pricing-cards row">
 <div class="pricing-column col-lg-4">
   <div class="pricing card" style="width: 18rem";>
     <div class="card-header">
       <h3>Points Finisher</h3>
     </div>
     <div class="card-body">
       <h2>$50/mo</h2>
       Access to gym equipment and facilities during regular
hours.
       Ability to attend group fitness classes.
       Use of the locker room and showers.
       Discounts on F1tness merchandise.
       Personalized workout plans.
     </div>
   </div>
 </div>
 <div class="pricing-column col-lg-4">
   <div class="pricing card" style="width: 18rem";>
     <div class="card-header">
       <h3>Podium Finisher</h3>
     </div>
```

```
<div class="card-body">
       <h2>$80/mo</h2>
       All the features of Points Finisher membership.
       Access to the gym during extended hours.
       Complimentary towel service.
       Priority scheduling for personal training
sessions.
       Access to recovery services such as massage therapy
and physiotherapy.
     </div>
   </div>
 </div>
 <div class="pricing-column col-lg-4">
   <div class="pricing card" style="width: 18rem";>
     <div class="card-header">
       <h3>World Champion</h3>
     </div>
     <div class="card-body">
       <h2>$120/mo</h2>
       All the features of Podium Finisher membership.
       Priority registration for special events and
programs.
       Complimentary F1tness merchandise.
       Access to a private training area.
       Complimentary nutritional coaching.
     </div>
   </div>
 </div>
 </div>
</section>
<%- include("footer") -%>
</body>
</html>
```

our-team.ejs:

```
JavaScript
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
  <meta charset="utf-8">
  <title>Our Team</title>
  <link rel="stylesheet" href="/css/styles.css">
  link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/boots
trap.min.css" rel="stylesheet"
integrity="sha384-rbsA2VBKQhggwzxH7pPCaAq046Mgn0M80zW1RWuH61DGLwZ
JEdK2Kadq2F9CUG65" crossorigin="anonymous">
  <script src="https://code.jquery.com/jquery-3.3.1.slim.min.js"</pre>
integrity="sha384-q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfR
vH+8abtTE1Pi6jizo" crossorigin="anonymous"></script>
  <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.14.7/dist/umd/poppe
r.min.js"
integrity="sha384-U02eT0CpHqdSJQ6hJty5KVphtPhzWj9W01clHTMGa3JDZwr
nQq4sF86dIHNDz0W1" crossorigin="anonymous"></script>
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.3.1/dist/js/bootstr
ap.min.js"
integrity="sha384-JjSmVgyd0p3pXB1rRibZUAYoIIy60rQ6VrjIEaFf/nJGzIx
FDsf4x0xIM+B07jRM" crossorigin="anonymous"></script>
  <script src="https://kit.fontawesome.com/a11b299805.js"</pre>
crossorigin="anonymous"></script>
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com"</pre>
crossorigin>
  link
href="https://fonts.googleapis.com/css2?family=Montserrat:wght@30
```

```
0;400&family=Source+Sans+Pro:wght@300&display=swap"
rel="stylesheet">
</head>
<body class="ourTeamProfile">
<%- include("header") -%>
  <h1 class="ourTeamTitle">Our Team</h1>
  <div class="grid-container">
    <div class="grid-child instructor-profile">
      <img src="/images/albon .png" alt="an image of Alex Albon"</pre>
class="profile-pic">
      <h2 class="profile-name">Alexander Albon</h2>
      Hi there! My name is Alex Albon and I'm a
certified fitness instructor here at F1tness. I may not have the
same amount of championship titles as some of my colleagues, but
what I lack in trophies, I make up for in perseverance and
resilience. I've faced my fair share of adversity on the track,
particularly when Lewis Hamilton spun me not once, but twice
during a race, ultimately stopping me from clinching the win. But
instead of letting that defeat define me, I used it as motivation
to push harder and become stronger, both mentally and physically.
And now, I bring that same determination to the gym floor,
helping others achieve their fitness goals and overcome their own
obstacles. So if you're looking for someone who knows how to
bounce back from a setback, look no further than yours truly,
Alex Albon.
    </div>
    <div class="grid-child instructor-profile">
      <img src="/images/alonso.jpg" alt="an image of Fernando</pre>
Alonso" class="profile-pic">
      <h2 class="profile-name">Fernando Alonso</h2>
```

"Hello there! My name is Fernando Alonso, and I'm proud to be a part of the F1tness team as a fitness instructor. As a two-time Formula One world champion, I know what it takes to push your body to the limit and come out on top. But I also know the importance of balance and taking care of your physical and mental health. That's why I'm passionate about helping others achieve their fitness goals, no matter what they may be. Whether you're a seasoned athlete looking to fine tune your training regimen or a newcomer to the fitness world looking to get started, I'm here to guide you every step of the way. From personalized workout plans to nutrition advice, I'll help you find the right balance for your body and lifestyle. And if you need a little extra motivation, just remember my mantra: "never give up." It's served me well throughout my racing career, and I believe it can serve you well too. So come on in, and let's work together to achieve your fitness goals and unlock your full potential!"

</div>

potential to be a great leader - they just need the right tools and guidance. That's where I come in. Through my years of experience in the high-stakes world of Formula One racing, I've learned how to motivate and inspire my team to achieve great things, even in the face of adversity. And now, I'm ready to help you do the same. So join me for one of my leadership classes, and let's unlock your full potential together!"

</div>

</div>

"Bwoah. It's me, Kimi Raikkonen. You might know me as the quietest guy in the paddock, but don't let that fool you. When it comes to fitness, I let my actions speak louder than words. Sure, I may not be the most eloquent speaker, but that's just because I'm an introvert by nature. I prefer to let my driving do the talking for me. And when it comes to fitness, I approach it with the same no-nonsense attitude. I believe that hard work and consistency are the keys to success, both on and off the track. So if you're looking for a fitness instructor who's not going to waste your time with a lot of chatter, I'm your quy. I'll quide you through your workout with precision and focus, making sure you get the most out of every exercise. And if you need a little motivation along the way, just remember my famous catchphrase: "bwoah." It may not be the most inspiring thing you've ever heard, but trust me - it works. So come on in, and let's get to work. Bwoah. "

</div>

```
get moving - I guarantee you'll leave with a smile on your
face!
   </div>
    <div class="grid-child instructor-profile">
      <img src="/images/russell.jpg" alt="an image of George</pre>
Russell "class="profile-pic">
     <h2 class="profile-name">George Russell</h2>
      "Hey there, I'm George Russell, and I'm here
to help you take your fitness to the next level. You may have
heard the memes about me being the type of guy who's always
confident, and I'm here to tell you that they're true. When it
comes to fitness, I know what it takes to succeed. I've been
pushing my body to the limit since I was a kid, and it's paid off
in the form of success on the track. But I'm not here to rest on
my laurels - I'm here to help you achieve your own fitness goals
and be the best version of yourself. So if you're ready to work
hard, push yourself to the limit, and achieve greatness, then I'm
the coach for you. Whether you're looking to build muscle,
increase your endurance, or just feel better in your own skin,
I'll create a personalized workout plan that's tailored to your
needs and goals. And if you ever feel like you can't do it, just
remember - I'm the type of guy who never gives up, and neither
should you. So come on in, and let's show the world what we're
made of."
   </div>
    <div class="grid-child instructor-profile">
      <img src="/images/stroll.jpg" alt="an image of Lance</pre>
Stroll "class="profile-pic">
     <h2 class="profile-name">Lance Stroll</h2>
      "Hey, I'm Lance Stroll, and I'm here to help
you reach your fitness goals. Now, I know some people like to say
that I'm just daddy's cash, but let me tell you - that couldn't
```

be further from the truth. Yes, my father has been a huge supporter of my racing career, and I'm grateful for everything he's done for me. But at the end of the day, it's my hard work and determination that have gotten me where I am today. I didn't get to Formula 1 by sitting back and letting my bank account do the talking. I got here by pushing myself to the limit and never giving up. And when it comes to fitness, I approach it with the same attitude. I know that success doesn't come easy - it takes dedication, discipline, and hard work. But I also know that the rewards are worth it. Whether you're looking to lose weight, build muscle, or just feel better in your own skin, I'm here to help you get there. So if you're ready to put in the work and achieve your fitness goals, then I'm the coach for you. And hey, even if you think I'm just daddy's cash, I won't hold it against you. Come on in, and let's get started."

</div>

I'm the perfect instructor for an anger management class. I mean, who better to teach you how to channel your emotions into something positive than someone who's already done it themselves? So come on in, and let's get to work."

</div>

</div>

profile.ejs:

```
<script src="https://code.jquery.com/jquery-3.3.1.slim.min.js"</pre>
integrity="sha384-q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfR
vH+8abtTE1Pi6jizo" crossorigin="anonymous"></script>
  <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.14.7/dist/umd/poppe
r.min.js"
integrity="sha384-U02eT0CpHgdSJQ6hJty5KVphtPhzWj9W01clHTMGa3JDZwr
nQq4sF86dIHNDz0W1" crossorigin="anonymous"></script>
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.3.1/dist/js/bootstr
ap.min.js"
integrity="sha384-JjSmVgyd0p3pXB1rRibZUAYoIIy60rQ6VrjIEaFf/nJGzIx
FDsf4x0xIM+B07jRM" crossorigin="anonymous"></script>
  <script src="https://kit.fontawesome.com/a11b299805.js"</pre>
crossorigin="anonymous"></script>
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com"</pre>
crossorigin>
  link
href="https://fonts.googleapis.com/css2?family=Montserrat:wght@30
0;400&family=Source+Sans+Pro:wght@300&display=swap"
rel="stylesheet">
</head>
<body class="profile">
  <%- include("header") -%>
  <div class="profileBody">
    <h1>Profile</h1>
    <h4>Welcome <%= userName %></h4>
    <h4>Your Classes:</h4>
    <% addedClasses.forEach(function(addClass){ %>
      <div class="class card" style="width: 13rem;">
```

```
<div class="class-title card-body"</pre>
style="background-color: #497174 !important; border-radius: 4px;"
           <h5 class="card-title"><%= addClass[0] %></h5>
         </div>
         <div class="card-body" style="background-color:</pre>
#EFF5F5; !important;">
           <%= addClass[1] %>
           <%= addClass[2] %>
         </div>
     </div>
     <% }) %>
 </div>
 <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstr
ap.bundle.min.js"
integrity="sha384-kenU1KFdBIe4zVF0s0G1M5b4hcpxyD9F7jL+jjXkk+Q2h45"
5rYXK/7HAuoJl+0I4" crossorigin="anonymous"></script>
<%- include("footer") -%>
</body>
</html>
```

schedule.ejs:

```
JavaScript
<!DOCTYPE html>
<html lang="en" dir="ltr">
```

```
<head>
  <meta charset="utf-8">
  <title>Schedule</title>
  <link rel="stylesheet" href="/css/styles.css">
href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/boots
trap.min.css" rel="stylesheet"
integrity="sha384-rbsA2VBKQhggwzxH7pPCaAq046Mgn0M80zW1RWuH61DGLwZ
JEdK2Kadq2F9CUG65" crossorigin="anonymous">
  <script src="https://code.jquery.com/jquery-3.3.1.slim.min.js"</pre>
integrity="sha384-q8i/X+965Dz00rT7abK41JStQIAqVqRVzpbzo5smXKp4YfR
vH+8abtTE1Pi6jizo" crossorigin="anonymous"></script>
  <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.14.7/dist/umd/poppe
r.min.js"
integrity="sha384-U02eT0CpHqdSJQ6hJty5KVphtPhzWj9W01clHTMGa3JDZwr
nQq4sF86dIHNDz0W1" crossorigin="anonymous"></script>
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.3.1/dist/js/bootstr
ap.min.js"
integrity="sha384-JjSmVgyd0p3pXB1rRibZUAYoIIy60rQ6VrjIEaFf/nJGzIx
FDsf4x0xIM+B07jRM" crossorigin="anonymous"></script>
  <script src="https://kit.fontawesome.com/a11b299805.js"</pre>
crossorigin="anonymous"></script>
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com"</pre>
crossorigin>
  link
href="https://fonts.googleapis.com/css2?family=Montserrat:wght@30
0;400&family=Source+Sans+Pro:wght@300&display=swap"
rel="stylesheet">
</head>
<body class="scheduleBody">
  <%- include("header") -%>
```

```
<div class="mainBody">
    <div class="scheudleSection">
      <h2 class="pageTitle">Schedule</h2>
      <div class="input-group mb-3">
        <div class="searchBar">
          <form action="/search-bar" method="Post">
            <input type="text" class="searchBar form-control"</pre>
placeholder="Ex: Yoga Level One, Max Verstappen, 03/15/2023"
aria-label="Recipient's username"
aria-describedby="button-addon2" name="searchbar">
        </div>
          <div class="searchBut input-group-append">
            <button class="btn btn-outline-secondary"</pre>
type="submit" id="button-addon2">Search</button>
          </div>
        </form>
      </div>
      <% if(addedClassIsMatch === true){ %>
        <div class="alert alert-danger alert-dismissible fade</pre>
show" role="alert">
          <strong>Whoops!</strong> You have either already signed
up for this class or you have already signed up for a class that
has a conflicting time!
          <button type="button" class="close"</pre>
data-dismiss="alert" aria-label="Close">
            <span aria-hidden="true">&times;</span>
          </button>
        </div>
        <!-- <script type="text/javascript">
          alert("You have already signed up for that class!")
        </script> -->
      <% }else if(addedClassIsMatch === false){ %>
```

```
<div class="alert alert-success alert-dismissible fade</pre>
show" role="alert">
          <strong>Hooray!</strong> You have successfully signed
up for a class!
          <button type="button" class="close"</pre>
data-dismiss="alert" aria-label="Close">
            <span aria-hidden="true">&times;</span>
          </button>
        </div>
     <% }%>
      <% if(noResults === true){ %>
        <imq
src="https://cdn-icons-png.flaticon.com/512/6179/6179016.png"
alt="no result image">
        <h1>No Results were found!</h1>
      <% }else{ %>
        <% events.forEach(function(event){ %>
        </div>
      </div>
            <div class="card" id="eventCards" style="width:</pre>
18rem;">
              <img src="<%=event.image%>" class="card-img-top"
alt="..." id="cardImg">
              <% if(events.spotsLeft === 0){ %>
                <h3>This class is full!</h3>
              <% }else{ %>
                <form action="/schedule" method="Post">
                  <div class="card-body" >
                    <h5 class="card-title"><%=event.title%></h5>
                    <%=event.date%>
```

```
<%=event.startTime%> -
<%=event.endTime%>
class="card-text"><%=event.description%></h6>
class="card-text"><%=event.instructor%>
                  <%=event.spotsLeft%>
                </div>
                <button class="cardBut btn btn-primary"</pre>
type="Submit" name = "addClass" value="<%=event._id%>">Add
Class</button>
              </form>
            <% } %>
          </div>
     </div>
      <% }) %>
     </div>
     <% } %>
   </div>
 </div>
<%- include("footer") -%>
</html>
```

sign-in.ejs:

```
JavaScript
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
  <meta charset="utf-8">
  <title>Sign-In</title>
  <link rel="stylesheet" href="/css/styles.css">
  link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/boots
trap.min.css" rel="stylesheet"
integrity="sha384-rbsA2VBKQhggwzxH7pPCaAgO46MgnOM80zW1RWuH61DGLwZ
JEdK2Kadg2F9CUG65" crossorigin="anonymous">
  <script src="https://code.jquery.com/jquery-3.3.1.slim.min.js"</pre>
integrity="sha384-q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfR
vH+8abtTE1Pi6jizo" crossorigin="anonymous"></script>
  <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.14.7/dist/umd/poppe
r.min.js"
integrity="sha384-U02eT0CpHqdSJQ6hJty5KVphtPhzWj9W01clHTMGa3JDZwr
nQq4sF86dIHNDz0W1" crossorigin="anonymous"></script>
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.3.1/dist/js/bootstr
ap.min.js"
integrity="sha384-JjSmVgyd0p3pXB1rRibZUAYoIIy60rQ6VrjIEaFf/nJGzIx
FDsf4x0xIM+B07jRM" crossorigin="anonymous"></script>
  <script src="https://kit.fontawesome.com/a11b299805.js"</pre>
crossorigin="anonymous"></script>
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com"</pre>
crossorigin>
  link
href="https://fonts.googleapis.com/css2?family=Montserrat:wght@30
0;400&family=Source+Sans+Pro:wght@300&display=swap"
rel="stylesheet">
</head>
```

```
<body>
  <%- include("header") -%>
<div class="signInPage">
  <div class="mainBody sign-in">
    <% if(wrongCred === true) { %>
      <div class="alert alert-danger alert-dismissible fade show"</pre>
role="alert">
        <strong>Try Again!</strong> You entered wrong
credentials!
        <button type="button" class="close" data-dismiss="alert"</pre>
aria-label="Close">
          <span aria-hidden="true">&times;</span>
        </button>
      </div>
    <% } else if (wrongCred === false) { %>
      <div class="alert alert-success alert-dismissible fade</pre>
show" role="alert">
        <strong>Hooray!</strong> You have sucessfully signed up!
        <button type="button" class="close" data-dismiss="alert"</pre>
aria-label="Close">
          <span aria-hidden="true">&times;</span>
        </button>
      </div>
    <% } %>
  </div>
    <div class="signingBody">
      <div class="card" id="card">
        <h1 class="signTitle">Sign In!</h1>
        <form action="/sign-in" method="Post">
          <input class="sU credM" type="text" name="ID"</pre>
placeholder="Membership ID"/>
          <input class="sU credP" type="text" name="p"</pre>
placeholder="Enter your password"/>
```

sign-up.ejs:

```
<script src="https://code.jquery.com/jquery-3.3.1.slim.min.js"</pre>
integrity="sha384-q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfR
vH+8abtTE1Pi6jizo" crossorigin="anonymous"></script>
  <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.14.7/dist/umd/poppe
r.min.js"
integrity="sha384-U02eT0CpHgdSJQ6hJty5KVphtPhzWj9W01clHTMGa3JDZwr
nQq4sF86dIHNDz0W1" crossorigin="anonymous"></script>
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.3.1/dist/js/bootstr
ap.min.js"
integrity="sha384-JjSmVgyd0p3pXB1rRibZUAYoIIy60rQ6VrjIEaFf/nJGzIx
FDsf4x0xIM+B07jRM" crossorigin="anonymous"></script>
  <script src="https://kit.fontawesome.com/a11b299805.js"</pre>
crossorigin="anonymous"></script>
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com"</pre>
crossorigin>
  link
href="https://fonts.googleapis.com/css2?family=Montserrat:wght@30
0;400&family=Source+Sans+Pro:wght@300&display=swap"
rel="stylesheet">
</head>
<body>
  <%- include("header") -%>
  <div class="signUpPage">
    <div class="mainBody sign-up">
      <% if(wrongCred === true){ %>
        <div class="alert alert-danger alert-dismissible fade</pre>
show" role="alert">
          <strong>Try Again!</strong> You entered wrong
credentials!
          <button type="button" class="close"</pre>
data-dismiss="alert" aria-label="Close">
```

```
<span aria-hidden="true">&times;</span>
          </button>
        </div>
      <% } else if (wrongCred === false) { %>
        <div class="alert alert-success alert-dismissible fade</pre>
show" role="alert">
          <strong>Hooray!</strong> You have sucessfully signed
up!
          <button type="button" class="close"</pre>
data-dismiss="alert" aria-label="Close">
            <span aria-hidden="true">&times;</span>
          </button>
        </div>
      <% } %>
    </div>
      <div class="signingBody">
        <div class="card" id="card">
          <h1 class="signTitle">Sign Up!</h1>
            <form class="creds" action="/sign-up" method="Post">
              <input class="sU credN" type="text" name="n"</pre>
placeholder="Enter your name"/>
               <input class="sU credM" type="text" name="ID"</pre>
placeholder="Membership ID"/>
              <input class="sU credP" type="text" name="p"</pre>
placeholder="Create a password"/>
              <input class="sU submitBut" type="submit"</pre>
name="Submit">
            </form>
        </div>
        </div>
```

```
</div>
</body>
</html>
```

styles.css

```
JavaScript
a:link { text-decoration: none; }

a:visited { text-decoration: none; }

a:hover { text-decoration: none; }

a:active { text-decoration: none; }

body::-webkit-scrollbar {
   display: none; /* for Chrome, Safari, and Opera */
}

body{
   padding-top: 5%;
```

```
}
.navigation-bar{
  background-color: #EB6440;
  padding-bottom: 10px;
  position: fixed;
  width: 100%;
 top: 0px;
 z-index: 10;
}
#pricing{
  padding: 7% 15%;
  text-align: center;
  background-color: #EFF5F5;
  display: inline-block;
  width: 100%;
  margin: auto;
}
.pricing-cards{
  background-color: #EFF5F5;
}
#eventCards{
  font-family: 'Montserrat', sans-serif;
 display: inline-block;
  vertical-align: top;
  height: 500px;
 margin-left: 5px;
  margin-right: 5px;
  margin-bottom: 10px;
```

```
background-color: #EFF5F5;
}
.scheduleBody{
 background-color: #EFF5F5;
}
.cardBut{
  position: absolute;
  bottom: 10px;
  right: 10px;
 background-color: #497174 !important;
 border-color: #497174 !important;
}
.cardBut:hover{
  background-color: #5f9497!important;
 border-color: #5f9497 !important;
}
.cardBody{
 vertical-align: bottom;
}
.profile-pic{
 display: block;
  margin-left: auto;
  margin-right: auto;
  width: 50%;
  border-radius: 10%;
 height: auto;
 margin-bottom: 10px;
}
```

```
.ourTeamProfile{
 background-color: #D6E4E5;
}
.ourTeamTitle{
 font-family: 'Montserrat', sans-serif;
 text-align: center;
 padding: 10px 0px;
 padding-top: 15px;
}
.grid-container{
 text-align: center;
 font-family: 'Montserrat', sans-serif;
 margin-left: 10px;
 margin-right: 10px;
 display: grid;
 grid-template-columns: 1fr 1fr;
 grid-gap: 20px;
}
/* .profileHr{
 border: dotted red;
 border-bottom: none;
 width: 25%;
 margin: 15px auto;
} */
/* .instructor-profile p{
 text-align: center;
 padding: 10px;
.instructor-profile{
```

```
width: 50%;
 float: left;
  display: inline-block; */
}
#dropdownMenuButton{
  background-color: #497174;
  display: none
  position: absolute;
  right: 50px;
  width: 70px;
 /* margin-right: 200px !important; */
 border-radius: 20%;
}
#dropdownMenuButton:hover{
  background-color: #5e9295;
}
.otherButton{
  background-color: transparent;
  margin-right: 100px;
  display: inline-block;
  border-radius: 20%;
  border-width: ∅;
  margin: 10px;
 font-family: 'Montserrat', sans-serif;
}
.otherButton:hover{
  border-radius: 16px;
  background-color: #ee7e60;
  display: inline-block;
  border-width: 0;
```

```
font-family: 'Montserrat', sans-serif;
}
.webTitle{
 font-family: 'Montserrat', sans-serif;
  color: black;
}
.mainTitle{
 color: black;
}
.mainTitle:hover{
 color: #3c5d5f
}
.navbar-brand{
 font-size: 200px;
}
#features{
 padding: 5% 15%;
 background-color: #EFF5F5;
}
.feature-box{
 text-align: center;
 padding: 5%;
}
.feature-box: h3{
 font-family: 'Montserrat-Bold', sans-serif;
}
p {
 color: #8f8f8f;
```

```
}
.icon{
 color: #ff6a00;
 margin-bottom: 1rem;
}
.icon:hover{
 color: #EB6440;
}
.introTitle{
 font-family: 'Source Sans Pro', sans-serif;
 font-size:50px;
}
.webIntro{
  text-align: center !important;
 font-family: 'Source Sans Pro', sans-serif;
  font-size:30px;
 margin-bottom: -16px;
}
.whatIs{
 text-align: center;
 padding: 7% 15%
  /* padding-top: 20px;
  padding-left: 50px; */
}
.searchBar{
```

```
width: 50%;
 display: table;
 padding-right: 10px;
}
.searchBut{
 width: 100px;
}
.pageTitle{
 padding: 10px;
 font-family: 'Montserrat', sans-serif;
}
.mainBody{
 background-color: #EFF5F5;
 display: flex;
}
.scheudleSection{
 flex: 1;
}
.signUpPage{
 height: 100vh;
 display: flex;
 flex-direction: column;
}
.signInPage{
 height: 100vh;
 display: flex;
 flex-direction: column;
}
.sign-up{
```

```
text-align: center;
}
.sign-in{
 text-align: center;
}
.signTitle{
 text-align: center;
 font-family: 'Montserrat', sans-serif;
}
.signingBody{
  border-width: medium;
 background-color: #EFF5F5;
  width: 100%
 margin: auto;
 flex: 1;
 padding: 7% 15%;
}
#card{
 margin: auto;
 width: 35%;
 background-color: #D6E4E5;
}
.sU{
 border-width: thin;
 border-color: black;
 padding: 12px;
  border-radius: 3px;
  width: 250px;
```

```
outline: none;
}
.credN{
  display: block;
  margin: auto;
  margin-top: 20px;
  text-align: center;
}
.credM{
  display: block;
  margin: auto;
  margin-top: 20px;
  text-align: center;
}
.credP{
  display: block;
  margin: auto;
  margin-top: 20px;
  text-align: center;
  margin-bottom: 20px;
}
.submitBut{
  border: none;
  padding: 12px;
  border-radius: 3px;
  width: 250px;
  display: block;
  margin: auto;
  margin-top: 20px;
  text-align: center;
  margin-bottom: 20px;
}
.submitBut:hover{
  background-color: #9d9d9d
```

```
}
#testimonials{
  padding: 7% 15%;
  text-align: center;
  background-color: #D6E4E5;
  color: #497174;
}
.testText{
  font-family: 'Montserrat', sans-serif;
  font-size: 3rem;
  line-height: 1.5;
}
.testImg{
  width: 10%;
  border-radius: 100%;
  margin: 20px;
}
.carousel-control-next-icon {
  height: 100px;
  width: 100px;
  background-size: 100%, 100%;
  background-color: #497174;
  border-radius: 100%;
}
.carousel-control-prev-icon {
  height: 100px;
  width: 100px;
  background-size: 100%, 100%;
  background-color: #497174;
```

```
border-radius: 100%;
}
#footer{
  background-color: #497174;
 padding-top: 7% 15%;
  margin-top: 0px;
  padding-top: 0px;
  padding: 20px;
  text-align: center;
  font-family: 'Source Sans Pro', sans-serif;
}
.logoPic{
 display: block;
 margin-left: auto;
 margin-right: auto;
 padding-bottom: 10px;
}
.footerText{
 color: #EFF5F5;
}
.social-icons{
  margin: 20px
}
#profileCards{
  text-align: center;
  align-items: center;
  margin: auto;
  display: inline-block;
  vertical-align: top;
```

```
class{
  text-align: center;
  margin: 10px;
  font-family: 'Montserrat', sans-serif;
}

.profileBody{
  background-color:
  font-family: 'Montserrat', sans-serif;
  text-align: center;
  background-color: #EFF5F5;
  padding-bottom: 200px;
}
```