




## WEB TECHNOLOGIES · ASSIGNMENT 3

# Responsive design, with a human point of view.

A ten-task study of CSS media queries and Bootstrap 5.3, presented as a cohesive, responsive dealership website.



**Team:** Apex Motors

**Group:** SE-2507

**Course:** Web Technologies / Front-End Development

**Members:** Arsen, Kuttibay, Farabi, Muhammad

**Project:** isolated copy in `assignment3-bootstrap/`

**Build:** Bootstrap 5.3.3 + project-specific CSS



**Arsen**



**Kuttibay**



**Farabi**




**Muhammad**

# CSS media queries, used with intention


The site keeps the original Assignment 1/2 website outside this folder. Assignment 3 has its own stylesheet, Bootstrap 5.3.3 links, local vehicle photographs, shared navbar, and linked learning pages.

## Task 1 · Responsive typography

1. Write actual dealership headings and paragraphs in `typography-cards.html`.
2. Set smaller type at phone widths, then increase the same heading and paragraph at the 576px tablet and 992px desktop breakpoints.
3. Resize or inspect the page at all three widths and compare the text scale and line wrapping.




Desktop · real heading and paragraph with three cards



Mobile · reduced type scale and stacked cards

## Task 2 · CSS-only three-card row

1. Build three vehicle articles with semantic HTML and a dedicated `.media-demo` CSS grid.
2. Use three columns on desktop, two at tablet widths, and one on mobile using CSS media queries only.
3. Keep Bootstrap grid and card classes off this card group so its responsive behavior comes only from project CSS.



Source evidence · the card layout and responsive typography breakpoints are in `styles.css`.


# Tasks 3–4 · Grid and responsive spacing

## Task 3 · Bootstrap grid


- 1. Wrap both examples in Bootstrap containers and rows with consistent gutters.
- 2. Use two `col-lg-6` columns for the feature pair; they stack on phones and split at tablet widths.
- 3. Use three `col-lg-4` columns for the next set; `col-sm-6` shows two columns at small screens.
- 4. Resize the page to see the columns reflow without horizontal scrolling.

## Task 4 · Bootstrap spacing utilities

- 1. Replace intended layout spacing with Bootstrap utilities instead of custom margin/padding rules.
- 2. Use breakpoint-specific examples such as `px-sm-2`, `mt-lg-4`, `py-4`, and responsive gutters.
- 3. Check that spacing remains legible as the grid changes at phone, tablet, and desktop widths.



Grid and spacing utilities · visible content comes from `grid-spacing.html`.



Source evidence · `col-lg-6`, `col-lg-4`, `px-sm-2`, and `mt-lg-4`.


# Tasks 5–6 · Bootstrap components

## Task 5 · Collapsible navbar


- 1. Load the Bootstrap 5.3.3 CSS and JavaScript bundle on the site pages.
- 2. Place the supplied local Apex Motors logo in a `navbar-expand-lg` navigation with eight meaningful page links.
- 3. Connect the accessible toggler to the collapsible menu with matching `data-bs-target` and `id`, and keep `aria-expanded` in sync.
- 4. Test links at desktop width and the collapsed menu on a narrow viewport.

## Task 6 · Bootstrap buttons


- 1. Replace default actions with Bootstrap `btn-primary`, `btn-secondary`, and outline variants.
- 2. Show `btn-lg` and `btn-sm` alongside standard actions.
- 3. Group related navigation actions in an accessible `btn-group`.



Shared navbar · supplied logo and collapsible page links



Button page · variants, sizes, and grouped actions




Source evidence · the toggler is wired to the page's Bootstrap collapse target.


# Tasks 7–8 · Carousel and cards

## Task 7 · Bootstrap carousel

- 1. Keep nine distinct vehicle photographs in the local `images/` folder.
- 2. Create nine individually named slides with meaningful alternative text and a matching caption.
- 3. Pair each slide with its indicator and add previous/next controls with descriptive accessible names.
- 4. Leave slide changes user-controlled; the carousel supports the Bootstrap keyboard interaction.




Nine photographs are stored locally; no external image host is needed.



Source evidence · indicators and corresponding local image slides.

## Task 8 · A responsive Bootstrap card grid

1. Use Bootstrap's responsive row/column utilities to arrange three inventory cards.
2. Give each card a local car photograph with descriptive alternative text, a model title, a concise description, and a clear action.
3. Stack cards on phones, use two columns at medium widths, and show three at large widths.
4. Align card actions to keep the row consistent even when descriptions wrap differently.





**Design note:** restrained colors, square card edges, real dealership language, and a consistent editorial rhythm connect this learning page to the wider Apex Motors site.

### Cross-page navigation

The cards link to the inquiry form, the carousel links each slide to its own local image, and all pages share the same navbar and team footer.

# Task 9 · Responsive Bootstrap form


- 1. Lay out the form with responsive Bootstrap columns, including `col-md-6` field pairs.
- 2. Associate a visible label with every control; use `form-control`, `form-select`, and a budget `input-group`.
- 3. Include an accessible radio fieldset, a labeled checkbox, and optional free-text details.
- 4. Validate the required name and email fields; send invalid focus to the first invalid control and announce a result through a live status region.
- 5. State clearly that this classroom demo does not transmit or store personal information.




The form's success state is only a local validity demonstration; there is no submission endpoint.

# Task 10 · Semantic HTML and accessibility

- 1. Use a page title, landmark elements, ordered heading levels, and a keyboard-accessible skip link.
- 2. Provide visible focus, descriptive alternative text, adequate contrast, and meaningful link/button labels.
- 3. Associate labels with form controls and use a live status region for validation feedback.
- 4. Keep the carousel user-controlled and honor reduced-motion preferences in project styles.
- 5. Keep the interface responsive without hiding meaningful text or requiring hover interaction.



The contribution page uses the team's four supplied portraits.



Mobile evidence · layout reflows to a single card column.

## Team responsibility map

| Member   | Two pages and component contribution                                                                                |
|----------|---------------------------------------------------------------------------------------------------------------------|
| Arsen    | <code>carousel.html</code> · nine-slide carousel; <code>bootstrap-cards.html</code> · responsive inventory cards    |
| Kuttibay | <code>buttons.html</code> · button variants/group; <code>responsive-form.html</code> · labeled validated form       |
| Farabi   | <code>index.html</code> · collapsible navigation; <code>team-grid.html</code> · team contribution page              |
| Muhammad | <code>typography-cards.html</code> · media-query layouts; <code>grid-spacing.html</code> · Bootstrap grid/utilities |

## Live website

<https://vertex-blip.github.io/Car-dealership-website/assignment3-bootstrap/>

The ZIP contains only this self-contained Assignment 3 project, its local images, report, and evidence. Bootstrap itself is loaded from the official jsDelivr CDN. The existing root-level A1/A2 site is not part of the archive.