Beamer template

John SMITH

Uppsala University, Sweden

June 9, 2015

Outline

- 1 Section
 - Subsection

2 References

Outline

- 1 Section
 - Subsection

2 References

Title of the frame

Some content about something, possibly with references [1]

- 1 First step of your process 1.
- Second step of your process.

What is a block

This is a block

$$\sum_{i=0}^{i=k} k + 1 - \tau$$



¹This is a footnote.

Table

Table: A table with statistics

Column1	Column2	Column3
Something 1 2014	10,3 % (68)	89,7 % (591)
Something 2 2014	19,6 % (197)	80,4 % (809)
Something 1 2013	9,9 % (54)	90,1 % (489)
Something 2 2013	18,9 % (186)	81,1 % (782)

What if I want source code?

```
The equations work as well: \tau = \sum_{k \in s} \tau

The equations work as well: \tau = \sum_{k \in s} \tau

The equations work as well: \tau = \sum_{k \in s} \tau

The equations work as well: \tau = \sum_{k \in s} \tau

The equations work as well: \tau = \sum_{k \in s} \tau

The equations work as well: \tau = \sum_{k \in s} \tau

The equations work as well: \tau = \sum_{k \in s} \tau

The equations work as well: \tau = \sum_{k \in s} \tau

The equations work as well: \tau = \sum_{k \in s} \tau

The equations work as well: \tau = \sum_{k \in s} \tau

The equations work as well: \tau = \sum_{k \in s} \tau

The equations work as well: \tau = \sum_{k \in s} \tau

The equations work as well: \tau = \sum_{k \in s} \tau

The equations work as well: \tau = \sum_{k \in s} \tau

The equations work as well: \tau = \sum_{k \in s} \tau

The equations work as well: \tau = \sum_{k \in s} \tau

The equations work as well: \tau = \sum_{k \in s} \tau

The equations work as well: \tau = \sum_{k \in s} \tau

The equations work as well: \tau = \sum_{k \in s} \tau

The equations work as well: \tau = \sum_{k \in s} \tau

The equations work as well: \tau = \sum_{k \in s} \tau

The equations work as well: \tau = \sum_{k \in s} \tau

The equations work as well: \tau = \sum_{k \in s} \tau

The equations work as well: \tau = \sum_{k \in s} \tau

The equations work as well: \tau = \sum_{k \in s} \tau

The equations work as well: \tau = \sum_{k \in s} \tau

The equations work as well: \tau = \sum_{k \in s} \tau

The equations work as well: \tau = \sum_{k \in s} \tau

The equations work as well: \tau = \sum_{k \in s} \tau

The equations were as well: \tau = \sum_{k \in s} \tau

The equations were as well: \tau = \sum_{k \in s} \tau

The equations were as well: \tau = \sum_{k \in s} \tau
```

Listing 1: Some Haskell source code

Outline

- 1 Section
 - Subsection

2 References

J. Smith, Book of interesting things, 5th ed. Fancy Press, 2011.