

Scan results for vetswhocode.io

Compliant

Great news! Based on our scan, your webpage is accessible and conforms with WCAG standards.



Your website is **accessible!**

Take the next step on your inclusivity journey

Make sure your PDFs and Videos are accessible and compliant as well!


[Learn more](#)

3%

Congratulations!

Your website is among the **3%** of inclusive and accessible websites globally. Well done!

● Inclusive websites ● Not inclusive websites

Keep your
website accessible
with **accessiBe**

[Start Free Trial](#)

- ✓ Competitive and affordable prices
- ✓ Trusted by hundreds of thousands of businesses
- ✓ Seamless integration and implementation
- ✓ Built side-by-side with the disabilities community

#	Element	Relevant	Successes	Failures	Score
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	7	1	88

Successful Elements

```
<a rel="noopener noreferrer" class="tw-font-medium 2xl:tw-text-[16px] tw-flex tw-items-center tw-leading-snug tw-text-secondary tw-relative before:tw-absolute before:tw-content-[''] before:tw-left-0 before:tw-bottom-0 before:tw-w-0 before:tw-h-px bef ...
```

```
<button type="button" class="tw-font-bold tw-justify-center tw-items-center tw-border tw-border-solid tw-rounded-md tw-transition-colors tw-min-w-max tw-inline-flex tw-border-light tw-text-light hover:tw-bg-primary hover:tw-border-primary hove r:tw-te ...
```

```
<button type="button" aria-label="Play video" class="tw-absolute tw-z-30 tw-inset-0 tw-flex tw-justify-center tw-items-center" ></span>
```

```
<span class="swiper-pagination-bullet swiper-pagination-bullet-active" tabindex="0" role="button" aria-label="Go to slide 2" aria-current="true" ></span>
```

```
<button type="submit" class="tw-font-bold tw-justify-center tw-items-center tw-border tw-border-solid tw-rounded-md tw-transition-colors tw-min-w-max tw-inline-flex tw-bg-primary tw-border-primary tw-text-white hover:tw-bg-secondary hover:tw-b order-s ...
```

Failed Elements

```
<a href="#" class="hover:tw-text-primary" >hello@vetswhocode.io<!-- --> </a>
```

2	Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.	Yes	8	0	100
---	---	-----	---	---	-----

Successful Elements

```
<a rel="noopener noreferrer" class="tw-font-medium 2xl:tw-text-[16px] tw-flex tw-items-center tw-leading-snug tw-text-secondary tw-relative before:tw-absolute before:tw-content-[''] before:tw-left-0 before:tw-bottom-0 before:tw-w-0 before:tw-h-px bef ...
```

```
<button type="button" class="tw-font-bold tw-justify-center tw-items-center tw-border tw-border-solid tw-rounded-md tw-transition-colors tw-min-w-max tw-inline-flex tw-border-light tw-text-light hover:tw-bg-primary hover:tw-border-primary hover:tw-text-white" >button</button>
```

```
<button type="button" aria-label="Play video" class="tw-absolute tw-z-30 tw-inset-0 tw-flex tw-justify-center tw-items-center" ></button>
```

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 1" ></span>
```

```
<span class="swiper-pagination-bullet swiper-pagination-bullet-active" tabindex="0" role="button" aria-label="Go to slide 2" aria-current="true" ></span>
```

```
<button type="submit" class="tw-font-bold tw-justify-center tw-items-center tw-border tw-border-solid tw-rounded-md tw-transition-colors tw-min-w-max tw-inline-flex tw-bg-primary tw-border-primary tw-text-white hover:tw-bg-secondary hover:tw-border-secondary hover:tw-text-white" >button</button>
```

```
<a href="#" class="hover:tw-text-primary" >hello@vetswhocode.io</a>
```

3 Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.

52

0

100

Successful Elements

```
<a class="tw-font-bold tw-justify-center tw-items-center tw-border tw-border-solid tw-rounded-md tw-transition-colors tw-min-w-max tw-inline-flex tw-bg-primary tw-border-primary tw-text-white hover:tw-bg-secondary hover:tw-border-secondary hover:tw-text-white" href="#" >button</a>
```

```
<a class="tw-inline-block tw-max-w-[120px] sm:tw-max-w-[158px]" href="https://res.cloudinary.com/vetswhocode/image/upload/f_auto,q_auto/v1627489505/VWC_Logo_Horizontal_gsxn3h.png" alt="Logo" width="158" height="26" ></a>
```

```
<a class="social-link tw-relative tw-leading-none tw-text-body hover:tw-text-primary tw-text-lg tw-px-2.5" href="https://github.com/Vets-Who-Code" target="_blank" rel="noopener noreferrer" aria-label="github" ><i class="fab fa-github" /></a>
```

```
<a class="social-link tw-relative tw-leading-none tw-text-body hover:tw-text-primary tw-text-lg tw-px-2.5" href="https://www.facebook.com/TheOfficialVetsWhoCode/" target="_blank" rel="noopener noreferrer" aria-label="facebook" ><i class="fab fa-facebook" /></a>
```

```
<a class="social-link tw-relative tw-leading-none tw-text-body hover:tw-text-primary tw-text-lg tw-px-2.5" href="https://dev.to/vetswhocode" target="_blank" rel="noopener noreferrer" aria-label="Practical Dev" ><i class="fab fa-dev" /></a>
```

```
<a class="social-link tw-relative tw-leading-none tw-text-body hover:tw-text-primary tw-text-lg tw-px-2.5" href="https://www.linkedin.com/company/vets-who-code" target="_blank" rel="noopener noreferrer" aria-label="linkedin" ><i class="fab fa-linkedi ...
```

```
<a class="tw-font-bold tw-justify-center tw-items-center tw-border tw-border-solid tw-rounded-md tw-transition-colors tw-min-w-max tw-inline-flex tw-bg-light tw-border-light tw-text-heading hover:tw-bg-primary hover:tw-border-primary hover:tw-text-wh ...
```

```
<a class="link-overlay" href="/about-us" >Remote-First Learning</a>
```

```
<a class="link-overlay" href="/about-us" >Develop Cutting-Edge Skills</a>
```

```
<a class="link-overlay" href="/about-us" >A Lifelong Community of Support</a>
```

- 4 Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.

8

1

89

Successful Elements

```
<a class="social-link tw-relative tw-leading-none tw-text-body hover:tw-text-primary tw-text-lg tw-px-2.5" href="https://github.com/Vets-Who-Code" target="_blank" rel="noopener noreferrer" aria-label="github" ><i class="fab fa-github"></i></a>
```

```
<a class="social-link tw-relative tw-leading-none tw-text-body hover:tw-text-primary tw-text-lg tw-px-2.5" href="https://www.facebook.com/TheOfficialVetsWhoCode/" target="_blank" rel="noopener noreferrer" aria-label="facebook" ><i class="fab fa-faceb ...
```

```
<a class="social-link tw-relative tw-leading-none tw-text-body hover:tw-text-primary tw-text-lg tw-px-2.5" href="https://dev.to/vetswhocode" target="_blank" rel="noopener noreferrer" aria-label="Practical Dev" ><i class="fab fa-dev"></i></a>
```

```
<a class="social-link tw-relative tw-leading-none tw-text-body hover:tw-text-primary tw-text-lg tw-px-2.5" href="https://www.linkedin.com/company/vets-who-code" target="_blank" rel="noopener noreferrer" aria-label="linkedin" ><i class="fab fa-linkedi ...
```

```
<a class="social-link tw-relative tw-leading-none tw-text-body/50 hover:tw-text-primary" href="https://www.facebook.com/TheOfficialVetsWhoCode/" target="_blank" rel="noopener noreferrer" aria-label="Facebook" ><i class="fab fa-facebook-square"></i></ ...
```

```
<a class="social-link tw-relative tw-leading-none tw-text-body/50 hover:tw-text-primary" href="https://dev.to/vetswhocode" target="_blank" rel="noopener noreferrer" aria-label="Practical Dev" ><i class="fab fa-dev"></i></a>
```

```
<a class="social-link tw-relative tw-leading-none tw-text-body/50 hover:tw-text-primary" href="https://github.com/Vets-Who-Code" target="_blank" rel="noopener noreferrer" aria-label="Github" ><i class="fab fa-github"></i></a>
```

```
<a class="social-link tw-relative tw-leading-none tw-text-body/50 hover:tw-text-primary" href="https://www.linkedin.com/company/vets-who-code" target="_blank" rel="noopener noreferrer" aria-label="linkedin" ><i class="fab fa-linkedin"></i></a>
```

Failed Elements

```
<a target="_blank" rel="noopener noreferrer" href="https://www.vetswhocode.io/" >All Rights Reserved</a>
```

5	An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title.	Yes	Pass	-	100
---	--	-----	------	---	-----

Successful Elements

```
<h1 class="tw-text-[46px] lg:tw-text-[56px] tw-leading-tight tw-font-medium tw-text-white">Learn<!-- --> <span class="tw-text-primary tw-inline-block">Wi<span class="styles-module_blinkingCursor__288eE">|</span></span></h1>
```

6	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	35	0	100
---	---	-----	----	---	-----

7	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	No	0	0	
---	--	----	---	---	--

8	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	Yes	Pass	-	100
---	--	-----	------	---	-----

9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	2	0	100
---	---	-----	---	---	-----

Successful Elements

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 1" ></span>
```

```
<span class="swiper-pagination-bullet swiper-pagination-bullet-active" tabindex="0" role="button" aria-label="Go to slide 2" aria-current="true" ></span>
```

10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100
----	---	-----	------	---	-----

11	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	0	0
----	--	----	---	---

12	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	No	-	Fail	0
----	---	----	---	------	---

13	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.	No	0	0
----	---	----	---	---

14	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.	No	0	0
----	---	----	---	---

15	Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.	Yes	Pass	-	100
----	--	-----	------	---	-----

Successful Elements

```
<nav aria-label="Main Menu" class="tw-relative tw-mx-auto tw-hidden xl:tw-block">
<ul aria-label="Main Menu" role="menubar" ><li class="tw-inline-block tw-px-2.5 2
xl:tw-px-[15px] tw-py-[29px] tw-group" role="none"><a class="tw-font-medium 2xl:t
w-text-
```

16	Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".	No	0	0
----	--	----	---	---

17	Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.	No	0	0
----	--	----	---	---

18	Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.	Yes	27	1	96
----	--	-----	----	---	----

Successful Elements

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

Failed Elements

```

```

Successful Elements

```
<i class="fa fa-chevron-down tw-ml-2 tw-text-xs"></i>
```

```
<i class="fab fa-github"></i>
```

```
<i class="fab fa-facebook-f"></i>
```

```
<i class="fab fa-dev"></i>
```

```
<i class="fab fa-linkedin"></i>
```

```
<i class="icon-top tw-relative tw-block tw-overflow-hidden tw-w-6 tw-h-0.5 before:tw-absolute before:tw-content-[''] before:tw-top-0 before:tw-left-0 before:tw-flex-100 before:tw-w-full before:tw-h-full before:tw-scale-x-[1px] before:tw-transition-tr ...
```

```
<i class="icon-middle tw-mt-1.5 tw-relative tw-block tw-overflow-hidden tw-w-6 tw-h-0.5 before:tw-absolute before:tw-content-[''] before:tw-top-0 before:tw-left-0 before:tw-flex-100 before:tw-w-full before:tw-h-full before:tw-scale-x-[1px] before:tw- ...
```

```
<i class="icon-bottom tw-mt-1.5 tw-relative tw-block tw-overflow-hidden tw-w-6 tw-h-0.5 before:tw-absolute before:tw-content-[''] before:tw-top-0 before:tw-left-0 before:tw-flex-100 before:tw-w-full before:tw-h-full before:tw-scale-x-[1px] before:tw- ...
```

```
<i class="fas fa-play tw-mr-4" ></i>
```

```
<span ></span>
```

Failed Elements

```
<i class="far fa-clock tw-text-lg tw-text-secondary tw-mr-[5px]"></i>
```

```
<svg class="tw-w-full tw-h-full tw-fill-light-100" viewBox="0 0 100 100" preserveAspectRatio="none" height="100" ><path class="elementor-shape-fill" d="M 0 0 L0 100 L100 100 L100 0 Q 50 200 0 0" ></path></svg>
```

```
<i class="far fa-long-arrow-right tw-ml-3.5 tw-text-[16px]"></i>
```

```
<i class="far fa-long-arrow-right"></i>
```

```
<span ></span>
```



```
<svg class="tw-fill-putty tw-w-full tw-h-full" viewBox="0 0 395 397" version="1.1" width="395px" height="397px" ><g transform="translate(-51.000000, -1390.000000)" ><g transform="translate(-28.000000, 963.000000)" ><path d="M353.907509,817.715288 C38 ...
```

```
<i class="far fa-long-arrow-right tw-ml-3"></i>
```

```
<svg class="tw-fill-primary-light tw-w-full tw-h-full" viewBox="0 0 395 397" version="1.1" width="395px" height="397px" ><g transform="translate(-51.000000, -1390.000000)" ><g transform="translate(-28.000000, 963.000000)" ><path d="M353.907509,817.71 ...
```

```
<span class="fa fa-star tw-mx-0.5"></span>
```

```
<i class="far fa-calendar tw-mr-2.5"></i>
```

21

Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.

6

7

46

Successful Elements

```
<figure class="tw-relative"><a class="link-overlay" href="/ ...
```

```
<figure class="tw-relative"><a class="link-overlay" href="/ ...
```

```
<figure class="tw-relative"><a class="link-overlay" href="/ ...
```

```
<figure class="tw-relative"><a class="link-overlay" href="/ ...
```

```
<figure class="tw-relative"><a class="link-overlay" href="/ ...
```

```
<figure class="tw-relative"><a class="link-overlay" href="/cur ...
```

Failed Elements

```
<figure class="tw-transition-transform tw-duration-1500 group-hover:tw-scale-110 tw-h-full"><div class="tw-flex-100 md:tw-flex-auto0"><label for="newsletter_email" class="tw-sr-only">Newsletter</label><input type="email" class="form-control tw-block tw- ...
```

30	Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers.	No	0	0
----	---	----	---	---

31	The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users.	Yes	Pass	-	100
----	--	-----	------	---	-----

Successful Elements

```
<title>Home - Vets Who Code</title>
```

32	The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users.	Yes	Pass	-	100
----	--	-----	------	---	-----

Successful Elements

```
<html lang="en"><head><meta charset="utf-8"><meta name="description" content="Vets Who Code is a non-profit organization that provides free technical training to veterans and their spouses."><meta name="twitter:card" content="summary_large_image"><me ...
```

33	The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings.	No	-	Fail	0
----	--	----	---	------	---

Failed Elements

```
<meta name="viewport" content="width=device-width, initial-scale=1 maximum-scale=1">
```

34	Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections.	Yes	3	0	100
----	---	-----	---	---	-----

Successful Elements

```
<main class="tw-relative"><div class="hero-area tw-relative tw-pt-[100px] tw-pb-[130px] md:tw-py-[170px] xl:tw-pt-[270px] xl:tw-pb-[248px]"><div class="tw-absolute tw-inset-0 -tw-z-10" ><h2 class="tw-sr-only">Footer</h2><div class="tw-container"><div class="tw-grid tw-grid-cols-12"><div class="tw-col-span-12 lg:tw-col-span-5 xl:tw-col-span-5 tw-mb-[43px]"><h3 class="tw-text- ...
```

35	Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100
----	---	-----	------	---	-----

36	Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100
----	---	-----	------	---	-----

Successful Elements

```
<p class="tw-text-center tw-flex-100 tw-mb-3.8 md:tw-flex-1 md:tw-text-left md:tw-mb-0 md:tw-mr-7.5">Our 10th Birthday is in</p>
```

```
<span class="tw-text-lg tw-text-secondary tw-font-bold tw-leading-none">43</span>
```

```
<span class="tw-text-lg tw-text-secondary tw-font-bold tw-leading-none">1</span>
```

```
<span class="tw-text-lg tw-text-secondary tw-font-bold tw-leading-none">4</span>
```

```
<span class="tw-text-lg tw-text-secondary tw-font-bold tw-leading-none">29</span>
```

```
<a class="tw-font-bold tw-justify-center tw-items-center tw-border tw-border-solid tw-rounded-md tw-transition-colors tw-min-w-max tw-inline-flex tw-bg-primary tw-border-primary tw-text-white hover:tw-bg-secondary hover:tw-border-secondary hover:tw-t ...
```

```
<a class="tw-font-medium 2xl:tw-text-[16px] tw-flex tw-items-center tw-leading-snug tw-text-secondary tw-relative before:tw-absolute before:tw-content-[''] before:tw-left-0 before:tw-bottom-0 before:tw-w-0 before:tw-h-px before:tw-transition-all befo ...
```

```
<a rel="noopener noreferrer" class="tw-font-medium 2xl:tw-text-[16px] tw-flex tw-items-center tw-leading-snug tw-text-secondary tw-relative before:tw-absolute before:tw-content-[''] before:tw-left-0 before:tw-bottom-0 before:tw-w-0 before:tw-h-px bef ...
```

```
<a class="tw-flex tw-items-center tw-text-secondary tw-px-7.5 tw-py-2" role="menu item" href="/about-us" >About</a>
```

```
<a class="tw-flex tw-items-center tw-text-secondary tw-px-7.5 tw-py-2" role="menu item" href="/curriculum/subjects" >Modules</a>
```

Failed Elements

```
<h1 class="tw-text-[46px] lg:tw-text-[56px] tw-leading-tight tw-font-medium tw-text-white">Learn! — —> <span class="tw-text-primary tw-inline-block">Wi<span class="styles-module_blinkingCursor__288eE">|</span></span></h1>
```

```
<p class="tw-text-lg tw-font-medium tw-leading-relaxed tw-text-white tw-mb-5 sm:tw-mb-8">VetsWhoCode is a veteran-led 501(c)(3) committed to empowering veterans and military spouses through a high-quality, AI-powered software engineering training pro ...
```

```
<button type="button" class="tw-font-bold tw-justify-center tw-items-center tw-border tw-border-solid tw-rounded-md tw-transition-colors tw-min-w-max tw-inline-flex tw-border-light tw-text-light hover:tw-bg-primary hover:tw-border-primary hover:tw-te ...
```

```
<span class="tw-text-md tw-font-bold tw-leading-none tw-inline-flex tw-items-center tw-py-[5px] tw-text-secondary-light tw-transition-colors tw-duration-300 group-hover:tw-text-primary">Start here<!-- --> <i class="far fa-long-arrow-right tw-m-l-3.5 t ...
```

```
<span class="tw-font-medium tw-text-base tw-leading-none -tw-tracking-tightest tw-block tw-mb-2.5 tw-uppercase tw-text-secondary-light">Rooted in Experience,<strong>Focused on Outcomes</strong></span>
```

```
<strong>Focused on Outcomes</strong>
```

```
<p class="tw-font-medium tw-text-secondary-light tw-leading-relaxed tw-text-base tw-mt-5">Want To Learn More?<!-- --> <a class="tw-font-bold tw-leading-none tw-relative tw-py-[3px] tw-text-primary before:tw-absolute before:tw-content-[''] before:tw- ...
```

```
<span class="tw-font-medium tw-text-base tw-leading-none -tw-tracking-tightest tw-block tw-mb-2.5 tw-uppercase tw-text-secondary-light">Learn with us at Vets Who Code</span>
```

```
<span class="tw-text-gray-300">/ <!-- -->Senior Software Engineering Manager | Accenture Federal Services</span>
```

```
<span class="tw-text-gray-300">/ <!-- -->DevOps Engineer | Github</span>
```

38	Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".	No	0	0
----	--	----	---	---

39	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	No	0	0
----	---	----	---	---

40	A common accessibility mistake is to treat carousels as No live regions using the "aria-live" attribute and the "polite" or the "assertive values. Using this practice will cause screen-readers to cut and skip announcements.	No	0	0
----	---	----	---	---

41	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	Yes	2	0	100
----	---	-----	---	---	-----

Successful Elements

```
<span class="swiper-pagination-bullet" tabindex="0" role="button" aria-label="Go to slide 1" ></span>
```

```
<span class="swiper-pagination-bullet swiper-pagination-bullet-active" tabindex="0" role="button" aria-label="Go to slide 2" aria-current="true" ></span>
```

42	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0
43	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0
44	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0
45	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0
46	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality.	No	0	0
47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0
48	Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	No	0	0
49	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	No	0	0