

```
0000-----TLALOC(The Lonesome Ada Loving Ol'timer Compiler) Strict Ada 83 C
ompiler-- Copyright (C) 2024-2026 Vincent MORIN - Universit de Bretagne Occidentale-- This program is free software: you can redistribute it and/
or modify-- it under the terms of the GNU General Public License as published by-- the Free Software Foundation, either version 3 of the License, or
-- (at your option) any later version.-- This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without eve
n the implied warranty of-- MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the-- GNU General Public License for more details.-- You sh
ould have received a copy of the GNU General Public License-- along with this program. If not, see <https://www.gnu.org/licenses/>.--
-----Vincent MORIN-Universite de Bretagne Occidentale-janvier 2025-----
-----1-2-3-4-5-6-7-8-9-A-B-C-----separate ( IDL )-----procedure ERR_
PHASE( ACCES_TEXTE : STRING ) is
0010 COUNT : NATURAL := 0; ERR_COUNT : NATURAL; begin OPEN_IDL_TREE_FILE ( IDL.LIB_PATH( 1..LIB_PATH_LENGTH ) &"$$$T.MP" ); ERR_COUNT := DI( XD
_ERR_COUNT, TREE_ROOT ); if ERR_COUNT = 0 then goto CLOSE_IDL_FILE; else NEW_LINE; end if; OPEN ( IFILE, IN_FILE, ACCES_TEXTE ); declare
SOURCE_LIST : SEQ_TYPE := LIST ( ~TREE_ROOT ); ERRORLIST : SEQ_TYPE; SOURCECENBR : INTEGER := 0; N DE-LIGNE PROVENANT DE LA LIS
TE NB_PREFIX_CHARS : NATURAL; use IDL.INT_IO; begin loop if IS_EMPTY( ~SOURCE_LIST ) then SOURCECENBR := INTEGER'LAST;
ERRORLIST := ( TREE_NIL, TREE_NIL ); else declare SOURCELINE : TREE; begin POP( SOURCE_LIST, SOURCELINE ); SOURCECENBR := DI(
XD_NUMBER, SOURCELINE ); ERRORLIST := LIST( SOURCELINE ); end; end if; while LINE_COUNT < SOURCECENBR and then not END_OF_FILE(
IFILE ) loop LINE_COUNT := LINE_COUNT + 1; if END_OF_LINE( IFILE ) then SKIP_LINE( IFILE ); if FULL_LIST then NEW_LINE; en
d if; else declare SLINE : STRING( 1..256 ); LA LIGNE COURANTE LAST : NATURAL; LONGUEUR DE LIGNE COURANTE begi
n GET_LINE( IFILE, SLINE, LAST ); for I in SLINE'FIRST .. LAST loop if SLINE( I ) = ASCII.HT then SLINE( I ) := ' '; end if; DETA
BULER POUR AFFICHAGE ERREUR end loop; if FULL_LIST or else ( not IS_EMPTY( ERRORLIST ) and then LINE_COUNT = SOURCECENBR ) then PUT ( ~LINE
0020 COUNT, 1 ); PUT ( ~" " ); NB_PREFIX_CHARS := NATURAL( TEXT_IO.COL ) - 1; PUT_LINE( SLINE( 1 .. LAST ) ); end if; end;
f; end loop; while not IS_EMPTY( ERRORLIST ) loop declare ERROR : TREE; COL : INTEGER; begin POP( ERRORLIST, ERROR );
COL := INTEGER( GET_SOURCE_COL( D( XD_SRCPOS, ERROR ) ) ); for N in 1 .. NB_PREFIX_CHARS + COL - 1 loop PUT( ' ' ); end loop; PUT( "^ col " ); PUT( C
OL, 1 ); PUT_LINE( ~" " & PRINT_NAME( D( XD_TEXT, ERROR ) ) ); end; end loop; exit when SOURCECENBR = INTEGER'LAST; end loop;
end; CLOSE( IFILE ); <<CLOSE_IDL_FILE>> CLOSE_IDL_TREE_FILE; end ERR_PHASE;-----1-2-3-4-5-6-7-8-9-A-B-C-----
```