name	event/0/listen	event/0/script/exec/0
ApiRegUser	test	pm.test("Đ¡Ñ,аÑ,Ñ $f$ Ñ□ Đ°Đ¾Đ´ Đ¿Ñ€Đ¸Đ´ĐμÑ, 201", function () {
ApiTokenUser ApiAllUsers ApiUserId	test test test	var jsonData = pm.response.json(); $pm.test("D_i\tilde{N},D^\circ\tilde{N},\tilde{N}f\tilde{N}\square \ D^oD^3\!\!\!\!/ D'\ D_i\tilde{N}\in D,D'\ D\mu\tilde{N},\ 200",\ function\ ()\ \{pm.test("\tilde{N}\square\tilde{N},D^\circ\tilde{N},\tilde{N}f\tilde{N}\square \ D^oD^3\!\!\!\!\!/ D'\ D_i\tilde{N}\in D,D'\ D\mu\tilde{N},\ 200",\ function\ ()\ \{pm.test("\tilde{N}\square\tilde{N},D^\circ\tilde{N},\tilde{N}f\tilde{N}\square \ D^oD^3\!\!\!\!\!/ D'\ D_i\tilde{N}\in D,D'\ D\mu\tilde{N},\ 200",\ function\ ()\ \{pm.test("\tilde{N}\square\tilde{N},D^o\tilde{N},D^o\tilde{N},D^o\tilde{N},D^oD^oD^oD^oD^oD^oD^oD^oD^oD^oD^oD^oD^oD$
ApiUpdateUser	test	pm.test("Đ¡Ñ,аÑ,уÑ□ ĐºĐ¾Đ´ Đ¿Ñ€Đ¸Đ´ĐμÑ, 400", function () {
ChangePassword	test	pm.test("CÑ,аÑ,уÑ□ Đ°Đ¾Đ´ Đ¿Ñ€Đ¸Đ´ĐμÑ, 200", function () {

-2j4ad60dzko2c0uh
event/0/script/exec/1 event/0/script/exec/2

pm.response.to.have.status(201); });

pm.environment.set("token", jsonData.token);
pm.response.to.have.status(200);
pm.response.to.have.status(200);
});

pm.response.to.have.status(400); });

pm.response.to.have.status(200); });

-zj4adouzkozcouii
event/0/script/exec/3
pm.test("ĐΫ́Ñ€Đ¸ÑˆĐμĐ» Đ½Ñ $f$ Đ¶Đ½Ñ∢Đ¹ Ñ…ĐμĐ´ĐμÑ€", function () {
pm.test("ĐžÑ,Đ²ĐµÑ, jsona Ñ $\square$ Đ¾Đ¾Ñ,Đ²ĐµÑ,Ñ $\square$ Ñ,Đ²Ñ $f$ еÑ,", function () {

event/0/script/exec/4	1
-----------------------	---

pm.response.to.have.header("Content-Type");

var jsonData = pm.response.json();

event/0/script/exec/5	
<b>}</b> );	
pm.expect(jsonData.old_password).to.eql	l(x111w222s333);

event/0/script/exec/6

pm.test("Đ'Ñ€ĐμĐ¼Ñ□ Đ¾Ñ,Đ²ĐμÑ,а Ñ...ĐμĐ´ĐμÑ€Đ° Đ½Đμ бĐ¾Đ»ÑŒÑ^Đμ 1000ms", function () {

**})**;

event/0/script/exec/7	event/0/script/exec/8	event/0/script/type
pm.expect(pm.response.responseTime).to.be.below(1000);	});	text/javascript
		text/javascript
		text/javascript

request/method	request/body/mode
POST	raw
POST	raw
GET	
GET	
PUT	raw

PUT

raw

```
request/body/raw
{
    "username":"{{username}}",
    "password":"{{password}}"
}
{
    "username":"{{username}}",
    "password":"{{password}}"
}

{
    "username": "{{username}}",
    "password":"{{password}}"
}

{
    "username": "Vetlanallll",
    "last_name": "VLuylll",
    "email": "{{email}}",
    "city": "Moscow",
    "country": "Moscow",
    "family_status": "a",
    "gender": "F",
    "birth_date": "1994-08-07"
}

{
    "old_password":"{{old_password}}",
    "new_password1": "x000w111s222",
    "new_password2": "x000w111s222",
}
```

request/body/options/raw/language	request/url/raw	request/url/host/0
json	{{URL}}/api/auth/reg	{{URL}}
json	{{URL}}/api/auth/token	{{URL}}
	{{URL}}/api/user/all	{{URL}}
	{{URL}}/api/user/{{Id}}	{{URL}}
json	{{URL}}/api/user/update/profile/{{Id}}	{{URL}}
json	{{URL}}/api/user/password	{{URL}}

request/url/path/0	request/url/path/1	request/url/path/2	request/auth/type	request/auth/apikey/0/key
api	auth	reg		
api	auth	token		
api	user	all		
api	user	{{Id}}}		
ani	ucor	update	apikey	key
api	user	υρυαι <del>ε</del>	αμικεγ	NGY

apikey

key

password

api

user

request/auth/apikey/0/value	request/auth/apikey/0/type	request/auth/apikey/1/key
Authorization	string	value
Authorization	string	value

request/auth/apikey/1/value	request/auth/apikey/1/type	request/url/path/3	request/url/path/4
Token {{token}}	string	profile	{{Id}}}
Token {{token}}	string		