1. Create a GUI (Dark Green Theme) in Python in green with graphs and histograms with CSV files pip install matplotlib numpy pandas tkinter scipy - Photosynthetic Algae to Biofuels Process

I'll create a comprehensive GUI application with a dark green theme for analyzing photosynthetic algae to biofuels process data. Here's the complete implementation:

```
import tkinter as tk
from tkinter import ttk, filedialog, messagebox, scrolledtext
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
from matplotlib.backends.backend_tkagg import FigureCanvasTkAgg, NavigationToolbar2Tk
from matplotlib.figure import Figure
import seaborn as sns
from scipy import stats, interpolate
import warnings
from datetime import datetime
import os
warnings.filterwarnings('ignore')

# Dark Green Theme Colors
GREEN_THEME = {
    'bg_dark': '#0A1F0A',
    'bg_dark2': '#0C230C',
    'bg_medium': '#1A3D1A',
    'bg_light': '#2A5A2A',
    'accent_dark': '#0F3F0F',
    'accent_medium': '#2D6F2D',
    'accent_light': '#3A8F3A',
    'accent_bright': '#4ABF4A',
    'text_light': '#E8F5E8',
    'text_dark': '#B0D0B0',
    'highlight': '#5AE85A',
    'highlight2': '#7AFF7A',
    'grid': '#2D4A2D',
    'alert': '#FFAA55',
    'success': '#55FF55',
    'warning': '#FFFF55'
}

class AlgaeBiofuelsGUI:
    def __init__(self, root):
        self.root = root
        self.root.title("🌿 Photosynthetic Algae to Biofuels Process Analyzer")
        self.root.geometry("1500x900")
        self.root.configure(bg=GREEN_THEME['bg_dark'])

        # Initialize data storage
        self.data = None
        self.filtered_data = None
        self.process_stages = [
            'Cultivation', 'Harvesting', 'Dewatering',
```

```
        'Lipid Extraction', 'Transesterification', 'Purification'
    ]
    self.algae_strains = [
        'Chlorella vulgaris', 'Nannochloropsis', 'Scenedesmus',
        'Spirulina', 'Dunaliella', 'Haematococcus'
    ]

    # Setup styles
    self.setup_styles()

    # Create GUI
    self.create_widgets()

    # Load initial sample data
    self.load_sample_data()

    # Center window
    self.center_window()

def setup_styles(self):
    """Configure custom styles"""
    style = ttk.Style()
    style.theme_use('clam')

    # Configure widget styles
    style.configure('Dark.TFrame', background=GREEN_THEME['bg_dark'])
    style.configure('Medium.TFrame', background=GREEN_THEME['bg_medium'])
    style.configure('Light.TFrame', background=GREEN_THEME['bg_light'])

    style.configure('Title.TLabel',
                    background=GREEN_THEME['bg_dark'],
                    foreground=GREEN_THEME['highlight'],
                    font=('Segoe UI', 16, 'bold'))

    style.configure('Green.TLabelframe',
                    background=GREEN_THEME['bg_medium'],
                    foreground=GREEN_THEME['text_light'])
    style.configure('Green.TLabelframe.Label',
                    background=GREEN_THEME['bg_medium'],
                    foreground=GREEN_THEME['highlight'])

    style.configure('Accent.TButton',
                    background=GREEN_THEME['accent_medium'],
                    foreground=GREEN_THEME['text_light'],
                    font=('Segoe UI', 10, 'bold'))
    style.map('Accent.TButton',
              background=[('active', GREEN_THEME['accent_light']),
                          ('pressed', GREEN_THEME['accent_dark'])])

    style.configure('Green.TButton',
                    background=GREEN_THEME['bg_light'],
                    foreground=GREEN_THEME['text_light'])
```

```
def center_window(self):
    """Center the window on screen"""
    self.root.update_idletasks()
    width = self.root.winfo_width()
    height = self.root.winfo_height()
    x = (self.root.winfo_screenwidth() // 2) - (width // 2)
    y = (self.root.winfo_screenheight() // 2) - (height // 2)
    self.root.geometry(f'{width}x{height}+{x}+{y}')

def create_widgets(self):
    """Create all GUI widgets"""
    # Main container
    main_container = ttk.PanedWindow(self.root, orient=tk.HORIZONTAL)
    main_container.pack(fill=tk.BOTH, expand=True, padx=5, pady=5)

    # Left panel - Controls
    left_panel = ttk.Frame(main_container, style='Dark.TFrame', width=350)
    left_panel.pack_propagate(False)
    main_container.add(left_panel, weight=1)

    # Right panel - Visualizations
    right_panel = ttk.Frame(main_container, style='Dark.TFrame')
    main_container.add(right_panel, weight=3)

    # Build panels
    self.build_left_panel(left_panel)
    self.build_right_panel(right_panel)

def build_left_panel(self, parent):
    """Build left control panel"""
    # Header
    header_frame = ttk.Frame(parent, style='Dark.TFrame')
    header_frame.pack(fill=tk.X, padx=10, pady=(10, 5))

    ttk.Label(header_frame, text=" 🌿 Algae Biofuels", style='Title.TLabel').pack()
    ttk.Label(header_frame, text="Process Analyzer",
            background=GREEN_THEME['bg_dark'],
            foreground=GREEN_THEME['text_dark'],
            font=('Segoe UI', 12)).pack()

    # Separator
    ttk.Separator(header_frame, orient=tk.HORIZONTAL).pack(fill=tk.X, pady=10)

    # Data Management Frame
    data_frame = ttk.LabelFrame(parent, text=" 📁 DATA MANAGEMENT",
                                style='Green.TLabelframe', padding=15)
    data_frame.pack(fill=tk.X, padx=10, pady=5)

    # CSV file selection
    file_frame = ttk.Frame(data_frame)
    file_frame.pack(fill=tk.X, pady=5)
```

```
ttk.Label(file_frame, text="CSV File:", width=10).pack(side=tk.LEFT)
self.csv_path_var = tk.StringVar(value="No file loaded")
ttk.Entry(file_frame, textvariable=self.csv_path_var,
        state='readonly', width=25).pack(side=tk.LEFT, padx=5)
ttk.Button(file_frame, text="Browse",
         command=self.load_csv, width=8).pack(side=tk.LEFT)

# Data control buttons
btn_frame = ttk.Frame(data_frame)
btn_frame.pack(fill=tk.X, pady=10)

data_buttons = [
    (" Load Sample Data", self.load_sample_data),
    (" Refresh Data", self.refresh_data),
    (" Export Results", self.export_results),
    (" Generate Report", self.generate_report)
]

for text, command in data_buttons:
    ttk.Button(btn_frame, text=text, command=command,
            style='Accent.TButton').pack(fill=tk.X, pady=2)

# Process Parameters Frame
param_frame = ttk.LabelFrame(parent, text=" PROCESS PARAMETERS",
                         style='Green.TLabelframe', padding=15)
param_frame.pack(fill=tk.X, padx=10, pady=5)

self.param_vars = {}
params = [
    ("Temperature (°C)", 20, 35, 28),
    ("Light Intensity (μE/m²/s)", 100, 500, 300),
    ("CO₂ Concentration (ppm)", 400, 2000, 1000),
    ("pH Level", 6.5, 8.5, 7.5),
    ("Nutrient Level (%)", 20, 100, 70),
    ("Salinity (g/L)", 10, 50, 30)
]

for param, min_val, max_val, default in params:
    frame = ttk.Frame(param_frame)
    frame.pack(fill=tk.X, pady=3)

    ttk.Label(frame, text=f"{param}:", width=20).pack(side=tk.LEFT)

    var = tk.DoubleVar(value=default)
    self.param_vars[param] = var

    scale = ttk.Scale(frame, from_=min_val, to=max_val,
                  variable=var, orient=tk.HORIZONTAL)
    scale.pack(side=tk.LEFT, fill=tk.X, expand=True, padx=5)

    value_label = ttk.Label(frame, text=f"{default:.1f}", width=6)
```

```
            value_label.pack(side=tk.RIGHT)

            var.trace('w', lambda *args, p=param, l=value_label:
                    l.config(text=f"{self.param_vars[p].get():.1f}"))

        # Analysis Controls Frame
        analysis_frame = ttk.LabelFrame(parent, text="🔬 ANALYSIS CONTROLS",
                                        style='Green.TLabelframe', padding=15)
        analysis_frame.pack(fill=tk.X, padx=10, pady=5)

        analysis_buttons = [
            ("📊 Statistical Analysis", self.show_statistics),
            ("📉 Trend Analysis", self.trend_analysis),
            ("🔍 Correlation Matrix", self.show_correlation),
            ("📊 Distribution Analysis", self.show_distributions),
            ("🎯 Process Optimization", self.optimize_process)
        ]

        for text, command in analysis_buttons:
            ttk.Button(analysis_frame, text=text, command=command,
                    style='Green.TButton').pack(fill=tk.X, pady=2)

        # Metrics Display Frame
        metrics_frame = ttk.LabelFrame(parent, text="📈 PROCESS METRICS",
                                       style='Green.TLabelframe', padding=10)
        metrics_frame.pack(fill=tk.BOTH, expand=True, padx=10, pady=5)

        self.metrics_text = scrolledtext.ScrolledText(metrics_frame, height=15,
                                                      bg=GREEN_THEME['bg_light'],
                                                      fg=GREEN_THEME['text_light'],
                                                      font=('Consolas', 9))
        self.metrics_text.pack(fill=tk.BOTH, expand=True)

    def build_right_panel(self, parent):
        """Build right visualization panel"""
        # Create notebook for different views
        self.notebook = ttk.Notebook(parent)
        self.notebook.pack(fill=tk.BOTH, expand=True, padx=5, pady=5)

        # Create tabs
        self.tab_dashboard = ttk.Frame(self.notebook)
        self.tab_growth = ttk.Frame(self.notebook)
        self.tab_lipid = ttk.Frame(self.notebook)
        self.tab_efficiency = ttk.Frame(self.notebook)

        self.tab_time = ttk.Frame(self.notebook)
        self.tab_correlation = ttk.Frame(self.notebook)

        # Add tabs to notebook
        self.notebook.add(self.tab_dashboard, text="📊 Dashboard")
        self.notebook.add(self.tab_growth, text="📈 Growth Analysis")
        self.notebook.add(self.tab_lipid, text="🟢 Lipid Analysis")
```

```
        self.notebook.add(self.tab_efficiency, text=" ⚡ Efficiency")
        self.notebook.add(self.tab_time, text=" ⏱ Time Series")
        self.notebook.add(self.tab_correlation, text=" 🔗 Correlation")

        # Initialize plots
        self.create_plots()

    def create_plots(self):
        """Initialize all matplotlib plots"""
        # Dashboard Plot
        self.fig_dashboard = Figure(figsize=(12, 8), facecolor=GREEN_THEME['bg_dark'])
        self.axs_dashboard = self.fig_dashboard.subplots(2, 2)
        self.canvas_dashboard = FigureCanvasTkAgg(self.fig_dashboard, self.tab_dashboard)
        self.canvas_dashboard.get_tk_widget().pack(fill=tk.BOTH, expand=True)

        # Growth Analysis Plot
        self.fig_growth = Figure(figsize=(12, 8), facecolor=GREEN_THEME['bg_dark'])
        self.axs_growth = self.fig_growth.subplots(2, 2)
        self.canvas_growth = FigureCanvasTkAgg(self.fig_growth, self.tab_growth)
        self.canvas_growth.get_tk_widget().pack(fill=tk.BOTH, expand=True)

        # Lipid Analysis Plot
        self.fig_lipid = Figure(figsize=(12, 8), facecolor=GREEN_THEME['bg_dark'])
        self.ax_lipid = self.fig_lipid.add_subplot(111)
        self.canvas_lipid = FigureCanvasTkAgg(self.fig_lipid, self.tab_lipid)
        self.canvas_lipid.get_tk_widget().pack(fill=tk.BOTH, expand=True)

        # Efficiency Analysis Plot
        self.fig_efficiency = Figure(figsize=(12, 8), facecolor=GREEN_THEME['bg_dark'])
        self.axs_efficiency = self.fig_efficiency.subplots(2, 2)
        self.canvas_efficiency = FigureCanvasTkAgg(self.fig_efficiency, self.tab_efficiency)
        self.canvas_efficiency.get_tk_widget().pack(fill=tk.BOTH, expand=True)

        # Time Series Plot
        self.fig_time = Figure(figsize=(12, 8), facecolor=GREEN_THEME['bg_dark'])
        self.ax_time = self.fig_time.add_subplot(111)
        self.canvas_time = FigureCanvasTkAgg(self.fig_time, self.tab_time)
        self.canvas_time.get_tk_widget().pack(fill=tk.BOTH, expand=True)

        # Correlation Plot
        self.fig_correlation = Figure(figsize=(12, 8), facecolor=GREEN_THEME['bg_dark'])
        self.ax_correlation = self.fig_correlation.add_subplot(111)
        self.canvas_correlation = FigureCanvasTkAgg(self.fig_correlation, self.tab_correlation)
        self.canvas_correlation.get_tk_widget().pack(fill=tk.BOTH, expand=True)

    def load_sample_data(self):
        """Load sample algae biofuels data"""
        np.random.seed(42)
        n_samples = 120

        # Generate comprehensive process data
        self.data = pd.DataFrame({
```

```
    'Day': np.arange(1, n_samples + 1),
    'Process_Stage': np.random.choice(self.process_stages, n_samples),
    'Algae_Strain': np.random.choice(self.algae_strains, n_samples),
    'Biomass_g_L': np.random.normal(3.0, 0.7, n_samples).cumsum() / 10,
    'Lipid_Content_%': np.random.normal(38, 10, n_samples),
    'Growth_Rate_per_day': np.random.normal(0.85, 0.2, n_samples),
    'Temperature_C': np.random.normal(28, 3, n_samples),
    'Light_Intensity': np.random.normal(350, 75, n_samples),
    'CO2_ppm': np.random.normal(1200, 300, n_samples),
    'pH': np.random.normal(7.6, 0.4, n_samples),
    'Nutrient_Level_%': np.random.normal(80, 15, n_samples),
    'Biofuel_Yield_mL_L': np.random.normal(500, 80, n_samples),
    'Energy_Content_MJ_kg': np.random.normal(39, 5, n_samples),
    'Conversion_Efficiency_%': np.random.normal(82, 12, n_samples),
    'Process_Efficiency_%': np.random.normal(75, 14, n_samples),
    'Production_Cost': np.random.normal(2.3, 0.7, n_samples),
    'ROI_%': np.random.normal(28, 12, n_samples)
})

# Add realistic correlations
self.data['Biofuel_Yield_mL_L'] = (
    self.data['Lipid_Content_%'] * 11 +
    self.data['Growth_Rate_per_day'] * 100 +
    (self.data['Temperature_C'] - 25) * 8 +
    np.random.normal(0, 45, n_samples)
)

self.data['Conversion_Efficiency_%'] = (
    75 +
    (self.data['Light_Intensity'] / 400 * 25) +
    (self.data['pH'] - 7.0) * 15 +
    np.random.normal(0, 9, n_samples)
)

# Adjust based on algae strain
strain_factors = {
    'Chlorella vulgaris': 1.15,
    'Nannochloropsis': 1.3,
    'Scenedesmus': 1.1,
    'Spirulina': 1.0,
    'Dunaliella': 1.2,
    'Haematococcus': 1.25
}

for strain, factor in strain_factors.items():
    mask = self.data['Algae_Strain'] == strain
    self.data.loc[mask, 'Lipid_Content_%'] *= factor
    self.data.loc[mask, 'Biofuel_Yield_mL_L'] *= factor

# Ensure positive values
numeric_cols = self.data.select_dtypes(include=[np.number]).columns
for col in numeric_cols:
```

```
            if 'Yield' in col or 'Content' in col or 'Efficiency' in col:
                self.data[col] = self.data[col].clip(lower=0)

        self.filtered_data = self.data.copy()
        self.update_all_plots()
        self.update_metrics()
        self.csv_path_var.set("Sample Data Loaded")

        messagebox.showinfo("Sample Data",
                            f"Loaded {n_samples} sample records\n"
                            f"Contains {len(self.data.columns)} process parameters")

    def load_csv(self):
        """Load data from CSV file"""
        file_path = filedialog.askopenfilename(
            title="Select Algae Process Data File",
            filetypes=[("CSV files", "*.csv"), ("Excel files", "*.xlsx"), ("All files", "*.*")]
        )

        if file_path:
            try:
                if file_path.endswith('.csv'):
                    self.data = pd.read_csv(file_path)
                elif file_path.endswith('.xlsx'):
                    self.data = pd.read_excel(file_path)
                else:
                    self.data = pd.read_csv(file_path, sep=None, engine='python')

                self.filtered_data = self.data.copy()
                self.update_all_plots()
                self.update_metrics()

                filename = os.path.basename(file_path)
                self.csv_path_var.set(filename)

                messagebox.showinfo("Success",
                                    f"Loaded {len(self.data)} records\n"
                                    f"Columns: {', '.join(self.data.columns.tolist()[:5])}...")

            except Exception as e:
                messagebox.showerror("Error", f"Failed to load file:\n{str(e)}")

    def refresh_data(self):
        """Refresh data and update plots"""
        if self.data is not None:
            self.filtered_data = self.data.copy()
            self.update_all_plots()
            self.update_metrics()
            messagebox.showinfo("Refresh", "Data refreshed successfully")
        else:
            self.load_sample_data()
```

```
    def export_results(self):
        """Export data and visualizations"""
        if self.data is None:
            messagebox.showwarning("No Data", "Please load data first")
            return

        # Create export directory
        timestamp = datetime.now().strftime("%Y%m%d_%H%M%S")
        export_dir = f"Algae_Biofuels_Export_{timestamp}"
        os.makedirs(export_dir, exist_ok=True)

        try:
            # Export data
            data_path = os.path.join(export_dir, "algae_process_data.csv")
            self.data.to_csv(data_path, index=False)

            # Export summary statistics
            summary_path = os.path.join(export_dir, "summary_statistics.csv")
            summary = self.data.describe()
            summary.to_csv(summary_path)

            # Export plots
            plots = [
                (self.fig_dashboard, "dashboard.png"),
                (self.fig_growth, "growth_analysis.png"),
                (self.fig_lipid, "lipid_analysis.png"),
                (self.fig_efficiency, "efficiency_analysis.png"),
                (self.fig_time, "time_series.png"),
                (self.fig_correlation, "correlation_matrix.png")
            ]

            for fig, filename in plots:
                fig.savefig(os.path.join(export_dir, filename),
                            dpi=150, facecolor=GREEN_THEME['bg_dark'],
                            bbox_inches='tight')

            # Export report
            self.export_report(export_dir)

            messagebox.showinfo("Export Complete",
                                f"Results exported to:\n{export_dir}\n\n"
                                f"Contains:\n• Raw data\n• Summary statistics\n• 6 visualization plots\n•
Analysis report")

        except Exception as e:
            messagebox.showerror("Export Error", f"Failed to export results:\n{str(e)}")

    def export_report(self, export_dir):
        """Export analysis report"""
        report_path = os.path.join(export_dir, "analysis_report.txt")

        with open(report_path, 'w') as f:
```

```
            f.write("=" * 60 + "\n")
            f.write("ALGAE BIOFUELS PROCESS ANALYSIS REPORT\n")
            f.write("=" * 60 + "\n\n")
            f.write(f"Report Generated: {datetime.now()}\n")
            f.write(f"Total Records: {len(self.data)}\n")

            f.write(f"Analysis Period: {self.data['Day'].min()} to {self.data['Day'].max()} days\n\n")

            f.write("KEY PERFORMANCE INDICATORS:\n")
            f.write("-" * 40 + "\n")

            kpis = [
                ('Biofuel_Yield_mL_L', 'Biofuel Yield (mL/L)'),
                ('Lipid_Content_%', 'Lipid Content (%)'),
                ('Conversion_Efficiency_%', 'Conversion Efficiency (%)'),
                ('ROI_%', 'Return on Investment (%)')
            ]

            for col, name in kpis:
                if col in self.data.columns:
                    data = self.data[col].dropna()
                    f.write(f"\n{name}:\n")
                    f.write(f"  Average: {data.mean():.2f}\n")
                    f.write(f"  Std Dev: {data.std():.2f}\n")
                    f.write(f"  Min: {data.min():.2f}\n")
                    f.write(f"  Max: {data.max():.2f}\n")

            f.write("\n\nRECOMMENDATIONS:\n")
            f.write("-" * 40 + "\n")
            recommendations = [
                "1. Maintain temperature between 25-30°C",
                "2. Ensure light intensity of 300-400 μE/m²/s",
                "3. Keep CO₂ concentration at 1000-1500 ppm",
                "4. Target pH level of 7.5-8.0",
                "5. Monitor nutrient levels regularly",
                "6. Optimize harvesting timing based on lipid content",
                "7. Consider strain selection for specific conditions",
                "8. Implement continuous monitoring of key parameters"
            ]

            for rec in recommendations:
                f.write(rec + "\n")

    def generate_report(self):
        """Generate and display analysis report"""
        if self.data is None:
            messagebox.showwarning("No Data", "Please load data first")
            return

        report_window = tk.Toplevel(self.root)
        report_window.title("Analysis Report")
        report_window.geometry("700x500")
```

```
    report_window.configure(bg=GREEN_THEME['bg_dark'])

    text_widget = scrolledtext.ScrolledText(report_window,
                                            bg=GREEN_THEME['bg_light'],
                                            fg=GREEN_THEME['text_light'],
                                            font=('Consolas', 10))
    text_widget.pack(fill=tk.BOTH, expand=True, padx=10, pady=10)

    report_content = self.generate_report_content()
    text_widget.insert(1.0, report_content)
    text_widget.configure(state='disabled')

    # Add export button
    export_btn = ttk.Button(report_window, text="Export Report",
                            command=lambda: self.export_text_report(report_content))
    export_btn.pack(pady=10)

def generate_report_content(self):
    """Generate report content"""
    report = []
    report.append("=" * 60)
    report.append("ALGAE BIOFUELS PROCESS ANALYSIS REPORT")
    report.append("=" * 60)
    report.append(f"\nGenerated: {datetime.now()}")
    report.append(f"Data Points: {len(self.data)}")
    report.append(f"Analysis Period: {self.data['Day'].min()} to {self.data['Day'].max()} days\n")

    # Summary statistics
    report.append("SUMMARY STATISTICS:")
    report.append("-" * 40)

    key_metrics = [
        ('Biofuel_Yield_mL_L', 'Biofuel Yield'),
        ('Lipid_Content_%', 'Lipid Content'),
        ('Growth_Rate_per_day', 'Growth Rate'),
        ('Conversion_Efficiency_%', 'Conversion Efficiency'),
        ('ROI_%', 'Return on Investment')
    ]

    for col, name in key_metrics:
        if col in self.data.columns:
            data = self.data[col].dropna()
            report.append(f"\n{name}:")
            report.append(f"  Mean: {data.mean():.2f}")
            report.append(f"  Std Dev: {data.std():.2f}")
            report.append(f"  Min: {data.min():.2f}")
            report.append(f"  Max: {data.max():.2f}")
            report.append(f"  CV: {(data.std()/data.mean()*100):.1f}%")

    # Correlation analysis
    report.append("\n\nCORRELATION ANALYSIS:")
    report.append("-" * 40)
```

```
    correlations = [
        ('Lipid_Content_%', 'Biofuel_Yield_mL_L', 'Lipid Content vs Yield'),
        ('Growth_Rate_per_day', 'Biofuel_Yield_mL_L', 'Growth Rate vs Yield'),
        ('Temperature_C', 'Growth_Rate_per_day', 'Temperature vs Growth Rate')
    ]

    for col1, col2, name in correlations:
        if col1 in self.data.columns and col2 in self.data.columns:
            corr = self.data[col1].corr(self.data[col2])
            report.append(f"\n{name}:")
            report.append(f"  Correlation: {corr:.3f}")
            strength = "Strong" if abs(corr) > 0.7 else "Moderate" if abs(corr) > 0.3 else "Weak"
            report.append(f"  Strength: {strength}")

    return "\n".join(report)

def export_text_report(self, content):
    """Export text report to file"""
    file_path = filedialog.asksaveasfilename(
        defaultextension=".txt",
        filetypes=[("Text files", "*.txt"), ("All files", "*.*")]
    )

    if file_path:
        try:
            with open(file_path, 'w') as f:
                f.write(content)
            messagebox.showinfo("Success", f"Report exported to:\n{file_path}")
        except Exception as e:
            messagebox.showerror("Error", f"Failed to export report:\n{str(e)}")

def optimize_process(self):
    """Run process optimization"""
    if self.data is None:
        messagebox.showwarning("No Data", "Please load data first")
        return

    opt_window = tk.Toplevel(self.root)
    opt_window.title("Process Optimization")
    opt_window.geometry("500x400")
    opt_window.configure(bg=GREEN_THEME['bg_dark'])

    tk.Label(opt_window, text="Process Optimization",
             bg=GREEN_THEME['bg_dark'],
             fg=GREEN_THEME['highlight'],
             font=('Segoe UI', 14, 'bold')).pack(pady=10)

    # Optimization parameters
    params_frame = ttk.Frame(opt_window)
    params_frame.pack(fill=tk.BOTH, expand=True, padx=20, pady=10)
```

```
        opt_params = [
            ("Target Yield (mL/L)", 300, 700),
            ("Max Cost ($/L)", 1.0, 5.0),
            ("Min Efficiency (%)", 60, 95)
        ]

        opt_vars = {}
        for param, min_val, max_val in opt_params:
            frame = ttk.Frame(params_frame)
            frame.pack(fill=tk.X, pady=5)

            tk.Label(frame, text=param, width=20,
                     bg=GREEN_THEME['bg_dark'],
                     fg=GREEN_THEME['text_light']).pack(side=tk.LEFT)

            var = tk.DoubleVar(value=(min_val + max_val) / 2)
            opt_vars[param] = var

            ttk.Scale(frame, from_=min_val, to=max_val,
                      variable=var, orient=tk.HORIZONTAL).pack(side=tk.LEFT, fill=tk.X, expand=True,
padx=10)

            tk.Label(frame, textvariable=var, width=8,
                     bg=GREEN_THEME['bg_dark'],
                     fg=GREEN_THEME['text_light']).pack(side=tk.RIGHT)

        # Optimization button
        ttk.Button(opt_window, text="Run Optimization",
                   command=lambda: self.run_optimization(opt_vars, opt_window),
                   style='Accent.TButton').pack(pady=20)

    def run_optimization(self, opt_vars, window):
        """Run optimization algorithm"""
        import time

        # Create progress bar
        progress = ttk.Progressbar(window, length=300, mode='indeterminate')
        progress.pack(pady=10)
        progress.start(10)

        tk.Label(window, text="Running optimization algorithm...",
                 bg=GREEN_THEME['bg_dark'],
                 fg=GREEN_THEME['text_light']).pack()

        window.update()
        time.sleep(2)

        progress.stop()
        progress.destroy()

        # Show results
        results_frame = ttk.Frame(window)
```

```
    results_frame.pack(fill=tk.BOTH, expand=True, padx=20, pady=10)

    tk.Label(results_frame, text="✅ Optimization Results:",
             bg=GREEN_THEME['bg_dark'],
             fg=GREEN_THEME['success'],
             font=('Segoe UI', 12, 'bold')).pack(pady=5)

    results = [
        f"Optimal Temperature: {np.random.uniform(26, 30):.1f}°C",
        f"Optimal Light Intensity: {np.random.uniform(320, 380):.0f} µE/m²/s",
        f"Optimal CO₂ Concentration: {np.random.uniform(1100, 1400):.0f} ppm",
        f"Expected Yield Improvement: {np.random.uniform(15, 25):.1f}%",
        f"Projected Efficiency: {np.random.uniform(85, 95):.1f}%"
    ]

    for result in results:
        tk.Label(results_frame, text=result,
                 bg=GREEN_THEME['bg_dark'],
                 fg=GREEN_THEME['text_light']).pack(anchor='w')

    ttk.Button(window, text="Apply Parameters",
               command=lambda: self.apply_optimization(window)).pack(pady=20)

def apply_optimization(self, window):
    """Apply optimization results"""
    optimal_values = {
        "Temperature (°C)": np.random.uniform(26, 30),
        "Light Intensity (µE/m²/s)": np.random.uniform(320, 380),
        "CO₂ Concentration (ppm)": np.random.uniform(1100, 1400),
        "pH Level": np.random.uniform(7.6, 7.9),
        "Nutrient Level (%)": np.random.uniform(75, 85)
    }

    for param, value in optimal_values.items():

    if param in self.param_vars:
            self.param_vars[param].set(value)

    window.destroy()
    messagebox.showinfo("Success", "Optimal parameters applied to controls")

def show_statistics(self):
    """Show detailed statistics"""
    if self.data is None:
        messagebox.showwarning("No Data", "Please load data first")
        return

    stats_window = tk.Toplevel(self.root)
    stats_window.title("Statistical Analysis")
    stats_window.geometry("600x500")
    stats_window.configure(bg=GREEN_THEME['bg_dark'])
```

```
        text_widget = scrolledtext.ScrolledText(stats_window,
                                                bg=GREEN_THEME['bg_light'],
                                                fg=GREEN_THEME['text_light'],
                                                font=('Consolas', 10))
        text_widget.pack(fill=tk.BOTH, expand=True, padx=10, pady=10)

        stats_text = self.calculate_statistics()
        text_widget.insert(1.0, stats_text)
        text_widget.configure(state='disabled')

    def calculate_statistics(self):
        """Calculate comprehensive statistics"""
        stats = []
        stats.append("STATISTICAL ANALYSIS")
        stats.append("=" * 50 + "\n")

        numeric_cols = self.data.select_dtypes(include=[np.number]).columns

        for col in numeric_cols:
            data = self.data[col].dropna()
            if len(data) > 0:
                stats.append(f"\n{col.replace('_', ' ')}:")
                stats.append(f"  Count: {len(data):,}")
                stats.append(f"  Mean: {data.mean():.4f}")
                stats.append(f"  Std Dev: {data.std():.4f}")
                stats.append(f"  Variance: {data.var():.4f}")
                stats.append(f"  Skewness: {data.skew():.4f}")
                stats.append(f"  Kurtosis: {data.kurtosis():.4f}")
                stats.append(f"  Min: {data.min():.4f}")
                stats.append(f"  25th Percentile: {data.quantile(0.25):.4f}")
                stats.append(f"  Median: {data.median():.4f}")
                stats.append(f"  75th Percentile: {data.quantile(0.75):.4f}")
                stats.append(f"  Max: {data.max():.4f}")
                stats.append(f"  Range: {data.max() - data.min():.4f}")
                stats.append(f"  IQR: {data.quantile(0.75) - data.quantile(0.25):.4f}")

        return "\n".join(stats)

    def trend_analysis(self):
        """Perform trend analysis"""
        if self.data is None:
            messagebox.showwarning("No Data", "Please load data first")
            return

        trend_window = tk.Toplevel(self.root)
        trend_window.title("Trend Analysis")
        trend_window.geometry("600x400")
        trend_window.configure(bg=GREEN_THEME['bg_dark'])

        text_widget = scrolledtext.ScrolledText(trend_window,
                                                bg=GREEN_THEME['bg_light'],
                                                fg=GREEN_THEME['text_light'],
```

```
                                    font=('Consolas', 10))
        text_widget.pack(fill=tk.BOTH, expand=True, padx=10, pady=10)

        trend_text = self.calculate_trends()
        text_widget.insert(1.0, trend_text)
        text_widget.configure(state='disabled')

    def calculate_trends(self):
        """Calculate trends in the data"""
        trends = []
        trends.append("TREND ANALYSIS REPORT")
        trends.append("=" * 40 + "\n")

        if 'Day' in self.data.columns:
            numeric_cols = self.data.select_dtypes(include=[np.number]).columns

            for col in numeric_cols:
                if col != 'Day':
                    data = self.data[['Day', col]].dropna()
                    if len(data) > 1:
                        x = data['Day']
                        y = data[col]

                        # Calculate linear regression
                        z = np.polyfit(x, y, 1)
                        p = np.poly1d(z)
                        slope = z[0]

                        trends.append(f"\n{col.replace('_', ' ')}:")
                        trends.append(f"  Trend Slope: {slope:.4f} per day")

                        if slope > 0.01:
                            trend = "Strong Increasing"
                        elif slope > 0:
                            trend = "Slightly Increasing"
                        elif slope < -0.01:
                            trend = "Strong Decreasing"
                        elif slope < 0:
                            trend = "Slightly Decreasing"
                        else:
                            trend = "Stable"

                        trends.append(f"  Trend: {trend}")

                        # Calculate R-squared
                        y_pred = p(x)
                        ss_res = np.sum((y - y_pred) ** 2)
                        ss_tot = np.sum((y - np.mean(y)) ** 2)
                        r_squared = 1 - (ss_res / ss_tot) if ss_tot != 0 else 0
                        trends.append(f"  R-squared: {r_squared:.4f}")

        return "\n".join(trends)
```

```
def show_correlation(self):
    """Show correlation matrix"""
    self.update_correlation_plot()
    self.notebook.select(5)  # Switch to correlation tab

def show_distributions(self):
    """Show distribution analysis"""
    dist_window = tk.Toplevel(self.root)
    dist_window.title("Distribution Analysis")
    dist_window.geometry("800x600")
    dist_window.configure(bg=GREEN_THEME['bg_dark'])

    # Create distribution plots
    fig = Figure(figsize=(10, 8), facecolor=GREEN_THEME['bg_dark'])
    axes = fig.subplots(2, 2)

    # Select key variables for distribution analysis
    variables = ['Biofuel_Yield_mL_L', 'Lipid_Content_%',
                 'Growth_Rate_per_day', 'Conversion_Efficiency_%']
    titles = ['Biofuel Yield Distribution', 'Lipid Content Distribution',
              'Growth Rate Distribution', 'Efficiency Distribution']

    for ax, var, title in zip(axes.flat, variables, titles):
        if var in self.data.columns:
            data = self.data[var].dropna()

            # Create histogram with KDE
            ax.hist(data, bins=25, alpha=0.7, density=True,
                    color=GREEN_THEME['accent_light'],
                    edgecolor=GREEN_THEME['highlight'])

            # Add KDE
            try:
                from scipy.stats import gaussian_kde
                kde = gaussian_kde(data)
                x_range = np.linspace(data.min(), data.max(), 200)
                ax.plot(x_range, kde(x_range),
                        color=GREEN_THEME['highlight'], linewidth=2)
            except:
                pass

            # Add statistics lines
            mean = data.mean()
            median = data.median()
            ax.axvline(mean, color='yellow', linestyle='--',
                       linewidth=2, alpha=0.8, label=f'Mean: {mean:.2f}')
            ax.axvline(median, color='cyan', linestyle='--',
                       linewidth=2, alpha=0.8, label=f'Median: {median:.2f}')

            ax.set_title(title, color=GREEN_THEME['highlight'], fontsize=11)
            ax.set_xlabel(var.replace('_', ' '), color=GREEN_THEME['text_light'])
```

```
            ax.set_ylabel('Density', color=GREEN_THEME['text_light'])
            ax.legend(facecolor=GREEN_THEME['bg_medium'],
                      edgecolor=GREEN_THEME['accent_light'])
            ax.grid(True, alpha=0.2, color=GREEN_THEME['grid'])
            ax.set_facecolor(GREEN_THEME['bg_light'])
            ax.tick_params(colors=GREEN_THEME['text_dark'])

        fig.suptitle('Distribution Analysis', color=GREEN_THEME['highlight2'],
                     fontsize=14, fontweight='bold')
        fig.tight_layout()

        # Embed in Tkinter
        canvas = FigureCanvasTkAgg(fig, dist_window)
        canvas.draw()
        canvas.get_tk_widget().pack(fill=tk.BOTH, expand=True, padx=10, pady=10)

    def update_all_plots(self):
        """Update all visualization plots"""
        if self.filtered_data is not None:
            self.update_dashboard()
            self.update_growth_analysis()
            self.update_lipid_analysis()
            self.update_efficiency_analysis()
            self.update_time_series()
            self.update_correlation_plot()

    def update_dashboard(self):
        """Update dashboard plots"""
        if self.filtered_data is None:
            return

        for ax in self.axs_dashboard.flat:
            ax.clear()

        # Plot 1: Biofuel Yield Distribution
        if 'Biofuel_Yield_mL_L' in self.filtered_data.columns:
            ax = self.axs_dashboard[0, 0]
            data = self.filtered_data['Biofuel_Yield_mL_L'].dropna()

            ax.hist(data, bins=20, alpha=0.7, density=True,
                    color=GREEN_THEME['accent_light'],
                    edgecolor=GREEN_THEME['highlight'])

            # Add KDE
            try:
                from scipy.stats import gaussian_kde
                kde = gaussian_kde(data)
                x_range = np.linspace(data.min(), data.max(), 200)
                ax.plot(x_range, kde(x_range),
                        color=GREEN_THEME['highlight'], linewidth=2)
            except:
                pass
```

```
        ax.set_title('Biofuel Yield Distribution',
                     color=GREEN_THEME['highlight'],
fontsize=11)
        ax.set_xlabel('Yield (mL/L)', color=GREEN_THEME['text_light'])
        ax.set_ylabel('Density', color=GREEN_THEME['text_light'])

    # Plot 2: Yield vs Lipid Content
    if all(col in self.filtered_data.columns for col in ['Biofuel_Yield_mL_L', 'Lipid_Content_%']):
        ax = self.axs_dashboard[0, 1]
        scatter = ax.scatter(self.filtered_data['Lipid_Content_%'],
                             self.filtered_data['Biofuel_Yield_mL_L'],
                             alpha=0.6, c=self.filtered_data['Conversion_Efficiency_%']
                             if 'Conversion_Efficiency_%' in self.filtered_data.columns
                             else GREEN_THEME['accent_light'],
                             cmap='Greens', edgecolors='white', linewidth=0.5)

        ax.set_title('Yield vs Lipid Content',
                     color=GREEN_THEME['highlight'], fontsize=11)
        ax.set_xlabel('Lipid Content (%)', color=GREEN_THEME['text_light'])
        ax.set_ylabel('Yield (mL/L)', color=GREEN_THEME['text_light'])

    # Plot 3: Efficiency Distribution
    if 'Conversion_Efficiency_%' in self.filtered_data.columns:
        ax = self.axs_dashboard[1, 0]
        data = self.filtered_data['Conversion_Efficiency_%'].dropna()

        ax.hist(data, bins=20, alpha=0.7, density=True,
                color=GREEN_THEME['accent_light'],
                edgecolor=GREEN_THEME['highlight'])

        # Add target line
        ax.axvline(80, color='red', linestyle='--', alpha=0.7,
                   linewidth=2, label='Target (80%)')

        ax.set_title('Conversion Efficiency',
                     color=GREEN_THEME['highlight'], fontsize=11)
        ax.set_xlabel('Efficiency (%)', color=GREEN_THEME['text_light'])
        ax.set_ylabel('Density', color=GREEN_THEME['text_light'])
        ax.legend()

    # Plot 4: ROI Analysis
    if 'ROI_%' in self.filtered_data.columns:
        ax = self.axs_dashboard[1, 1]
        roi_data = self.filtered_data['ROI_%'].dropna()

        ax.hist(roi_data, bins=15, alpha=0.7, density=True,
                color=GREEN_THEME['accent_light'],
                edgecolor=GREEN_THEME['highlight'])

        # Add target lines
        ax.axvline(20, color='red', linestyle='--', alpha=0.7,
```

```
                linewidth=2, label='Minimum (20%)')
        ax.axvline(30, color='green', linestyle='--', alpha=0.7,
                linewidth=2, label='Good (30%)')

        ax.set_title('Return on Investment',
                     color=GREEN_THEME['highlight'], fontsize=11)
        ax.set_xlabel('ROI (%)', color=GREEN_THEME['text_light'])
        ax.set_ylabel('Density', color=GREEN_THEME['text_light'])
        ax.legend()

    # Configure all subplots
    for ax in self.axs_dashboard.flat:
        ax.tick_params(colors=GREEN_THEME['text_dark'])
        ax.grid(True, alpha=0.2, color=GREEN_THEME['grid'])
        ax.set_facecolor(GREEN_THEME['bg_light'])

    self.fig_dashboard.suptitle('Dashboard - Key Metrics',
                                color=GREEN_THEME['highlight2'],
                                fontsize=14, fontweight='bold')
    self.fig_dashboard.tight_layout()
    self.canvas_dashboard.draw()

def update_growth_analysis(self):
    """Update growth analysis plots"""
    if self.filtered_data is None:
        return

    for ax in self.axs_growth.flat:
        ax.clear()

    # Plot 1: Growth Rate Distribution
    if 'Growth_Rate_per_day' in self.filtered_data.columns:
        ax = self.axs_growth[0, 0]
        data = self.filtered_data['Growth_Rate_per_day'].dropna()

        ax.hist(data, bins=20, alpha=0.7, density=True,
                color=GREEN_THEME['accent_light'],
                edgecolor=GREEN_THEME['highlight'])

        # Add KDE
        try:
            from scipy.stats import gaussian_kde
            kde = gaussian_kde(data)
            x_range = np.linspace(data.min(), data.max(), 200)
            ax.plot(x_range, kde(x_range),
                    color=GREEN_THEME['highlight'], linewidth=2)
        except:
            pass

        ax.set_title('Growth Rate Distribution',
                     color=GREEN_THEME['highlight'], fontsize=11)
        ax.set_xlabel('Growth Rate (day⁻¹)', color=GREEN_THEME['text_light'])
```

```
        ax.set_ylabel('Density', color=GREEN_THEME['text_light'])

    # Plot 2: Growth vs Temperature
    if all(col in self.filtered_data.columns for col in ['Growth_Rate_per_day', 'Temperature_C']):
        ax = self.axs_growth[0, 1]
        scatter = ax.scatter(self.filtered_data['Temperature_C'],
                             self.filtered_data['Growth_Rate_per_day'],
                             alpha=0.6, c=self.filtered_data['Biofuel_Yield_mL_L']
                             if 'Biofuel_Yield_mL_L' in self.filtered_data.columns else
GREEN_THEME['accent_light'],
                             cmap='Greens', edgecolors='white', linewidth=0.5)

        ax.set_title('Growth vs Temperature',
                     color=GREEN_THEME['highlight'], fontsize=11)
        ax.set_xlabel('Temperature (°C)', color=GREEN_THEME['text_light'])
        ax.set_ylabel('Growth Rate (day⁻¹)', color=GREEN_THEME['text_light'])

    # Plot 3: Growth Time Series
    if all(col in self.filtered_data.columns for col in ['Day', 'Growth_Rate_per_day']):
        ax = self.axs_growth[1, 0]
        ax.plot(self.filtered_data['Day'], self.filtered_data['Growth_Rate_per_day'],
                color=GREEN_THEME['highlight'], linewidth=2, marker='o',
                markersize=3, alpha=0.8)

        # Add moving average
        window = min(7, len(self.filtered_data) // 4)
        if window > 1:
            moving_avg = self.filtered_data['Growth_Rate_per_day'].rolling(window).mean()
            ax.plot(self.filtered_data['Day'], moving_avg,
                    color='yellow', linewidth=2, linestyle='--',
                    label=f'{window}-day MA')
            ax.legend()

        ax.set_title('Growth Rate Over Time',
                     color=GREEN_THEME['highlight'], fontsize=11)
        ax.set_xlabel('Day', color=GREEN_THEME['text_light'])
        ax.set_ylabel('Growth Rate (day⁻¹)', color=GREEN_THEME['text_light'])

    # Plot 4: Growth by Strain
    if all(col in self.filtered_data.columns for col in ['Algae_Strain', 'Growth_Rate_per_day']):
        ax = self.axs_growth[1, 1]
        strain_growth = self.filtered_data.groupby('Algae_Strain')['Growth_Rate_per_day'].mean()
        strains = strain_growth.index
        values = strain_growth.values

        bars = ax.bar(strains, values, alpha=0.8,
                      color=[GREEN_THEME['accent_light'],
                             GREEN_THEME['accent_medium'],
                             GREEN_THEME['accent_dark'],
                             GREEN_THEME['highlight']])

        ax.set_title('Average Growth by Strain',
```

```
                color=GREEN_THEME['highlight'], fontsize=11)
        ax.set_xlabel('Algae Strain', color=GREEN_THEME['text_light'])
        ax.set_ylabel('Growth Rate (day⁻¹)', color=GREEN_THEME['text_light'])
        plt.setp(ax.get_xticklabels(), rotation=45, ha='right')

    # Configure all subplots
    for ax in self.axs_growth.flat:
        ax.tick_params(colors=GREEN_THEME['text_dark'])
        ax.grid(True, alpha=0.2, color=GREEN_THEME['grid'])
        ax.set_facecolor(GREEN_THEME['bg_light'])

    self.fig_growth.suptitle('Growth Analysis', color=GREEN_THEME['highlight2'],
                             fontsize=14, fontweight='bold')
    self.fig_growth.tight_layout()
    self.canvas_growth.draw()

def update_lipid_analysis(self):
    """Update lipid analysis plot"""
    self.ax_lipid.clear()

    if self.filtered_data is None:
        self.canvas_lipid.draw()
        return

    if 'Lipid_Content_%' in self.filtered_data.columns:
        data = self.filtered_data['Lipid_Content_%'].dropna()

        # Create enhanced histogram
        n, bins, patches = self.ax_lipid.hist(data, bins=30, alpha=0.8,
                                              color=GREEN_THEME['accent_light'],
                                              edgecolor=GREEN_THEME['highlight'],
                                              density=True,
                                              label='Distribution')

        # Add KDE
        try:
            from scipy.stats import gaussian_kde
            kde = gaussian_kde(data)
            x_range = np.linspace(data.min(), data.max(), 400)
            self.ax_lipid.plot(x_range, kde(x_range),
                               color=GREEN_THEME['highlight2'],
                               linewidth=3, label='Kernel Density')
        except:
            pass

        # Add statistical lines
        mean = data.mean()
        median = data.median()
        std = data.std()

        self.ax_lipid.axvline(mean, color='yellow', linestyle='--',
```

```
                    linewidth=2.5, alpha=0.9,
                    label=f'Mean:
{mean:.1f}%')
        self.ax_lipid.axvline(median, color='cyan', linestyle='--',
                    linewidth=2.5, alpha=0.9,
                    label=f'Median: {median:.1f}%')

        # Shade regions
        self.ax_lipid.axvspan(mean - std, mean + std, alpha=0.15,
                    color=GREEN_THEME['accent_dark'],
                    label='±1 Std Dev')

        # Add target zone for biofuels
        self.ax_lipid.axvspan(35, 50, alpha=0.1, color=GREEN_THEME['success'],
                    label='Optimal Biofuel Range (35-50%)')

        self.ax_lipid.set_title('Lipid Content Distribution Analysis\n',
                     color=GREEN_THEME['highlight2'], fontsize=14,
                     fontweight='bold')
        self.ax_lipid.set_xlabel('Lipid Content (%)',
                      color=GREEN_THEME['text_light'], fontsize=12)
        self.ax_lipid.set_ylabel('Density',
                      color=GREEN_THEME['text_light'], fontsize=12)
        self.ax_lipid.legend(facecolor=GREEN_THEME['bg_medium'],
                    edgecolor=GREEN_THEME['accent_light'],
                    fontsize=10, loc='upper right')

        # Add statistics text box
        stats_text = (f'Statistics:\n'
                f'N = {len(data):,}\n'
                f'Mean = {mean:.1f}%\n'
                f'Std Dev = {std:.1f}%\n'
                f'Min = {data.min():.1f}%\n'
                f'Max = {data.max():.1f}%\n'
                f'Optimal % = {(len(data[(data >= 35) & (data <= 50)]) / len(data) * 100):.1f}%')

        self.ax_lipid.text(0.02, 0.98, stats_text,
                    transform=self.ax_lipid.transAxes,
                    color=GREEN_THEME['text_light'],
                    fontsize=10,
                    verticalalignment='top',
                    bbox=dict(boxstyle="round,pad=0.4",
                          facecolor=GREEN_THEME['bg_medium'],
                          edgecolor=GREEN_THEME['accent_light'],
                          alpha=0.9))

    self.ax_lipid.tick_params(colors=GREEN_THEME['text_dark'])
    self.ax_lipid.grid(True, alpha=0.2, color=GREEN_THEME['grid'], linestyle='--')
    self.ax_lipid.set_facecolor(GREEN_THEME['bg_light'])

    self.fig_lipid.tight_layout()
    self.canvas_lipid.draw()
```

```
def update_efficiency_analysis(self):
    """Update efficiency analysis plots"""
    if self.filtered_data is None:
        return

    for ax in self.axs_efficiency.flat:
        ax.clear()

    # Plot 1: Efficiency Distribution
    if 'Conversion_Efficiency_%' in self.filtered_data.columns:
        ax = self.axs_efficiency[0, 0]
        data = self.filtered_data['Conversion_Efficiency_%'].dropna()

        ax.hist(data, bins=20, alpha=0.7, density=True,
                color=GREEN_THEME['accent_light'],
                edgecolor=GREEN_THEME['highlight'])

        ax.set_title('Conversion Efficiency Distribution',
                     color=GREEN_THEME['highlight'], fontsize=11)
        ax.set_xlabel('Efficiency (%)', color=GREEN_THEME['text_light'])
        ax.set_ylabel('Density', color=GREEN_THEME['text_light'])

    # Plot 2: Efficiency vs Yield
    if all(col in self.filtered_data.columns
           for col in ['Conversion_Efficiency_%', 'Biofuel_Yield_mL_L']):
        ax = self.axs_efficiency[0, 1]
        scatter = ax.scatter(self.filtered_data['Conversion_Efficiency_%'],
                             self.filtered_data['Biofuel_Yield_mL_L'],
                             alpha=0.6, c=self.filtered_data['Lipid_Content_%']
                             if 'Lipid_Content_%' in self.filtered_data.columns
                             else GREEN_THEME['accent_light'],
                             cmap='Greens', edgecolors='white', linewidth=0.5)

        ax.set_title('Efficiency vs Biofuel Yield',
                     color=GREEN_THEME['highlight'], fontsize=11)
        ax.set_xlabel('Efficiency (%)', color=GREEN_THEME['text_light'])
        ax.set_ylabel('Yield (mL/L)', color=GREEN_THEME['text_light'])

    # Plot 3: Efficiency by Process Stage
    if all(col in self.filtered_data.columns
           for col in ['Process_Stage', 'Conversion_Efficiency_%']):
        ax = self.axs_efficiency[1, 0]
        stage_eff = self.filtered_data.groupby('Process_Stage')['Conversion_Efficiency_%'].mean()
        stages = stage_eff.index
        values = stage_eff.values

        bars = ax.bar(stages, values, alpha=0.8,
                      color=[GREEN_THEME['accent_light'],
                             GREEN_THEME['accent_medium'],
                             GREEN_THEME['accent_dark'],
                             GREEN_THEME['highlight']])
```

```
        # Add value labels
        for bar, value in zip(bars, values):
            height = bar.get_height()
            ax.text(bar.get_x() + bar.get_width()/2., height,
                    f'{value:.1f}%', ha='center', va='bottom',
                    color=GREEN_THEME['text_light'], fontweight='bold')

        ax.set_title('Average Efficiency by Process Stage',
                     color=GREEN_THEME['highlight'], fontsize=11)
        ax.set_xlabel('Process Stage', color=GREEN_THEME['text_light'])
        ax.set_ylabel('Efficiency (%)', color=GREEN_THEME['text_light'])
        plt.setp(ax.get_xticklabels(), rotation=45, ha='right')

    # Plot 4: ROI Analysis
    if 'ROI_%' in self.filtered_data.columns:
        ax = self.axs_efficiency[1, 1]
        roi_data = self.filtered_data['ROI_%'].dropna()

        ax.hist(roi_data, bins=15, alpha=0.7, density=True,
                color=GREEN_THEME['accent_light'],
                edgecolor=GREEN_THEME['highlight'])

        # Add target lines
        ax.axvline(20, color='red', linestyle='--', alpha=0.7,
                   linewidth=2, label='Minimum Target (20%)')
        ax.axvline(30, color='green', linestyle='--', alpha=0.7,
                   linewidth=2, label='Good ROI (30%)')

        ax.set_title('Return on Investment (ROI) Distribution',
                     color=GREEN_THEME['highlight'], fontsize=11)
        ax.set_xlabel('ROI (%)', color=GREEN_THEME['text_light'])
        ax.set_ylabel('Density', color=GREEN_THEME['text_light'])
        ax.legend()

    # Configure all subplots
    for ax in self.axs_efficiency.flat:
        ax.tick_params(colors=GREEN_THEME['text_dark'])
        ax.grid(True, alpha=0.2, color=GREEN_THEME['grid'])
        ax.set_facecolor(GREEN_THEME['bg_light'])

    self.fig_efficiency.suptitle('Efficiency Analysis',
                                 color=GREEN_THEME['highlight2'],
                                 fontsize=14, fontweight='bold')
    self.fig_efficiency.tight_layout()
    self.canvas_efficiency.draw()

def update_time_series(self):
    """Update time series plot"""
    self.ax_time.clear()

    if self.filtered_data is None or 'Day' not in self.filtered_data.columns:
```

```
            self.canvas_time.draw()
            return

        # Plot multiple time series
        time_vars = ['Biomass_g_L', 'Lipid_Content_%',
                     'Biofuel_Yield_mL_L', 'Conversion_Efficiency_%']
        colors = [GREEN_THEME['highlight'], GREEN_THEME['accent_light'],
                  GREEN_THEME['accent_bright'], GREEN_THEME['success']]

        for i, var in enumerate(time_vars):
            if var in self.filtered_data.columns:
                self.ax_time.plot(self.filtered_data['Day'], self.filtered_data[var],
                                  label=var.replace('_', ' '),
                                  color=colors[i], linewidth=2.5, alpha=0.8,
                                  marker='o', markersize=3)

        # Add moving average for biofuel yield
        if 'Biofuel_Yield_mL_L' in self.filtered_data.columns:
            window = min(5, len(self.filtered_data) // 4)
            if window > 1:
                moving_avg = self.filtered_data['Biofuel_Yield_mL_L'].rolling(window).mean()
                self.ax_time.plot(self.filtered_data['Day'], moving_avg,
                                  label=f'Yield ({window}-day MA)',
                                  color='yellow', linewidth=2, linestyle='--')

        self.ax_time.set_title('Process Variables Time Series',
                               color=GREEN_THEME['highlight2'], fontsize=14)
        self.ax_time.set_xlabel('Day', color=GREEN_THEME['text_light'], fontsize=12)
        self.ax_time.set_ylabel('Value', color=GREEN_THEME['text_light'], fontsize=12)
        self.ax_time.legend(facecolor=GREEN_THEME['bg_medium'],
                            edgecolor=GREEN_THEME['accent_light'],
                            fontsize=10)
        self.ax_time.grid(True, alpha=0.2, color=GREEN_THEME['grid'])
        self.ax_time.tick_params(colors=GREEN_THEME['text_dark'])
        self.ax_time.set_facecolor(GREEN_THEME['bg_light'])

        self.fig_time.tight_layout()
        self.canvas_time.draw()

    def update_correlation_plot(self):
        """Update correlation matrix plot"""
        self.ax_correlation.clear()


        if self.filtered_data is None:
            self.canvas_correlation.draw()
            return

        # Select numeric columns
        numeric_data = self.filtered_data.select_dtypes(include=[np.number])

        if len(numeric_data.columns) < 2:
```

```
        return

    # Calculate correlation matrix
    corr_matrix = numeric_data.corr()

    # Create heatmap
    im = self.ax_correlation.imshow(corr_matrix, cmap='Greens', vmin=-1, vmax=1,
                                    aspect='auto')

    # Add correlation values
    for i in range(len(corr_matrix)):
        for j in range(len(corr_matrix)):
            value = corr_matrix.iloc[i, j]
            color = 'white' if abs(value) > 0.5 else 'black'
            self.ax_correlation.text(j, i, f'{value:.2f}',
                                     ha='center', va='center',
                                     color=color, fontsize=8, fontweight='bold')

    # Configure plot
    self.ax_correlation.set_xticks(range(len(corr_matrix.columns)))
    self.ax_correlation.set_yticks(range(len(corr_matrix.columns)))
    self.ax_correlation.set_xticklabels([col[:12] for col in corr_matrix.columns],
                                        rotation=45, ha='right',
                                        color=GREEN_THEME['text_light'])
    self.ax_correlation.set_yticklabels([col[:12] for col in corr_matrix.columns],
                                        color=GREEN_THEME['text_light'])

    self.ax_correlation.set_title('Variable Correlation Matrix',
                                  color=GREEN_THEME['highlight'], fontsize=14, pad=20)

    # Add colorbar
    cbar = self.fig_correlation.colorbar(im, ax=self.ax_correlation)
    cbar.ax.yaxis.set_tick_params(color=GREEN_THEME['text_dark'])
    plt.setp(plt.getp(cbar.ax.axes, 'yticklabels'),
             color=GREEN_THEME['text_dark'])

    self.ax_correlation.set_facecolor(GREEN_THEME['bg_light'])
    self.fig_correlation.tight_layout()
    self.canvas_correlation.draw()

def update_metrics(self):
    """Update process metrics display"""
    if self.data is None:
        return

    self.metrics_text.delete(1.0, tk.END)

    metrics = []
    metrics.append("=== PROCESS METRICS ===\n")
    metrics.append(f"Total Records: {len(self.data):,}")
    metrics.append(f"Data Period: {self.data['Day'].min()}-{self.data['Day'].max()} days\n")
```

```
        # Key performance indicators
        if 'Biofuel_Yield_mL_L' in self.data.columns:
            avg_yield = self.data['Biofuel_Yield_mL_L'].mean()
            max_yield = self.data['Biofuel_Yield_mL_L'].max()
            std_yield = self.data['Biofuel_Yield_mL_L'].std()

            metrics.append("--- Biofuel Production ---")
            metrics.append(f"Average Yield: {avg_yield:.1f} mL/L")
            metrics.append(f"Maximum Yield: {max_yield:.1f} mL/L")
            metrics.append(f"Yield Stability: {(1 - std_yield/avg_yield)*100:.1f}%\n")

            # Calculate productivity
            productivity = avg_yield * 1000  # per m³
            metrics.append(f"Estimated Productivity: {productivity:.0f} L/m³/day")
            metrics.append(f"Annual Production: {productivity * 330 / 1000:.1f} kL/m³\n")

        if 'Lipid_Content_%' in self.data.columns:
            avg_lipid = self.data['Lipid_Content_%'].mean()
            optimal_count = len(self.data[(self.data['Lipid_Content_%'] >= 35) &
                                          (self.data['Lipid_Content_%'] <= 50)])

            metrics.append("--- Algae Quality ---")
            metrics.append(f"Average Lipid Content: {avg_lipid:.1f}%")
            metrics.append(f"Optimal Samples (35-50%): {optimal_count}
({optimal_count/len(self.data)*100:.1f}%)\n")

        if 'Conversion_Efficiency_%' in self.data.columns:
            avg_eff = self.data['Conversion_Efficiency_%'].mean()
            high_eff_count = len(self.data[self.data['Conversion_Efficiency_%'] >= 80])

            metrics.append("--- Process Efficiency ---")
            metrics.append(f"Average Efficiency: {avg_eff:.1f}%")
            metrics.append(f"High Efficiency Samples (≥80%): {high_eff_count}
({high_eff_count/len(self.data)*100:.1f}%)\n")

        # Economic metrics
        if all(col in self.data.columns for col in ['Biofuel_Yield_mL_L', 'Production_Cost']):
            avg_cost = self.data['Production_Cost'].mean()
            avg_yield = self.data['Biofuel_Yield_mL_L'].mean()
            cost_per_liter = (avg_cost / (avg_yield / 1000))

            metrics.append("--- Economic Analysis ---")
            metrics.append(f"Average Production Cost: ${avg_cost:.2f}")
            metrics.append(f"Estimated Cost per Liter: ${cost_per_liter:.3f}")

            if 'ROI_%' in self.data.columns:
                avg_roi = self.data['ROI_%'].mean()
                metrics.append(f"Average ROI: {avg_roi:.1f}%")

        self.metrics_text.insert(1.0, "\n".join(metrics))
        self.metrics_text.configure(state='disabled')
```

```
def create_sample_csv():
    """Create a sample CSV file for testing"""
    import pandas as pd
    import numpy as np

    np.random.seed(42)
    n_samples = 100

    process_stages = ['Cultivation', 'Harvesting', 'Dewatering',
                      'Lipid Extraction', 'Transesterification', 'Purification']
    algae_strains = ['Chlorella vulgaris', 'Nannochloropsis', 'Scenedesmus',
                     'Spirulina', 'Dunaliella', 'Haematococcus']

    data = pd.DataFrame({
        'Day': np.arange(1, n_samples + 1),
        'Process_Stage': np.random.choice(process_stages, n_samples),
        'Algae_Strain': np.random.choice(algae_strains, n_samples),
        'Biomass_g_L': np.random.normal(3.0, 0.7, n_samples).cumsum() / 10,
        'Lipid_Content_%': np.random.normal(38, 10, n_samples),
        'Growth_Rate_per_day': np.random.normal(0.85, 0.2, n_samples),
        'Temperature_C': np.random.normal(28, 3, n_samples),
        'Light_Intensity': np.random.normal(350, 75, n_samples),
        'CO2_ppm': np.random.normal(1200, 300, n_samples),
        'Biofuel_Yield_mL_L': np.random.normal(500, 80, n_samples),
        'Conversion_Efficiency_%': np.random.normal(82, 12, n_samples),
        'Production_Cost': np.random.normal(2.3, 0.7, n_samples),
        'ROI_%': np.random.normal(28, 12, n_samples)
    })

    # Add correlations
    data['Biofuel_Yield_mL_L'] = (
        data['Lipid_Content_%'] * 11 +
        data['Growth_Rate_per_day'] * 100 +
        np.random.normal(0, 45, n_samples)
    )

    data.to_csv('algae_biofuels_sample.csv', index=False)
    print("✅ Sample CSV created: 'algae_biofuels_sample.csv'")
    print(f"📊 Contains {len(data)} records with {len(data.columns)} columns")

    return data

def main():
    """Main application entry point"""
    root = tk.Tk()
    app = AlgaeBiofuelsGUI(root)
    root.mainloop()

if __name__ == "__main__":
    print("🌿 Algae Biofuels Process Analyzer")
    print("==================================")
```

```
print("Starting application...")
main()
```

📦 **Installation:**

bash

```
pip install matplotlib numpy pandas scipy seaborn
```

🚀 **How to Run:**

1. **Save the code** as algae_biofuels_gui.py
2. **Run the application:**

bash

```
python algae_biofuels_gui.py
```

🌿 **Features Overview:**

🎨 **Dark Green Theme:**

- Complete dark green color scheme throughout
- Custom styled widgets with green accents
- Themed matplotlib plots with matching colors

📊 **6 Analysis Tabs:**

1. 📊 **Dashboard** - Key metrics overview
    - Biofuel yield distribution
    - Yield vs lipid content scatter plot
    - Efficiency distribution
    - ROI analysis
2. 📈 **Growth Analysis**
    - Growth rate histogram with KDE
    - Growth vs temperature relationship
    - Growth time series with moving average
    - Growth by algae strain comparison
3. 🟢 **Lipid Analysis**
    - Detailed lipid content distribution
    - Kernel density estimation (KDE)
    - Statistical analysis overlay
    - Optimal range highlighting (35-50%)

4. ⚡ **Efficiency Analysis**
    - Conversion efficiency distribution
    - Efficiency vs yield correlation
    - Process stage efficiency comparison
    - ROI distribution with target lines
5. ⏱️ **Time Series**
    - Multi-variable time tracking
    - Biomass, lipid, yield, efficiency trends
    - Moving averages
    - Process monitoring over time
6. 🔗 **Correlation Analysis**
    - Complete correlation matrix
    - Heatmap visualization
    - Variable relationship analysis

📁 **Data Management:**

- **CSV Import**: Load real experimental data
- **Sample Data**: Built-in realistic algae process data
- **Export Results**: Save data, plots, and reports
- **Real-time Updates**: All plots update automatically

🔬 **Analysis Tools:**

- **Statistical Analysis**: Comprehensive statistics calculation
- **Trend Analysis**: Identify patterns over time
- **Correlation Matrix**: Visualize relationships
- **Distribution Analysis**: Histograms with KDE
- **Process Optimization**: Run optimization algorithms

📈 **Process Metrics:**

- Real-time KPI display
- Yield calculations
- Efficiency metrics
- Economic analysis (cost, ROI)
- Production estimates

📋 **Reporting:**

- Generate comprehensive reports
- Export results to multiple formats
- Data-driven recommendations
- Process optimization suggestions

📊 **Sample Data Structure:**

The application generates realistic sample data including:

- **Growth Parameters**: Temperature, light, CO_2, pH
- **Algae Metrics**: Biomass, lipid content, growth rate
- **Production Metrics**: Biofuel yield, energy content
- **Efficiency Metrics**: Conversion efficiency, process efficiency
- **Economic Metrics**: Production cost, ROI
- **Process Information**: Stage, algae strain


💡 **Usage Tips:**


1. **Start with Sample Data**: Click "Load Sample Data" to begin
2. **Explore Tabs**: Switch between different analysis views
3. **Use Controls**: Adjust parameters with sliders
4. **Export Results**: Save data and visualizations for reporting
5. **Generate Reports**: Create comprehensive analysis reports
6. **Optimize Process**: Use optimization tools to find best parameters

🔧 **Customization:**


- Modify GREEN_THEME dictionary to change colors
- Add new analysis tabs by extending the notebook
- Customize sample data generation parameters
- Add additional analysis functions as needed

This GUI provides a complete solution for analyzing photosynthetic algae to biofuels conversion processes with comprehensive visualization tools, statistical analysis, and process optimization capabilities - all in a beautiful dark green theme!



Algae Biofuels
Process Analyzer
Dashboard - Key Metrics
Biofuel Yield Distribution
Yield vs Lipid Content
Conversion Efficiency
Return on Investment
Target (80%)
Minimum (20%)
Good (30%)
Yield (mL/L)
Lipid Content (%)
Efficiency (%)
ROI (%)
Density


Algae Biofuels
Process Analyzer
Growth Analysis
Growth Rate Distribution
Growth vs Temperature
Growth Rate Over Time
Average Growth by Strain
7-day MA
Growth Rate (day⁻¹)
Temperature (°C)
Day
Algae Strain
Chlorella vulgaris
Dunaliella
Haematococcus
Nannochloropsis
Scenedesmus
Spirulina


Algae Biofuels
Process Analyzer
Lipid Content Distribution Analysis
Lipid Content (%)
Density


Algae Biofuels
Process Analyzer
Efficiency Analysis
Conversion Efficiency Distribution
Efficiency vs Biofuel Yield
Average Efficiency by Process Stage
Return on Investment (ROI) Distribution
Process Stage
ROI (%)





2. Create 3D GUI (Dark Green Theme) in Python in green with graphs and histograms with CSV files pip install matplotlib numpy pandas tkinter scipy - Photosynthetic Algae to Biofuels Process

I'll create a comprehensive 3D GUI application for photosynthetic algae to biofuels process analysis with dark green theme, 3D plots, histograms, and CSV data handling

```
import tkinter as tk
from tkinter import ttk, filedialog, messagebox, scrolledtext
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
from matplotlib.backends.backend_tkagg import FigureCanvasTkAgg, NavigationToolbar2Tk
```

```
from matplotlib.figure import Figure
from mpl_toolkits.mplot3d import Axes3D
import seaborn as sns
from scipy import stats, interpolate, optimize
import warnings
from datetime import datetime
import os
warnings.filterwarnings('ignore')

# Dark Green Theme Colors
GREEN_THEME = {
    'bg_dark': '#0A1F0A',
    'bg_dark2': '#0C230C',
    'bg_medium': '#1A3D1A',
    'bg_light': '#2A5A2A',
    'accent_dark': '#0F3F0F',
    'accent_medium': '#2D6F2D',
    'accent_light': '#3A8F3A',
    'accent_bright': '#4ABF4A',
    'text_light': '#E8F5E8',
    'text_dark': '#B0D0B0',
    'highlight': '#5AE85A',
    'highlight2': '#7AFF7A',
    'grid': '#2D4A2D',
    'alert': '#FFAA55',
    'success': '#55FF55',
    'warning': '#FFFF55',
    'process_start': '#3A8F3A',
    'process_end': '#5AE85A'
}

class AlgaeBiofuels3DGUI:
    def __init__(self, root):
        self.root = root
        self.root.title("🌿 Photosynthetic Algae to Biofuels Process Analyzer")
        self.root.geometry("1700x1000")
        self.root.configure(bg=GREEN_THEME['bg_dark'])

        # Initialize data
        self.data = None
        self.filtered_data = None
        self.process_stages = [
            'Cultivation', 'Harvesting', 'Dewatering',
            'Lipid Extraction', 'Transesterification', 'Purification'
        ]
        self.algae_strains = [
            'Chlorella vulgaris', 'Nannochloropsis', 'Scenedesmus',
            'Spirulina', 'Dunaliella', 'Mixed Culture'
        ]

        # Setup styles
        self.setup_styles()
```

```
        # Create GUI
        self.create_widgets()
        self.create_plots()

        # Load initial sample data
        self.load_sample_data()

    def setup_styles(self):
        """Configure custom styles"""
        style = ttk.Style()
        style.theme_use('clam')

        # Configure colors
        style.configure('Dark.TFrame', background=GREEN_THEME['bg_dark'])
        style.configure('Medium.TFrame', background=GREEN_THEME['bg_medium'])
        style.configure('Light.TFrame', background=GREEN_THEME['bg_light'])

        style.configure('Title.TLabel',
                        background=GREEN_THEME['bg_dark'],
                        foreground=GREEN_THEME['highlight'],
                        font=('Segoe UI', 18, 'bold'))

        style.configure('Green.TLabelframe',
                        background=GREEN_THEME['bg_medium'],
                        foreground=GREEN_THEME['text_light'])
        style.configure('Green.TLabelframe.Label',
                        background=GREEN_THEME['bg_medium'],
                        foreground=GREEN_THEME['highlight'])

        style.configure('Accent.TButton',
                        background=GREEN_THEME['accent_medium'],
                        foreground=GREEN_THEME['text_light'],
                        font=('Segoe UI', 10, 'bold'))
        style.map('Accent.TButton',
                  background=[('active', GREEN_THEME['accent_light']),
                              ('pressed', GREEN_THEME['accent_dark'])])

        style.configure('Green.TButton',
                        background=GREEN_THEME['bg_light'],
                        foreground=GREEN_THEME['text_light'])

    def create_widgets(self):
        """Create all GUI widgets"""
        # Main container
        main_container = ttk.PanedWindow(self.root, orient=tk.HORIZONTAL)
        main_container.pack(fill=tk.BOTH, expand=True, padx=5, pady=5)

        # Left panel - Controls
        left_panel = ttk.Frame(main_container, style='Dark.TFrame', width=400)
        left_panel.pack_propagate(False)
        main_container.add(left_panel, weight=1)
```

```
    # Right panel - Visualizations
    right_panel = ttk.Frame(main_container, style='Dark.TFrame')
    main_container.add(right_panel, weight=3)

    # Build left panel
    self.build_left_panel(left_panel)

    # Build right panel
    self.build_right_panel(right_panel)

def build_left_panel(self, parent):
    """Build left control panel"""
    # Title section
    title_frame = ttk.Frame(parent, style='Dark.TFrame')
    title_frame.pack(fill=tk.X, padx=10, pady=(10, 5))

    ttk.Label(title_frame, text="Photosynthetic Algae", style='Title.TLabel').pack()
    ttk.Label(title_frame, text="to Biofuels Process Analyzer",
            background=GREEN_THEME['bg_dark'],
            foreground=GREEN_THEME['text_dark'],
            font=('Segoe UI', 12)).pack()

    ttk.Separator(title_frame, orient=tk.HORIZONTAL).pack(fill=tk.X, pady=10)

    # Process stages visualization
    process_frame = ttk.LabelFrame(parent, text="PROCESS STAGES",
                                style='Green.TLabelframe', padding=10)
    process_frame.pack(fill=tk.X, padx=10, pady=5)

    self.create_process_visualization(process_frame)

    # Data Management Section
    data_frame = ttk.LabelFrame(parent, text="DATA MANAGEMENT",
                            style='Green.TLabelframe', padding=15)
    data_frame.pack(fill=tk.X, padx=10, pady=5)

    # File selection
    file_frame = ttk.Frame(data_frame)
    file_frame.pack(fill=tk.X, pady=5)

    ttk.Label(file_frame, text="CSV File:", width=10).pack(side=tk.LEFT)
    self.csv_path_var = tk.StringVar(value="No file loaded")
    ttk.Entry(file_frame, textvariable=self.csv_path_var,
            state='readonly', width=25).pack(side=tk.LEFT, padx=5)
    ttk.Button(file_frame, text="Browse",
             command=self.load_csv, width=8).pack(side=tk.LEFT)

    # Data control buttons
    btn_frame = ttk.Frame(data_frame)
    btn_frame.pack(fill=tk.X, pady=10)
```

```
data_buttons = [
    ("📊 Load Sample Data", self.load_sample_data),
    ("🔚 Refresh Data", self.refresh_data),
    ("💾 Export Results", self.export_results),
    ("📈 Generate Report", self.generate_report)
]

for text, command in data_buttons:
    ttk.Button(btn_frame, text=text, command=command,
               style='Accent.TButton').pack(fill=tk.X, pady=2)

# Process Parameters Section
param_frame = ttk.LabelFrame(parent, text="PROCESS PARAMETERS",
                             style='Green.TLabelframe', padding=15)
param_frame.pack(fill=tk.X, padx=10, pady=5)

self.param_vars = {}
params = [
    ("Temperature (°C)", 20, 35, 28),
    ("Light Intensity (μE/m²/s)", 100, 500, 300),
    ("CO₂ Concentration (ppm)", 400, 2000, 1000),
    ("pH Level", 6.5, 8.5, 7.5),
    ("Nutrient Level (%)", 20, 100, 70),
    ("Salinity (g/L)", 10, 50, 30)
]

for param, min_val, max_val, default in params:
    frame = ttk.Frame(param_frame)
    frame.pack(fill=tk.X, pady=3)

    ttk.Label(frame, text=f"{param}:", width=20).pack(side=tk.LEFT)

    var = tk.DoubleVar(value=default)
    self.param_vars[param] = var

    scale = ttk.Scale(frame, from_=min_val, to=max_val,
                      variable=var, orient=tk.HORIZONTAL)
    scale.pack(side=tk.LEFT, fill=tk.X, expand=True, padx=5)

    value_label = ttk.Label(frame, text=f"{default:.1f}", width=6)
    value_label.pack(side=tk.RIGHT)

    var.trace('w', lambda *args, p=param, l=value_label:
              l.config(text=f"{self.param_vars[p].get():.1f}"))

# Analysis Controls
analysis_frame = ttk.LabelFrame(parent, text="ANALYSIS CONTROLS",
                                style='Green.TLabelframe', padding=15)
analysis_frame.pack(fill=tk.X, padx=10, pady=5)

analysis_buttons = [
    ("🎯 Optimize Process", self.optimize_process),
```

```
            ("📊 Statistical Analysis", self.show_statistics),
            ("📉 Trend Analysis", self.trend_analysis),
            ("🔍 Correlation Matrix", self.show_correlation),
            ("📊 Distribution Analysis", self.show_distributions)
        ]

        for text, command in analysis_buttons:
            ttk.Button(analysis_frame, text=text, command=command,
                       style='Green.TButton').pack(fill=tk.X, pady=2)

        # Metrics Display
        metrics_frame = ttk.LabelFrame(parent, text="PROCESS METRICS",
                                       style='Green.TLabelframe', padding=10)
        metrics_frame.pack(fill=tk.BOTH, expand=True, padx=10, pady=5)

        self.metrics_text = scrolledtext.ScrolledText(metrics_frame, height=15,
                                                      bg=GREEN_THEME['bg_light'],
                                                      fg=GREEN_THEME['text_light'],
                                                      font=('Consolas', 9))
        self.metrics_text.pack(fill=tk.BOTH, expand=True)

    def create_process_visualization(self, parent):
        """Create process flow visualization"""
        canvas = tk.Canvas(parent, bg=GREEN_THEME['bg_medium'],
                           height=120, highlightthickness=0)
        canvas.pack(fill=tk.X, pady=5)

        width = 350
        spacing = width / (len(self.process_stages) + 1)

        for i, stage in enumerate(self.process_stages):
            x = spacing * (i + 1)
            y = 60


            # Draw stage circle
            color = GREEN_THEME['process_start'] if i < 3 else GREEN_THEME['process_end']
            canvas.create_oval(x-25, y-25, x+25, y+25,
                               fill=color,
                               outline=GREEN_THEME['highlight'],
                               width=2)

            # Draw stage text
            canvas.create_text(x, y, text=stage[:10],
                               fill=GREEN_THEME['text_light'],
                               font=('Segoe UI', 8, 'bold'))

            # Draw arrow
            if i < len(self.process_stages) - 1:
                canvas.create_line(x+25, y, x+spacing-25, y,
                                   fill=GREEN_THEME['highlight'],
                                   arrow=tk.LAST, width=2)
```

```
def build_right_panel(self, parent):
    """Build right visualization panel"""
    # Create notebook for different views
    self.notebook = ttk.Notebook(parent)
    self.notebook.pack(fill=tk.BOTH, expand=True, padx=5, pady=5)

    # Tab 1: 3D Process Map
    self.tab_3d = ttk.Frame(self.notebook)
    self.notebook.add(self.tab_3d, text=" 🌐 3D Process Map")

    # Tab 2: Growth Analysis
    self.tab_growth = ttk.Frame(self.notebook)
    self.notebook.add(self.tab_growth, text=" 📈 Growth Analysis")

    # Tab 3: Lipid Analysis
    self.tab_lipid = ttk.Frame(self.notebook)
    self.notebook.add(self.tab_lipid, text=" 🟢 Lipid Analysis")

    # Tab 4: Efficiency Analysis
    self.tab_efficiency = ttk.Frame(self.notebook)
    self.notebook.add(self.tab_efficiency, text=" ⚡ Efficiency Analysis")

    # Tab 5: Time Series
    self.tab_time = ttk.Frame(self.notebook)
    self.notebook.add(self.tab_time, text=" ⏱ Time Series")

    # Tab 6: Process Flow
    self.tab_flow = ttk.Frame(self.notebook)
    self.notebook.add(self.tab_flow, text=" 🔁 Process Flow")

def create_plots(self):
    """Initialize all matplotlib plots"""
    # 3D Plot
    self.fig_3d = Figure(figsize=(12, 9), facecolor=GREEN_THEME['bg_dark'])
    self.ax_3d = self.fig_3d.add_subplot(111, projection='3d')
    self.canvas_3d = FigureCanvasTkAgg(self.fig_3d, self.tab_3d)
    self.canvas_3d.get_tk_widget().pack(fill=tk.BOTH, expand=True)

    # Growth Analysis Plot
    self.fig_growth = Figure(figsize=(12, 9), facecolor=GREEN_THEME['bg_dark'])
    self.axs_growth = self.fig_growth.subplots(2, 2)
    self.canvas_growth = FigureCanvasTkAgg(self.fig_growth, self.tab_growth)
    self.canvas_growth.get_tk_widget().pack(fill=tk.BOTH, expand=True)

    # Lipid Analysis Plot
    self.fig_lipid = Figure(figsize=(12, 9), facecolor=GREEN_THEME['bg_dark'])
    self.ax_lipid = self.fig_lipid.add_subplot(111)
    self.canvas_lipid = FigureCanvasTkAgg(self.fig_lipid, self.tab_lipid)
    self.canvas_lipid.get_tk_widget().pack(fill=tk.BOTH, expand=True)

    # Efficiency Analysis Plot
```

```
        self.fig_efficiency = Figure(figsize=(12, 9), facecolor=GREEN_THEME['bg_dark'])
        self.axs_efficiency = self.fig_efficiency.subplots(2, 2)
        self.canvas_efficiency = FigureCanvasTkAgg(self.fig_efficiency, self.tab_efficiency)
        self.canvas_efficiency.get_tk_widget().pack(fill=tk.BOTH, expand=True)

        # Time Series Plot
        self.fig_time = Figure(figsize=(12, 9), facecolor=GREEN_THEME['bg_dark'])
        self.ax_time = self.fig_time.add_subplot(111)
        self.canvas_time = FigureCanvasTkAgg(self.fig_time, self.tab_time)
        self.canvas_time.get_tk_widget().pack(fill=tk.BOTH, expand=True)

        # Process Flow Plot
        self.fig_flow = Figure(figsize=(12, 9), facecolor=GREEN_THEME['bg_dark'])
        self.ax_flow = self.fig_flow.add_subplot(111)
        self.canvas_flow = FigureCanvasTkAgg(self.fig_flow, self.tab_flow)
        self.canvas_flow.get_tk_widget().pack(fill=tk.BOTH, expand=True)

    def load_sample_data(self):
        """Load sample algae biofuels data"""
        np.random.seed(42)
        n_samples = 150

        # Generate comprehensive process data
        self.data = pd.DataFrame({
            'Day': np.arange(1, n_samples + 1),
            'Process_Stage': np.random.choice(self.process_stages, n_samples),
            'Algae_Strain': np.random.choice(self.algae_strains, n_samples),
            'Biomass_g_L': np.random.normal(3.2, 0.8, n_samples).cumsum() / 10,
            'Lipid_Content_%': np.random.normal(42, 12, n_samples),
            'Growth_Rate_per_day': np.random.normal(0.95, 0.25, n_samples),
            'Temperature_C': np.random.normal(28.5, 3.5, n_samples),
            'Light_Intensity': np.random.normal(380, 85, n_samples),
            'CO2_ppm': np.random.normal(1250, 350, n_samples),
            'pH': np.random.normal(7.7, 0.5, n_samples),
            'Nutrient_Level_%': np.random.normal(82, 18, n_samples),
            'Biofuel_Yield_mL_L': np.random.normal(520, 85, n_samples),
            'Energy_Content_MJ_kg': np.random.normal(41, 6, n_samples),
            'Conversion_Efficiency_%': np.random.normal(88, 12, n_samples),
            'Process_Efficiency_%': np.random.normal(81, 15, n_samples),
            'Production_Cost': np.random.normal(2.1, 0.8, n_samples),
            'ROI_%': np.random.normal(32, 14, n_samples),
            'Water_Usage_L': np.random.normal(500, 150, n_samples),
            'Energy_Input_kWh': np.random.normal(120, 40, n_samples)
        })

        # Add realistic correlations
        self.data['Biofuel_Yield_mL_L'] = (
            self.data['Lipid_Content_%'] * 13 +
            self.data['Growth_Rate_per_day'] * 110 +
            (self.data['Temperature_C'] - 25) * 10 +
            np.random.normal(0, 50, n_samples)
        )
```

```
        self.data['Conversion_Efficiency_%'] = (
            78 +
            (self.data['Light_Intensity'] / 400 * 28) +
            (self.data['pH'] - 7.0) * 18 +
            np.random.normal(0, 10, n_samples)
        )

        # Add strain-specific adjustments
        strain_factors = {
            'Chlorella vulgaris': 1.2,
            'Nannochloropsis': 1.4,
            'Scenedesmus': 1.1,
            'Spirulina': 1.0,
            'Dunaliella': 1.3,
            'Mixed Culture': 1.1
        }

        for strain, factor in strain_factors.items():
            mask = self.data['Algae_Strain'] == strain
            self.data.loc[mask, 'Biofuel_Yield_mL_L'] *= factor
            self.data.loc[mask, 'Lipid_Content_%'] *= (factor * 0.9)

        # Clip values to reasonable ranges
        numeric_cols = self.data.select_dtypes(include=[np.number]).columns
        for col in numeric_cols:
            if 'Yield' in col or 'Content' in col or 'Efficiency' in col:
                self.data[col] = self.data[col].clip(lower=0)

        self.filtered_data = self.data.copy()
        self.update_all_plots()
        self.update_metrics()
        self.csv_path_var.set("Sample Data Loaded")

        messagebox.showinfo("Sample Data",
                            f"Loaded {n_samples} sample records\n"
                            f"Contains {len(self.data.columns)} process parameters")

    def load_csv(self):
        """Load data from CSV file"""
        file_path = filedialog.askopenfilename(
            title="Select Algae Process Data File",
            filetypes=[("CSV files", "*.csv"), ("Excel files", "*.xlsx"), ("All files", "*.*")]
        )

        if file_path:
            try:
                if file_path.endswith('.csv'):
                    self.data = pd.read_csv(file_path)
                elif file_path.endswith('.xlsx'):
                    self.data = pd.read_excel(file_path)
                else:
```

```
            # Try to read as CSV with automatic delimiter detection
            self.data = pd.read_csv(file_path, sep=None, engine='python')

        self.filtered_data = self.data.copy()
        self.update_all_plots()
        self.update_metrics()

        filename = os.path.basename(file_path)
        self.csv_path_var.set(filename)

        messagebox.showinfo("Success",
                            f"Loaded {len(self.data)} records\n"
                            f"Columns: {', '.join(self.data.columns.tolist()[:5])}...")

    except Exception as e:
        messagebox.showerror("Error", f"Failed to load file:\n{str(e)}")

def refresh_data(self):
    """Refresh data and update plots"""
    if self.data is not None:
        self.filtered_data = self.data.copy()
        self.update_all_plots()
        self.update_metrics()
        messagebox.showinfo("Refresh", "Data refreshed successfully")
    else:
        self.load_sample_data()

def export_results(self):
    """Export data and visualizations"""
    if self.data is None:
        messagebox.showwarning("No Data", "Please load data first")
        return

    # Create export directory
    timestamp = datetime.now().strftime("%Y%m%d_%H%M%S")
    export_dir = f"Algae_Biofuels_Analysis_{timestamp}"
    os.makedirs(export_dir, exist_ok=True)

    try:
        # Export data
        data_path = os.path.join(export_dir, "algae_process_data.csv")
        self.data.to_csv(data_path, index=False)

        # Export filtered data
        filtered_path = os.path.join(export_dir, "filtered_data.csv")
        self.filtered_data.to_csv(filtered_path, index=False)

        # Export summary statistics

      summary_path = os.path.join(export_dir, "summary_statistics.csv")
        summary = self.data.describe()
        summary.to_csv(summary_path)
```

```
        # Export plots
        plots = [
            (self.fig_3d, "3d_process_map.png"),
            (self.fig_growth, "growth_analysis.png"),
            (self.fig_lipid, "lipid_analysis.png"),
            (self.fig_efficiency, "efficiency_analysis.png"),
            (self.fig_time, "time_series.png"),
            (self.fig_flow, "process_flow.png")
        ]

        for fig, filename in plots:
            fig.savefig(os.path.join(export_dir, filename),
                        dpi=150, facecolor=GREEN_THEME['bg_dark'],
                        bbox_inches='tight')

        # Export detailed report
        self.export_detailed_report(export_dir)

        messagebox.showinfo("Export Complete",
                            f"Results exported to:\n{export_dir}\n\n"
                            f"Contains:\n"
                            f"• Raw process data\n"
                            f"• Summary statistics\n"
                            f"• 6 visualization plots\n"
                            f"• Detailed analysis report")

    except Exception as e:
        messagebox.showerror("Export Error", f"Failed to export results:\n{str(e)}")

def export_detailed_report(self, export_dir):
    """Export detailed analysis report"""
    report_path = os.path.join(export_dir, "detailed_analysis_report.txt")

    with open(report_path, 'w') as f:
        f.write("=" * 70 + "\n")
        f.write("ALGAE TO BIOFUELS PROCESS ANALYSIS REPORT\n")
        f.write("=" * 70 + "\n\n")
        f.write(f"Report Generated: {datetime.now()}\n")
        f.write(f"Total Records: {len(self.data)}\n")
        f.write(f"Analysis Period: {self.data['Day'].min()} to {self.data['Day'].max()} days\n\n")

        f.write("KEY PERFORMANCE INDICATORS:\n")
        f.write("-" * 40 + "\n")

        kpis = [
            ('Biofuel_Yield_mL_L', 'Biofuel Yield (mL/L)'),
            ('Lipid_Content_%', 'Lipid Content (%)'),
            ('Conversion_Efficiency_%', 'Conversion Efficiency (%)'),
            ('ROI_%', 'Return on Investment (%)')
        ]
```

```
        for col, name in kpis:
            if col in self.data.columns:
                data = self.data[col].dropna()
                f.write(f"\n{name}:\n")
                f.write(f"  Average: {data.mean():.2f}\n")
                f.write(f"  Standard Deviation: {data.std():.2f}\n")
                f.write(f"  Minimum: {data.min():.2f}\n")
                f.write(f"  Maximum: {data.max():.2f}\n")
                f.write(f"  Range: {data.max() - data.min():.2f}\n")

        f.write("\n\nPROCESS OPTIMIZATION RECOMMENDATIONS:\n")
        f.write("-" * 40 + "\n")
        recommendations = [
            "1. Maintain temperature between 25-30°C for optimal growth",
            "2. Ensure light intensity of 300-400 μE/m²/s",
            "3. Keep CO₂ concentration at 1000-1500 ppm",
            "4. Target pH level of 7.5-8.0",
            "5. Monitor nutrient levels regularly",
            "6. Consider strain selection based on environmental conditions",
            "7. Implement continuous monitoring of key parameters",
            "8. Optimize harvesting timing based on lipid content",
            "9. Reduce water usage through recycling systems",
            "10. Minimize energy input through efficient processes"
        ]

        for rec in recommendations:
            f.write(rec + "\n")

        f.write("\n\nECONOMIC ANALYSIS:\n")
        f.write("-" * 40 + "\n")

        if all(col in self.data.columns for col in ['Biofuel_Yield_mL_L', 'Production_Cost']):
            avg_yield = self.data['Biofuel_Yield_mL_L'].mean()
            avg_cost = self.data['Production_Cost'].mean()
            cost_per_liter = (avg_cost / (avg_yield / 1000))

            f.write(f"Average Biofuel Yield: {avg_yield:.1f} mL/L\n")
            f.write(f"Average Production Cost: ${avg_cost:.2f}\n")
            f.write(f"Estimated Cost per Liter: ${cost_per_liter:.3f}\n")

            # Calculate profitability
            market_price = 3.50  # Estimated market price per liter
            profit_margin = ((market_price - cost_per_liter) / market_price) * 100
            f.write(f"Estimated Profit Margin: {profit_margin:.1f}%\n")

def generate_report(self):
    """Generate and display analysis report"""
    if self.data is None:
        messagebox.showwarning("No Data", "Please load data first")
        return

    report_window = tk.Toplevel(self.root)
```

```
        report_window.title("Analysis Report")
        report_window.geometry("800x600")
        report_window.configure(bg=GREEN_THEME['bg_dark'])

        # Create text widget
        text_widget = scrolledtext.ScrolledText(report_window,
                                                bg=GREEN_THEME['bg_light'],
                                                fg=GREEN_THEME['text_light'],
                                                font=('Consolas', 10))
        text_widget.pack(fill=tk.BOTH, expand=True, padx=10, pady=10)

        # Generate report content
        report_content = self.generate_report_content()
        text_widget.insert(1.0, report_content)
        text_widget.configure(state='disabled')

        # Add export button
        export_btn = ttk.Button(report_window, text="Export Report",
                                command=lambda: self.export_text_report(report_content))
        export_btn.pack(pady=10)

    def generate_report_content(self):
        """Generate report content"""
        report = []
        report.append("=" * 70)
        report.append("ALGAE BIOFUELS PROCESS ANALYSIS REPORT")
        report.append("=" * 70)
        report.append(f"\nGenerated: {datetime.now()}")
        report.append(f"Data Points: {len(self.data)}")

        # Summary statistics
        report.append("\n\nSUMMARY STATISTICS:")
        report.append("-" * 40)

        key_metrics = [
            ('Biofuel_Yield_mL_L', 'Biofuel Yield'),
            ('Lipid_Content_%', 'Lipid Content'),
            ('Growth_Rate_per_day', 'Growth Rate'),
            ('Conversion_Efficiency_%', 'Conversion Efficiency'),
            ('ROI_%', 'Return on Investment')
        ]

        for col, name in key_metrics:
            if col in self.data.columns:
                data = self.data[col].dropna()
                report.append(f"\n{name}:")
                report.append(f"  Mean: {data.mean():.2f}")
                report.append(f"  Std Dev: {data.std():.2f}")
                report.append(f"  Min: {data.min():.2f}")
                report.append(f"  Max: {data.max():.2f}")
                report.append(f"  CV: {(data.std()/data.mean()*100):.1f}%")
```

```
        # Correlation analysis
        report.append("\n\nCORRELATION ANALYSIS:")
        report.append("-" * 40)

        correlations = [
            ('Lipid_Content_%', 'Biofuel_Yield_mL_L', 'Lipid Content vs Yield'),
            ('Growth_Rate_per_day', 'Biofuel_Yield_mL_L', 'Growth Rate vs Yield'),
            ('Temperature_C', 'Growth_Rate_per_day', 'Temperature vs Growth Rate')
        ]

        for col1, col2, name in correlations:
            if col1 in self.data.columns and col2 in self.data.columns:
                corr = self.data[col1].corr(self.data[col2])
                report.append(f"\n{name}:")
                report.append(f"  Correlation: {corr:.3f}")
                strength = "Strong" if abs(corr) > 0.7 else "Moderate" if abs(corr) > 0.3 else "Weak"
                report.append(f"  Strength: {strength}")

        # Recommendations
        report.append("\n\nRECOMMENDATIONS:")
        report.append("-" * 40)

        recommendations = [
            "1. Optimize temperature control (25-30°C recommended)",
            "2. Maintain adequate lighting (300-400 μE/m²/s)",
            "3. Ensure proper CO₂ supply (1000-1500 ppm)",
            "4. Monitor pH levels regularly (7.5-8.0 optimal)",
            "5. Adjust nutrient levels based on growth phase",
            "6. Consider strain selection for specific conditions",
            "7. Implement predictive maintenance for equipment",
            "8. Optimize harvesting timing for maximum lipid content",
            "9. Reduce water consumption through recycling",
            "10. Monitor energy efficiency continuously"
        ]

        for rec in recommendations:
            report.append(rec)

        return "\n".join(report)

    def export_text_report(self, content):
        """Export text report to file"""
        file_path = filedialog.asksaveasfilename(
            defaultextension=".txt",
            filetypes=[("Text files", "*.txt"), ("All files", "*.*")]
        )

        if file_path:
            try:
                with open(file_path, 'w') as f:
                    f.write(content)
                messagebox.showinfo("Success", f"Report exported to:\n{file_path}")
```

```
            except Exception as e:
                messagebox.showerror("Error", f"Failed to export report:\n{str(e)}")

    def optimize_process(self):
        """Run process optimization"""
        if self.data is None:
            messagebox.showwarning("No Data", "Please load data first")
            return


        # Create optimization window
        opt_window = tk.Toplevel(self.root)
        opt_window.title("Process Optimization")
        opt_window.geometry("500x400")
        opt_window.configure(bg=GREEN_THEME['bg_dark'])

        tk.Label(opt_window, text="Process Optimization",
                 bg=GREEN_THEME['bg_dark'],
                 fg=GREEN_THEME['highlight'],
                 font=('Segoe UI', 14, 'bold')).pack(pady=10)

        # Add optimization parameters
        params_frame = ttk.Frame(opt_window)
        params_frame.pack(fill=tk.BOTH, expand=True, padx=20, pady=10)

        opt_params = [
            ("Target Yield (mL/L)", 300, 700),
            ("Max Cost ($/L)", 1.0, 5.0),
            ("Min Efficiency (%)", 60, 95)
        ]

        opt_vars = {}
        for param, min_val, max_val in opt_params:
            frame = ttk.Frame(params_frame)
            frame.pack(fill=tk.X, pady=5)

            tk.Label(frame, text=param, width=20,
                     bg=GREEN_THEME['bg_dark'],
                     fg=GREEN_THEME['text_light']).pack(side=tk.LEFT)

            var = tk.DoubleVar(value=(min_val + max_val) / 2)
            opt_vars[param] = var

            ttk.Scale(frame, from_=min_val, to=max_val,
                      variable=var, orient=tk.HORIZONTAL).pack(side=tk.LEFT, fill=tk.X, expand=True,
padx=10)

            tk.Label(frame, textvariable=var, width=8,
                     bg=GREEN_THEME['bg_dark'],
                     fg=GREEN_THEME['text_light']).pack(side=tk.RIGHT)

        # Optimization button
```

```
    ttk.Button(opt_window, text="Run Optimization",
               command=lambda: self.run_optimization_algo(opt_vars, opt_window),
               style='Accent.TButton').pack(pady=20)

def run_optimization_algo(self, opt_vars, window):
    """Run optimization algorithm"""
    import time

    # Create progress bar
    progress = ttk.Progressbar(window, length=300, mode='indeterminate')
    progress.pack(pady=10)
    progress.start(10)

    tk.Label(window, text="Running optimization algorithm...",
             bg=GREEN_THEME['bg_dark'],
             fg=GREEN_THEME['text_light']).pack()

    window.update()
    time.sleep(3)  # Simulate processing

    progress.stop()
    progress.destroy()

    # Show results
    results_frame = ttk.Frame(window)
    results_frame.pack(fill=tk.BOTH, expand=True, padx=20, pady=10)

    tk.Label(results_frame, text="✅ Optimization Results:",
             bg=GREEN_THEME['bg_dark'],
             fg=GREEN_THEME['success'],
             font=('Segoe UI', 12, 'bold')).pack(pady=5)

    results = [
        f"Optimal Temperature: {np.random.uniform(26, 30):.1f}°C",
        f"Optimal Light Intensity: {np.random.uniform(320, 380):.0f} µE/m²/s",
        f"Optimal CO₂ Concentration: {np.random.uniform(1100, 1400):.0f} ppm",
        f"Expected Yield Improvement: {np.random.uniform(15, 25):.1f}%",
        f"Projected Efficiency: {np.random.uniform(85, 95):.1f}%"
    ]

    for result in results:
        tk.Label(results_frame, text=result,
                 bg=GREEN_THEME['bg_dark'],
                 fg=GREEN_THEME['text_light']).pack(anchor='w')

    ttk.Button(window, text="Apply Parameters",
               command=lambda: self.apply_optimization(window)).pack(pady=20)

def apply_optimization(self, window):
    """Apply optimization results"""
    # Update parameter sliders with optimal values
    optimal_values = {
```

```
            "Temperature (°C)": np.random.uniform(26, 30),
            "Light Intensity (μE/m²/s)": np.random.uniform(320, 380),
            "CO₂ Concentration (ppm)": np.random.uniform(1100, 1400),
            "pH Level": np.random.uniform(7.6, 7.9),
            "Nutrient Level (%)": np.random.uniform(75, 85)
        }

        for param, value in optimal_values.items():
            if param in self.param_vars:
                self.param_vars[param].set(value)

        window.destroy()
        messagebox.showinfo("Success", "Optimal parameters applied to controls")

    def show_statistics(self):
        """Show detailed statistics"""
        if self.data is None:
            messagebox.showwarning("No Data", "Please load data first")
            return

        stats_window = tk.Toplevel(self.root)
        stats_window.title("Statistical Analysis")
        stats_window.geometry("600x500")
        stats_window.configure(bg=GREEN_THEME['bg_dark'])

        text_widget = scrolledtext.ScrolledText(stats_window,
                                                bg=GREEN_THEME['bg_light'],
                                                fg=GREEN_THEME['text_light'],
                                                font=('Consolas', 10))
        text_widget.pack(fill=tk.BOTH, expand=True, padx=10, pady=10)

        stats_text = self.calculate_comprehensive_stats()
        text_widget.insert(1.0, stats_text)
        text_widget.configure(state='disabled')

    def calculate_comprehensive_stats(self):
        """Calculate comprehensive statistics"""
        stats = []
        stats.append("COMPREHENSIVE STATISTICAL ANALYSIS")
        stats.append("=" * 50 + "\n")

        numeric_cols = self.data.select_dtypes(include=[np.number]).columns

        for col in numeric_cols:
            data = self.data[col].dropna()
            if len(data) > 0:
                stats.append(f"\n{col.replace('_', ' ')}:")
                stats.append(f"  Count: {len(data):,}")
                stats.append(f"  Mean: {data.mean():.4f}")
                stats.append(f"  Std Dev: {data.std():.4f}")
                stats.append(f"  Variance: {data.var():.4f}")
                stats.append(f"  Skewness: {data.skew():.4f}")
```

```
            stats.append(f"  Kurtosis: {data.kurtosis():.4f}")
            stats.append(f"  Min: {data.min():.4f}")
            stats.append(f"  25th Percentile: {data.quantile(0.25):.4f}")
            stats.append(f"  Median: {data.median():.4f}")
            stats.append(f"  75th Percentile: {data.quantile(0.75):.4f}")
            stats.append(f"  Max: {data.max():.4f}")
            stats.append(f"  Range: {data.max() - data.min():.4f}")
            stats.append(f"  IQR: {data.quantile(0.75) - data.quantile(0.25):.4f}")

    return "\n".join(stats)

def trend_analysis(self):
    """Perform trend analysis"""
    if self.data is None:
        messagebox.showwarning("No Data", "Please load data first")
        return

    trend_window = tk.Toplevel(self.root)
    trend_window.title("Trend Analysis")
    trend_window.geometry("600x400")
    trend_window.configure(bg=GREEN_THEME['bg_dark'])

    text_widget = scrolledtext.ScrolledText(trend_window,
                                            bg=GREEN_THEME['bg_light'],
                                            fg=GREEN_THEME['text_light'],
                                            font=('Consolas', 10))
    text_widget.pack(fill=tk.BOTH, expand=True, padx=10, pady=10)

    trend_text = self.calculate_trends()
    text_widget.insert(1.0, trend_text)
    text_widget.configure(state='disabled')

def calculate_trends(self):
    """Calculate trends in the data"""
    trends = []
    trends.append("TREND ANALYSIS REPORT")
    trends.append("=" * 40 + "\n")

    if 'Day' in self.data.columns:
        numeric_cols = self.data.select_dtypes(include=[np.number]).columns

        for col in numeric_cols:
            if col != 'Day':
                data = self.data[['Day', col]].dropna()
                if len(data) > 1:
                    x = data['Day']
                    y = data[col]

                    # Calculate linear regression
                    z = np.polyfit(x, y, 1)
                    p = np.poly1d(z)
                    slope = z[0]
```

```
                trends.append(f"\n{col.replace('_', ' ')}:")
                trends.append(f"  Trend Slope: {slope:.4f} per day")

                if slope > 0.01:
                    trend = "Strong Increasing"
                elif slope > 0:
                    trend = "Slightly Increasing"
                elif slope < -0.01:
                    trend = "Strong Decreasing"
                elif slope < 0:
                    trend = "Slightly Decreasing"
                else:
                    trend = "Stable"

                trends.append(f"  Trend: {trend}")

                # Calculate R-squared
                y_pred = p(x)
                ss_res = np.sum((y - y_pred) ** 2)
                ss_tot = np.sum((y - np.mean(y)) ** 2)
                r_squared = 1 - (ss_res / ss_tot) if ss_tot != 0 else 0
                trends.append(f"  R-squared: {r_squared:.4f}")

        return "\n".join(trends)

    def show_correlation(self):
        """Show correlation matrix"""
        if self.data is None:
            messagebox.showwarning("No Data", "Please load data first")
            return

        corr_window = tk.Toplevel(self.root)
        corr_window.title("Correlation Matrix")
        corr_window.geometry("800x600")
        corr_window.configure(bg=GREEN_THEME['bg_dark'])


# Create correlation matrix plot
        fig = Figure(figsize=(10, 8), facecolor=GREEN_THEME['bg_dark'])
        ax = fig.add_subplot(111)

        numeric_data = self.data.select_dtypes(include=[np.number])
        corr_matrix = numeric_data.corr()

        # Create heatmap
        im = ax.imshow(corr_matrix, cmap='Greens', vmin=-1, vmax=1, aspect='auto')

        # Add correlation values
        for i in range(len(corr_matrix)):
            for j in range(len(corr_matrix)):
                value = corr_matrix.iloc[i, j]
```

```
            color = 'white' if abs(value) > 0.5 else 'black'
            ax.text(j, i, f'{value:.2f}', ha='center', va='center',
                    color=color, fontsize=8, fontweight='bold')

    # Configure plot
    ax.set_xticks(range(len(corr_matrix.columns)))
    ax.set_yticks(range(len(corr_matrix.columns)))
    ax.set_xticklabels([col[:12] for col in corr_matrix.columns],
                       rotation=45, ha='right',
                       color=GREEN_THEME['text_light'])
    ax.set_yticklabels([col[:12] for col in corr_matrix.columns],
                       color=GREEN_THEME['text_light'])

    ax.set_title('Variable Correlation Matrix',
                 color=GREEN_THEME['highlight'], fontsize=14, pad=20)

    # Add colorbar
    cbar = fig.colorbar(im, ax=ax)
    cbar.ax.yaxis.set_tick_params(color=GREEN_THEME['text_dark'])
    plt.setp(plt.getp(cbar.ax.axes, 'yticklabels'),
             color=GREEN_THEME['text_dark'])

    ax.set_facecolor(GREEN_THEME['bg_light'])

    # Embed in Tkinter
    canvas = FigureCanvasTkAgg(fig, corr_window)
    canvas.draw()
    canvas.get_tk_widget().pack(fill=tk.BOTH, expand=True, padx=10, pady=10)

def show_distributions(self):
    """Show distribution analysis"""
    if self.data is None:
        messagebox.showwarning("No Data", "Please load data first")
        return

    dist_window = tk.Toplevel(self.root)
    dist_window.title("Distribution Analysis")
    dist_window.geometry("800x600")
    dist_window.configure(bg=GREEN_THEME['bg_dark'])

    # Create distribution plots
    fig = Figure(figsize=(10, 8), facecolor=GREEN_THEME['bg_dark'])
    axes = fig.subplots(2, 2)

    # Select key variables for distribution analysis
    variables = ['Biofuel_Yield_mL_L', 'Lipid_Content_%',
                 'Growth_Rate_per_day', 'Conversion_Efficiency_%']
    titles = ['Biofuel Yield Distribution', 'Lipid Content Distribution',
              'Growth Rate Distribution', 'Efficiency Distribution']

    for ax, var, title in zip(axes.flat, variables, titles):
        if var in self.data.columns:
```

```
            data = self.data[var].dropna()

            # Create histogram with KDE
            ax.hist(data, bins=25, alpha=0.7, density=True,
                    color=GREEN_THEME['accent_light'],
                    edgecolor=GREEN_THEME['highlight'])

            # Add KDE
            try:
                from scipy.stats import gaussian_kde
                kde = gaussian_kde(data)
                x_range = np.linspace(data.min(), data.max(), 200)
                ax.plot(x_range, kde(x_range),
                        color=GREEN_THEME['highlight'], linewidth=2)
            except:
                pass

            # Add statistics lines
            mean = data.mean()
            median = data.median()
            ax.axvline(mean, color='yellow', linestyle='--',
                       linewidth=2, alpha=0.8, label=f'Mean: {mean:.2f}')
            ax.axvline(median, color='cyan', linestyle='--',
                       linewidth=2, alpha=0.8, label=f'Median: {median:.2f}')

            ax.set_title(title, color=GREEN_THEME['highlight'], fontsize=11)
            ax.set_xlabel(var.replace('_', ' '), color=GREEN_THEME['text_light'])
            ax.set_ylabel('Density', color=GREEN_THEME['text_light'])
            ax.legend(facecolor=GREEN_THEME['bg_medium'],
                      edgecolor=GREEN_THEME['accent_light'])
            ax.grid(True, alpha=0.2, color=GREEN_THEME['grid'])
            ax.set_facecolor(GREEN_THEME['bg_light'])
            ax.tick_params(colors=GREEN_THEME['text_dark'])

        fig.suptitle('Distribution Analysis', color=GREEN_THEME['highlight2'],
                     fontsize=14, fontweight='bold')
        fig.tight_layout()

        # Embed in Tkinter
        canvas = FigureCanvasTkAgg(fig, dist_window)
        canvas.draw()
        canvas.get_tk_widget().pack(fill=tk.BOTH, expand=True, padx=10, pady=10)

    def update_all_plots(self):
        """Update all visualization plots"""
        if self.filtered_data is not None:
            self.update_3d_plot()
            self.update_growth_analysis()
            self.update_lipid_analysis()
            self.update_efficiency_analysis()
            self.update_time_series()
            self.update_process_flow()
```

```
def update_3d_plot(self):
    """Update 3D visualization"""
    self.ax_3d.clear()

    if self.filtered_data is None or len(self.filtered_data) < 3:
        self.canvas_3d.draw()
        return

    # Prepare data
    x = (self.filtered_data['Growth_Rate_per_day']
         if 'Growth_Rate_per_day' in self.filtered_data.columns
         else self.filtered_data.iloc[:, 2])
    y = (self.filtered_data['Lipid_Content_%']
         if 'Lipid_Content_%' in self.filtered_data.columns
         else self.filtered_data.iloc[:, 3])
    z = (self.filtered_data['Biofuel_Yield_mL_L']
         if 'Biofuel_Yield_mL_L' in self.filtered_data.columns
         else self.filtered_data.iloc[:, 8])

    # Color by efficiency
    if 'Conversion_Efficiency_%' in self.filtered_data.columns:
        colors = self.filtered_data['Conversion_Efficiency_%']
        cmap = 'Greens'
        color_label = 'Efficiency (%)'
    else:
        colors = z
        cmap = 'viridis'
        color_label = 'Yield (mL/L)'

    # Create 3D scatter plot
    scatter = self.ax_3d.scatter(x, y, z, c=colors, cmap=cmap,
                                 s=60, alpha=0.8, edgecolors='white',
                                 linewidth=0.5, depthshade=True)

    # Labels and title
    self.ax_3d.set_xlabel('Growth Rate (day⁻¹)',
                          color=GREEN_THEME['highlight'], fontsize=11)
    self.ax_3d.set_ylabel('Lipid Content (%)',
                          color=GREEN_THEME['highlight'], fontsize=11)
    self.ax_3d.set_zlabel('Biofuel Yield (mL/L)',
                          color=GREEN_THEME['highlight'], fontsize=11)

    self.ax_3d.set_title('3D Process Map: Growth vs Lipids vs Yield\n',
                         color=GREEN_THEME['highlight2'], fontsize=14)

    # Set viewing angle
    self.ax_3d.view_init(elev=25, azim=45)

    # Configure axes
    self.ax_3d.xaxis.set_pane_color((0.1, 0.1, 0.1, 0.1))
    self.ax_3d.yaxis.set_pane_color((0.1, 0.1, 0.1, 0.1))
```

```
        self.ax_3d.zaxis.set_pane_color((0.1, 0.1, 0.1, 0.1))

        self.ax_3d.tick_params(colors=GREEN_THEME['text_dark'])
        self.ax_3d.grid(True, alpha=0.2, color=GREEN_THEME['grid'])

        # Add colorbar
        cbar = self.fig_3d.colorbar(scatter, ax=self.ax_3d, pad=0.1)
        cbar.set_label(color_label, color=GREEN_THEME['text_light'])
        cbar.ax.yaxis.set_tick_params(color=GREEN_THEME['text_dark'])
        plt.setp(plt.getp(cbar.ax.axes, 'yticklabels'),
                 color=GREEN_THEME['text_dark'])

        self.fig_3d.tight_layout()
        self.canvas_3d.draw()

    def update_growth_analysis(self):
        """Update growth analysis plots"""
        if self.filtered_data is None:
            return

        for ax in self.axs_growth.flat:
            ax.clear()

        # Plot 1: Growth Rate Distribution
        if 'Growth_Rate_per_day' in self.filtered_data.columns:
            ax = self.axs_growth[0, 0]
            data = self.filtered_data['Growth_Rate_per_day'].dropna()

            ax.hist(data, bins=20, alpha=0.7, density=True,
                    color=GREEN_THEME['accent_light'],
                    edgecolor=GREEN_THEME['highlight'])

            # Add KDE
            try:
                from scipy.stats import gaussian_kde
                kde = gaussian_kde(data)
                x_range = np.linspace(data.min(), data.max(), 200)
                ax.plot(x_range, kde(x_range),
                        color=GREEN_THEME['highlight'], linewidth=2)
            except:
                pass

            ax.set_title('Growth Rate Distribution',
                         color=GREEN_THEME['highlight'], fontsize=11)
            ax.set_xlabel('Growth Rate (day⁻¹)', color=GREEN_THEME['text_light'])
            ax.set_ylabel('Density', color=GREEN_THEME['text_light'])

        # Plot 2: Growth vs Temperature
        if all(col in self.filtered_data.columns for col in ['Growth_Rate_per_day', 'Temperature_C']):
            ax = self.axs_growth[0, 1]
            scatter = ax.scatter(self.filtered_data['Temperature_C'],
                                 self.filtered_data['Growth_Rate_per_day'],
```

```
                    alpha=0.6, c=self.filtered_data['Biofuel_Yield_mL_L']
                    if 'Biofuel_Yield_mL_L' in self.filtered_data.columns else
GREEN_THEME['accent_light'],

                    cmap='Greens', edgecolors='white', linewidth=0.5)

        ax.set_title('Growth vs Temperature',
                     color=GREEN_THEME['highlight'], fontsize=11)
        ax.set_xlabel('Temperature (°C)', color=GREEN_THEME['text_light'])
        ax.set_ylabel('Growth Rate (day⁻¹)', color=GREEN_THEME['text_light'])

    # Plot 3: Growth Time Series
    if all(col in self.filtered_data.columns for col in ['Day', 'Growth_Rate_per_day']):
        ax = self.axs_growth[1, 0]
        ax.plot(self.filtered_data['Day'], self.filtered_data['Growth_Rate_per_day'],
                color=GREEN_THEME['highlight'], linewidth=2, marker='o',
                markersize=3, alpha=0.8)

        # Add moving average
        window = min(7, len(self.filtered_data) // 4)
        if window > 1:
            moving_avg = self.filtered_data['Growth_Rate_per_day'].rolling(window).mean()
            ax.plot(self.filtered_data['Day'], moving_avg,
                    color='yellow', linewidth=2, linestyle='--',
                    label=f'{window}-day MA')
            ax.legend()

        ax.set_title('Growth Rate Over Time',
                     color=GREEN_THEME['highlight'], fontsize=11)
        ax.set_xlabel('Day', color=GREEN_THEME['text_light'])
        ax.set_ylabel('Growth Rate (day⁻¹)', color=GREEN_THEME['text_light'])

    # Plot 4: Growth by Strain
    if all(col in self.filtered_data.columns for col in ['Algae_Strain', 'Growth_Rate_per_day']):
        ax = self.axs_growth[1, 1]
        strain_growth = self.filtered_data.groupby('Algae_Strain')['Growth_Rate_per_day'].mean()
        strains = strain_growth.index
        values = strain_growth.values

        bars = ax.bar(strains, values, alpha=0.8,
                      color=[GREEN_THEME['accent_light'],
                             GREEN_THEME['accent_medium'],
                             GREEN_THEME['accent_dark'],
                             GREEN_THEME['highlight']])

        ax.set_title('Average Growth by Strain',
                     color=GREEN_THEME['highlight'], fontsize=11)
        ax.set_xlabel('Algae Strain', color=GREEN_THEME['text_light'])
        ax.set_ylabel('Growth Rate (day⁻¹)', color=GREEN_THEME['text_light'])
        plt.setp(ax.get_xticklabels(), rotation=45, ha='right')

    # Configure all subplots
```

```
    for ax in self.axs_growth.flat:
        ax.tick_params(colors=GREEN_THEME['text_dark'])
        ax.grid(True, alpha=0.2, color=GREEN_THEME['grid'])
        ax.set_facecolor(GREEN_THEME['bg_light'])

    self.fig_growth.suptitle('Growth Analysis', color=GREEN_THEME['highlight2'],
                             fontsize=14, fontweight='bold')
    self.fig_growth.tight_layout()
    self.canvas_growth.draw()

def update_lipid_analysis(self):
    """Update lipid analysis plot"""
    self.ax_lipid.clear()

    if self.filtered_data is None:
        self.canvas_lipid.draw()
        return

    if 'Lipid_Content_%' in self.filtered_data.columns:
        data = self.filtered_data['Lipid_Content_%'].dropna()

        # Create enhanced histogram
        n, bins, patches = self.ax_lipid.hist(data, bins=30, alpha=0.8,
                                              color=GREEN_THEME['accent_light'],
                                              edgecolor=GREEN_THEME['highlight'],
                                              density=True,
                                              label='Distribution')

        # Add KDE
        try:
            from scipy.stats import gaussian_kde
            kde = gaussian_kde(data)
            x_range = np.linspace(data.min(), data.max(), 400)
            self.ax_lipid.plot(x_range, kde(x_range),
                               color=GREEN_THEME['highlight2'],
                               linewidth=3, label='Kernel Density')
        except:
            pass

        # Add statistical lines
        mean = data.mean()
        median = data.median()
        std = data.std()

        self.ax_lipid.axvline(mean, color='yellow', linestyle='--',
                              linewidth=2.5, alpha=0.9,
                              label=f'Mean: {mean:.1f}%')
        self.ax_lipid.axvline(median, color='cyan', linestyle='--',
                              linewidth=2.5, alpha=0.9,
                              label=f'Median: {median:.1f}%')

        # Shade regions
```

```
        self.ax_lipid.axvspan(mean - std, mean + std, alpha=0.15,
                              color=GREEN_THEME['accent_dark'],
                              label='±1 Std Dev')

        # Add target zone for biofuels
        self.ax_lipid.axvspan(35, 50, alpha=0.1, color=GREEN_THEME['success'],
                              label='Optimal Biofuel Range (35-50%)')

        self.ax_lipid.set_title('Lipid Content Distribution Analysis\n',
                                color=GREEN_THEME['highlight2'], fontsize=14,
                                fontweight='bold')
        self.ax_lipid.set_xlabel('Lipid Content (%)',
                                 color=GREEN_THEME['text_light'], fontsize=12)
        self.ax_lipid.set_ylabel('Density',
                                 color=GREEN_THEME['text_light'], fontsize=12)
        self.ax_lipid.legend(facecolor=GREEN_THEME['bg_medium'],
                             edgecolor=GREEN_THEME['accent_light'],
                             fontsize=10, loc='upper right')

        # Add statistics text box
        stats_text = (f'Statistics:\n'
                      f'N = {len(data):,}\n'
                      f'Mean = {mean:.1f}%\n'
                      f'Std Dev = {std:.1f}%\n'
                      f'Min = {data.min():.1f}%\n'
                      f'Max = {data.max():.1f}%\n'
                      f'Optimal % = {(len(data[(data >= 35) & (data <= 50)]) / len(data) * 100):.1f}%')

        self.ax_lipid.text(0.02, 0.98, stats_text,
                           transform=self.ax_lipid.transAxes,
                           color=GREEN_THEME['text_light'],
                           fontsize=10,
                           verticalalignment='top',
                           bbox=dict(boxstyle="round,pad=0.4",
                                     facecolor=GREEN_THEME['bg_medium'],
                                     edgecolor=GREEN_THEME['accent_light'],
                                     alpha=0.9))

    self.ax_lipid.tick_params(colors=GREEN_THEME['text_dark'])
    self.ax_lipid.grid(True, alpha=0.2, color=GREEN_THEME['grid'], linestyle='--')
    self.ax_lipid.set_facecolor(GREEN_THEME['bg_light'])

    self.fig_lipid.tight_layout()
    self.canvas_lipid.draw()

def update_efficiency_analysis(self):
    """Update efficiency analysis plots"""
    if self.filtered_data is None:
        return

    for ax in self.axs_efficiency.flat:
        ax.clear()
```

```
        # Plot 1: Efficiency Distribution
        if 'Conversion_Efficiency_%' in self.filtered_data.columns:
            ax = self.axs_efficiency[0, 0]
            data = self.filtered_data['Conversion_Efficiency_%'].dropna()

            ax.hist(data, bins=20, alpha=0.7, density=True,
                    color=GREEN_THEME['accent_light'],
                    edgecolor=GREEN_THEME['highlight'])

            ax.set_title('Conversion Efficiency Distribution',
                         color=GREEN_THEME['highlight'], fontsize=11)
            ax.set_xlabel('Efficiency (%)', color=GREEN_THEME['text_light'])
            ax.set_ylabel('Density', color=GREEN_THEME['text_light'])

        # Plot 2: Efficiency vs Yield
        if all(col in self.filtered_data.columns
               for col in ['Conversion_Efficiency_%', 'Biofuel_Yield_mL_L']):
            ax = self.axs_efficiency[0, 1]
            scatter = ax.scatter(self.filtered_data['Conversion_Efficiency_%'],
                                 self.filtered_data['Biofuel_Yield_mL_L'],
                                 alpha=0.6, c=self.filtered_data['Lipid_Content_%']
                                 if 'Lipid_Content_%' in self.filtered_data.columns
                                 else GREEN_THEME['accent_light'],
                                 cmap='Greens', edgecolors='white', linewidth=0.5)

            ax.set_title('Efficiency vs Biofuel Yield',
                         color=GREEN_THEME['highlight'], fontsize=11)
            ax.set_xlabel('Efficiency (%)', color=GREEN_THEME['text_light'])
            ax.set_ylabel('Yield (mL/L)', color=GREEN_THEME['text_light'])

        # Plot 3: Efficiency by Process Stage
        if all(col in self.filtered_data.columns
               for col in ['Process_Stage', 'Conversion_Efficiency_%']):
            ax = self.axs_efficiency[1, 0]
            stage_eff = self.filtered_data.groupby('Process_Stage')['Conversion_Efficiency_%'].mean()
            stages = stage_eff.index
            values = stage_eff.values

            bars = ax.bar(stages, values, alpha=0.8,
                          color=[GREEN_THEME['accent_light'],
                                 GREEN_THEME['accent_medium'],
                                 GREEN_THEME['accent_dark'],
                                 GREEN_THEME['highlight']])

            # Add value
labels
            for bar, value in zip(bars, values):
                height = bar.get_height()
                ax.text(bar.get_x() + bar.get_width()/2., height,
                        f'{value:.1f}%', ha='center', va='bottom',
                        color=GREEN_THEME['text_light'], fontweight='bold')
```

```
        ax.set_title('Average Efficiency by Process Stage',
                     color=GREEN_THEME['highlight'], fontsize=11)
        ax.set_xlabel('Process Stage', color=GREEN_THEME['text_light'])
        ax.set_ylabel('Efficiency (%)', color=GREEN_THEME['text_light'])
        plt.setp(ax.get_xticklabels(), rotation=45, ha='right')

    # Plot 4: ROI Analysis
    if 'ROI_%' in self.filtered_data.columns:
        ax = self.axs_efficiency[1, 1]
        roi_data = self.filtered_data['ROI_%'].dropna()

        ax.hist(roi_data, bins=15, alpha=0.7, density=True,
                color=GREEN_THEME['accent_light'],
                edgecolor=GREEN_THEME['highlight'])

        # Add target lines
        ax.axvline(20, color='red', linestyle='--', alpha=0.7,
                   linewidth=2, label='Minimum Target (20%)')
        ax.axvline(30, color='green', linestyle='--', alpha=0.7,
                   linewidth=2, label='Good ROI (30%)')

        ax.set_title('Return on Investment (ROI) Distribution',
                     color=GREEN_THEME['highlight'], fontsize=11)
        ax.set_xlabel('ROI (%)', color=GREEN_THEME['text_light'])
        ax.set_ylabel('Density', color=GREEN_THEME['text_light'])
        ax.legend()

    # Configure all subplots
    for ax in self.axs_efficiency.flat:
        ax.tick_params(colors=GREEN_THEME['text_dark'])
        ax.grid(True, alpha=0.2, color=GREEN_THEME['grid'])
        ax.set_facecolor(GREEN_THEME['bg_light'])

    self.fig_efficiency.suptitle('Efficiency Analysis',
                                 color=GREEN_THEME['highlight2'],
                                 fontsize=14, fontweight='bold')
    self.fig_efficiency.tight_layout()
    self.canvas_efficiency.draw()

def update_time_series(self):
    """Update time series plot"""
    self.ax_time.clear()

    if self.filtered_data is None or 'Day' not in self.filtered_data.columns:
        self.canvas_time.draw()
        return

    # Plot multiple time series
    time_vars = ['Biomass_g_L', 'Lipid_Content_%',
                 'Biofuel_Yield_mL_L', 'Conversion_Efficiency_%']
    colors = [GREEN_THEME['highlight'], GREEN_THEME['accent_light'],
```

```
            GREEN_THEME['accent_bright'], GREEN_THEME['success']]

        for i, var in enumerate(time_vars):
            if var in self.filtered_data.columns:
                self.ax_time.plot(self.filtered_data['Day'], self.filtered_data[var],
                                  label=var.replace('_', ' '),
                                  color=colors[i], linewidth=2.5, alpha=0.8,
                                  marker='o', markersize=3)

        # Add moving average for biofuel yield
        if 'Biofuel_Yield_mL_L' in self.filtered_data.columns:
            window = min(5, len(self.filtered_data) // 4)
            if window > 1:
                moving_avg = self.filtered_data['Biofuel_Yield_mL_L'].rolling(window).mean()
                self.ax_time.plot(self.filtered_data['Day'], moving_avg,
                                  label=f'Yield ({window}-day MA)',
                                  color='yellow', linewidth=2, linestyle='--')

        self.ax_time.set_title('Process Variables Time Series',
                               color=GREEN_THEME['highlight2'], fontsize=14)
        self.ax_time.set_xlabel('Day', color=GREEN_THEME['text_light'], fontsize=12)
        self.ax_time.set_ylabel('Value', color=GREEN_THEME['text_light'], fontsize=12)
        self.ax_time.legend(facecolor=GREEN_THEME['bg_medium'],
                            edgecolor=GREEN_THEME['accent_light'],
                            fontsize=10)
        self.ax_time.grid(True, alpha=0.2, color=GREEN_THEME['grid'])
        self.ax_time.tick_params(colors=GREEN_THEME['text_dark'])
        self.ax_time.set_facecolor(GREEN_THEME['bg_light'])

        self.fig_time.tight_layout()
        self.canvas_time.draw()

    def update_process_flow(self):
        """Update process flow visualization"""
        self.ax_flow.clear()

        # Create process flow diagram
        stages = self.process_stages
        n_stages = len(stages)

        # Create horizontal flow
        x_positions = np.linspace(0.1, 0.9, n_stages)
        y_position = 0.5

        for i, stage in enumerate(stages):
            # Draw stage box
            box = plt.Rectangle((x_positions[i] - 0.08, y_position - 0.05),
                                0.16, 0.1,
                                facecolor=GREEN_THEME['accent_light'],
                                edgecolor=GREEN_THEME['highlight'],
                                linewidth=2,
                                alpha=0.8)
```

```
        self.ax_flow.add_patch(box)

        # Add stage text
        self.ax_flow.text(x_positions[i], y_position, stage,
                          ha='center', va='center',
                          color=GREEN_THEME['text_light'],
                          fontsize=9, fontweight='bold')

        # Add stage number
        self.ax_flow.text(x_positions[i], y_position + 0.08, f'Stage {i+1}',
                          ha='center', va='center',
                          color=GREEN_THEME['text_dark'],
                          fontsize=8)

        # Draw arrow to next stage
        if i < n_stages - 1:
            self.ax_flow.arrow(x_positions[i] + 0.08, y_position,
                               x_positions[i+1] - x_positions[i] - 0.16, 0,
                               head_width=0.03, head_length=0.02,
                               fc=GREEN_THEME['highlight'], ec=GREEN_THEME['highlight'],
                               linewidth=2)

    # Add title and remove axes
    self.ax_flow.set_title('Algae to Biofuels Process Flow',
                           color=GREEN_THEME['highlight2'], fontsize=14,
                           fontweight='bold', pad=20)
    self.ax_flow.set_xlim(0, 1)
    self.ax_flow.set_ylim(0, 1)
    self.ax_flow.axis('off')
    self.ax_flow.set_facecolor(GREEN_THEME['bg_dark'])

    # Add process description
    description = (
        "Process Stages:\n"
        "1. Cultivation: Algae growth in photobioreactors\n"
        "2. Harvesting: Separation of algae from medium\n"
        "3. Dewatering: Concentration of algae biomass\n"
        "4. Lipid Extraction: Oil extraction from algae\n"
        "5. Transesterification: Conversion to biodiesel\n"
        "6. Purification: Refining to fuel-grade quality"
    )

    self.ax_flow.text(0.5, 0.2, description,
                      ha='center', va='center',
                      color=GREEN_THEME['text_dark'],
                      fontsize=9,
                      bbox=dict(boxstyle="round,pad=0.5",
                                facecolor=GREEN_THEME['bg_light'],
                                edgecolor=GREEN_THEME['accent_light'],
                                alpha=0.8))

    self.fig_flow.tight_layout()
```

```
        self.canvas_flow.draw()

    def update_metrics(self):
        """Update process metrics display"""
        if self.data is None:
            return

        self.metrics_text.delete(1.0, tk.END)

        metrics = []
        metrics.append("=== PROCESS METRICS ===\n")
        metrics.append(f"Total Records: {len(self.data):,}")
        metrics.append(f"Data Period: {self.data['Day'].min()}-{self.data['Day'].max()} days\n")

        # Key performance indicators
        if 'Biofuel_Yield_mL_L' in self.data.columns:
            avg_yield = self.data['Biofuel_Yield_mL_L'].mean()
            max_yield = self.data['Biofuel_Yield_mL_L'].max()
            std_yield = self.data['Biofuel_Yield_mL_L'].std()

            metrics.append("--- Biofuel Production ---")
            metrics.append(f"Average Yield: {avg_yield:.1f} mL/L")
            metrics.append(f"Maximum Yield: {max_yield:.1f} mL/L")
            metrics.append(f"Yield Stability: {(1 - std_yield/avg_yield)*100:.1f}%\n")

            # Calculate productivity
            productivity = avg_yield * 1000  # per m³
            metrics.append(f"Estimated Productivity: {productivity:.0f} L/m³/day")
            metrics.append(f"Annual Production: {productivity * 330 / 1000:.1f} kL/m³\n")

        if 'Lipid_Content_%' in self.data.columns:
            avg_lipid = self.data['Lipid_Content_%'].mean()
            optimal_count = len(self.data[(self.data['Lipid_Content_%'] >= 35) &
                                          (self.data['Lipid_Content_%'] <= 50)])

            metrics.append("--- Algae Quality ---")
            metrics.append(f"Average Lipid Content: {avg_lipid:.1f}%")
            metrics.append(f"Optimal Samples (35-50%): {optimal_count}
({optimal_count/len(self.data)*100:.1f}%)\n")

        if 'Conversion_Efficiency_%' in self.data.columns:
            avg_eff = self.data['Conversion_Efficiency_%'].mean()
            high_eff_count = len(self.data[self.data['Conversion_Efficiency_%'] >= 80])

            metrics.append("--- Process Efficiency ---")
            metrics.append(f"Average Efficiency: {avg_eff:.1f}%")
            metrics.append(f"High Efficiency Samples
(≥80%): {high_eff_count} ({high_eff_count/len(self.data)*100:.1f}%)\n")

        # Economic metrics
        if all(col in self.data.columns for col in ['Biofuel_Yield_mL_L', 'Production_Cost']):
            avg_cost = self.data['Production_Cost'].mean()
```

```
            avg_yield = self.data['Biofuel_Yield_mL_L'].mean()
            cost_per_liter = (avg_cost / (avg_yield / 1000))

            metrics.append("--- Economic Analysis ---")
            metrics.append(f"Average Production Cost: ${avg_cost:.2f}")
            metrics.append(f"Estimated Cost per Liter: ${cost_per_liter:.3f}")

            if 'ROI_%' in self.data.columns:
                avg_roi = self.data['ROI_%'].mean()
                metrics.append(f"Average ROI: {avg_roi:.1f}%")

        self.metrics_text.insert(1.0, "\n".join(metrics))
        self.metrics_text.configure(state='disabled')

def main():
    """Main application entry point"""
    root = tk.Tk()
    app = AlgaeBiofuels3DGUI(root)

    # Center window
    root.update_idletasks()
    width = root.winfo_width()
    height = root.winfo_height()
    x = (root.winfo_screenwidth() // 2) - (width // 2)
    y = (root.winfo_screenheight() // 2) - (height // 2)
    root.geometry(f'{width}x{height}+{x}+{y}')

    root.mainloop()

if __name__ == "__main__":
    print("Starting Algae Biofuels 3D Analyzer...")
    print("Loading dependencies...")
    main()
```

This comprehensive 3D GUI application includes:

🌿 **Key Features:**

1. Complete Dark Green Theme:

- Full dark green color scheme throughout the interface
- Custom styled widgets with green accents
- Themed matplotlib plots with matching colors

2. 3D Visualizations:

- **Interactive 3D Process Map**: Growth Rate vs Lipid Content vs Biofuel Yield
- **Rotatable 3D View**: Click and drag to explore different angles
- **Color-coded by Efficiency**: Visual representation of process efficiency
- **Real-time Updates**: All plots update with data changes

3. Multiple Analysis Tabs:

🌐 **3D Process Map:**

- 3D scatter plot of key process parameters
- Interactive rotation and zoom
- Color mapping by efficiency

📈 **Growth Analysis:**

- Growth rate distribution histogram
- Growth vs temperature scatter plot
- Time series analysis
- Strain comparison bar chart

🟢 **Lipid Analysis:**

- Detailed lipid content histogram with KDE
- Statistical analysis overlay
- Optimal range highlighting
- Comprehensive statistics display

⚡ **Efficiency Analysis:**

- Conversion efficiency distribution
- Efficiency vs yield correlation
- Process stage efficiency comparison
- ROI analysis with target lines

⏱️ **Time Series:**

- Multiple variable tracking over time
- Moving averages
- Trend visualization

🔄 **Process Flow:**

- Visual representation of algae to biofuels process
- Stage-by-stage breakdown
- Process descriptions

4. Data Management:

- **CSV Import/Export**: Load real experimental data
- **Sample Data Generation**: Built-in realistic algae data

- **Real-time Filtering**: Apply filters to focus on specific data subsets
- **Comprehensive Export**: Save data, plots, and reports

5. Analysis Tools:

- **Statistical Analysis**: Comprehensive statistics calculation
- **Trend Analysis**: Identify patterns over time
- **Correlation Matrix**: Visualize relationships between variables
- **Distribution Analysis**: Histograms with KDE for all key parameters
- **Process Optimization**: Run optimization algorithms

6. Reporting Features:

- **Real-time Metrics**: Key performance indicators display
- **Exportable Reports**: Generate detailed analysis reports
- **Summary Statistics**: Comprehensive statistical summary
- **Process Recommendations**: Data-driven optimization suggestions

🔧 **Installation:**

bash

```
pip install matplotlib numpy pandas scipy seaborn
```

🚀 **Usage:**

1. **Run the application:**

bash

```
python algae_biofuels_3d_gui.py
```

2. **Load Data:**
    - Click "Load Sample Data" for demo data
    - Use "Browse" to load your own CSV files containing algae process data
3. **Explore Visualizations:**
    - Switch between different analysis tabs
    - Rotate 3D plot by clicking and dragging
    - Adjust parameters using sliders
4. **Analyze Process:**
    - Use optimization tools to find best parameters
    - Run statistical analysis
    - Generate comprehensive reports

- View correlation matrices

5. **Export Results:**
    - Export data to CSV
    - Save visualizations as PNG images
    - Generate detailed reports in TXT format

📊 Sample Data Structure:


The application generates realistic sample data including:

- Growth parameters (temperature, light, CO_2)
- Lipid content measurements
- Biofuel yield calculations
- Process efficiency metrics
- Economic indicators (cost, ROI)
- Environmental factors (water usage, energy input)

🎨 Customization:


The green theme is fully customizable through the GREEN_THEME dictionary. You can modify colors to match your preferences or organizational branding.

This application provides a complete solution for analyzing the photosynthetic algae to biofuels conversion process, with emphasis on 3D visualization, statistical analysis, and process optimization in a beautiful dark green theme.





Photosynthetic Algae
to Biofuels Process Analyzer
Growth Analysis
Growth Rate Distribution
Growth vs Temperature
Growth Rate Over Time
Average Growth by Strain
Growth Rate (day⁻¹)
Temperature (°C)
Day
Algae Strain
7-day MA


Photosynthetic Algae
to Biofuels Process Analyzer
Lipid Content Distribution Analysis
Lipid Content (%)
Density


Photosynthetic Algae
to Biofuels Process Analyzer
Efficiency Analysis
Conversion Efficiency Distribution
Efficiency vs Biofuel Yield
Average Efficiency by Process Stage
Return on Investment (ROI) Distribution
Process Stage
ROI (%)


Photosynthetic Algae
to Biofuels Process Analyzer
Process Variables Time Series
Day


Algae Biofuel Process Analyzer.py
Photosynthetic Algae to Biofuels Process Analyzer
Photosynthetic Algae
to Biofuels Process Analyzer
PROCESS STAGES
DATA MANAGEMENT
CSV File
Sample Data Loaded
Browse
Load Sample Data
Refresh Data
Export Results
Generate Report
PROCESS PARAMETERS
Temperature (°C):
Light Intensity (μE/m²/
CO₂ Concentration (pp
pH Level:
Nutrient Level (%):
Salinity (g/L):
ANALYSIS CONTROLS
Optimize Process
Statistical Analysis
Trend Analysis
Correlation Matrix
Distribution Analysis
PROCESS METRICS
3D Process Map
Growth Analysis
Lipid Analysis
Efficiency Analysis
Time Series
Process Flow
Algae to Biofuels Process Flow
Stage 1
Stage 2
Stage 3
Stage 4
Stage 5
Stage 6
Cultivation
Harvesting
Dewatering
Lipid Extraction
Transesterification
Purification
Process Stages:
1. Cultivation: Algae growth in photobioreactors
2. Harvesting: Separation of algae from medium
3. Dewatering: Concentration of algae biomass
4. Lipid Extraction: Oil extraction from algae
5. Transesterification: Conversion to biodiesel
6. Purification: Refining to fuel-grade quality
Starting application...