

SIAPP — Vibe Coding Sessions v2 (PRD-aligned)

Role-based · 4 Dev Paralel · Kadep · Sekretariat · Dosen · Kaprodi

Dev A — Kadep

Dev B — Sekretariat

Dev C — Dosen

Dev D — Kaprodi + Shared

Dev A · Kadep (Kepala Departemen)

~8 hrs

app/(app)/dashboard/kadep/*

app/(auth)/*

components/layout/*

middleware.ts

0001_A_*

Koordinasi dengan Dev D: Dev D merges Session 0 (StatusBadge, StatCard, mockAIStream, seed.sql) ke main sebelum Dev A mulai Session 1. Semua dev import dari @/components/shared — jangan buat ulang.

Session 0 Foundation Setup + OTP Auth + AppShell (2.5 hrs) MERGE FIRST

- UGM brand tokens di `app/globals.css` : `--ugm-blue: #231F54` , `--ugm-yellow: #FFCA40` , `glassmorphic vars`
- Supabase stack: `lib/supabase/client.ts` , `server.ts` , `middleware.ts`
- OTP login page `/login` — validasi domain `@ugm.ac.id` , rate limit banner
- OTP verify `/verify` — 6-digit input, resend 60s cooldown, `profiles.primary_role` redirect by
- AppShell: sidebar collapsible + topbar notifikasi + breadcrumb
- Middleware protect `/(app)/*` , redirect role ke dashboard masing-masing

PROMPT (PASTE KE CLAUDE CODE)

You are Dev A on SIAPP — Sistem Informasi Departemen Politik Pemerintahan UGM.

Stack: Next.js 14 App Router, TypeScript strict, Tailwind CSS 3.4, shadcn/ui, pnpm.

Read CLAUDE.md carefully — RLS, AI draft pattern, server actions, Bahasa Indonesia UI are non-negotiable.

SESSION 0: Foundation + Auth + AppShell. Your code becomes the base all other devs build on.

TASK 1: UGM Brand Tokens (app/globals.css)

Add to :root block:

```
--ugm-blue:    244 47% 23%    /* #231F54 */
--ugm-yellow:  45 100% 62%    /* #FFCA40 */
```

Glassmorphic card class utility:

```
.glass-card { @apply rounded-2xl border border-white/40 bg-white/60
backdrop-blur-xl shadow; }
Status ring utilities: .ring-ok (green), .ring-warn (amber), .ring-err
(red)
```

TASK 2: Supabase Client Stack

- lib/supabase/client.ts → createBrowserClient() from @supabase/ssr
 - lib/supabase/server.ts → createServerClient() using cookies() from next/headers
 - lib/supabase/middleware.ts → updateSession() for token refresh
 - lib/supabase/service.ts → createServiceClient() with SUPABASE_SERVICE_ROLE_KEY (server-only)
- Install: `pnpm add @supabase/ssr @supabase/supabase-js`

TASK 3: OTP Auth – app/(auth)/login/page.tsx

LoginForm client component:

- Email input label "Alamat Email UGM"
- Validate: must end @ugm.ac.id or @mail.ugm.ac.id → show error inline if not
- "Kirim Kode OTP" button with loading state
- Server action requestOtp(email) → supabase.auth.signInWithOtp({email, shouldCreateUser:true})
- Success → redirect /verify?email=
- Rate limit 429 → "Terlalu banyak percobaan. Coba lagi dalam 1 jam."
- Page: glassmorphic card centered on gradient bg (ugm-blue → indigo-900)

TASK 4: OTP Verify – app/(auth)/verify/page.tsx

- 6-digit OTP input (auto-focus, inputMode numeric)
- "Verifikasi Kode" button
- "Kirim ulang kode" link with 60s cooldown timer
- Server action verifyOtp(email, token) → supabase.auth.verifyOtp({email, token, type:'email'})
- On success: read profiles.primary_role, redirect map:
 - kadep → /dashboard/kadep
 - sekdep / tendik → /dashboard/sekretariat
 - dosen → /dashboard/dosen
 - kaprodi_s1 / kaprodi_s2 / kaprodi_s3 → /dashboard/kaprodi
 - no role → /pending ("Akun Anda sedang diverifikasi admin.")
- Error: "Kode salah atau sudah kedaluwarsa."

TASK 5: Middleware (root middleware.ts)

Use updateSession() from lib/supabase/middleware.ts.

Protect /dashboard/* and /(app)/* – redirect /login if no session.

Allow /(auth)/*, /api/auth/*, /api/webhooks/* without auth.

Config matcher: `['/(?!_next/static|_next/image|favicon.ico).*']`

TASK 6: AppShell – components/layout/AppShell.tsx (client component)

Sidebar (w-64, collapsible to w-16):

- Top: SIAPP logo (text) + UGM badge

- Nav groups with Lucide icons:
 - Dashboard (LayoutDashboard)
 - Kepegawaian (Users)
 - Pendidikan (BookOpen)
 - Riset & PkM (FlaskConical)
 - Kesekretariatan (FileText)
 - Akreditasi (Award)
 - Admin (Shield) – only visible for kadep/sekdep roles
- Active route: ugm-blue bg, white text, left accent bar
- Bottom: avatar (initials), nama, role badge, logout button

Topbar (h-14, border-b):

- Hamburger to toggle sidebar
- Breadcrumb derived from pathname segments
- Notification bell with unread count badge (hardcoded 3)
- Avatar dropdown: Profil Saya, Pengaturan, Keluar

TASK 7: app/(app)/layout.tsx

Server component: check session via `createServerClient()`. No session → redirect /login.

Render AppShell wrapping {children}.

Pass user email + role to AppShell as props.

Session 1 Kadep Executive Dashboard — KPI, Tridharma, Approval Queue (2.5 hrs)

- 4 KPI stat cards: Indeks Tridharma, SKS Aktif, Riset & PkM, Coverage Akreditasi
- Tridharma 12-bulan AreaChart (Recharts, 3 stacked areas: Pendidikan/Riset/PkM)
- BAN-PT 9 Kriteria progress grid — progress bar per kriteria dengan color-coded coverage
- Antrian Persetujuan widget — 5 pending items (surat, cuti, booking) dengan tombol Tinjau
- "Briefing AI Pagi" panel — 3 insight bullets mock, amber tinted glassmorphic card

PROMPT

Continue SIAPP Dev A. Build Kadep executive dashboard.

Import: StatCard from `@/components/shared/StatCard`, StatusBadge from `@/components/shared/StatusBadge`.

Use glassmorphic card style: `rounded-2xl border border-white/40 bg-white/60 backdrop-blur-xl shadow`

TASK 1: app/(app)/dashboard/kadep/page.tsx

2-row layout:

Row 1: 4 StatCards (grid-cols-4, gap-4)

1. "Indeks Tridharma" value:"78 / 100" trend:"up" delta:"+3 poin"
2. "SKS Mengajar Aktif" value:"148 SKS" hint:"Semester Ganjil 2025/2026"

```
3. "Riset & PKM Aktif" value:"12 Kegiatan" trend:"up"
4. "Coverage Akreditasi" value:"71%" trend:"up" hint:"BAN-PT 9
Kriteria"
```

Row 2: 2-col layout (col-span-7 + col-span-5)

Left: Tridharma Trend AreaChart

- Recharts AreaChart, 12 months Jan–Des 2025
- 3 stacked areas: Pendidikan (#f59e0b), Riset (#4f46e5), PKM (#10b981)
- Hardcoded monthly data (values ~40–60 range each)
- Wrapped in glassmorphic card with title "Tren Tridharma 12 Bulan"

Right: Antrian Persetujuan

- Title "Perlu Persetujuan Anda" with count badge
- 5 mock items, each row: jenis (pill), perihal text, pemohon name, StatusBadge "Menunggu", "Tinjau →" link
- Items: 2x surat keluar, 1x cuti dosen, 1x booking ruang, 1x pengajuan penelitian

Row 3: 2-col (col-span-5 + col-span-7)

Left: BAN-PT 9 Kriteria Grid

- 9 rows: Visi-Misi (85%), Tata Pamong (78%), Mahasiswa (82%), SDM (71%), Kurikulum (88%), Sarana (65%), Penelitian (74%), PKM (70%), Luaran (69%)
- Each row: criteria name, progress bar, percentage badge (green ≥80, amber 60–79, red <60)
- Title "Coverage Akreditasi BAN-PT"

Right: Briefing AI Pagi

- Amber glassmorphic card, "+ Briefing AI Pagi" header with model badge "Sonnet 4.6"
- 3 insight bullets:
 1. "2 RPKPS belum disetujui. Sidang mata kuliah POL3101 dan POL4205 mendekat."
 2. "Publikasi Q1 dari Dr. Ratih Dewi meningkatkan skor Kriteria 7 sebesar +2 poin."
 3. "3 mahasiswa S2 belum mengajukan judul tesis 30 hari sebelum batas waktu."
- Footer: "Data per 8 Mei 2026 · Mock Phase 1"
- // TODO: replace with `aiRoute('kadep.daily_briefing')` in Phase 2

Session 2 Akreditasi View + Approval Detail (2 hrs) Workflow

- `/dashboard/kadep/akreditasi` — heatmap 9 kriteria × LED sub-komponen dengan color-coded coverage
- Klik kriteria → drawer dengan evidence list + gap recommendations
- `/dashboard/kadep/persetujuan/[id]` — detail surat/cuti/request dengan tombol Setujui / Tolak + kolom catatan
- Workflow timeline component: visual stepper showing current approval stage

PROMPT

Continue SIAPP Dev A. Build akreditasi view and approval detail.

TASK 1: app/(app)/dashboard/kadep/akreditasi/page.tsx

BAN-PT LED Heatmap:

- Grid: 9 rows (Kriteria 1-9) × variable columns (LED sub-komponen per kriteria)
- Each cell: color-coded square (green ≥80%, amber 60-79%, red <60%, gray = no data)
 - Use hardcoded coverage data for all cells.
- Clicking a cell opens a right drawer (Sheet from shadcn/ui):
 - Title: kriteria name + sub-komponen name
 - Evidence list: 3 mock documents (nama file, tanggal upload, confidence score)
 - Gap analysis: "Diperlukan 2 dokumen lagi untuk memenuhi threshold 80%"
 - "Upload Bukti" button (UI only, toast: "Fitur upload aktif di Phase 2")
- Summary bar at top: overall coverage % + trend from last period

TASK 2: components/shared/WorkflowTimeline.tsx

Props: steps: { label: string; status: 'selesai' | 'aktif' | 'menunggu'; actor?: string; timestamp?: string }[]

Vertical stepper:

- selesai → green circle with checkmark
- aktif → ugm-blue circle, pulsing ring animation
- menunggu → gray circle
- Connecting vertical line between steps
- Actor name + timestamp shown below each step label

TASK 3: app/(app)/dashboard/kadep/persetujuan/[id]/page.tsx

Left panel (detail surat/request):

- Nomor surat, perihal, tanggal pengajuan, nama pemohon
- Jenis dokumen badge (Surat Keluar / Cuti / Booking)
- Preview area: "Pratinjau dokumen tersedia setelah sistem PrivyID terintegrasi" (placeholder card)

Right panel:

- WorkflowTimeline showing approval stages (Drafter → Sekdep → Kadep)
- "Catatan untuk pemohon" textarea
- 2 buttons: "Setujui" (green) + "Tolak" (red)
- Server action stubs: approveItem(id, notes) and rejectItem(id, notes)
 - Both: update mock state + toast "Keputusan disimpan" + redirect back
- Tampilkan "Anda tidak dapat menyetujui item milik sendiri." jika actor === approver

- `/admin/users` — TanStack Table, search/filter, assign role modal
- `/admin/audit-log` — paginated log viewer (table, action, actor, date range)
- `/admin/integrations` — status tile per layanan (SIMASTER, Scopus, Resend, dst.)

PROMPT

Continue SIAPP Dev A. Build admin panel accessible only to kadep/sekdep.

TASK 1: `app/(app)/admin/layout.tsx`

Server component: check `profiles.primary_role` $\in$ `['kadep','sekdep']`. If not
→ redirect `/unauthorized`.

TASK 2: `app/(app)/admin/users/page.tsx`

TanStack Table columns: Nama, Email, Role (dropdown), Unit, Status, Terakhir Login, Aksi.

Mock data: 8 dosen dari seed (Prof. Hery, Dr. Ratih, Dr. Ahmad, Dr. Siti, Prof. Bambang, Dr. Maya, Dr. Reza, Dr. Fitri) + 3 tendik.

"Assign Role" per row → modal: role selector + unit selector + "Berlaku mulai" date.

Server action stub: `updateUserRole(userId, role, unitId)` – log audit, show toast.

Search bar (filter nama/email), filter chips by role (semua / dosen / tendik / kaprodi).

TASK 3: `app/(app)/admin/audit-log/page.tsx`

Table: Waktu, Aktor, Aksi (INSERT/UPDATE/DELETE), Tabel, Row ID, Before/After.

Expandable row: show before/after as styled JSON diff (red lines removed, green lines added).

Filter bar: date range, aksi type, nama tabel.

20 mock audit entries covering: lecturers, publications, letters, profiles.

"Ekspor CSV" button → toast "Fitur ekspor tersedia di Phase 2".

TASK 4: `app/(app)/admin/integrations/page.tsx`

Tile grid (3 col): setiap tile = nama layanan, status badge, mode badge, last sync.

Services:

SIMASTER	● Placeholder	Mock
Scopus API	● Placeholder	Mock
ORCID	● Active	Live
OneDrive	● Active	Live
PrivyID	● Placeholder	Mock
Resend	● Active	Live
Fonnte	● Active	Live
Mistral OCR	● Active	Live

"Konfigurasi" button per tile → drawer with required ENV vars (masked with eye toggle).