Request logging lifecycle

A local workflow for timing, recording, and reviewing support requests.

01 Receive and start

Start the timer when you begin handling a request.

Request arrives

Call, message, email, or in-person request. Open Support Log.

Start Request

Click Start Request. Timer starts at once. One active request.

Enter details

Date, task, requester, responder, module, and task type.

Choose type

Select from dropdown. If missing, add a type; save to master file.

Add context

Optional remarks about the request, plus private reminder Notes.

End Request

Click End Request when handling ends.

Time captured

Timer stops. Elapsed minutes attach to this request automatically.

Validate and save

Check required fields. Save completed request to local SQLite.

REQUEST DATA

02 If information is incomplete

Keep the entered details and captured duration so the request can be corrected.

Correction path

VALIDATION

Missing required details? Complete them, then save the same request.

Task Type master file

LOCAL REFERENCE

Stores the allowed task type names. New types become available in the dropdown.

Per-request Notes

OPTIONAL

Personal reminders linked to the request. Use for follow-up or talking points.

AFTER SAVE

Recent Requests

RECORD REVIEW

Review recent entries, filter by responder, and delete an incorrect entry.

Reports

SUMMARY

Choose period and responder; see time, request counts, task types, modules, daily and weekly trends, repeat tasks.

Take-away

OUTPUT

Print or save a report as PDF, or export the records to Excel for your own review.

Timer measures elapsed handling time between Start Request and End Request.

Where records go, and how they are used

The app stays local: browser interface, local server, SQLite records, and Excel exchange.

01 Application blocks

Local app components and the information that flows between them.



Import handling

Existing spreadsheet rows can omit the new Task Type and Notes columns.

If Task Type is missing or does not match the master file, resolve it during import preview (or assign a defined fallback) before committing.

Notes are optional and remain attached to each request. Proposed Excel export includes both Task Type and Notes for round-trip continuity.

Design choice to confirm in implementation: how imported rows with no valid Task Type should be handled.

Master lists and department reporting

Optional extension: manage modules and responders centrally, then summarize IT support load.

01 Master data for request entry

Add a new value from the corresponding dropdown; save it to its master for future requests.

Module Master

OPTIONAL LOCAL MASTER

Dropdown values such as CRM, HRMS, Infra.
Add Module saves a new value to the master.

catalog

Responded By Master

OPTIONAL LOCAL MASTER

Each responder has a name and Department.
Add Responder saves both for future use.

catalog

Request form

LOGGING EXTENSION

Choose Module and Responded By from the masters; keep the selected values on the saved request record.

02 Separate reporting views

Keep the personal responder view available; add an optional department-wide IT view.

Saved support requests

LOCAL RECORDS

Each entry retains its module and responder.
Responder department comes from the master.
These fields support filtered summaries.

filter by responder

Personal report

EXISTING REPORT + FILTER

Responder toggle selects one person or all.
Show that responder’s support time, request count, module mix, and trends.

department = IT

IT department report

FUTURE OPTIONAL REPORT

Optional department view aggregates requests and minutes for responders assigned to IT.
Summarize by period, module, and task type.

Scope boundary

This page is a future-scope proposal. The current personal logging and report workflow remains the primary use.

Department totals depend on maintaining the responder-to-department mapping; this view is optional and separate.