

Folder PATH listing for volume Windows-SSD

Volume serial number is 0CD0-03E4

C:.

```
| .env
| .gitignore
| main_without_predict.py
| project-structure.pdf
| project-structure.txt
| requirements.txt
| tattoo_labels.csv
|
+---app
| | main.py
| | __init__.py
| |
| +---api
| | | admin_api.py
| | | availability_api.py
| | | predict_api.py
| | | __init__.py
| | |
| | \---__pycache__
| |     predict_api.cpython-311.pyc
| |     __init__.cpython-311.pyc
| |
| +---core
| | | auth.py
| | | config.py
| | | static_files.py
| | | templates.py
| | | __init__.py
| | |
| | \---__pycache__
| |     auth.cpython-311.pyc
| |     config.cpython-311.pyc
| |     static_files.cpython-311.pyc
| |     templates.cpython-311.pyc
| |     __init__.cpython-311.pyc
| |
| +---models
| | | classifier.py
| | | labels.py
| | | yolo_model.py
| | | __init__.py
| | |
| | \---__pycache__
| |     classifier.cpython-311.pyc
| |     labels.cpython-311.pyc
| |     yolo_model.cpython-311.pyc
| |     __init__.cpython-311.pyc
| |
```

```
| +---routes
| | | cancel_booking.py
| | | chat.py
| | | home.py
| | |
| | \---__pycache__
| |     cancel_booking.cpython-311.pyc
| |     chat.cpython-311.pyc
| |     home.cpython-311.pyc
| |
| +---services
| | | calendar_integration.py
| | | preprocessing.py
| | | pricing.py
| | | __init__.py
| | |
| | \---__pycache__
| |     calendar_integration.cpython-311.pyc
| |     preprocessing.cpython-311.pyc
| |     pricing.cpython-311.pyc
| |     __init__.cpython-311.pyc
| |
| +---static
| | | admin.html
| | | favicon.ico
| | |
| | +---scripts
| | | admin.js
| | | main.js
| | |
| | \---styles
| |     inline.css
| |
| +---templates
| |     index.html
| |
| +---utils
| | | calendar_utils.py
| | |
| | \---__pycache__
| |     calendar_utils.cpython-311.pyc
| |
| \---__pycache__
|     main.cpython-311.pyc
|     __init__.cpython-311.pyc
|
+---data
| | output.json
| | tattoo-booking-ai-b1218efcac81.json
| | tattoo_labels.csv
| |
```

```

| \---test_images
|
|     test_image.jpg
|     test_image1.jpg
|     test_image2.jpg
|     test_image3.jpg
|     test_image4.jpg
|
|
+---models
|
|     tattoo_classifier.pth
|     yolo11n.pt
|     yolov8m.pt
|     yolov8n.pt
|
|
+---notebooks
|
|     train_tattoo_classifier.py
|
|
+---scripts
|
|     add_calendar.py
|     fetch_events.py
|     list_calendars.py
|     test_event_creation.py
|
|
+---static
|
|     favicon.ico
|     styles.css
|
|
+---tests
|
|     test_calendar.py
|     test_tattoo_classifier.py
|
|
+---venv
| |   pyenv.cfg
| |
| |
| |   +---Include
| |   +---Lib
| |   |   \---site-packages
| |   |       |   distutils-precedence.pth
| |   |       |   google_auth_httplib2.py
| |   |       |   isympy.py
| |   |       |   numpy-2.1.1-cp311-cp311-win_amd64.whl
| |   |       |   pylab.py
| |   |       |   scipy-1.15.2-cp311-cp311-win_amd64.whl
| |   |       |   six.py
| |   |       |   typing_extensions.py
| |   |       |
| |   |       +---annotated_types
| |   |       |   |   py.typed
| |   |       |   |   test_cases.py
| |   |       |   |   __init__.py
| |   |       |   |
| |   |       |   \---__pycache__

```

```

| | | test_cases.cpython-311.pyc
| | | __init__.cpython-311.pyc
| | |
| | +---annotated_types-0.7.0.dist-info
| | | | INSTALLER
| | | | METADATA
| | | | RECORD
| | | | WHEEL
| | | |
| | | \---licenses
| | | | LICENSE
| | | |
| | +---anyio
| | | | from_thread.py
| | | | lowlevel.py
| | | | py.typed
| | | | pytest_plugin.py
| | | | to_interpreter.py
| | | | to_process.py
| | | | to_thread.py
| | | | __init__.py
| | | |
| | | +---abc
| | | | | _eventloop.py
| | | | | _resources.py
| | | | | _sockets.py
| | | | | _streams.py
| | | | | _subprocesses.py
| | | | | _tasks.py
| | | | | _testing.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | _eventloop.cpython-311.pyc
| | | | | _resources.cpython-311.pyc
| | | | | _sockets.cpython-311.pyc
| | | | | _streams.cpython-311.pyc
| | | | | _subprocesses.cpython-311.pyc
| | | | | _tasks.cpython-311.pyc
| | | | | _testing.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---streams
| | | | | buffered.py
| | | | | file.py
| | | | | memory.py
| | | | | stapled.py
| | | | | text.py
| | | | | tls.py
| | | | | __init__.py
| | | | |

```

```

| | | \---__pycache__
| | |     buffered.cpython-311.pyc
| | |     file.cpython-311.pyc
| | |     memory.cpython-311.pyc
| | |     stapled.cpython-311.pyc
| | |     text.cpython-311.pyc
| | |     tls.cpython-311.pyc
| | |     __init__.cpython-311.pyc
| | |
| | | +---_backends
| | | |   _asyncio.py
| | | |   _trio.py
| | | |   __init__.py
| | | |
| | | | \---__pycache__
| | | |     _asyncio.cpython-311.pyc
| | | |     _trio.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---_core
| | | | |   _asyncio_selector_thread.py
| | | | |   _eventloop.py
| | | | |   _exceptions.py
| | | | |   _fileio.py
| | | | |   _resources.py
| | | | |   _signals.py
| | | | |   _sockets.py
| | | | |   _streams.py
| | | | |   _subprocesses.py
| | | | |   _synchronization.py
| | | | |   _tasks.py
| | | | |   _tempfile.py
| | | | |   _testing.py
| | | | |   _typedattr.py
| | | | |   __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     _asyncio_selector_thread.cpython-311.pyc
| | | | |     _eventloop.cpython-311.pyc
| | | | |     _exceptions.cpython-311.pyc
| | | | |     _fileio.cpython-311.pyc
| | | | |     _resources.cpython-311.pyc
| | | | |     _signals.cpython-311.pyc
| | | | |     _sockets.cpython-311.pyc
| | | | |     _streams.cpython-311.pyc
| | | | |     _subprocesses.cpython-311.pyc
| | | | |     _synchronization.cpython-311.pyc
| | | | |     _tasks.cpython-311.pyc
| | | | |     _tempfile.cpython-311.pyc
| | | | |     _testing.cpython-311.pyc
| | | | |     _typedattr.cpython-311.pyc

```

```

| | | | __init__.cpython-311.pyc
| | | |
| | | | \---__pycache__
| | | |     from_thread.cpython-311.pyc
| | | |     lowlevel.cpython-311.pyc
| | | |     pytest_plugin.cpython-311.pyc
| | | |     to_interpreter.cpython-311.pyc
| | | |     to_process.cpython-311.pyc
| | | |     to_thread.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | +---anyio-4.9.0.dist-info
| | | |     entry_points.txt
| | | |     INSTALLER
| | | |     LICENSE
| | | |     METADATA
| | | |     RECORD
| | | |     top_level.txt
| | | |     WHEEL
| | | |
| | +---apiclient
| | | |     __init__.py
| | | |
| | | | \---__pycache__
| | | |     __init__.cpython-311.pyc
| | | |
| | +---cachetools
| | | |     func.py
| | | |     keys.py
| | | |     _decorators.py
| | | |     __init__.py
| | | |
| | | | \---__pycache__
| | | |     func.cpython-311.pyc
| | | |     keys.cpython-311.pyc
| | | |     _decorators.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | +---cachetools-5.5.2.dist-info
| | | |     INSTALLER
| | | |     LICENSE
| | | |     METADATA
| | | |     RECORD
| | | |     top_level.txt
| | | |     WHEEL
| | | |
| | +---certifi
| | | |     cacert.pem
| | | |     core.py
| | | |     py.typed
| | | |     __init__.py

```

```

| | | | __main__.py
| | | |
| | | | \---__pycache__
| | | |     core.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |     __main__.cpython-311.pyc
| | | |
| | +---certifi-2025.1.31.dist-info
| | | |     INSTALLER
| | | |     LICENSE
| | | |     METADATA
| | | |     RECORD
| | | |     top_level.txt
| | | |     WHEEL
| | | |
| | +---charset_normalizer
| | | |     api.py
| | | |     cd.py
| | | |     constant.py
| | | |     legacy.py
| | | |     md.cp311-win_amd64.pyd
| | | |     md.py
| | | |     md__mypyc.cp311-win_amd64.pyd
| | | |     models.py
| | | |     py.typed
| | | |     utils.py
| | | |     version.py
| | | |     __init__.py
| | | |     __main__.py
| | | |
| | | | +---cli
| | | | | |     __init__.py
| | | | | |     __main__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | |     __init__.cpython-311.pyc
| | | | | |     __main__.cpython-311.pyc
| | | | | |
| | | | | | \---__pycache__
| | | | | |     api.cpython-311.pyc
| | | | | |     cd.cpython-311.pyc
| | | | | |     constant.cpython-311.pyc
| | | | | |     legacy.cpython-311.pyc
| | | | | |     md.cpython-311.pyc
| | | | | |     models.cpython-311.pyc
| | | | | |     utils.cpython-311.pyc
| | | | | |     version.cpython-311.pyc
| | | | | |     __init__.cpython-311.pyc
| | | | | |     __main__.cpython-311.pyc
| | | | | |
| | +---charset_normalizer-3.4.1.dist-info

```

```

| | | entry_points.txt
| | | INSTALLER
| | | LICENSE
| | | METADATA
| | | RECORD
| | | top_level.txt
| | | WHEEL
| | |
| | +---click
| | | | core.py
| | | | decorators.py
| | | | exceptions.py
| | | | formatting.py
| | | | globals.py
| | | | parser.py
| | | | py.typed
| | | | shell_completion.py
| | | | termui.py
| | | | testing.py
| | | | types.py
| | | | utils.py
| | | | _compat.py
| | | | _termui_impl.py
| | | | _textwrap.py
| | | | _winconsole.py
| | | | __init__.py
| | | |
| | | \---__pycache__
| | | | core.cpython-311.pyc
| | | | decorators.cpython-311.pyc
| | | | exceptions.cpython-311.pyc
| | | | formatting.cpython-311.pyc
| | | | globals.cpython-311.pyc
| | | | parser.cpython-311.pyc
| | | | shell_completion.cpython-311.pyc
| | | | termui.cpython-311.pyc
| | | | testing.cpython-311.pyc
| | | | types.cpython-311.pyc
| | | | utils.cpython-311.pyc
| | | | _compat.cpython-311.pyc
| | | | _termui_impl.cpython-311.pyc
| | | | _textwrap.cpython-311.pyc
| | | | _winconsole.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | +---click-8.1.8.dist-info
| | | | INSTALLER
| | | | LICENSE.txt
| | | | METADATA
| | | | RECORD
| | | | WHEEL

```



```

| | |
| | +---colorama
| | | | ansi.py
| | | | ansitowin32.py
| | | | initialise.py
| | | | win32.py
| | | | winterm.py
| | | | __init__.py
| | | |
| | | +---tests
| | | | | ansitowin32_test.py
| | | | | ansi_test.py
| | | | | initialise_test.py
| | | | | isatty_test.py
| | | | | utils.py
| | | | | winterm_test.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | ansitowin32_test.cpython-311.pyc
| | | | | ansi_test.cpython-311.pyc
| | | | | initialise_test.cpython-311.pyc
| | | | | isatty_test.cpython-311.pyc
| | | | | utils.cpython-311.pyc
| | | | | winterm_test.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | ansi.cpython-311.pyc
| | | | | ansitowin32.cpython-311.pyc
| | | | | initialise.cpython-311.pyc
| | | | | win32.cpython-311.pyc
| | | | | winterm.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | +---colorama-0.4.6.dist-info
| | | | INSTALLER
| | | | METADATA
| | | | RECORD
| | | | WHEEL
| | | |
| | | | \---licenses
| | | | | LICENSE.txt
| | | | |
| | +---contourpy
| | | | array.py
| | | | chunk.py
| | | | convert.py
| | | | dechunk.py
| | | | enum_util.py
| | | | py.typed

```

```

| | | | typecheck.py
| | | | types.py
| | | | _contourpy.cp311-win_amd64.lib
| | | | _contourpy.cp311-win_amd64.pyd
| | | | _contourpy.pyi
| | | | _version.py
| | | | __init__.py
| | | |
| | | | +---util
| | | | | | bokeh_renderer.py
| | | | | | bokeh_util.py
| | | | | | data.py
| | | | | | mpl_renderer.py
| | | | | | mpl_util.py
| | | | | | renderer.py
| | | | | | _build_config.py
| | | | | | __init__.py
| | | | | |
| | | | \---__pycache__
| | | | | | bokeh_renderer.cpython-311.pyc
| | | | | | bokeh_util.cpython-311.pyc
| | | | | | data.cpython-311.pyc
| | | | | | mpl_renderer.cpython-311.pyc
| | | | | | mpl_util.cpython-311.pyc
| | | | | | renderer.cpython-311.pyc
| | | | | | _build_config.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | \---__pycache__
| | | | | | array.cpython-311.pyc
| | | | | | chunk.cpython-311.pyc
| | | | | | convert.cpython-311.pyc
| | | | | | dechunk.cpython-311.pyc
| | | | | | enum_util.cpython-311.pyc
| | | | | | typecheck.cpython-311.pyc
| | | | | | types.cpython-311.pyc
| | | | | | _version.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | +---contourpy-1.3.1.dist-info
| | | | | | INSTALLER
| | | | | | LICENSE
| | | | | | METADATA
| | | | | | RECORD
| | | | | | WHEEL
| | | | | |
| | | +---cpuinfo
| | | | | | cpuinfo.py
| | | | | | __init__.py
| | | | | | __main__.py
| | | | | |

```

```

| | | \---__pycache__
| | |     cpuinfo.cpython-311.pyc
| | |     __init__.cpython-311.pyc
| | |     __main__.cpython-311.pyc
| | |
| | +---cv2
| | | | config-3.py
| | | | config.py
| | | | cv2.pyd
| | | | LICENSE-3RD-PARTY.txt
| | | | LICENSE.txt
| | | | load_config_py2.py
| | | | load_config_py3.py
| | | | opencv_videoio_ffmpeg4110_64.dll
| | | | py.typed
| | | | version.py
| | | | __init__.py
| | | | __init__.pyi
| | | |
| | | +---aruco
| | | |     __init__.pyi
| | | |
| | | +---barcode
| | | |     __init__.pyi
| | | |
| | | +---cuda
| | | |     __init__.pyi
| | | |
| | | +---data
| | | | | haarcascade_eye.xml
| | | | | haarcascade_eye_tree_eyeglasses.xml
| | | | | haarcascade_frontalcatface.xml
| | | | | haarcascade_frontalcatface_extended.xml
| | | | | haarcascade_frontalface_alt.xml
| | | | | haarcascade_frontalface_alt2.xml
| | | | | haarcascade_frontalface_alt_tree.xml
| | | | | haarcascade_frontalface_default.xml
| | | | | haarcascade_fullbody.xml
| | | | | haarcascade_lefteye_2splits.xml
| | | | | haarcascade_license_plate_rus_16stages.xml
| | | | | haarcascade_lowerbody.xml
| | | | | haarcascade_profileface.xml
| | | | | haarcascade_righteye_2splits.xml
| | | | | haarcascade_russian_plate_number.xml
| | | | | haarcascade_smile.xml
| | | | | haarcascade_upperbody.xml
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | |     __init__.cpython-311.pyc
| | | |

```

```
| | | +---detail
| | | | | __init__.pyi
| | | | |
| | | | +---dnn
| | | | | __init__.pyi
| | | | |
| | | | +---Error
| | | | | __init__.pyi
| | | | |
| | | | +---fisheye
| | | | | __init__.pyi
| | | | |
| | | | +---flann
| | | | | __init__.pyi
| | | | |
| | | | +---gapi
| | | | | | | __init__.py
| | | | | | | __init__.pyi
| | | | | | |
| | | | | | +---core
| | | | | | | | | __init__.pyi
| | | | | | | | |
| | | | | | | +---cpu
| | | | | | | | | __init__.pyi
| | | | | | | | |
| | | | | | | +---fluid
| | | | | | | | | __init__.pyi
| | | | | | | | |
| | | | | | | \---ocl
| | | | | | | | | __init__.pyi
| | | | | | | | |
| | | | | | +---ie
| | | | | | | | | __init__.pyi
| | | | | | | | |
| | | | | | | \---detail
| | | | | | | | | __init__.pyi
| | | | | | | | |
| | | | | | +---imgproc
| | | | | | | | | __init__.pyi
| | | | | | | | |
| | | | | | | \---fluid
| | | | | | | | | __init__.pyi
| | | | | | | | |
| | | | | | +---oak
| | | | | | | | | __init__.pyi
| | | | | | | | |
| | | | | | +---onnx
| | | | | | | | | __init__.pyi
| | | | | | | | |
| | | | | | | \---ep
| | | | | | | | | __init__.pyi
```

```
| | | |
| | | | +---ot
| | | | | | __init__.pyi
| | | | |
| | | | | \---cpu
| | | | | __init__.pyi
| | | | |
| | | | +---ov
| | | | | __init__.pyi
| | | | |
| | | | +---own
| | | | | | __init__.pyi
| | | | | |
| | | | | \---detail
| | | | | __init__.pyi
| | | | |
| | | | +---render
| | | | | | __init__.pyi
| | | | | |
| | | | | \---ocv
| | | | | __init__.pyi
| | | | |
| | | | +---streaming
| | | | | __init__.pyi
| | | | |
| | | | +---video
| | | | | __init__.pyi
| | | | |
| | | | +---wip
| | | | | | __init__.pyi
| | | | | |
| | | | | +---draw
| | | | | | __init__.pyi
| | | | | |
| | | | | +---gst
| | | | | | __init__.pyi
| | | | | |
| | | | | \---onevpl
| | | | | __init__.pyi
| | | | |
| | | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---ipp
| | | | | __init__.pyi
| | | | |
| | | | +---mat_wrapper
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
```

```
| | | |
| | | +---misc
| | | | | version.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | version.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---ml
| | | | | __init__.pyi
| | | | |
| | | +---ocl
| | | | | __init__.pyi
| | | | |
| | | +---ogl
| | | | | __init__.pyi
| | | | |
| | | +---parallel
| | | | | __init__.pyi
| | | | |
| | | +---samples
| | | | | __init__.pyi
| | | | |
| | | +---segmentation
| | | | | __init__.pyi
| | | | |
| | | +---typing
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---utils
| | | | | __init__.py
| | | | | __init__.pyi
| | | | |
| | | +---fs
| | | | | __init__.pyi
| | | | |
| | | +---nested
| | | | | __init__.pyi
| | | | |
| | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---videoio_registry
| | | | | __init__.pyi
| | | | |
| | | | \---__pycache__
| | | | | config-3.cpython-311.pyc
```

```

| | | config.cpython-311.pyc
| | | load_config_py2.cpython-311.pyc
| | | load_config_py3.cpython-311.pyc
| | | version.cpython-311.pyc
| | | __init__.cpython-311.pyc
| | |
| | +---cyclcr
| | | | py.typed
| | | | __init__.py
| | | |
| | | \---__pycache__
| | | | __init__.cpython-311.pyc
| | |
| | +---cyclcr-0.12.1.dist-info
| | | | INSTALLER
| | | | LICENSE
| | | | METADATA
| | | | RECORD
| | | | top_level.txt
| | | | WHEEL
| | |
| | +---dateutil
| | | | easter.py
| | | | relativedelta.py
| | | | rrule.py
| | | | tzwin.py
| | | | utils.py
| | | | _common.py
| | | | _version.py
| | | | __init__.py
| | | |
| | | | +---parser
| | | | | | isoparser.py
| | | | | | _parser.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | isoparser.cpython-311.pyc
| | | | | | _parser.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---tz
| | | | | | tz.py
| | | | | | win.py
| | | | | | _common.py
| | | | | | _factories.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | tz.cpython-311.pyc
| | | | | | win.cpython-311.pyc

```

```

| | | | _common.cpython-311.pyc
| | | | _factories.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | +---zoneinfo
| | | | | dateutil-zoneinfo.tar.gz
| | | | | rebuild.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | rebuild.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | easter.cpython-311.pyc
| | | | | relativedelta.cpython-311.pyc
| | | | | rrule.cpython-311.pyc
| | | | | tzwin.cpython-311.pyc
| | | | | utils.cpython-311.pyc
| | | | | _common.cpython-311.pyc
| | | | | _version.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---distro
| | | | | distro.py
| | | | | py.typed
| | | | | __init__.py
| | | | | __main__.py
| | | | |
| | | | | \---__pycache__
| | | | | | distro.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | | __main__.cpython-311.pyc
| | | | |
| | | +---distro-1.9.0.dist-info
| | | | | entry_points.txt
| | | | | INSTALLER
| | | | | LICENSE
| | | | | METADATA
| | | | | RECORD
| | | | | top_level.txt
| | | | | WHEEL
| | | | |
| | | +---dotenv
| | | | | cli.py
| | | | | ipython.py
| | | | | main.py
| | | | | parser.py
| | | | | py.typed
| | | | | variables.py
| | | | | version.py

```



```

| | | | __init__.py
| | | | __main__.py
| | | |
| | | | \---__pycache__
| | | |     cli.cpython-311.pyc
| | | |     ipython.cpython-311.pyc
| | | |     main.cpython-311.pyc
| | | |     parser.cpython-311.pyc
| | | |     variables.cpython-311.pyc
| | | |     version.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |     __main__.cpython-311.pyc
| | | |
| | | +---fastapi
| | | | | applications.py
| | | | | background.py
| | | | | cli.py
| | | | | concurrency.py
| | | | | datastructures.py
| | | | | encoders.py
| | | | | exceptions.py
| | | | | exception_handlers.py
| | | | | logger.py
| | | | | params.py
| | | | | param_functions.py
| | | | | py.typed
| | | | | requests.py
| | | | | responses.py
| | | | | routing.py
| | | | | staticfiles.py
| | | | | templating.py
| | | | | testclient.py
| | | | | types.py
| | | | | utils.py
| | | | | websockets.py
| | | | | _compat.py
| | | | | __init__.py
| | | | | __main__.py
| | | | |
| | | | +---dependencies
| | | | | | models.py
| | | | | | utils.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | |     models.cpython-311.pyc
| | | | |     utils.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | +---middleware
| | | | | cors.py

```

```

| | | | | gzip.py
| | | | | httpsredirect.py
| | | | | trustedhost.py
| | | | | wsgi.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     cors.cpython-311.pyc
| | | | |     gzip.cpython-311.pyc
| | | | |     httpsredirect.cpython-311.pyc
| | | | |     trustedhost.cpython-311.pyc
| | | | |     wsgi.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---openapi
| | | | | | | constants.py
| | | | | | | docs.py
| | | | | | | models.py
| | | | | | | utils.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | |     constants.cpython-311.pyc
| | | | | | |     docs.cpython-311.pyc
| | | | | | |     models.cpython-311.pyc
| | | | | | |     utils.cpython-311.pyc
| | | | | | |     __init__.cpython-311.pyc
| | | | | | |
| | | | | | | +---security
| | | | | | | | | api_key.py
| | | | | | | | | base.py
| | | | | | | | | http.py
| | | | | | | | | oauth2.py
| | | | | | | | | open_id_connect_url.py
| | | | | | | | | utils.py
| | | | | | | | | __init__.py
| | | | | | | | |
| | | | | | | | | \---__pycache__
| | | | | | | | |     api_key.cpython-311.pyc
| | | | | | | | |     base.cpython-311.pyc
| | | | | | | | |     http.cpython-311.pyc
| | | | | | | | |     oauth2.cpython-311.pyc
| | | | | | | | |     open_id_connect_url.cpython-311.pyc
| | | | | | | | |     utils.cpython-311.pyc
| | | | | | | | |     __init__.cpython-311.pyc
| | | | | | | | |
| | | | | | | | | \---__pycache__
| | | | | | | | |     applications.cpython-311.pyc
| | | | | | | | |     background.cpython-311.pyc
| | | | | | | | |     cli.cpython-311.pyc
| | | | | | | | |     concurrency.cpython-311.pyc

```

```

| | | datastructures.cpython-311.pyc
| | | encoders.cpython-311.pyc
| | | exceptions.cpython-311.pyc
| | | exception_handlers.cpython-311.pyc
| | | logger.cpython-311.pyc
| | | params.cpython-311.pyc
| | | param_functions.cpython-311.pyc
| | | requests.cpython-311.pyc
| | | responses.cpython-311.pyc
| | | routing.cpython-311.pyc
| | | staticfiles.cpython-311.pyc
| | | templating.cpython-311.pyc
| | | testclient.cpython-311.pyc
| | | types.cpython-311.pyc
| | | utils.cpython-311.pyc
| | | websockets.cpython-311.pyc
| | | _compat.cpython-311.pyc
| | | __init__.cpython-311.pyc
| | | __main__.cpython-311.pyc
| | |
| | +---fastapi-0.115.11.dist-info
| | | | entry_points.txt
| | | | INSTALLER
| | | | METADATA
| | | | RECORD
| | | | REQUESTED
| | | | WHEEL
| | | |
| | | \---licenses
| | | | LICENSE
| | | |
| | +---filelock
| | | | py.typed
| | | | version.py
| | | | _api.py
| | | | _error.py
| | | | _soft.py
| | | | _unix.py
| | | | _util.py
| | | | _windows.py
| | | | __init__.py
| | | |
| | | \---__pycache__
| | | | version.cpython-311.pyc
| | | | _api.cpython-311.pyc
| | | | _error.cpython-311.pyc
| | | | _soft.cpython-311.pyc
| | | | _unix.cpython-311.pyc
| | | | _util.cpython-311.pyc
| | | | _windows.cpython-311.pyc
| | | | __init__.cpython-311.pyc

```

```

| | |
| | +---filelock-3.13.1.dist-info
| | | | INSTALLER
| | | | METADATA
| | | | RECORD
| | | | WHEEL
| | | |
| | | \---licenses
| | | | LICENSE
| | | |
| | +---fontTools
| | | | afmLib.py
| | | | agl.py
| | | | fontBuilder.py
| | | | help.py
| | | | tfmLib.py
| | | | ttx.py
| | | | unicode.py
| | | | __init__.py
| | | | __main__.py
| | | |
| | | +---cffLib
| | | | | CFF2ToCFF.py
| | | | | CFFToCFF2.py
| | | | | specializer.py
| | | | | transforms.py
| | | | | width.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | CFF2ToCFF.cpython-311.pyc
| | | | | CFFToCFF2.cpython-311.pyc
| | | | | specializer.cpython-311.pyc
| | | | | transforms.cpython-311.pyc
| | | | | width.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---colorLib
| | | | | builder.py
| | | | | errors.py
| | | | | geometry.py
| | | | | table_builder.py
| | | | | unbuilder.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | builder.cpython-311.pyc
| | | | | errors.cpython-311.pyc
| | | | | geometry.cpython-311.pyc
| | | | | table_builder.cpython-311.pyc
| | | | | unbuilder.cpython-311.pyc

```

```

| | | | __init__.cpython-311.pyc
| | | |
| | | | +---config
| | | | | | __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | +---cu2qu
| | | | | | benchmark.py
| | | | | | cli.py
| | | | | | cu2qu.c
| | | | | | cu2qu.cp311-win_amd64.pyd
| | | | | | cu2qu.py
| | | | | | errors.py
| | | | | | ufo.py
| | | | | | __init__.py
| | | | | | __main__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | | benchmark.cpython-311.pyc
| | | | | | cli.cpython-311.pyc
| | | | | | cu2qu.cpython-311.pyc
| | | | | | errors.cpython-311.pyc
| | | | | | ufo.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | | __main__.cpython-311.pyc
| | | | | |
| | | | | +---designspaceLib
| | | | | | split.py
| | | | | | statNames.py
| | | | | | types.py
| | | | | | __init__.py
| | | | | | __main__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | | split.cpython-311.pyc
| | | | | | statNames.cpython-311.pyc
| | | | | | types.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | | __main__.cpython-311.pyc
| | | | | |
| | | | | +---encodings
| | | | | | codecs.py
| | | | | | MacRoman.py
| | | | | | StandardEncoding.py
| | | | | | __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | | codecs.cpython-311.pyc
| | | | | | MacRoman.cpython-311.pyc

```

```

| | | | StandardEncoding.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | +---feaLib
| | | | | ast.py
| | | | | builder.py
| | | | | error.py
| | | | | lexer.c
| | | | | lexer.cp311-win_amd64.pyd
| | | | | lexer.py
| | | | | location.py
| | | | | lookupDebugInfo.py
| | | | | parser.py
| | | | | variableScalar.py
| | | | | __init__.py
| | | | | __main__.py
| | | | |
| | | | \---__pycache__
| | | | | ast.cpython-311.pyc
| | | | | builder.cpython-311.pyc
| | | | | error.cpython-311.pyc
| | | | | lexer.cpython-311.pyc
| | | | | location.cpython-311.pyc
| | | | | lookupDebugInfo.cpython-311.pyc
| | | | | parser.cpython-311.pyc
| | | | | variableScalar.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | | __main__.cpython-311.pyc
| | | | |
| | | +---merge
| | | | | base.py
| | | | | cmap.py
| | | | | layout.py
| | | | | options.py
| | | | | tables.py
| | | | | unicode.py
| | | | | util.py
| | | | | __init__.py
| | | | | __main__.py
| | | | |
| | | | \---__pycache__
| | | | | base.cpython-311.pyc
| | | | | cmap.cpython-311.pyc
| | | | | layout.cpython-311.pyc
| | | | | options.cpython-311.pyc
| | | | | tables.cpython-311.pyc
| | | | | unicode.cpython-311.pyc
| | | | | util.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | | __main__.cpython-311.pyc
| | | | |

```

```

| | | +---misc
| | | | arrayTools.py
| | | | bezierTools.c
| | | | bezierTools.cp311-win_amd64.pyd
| | | | bezierTools.py
| | | | classifyTools.py
| | | | cliTools.py
| | | | configTools.py
| | | | cython.py
| | | | dictTools.py
| | | | eexec.py
| | | | encodingTools.py
| | | | etree.py
| | | | filenames.py
| | | | fixedTools.py
| | | | intTools.py
| | | | iterTools.py
| | | | lazyTools.py
| | | | loggingTools.py
| | | | macCreatorType.py
| | | | macRes.py
| | | | psCharStrings.py
| | | | psLib.py
| | | | psOperators.py
| | | | py23.py
| | | | roundTools.py
| | | | sstruct.py
| | | | symfont.py
| | | | testTools.py
| | | | textTools.py
| | | | timeTools.py
| | | | transform.py
| | | | treeTools.py
| | | | vector.py
| | | | visitor.py
| | | | xmlReader.py
| | | | xmlWriter.py
| | | | __init__.py
| | | |
| | | +---plistlib
| | | | py.typed
| | | | __init__.py
| | | |
| | | | \---__pycache__
| | | |     __init__.cpython-311.pyc
| | | |
| | | | \---__pycache__
| | | |     arrayTools.cpython-311.pyc
| | | |     bezierTools.cpython-311.pyc
| | | |     classifyTools.cpython-311.pyc
| | | |     cliTools.cpython-311.pyc

```

				configTools.cpython-311.pyc
				cython.cpython-311.pyc
				dictTools.cpython-311.pyc
				eexec.cpython-311.pyc
				encodingTools.cpython-311.pyc
				etree.cpython-311.pyc
				filenames.cpython-311.pyc
				fixedTools.cpython-311.pyc
				intTools.cpython-311.pyc
				iterTools.cpython-311.pyc
				lazyTools.cpython-311.pyc
				loggingTools.cpython-311.pyc
				macCreatorType.cpython-311.pyc
				macRes.cpython-311.pyc
				psCharStrings.cpython-311.pyc
				psLib.cpython-311.pyc
				psOperators.cpython-311.pyc
				py23.cpython-311.pyc
				roundTools.cpython-311.pyc
				sstruct.cpython-311.pyc
				symfont.cpython-311.pyc
				testTools.cpython-311.pyc
				textTools.cpython-311.pyc
				timeTools.cpython-311.pyc
				transform.cpython-311.pyc
				treeTools.cpython-311.pyc
				vector.cpython-311.pyc
				visitor.cpython-311.pyc
				xmlReader.cpython-311.pyc
				xmlWriter.cpython-311.pyc
				__init__.cpython-311.pyc
				+++mtiLib
				__init__.py
				__main__.py
				\---__pycache__
				__init__.cpython-311.pyc
				__main__.cpython-311.pyc
				+++otlLib
				builder.py
				error.py
				maxContextCalc.py
				__init__.py
				+++optimize
				gpos.py
				__init__.py
				__main__.py


```

| | | | \---__pycache__
| | | | gpos.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | | __main__.cpython-311.pyc
| | | |
| | | | \---__pycache__
| | | | builder.cpython-311.pyc
| | | | error.cpython-311.pyc
| | | | maxContextCalc.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | +---pens
| | | | areaPen.py
| | | | basePen.py
| | | | boundsPen.py
| | | | cairoPen.py
| | | | cocoaPen.py
| | | | cu2quPen.py
| | | | explicitClosingLinePen.py
| | | | filterPen.py
| | | | freetypePen.py
| | | | hashPointPen.py
| | | | momentsPen.c
| | | | momentsPen.cp311-win_amd64.pyd
| | | | momentsPen.py
| | | | perimeterPen.py
| | | | pointInsidePen.py
| | | | pointPen.py
| | | | qtPen.py
| | | | qu2cuPen.py
| | | | quartzPen.py
| | | | recordingPen.py
| | | | reportLabPen.py
| | | | reverseContourPen.py
| | | | roundingPen.py
| | | | statisticsPen.py
| | | | svgPathPen.py
| | | | t2CharStringPen.py
| | | | teePen.py
| | | | transformPen.py
| | | | ttGlyphPen.py
| | | | wxPen.py
| | | | __init__.py
| | | |
| | | | \---__pycache__
| | | | areaPen.cpython-311.pyc
| | | | basePen.cpython-311.pyc
| | | | boundsPen.cpython-311.pyc
| | | | cairoPen.cpython-311.pyc
| | | | cocoaPen.cpython-311.pyc
| | | | cu2quPen.cpython-311.pyc

```

				explicitClosingLinePen.cpython-311.pyc
				filterPen.cpython-311.pyc
				freetypePen.cpython-311.pyc
				hashPointPen.cpython-311.pyc
				momentsPen.cpython-311.pyc
				perimeterPen.cpython-311.pyc
				pointInsidePen.cpython-311.pyc
				pointPen.cpython-311.pyc
				qtPen.cpython-311.pyc
				qu2cuPen.cpython-311.pyc
				quartzPen.cpython-311.pyc
				recordingPen.cpython-311.pyc
				reportLabPen.cpython-311.pyc
				reverseContourPen.cpython-311.pyc
				roundingPen.cpython-311.pyc
				statisticsPen.cpython-311.pyc
				svgPathPen.cpython-311.pyc
				t2CharStringPen.cpython-311.pyc
				teePen.cpython-311.pyc
				transformPen.cpython-311.pyc
				ttGlyphPen.cpython-311.pyc
				wxPen.cpython-311.pyc
				__init__.cpython-311.pyc
				+---qu2cu
				benchmark.py
				cli.py
				qu2cu.c
				qu2cu.cp311-win_amd64.pyd
				qu2cu.py
				__init__.py
				__main__.py
				\---__pycache__
				benchmark.cpython-311.pyc
				cli.cpython-311.pyc
				qu2cu.cpython-311.pyc
				__init__.cpython-311.pyc
				__main__.cpython-311.pyc
				+---subset
				cff.py
				svg.py
				util.py
				__init__.py
				__main__.py
				\---__pycache__
				cff.cpython-311.pyc
				svg.cpython-311.pyc
				util.cpython-311.pyc

```

| | | | __init__.cpython-311.pyc
| | | | __main__.cpython-311.pyc
| | | |
| | | | +---svgLib
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | | +---path
| | | | | | | | | | arc.py
| | | | | | | | | | parser.py
| | | | | | | | | | shapes.py
| | | | | | | | | | __init__.py
| | | | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | | | | arc.cpython-311.pyc
| | | | | | | | | | parser.cpython-311.pyc
| | | | | | | | | | shapes.cpython-311.pyc
| | | | | | | | | | __init__.cpython-311.pyc
| | | | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | | | | __init__.cpython-311.pyc
| | | | | | | |
| | | | | | | | +---tlLib
| | | | | | | | | | __init__.py
| | | | | | | | | |
| | | | | | | | | | \---__pycache__
| | | | | | | | | | __init__.cpython-311.pyc
| | | | | | | | | |
| | | | | | | | +---ttLib
| | | | | | | | | | macUtils.py
| | | | | | | | | | removeOverlaps.py
| | | | | | | | | | reorderGlyphs.py
| | | | | | | | | | scaleUpem.py
| | | | | | | | | | sfnt.py
| | | | | | | | | | standardGlyphOrder.py
| | | | | | | | | | ttCollection.py
| | | | | | | | | | ttFont.py
| | | | | | | | | | ttGlyphSet.py
| | | | | | | | | | ttVisitor.py
| | | | | | | | | | woff2.py
| | | | | | | | | | __init__.py
| | | | | | | | | | __main__.py
| | | | | | | | | |
| | | | | | | | +---tables
| | | | | | | | | | asciiTable.py
| | | | | | | | | | BitmapGlyphMetrics.py
| | | | | | | | | | B_A_S_E_.py
| | | | | | | | | | C_B_D_T_.py
| | | | | | | | | | C_B_L_C_.py
| | | | | | | | | | C_F_F_.py
| | | | | | | | | | C_F_F_2.py
| | | | | | | | | | C_O_L_R_.py

```

						C_P_A_L_.py
						DefaultTable.py
						D_S_I_G_.py
						D__e_b_g.py
						E_B_D_T_.py
						E_B_L_C_.py
						F_F_T_M_.py
						F__e_a_t.py
						grUtils.py
						G_D_E_F_.py
						G_M_A_P_.py
						G_P_K_G_.py
						G_P_O_S_.py
						G_S_U_B_.py
						G__l_a_t.py
						G__l_o_c.py
						H_V_A_R_.py
						J_S_T_F_.py
						L_T_S_H_.py
						M_A_T_H_.py
						M_E_T_A_.py
						M_V_A_R_.py
						otBase.py
						otConverters.py
						otData.py
						otTables.py
						otTraverse.py
						O_S_2f_2.py
						sbixGlyph.py
						sbixStrike.py
						S_I_N_G_.py
						S_T_A_T_.py
						S_V_G_.py
						S__i_l_f.py
						S__i_l_l.py
						table_API_readme.txt
						ttProgram.py
						TupleVariation.py
						T_S_I_B_.py
						T_S_I_C_.py
						T_S_I_D_.py
						T_S_I_J_.py
						T_S_I_P_.py
						T_S_I_S_.py
						T_S_I_V_.py
						T_S_I__0.py
						T_S_I__1.py
						T_S_I__2.py
						T_S_I__3.py
						T_S_I__5.py
						T_T_F_A_.py

					V_A_R_C_.py
					V_D_M_X_.py
					V_O_R_G_.py
					V_V_A_R_.py
					_a_n_k_r.py
					_a_v_a_r.py
					_b_s_l_n.py
					_c_i_d_g.py
					_c_m_a_p.py
					_c_v_a_r.py
					_c_v_t.py
					_f_e_a_t.py
					_f_p_g_m.py
					_f_v_a_r.py
					_g_a_s_p.py
					_g_c_i_d.py
					_g_l_y_f.py
					_g_v_a_r.py
					_h_d_m_x.py
					_h_e_a_d.py
					_h_h_e_a.py
					_h_m_t_x.py
					_k_e_r_n.py
					_l_c_a_r.py
					_l_o_c_a.py
					_l_t_a_g.py
					_m_a_x_p.py
					_m_e_t_a.py
					_m_o_r_t.py
					_m_o_r_x.py
					_n_a_m_e.py
					_o_p_b_d.py
					_p_o_s_t.py
					_p_r_e_p.py
					_p_r_o_p.py
					_s_b_i_x.py
					_t_r_a_k.py
					_v_h_e_a.py
					_v_m_t_x.py
					__init__.py
					\---__pycache__
					asciiTable.cpython-311.pyc
					BitmapGlyphMetrics.cpython-311.pyc
					B_A_S_E_.cpython-311.pyc
					C_B_D_T_.cpython-311.pyc
					C_B_L_C_.cpython-311.pyc
					C_F_F_.cpython-311.pyc
					C_F_F__2.cpython-311.pyc
					C_O_L_R_.cpython-311.pyc
					C_P_A_L_.cpython-311.pyc

					DefaultTable.cpython-311.pyc
					D_S_I_G_.cpython-311.pyc
					D__e_b_g.cpython-311.pyc
					E_B_D_T_.cpython-311.pyc
					E_B_L_C_.cpython-311.pyc
					F_F_T_M_.cpython-311.pyc
					F__e_a_t.cpython-311.pyc
					grUtils.cpython-311.pyc
					G_D_E_F_.cpython-311.pyc
					G_M_A_P_.cpython-311.pyc
					G_P_K_G_.cpython-311.pyc
					G_P_O_S_.cpython-311.pyc
					G_S_U_B_.cpython-311.pyc
					G__l_a_t.cpython-311.pyc
					G__l_o_c.cpython-311.pyc
					H_V_A_R_.cpython-311.pyc
					J_S_T_F_.cpython-311.pyc
					L_T_S_H_.cpython-311.pyc
					M_A_T_H_.cpython-311.pyc
					M_E_T_A_.cpython-311.pyc
					M_V_A_R_.cpython-311.pyc
					otBase.cpython-311.pyc
					otConverters.cpython-311.pyc
					otData.cpython-311.pyc
					otTables.cpython-311.pyc
					otTraverse.cpython-311.pyc
					O_S_2f_2.cpython-311.pyc
					sbixGlyph.cpython-311.pyc
					sbixStrike.cpython-311.pyc
					S_I_N_G_.cpython-311.pyc
					S_T_A_T_.cpython-311.pyc
					S_V_G_.cpython-311.pyc
					S__i_l_f.cpython-311.pyc
					S__i_l_l.cpython-311.pyc
					ttProgram.cpython-311.pyc
					TupleVariation.cpython-311.pyc
					T_S_I_B_.cpython-311.pyc
					T_S_I_C_.cpython-311.pyc
					T_S_I_D_.cpython-311.pyc
					T_S_I_J_.cpython-311.pyc
					T_S_I_P_.cpython-311.pyc
					T_S_I_S_.cpython-311.pyc
					T_S_I_V_.cpython-311.pyc
					T_S_I__0.cpython-311.pyc
					T_S_I__1.cpython-311.pyc
					T_S_I__2.cpython-311.pyc
					T_S_I__3.cpython-311.pyc
					T_S_I__5.cpython-311.pyc
					T_T_F_A_.cpython-311.pyc
					V_A_R_C_.cpython-311.pyc
					V_D_M_X_.cpython-311.pyc

					V_O_R_G_.cpython-311.pyc
					V_V_A_R_.cpython-311.pyc
					_a_n_k_r.cpython-311.pyc
					_a_v_a_r.cpython-311.pyc
					_b_s_l_n.cpython-311.pyc
					_c_i_d_g.cpython-311.pyc
					_c_m_a_p.cpython-311.pyc
					_c_v_a_r.cpython-311.pyc
					_c_v_t.cpython-311.pyc
					_f_e_a_t.cpython-311.pyc
					_f_p_g_m.cpython-311.pyc
					_f_v_a_r.cpython-311.pyc
					_g_a_s_p.cpython-311.pyc
					_g_c_i_d.cpython-311.pyc
					_g_l_y_f.cpython-311.pyc
					_g_v_a_r.cpython-311.pyc
					_h_d_m_x.cpython-311.pyc
					_h_e_a_d.cpython-311.pyc
					_h_h_e_a.cpython-311.pyc
					_h_m_t_x.cpython-311.pyc
					_k_e_r_n.cpython-311.pyc
					_l_c_a_r.cpython-311.pyc
					_l_o_c_a.cpython-311.pyc
					_l_t_a_g.cpython-311.pyc
					_m_a_x_p.cpython-311.pyc
					_m_e_t_a.cpython-311.pyc
					_m_o_r_t.cpython-311.pyc
					_m_o_r_x.cpython-311.pyc
					_n_a_m_e.cpython-311.pyc
					_o_p_b_d.cpython-311.pyc
					_p_o_s_t.cpython-311.pyc
					_p_r_e_p.cpython-311.pyc
					_p_r_o_p.cpython-311.pyc
					_s_b_i_x.cpython-311.pyc
					_t_r_a_k.cpython-311.pyc
					_v_h_e_a.cpython-311.pyc
					_v_m_t_x.cpython-311.pyc
					__init__.cpython-311.pyc
					\---__pycache__
					macUtils.cpython-311.pyc
					removeOverlaps.cpython-311.pyc
					reorderGlyphs.cpython-311.pyc
					scaleUpem.cpython-311.pyc
					sfnt.cpython-311.pyc
					standardGlyphOrder.cpython-311.pyc
					ttCollection.cpython-311.pyc
					ttFont.cpython-311.pyc
					ttGlyphSet.cpython-311.pyc
					ttVisitor.cpython-311.pyc
					woff2.cpython-311.pyc

```

| | | | __init__.cpython-311.pyc
| | | | __main__.cpython-311.pyc
| | | |
| | | | +---ufoLib
| | | | | converters.py
| | | | | errors.py
| | | | | etree.py
| | | | | filenames.py
| | | | | glifLib.py
| | | | | kerning.py
| | | | | plistlib.py
| | | | | pointPen.py
| | | | | utils.py
| | | | | validators.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | converters.cpython-311.pyc
| | | | | errors.cpython-311.pyc
| | | | | etree.cpython-311.pyc
| | | | | filenames.cpython-311.pyc
| | | | | glifLib.cpython-311.pyc
| | | | | kerning.cpython-311.pyc
| | | | | plistlib.cpython-311.pyc
| | | | | pointPen.cpython-311.pyc
| | | | | utils.cpython-311.pyc
| | | | | validators.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---unicodedata
| | | | | Blocks.py
| | | | | OTTags.py
| | | | | ScriptExtensions.py
| | | | | Scripts.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | Blocks.cpython-311.pyc
| | | | | OTTags.cpython-311.pyc
| | | | | ScriptExtensions.cpython-311.pyc
| | | | | Scripts.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---varLib
| | | | | avar.py
| | | | | avarPlanner.py
| | | | | builder.py
| | | | | cff.py
| | | | | errors.py
| | | | | featureVars.py
| | | | | interpolatable.py

```



```

| | | | interpolatableHelpers.py
| | | | interpolatablePlot.py
| | | | interpolatableTestContourOrder.py
| | | | interpolatableTestStartingPoint.py
| | | | interpolate_layout.py
| | | | iup.c
| | | | iup.cp311-win_amd64.pyd
| | | | iup.py
| | | | merger.py
| | | | models.py
| | | | multiVarStore.py
| | | | mutator.py
| | | | mvar.py
| | | | plot.py
| | | | stat.py
| | | | varStore.py
| | | | __init__.py
| | | | __main__.py
| | | |
| | | | +---instancerc
| | | | | featureVars.py
| | | | | names.py
| | | | | solver.py
| | | | | __init__.py
| | | | | __main__.py
| | | | |
| | | | \---__pycache__
| | | | | featureVars.cpython-311.pyc
| | | | | names.cpython-311.pyc
| | | | | solver.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | | __main__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | avar.cpython-311.pyc
| | | | | avarPlanner.cpython-311.pyc
| | | | | builder.cpython-311.pyc
| | | | | cff.cpython-311.pyc
| | | | | errors.cpython-311.pyc
| | | | | featureVars.cpython-311.pyc
| | | | | interpolatable.cpython-311.pyc
| | | | | interpolatableHelpers.cpython-311.pyc
| | | | | interpolatablePlot.cpython-311.pyc
| | | | | interpolatableTestContourOrder.cpython-311.pyc
| | | | | interpolatableTestStartingPoint.cpython-311.pyc
| | | | | interpolate_layout.cpython-311.pyc
| | | | | iup.cpython-311.pyc
| | | | | merger.cpython-311.pyc
| | | | | models.cpython-311.pyc
| | | | | multiVarStore.cpython-311.pyc
| | | | | mutator.cpython-311.pyc

```

```

| | | | mvar.cpython-311.pyc
| | | | plot.cpython-311.pyc
| | | | stat.cpython-311.pyc
| | | | varStore.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | | __main__.cpython-311.pyc
| | | |
| | | +---voltLib
| | | | | ast.py
| | | | | error.py
| | | | | lexer.py
| | | | | parser.py
| | | | | voltToFea.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | ast.cpython-311.pyc
| | | | | error.cpython-311.pyc
| | | | | lexer.cpython-311.pyc
| | | | | parser.cpython-311.pyc
| | | | | voltToFea.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | afmLib.cpython-311.pyc
| | | | | agl.cpython-311.pyc
| | | | | fontBuilder.cpython-311.pyc
| | | | | help.cpython-311.pyc
| | | | | tfmLib.cpython-311.pyc
| | | | | ttx.cpython-311.pyc
| | | | | unicode.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | | __main__.cpython-311.pyc
| | | | |
| | | +---fonttools-4.56.0.dist-info
| | | | | entry_points.txt
| | | | | INSTALLER
| | | | | LICENSE
| | | | | METADATA
| | | | | RECORD
| | | | | top_level.txt
| | | | | WHEEL
| | | | |
| | | +---fpdf
| | | | | fonts.py
| | | | | fpdf.py
| | | | | html.py
| | | | | php.py
| | | | | py3k.py
| | | | | template.py
| | | | | ttfonts.py

```

```

| | | | __init__.py
| | | |
| | | | \---__pycache__
| | | |     fonts.cpython-311.pyc
| | | |     fpdf.cpython-311.pyc
| | | |     html.cpython-311.pyc
| | | |     php.cpython-311.pyc
| | | |     py3k.cpython-311.pyc
| | | |     template.cpython-311.pyc
| | | |     ttfonts.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | +---fpdf-1.7.2.dist-info
| | | |     INSTALLER
| | | |     METADATA
| | | |     RECORD
| | | |     REQUESTED
| | | |     top_level.txt
| | | |     WHEEL
| | | |
| | | +---fsspec
| | | | | archive.py
| | | | | asyn.py
| | | | | caching.py
| | | | | callbacks.py
| | | | | compression.py
| | | | | config.py
| | | | | conftest.py
| | | | | core.py
| | | | | dircache.py
| | | | | exceptions.py
| | | | | fuse.py
| | | | | generic.py
| | | | | gui.py
| | | | | json.py
| | | | | mapping.py
| | | | | parquet.py
| | | | | registry.py
| | | | | spec.py
| | | | | transaction.py
| | | | | utils.py
| | | | | _version.py
| | | | | __init__.py
| | | | |
| | | | +---implementations
| | | | | | arrow.py
| | | | | | cached.py
| | | | | | cache_mapper.py
| | | | | | cache_metadata.py
| | | | | | dask.py
| | | | | | data.py

```

```

| | | | dbfs.py
| | | | dirfs.py
| | | | ftp.py
| | | | git.py
| | | | github.py
| | | | http.py
| | | | jupyter.py
| | | | libarchive.py
| | | | local.py
| | | | memory.py
| | | | reference.py
| | | | sftp.py
| | | | smb.py
| | | | tar.py
| | | | webhdfs.py
| | | | zip.py
| | | | __init__.py
| | | |
| | | | \---__pycache__
| | | |     arrow.cpython-311.pyc
| | | |     cached.cpython-311.pyc
| | | |     cache_mapper.cpython-311.pyc
| | | |     cache_metadata.cpython-311.pyc
| | | |     dask.cpython-311.pyc
| | | |     data.cpython-311.pyc
| | | |     dbfs.cpython-311.pyc
| | | |     dirfs.cpython-311.pyc
| | | |     ftp.cpython-311.pyc
| | | |     git.cpython-311.pyc
| | | |     github.cpython-311.pyc
| | | |     http.cpython-311.pyc
| | | |     jupyter.cpython-311.pyc
| | | |     libarchive.cpython-311.pyc
| | | |     local.cpython-311.pyc
| | | |     memory.cpython-311.pyc
| | | |     reference.cpython-311.pyc
| | | |     sftp.cpython-311.pyc
| | | |     smb.cpython-311.pyc
| | | |     tar.cpython-311.pyc
| | | |     webhdfs.cpython-311.pyc
| | | |     zip.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---tests
| | | | | \---abstract
| | | | |     | common.py
| | | | |     | copy.py
| | | | |     | get.py
| | | | |     | mv.py
| | | | |     | put.py
| | | | |     | __init__.py

```

```

| | | |
| | | | \---__pycache__
| | | |     common.cpython-311.pyc
| | | |     copy.cpython-311.pyc
| | | |     get.cpython-311.pyc
| | | |     mv.cpython-311.pyc
| | | |     put.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | \---__pycache__
| | | |     archive.cpython-311.pyc
| | | |     asyn.cpython-311.pyc
| | | |     caching.cpython-311.pyc
| | | |     callbacks.cpython-311.pyc
| | | |     compression.cpython-311.pyc
| | | |     config.cpython-311.pyc
| | | |     conftest.cpython-311.pyc
| | | |     core.cpython-311.pyc
| | | |     dircache.cpython-311.pyc
| | | |     exceptions.cpython-311.pyc
| | | |     fuse.cpython-311.pyc
| | | |     generic.cpython-311.pyc
| | | |     gui.cpython-311.pyc
| | | |     json.cpython-311.pyc
| | | |     mapping.cpython-311.pyc
| | | |     parquet.cpython-311.pyc
| | | |     registry.cpython-311.pyc
| | | |     spec.cpython-311.pyc
| | | |     transaction.cpython-311.pyc
| | | |     utils.cpython-311.pyc
| | | |     _version.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---fsspec-2024.6.1.dist-info
| | | | |     INSTALLER
| | | | |     METADATA
| | | | |     RECORD
| | | | |     WHEEL
| | | | |
| | | | | \---licenses
| | | | |     LICENSE
| | | | |
| | | | +---functorch
| | | | |     _C.cp311-win_amd64.pyd
| | | | |     __init__.py
| | | | |
| | | | | +---compile
| | | | | |     __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | |     __init__.cpython-311.pyc

```

```

| | | |
| | | +---dim
| | | | batch_tensor.py
| | | | delayed_mul_tensor.py
| | | | dim.py
| | | | magic_trace.py
| | | | op_properties.py
| | | | reference.py
| | | | tree_map.py
| | | | wrap_type.py
| | | | __init__.py
| | | |
| | | \---__pycache__
| | |     batch_tensor.cpython-311.pyc
| | |     delayed_mul_tensor.cpython-311.pyc
| | |     dim.cpython-311.pyc
| | |     magic_trace.cpython-311.pyc
| | |     op_properties.cpython-311.pyc
| | |     reference.cpython-311.pyc
| | |     tree_map.cpython-311.pyc
| | |     wrap_type.cpython-311.pyc
| | |     __init__.cpython-311.pyc
| | | |
| | | +---einops
| | | | rearrange.py
| | | | _parsing.py
| | | | __init__.py
| | | |
| | | \---__pycache__
| | |     rearrange.cpython-311.pyc
| | |     _parsing.cpython-311.pyc
| | |     __init__.cpython-311.pyc
| | | |
| | | +---experimental
| | | | control_flow.py
| | | | ops.py
| | | | __init__.py
| | | |
| | | \---__pycache__
| | |     control_flow.cpython-311.pyc
| | |     ops.cpython-311.pyc
| | |     __init__.cpython-311.pyc
| | | |
| | | +---_src
| | | | __init__.py
| | | |
| | | +---aot_autograd
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | |     __init__.cpython-311.pyc

```

```

| | | |
| | | | +---eager_transforms
| | | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---make_functional
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---vmap
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---google
| | | | +---api
| | | | | annotations.proto
| | | | | annotations_pb2.py
| | | | | annotations_pb2.pyi
| | | | | auth.proto
| | | | | auth_pb2.py
| | | | | auth_pb2.pyi
| | | | | backend.proto
| | | | | backend_pb2.py
| | | | | backend_pb2.pyi
| | | | | billing.proto
| | | | | billing_pb2.py
| | | | | billing_pb2.pyi
| | | | | client.proto
| | | | | client_pb2.py
| | | | | client_pb2.pyi
| | | | | config_change.proto
| | | | | config_change_pb2.py
| | | | | config_change_pb2.pyi
| | | | | consumer.proto
| | | | | consumer_pb2.py
| | | | | consumer_pb2.pyi
| | | | | context.proto
| | | | | context_pb2.py
| | | | | context_pb2.pyi

```

					control.proto
					control_pb2.py
					control_pb2.pyi
					distribution.proto
					distribution_pb2.py
					distribution_pb2.pyi
					documentation.proto
					documentation_pb2.py
					documentation_pb2.pyi
					endpoint.proto
					endpoint_pb2.py
					endpoint_pb2.pyi
					error_reason.proto
					error_reason_pb2.py
					error_reason_pb2.pyi
					field_behavior.proto
					field_behavior_pb2.py
					field_behavior_pb2.pyi
					field_info.proto
					field_info_pb2.py
					field_info_pb2.pyi
					http.proto
					httpbody.proto
					httpbody_pb2.py
					httpbody_pb2.pyi
					http_pb2.py
					http_pb2.pyi
					label.proto
					label_pb2.py
					label_pb2.pyi
					launch_stage.proto
					launch_stage_pb2.py
					launch_stage_pb2.pyi
					log.proto
					logging.proto
					logging_pb2.py
					logging_pb2.pyi
					log_pb2.py
					log_pb2.pyi
					metric.proto
					metric_pb2.py
					metric_pb2.pyi
					monitored_resource.proto
					monitored_resource_pb2.py
					monitored_resource_pb2.pyi
					monitoring.proto
					monitoring_pb2.py
					monitoring_pb2.pyi
					policy.proto
					policy_pb2.py
					policy_pb2.pyi

					quota.proto
					quota_pb2.py
					quota_pb2.pyi
					resource.proto
					resource_pb2.py
					resource_pb2.pyi
					routing.proto
					routing_pb2.py
					routing_pb2.pyi
					service.proto
					service_pb2.py
					service_pb2.pyi
					source_info.proto
					source_info_pb2.py
					source_info_pb2.pyi
					system_parameter.proto
					system_parameter_pb2.py
					system_parameter_pb2.pyi
					usage.proto
					usage_pb2.py
					usage_pb2.pyi
					visibility.proto
					visibility_pb2.py
					visibility_pb2.pyi
					\---__pycache__
					annotations_pb2.cpython-311.pyc
					auth_pb2.cpython-311.pyc
					backend_pb2.cpython-311.pyc
					billing_pb2.cpython-311.pyc
					client_pb2.cpython-311.pyc
					config_change_pb2.cpython-311.pyc
					consumer_pb2.cpython-311.pyc
					context_pb2.cpython-311.pyc
					control_pb2.cpython-311.pyc
					distribution_pb2.cpython-311.pyc
					documentation_pb2.cpython-311.pyc
					endpoint_pb2.cpython-311.pyc
					error_reason_pb2.cpython-311.pyc
					field_behavior_pb2.cpython-311.pyc
					field_info_pb2.cpython-311.pyc
					httpbody_pb2.cpython-311.pyc
					http_pb2.cpython-311.pyc
					label_pb2.cpython-311.pyc
					launch_stage_pb2.cpython-311.pyc
					logging_pb2.cpython-311.pyc
					log_pb2.cpython-311.pyc
					metric_pb2.cpython-311.pyc
					monitored_resource_pb2.cpython-311.pyc
					monitoring_pb2.cpython-311.pyc
					policy_pb2.cpython-311.pyc

				quota_pb2.cpython-311.pyc
				resource_pb2.cpython-311.pyc
				routing_pb2.cpython-311.pyc
				service_pb2.cpython-311.pyc
				source_info_pb2.cpython-311.pyc
				system_parameter_pb2.cpython-311.pyc
				usage_pb2.cpython-311.pyc
				visibility_pb2.cpython-311.pyc
				+---api_core
				bidi.py
				client_info.py
				client_logging.py
				client_options.py
				datetime_helpers.py
				exceptions.py
				extended_operation.py
				general_helpers.py
				grpc_helpers.py
				grpc_helpers_async.py
				iam.py
				operation.py
				operation_async.py
				page_iterator.py
				page_iterator_async.py
				path_template.py
				protobuf_helpers.py
				py.typed
				rest_helpers.py
				rest_streaming.py
				rest_streaming_async.py
				retry_async.py
				timeout.py
				universe.py
				version.py
				version_header.py
				_rest_streaming_base.py
				__init__.py
				+---future
				async_future.py
				base.py
				polling.py
				_helpers.py
				__init__.py
				\---__pycache__
				async_future.cpython-311.pyc
				base.cpython-311.pyc
				polling.cpython-311.pyc
				_helpers.cpython-311.pyc

```

| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---gapic_v1
| | | | | | client_info.py
| | | | | | config.py
| | | | | | config_async.py
| | | | | | method.py
| | | | | | method_async.py
| | | | | | routing_header.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | client_info.cpython-311.pyc
| | | | | | config.cpython-311.pyc
| | | | | | config_async.cpython-311.pyc
| | | | | | method.cpython-311.pyc
| | | | | | method_async.cpython-311.pyc
| | | | | | routing_header.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | +---operations_v1
| | | | | | abstract_operations_base_client.py
| | | | | | abstract_operations_client.py
| | | | | | operations_async_client.py
| | | | | | operations_client.py
| | | | | | operations_client_config.py
| | | | | | operations_rest_client_async.py
| | | | | | pagers.py
| | | | | | pagers_async.py
| | | | | | pagers_base.py
| | | | | | __init__.py
| | | | | |
| | | | | +---transports
| | | | | | | base.py
| | | | | | | rest.py
| | | | | | | rest_asyncio.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | \---__pycache__
| | | | | | | base.cpython-311.pyc
| | | | | | | rest.cpython-311.pyc
| | | | | | | rest_asyncio.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | | \---__pycache__
| | | | | | | abstract_operations_base_client.cpython-311.pyc
| | | | | | | abstract_operations_client.cpython-311.pyc
| | | | | | | operations_async_client.cpython-311.pyc
| | | | | | | operations_client.cpython-311.pyc
| | | | | | | operations_client_config.cpython-311.pyc
| | | | | | | operations_rest_client_async.cpython-311.pyc

```

					pagers.cpython-311.pyc
					pagers_async.cpython-311.pyc
					pagers_base.cpython-311.pyc
					__init__.cpython-311.pyc
					+---retry
					retry_base.py
					retry_streaming.py
					retry_streaming_async.py
					retry_unary.py
					retry_unary_async.py
					__init__.py
					\---__pycache__
					retry_base.cpython-311.pyc
					retry_streaming.cpython-311.pyc
					retry_streaming_async.cpython-311.pyc
					retry_unary.cpython-311.pyc
					retry_unary_async.cpython-311.pyc
					__init__.cpython-311.pyc
					\---__pycache__
					bidi.cpython-311.pyc
					client_info.cpython-311.pyc
					client_logging.cpython-311.pyc
					client_options.cpython-311.pyc
					datetime_helpers.cpython-311.pyc
					exceptions.cpython-311.pyc
					extended_operation.cpython-311.pyc
					general_helpers.cpython-311.pyc
					grpc_helpers.cpython-311.pyc
					grpc_helpers_async.cpython-311.pyc
					iam.cpython-311.pyc
					operation.cpython-311.pyc
					operation_async.cpython-311.pyc
					page_iterator.cpython-311.pyc
					page_iterator_async.cpython-311.pyc
					path_template.cpython-311.pyc
					protobuf_helpers.cpython-311.pyc
					rest_helpers.cpython-311.pyc
					rest_streaming.cpython-311.pyc
					rest_streaming_async.cpython-311.pyc
					retry_async.cpython-311.pyc
					timeout.cpython-311.pyc
					universe.cpython-311.pyc
					version.cpython-311.pyc
					version_header.cpython-311.pyc
					_rest_streaming_base.cpython-311.pyc
					__init__.cpython-311.pyc
					+---auth

```

| | | | | api_key.py
| | | | | app_engine.py
| | | | | aws.py
| | | | | credentials.py
| | | | | downscoped.py
| | | | | environment_vars.py
| | | | | exceptions.py
| | | | | external_account.py
| | | | | external_account_authorized_user.py
| | | | | iam.py
| | | | | identity_pool.py
| | | | | impersonated_credentials.py
| | | | | jwt.py
| | | | | metrics.py
| | | | | pluggable.py
| | | | | py.typed
| | | | | version.py
| | | | | _cloud_sdk.py
| | | | | _credentials_async.py
| | | | | _credentials_base.py
| | | | | _default.py
| | | | | _default_async.py
| | | | | _exponential_backoff.py
| | | | | _helpers.py
| | | | | _jwt_async.py
| | | | | _oauth2client.py
| | | | | _refresh_worker.py
| | | | | _service_account_info.py
| | | | | __init__.py
| | | | |
| | | | | +---aio
| | | | | | | credentials.py
| | | | | | | __init__.py
| | | | | | |
| | | | | +---transport
| | | | | | | aiohttp.py
| | | | | | | sessions.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | \---__pycache__
| | | | | | | aiohttp.cpython-311.pyc
| | | | | | | sessions.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | | \---__pycache__
| | | | | | | credentials.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | +---compute_engine
| | | | | | | credentials.py
| | | | | | | _metadata.py

```

```

| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     credentials.cpython-311.pyc
| | | | |     _metadata.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---crypt
| | | | | | base.py
| | | | | | es256.py
| | | | | | rsa.py
| | | | | | _cryptography_rsa.py
| | | | | | _helpers.py
| | | | | | _python_rsa.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | |     base.cpython-311.pyc
| | | | |     es256.cpython-311.pyc
| | | | |     rsa.cpython-311.pyc
| | | | |     _cryptography_rsa.cpython-311.pyc
| | | | |     _helpers.cpython-311.pyc
| | | | |     _python_rsa.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---transport
| | | | | | grpc.py
| | | | | | mtls.py
| | | | | | requests.py
| | | | | | urllib3.py
| | | | | | _aiohttp_requests.py
| | | | | | _custom_tls_signer.py
| | | | | | _http_client.py
| | | | | | _mtls_helper.py
| | | | | | _requests_base.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | |     grpc.cpython-311.pyc
| | | | |     mtls.cpython-311.pyc
| | | | |     requests.cpython-311.pyc
| | | | |     urllib3.cpython-311.pyc
| | | | |     _aiohttp_requests.cpython-311.pyc
| | | | |     _custom_tls_signer.cpython-311.pyc
| | | | |     _http_client.cpython-311.pyc
| | | | |     _mtls_helper.cpython-311.pyc
| | | | |     _requests_base.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     api_key.cpython-311.pyc

```

```

| | | | app_engine.cpython-311.pyc
| | | | aws.cpython-311.pyc
| | | | credentials.cpython-311.pyc
| | | | downscoped.cpython-311.pyc
| | | | environment_vars.cpython-311.pyc
| | | | exceptions.cpython-311.pyc
| | | | external_account.cpython-311.pyc
| | | | external_account_authorized_user.cpython-311.pyc
| | | | iam.cpython-311.pyc
| | | | identity_pool.cpython-311.pyc
| | | | impersonated_credentials.cpython-311.pyc
| | | | jwt.cpython-311.pyc
| | | | metrics.cpython-311.pyc
| | | | pluggable.cpython-311.pyc
| | | | version.cpython-311.pyc
| | | | _cloud_sdk.cpython-311.pyc
| | | | _credentials_async.cpython-311.pyc
| | | | _credentials_base.cpython-311.pyc
| | | | _default.cpython-311.pyc
| | | | _default_async.cpython-311.pyc
| | | | _exponential_backoff.cpython-311.pyc
| | | | _helpers.cpython-311.pyc
| | | | _jwt_async.cpython-311.pyc
| | | | _oauth2client.cpython-311.pyc
| | | | _refresh_worker.cpython-311.pyc
| | | | _service_account_info.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | +---cloud
| | | | | extended_operations.proto
| | | | | extended_operations_pb2.py
| | | | | extended_operations_pb2.pyi
| | | | |
| | | | +---location
| | | | | | locations.proto
| | | | | | locations_pb2.py
| | | | | | locations_pb2.pyi
| | | | | |
| | | | | \---__pycache__
| | | | | | locations_pb2.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__
| | | | | | extended_operations_pb2.cpython-311.pyc
| | | | | |
| | | | +---gpic
| | | | | \---metadata
| | | | | | gpic_metadata.proto
| | | | | | gpic_metadata_pb2.py
| | | | | | gpic_metadata_pb2.pyi
| | | | | |
| | | | | \---__pycache__

```

```

| | | | gapic_metadata_pb2.cpython-311.pyc
| | | |
| | | | +---logging
| | | | | \---type
| | | | | | http_request.proto
| | | | | | http_request_pb2.py
| | | | | | http_request_pb2.pyi
| | | | | | log_severity.proto
| | | | | | log_severity_pb2.py
| | | | | | log_severity_pb2.pyi
| | | | | |
| | | | | \---__pycache__
| | | | | | http_request_pb2.cpython-311.pyc
| | | | | | log_severity_pb2.cpython-311.pyc
| | | | | |
| | | | +---longrunning
| | | | | | operations_grpc.py
| | | | | | operations_grpc_pb2.py
| | | | | | operations_pb2.py
| | | | | | operations_pb2_grpc.py
| | | | | | operations_proto.proto
| | | | | | operations_proto.py
| | | | | | operations_proto_pb2.py
| | | | | | operations_proto_pb2.pyi
| | | | | |
| | | | | \---__pycache__
| | | | | | operations_grpc.cpython-311.pyc
| | | | | | operations_grpc_pb2.cpython-311.pyc
| | | | | | operations_pb2.cpython-311.pyc
| | | | | | operations_pb2_grpc.cpython-311.pyc
| | | | | | operations_proto.cpython-311.pyc
| | | | | | operations_proto_pb2.cpython-311.pyc
| | | | | |
| | | | +---oauth2
| | | | | | challenges.py
| | | | | | credentials.py
| | | | | | gdch_credentials.py
| | | | | | id_token.py
| | | | | | py.typed
| | | | | | reauth.py
| | | | | | service_account.py
| | | | | | sts.py
| | | | | | utils.py
| | | | | | webauthn_handler.py
| | | | | | webauthn_handler_factory.py
| | | | | | webauthn_types.py
| | | | | | _client.py
| | | | | | _client_async.py
| | | | | | _credentials_async.py
| | | | | | _id_token_async.py
| | | | | | _reauth_async.py

```


					_service_account_async.py
					__init__.py
					\---__pycache__
					challenges.cpython-311.pyc
					credentials.cpython-311.pyc
					gdch_credentials.cpython-311.pyc
					id_token.cpython-311.pyc
					reauth.cpython-311.pyc
					service_account.cpython-311.pyc
					sts.cpython-311.pyc
					utils.cpython-311.pyc
					webauthn_handler.cpython-311.pyc
					webauthn_handler_factory.cpython-311.pyc
					webauthn_types.cpython-311.pyc
					_client.cpython-311.pyc
					_client_async.cpython-311.pyc
					_credentials_async.cpython-311.pyc
					_id_token_async.cpython-311.pyc
					_reauth_async.cpython-311.pyc
					_service_account_async.cpython-311.pyc
					__init__.cpython-311.pyc
					+---protobuf
					any.py
					any_pb2.py
					api_pb2.py
					descriptor.py
					descriptor_database.py
					descriptor_pb2.py
					descriptor_pool.py
					duration.py
					duration_pb2.py
					empty_pb2.py
					field_mask_pb2.py
					json_format.py
					message.py
					message_factory.py
					proto.py
					proto_builder.py
					proto_json.py
					proto_text.py
					reflection.py
					runtime_version.py
					service_reflection.py
					source_context_pb2.py
					struct_pb2.py
					symbol_database.py
					text_encoding.py
					text_format.py
					timestamp.py

```

| | | | timestamp_pb2.py
| | | | type_pb2.py
| | | | unknown_fields.py
| | | | wrappers_pb2.py
| | | | __init__.py
| | | |
| | | | +---compiler
| | | | | plugin_pb2.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | |     plugin_pb2.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---internal
| | | | | api_implementation.py
| | | | | builder.py
| | | | | containers.py
| | | | | decoder.py
| | | | | encoder.py
| | | | | enum_type_wrapper.py
| | | | | extension_dict.py
| | | | | field_mask.py
| | | | | message_listener.py
| | | | | python_edition_defaults.py
| | | | | python_message.py
| | | | | testing_refleaks.py
| | | | | type_checkers.py
| | | | | well_known_types.py
| | | | | wire_format.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | |     api_implementation.cpython-311.pyc
| | | |     builder.cpython-311.pyc
| | | |     containers.cpython-311.pyc
| | | |     decoder.cpython-311.pyc
| | | |     encoder.cpython-311.pyc
| | | |     enum_type_wrapper.cpython-311.pyc
| | | |     extension_dict.cpython-311.pyc
| | | |     field_mask.cpython-311.pyc
| | | |     message_listener.cpython-311.pyc
| | | |     python_edition_defaults.cpython-311.pyc
| | | |     python_message.cpython-311.pyc
| | | |     testing_refleaks.cpython-311.pyc
| | | |     type_checkers.cpython-311.pyc
| | | |     well_known_types.cpython-311.pyc
| | | |     wire_format.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---pyext

```

```

| | | | | cpp_message.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     cpp_message.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---testdata
| | | | | | | __init__.py
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | |     __init__.cpython-311.pyc
| | | | | | |
| | | | | | | +---util
| | | | | | | | | __init__.py
| | | | | | | | |
| | | | | | | | | \---__pycache__
| | | | | | | | |     __init__.cpython-311.pyc
| | | | | | | | |
| | | | | | | | | \---__pycache__
| | | | | | | | |     any.cpython-311.pyc
| | | | | | | | |     any_pb2.cpython-311.pyc
| | | | | | | | |     api_pb2.cpython-311.pyc
| | | | | | | | |     descriptor.cpython-311.pyc
| | | | | | | | |     descriptor_database.cpython-311.pyc
| | | | | | | | |     descriptor_pb2.cpython-311.pyc
| | | | | | | | |     descriptor_pool.cpython-311.pyc
| | | | | | | | |     duration.cpython-311.pyc
| | | | | | | | |     duration_pb2.cpython-311.pyc
| | | | | | | | |     empty_pb2.cpython-311.pyc
| | | | | | | | |     field_mask_pb2.cpython-311.pyc
| | | | | | | | |     json_format.cpython-311.pyc
| | | | | | | | |     message.cpython-311.pyc
| | | | | | | | |     message_factory.cpython-311.pyc
| | | | | | | | |     proto.cpython-311.pyc
| | | | | | | | |     proto_builder.cpython-311.pyc
| | | | | | | | |     proto_json.cpython-311.pyc
| | | | | | | | |     proto_text.cpython-311.pyc
| | | | | | | | |     reflection.cpython-311.pyc
| | | | | | | | |     runtime_version.cpython-311.pyc
| | | | | | | | |     service_reflection.cpython-311.pyc
| | | | | | | | |     source_context_pb2.cpython-311.pyc
| | | | | | | | |     struct_pb2.cpython-311.pyc
| | | | | | | | |     symbol_database.cpython-311.pyc
| | | | | | | | |     text_encoding.cpython-311.pyc
| | | | | | | | |     text_format.cpython-311.pyc
| | | | | | | | |     timestamp.cpython-311.pyc
| | | | | | | | |     timestamp_pb2.cpython-311.pyc
| | | | | | | | |     type_pb2.cpython-311.pyc
| | | | | | | | |     unknown_fields.cpython-311.pyc
| | | | | | | | |     wrappers_pb2.cpython-311.pyc

```

```

| | | | __init__.cpython-311.pyc
| | | |
| | | | +---rpc
| | | | | code.proto
| | | | | code_pb2.py
| | | | | code_pb2.pyi
| | | | | error_details.proto
| | | | | error_details_pb2.py
| | | | | error_details_pb2.pyi
| | | | | http.proto
| | | | | http_pb2.py
| | | | | http_pb2.pyi
| | | | | status.proto
| | | | | status_pb2.py
| | | | | status_pb2.pyi
| | | | |
| | | | | +---context
| | | | | | attribute_context.proto
| | | | | | attribute_context_pb2.py
| | | | | | attribute_context_pb2.pyi
| | | | | | audit_context.proto
| | | | | | audit_context_pb2.py
| | | | | | audit_context_pb2.pyi
| | | | | |
| | | | | \---__pycache__
| | | | | | attribute_context_pb2.cpython-311.pyc
| | | | | | audit_context_pb2.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__
| | | | | | code_pb2.cpython-311.pyc
| | | | | | error_details_pb2.cpython-311.pyc
| | | | | | http_pb2.cpython-311.pyc
| | | | | | status_pb2.cpython-311.pyc
| | | | | |
| | | | | +---type
| | | | | | calendar_period.proto
| | | | | | calendar_period_pb2.py
| | | | | | calendar_period_pb2.pyi
| | | | | | color.proto
| | | | | | color_pb2.py
| | | | | | color_pb2.pyi
| | | | | | date.proto
| | | | | | datetime.proto
| | | | | | datetime_pb2.py
| | | | | | datetime_pb2.pyi
| | | | | | date_pb2.py
| | | | | | date_pb2.pyi
| | | | | | dayofweek.proto
| | | | | | dayofweek_pb2.py
| | | | | | dayofweek_pb2.pyi
| | | | | | decimal.proto

```

					decimal_pb2.py
					decimal_pb2.pyi
					expr.proto
					expr_pb2.py
					expr_pb2.pyi
					fraction.proto
					fraction_pb2.py
					fraction_pb2.pyi
					interval.proto
					interval_pb2.py
					interval_pb2.pyi
					latlng.proto
					latlng_pb2.py
					latlng_pb2.pyi
					localized_text.proto
					localized_text_pb2.py
					localized_text_pb2.pyi
					money.proto
					money_pb2.py
					money_pb2.pyi
					month.proto
					month_pb2.py
					month_pb2.pyi
					phone_number.proto
					phone_number_pb2.py
					phone_number_pb2.pyi
					postal_address.proto
					postal_address_pb2.py
					postal_address_pb2.pyi
					quaternion.proto
					quaternion_pb2.py
					quaternion_pb2.pyi
					timeofday.proto
					timeofday_pb2.py
					timeofday_pb2.pyi
					\---__pycache__
					calendar_period_pb2.cpython-311.pyc
					color_pb2.cpython-311.pyc
					datetime_pb2.cpython-311.pyc
					date_pb2.cpython-311.pyc
					dayofweek_pb2.cpython-311.pyc
					decimal_pb2.cpython-311.pyc
					expr_pb2.cpython-311.pyc
					fraction_pb2.cpython-311.pyc
					interval_pb2.cpython-311.pyc
					latlng_pb2.cpython-311.pyc
					localized_text_pb2.cpython-311.pyc
					money_pb2.cpython-311.pyc
					month_pb2.cpython-311.pyc
					phone_number_pb2.cpython-311.pyc

```

| | | postal_address_pb2.cpython-311.pyc
| | | quaternion_pb2.cpython-311.pyc
| | | timeofday_pb2.cpython-311.pyc
| | |
| | | \---_upb
| | |     _message.pyd
| | |
| | +---googleapiclient
| | |     channel.py
| | |     discovery.py
| | |     errors.py
| | |     http.py
| | |     mimeparse.py
| | |     model.py
| | |     sample_tools.py
| | |     schema.py
| | |     version.py
| | |     _auth.py
| | |     _helpers.py
| | |     __init__.py
| | |
| | | +---discovery_cache
| | | |     appengine_memcache.py
| | | |     base.py
| | | |     file_cache.py
| | | |     __init__.py
| | | |
| | | +---documents
| | | |     abusiveexperiencereport.v1.json
| | | |     acceleratedmobilepageurl.v1.json
| | | |     accessapproval.v1.json
| | | |     accesscontextmanager.v1.json
| | | |     accesscontextmanager.v1beta.json
| | | |     acmedns.v1.json
| | | |     addressvalidation.v1.json
| | | |     adexchangebuyer.v1.2.json
| | | |     adexchangebuyer.v1.3.json
| | | |     adexchangebuyer.v1.4.json
| | | |     adexchangebuyer2.v2beta1.json
| | | |     adexperiencereport.v1.json
| | | |     admin.datatransferv1.json
| | | |     admin.datatransfer_v1.json
| | | |     admin.directoryv1.json
| | | |     admin.directory_v1.json
| | | |     admin.reportsv1.json
| | | |     admin.reports_v1.json
| | | |     admob.v1.json
| | | |     admob.v1beta.json
| | | |     adsense.v2.json
| | | |     adsensehost.v4.1.json
| | | |     adsenseplatform.v1.json

```

					adsenseplatform.v1alpha.json
					advisorynotifications.v1.json
					aiplatform.v1.json
					aiplatform.v1beta1.json
					airquality.v1.json
					alertcenter.v1beta1.json
					alloydb.v1.json
					alloydb.v1alpha.json
					alloydb.v1beta.json
					analytics.v3.json
					analyticsadmin.v1alpha.json
					analyticsadmin.v1beta.json
					analyticsdata.v1alpha.json
					analyticsdata.v1beta.json
					analyticshub.v1.json
					analyticshub.v1beta1.json
					analyticsreporting.v4.json
					androiddeviceprovisioning.v1.json
					androidenterprise.v1.json
					androidmanagement.v1.json
					androidpublisher.v3.json
					apigateway.v1.json
					apigateway.v1beta.json
					apigee.v1.json
					apigeeregistry.v1.json
					apikeys.v2.json
					apim.v1alpha.json
					appengine.v1.json
					appengine.v1alpha.json
					appengine.v1beta.json
					appengine.v1beta4.json
					appengine.v1beta5.json
					apphub.v1.json
					apphub.v1alpha.json
					area120tables.v1alpha1.json
					areainsights.v1.json
					artifactregistry.v1.json
					artifactregistry.v1beta1.json
					artifactregistry.v1beta2.json
					assuredworkloads.v1.json
					assuredworkloads.v1beta1.json
					authorizedbuyersmarketplace.v1.json
					authorizedbuyersmarketplace.v1alpha.json
					backupdr.v1.json
					baremetalsolution.v1.json
					baremetalsolution.v1alpha1.json
					baremetalsolution.v2.json
					batch.v1.json
					beyondcorp.v1.json
					beyondcorp.v1alpha.json
					biglake.v1.json

					bigquery.v2.json
					bigqueryconnection.v1.json
					bigqueryconnection.v1beta1.json
					bigquerydatapolicy.v1.json
					bigquerydatatransfer.v1.json
					bigqueryreservation.v1.json
					bigqueryreservation.v1alpha2.json
					bigqueryreservation.v1beta1.json
					bigtableadmin.v1.json
					bigtableadmin.v2.json
					billingbudgets.v1.json
					billingbudgets.v1beta1.json
					binaryauthorization.v1.json
					binaryauthorization.v1beta1.json
					blockchainnodeengine.v1.json
					blogger.v2.json
					blogger.v3.json
					books.v1.json
					businessprofileperformance.v1.json
					calendar.v3.json
					certificatemanager.v1.json
					chat.v1.json
					checks.v1alpha.json
					chromemanagement.v1.json
					chromepolicy.v1.json
					chromeuxreport.v1.json
					civicinfo.v2.json
					classroom.v1.json
					cloudasset.v1.json
					cloudasset.v1beta1.json
					cloudasset.v1p1beta1.json
					cloudasset.v1p4beta1.json
					cloudasset.v1p5beta1.json
					cloudasset.v1p7beta1.json
					cloudbilling.v1.json
					cloudbilling.v1beta.json
					cloudbuild.v1.json
					cloudbuild.v1alpha1.json
					cloudbuild.v1alpha2.json
					cloudbuild.v1beta1.json
					cloudbuild.v2.json
					cloudchannel.v1.json
					cloudcommerceprocurement.v1.json
					cloudcontrolspartner.v1.json
					cloudcontrolspartner.v1beta.json
					clouddebugger.v2.json
					clouddeploy.v1.json
					clouderrorreporting.v1beta1.json
					cloudfunctions.v1.json
					cloudfunctions.v2.json
					cloudfunctions.v2alpha.json

					cloudfunctions.v2beta.json
					cloudidentity.v1.json
					cloudidentity.v1beta1.json
					clouddiot.v1.json
					cloudkms.v1.json
					cloudprofiler.v2.json
					cloudresourcemanager.v1.json
					cloudresourcemanager.v1beta1.json
					cloudresourcemanager.v2.json
					cloudresourcemanager.v2beta1.json
					cloudresourcemanager.v3.json
					cloudscheduler.v1.json
					cloudscheduler.v1beta1.json
					cloudsearch.v1.json
					cloudshell.v1.json
					cloudshell.v1alpha1.json
					cloudsupport.v2.json
					cloudsupport.v2beta.json
					cloudtasks.v2.json
					cloudtasks.v2beta2.json
					cloudtasks.v2beta3.json
					cloudtrace.v1.json
					cloudtrace.v2.json
					cloudtrace.v2beta1.json
					composer.v1.json
					composer.v1beta1.json
					compute.alpha.json
					compute.beta.json
					compute.v1.json
					config.v1.json
					connectors.v1.json
					connectors.v2.json
					contactcenteraiplatform.v1alpha1.json
					contactcenterinsights.v1.json
					container.v1.json
					container.v1beta1.json
					containeranalysis.v1.json
					containeranalysis.v1alpha1.json
					containeranalysis.v1beta1.json
					content.v2.1.json
					content.v2.json
					contentwarehouse.v1.json
					css.v1.json
					customsearch.v1.json
					datacatalog.v1.json
					datacatalog.v1beta1.json
					dataflow.v1b3.json
					dataform.v1beta1.json
					datafusion.v1.json
					datafusion.v1beta1.json
					datalabeling.v1beta1.json

					datalineage.v1.json
					datamigration.v1.json
					datamigration.v1beta1.json
					datapipelines.v1.json
					dataplex.v1.json
					dataportability.v1.json
					dataportability.v1beta.json
					dataproc.v1.json
					dataproc.v1beta2.json
					datastore.v1.json
					datastore.v1beta1.json
					datastore.v1beta3.json
					datastream.v1.json
					datastream.v1alpha1.json
					deploymentmanager.alpha.json
					deploymentmanager.v2.json
					deploymentmanager.v2beta.json
					developerconnect.v1.json
					dfareporting.v3.3.json
					dfareporting.v3.4.json
					dfareporting.v3.5.json
					dfareporting.v4.json
					dialogflow.v2.json
					dialogflow.v2beta1.json
					dialogflow.v3.json
					dialogflow.v3beta1.json
					digitalassetlinks.v1.json
					discovery.v1.json
					discoveryengine.v1.json
					discoveryengine.v1alpha.json
					discoveryengine.v1beta.json
					displayvideo.v1.json
					displayvideo.v2.json
					displayvideo.v3.json
					displayvideo.v4.json
					dlp.v2.json
					dns.v1.json
					dns.v1beta2.json
					dns.v2.json
					docs.v1.json
					documentai.v1.json
					documentai.v1beta2.json
					documentai.v1beta3.json
					domains.v1.json
					domains.v1alpha2.json
					domains.v1beta1.json
					domainsrdap.v1.json
					doubleclickbidmanager.v1.1.json
					doubleclickbidmanager.v1.json
					doubleclickbidmanager.v2.json
					doubleclicksearch.v2.json

					drive.v2.json
					drive.v3.json
					driveactivity.v2.json
					drivelabels.v2.json
					drivelabels.v2beta.json
					essentialcontacts.v1.json
					eventarc.v1.json
					eventarc.v1beta1.json
					factchecktools.v1alpha1.json
					fcm.v1.json
					fcmdata.v1beta1.json
					file.v1.json
					file.v1beta1.json
					firebase.v1beta1.json
					firebaseappcheck.v1.json
					firebaseappcheck.v1beta.json
					firebaseappdistribution.v1.json
					firebaseappdistribution.v1alpha.json
					firebasedatabase.v1beta.json
					firebasedataconnect.v1beta.json
					firebasedynamiclinks.v1.json
					firebasehosting.v1.json
					firebasehosting.v1beta1.json
					firebaseml.v1.json
					firebaseml.v1beta2.json
					firebaseml.v2beta.json
					firebaserules.v1.json
					firebasestorage.v1beta.json
					firestore.v1.json
					firestore.v1beta1.json
					firestore.v1beta2.json
					fitness.v1.json
					forms.v1.json
					games.v1.json
					gamesConfiguration.v1configuration.json
					gameservices.v1.json
					gameservices.v1beta.json
					gamesManagement.v1management.json
					genomics.v1.json
					genomics.v1alpha2.json
					genomics.v2alpha1.json
					gkebackup.v1.json
					gkehub.v1.json
					gkehub.v1alpha.json
					gkehub.v1alpha2.json
					gkehub.v1beta.json
					gkehub.v1beta1.json
					gkehub.v2.json
					gkehub.v2alpha.json
					gkehub.v2beta.json
					gkeonprem.v1.json

					gmail.v1.json
					gmailpostmastertools.v1.json
					gmailpostmastertools.v1beta1.json
					groupsmigration.v1.json
					groupssettings.v1.json
					healthcare.v1.json
					healthcare.v1beta1.json
					homegraph.v1.json
					iam.v1.json
					iam.v2.json
					iam.v2beta.json
					iamcredentials.v1.json
					iap.v1.json
					iap.v1beta1.json
					ideahub.v1alpha.json
					ideahub.v1beta.json
					identitytoolkit.v1.json
					identitytoolkit.v2.json
					identitytoolkit.v3.json
					ids.v1.json
					index.json
					indexing.v3.json
					integrations.v1.json
					integrations.v1alpha.json
					jobs.v2.json
					jobs.v3.json
					jobs.v3plbeta1.json
					jobs.v4.json
					keep.v1.json
					kgsearch.v1.json
					kmsinventory.v1.json
					language.v1.json
					language.v1beta1.json
					language.v1beta2.json
					language.v2.json
					libraryagent.v1.json
					licensing.v1.json
					lifesciences.v2beta.json
					localservices.v1.json
					logging.v2.json
					looker.v1.json
					managedidentities.v1.json
					managedidentities.v1alpha1.json
					managedidentities.v1beta1.json
					managedkafka.v1.json
					manufacturers.v1.json
					marketingplatformadmin.v1alpha.json
					meet.v2.json
					memcache.v1.json
					memcache.v1beta2.json
					merchantapi.accounts_v1beta.json

					merchantapi.conversions_v1beta.json
					merchantapi.datasources_v1beta.json
					merchantapi.inventories_v1beta.json
					merchantapi.lfp_v1beta.json
					merchantapi.notifications_v1beta.json
					merchantapi.products_v1beta.json
					merchantapi.promotions_v1beta.json
					merchantapi.quota_v1beta.json
					merchantapi.reports_v1beta.json
					merchantapi.reviews_v1beta.json
					metastore.v1.json
					metastore.v1alpha.json
					metastore.v1beta.json
					metastore.v2.json
					metastore.v2alpha.json
					metastore.v2beta.json
					migrationcenter.v1.json
					migrationcenter.v1alpha1.json
					ml.v1.json
					monitoring.v1.json
					monitoring.v3.json
					mybusinessaccountmanagement.v1.json
					mybusinessbusinesscalls.v1.json
					mybusinessbusinessinformation.v1.json
					mybusinesslodging.v1.json
					mybusinessnotifications.v1.json
					mybusinessplaceactions.v1.json
					mybusinessqanda.v1.json
					mybusinessverifications.v1.json
					netapp.v1.json
					netapp.v1beta1.json
					networkconnectivity.v1.json
					networkconnectivity.v1alpha1.json
					networkmanagement.v1.json
					networkmanagement.v1beta1.json
					networksecurity.v1.json
					networksecurity.v1beta1.json
					networkservices.v1.json
					networkservices.v1beta1.json
					notebooks.v1.json
					notebooks.v2.json
					oauth2.v2.json
					ondemandscanning.v1.json
					ondemandscanning.v1beta1.json
					oracledatabase.v1.json
					orgpolicy.v2.json
					osconfig.v1.json
					osconfig.v1alpha1.json
					osconfig.v1beta1.json
					osconfig.v2beta1.json
					oslogin.v1.json

					oslogin.v1alpha.json
					oslogin.v1beta.json
					pagespeedonline.v5.json
					parallelstore.v1.json
					parallelstore.v1beta.json
					paymentsresellersubscription.v1.json
					people.v1.json
					places.v1.json
					playablelocations.v3.json
					playcustomapp.v1.json
					playdeveloperreporting.v1alpha1.json
					playdeveloperreporting.v1beta1.json
					playgrouping.v1alpha1.json
					playintegrity.v1.json
					policyanalyzer.v1.json
					policyanalyzer.v1beta1.json
					policysimulator.v1.json
					policysimulator.v1alpha.json
					policysimulator.v1beta.json
					policysimulator.v1beta1.json
					policytroubleshooter.v1.json
					policytroubleshooter.v1beta.json
					pollen.v1.json
					poly.v1.json
					privateca.v1.json
					privateca.v1beta1.json
					prod_tt_sasportal.v1alpha1.json
					publicca.v1.json
					publicca.v1alpha1.json
					publicca.v1beta1.json
					pubsub.v1.json
					pubsub.v1beta1a.json
					pubsub.v1beta2.json
					pubsublite.v1.json
					rapidmigrationassessment.v1.json
					readerrevenuesubscriptionlinking.v1.json
					realtimebidding.v1.json
					realtimebidding.v1alpha.json
					recaptchaenterprise.v1.json
					recommendationengine.v1beta1.json
					recommender.v1.json
					recommender.v1beta1.json
					redis.v1.json
					redis.v1beta1.json
					remotebuildexecution.v1.json
					remotebuildexecution.v1alpha.json
					remotebuildexecution.v2.json
					reseller.v1.json
					resourceettings.v1.json
					retail.v2.json
					retail.v2alpha.json

					retail.v2beta.json
					run.v1.json
					run.v1alpha1.json
					run.v1beta1.json
					run.v2.json
					runtimeconfig.v1.json
					runtimeconfig.v1beta1.json
					safebrowsing.v4.json
					safebrowsing.v5.json
					sasportal.v1alpha1.json
					script.v1.json
					searchads360.v0.json
					searchconsole.v1.json
					secretmanager.v1.json
					secretmanager.v1beta1.json
					secretmanager.v1beta2.json
					securitycenter.v1.json
					securitycenter.v1beta1.json
					securitycenter.v1beta2.json
					securityposture.v1.json
					serviceconsumermanagement.v1.json
					serviceconsumermanagement.v1beta1.json
					servicecontrol.v1.json
					servicecontrol.v2.json
					servicedirectory.v1.json
					servicedirectory.v1beta1.json
					servicemanagement.v1.json
					servicenetworking.v1.json
					servicenetworking.v1beta1.json
					serviceusage.v1.json
					serviceusage.v1beta1.json
					sheets.v4.json
					siteVerification.v1.json
					slides.v1.json
					smartdevicemanagement.v1.json
					solar.v1.json
					sourcerepo.v1.json
					spanner.v1.json
					speech.v1.json
					speech.v1p1beta1.json
					speech.v2beta1.json
					sqladmin.v1.json
					sqladmin.v1beta4.json
					storage.v1.json
					storagetransfer.v1.json
					streetviewpublish.v1.json
					sts.v1.json
					sts.v1beta1.json
					tagmanager.v1.json
					tagmanager.v2.json
					tasks.v1.json

					testing.v1.json
					texttospeech.v1.json
					texttospeech.v1beta1.json
					toolresults.v1beta3.json
					tpu.v1.json
					tpu.v1alpha1.json
					tpu.v2.json
					tpu.v2alpha1.json
					trafficdirector.v2.json
					trafficdirector.v3.json
					transcoder.v1.json
					transcoder.v1beta1.json
					translate.v2.json
					translate.v3.json
					translate.v3beta1.json
					travelimpactmodel.v1.json
					vault.v1.json
					vectortile.v1.json
					verifiedaccess.v1.json
					verifiedaccess.v2.json
					versionhistory.v1.json
					videointelligence.v1.json
					videointelligence.v1beta2.json
					videointelligence.v1p1beta1.json
					videointelligence.v1p2beta1.json
					videointelligence.v1p3beta1.json
					vision.v1.json
					vision.v1p1beta1.json
					vision.v1p2beta1.json
					vmmigration.v1.json
					vmmigration.v1alpha1.json
					vmwareengine.v1.json
					vpcaccess.v1.json
					vpcaccess.v1beta1.json
					walletobjects.v1.json
					webfonts.v1.json
					webmasters.v3.json
					webrisk.v1.json
					websecurityscanner.v1.json
					websecurityscanner.v1alpha.json
					websecurityscanner.v1beta.json
					workflowexecutions.v1.json
					workflowexecutions.v1beta.json
					workflows.v1.json
					workflows.v1beta.json
					workloadmanager.v1.json
					workspaceevents.v1.json
					workstations.v1.json
					workstations.v1beta.json
					youtube.v3.json
					youtubeAnalytics.v1.json

					youtubeAnalytics.v2.json
					youtubereporting.v1.json
					\---__pycache__
					appengine_memcache.cpython-311.pyc
					base.cpython-311.pyc
					file_cache.cpython-311.pyc
					__init__.cpython-311.pyc
					\---__pycache__
					channel.cpython-311.pyc
					discovery.cpython-311.pyc
					errors.cpython-311.pyc
					http.cpython-311.pyc
					mimeparse.cpython-311.pyc
					model.cpython-311.pyc
					sample_tools.cpython-311.pyc
					schema.cpython-311.pyc
					version.cpython-311.pyc
					_auth.cpython-311.pyc
					_helpers.cpython-311.pyc
					__init__.cpython-311.pyc
					+---googleapis_common_protos-1.69.2.dist-info
					INSTALLER
					LICENSE
					METADATA
					RECORD
					top_level.txt
					WHEEL
					+---google_api_core-2.24.2.dist-info
					INSTALLER
					LICENSE
					METADATA
					RECORD
					top_level.txt
					WHEEL
					+---google_api_python_client-2.165.0.dist-info
					INSTALLER
					LICENSE
					METADATA
					RECORD
					REQUESTED
					top_level.txt
					WHEEL
					+---google_auth-2.38.0.dist-info
					INSTALLER
					LICENSE

```

| | | METADATA
| | | RECORD
| | | top_level.txt
| | | WHEEL
| | |
| | +---google_auth_httplib2-0.2.0.dist-info
| | | INSTALLER
| | | LICENSE
| | | METADATA
| | | RECORD
| | | top_level.txt
| | | WHEEL
| | |
| | +---h11
| | | | py.typed
| | | | _abnf.py
| | | | _connection.py
| | | | _events.py
| | | | _headers.py
| | | | _readers.py
| | | | _receivebuffer.py
| | | | _state.py
| | | | _util.py
| | | | _version.py
| | | | _writers.py
| | | | __init__.py
| | | |
| | | | +---tests
| | | | | helpers.py
| | | | | test_against_stdlib_http.py
| | | | | test_connection.py
| | | | | test_events.py
| | | | | test_headers.py
| | | | | test_helpers.py
| | | | | test_io.py
| | | | | test_receivebuffer.py
| | | | | test_state.py
| | | | | test_util.py
| | | | | __init__.py
| | | | |
| | | | +---data
| | | | | test-file
| | | | |
| | | | \---__pycache__
| | | | | helpers.cpython-311.pyc
| | | | | test_against_stdlib_http.cpython-311.pyc
| | | | | test_connection.cpython-311.pyc
| | | | | test_events.cpython-311.pyc
| | | | | test_headers.cpython-311.pyc
| | | | | test_helpers.cpython-311.pyc
| | | | | test_io.cpython-311.pyc

```

```

| | | | test_receivebuffer.cpython-311.pyc
| | | | test_state.cpython-311.pyc
| | | | test_util.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | \---__pycache__
| | | |     _abnf.cpython-311.pyc
| | | |     _connection.cpython-311.pyc
| | | |     _events.cpython-311.pyc
| | | |     _headers.cpython-311.pyc
| | | |     _readers.cpython-311.pyc
| | | |     _receivebuffer.cpython-311.pyc
| | | |     _state.cpython-311.pyc
| | | |     _util.cpython-311.pyc
| | | |     _version.cpython-311.pyc
| | | |     _writers.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | +---h11-0.14.0.dist-info
| | | | INSTALLER
| | | | LICENSE.txt
| | | | METADATA
| | | | RECORD
| | | | top_level.txt
| | | | WHEEL
| | | |
| | +---httpcore
| | | | py.typed
| | | | _api.py
| | | | _exceptions.py
| | | | _models.py
| | | | _ssl.py
| | | | _synchronization.py
| | | | _trace.py
| | | | _utils.py
| | | | __init__.py
| | | |
| | | | +---_async
| | | | | | connection.py
| | | | | | connection_pool.py
| | | | | | http11.py
| | | | | | http2.py
| | | | | | http_proxy.py
| | | | | | interfaces.py
| | | | | | socks_proxy.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | |     connection.cpython-311.pyc
| | | | |     connection_pool.cpython-311.pyc
| | | | |     http11.cpython-311.pyc

```

```

| | | http2.cpython-311.pyc
| | | http_proxy.cpython-311.pyc
| | | interfaces.cpython-311.pyc
| | | socks_proxy.cpython-311.pyc
| | | __init__.cpython-311.pyc
| | |
| | | +---_backends
| | | | anyio.py
| | | | auto.py
| | | | base.py
| | | | mock.py
| | | | sync.py
| | | | trio.py
| | | | __init__.py
| | | |
| | | \---__pycache__
| | | | anyio.cpython-311.pyc
| | | | auto.cpython-311.pyc
| | | | base.cpython-311.pyc
| | | | mock.cpython-311.pyc
| | | | sync.cpython-311.pyc
| | | | trio.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | +---_sync
| | | | connection.py
| | | | connection_pool.py
| | | | http11.py
| | | | http2.py
| | | | http_proxy.py
| | | | interfaces.py
| | | | socks_proxy.py
| | | | __init__.py
| | | |
| | | \---__pycache__
| | | | connection.cpython-311.pyc
| | | | connection_pool.cpython-311.pyc
| | | | http11.cpython-311.pyc
| | | | http2.cpython-311.pyc
| | | | http_proxy.cpython-311.pyc
| | | | interfaces.cpython-311.pyc
| | | | socks_proxy.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | \---__pycache__
| | | | _api.cpython-311.pyc
| | | | _exceptions.cpython-311.pyc
| | | | _models.cpython-311.pyc
| | | | _ssl.cpython-311.pyc
| | | | _synchronization.cpython-311.pyc
| | | | _trace.cpython-311.pyc

```

```

| | | _utils.cpython-311.pyc
| | | __init__.cpython-311.pyc
| | |
| | +---httpcore-1.0.7.dist-info
| | | | INSTALLER
| | | | METADATA
| | | | RECORD
| | | | WHEEL
| | | |
| | | \---licenses
| | | | LICENSE.md
| | | |
| | +---httplib2
| | | | auth.py
| | | | cacerts.txt
| | | | certs.py
| | | | error.py
| | | | iri2uri.py
| | | | socks.py
| | | | __init__.py
| | | |
| | | \---__pycache__
| | | | auth.cpython-311.pyc
| | | | certs.cpython-311.pyc
| | | | error.cpython-311.pyc
| | | | iri2uri.cpython-311.pyc
| | | | socks.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | +---httplib2-0.22.0.dist-info
| | | | INSTALLER
| | | | LICENSE
| | | | METADATA
| | | | RECORD
| | | | top_level.txt
| | | | WHEEL
| | | |
| | +---httpx
| | | | py.typed
| | | | _api.py
| | | | _auth.py
| | | | _client.py
| | | | _config.py
| | | | _content.py
| | | | _decoders.py
| | | | _exceptions.py
| | | | _main.py
| | | | _models.py
| | | | _multipart.py
| | | | _status_codes.py
| | | | _types.py

```

```

| | | | _urlparse.py
| | | | _urls.py
| | | | _utils.py
| | | | __init__.py
| | | | __version__.py
| | | |
| | | +---_transports
| | | | | asgi.py
| | | | | base.py
| | | | | default.py
| | | | | mock.py
| | | | | wsgi.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | asgi.cpython-311.pyc
| | | | | base.cpython-311.pyc
| | | | | default.cpython-311.pyc
| | | | | mock.cpython-311.pyc
| | | | | wsgi.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | _api.cpython-311.pyc
| | | | | _auth.cpython-311.pyc
| | | | | _client.cpython-311.pyc
| | | | | _config.cpython-311.pyc
| | | | | _content.cpython-311.pyc
| | | | | _decoders.cpython-311.pyc
| | | | | _exceptions.cpython-311.pyc
| | | | | _main.cpython-311.pyc
| | | | | _models.cpython-311.pyc
| | | | | _multipart.cpython-311.pyc
| | | | | _status_codes.cpython-311.pyc
| | | | | _types.cpython-311.pyc
| | | | | _urlparse.cpython-311.pyc
| | | | | _urls.cpython-311.pyc
| | | | | _utils.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | | __version__.cpython-311.pyc
| | | |
| | +---httpx-0.28.1.dist-info
| | | | entry_points.txt
| | | | INSTALLER
| | | | METADATA
| | | | RECORD
| | | | WHEEL
| | | |
| | | | \---licenses
| | | | | LICENSE.md
| | | |

```

```

| | +---idna
| | | | codec.py
| | | | compat.py
| | | | core.py
| | | | idnadata.py
| | | | intranges.py
| | | | package_data.py
| | | | py.typed
| | | | uts46data.py
| | | | __init__.py
| | | |
| | | \---__pycache__
| | | | codec.cpython-311.pyc
| | | | compat.cpython-311.pyc
| | | | core.cpython-311.pyc
| | | | idnadata.cpython-311.pyc
| | | | intranges.cpython-311.pyc
| | | | package_data.cpython-311.pyc
| | | | uts46data.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | +---idna-3.10.dist-info
| | | | INSTALLER
| | | | LICENSE.md
| | | | METADATA
| | | | RECORD
| | | | WHEEL
| | | |
| | +---jinja2
| | | | async_utils.py
| | | | bccache.py
| | | | compiler.py
| | | | constants.py
| | | | debug.py
| | | | defaults.py
| | | | environment.py
| | | | exceptions.py
| | | | ext.py
| | | | filters.py
| | | | idtracking.py
| | | | lexer.py
| | | | loaders.py
| | | | meta.py
| | | | nativetypes.py
| | | | nodes.py
| | | | optimizer.py
| | | | parser.py
| | | | py.typed
| | | | runtime.py
| | | | sandbox.py
| | | | tests.py

```

```

| | | | |   utils.py
| | | | |   visitor.py
| | | | |   _identifier.py
| | | | |   __init__.py
| | | | |
| | | | |   \---__pycache__
| | | | |       async_utils.cpython-311.pyc
| | | | |       bccache.cpython-311.pyc
| | | | |       compiler.cpython-311.pyc
| | | | |       constants.cpython-311.pyc
| | | | |       debug.cpython-311.pyc
| | | | |       defaults.cpython-311.pyc
| | | | |       environment.cpython-311.pyc
| | | | |       exceptions.cpython-311.pyc
| | | | |       ext.cpython-311.pyc
| | | | |       filters.cpython-311.pyc
| | | | |       idtracking.cpython-311.pyc
| | | | |       lexer.cpython-311.pyc
| | | | |       loaders.cpython-311.pyc
| | | | |       meta.cpython-311.pyc
| | | | |       nativetypes.cpython-311.pyc
| | | | |       nodes.cpython-311.pyc
| | | | |       optimizer.cpython-311.pyc
| | | | |       parser.cpython-311.pyc
| | | | |       runtime.cpython-311.pyc
| | | | |       sandbox.cpython-311.pyc
| | | | |       tests.cpython-311.pyc
| | | | |       utils.cpython-311.pyc
| | | | |       visitor.cpython-311.pyc
| | | | |       _identifier.cpython-311.pyc
| | | | |       __init__.cpython-311.pyc
| | | | |
| | | +---jinja2-3.1.4.dist-info
| | | | |   entry_points.txt
| | | | |   INSTALLER
| | | | |   LICENSE.txt
| | | | |   METADATA
| | | | |   RECORD
| | | | |   WHEEL
| | | | |
| | | +---jiter
| | | | |   jiter.cp311-win_amd64.pyd
| | | | |   py.typed
| | | | |   __init__.py
| | | | |   __init__.pyi
| | | | |
| | | | |   \---__pycache__
| | | | |       __init__.cpython-311.pyc
| | | | |
| | | +---jiter-0.9.0.dist-info
| | | | |   INSTALLER

```



```

| | | METADATA
| | | RECORD
| | | WHEEL
| | |
| | +---kiwisolver
| | | | exceptions.py
| | | | py.typed
| | | | _cext.cp311-win_amd64.pyd
| | | | _cext.pyi
| | | | __init__.py
| | | |
| | | \---__pycache__
| | | | exceptions.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | +---kiwisolver-1.4.8.dist-info
| | | | INSTALLER
| | | | LICENSE
| | | | METADATA
| | | | RECORD
| | | | top_level.txt
| | | | WHEEL
| | | |
| | +---markupsafe
| | | | py.typed
| | | | _native.py
| | | | _speedups.c
| | | | _speedups.cp311-win_amd64.pyd
| | | | _speedups.pyi
| | | | __init__.py
| | | |
| | | \---__pycache__
| | | | _native.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | +---MarkupSafe-2.1.5.dist-info
| | | | INSTALLER
| | | | LICENSE.rst
| | | | METADATA
| | | | RECORD
| | | | top_level.txt
| | | | WHEEL
| | | |
| | +---matplotlib
| | | | animation.py
| | | | animation.pyi
| | | | artist.py
| | | | artist.pyi
| | | | axis.py
| | | | axis.pyi
| | | | backend_bases.py

```

				backend_bases.pyi
				backend_managers.py
				backend_managers.pyi
				backend_tools.py
				backend_tools.pyi
				bezier.py
				bezier.pyi
				category.py
				cbook.py
				cbook.pyi
				cm.py
				cm.pyi
				collections.py
				collections.pyi
				colorbar.py
				colorbar.pyi
				colorizer.py
				colorizer.pyi
				colors.py
				colors.pyi
				container.py
				container.pyi
				contour.py
				contour.pyi
				dates.py
				dviread.py
				dviread.pyi
				figure.py
				figure.pyi
				font_manager.py
				font_manager.pyi
				ft2font.cp311-win_amd64.pyd
				ft2font.pyi
				gridspec.py
				gridspec.pyi
				hatch.py
				hatch.pyi
				image.py
				image.pyi
				inset.py
				inset.pyi
				layout_engine.py
				layout_engine.pyi
				legend.py
				legend.pyi
				legend_handler.py
				legend_handler.pyi
				lines.py
				lines.pyi
				markers.py
				markers.pyi

				mathtext.py
				mathtext.pyi
				mlab.py
				mlab.pyi
				offsetbox.py
				offsetbox.pyi
				patches.py
				patches.pyi
				path.py
				path.pyi
				patheffects.py
				patheffects.pyi
				py.typed
				pylab.py
				pyplot.py
				quiver.py
				quiver.pyi
				rcsetup.py
				rcsetup.pyi
				sankey.py
				sankey.pyi
				scale.py
				scale.pyi
				spines.py
				spines.pyi
				stackplot.py
				stackplot.pyi
				streamplot.py
				streamplot.pyi
				table.py
				table.pyi
				texmanager.py
				texmanager.pyi
				text.py
				text.pyi
				textpath.py
				textpath.pyi
				ticker.py
				ticker.pyi
				transforms.py
				transforms.pyi
				typing.py
				units.py
				widgets.py
				widgets.pyi
				_afm.py
				_animation_data.py
				_blocking_input.py
				_cm.py
				_cm_bivar.py
				_cm_listed.py

```

| | | | _cm_multivar.py
| | | | _color_data.py
| | | | _color_data.pyi
| | | | _constrained_layout.py
| | | | _c_internal_utils.cp311-win_amd64.pyd
| | | | _c_internal_utils.pyi
| | | | _docstring.py
| | | | _docstring.pyi
| | | | _enums.py
| | | | _enums.pyi
| | | | _fontconfig_pattern.py
| | | | _image.cp311-win_amd64.pyd
| | | | _image.pyi
| | | | _internal_utils.py
| | | | _layoutgrid.py
| | | | _mathtext.py
| | | | _mathtext_data.py
| | | | _path.cp311-win_amd64.pyd
| | | | _path.pyi
| | | | _pylab_helpers.py
| | | | _pylab_helpers.pyi
| | | | _qhull.cp311-win_amd64.pyd
| | | | _qhull.pyi
| | | | _text_helpers.py
| | | | _tight_bbox.py
| | | | _tight_layout.py
| | | | _tri.cp311-win_amd64.pyd
| | | | _tri.pyi
| | | | _type1font.py
| | | | _version.py
| | | | __init__.py
| | | | __init__.pyi
| | | |
| | | +---axes
| | | | | _axes.py
| | | | | _axes.pyi
| | | | | _base.py
| | | | | _base.pyi
| | | | | _secondary_axes.py
| | | | | _secondary_axes.pyi
| | | | | __init__.py
| | | | | __init__.pyi
| | | | |
| | | | \---__pycache__
| | | |     _axes.cpython-311.pyc
| | | |     _base.cpython-311.pyc
| | | |     _secondary_axes.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | +---backends
| | | | backend_agg.py

```

					backend_cairo.py
					backend_gtk3.py
					backend_gtk3agg.py
					backend_gtk3cairo.py
					backend_gtk4.py
					backend_gtk4agg.py
					backend_gtk4cairo.py
					backend_macosx.py
					backend_mixed.py
					backend_nbagg.py
					backend_pdf.py
					backend_pgf.py
					backend_ps.py
					backend_qt.py
					backend_qt5.py
					backend_qt5agg.py
					backend_qt5cairo.py
					backend_qtagg.py
					backend_qtcairo.py
					backend_svg.py
					backend_template.py
					backend_tkagg.py
					backend_tkcairo.py
					backend_webagg.py
					backend_webagg_core.py
					backend_wx.py
					backend_wxagg.py
					backend_wxcairo.py
					qt_compat.py
					registry.py
					_backend_agg.cp311-win_amd64.pyd
					_backend_agg.pyi
					_backend_gtk.py
					_backend_pdf_ps.py
					_backend_tk.py
					_macosx.pyi
					_tkagg.cp311-win_amd64.pyd
					_tkagg.pyi
					__init__.py
					+---qt_editor
					figureoptions.py
					_formlayout.py
					__init__.py
					\---__pycache__
					figureoptions.cpython-311.pyc
					_formlayout.cpython-311.pyc
					__init__.cpython-311.pyc
					+---web_backend

```

| | | | | all_figures.html
| | | | | ipython_inline_figure.html
| | | | | single_figure.html
| | | | |
| | | | | +---css
| | | | |     boilerplate.css
| | | | |     fbm.css
| | | | |     mpl.css
| | | | |     page.css
| | | | |
| | | | | \---js
| | | | |     mpl.js
| | | | |     mpl_tornado.js
| | | | |     nbagg_mpl.js
| | | | |
| | | | | \---__pycache__
| | | | |     backend_agg.cpython-311.pyc
| | | | |     backend_cairo.cpython-311.pyc
| | | | |     backend_gtk3.cpython-311.pyc
| | | | |     backend_gtk3agg.cpython-311.pyc
| | | | |     backend_gtk3cairo.cpython-311.pyc
| | | | |     backend_gtk4.cpython-311.pyc
| | | | |     backend_gtk4agg.cpython-311.pyc
| | | | |     backend_gtk4cairo.cpython-311.pyc
| | | | |     backend_macosx.cpython-311.pyc
| | | | |     backend_mixed.cpython-311.pyc
| | | | |     backend_nbagg.cpython-311.pyc
| | | | |     backend_pdf.cpython-311.pyc
| | | | |     backend_pgf.cpython-311.pyc
| | | | |     backend_ps.cpython-311.pyc
| | | | |     backend_qt.cpython-311.pyc
| | | | |     backend_qt5.cpython-311.pyc
| | | | |     backend_qt5agg.cpython-311.pyc
| | | | |     backend_qt5cairo.cpython-311.pyc
| | | | |     backend_qtagg.cpython-311.pyc
| | | | |     backend_qtcairo.cpython-311.pyc
| | | | |     backend_svg.cpython-311.pyc
| | | | |     backend_template.cpython-311.pyc
| | | | |     backend_tkagg.cpython-311.pyc
| | | | |     backend_tkcairo.cpython-311.pyc
| | | | |     backend_webagg.cpython-311.pyc
| | | | |     backend_webagg_core.cpython-311.pyc
| | | | |     backend_wx.cpython-311.pyc
| | | | |     backend_wxagg.cpython-311.pyc
| | | | |     backend_wxcairo.cpython-311.pyc
| | | | |     qt_compat.cpython-311.pyc
| | | | |     registry.cpython-311.pyc
| | | | |     _backend_gtk.cpython-311.pyc
| | | | |     _backend_pdf_ps.cpython-311.pyc
| | | | |     _backend_tk.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc

```

			+++mpl-data	
				kpsewhich.lua
				matplotliblibrc
			+++fonts	
				+++afm
				cmex10.afm
				cmmi10.afm
				cmr10.afm
				cmsy10.afm
				cmtt10.afm
				pagd8a.afm
				pagdo8a.afm
				pagk8a.afm
				pagko8a.afm
				pbkd8a.afm
				pbkdi8a.afm
				pbkl8a.afm
				pbkli8a.afm
				pcrb8a.afm
				pcrbo8a.afm
				pcrr8a.afm
				pcrro8a.afm
				phvb8a.afm
				phvb8an.afm
				phvbo8a.afm
				phvbo8an.afm
				phvl8a.afm
				phvlo8a.afm
				phvr8a.afm
				phvr8an.afm
				phvro8a.afm
				phvro8an.afm
				pncb8a.afm
				pncbi8a.afm
				pncr8a.afm
				pncri8a.afm
				pplb8a.afm
				pplbi8a.afm
				pplr8a.afm
				pplri8a.afm
				psyr.afm
				ptmb8a.afm
				ptmbi8a.afm
				ptmr8a.afm
				ptmri8a.afm
				putb8a.afm
				putbi8a.afm
				putr8a.afm
				putri8a.afm

					pzcmi8a.afm
					pzdr.afm
					+---pdfcorefonts
					Courier-Bold.afm
					Courier-BoldOblique.afm
					Courier-Oblique.afm
					Courier.afm
					Helvetica-Bold.afm
					Helvetica-BoldOblique.afm
					Helvetica-Oblique.afm
					Helvetica.afm
					readme.txt
					Symbol.afm
					Times-Bold.afm
					Times-BoldItalic.afm
					Times-Italic.afm
					Times-Roman.afm
					ZapfDingbats.afm
					\---ttf
					cmb10.ttf
					cmex10.ttf
					cmmi10.ttf
					cmr10.ttf
					cmss10.ttf
					cmsy10.ttf
					cmtt10.ttf
					DejaVuSans-Bold.ttf
					DejaVuSans-BoldOblique.ttf
					DejaVuSans-Oblique.ttf
					DejaVuSans.ttf
					DejaVuSansDisplay.ttf
					DejaVuSansMono-Bold.ttf
					DejaVuSansMono-BoldOblique.ttf
					DejaVuSansMono-Oblique.ttf
					DejaVuSansMono.ttf
					DejaVuSerif-Bold.ttf
					DejaVuSerif-BoldItalic.ttf
					DejaVuSerif-Italic.ttf
					DejaVuSerif.ttf
					DejaVuSerifDisplay.ttf
					LICENSE_DEJAVU
					LICENSE_STIX
					STIXGeneral.ttf
					STIXGeneralBol.ttf
					STIXGeneralBolIta.ttf
					STIXGeneralItalic.ttf
					STIXNonUni.ttf
					STIXNonUniBol.ttf
					STIXNonUniBolIta.ttf

					STIXNonUniIta.ttf
					STIXSizFiveSymReg.ttf
					STIXSizFourSymBol.ttf
					STIXSizFourSymReg.ttf
					STIXSizOneSymBol.ttf
					STIXSizOneSymReg.ttf
					STIXSizThreeSymBol.ttf
					STIXSizThreeSymReg.ttf
					STIXSizTwoSymBol.ttf
					STIXSizTwoSymReg.ttf
				+	---images
					back-symbolic.svg
					back.pdf
					back.png
					back.svg
					back_large.png
					filesave-symbolic.svg
					filesave.pdf
					filesave.png
					filesave.svg
					filesave_large.png
					forward-symbolic.svg
					forward.pdf
					forward.png
					forward.svg
					forward_large.png
					hand.pdf
					hand.png
					hand.svg
					help-symbolic.svg
					help.pdf
					help.png
					help.svg
					help_large.png
					home-symbolic.svg
					home.pdf
					home.png
					home.svg
					home_large.png
					matplotlib.pdf
					matplotlib.png
					matplotlib.svg
					matplotlib_large.png
					move-symbolic.svg
					move.pdf
					move.png
					move.svg
					move_large.png
					qt4_editor_options.pdf
					qt4_editor_options.png

					qt4_editor_options.svg
					qt4_editor_options_large.png
					subplots-symbolic.svg
					subplots.pdf
					subplots.png
					subplots.svg
					subplots_large.png
					zoom_to_rect-symbolic.svg
					zoom_to_rect.pdf
					zoom_to_rect.png
					zoom_to_rect.svg
					zoom_to_rect_large.png
					+---plot_directive
					plot_directive.css
					+---sample_data
					data_x_x2_x3.csv
					eeg.dat
					embedding_in_wx3.xrc
					goog.npz
					grace_hopper.jpg
					jacksboro_fault_dem.npz
					logo2.png
					membrane.dat
					Minduka_Present_Blue_Pack.png
					msft.csv
					README.txt
					s1045.ima.gz
					Stocks.csv
					topobathy.npz
					\---axes_grid
					bivariate_normal.npy
					\---stylelib
					bmh.mplstyle
					classic.mplstyle
					dark_background.mplstyle
					fast.mplstyle
					fivethirtyeight.mplstyle
					ggplot.mplstyle
					grayscale.mplstyle
					petroff10.mplstyle
					seaborn-v0_8-bright.mplstyle
					seaborn-v0_8-colorblind.mplstyle
					seaborn-v0_8-dark-palette.mplstyle
					seaborn-v0_8-dark.mplstyle
					seaborn-v0_8-darkgrid.mplstyle
					seaborn-v0_8-deep.mplstyle
					seaborn-v0_8-muted.mplstyle

```

| | | | seaborn-v0_8-notebook.mplstyle
| | | | seaborn-v0_8-paper.mplstyle
| | | | seaborn-v0_8-pastel.mplstyle
| | | | seaborn-v0_8-poster.mplstyle
| | | | seaborn-v0_8-talk.mplstyle
| | | | seaborn-v0_8-ticks.mplstyle
| | | | seaborn-v0_8-white.mplstyle
| | | | seaborn-v0_8-whitegrid.mplstyle
| | | | seaborn-v0_8.mplstyle
| | | | Solarize_Light2.mplstyle
| | | | tableau-colorblind10.mplstyle
| | | | _classic_test_patch.mplstyle
| | | | _mpl-gallery-nogrid.mplstyle
| | | | _mpl-gallery.mplstyle
| | | |
| | | | +---projections
| | | | | geo.py
| | | | | geo.pyi
| | | | | polar.py
| | | | | polar.pyi
| | | | | __init__.py
| | | | | __init__.pyi
| | | | |
| | | | | \---__pycache__
| | | | |     geo.cpython-311.pyc
| | | | |     polar.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---sphinxext
| | | | | | figmpl_directive.py
| | | | | | mathmpl.py
| | | | | | plot_directive.py
| | | | | | roles.py
| | | | | | __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | |     figmpl_directive.cpython-311.pyc
| | | | | |     mathmpl.cpython-311.pyc
| | | | | |     plot_directive.cpython-311.pyc
| | | | | |     roles.cpython-311.pyc
| | | | | |     __init__.cpython-311.pyc
| | | | | |
| | | | | +---style
| | | | | | core.py
| | | | | | core.pyi
| | | | | | __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | |     core.cpython-311.pyc
| | | | | |     __init__.cpython-311.pyc
| | | | | |

```

```

| | | +---testing
| | | | | compare.py
| | | | | compare.pyi
| | | | | conftest.py
| | | | | conftest.pyi
| | | | | decorators.py
| | | | | decorators.pyi
| | | | | exceptions.py
| | | | | widgets.py
| | | | | widgets.pyi
| | | | | _markers.py
| | | | | __init__.py
| | | | | __init__.pyi
| | | | |
| | | | +---jpl_units
| | | | | | Duration.py
| | | | | | Epoch.py
| | | | | | EpochConverter.py
| | | | | | StrConverter.py
| | | | | | UnitDbl.py
| | | | | | UnitDblConverter.py
| | | | | | UnitDblFormatter.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | Duration.cpython-311.pyc
| | | | | | Epoch.cpython-311.pyc
| | | | | | EpochConverter.cpython-311.pyc
| | | | | | StrConverter.cpython-311.pyc
| | | | | | UnitDbl.cpython-311.pyc
| | | | | | UnitDblConverter.cpython-311.pyc
| | | | | | UnitDblFormatter.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__
| | | | | | compare.cpython-311.pyc
| | | | | | conftest.cpython-311.pyc
| | | | | | decorators.cpython-311.pyc
| | | | | | exceptions.cpython-311.pyc
| | | | | | widgets.cpython-311.pyc
| | | | | | _markers.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | |
| | | +---tests
| | | | | conftest.py
| | | | | test_afm.py
| | | | | test_agg.py
| | | | | test_agg_filter.py
| | | | | test_animation.py
| | | | | test_api.py
| | | | | test_arrow_patches.py

```

					test_artist.py
					test_axes.py
					test_axis.py
					test_backends_interactive.py
					test_backend_bases.py
					test_backend_cairo.py
					test_backend_gtk3.py
					test_backend_inline.py
					test_backend_macosx.py
					test_backend_nbagg.py
					test_backend_pdf.py
					test_backend_pgf.py
					test_backend_ps.py
					test_backend_qt.py
					test_backend_registry.py
					test_backend_svg.py
					test_backend_template.py
					test_backend_tk.py
					test_backend_tools.py
					test_backend_webagg.py
					test_basic.py
					test_bbox_tight.py
					test_bezier.py
					test_category.py
					test_cbook.py
					test_collections.py
					test_colorbar.py
					test_colors.py
					test_compare_images.py
					test_constrainedlayout.py
					test_container.py
					test_contour.py
					test_cycles.py
					test_dates.py
					test_datetime.py
					test_determinism.py
					test_doc.py
					test_dviread.py
					test_figure.py
					test_fontconfig_pattern.py
					test_font_manager.py
					test_ft2font.py
					test_getattr.py
					test_gridspec.py
					test_image.py
					test_legend.py
					test_lines.py
					test_marker.py
					test_mathtext.py
					test_matplotlib.py
					test_mlab.py

					test_multivariate_colormaps.py
					test_offsetbox.py
					test_patches.py
					test_path.py
					test_patheffects.py
					test_pickle.py
					test_png.py
					test_polar.py
					test_preprocess_data.py
					test_pyplot.py
					test_quiver.py
					test_rcparams.py
					test_sankey.py
					test_scale.py
					test_simplification.py
					test_skew.py
					test_sphinxext.py
					test_spines.py
					test_streamplot.py
					test_style.py
					test_subplots.py
					test_table.py
					test_testing.py
					test_texmanager.py
					test_text.py
					test_textpath.py
					test_ticker.py
					test_tightlayout.py
					test_transforms.py
					test_triangulation.py
					test_type1font.py
					test_units.py
					test_usetex.py
					test_widgets.py
					__init__.py
					\---__pycache__
					conftest.cpython-311.pyc
					test_afm.cpython-311.pyc
					test_agg.cpython-311.pyc
					test_agg_filter.cpython-311.pyc
					test_animation.cpython-311.pyc
					test_api.cpython-311.pyc
					test_arrow_patches.cpython-311.pyc
					test_artist.cpython-311.pyc
					test_axes.cpython-311.pyc
					test_axis.cpython-311.pyc
					test_backends_interactive.cpython-311.pyc
					test_backend_bases.cpython-311.pyc
					test_backend_cairo.cpython-311.pyc
					test_backend_gtk3.cpython-311.pyc

				test_backend_inline.cpython-311.pyc
				test_backend_macosx.cpython-311.pyc
				test_backend_nbagg.cpython-311.pyc
				test_backend_pdf.cpython-311.pyc
				test_backend_pgf.cpython-311.pyc
				test_backend_ps.cpython-311.pyc
				test_backend_qt.cpython-311.pyc
				test_backend_registry.cpython-311.pyc
				test_backend_svg.cpython-311.pyc
				test_backend_template.cpython-311.pyc
				test_backend_tk.cpython-311.pyc
				test_backend_tools.cpython-311.pyc
				test_backend_webagg.cpython-311.pyc
				test_basic.cpython-311.pyc
				test_bbox_tight.cpython-311.pyc
				test_bezier.cpython-311.pyc
				test_category.cpython-311.pyc
				test_cbook.cpython-311.pyc
				test_collections.cpython-311.pyc
				test_colorbar.cpython-311.pyc
				test_colors.cpython-311.pyc
				test_compare_images.cpython-311.pyc
				test_constrainedlayout.cpython-311.pyc
				test_container.cpython-311.pyc
				test_contour.cpython-311.pyc
				test_cycles.cpython-311.pyc
				test_dates.cpython-311.pyc
				test_datetime.cpython-311.pyc
				test_determinism.cpython-311.pyc
				test_doc.cpython-311.pyc
				test_dviread.cpython-311.pyc
				test_figure.cpython-311.pyc
				test_fontconfig_pattern.cpython-311.pyc
				test_font_manager.cpython-311.pyc
				test_ft2font.cpython-311.pyc
				test_getattr.cpython-311.pyc
				test_gridspec.cpython-311.pyc
				test_image.cpython-311.pyc
				test_legend.cpython-311.pyc
				test_lines.cpython-311.pyc
				test_marker.cpython-311.pyc
				test_mathtext.cpython-311.pyc
				test_matplotlib.cpython-311.pyc
				test_mlab.cpython-311.pyc
				test_multivariate_colormaps.cpython-311.pyc
				test_offsetbox.cpython-311.pyc
				test_patches.cpython-311.pyc
				test_path.cpython-311.pyc
				test_patheffects.cpython-311.pyc
				test_pickle.cpython-311.pyc
				test_png.cpython-311.pyc

				test_polar.cpython-311.pyc	
				test_preprocess_data.cpython-311.pyc	
				test_pyplot.cpython-311.pyc	
				test_quiver.cpython-311.pyc	
				test_rcparams.cpython-311.pyc	
				test_sankey.cpython-311.pyc	
				test_scale.cpython-311.pyc	
				test_simplification.cpython-311.pyc	
				test_skew.cpython-311.pyc	
				test_sphinxext.cpython-311.pyc	
				test_spines.cpython-311.pyc	
				test_streamplot.cpython-311.pyc	
				test_style.cpython-311.pyc	
				test_subplots.cpython-311.pyc	
				test_table.cpython-311.pyc	
				test_testing.cpython-311.pyc	
				test_texmanager.cpython-311.pyc	
				test_text.cpython-311.pyc	
				test_textpath.cpython-311.pyc	
				test_ticker.cpython-311.pyc	
				test_tightlayout.cpython-311.pyc	
				test_transforms.cpython-311.pyc	
				test_triangulation.cpython-311.pyc	
				test_type1font.cpython-311.pyc	
				test_units.cpython-311.pyc	
				test_usetex.cpython-311.pyc	
				test_widgets.cpython-311.pyc	
				__init__.cpython-311.pyc	
			+	---tri	
					_triangulation.py
					_triangulation.pyi
					_tricontour.py
					_tricontour.pyi
					_trifinder.py
					_trifinder.pyi
					_triinterpolate.py
					_triinterpolate.pyi
					_tripcolor.py
					_tripcolor.pyi
					_tripplot.py
					_tripplot.pyi
					_trireshape.py
					_trireshape.pyi
					_tritools.py
					_tritools.pyi
					__init__.py
					\\---__pycache__
					_triangulation.cpython-311.pyc
					_tricontour.cpython-311.pyc


```

| | | | _trifinder.cpython-311.pyc
| | | | _triinterpolate.cpython-311.pyc
| | | | _tripcolor.cpython-311.pyc
| | | | _tripplot.cpython-311.pyc
| | | | _trirefine.cpython-311.pyc
| | | | _tritools.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | +---_api
| | | | | deprecation.py
| | | | | deprecation.pyi
| | | | | __init__.py
| | | | | __init__.pyi
| | | | |
| | | | \---__pycache__
| | | |     deprecation.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | \---__pycache__
| | | |     animation.cpython-311.pyc
| | | |     artist.cpython-311.pyc
| | | |     axis.cpython-311.pyc
| | | |     backend_bases.cpython-311.pyc
| | | |     backend_managers.cpython-311.pyc
| | | |     backend_tools.cpython-311.pyc
| | | |     bezier.cpython-311.pyc
| | | |     category.cpython-311.pyc
| | | |     cbook.cpython-311.pyc
| | | |     cm.cpython-311.pyc
| | | |     collections.cpython-311.pyc
| | | |     colorbar.cpython-311.pyc
| | | |     colorizer.cpython-311.pyc
| | | |     colors.cpython-311.pyc
| | | |     container.cpython-311.pyc
| | | |     contour.cpython-311.pyc
| | | |     dates.cpython-311.pyc
| | | |     dviread.cpython-311.pyc
| | | |     figure.cpython-311.pyc
| | | |     font_manager.cpython-311.pyc
| | | |     gridspec.cpython-311.pyc
| | | |     hatch.cpython-311.pyc
| | | |     image.cpython-311.pyc
| | | |     inset.cpython-311.pyc
| | | |     layout_engine.cpython-311.pyc
| | | |     legend.cpython-311.pyc
| | | |     legend_handler.cpython-311.pyc
| | | |     lines.cpython-311.pyc
| | | |     markers.cpython-311.pyc
| | | |     mathtext.cpython-311.pyc
| | | |     mlab.cpython-311.pyc
| | | |     offsetbox.cpython-311.pyc

```

			patches.cpython-311.pyc
			path.cpython-311.pyc
			patheffects.cpython-311.pyc
			pylab.cpython-311.pyc
			pyplot.cpython-311.pyc
			quiver.cpython-311.pyc
			rcsetup.cpython-311.pyc
			sankey.cpython-311.pyc
			scale.cpython-311.pyc
			spines.cpython-311.pyc
			stackplot.cpython-311.pyc
			streamplot.cpython-311.pyc
			table.cpython-311.pyc
			texmanager.cpython-311.pyc
			text.cpython-311.pyc
			textpath.cpython-311.pyc
			ticker.cpython-311.pyc
			transforms.cpython-311.pyc
			typing.cpython-311.pyc
			units.cpython-311.pyc
			widgets.cpython-311.pyc
			_afm.cpython-311.pyc
			_animation_data.cpython-311.pyc
			_blocking_input.cpython-311.pyc
			_cm.cpython-311.pyc
			_cm_bivar.cpython-311.pyc
			_cm_listed.cpython-311.pyc
			_cm_multivar.cpython-311.pyc
			_color_data.cpython-311.pyc
			_constrained_layout.cpython-311.pyc
			_docstring.cpython-311.pyc
			_enums.cpython-311.pyc
			_fontconfig_pattern.cpython-311.pyc
			_internal_utils.cpython-311.pyc
			_layoutgrid.cpython-311.pyc
			_mathtext.cpython-311.pyc
			_mathtext_data.cpython-311.pyc
			_pylab_helpers.cpython-311.pyc
			_text_helpers.cpython-311.pyc
			_tight_bbox.cpython-311.pyc
			_tight_layout.cpython-311.pyc
			_type1font.cpython-311.pyc
			_version.cpython-311.pyc
			__init__.cpython-311.pyc
			+++matplotlib-3.10.1.dist-info
			INSTALLER
			LICENSE
			METADATA
			RECORD
			WHEEL

```

| | |
| | +---mpl_toolkits
| | | +---axes_grid1
| | | | anchored_artists.py
| | | | axes_divider.py
| | | | axes_grid.py
| | | | axes_rgb.py
| | | | axes_size.py
| | | | inset_locator.py
| | | | mpl_axes.py
| | | | parasite_axes.py
| | | | __init__.py
| | | |
| | | +---tests
| | | | conftest.py
| | | | test_axes_grid1.py
| | | | __init__.py
| | | |
| | | \---__pycache__
| | | | conftest.cpython-311.pyc
| | | | test_axes_grid1.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | \---__pycache__
| | | | anchored_artists.cpython-311.pyc
| | | | axes_divider.cpython-311.pyc
| | | | axes_grid.cpython-311.pyc
| | | | axes_rgb.cpython-311.pyc
| | | | axes_size.cpython-311.pyc
| | | | inset_locator.cpython-311.pyc
| | | | mpl_axes.cpython-311.pyc
| | | | parasite_axes.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | +---axisartist
| | | | angle_helper.py
| | | | axes_divider.py
| | | | axislines.py
| | | | axisline_style.py
| | | | axis_artist.py
| | | | floating_axes.py
| | | | grid_finder.py
| | | | grid_helper_curvelinear.py
| | | | parasite_axes.py
| | | | __init__.py
| | | |
| | | +---tests
| | | | conftest.py
| | | | test_angle_helper.py
| | | | test_axislines.py
| | | | test_axis_artist.py

```

```

| | | | | test_floating_axes.py
| | | | | test_grid_finder.py
| | | | | test_grid_helper_curvelinear.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     conftest.cpython-311.pyc
| | | | |     test_angle_helper.cpython-311.pyc
| | | | |     test_axislines.cpython-311.pyc
| | | | |     test_axis_artist.cpython-311.pyc
| | | | |     test_floating_axes.cpython-311.pyc
| | | | |     test_grid_finder.cpython-311.pyc
| | | | |     test_grid_helper_curvelinear.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     angle_helper.cpython-311.pyc
| | | | |     axes_divider.cpython-311.pyc
| | | | |     axislines.cpython-311.pyc
| | | | |     axisline_style.cpython-311.pyc
| | | | |     axis_artist.cpython-311.pyc
| | | | |     floating_axes.cpython-311.pyc
| | | | |     grid_finder.cpython-311.pyc
| | | | |     grid_helper_curvelinear.cpython-311.pyc
| | | | |     parasite_axes.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | \---mplot3d
| | | | |     art3d.py
| | | | |     axes3d.py
| | | | |     axis3d.py
| | | | |     proj3d.py
| | | | |     __init__.py
| | | | |
| | | | | +---tests
| | | | |     | | conftest.py
| | | | |     | | test_art3d.py
| | | | |     | | test_axes3d.py
| | | | |     | | test_legend3d.py
| | | | |     | | __init__.py
| | | | |     | |
| | | | |     | | \---__pycache__
| | | | |     | |     conftest.cpython-311.pyc
| | | | |     | |     test_art3d.cpython-311.pyc
| | | | |     | |     test_axes3d.cpython-311.pyc
| | | | |     | |     test_legend3d.cpython-311.pyc
| | | | |     | |     __init__.cpython-311.pyc
| | | | |     | |
| | | | |     | | \---__pycache__
| | | | |     | |     art3d.cpython-311.pyc
| | | | |     | |     axes3d.cpython-311.pyc

```

```

| | | axis3d.cpython-311.pyc
| | | proj3d.cpython-311.pyc
| | | __init__.cpython-311.pyc
| | |
| | +---mpmath
| | | | ctx_base.py
| | | | ctx_fp.py
| | | | ctx_iv.py
| | | | ctx_mp.py
| | | | ctx_mp_python.py
| | | | function_docs.py
| | | | identification.py
| | | | math2.py
| | | | rational.py
| | | | usertools.py
| | | | visualization.py
| | | | __init__.py
| | | |
| | | +---calculus
| | | | | approximation.py
| | | | | calculus.py
| | | | | differentiation.py
| | | | | extrapolation.py
| | | | | inverselaplace.py
| | | | | odes.py
| | | | | optimization.py
| | | | | polynomials.py
| | | | | quadrature.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | approximation.cpython-311.pyc
| | | | | calculus.cpython-311.pyc
| | | | | differentiation.cpython-311.pyc
| | | | | extrapolation.cpython-311.pyc
| | | | | inverselaplace.cpython-311.pyc
| | | | | odes.cpython-311.pyc
| | | | | optimization.cpython-311.pyc
| | | | | polynomials.cpython-311.pyc
| | | | | quadrature.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | |
| | +---functions
| | | | | bessell.py
| | | | | elliptic.py
| | | | | expintegrals.py
| | | | | factorials.py
| | | | | functions.py
| | | | | hypergeometric.py
| | | | | orthogonal.py
| | | | | qfunctions.py

```

```

| | | | rszeta.py
| | | | signals.py
| | | | theta.py
| | | | zeta.py
| | | | zetazeros.py
| | | | __init__.py
| | | |
| | | | \---__pycache__
| | | |     bessell.cpython-311.pyc
| | | |     elliptic.cpython-311.pyc
| | | |     expintegrals.cpython-311.pyc
| | | |     factorials.cpython-311.pyc
| | | |     functions.cpython-311.pyc
| | | |     hypergeometric.cpython-311.pyc
| | | |     orthogonal.cpython-311.pyc
| | | |     qfunctions.cpython-311.pyc
| | | |     rszeta.cpython-311.pyc
| | | |     signals.cpython-311.pyc
| | | |     theta.cpython-311.pyc
| | | |     zeta.cpython-311.pyc
| | | |     zetazeros.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---libmp
| | | | | backend.py
| | | | | gammazeta.py
| | | | | libelefun.py
| | | | | libhyper.py
| | | | | libintmath.py
| | | | | libmpc.py
| | | | | libmpf.py
| | | | | libmpi.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     backend.cpython-311.pyc
| | | | |     gammazeta.cpython-311.pyc
| | | | |     libelefun.cpython-311.pyc
| | | | |     libhyper.cpython-311.pyc
| | | | |     libintmath.cpython-311.pyc
| | | | |     libmpc.cpython-311.pyc
| | | | |     libmpf.cpython-311.pyc
| | | | |     libmpi.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | +---matrices
| | | | | calculus.py
| | | | | eigen.py
| | | | | eigen_symmetric.py
| | | | | linalg.py
| | | | | matrices.py

```

```

| | | | __init__.py
| | | |
| | | | \---__pycache__
| | | |     calculus.cpython-311.pyc
| | | |     eigen.cpython-311.pyc
| | | |     eigen_symmetric.cpython-311.pyc
| | | |     linalg.cpython-311.pyc
| | | |     matrices.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---tests
| | | | | extratest_gamma.py
| | | | | extratest_zeta.py
| | | | | runtests.py
| | | | | test_basic_ops.py
| | | | | test_bitwise.py
| | | | | test_calculus.py
| | | | | test_compatibility.py
| | | | | test_convert.py
| | | | | test_diff.py
| | | | | test_division.py
| | | | | test_eigen.py
| | | | | test_eigen_symmetric.py
| | | | | test_elliptic.py
| | | | | test_fp.py
| | | | | test_functions.py
| | | | | test_functions2.py
| | | | | test_gammazeta.py
| | | | | test_hp.py
| | | | | test_identify.py
| | | | | test_interval.py
| | | | | test_levin.py
| | | | | test_linalg.py
| | | | | test_matrices.py
| | | | | test_mpmath.py
| | | | | test_ode.py
| | | | | test_pickle.py
| | | | | test_power.py
| | | | | test_quad.py
| | | | | test_rootfinding.py
| | | | | test_special.py
| | | | | test_str.py
| | | | | test_summation.py
| | | | | test_trig.py
| | | | | test_visualization.py
| | | | | torture.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     extratest_gamma.cpython-311.pyc
| | | | |     extratest_zeta.cpython-311.pyc

```

```

| | | | runtests.cpython-311.pyc
| | | | test_basic_ops.cpython-311.pyc
| | | | test_bitwise.cpython-311.pyc
| | | | test_calculus.cpython-311.pyc
| | | | test_compatibility.cpython-311.pyc
| | | | test_convert.cpython-311.pyc
| | | | test_diff.cpython-311.pyc
| | | | test_division.cpython-311.pyc
| | | | test_eigen.cpython-311.pyc
| | | | test_eigen_symmetric.cpython-311.pyc
| | | | test_elliptic.cpython-311.pyc
| | | | test_fp.cpython-311.pyc
| | | | test_functions.cpython-311.pyc
| | | | test_functions2.cpython-311.pyc
| | | | test_gammazeta.cpython-311.pyc
| | | | test_hp.cpython-311.pyc
| | | | test_identify.cpython-311.pyc
| | | | test_interval.cpython-311.pyc
| | | | test_levin.cpython-311.pyc
| | | | test_linalg.cpython-311.pyc
| | | | test_matrices.cpython-311.pyc
| | | | test_mpmath.cpython-311.pyc
| | | | test_ode.cpython-311.pyc
| | | | test_pickle.cpython-311.pyc
| | | | test_power.cpython-311.pyc
| | | | test_quad.cpython-311.pyc
| | | | test_rootfinding.cpython-311.pyc
| | | | test_special.cpython-311.pyc
| | | | test_str.cpython-311.pyc
| | | | test_summation.cpython-311.pyc
| | | | test_trig.cpython-311.pyc
| | | | test_visualization.cpython-311.pyc
| | | | torture.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | \---__pycache__
| | | |     ctx_base.cpython-311.pyc
| | | |     ctx_fp.cpython-311.pyc
| | | |     ctx_iv.cpython-311.pyc
| | | |     ctx_mp.cpython-311.pyc
| | | |     ctx_mp_python.cpython-311.pyc
| | | |     function_docs.cpython-311.pyc
| | | |     identification.cpython-311.pyc
| | | |     math2.cpython-311.pyc
| | | |     rational.cpython-311.pyc
| | | |     usertools.cpython-311.pyc
| | | |     visualization.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | |
| | | | +---mpmath-1.3.0.dist-info
| | | |
| | | |     INSTALLER

```



```

| | | LICENSE
| | | METADATA
| | | RECORD
| | | top_level.txt
| | | WHEEL
| | |
| | +---multipart
| | | | decoders.py
| | | | exceptions.py
| | | | multipart.py
| | | | __init__.py
| | | |
| | | \---__pycache__
| | | | decoders.cpython-311.pyc
| | | | exceptions.cpython-311.pyc
| | | | multipart.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | +---networkx
| | | | conftest.py
| | | | convert.py
| | | | convert_matrix.py
| | | | exception.py
| | | | lazy_imports.py
| | | | relabel.py
| | | | __init__.py
| | | |
| | | +---algorithms
| | | | | asteroidal.py
| | | | | boundary.py
| | | | | bridges.py
| | | | | broadcasting.py
| | | | | chains.py
| | | | | chordal.py
| | | | | clique.py
| | | | | cluster.py
| | | | | communicability_alg.py
| | | | | core.py
| | | | | covering.py
| | | | | cuts.py
| | | | | cycles.py
| | | | | dag.py
| | | | | distance_measures.py
| | | | | distance_regular.py
| | | | | dominance.py
| | | | | dominating.py
| | | | | d_separation.py
| | | | | efficiency_measures.py
| | | | | euler.py
| | | | | graphical.py
| | | | | graph_hashing.py

```

					hierarchy.py
					hybrid.py
					isolate.py
					link_prediction.py
					lowest_common_ancestors.py
					matching.py
					mis.py
					moral.py
					node_classification.py
					non_randomness.py
					planarity.py
					planar_drawing.py
					polynomials.py
					reciprocity.py
					regular.py
					richclub.py
					similarity.py
					simple_paths.py
					smallworld.py
					smetric.py
					sparsifiers.py
					structuralholes.py
					summarization.py
					swap.py
					threshold.py
					time_dependent.py
					tournament.py
					triads.py
					vitality.py
					voronoi.py
					walks.py
					wiener.py
					__init__.py
					+++approximation
					clique.py
					clustering_coefficient.py
					connectivity.py
					distance_measures.py
					dominating_set.py
					kcomponents.py
					matching.py
					maxcut.py
					ramsey.py
					steinertree.py
					traveling_salesman.py
					treewidth.py
					vertex_cover.py
					__init__.py
					+++tests

```

| | | | | | test_approx_clust_coeff.py
| | | | | | test_clique.py
| | | | | | test_connectivity.py
| | | | | | test_distance_measures.py
| | | | | | test_dominating_set.py
| | | | | | test_kcomponents.py
| | | | | | test_matching.py
| | | | | | test_maxcut.py
| | | | | | test_ramsey.py
| | | | | | test_steinertree.py
| | | | | | test_traveling_salesman.py
| | | | | | test_treewidth.py
| | | | | | test_vertex_cover.py
| | | | | | __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | |     test_approx_clust_coeff.cpython-311.pyc
| | | | | |     test_clique.cpython-311.pyc
| | | | | |     test_connectivity.cpython-311.pyc
| | | | | |     test_distance_measures.cpython-311.pyc
| | | | | |     test_dominating_set.cpython-311.pyc
| | | | | |     test_kcomponents.cpython-311.pyc
| | | | | |     test_matching.cpython-311.pyc
| | | | | |     test_maxcut.cpython-311.pyc
| | | | | |     test_ramsey.cpython-311.pyc
| | | | | |     test_steinertree.cpython-311.pyc
| | | | | |     test_traveling_salesman.cpython-311.pyc
| | | | | |     test_treewidth.cpython-311.pyc
| | | | | |     test_vertex_cover.cpython-311.pyc
| | | | | |     __init__.cpython-311.pyc
| | | | | |
| | | | | | \---__pycache__
| | | | | |     clique.cpython-311.pyc
| | | | | |     clustering_coefficient.cpython-311.pyc
| | | | | |     connectivity.cpython-311.pyc
| | | | | |     distance_measures.cpython-311.pyc
| | | | | |     dominating_set.cpython-311.pyc
| | | | | |     kcomponents.cpython-311.pyc
| | | | | |     matching.cpython-311.pyc
| | | | | |     maxcut.cpython-311.pyc
| | | | | |     ramsey.cpython-311.pyc
| | | | | |     steinertree.cpython-311.pyc
| | | | | |     traveling_salesman.cpython-311.pyc
| | | | | |     treewidth.cpython-311.pyc
| | | | | |     vertex_cover.cpython-311.pyc
| | | | | |     __init__.cpython-311.pyc
| | | | | |
| | | | | | +---assortativity
| | | | | |     connectivity.py
| | | | | |     correlation.py
| | | | | |     mixing.py

```

```

| | | | | neighbor_degree.py
| | | | | pairs.py
| | | | | __init__.py
| | | | |
| | | | | +---tests
| | | | | | base_test.py
| | | | | | test_connectivity.py
| | | | | | test_correlation.py
| | | | | | test_mixing.py
| | | | | | test_neighbor_degree.py
| | | | | | test_pairs.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | base_test.cpython-311.pyc
| | | | | | test_connectivity.cpython-311.pyc
| | | | | | test_correlation.cpython-311.pyc
| | | | | | test_mixing.cpython-311.pyc
| | | | | | test_neighbor_degree.cpython-311.pyc
| | | | | | test_pairs.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__
| | | | | | connectivity.cpython-311.pyc
| | | | | | correlation.cpython-311.pyc
| | | | | | mixing.cpython-311.pyc
| | | | | | neighbor_degree.cpython-311.pyc
| | | | | | pairs.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | +---bipartite
| | | | | | basic.py
| | | | | | centrality.py
| | | | | | cluster.py
| | | | | | covering.py
| | | | | | edgelist.py
| | | | | | extendability.py
| | | | | | generators.py
| | | | | | matching.py
| | | | | | matrix.py
| | | | | | projection.py
| | | | | | redundancy.py
| | | | | | spectral.py
| | | | | | __init__.py
| | | | | |
| | | | | +---tests
| | | | | | test_basic.py
| | | | | | test_centrality.py
| | | | | | test_cluster.py
| | | | | | test_covering.py
| | | | | | test_edgelist.py

```

```

| | | | | test_extendability.py
| | | | | test_generators.py
| | | | | test_matching.py
| | | | | test_matrix.py
| | | | | test_project.py
| | | | | test_redundancy.py
| | | | | test_spectral_bipartivity.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     test_basic.cpython-311.pyc
| | | | |     test_centrality.cpython-311.pyc
| | | | |     test_cluster.cpython-311.pyc
| | | | |     test_covering.cpython-311.pyc
| | | | |     test_edgelist.cpython-311.pyc
| | | | |     test_extendability.cpython-311.pyc
| | | | |     test_generators.cpython-311.pyc
| | | | |     test_matching.cpython-311.pyc
| | | | |     test_matrix.cpython-311.pyc
| | | | |     test_project.cpython-311.pyc
| | | | |     test_redundancy.cpython-311.pyc
| | | | |     test_spectral_bipartivity.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     basic.cpython-311.pyc
| | | | |     centrality.cpython-311.pyc
| | | | |     cluster.cpython-311.pyc
| | | | |     covering.cpython-311.pyc
| | | | |     edgelist.cpython-311.pyc
| | | | |     extendability.cpython-311.pyc
| | | | |     generators.cpython-311.pyc
| | | | |     matching.cpython-311.pyc
| | | | |     matrix.cpython-311.pyc
| | | | |     projection.cpython-311.pyc
| | | | |     redundancy.cpython-311.pyc
| | | | |     spectral.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---centrality
| | | | |     betweenness.py
| | | | |     betweenness_subset.py
| | | | |     closeness.py
| | | | |     current_flow_betweenness.py
| | | | |     current_flow_betweenness_subset.py
| | | | |     current_flow_closeness.py
| | | | |     degree_alg.py
| | | | |     dispersion.py
| | | | |     eigenvector.py
| | | | |     flow_matrix.py
| | | | |     group.py

```

```

| | | | | harmonic.py
| | | | | katz.py
| | | | | laplacian.py
| | | | | load.py
| | | | | percolation.py
| | | | | reaching.py
| | | | | second_order.py
| | | | | subgraph_alg.py
| | | | | trophic.py
| | | | | voterank_alg.py
| | | | | __init__.py
| | | | |
| | | | +---tests
| | | | | test_betweenness Centrality.py
| | | | | test_betweenness Centrality_subset.py
| | | | | test_closeness Centrality.py
| | | | | test_current_flow_betweenness Centrality.py
| | | | | test_current_flow_betweenness Centrality_subset.py
| | | | | test_current_flow_closeness.py
| | | | | test_degree Centrality.py
| | | | | test_dispersion.py
| | | | | test_eigenvector Centrality.py
| | | | | test_group.py
| | | | | test_harmonic Centrality.py
| | | | | test_katz Centrality.py
| | | | | test_laplacian Centrality.py
| | | | | test_load Centrality.py
| | | | | test_percolation Centrality.py
| | | | | test_reaching.py
| | | | | test_second_order Centrality.py
| | | | | test_subgraph.py
| | | | | test_trophic.py
| | | | | test_voterank.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | test_betweenness Centrality.cpython-311.pyc
| | | | | test_betweenness Centrality_subset.cpython-311.pyc
| | | | | test_closeness Centrality.cpython-311.pyc
| | | | | test_current_flow_betweenness Centrality.cpython-311.pyc
| | | | | test_current_flow_betweenness Centrality_subset.cpython-311.pyc
| | | | | test_current_flow_closeness.cpython-311.pyc
| | | | | test_degree Centrality.cpython-311.pyc
| | | | | test_dispersion.cpython-311.pyc
| | | | | test_eigenvector Centrality.cpython-311.pyc
| | | | | test_group.cpython-311.pyc
| | | | | test_harmonic Centrality.cpython-311.pyc
| | | | | test_katz Centrality.cpython-311.pyc
| | | | | test_laplacian Centrality.cpython-311.pyc
| | | | | test_load Centrality.cpython-311.pyc
| | | | | test_percolation Centrality.cpython-311.pyc

```

```

| | | | | test_reaching.cpython-311.pyc
| | | | | test_second_order_centrality.cpython-311.pyc
| | | | | test_subgraph.cpython-311.pyc
| | | | | test_trophic.cpython-311.pyc
| | | | | test_voterank.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | betweenness.cpython-311.pyc
| | | | | betweenness_subset.cpython-311.pyc
| | | | | closeness.cpython-311.pyc
| | | | | current_flow_betweenness.cpython-311.pyc
| | | | | current_flow_betweenness_subset.cpython-311.pyc
| | | | | current_flow_closeness.cpython-311.pyc
| | | | | degree_alg.cpython-311.pyc
| | | | | dispersion.cpython-311.pyc
| | | | | eigenvector.cpython-311.pyc
| | | | | flow_matrix.cpython-311.pyc
| | | | | group.cpython-311.pyc
| | | | | harmonic.cpython-311.pyc
| | | | | katz.cpython-311.pyc
| | | | | laplacian.cpython-311.pyc
| | | | | load.cpython-311.pyc
| | | | | percolation.cpython-311.pyc
| | | | | reaching.cpython-311.pyc
| | | | | second_order.cpython-311.pyc
| | | | | subgraph_alg.cpython-311.pyc
| | | | | trophic.cpython-311.pyc
| | | | | voterank_alg.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---coloring
| | | | | | equitable_coloring.py
| | | | | | greedy_coloring.py
| | | | | | __init__.py
| | | | | |
| | | | | +---tests
| | | | | | | test_coloring.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | \---__pycache__
| | | | | | | test_coloring.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | | \---__pycache__
| | | | | | | equitable_coloring.cpython-311.pyc
| | | | | | | greedy_coloring.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | +---community
| | | | | | asyn_fluid.py

```

```

| | | | | centrality.py
| | | | | community_utils.py
| | | | | divisive.py
| | | | | kclique.py
| | | | | kernighan_lin.py
| | | | | label_propagation.py
| | | | | louvain.py
| | | | | lukes.py
| | | | | modularity_max.py
| | | | | quality.py
| | | | | __init__.py
| | | | |
| | | | | +---tests
| | | | | | test_asyn_fluid.py
| | | | | | test_centrality.py
| | | | | | test_divisive.py
| | | | | | test_kclique.py
| | | | | | test_kernighan_lin.py
| | | | | | test_label_propagation.py
| | | | | | test_louvain.py
| | | | | | test_lukes.py
| | | | | | test_modularity_max.py
| | | | | | test_quality.py
| | | | | | test_utils.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | test_asyn_fluid.cpython-311.pyc
| | | | | | test_centrality.cpython-311.pyc
| | | | | | test_divisive.cpython-311.pyc
| | | | | | test_kclique.cpython-311.pyc
| | | | | | test_kernighan_lin.cpython-311.pyc
| | | | | | test_label_propagation.cpython-311.pyc
| | | | | | test_louvain.cpython-311.pyc
| | | | | | test_lukes.cpython-311.pyc
| | | | | | test_modularity_max.cpython-311.pyc
| | | | | | test_quality.cpython-311.pyc
| | | | | | test_utils.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__
| | | | | | asyn_fluid.cpython-311.pyc
| | | | | | centrality.cpython-311.pyc
| | | | | | community_utils.cpython-311.pyc
| | | | | | divisive.cpython-311.pyc
| | | | | | kclique.cpython-311.pyc
| | | | | | kernighan_lin.cpython-311.pyc
| | | | | | label_propagation.cpython-311.pyc
| | | | | | louvain.cpython-311.pyc
| | | | | | lukes.cpython-311.pyc
| | | | | | modularity_max.cpython-311.pyc

```



```

| | | | | quality.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---components
| | | | | | | attracting.py
| | | | | | | biconnected.py
| | | | | | | connected.py
| | | | | | | semiconnected.py
| | | | | | | strongly_connected.py
| | | | | | | weakly_connected.py
| | | | | | | __init__.py
| | | | | |
| | | | | +---tests
| | | | | | | test_attracting.py
| | | | | | | test_biconnected.py
| | | | | | | test_connected.py
| | | | | | | test_semiconnected.py
| | | | | | | test_strongly_connected.py
| | | | | | | test_weakly_connected.py
| | | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | | test_attracting.cpython-311.pyc
| | | | | | | test_biconnected.cpython-311.pyc
| | | | | | | test_connected.cpython-311.pyc
| | | | | | | test_semiconnected.cpython-311.pyc
| | | | | | | test_strongly_connected.cpython-311.pyc
| | | | | | | test_weakly_connected.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__
| | | | | | | attracting.cpython-311.pyc
| | | | | | | biconnected.cpython-311.pyc
| | | | | | | connected.cpython-311.pyc
| | | | | | | semiconnected.cpython-311.pyc
| | | | | | | strongly_connected.cpython-311.pyc
| | | | | | | weakly_connected.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | +---connectivity
| | | | | | | connectivity.py
| | | | | | | cuts.py
| | | | | | | disjoint_paths.py
| | | | | | | edge_augmentation.py
| | | | | | | edge_kcomponents.py
| | | | | | | kcomponents.py
| | | | | | | kcutsets.py
| | | | | | | stoerwagner.py
| | | | | | | utils.py
| | | | | | | __init__.py
| | | | | |

```

```

| | | | +---tests
| | | | | test_connectivity.py
| | | | | test_cuts.py
| | | | | test_disjoint_paths.py
| | | | | test_edge_augmentation.py
| | | | | test_edge_kcomponents.py
| | | | | test_kcomponents.py
| | | | | test_kcutsets.py
| | | | | test_stoer_wagner.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | test_connectivity.cpython-311.pyc
| | | | | test_cuts.cpython-311.pyc
| | | | | test_disjoint_paths.cpython-311.pyc
| | | | | test_edge_augmentation.cpython-311.pyc
| | | | | test_edge_kcomponents.cpython-311.pyc
| | | | | test_kcomponents.cpython-311.pyc
| | | | | test_kcutsets.cpython-311.pyc
| | | | | test_stoer_wagner.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | connectivity.cpython-311.pyc
| | | | | cuts.cpython-311.pyc
| | | | | disjoint_paths.cpython-311.pyc
| | | | | edge_augmentation.cpython-311.pyc
| | | | | edge_kcomponents.cpython-311.pyc
| | | | | kcomponents.cpython-311.pyc
| | | | | kcutsets.cpython-311.pyc
| | | | | stoerwagner.cpython-311.pyc
| | | | | utils.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---flow
| | | | | boykovkolmogorov.py
| | | | | capacityscaling.py
| | | | | dinitz_alg.py
| | | | | edmondskarp.py
| | | | | gomory_hu.py
| | | | | maxflow.py
| | | | | mincost.py
| | | | | networksimplex.py
| | | | | preflowpush.py
| | | | | shortestaugmentingpath.py
| | | | | utils.py
| | | | | __init__.py
| | | | |
| | | | +---tests
| | | | | g11.gpickle.bz2
| | | | | gw1.gpickle.bz2

```

```

| | | | | netgen-2.gpickle.bz2
| | | | | test_gomory_hu.py
| | | | | test_maxflow.py
| | | | | test_maxflow_large_graph.py
| | | | | test_mincost.py
| | | | | test_networksimplex.py
| | | | | wlm3.gpickle.bz2
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     test_gomory_hu.cpython-311.pyc
| | | | |     test_maxflow.cpython-311.pyc
| | | | |     test_maxflow_large_graph.cpython-311.pyc
| | | | |     test_mincost.cpython-311.pyc
| | | | |     test_networksimplex.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     boykovkolmogorov.cpython-311.pyc
| | | | |     capacityscaling.cpython-311.pyc
| | | | |     dinitz_alg.cpython-311.pyc
| | | | |     edmondskarp.cpython-311.pyc
| | | | |     gomory_hu.cpython-311.pyc
| | | | |     maxflow.cpython-311.pyc
| | | | |     mincost.cpython-311.pyc
| | | | |     networksimplex.cpython-311.pyc
| | | | |     preflowpush.cpython-311.pyc
| | | | |     shortestaugmentingpath.cpython-311.pyc
| | | | |     utils.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---isomorphism
| | | | |     ismags.py
| | | | |     isomorph.py
| | | | |     isomorphvf2.py
| | | | |     matchhelpers.py
| | | | |     temporalisomorphvf2.py
| | | | |     tree_isomorphism.py
| | | | |     vf2pp.py
| | | | |     vf2userfunc.py
| | | | |     __init__.py
| | | | |
| | | | | +---tests
| | | | |     iso_r01_s80.A99
| | | | |     iso_r01_s80.B99
| | | | |     si2_b06_m200.A99
| | | | |     si2_b06_m200.B99
| | | | |     test_ismags.py
| | | | |     test_isomorphism.py
| | | | |     test_isomorphvf2.py
| | | | |     test_match_helpers.py

```

```

| | | | | test_temporalisomorphvf2.py
| | | | | test_tree_isomorphism.py
| | | | | test_vf2pp.py
| | | | | test_vf2pp_helpers.py
| | | | | test_vf2userfunc.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     test_ismags.cpython-311.pyc
| | | | |     test_isomorphism.cpython-311.pyc
| | | | |     test_isomorphvf2.cpython-311.pyc
| | | | |     test_match_helpers.cpython-311.pyc
| | | | |     test_temporalisomorphvf2.cpython-311.pyc
| | | | |     test_tree_isomorphism.cpython-311.pyc
| | | | |     test_vf2pp.cpython-311.pyc
| | | | |     test_vf2pp_helpers.cpython-311.pyc
| | | | |     test_vf2userfunc.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     ismags.cpython-311.pyc
| | | | |     isomorph.cpython-311.pyc
| | | | |     isomorphvf2.cpython-311.pyc
| | | | |     matchhelpers.cpython-311.pyc
| | | | |     temporalisomorphvf2.cpython-311.pyc
| | | | |     tree_isomorphism.cpython-311.pyc
| | | | |     vf2pp.cpython-311.pyc
| | | | |     vf2userfunc.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---link_analysis
| | | | | | hits_alg.py
| | | | | | pagerank_alg.py
| | | | | | __init__.py
| | | | | |
| | | | | +---tests
| | | | | | test_hits.py
| | | | | | test_pagerank.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | |     test_hits.cpython-311.pyc
| | | | |     test_pagerank.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     hits_alg.cpython-311.pyc
| | | | |     pagerank_alg.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---minors

```

```

| | | | contraction.py
| | | | __init__.py
| | | |
| | | | +---tests
| | | | | test_contraction.py
| | | | |
| | | | \---__pycache__
| | | | | test_contraction.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | contraction.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---operators
| | | | | all.py
| | | | | binary.py
| | | | | product.py
| | | | | unary.py
| | | | | __init__.py
| | | | |
| | | | +---tests
| | | | | test_all.py
| | | | | test_binary.py
| | | | | test_product.py
| | | | | test_unary.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | test_all.cpython-311.pyc
| | | | | test_binary.cpython-311.pyc
| | | | | test_product.cpython-311.pyc
| | | | | test_unary.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | all.cpython-311.pyc
| | | | | binary.cpython-311.pyc
| | | | | product.cpython-311.pyc
| | | | | unary.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---shortest_paths
| | | | | astar.py
| | | | | dense.py
| | | | | generic.py
| | | | | unweighted.py
| | | | | weighted.py
| | | | | __init__.py
| | | | |
| | | | +---tests
| | | | | test_astar.py

```

```

| | | | | test_dense.py
| | | | | test_dense_numpy.py
| | | | | test_generic.py
| | | | | test_unweighted.py
| | | | | test_weighted.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     test_astar.cpython-311.pyc
| | | | |     test_dense.cpython-311.pyc
| | | | |     test_dense_numpy.cpython-311.pyc
| | | | |     test_generic.cpython-311.pyc
| | | | |     test_unweighted.cpython-311.pyc
| | | | |     test_weighted.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     astar.cpython-311.pyc
| | | | |     dense.cpython-311.pyc
| | | | |     generic.cpython-311.pyc
| | | | |     unweighted.cpython-311.pyc
| | | | |     weighted.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---tests
| | | | |     test_asteroidal.py
| | | | |     test_boundary.py
| | | | |     test_bridges.py
| | | | |     test_broadcasting.py
| | | | |     test_chains.py
| | | | |     test_chordal.py
| | | | |     test_clique.py
| | | | |     test_cluster.py
| | | | |     test_communicability.py
| | | | |     test_core.py
| | | | |     test_covering.py
| | | | |     test_cuts.py
| | | | |     test_cycles.py
| | | | |     test_dag.py
| | | | |     test_distance_measures.py
| | | | |     test_distance_regular.py
| | | | |     test_dominance.py
| | | | |     test_dominating.py
| | | | |     test_d_separation.py
| | | | |     test_efficiency.py
| | | | |     test_euler.py
| | | | |     test_graphical.py
| | | | |     test_graph_hashing.py
| | | | |     test_hierarchy.py
| | | | |     test_hybrid.py
| | | | |     test_isolate.py

```

					test_link_prediction.py
					test_lowest_common_ancestors.py
					test_matching.py
					test_max_weight_clique.py
					test_mis.py
					test_moral.py
					test_node_classification.py
					test_non_randomness.py
					test_planarity.py
					test_planar_drawing.py
					test_polynomials.py
					test_reciprocity.py
					test_regular.py
					test_richclub.py
					test_similarity.py
					test_simple_paths.py
					test_smallworld.py
					test_smetric.py
					test_sparsifiers.py
					test_structuralholes.py
					test_summarization.py
					test_swap.py
					test_threshold.py
					test_time_dependent.py
					test_tournament.py
					test_triads.py
					test_vitality.py
					test_voronoi.py
					test_walks.py
					test_wiener.py
					__init__.py
					\---__pycache__
					test_asteroidal.cpython-311.pyc
					test_boundary.cpython-311.pyc
					test_bridges.cpython-311.pyc
					test_broadcasting.cpython-311.pyc
					test_chains.cpython-311.pyc
					test_chordal.cpython-311.pyc
					test_clique.cpython-311.pyc
					test_cluster.cpython-311.pyc
					test_communicability.cpython-311.pyc
					test_core.cpython-311.pyc
					test_covering.cpython-311.pyc
					test_cuts.cpython-311.pyc
					test_cycles.cpython-311.pyc
					test_dag.cpython-311.pyc
					test_distance_measures.cpython-311.pyc
					test_distance_regular.cpython-311.pyc
					test_dominance.cpython-311.pyc
					test_dominating.cpython-311.pyc

					test_d_separation.cpython-311.pyc
					test_efficiency.cpython-311.pyc
					test_euler.cpython-311.pyc
					test_graphical.cpython-311.pyc
					test_graph_hashing.cpython-311.pyc
					test_hierarchy.cpython-311.pyc
					test_hybrid.cpython-311.pyc
					test_isolate.cpython-311.pyc
					test_link_prediction.cpython-311.pyc
					test_lowest_common_ancestors.cpython-311.pyc
					test_matching.cpython-311.pyc
					test_max_weight_clique.cpython-311.pyc
					test_mis.cpython-311.pyc
					test_moral.cpython-311.pyc
					test_node_classification.cpython-311.pyc
					test_non_randomness.cpython-311.pyc
					test_planarity.cpython-311.pyc
					test_planar_drawing.cpython-311.pyc
					test_polynomials.cpython-311.pyc
					test_reciprocity.cpython-311.pyc
					test_regular.cpython-311.pyc
					test_richclub.cpython-311.pyc
					test_similarity.cpython-311.pyc
					test_simple_paths.cpython-311.pyc
					test_smallworld.cpython-311.pyc
					test_smetric.cpython-311.pyc
					test_sparsifiers.cpython-311.pyc
					test_structuralholes.cpython-311.pyc
					test_summarization.cpython-311.pyc
					test_swap.cpython-311.pyc
					test_threshold.cpython-311.pyc
					test_time_dependent.cpython-311.pyc
					test_tournament.cpython-311.pyc
					test_triads.cpython-311.pyc
					test_vitality.cpython-311.pyc
					test_voronoi.cpython-311.pyc
					test_walks.cpython-311.pyc
					test_wiener.cpython-311.pyc
					__init__.cpython-311.pyc
				+	---traversal
					beamsearch.py
					breadth_first_search.py
					depth_first_search.py
					edgebfs.py
					edgedfs.py
					__init__.py
				+	---tests
					test_beamsearch.py
					test_bfs.py


```

| | | | | test_dfs.py
| | | | | test_edgebfs.py
| | | | | test_edgedfs.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     test_beamsearch.cpython-311.pyc
| | | | |     test_bfs.cpython-311.pyc
| | | | |     test_dfs.cpython-311.pyc
| | | | |     test_edgebfs.cpython-311.pyc
| | | | |     test_edgedfs.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     beamsearch.cpython-311.pyc
| | | | |     breadth_first_search.cpython-311.pyc
| | | | |     depth_first_search.cpython-311.pyc
| | | | |     edgebfs.cpython-311.pyc
| | | | |     edgedfs.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---tree
| | | | | | | branchings.py
| | | | | | | coding.py
| | | | | | | decomposition.py
| | | | | | | mst.py
| | | | | | | operations.py
| | | | | | | recognition.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | | +---tests
| | | | | | | | test_branchings.py
| | | | | | | | test_coding.py
| | | | | | | | test_decomposition.py
| | | | | | | | test_mst.py
| | | | | | | | test_operations.py
| | | | | | | | test_recognition.py
| | | | | | | | __init__.py
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | |     test_branchings.cpython-311.pyc
| | | | | | |     test_coding.cpython-311.pyc
| | | | | | |     test_decomposition.cpython-311.pyc
| | | | | | |     test_mst.cpython-311.pyc
| | | | | | |     test_operations.cpython-311.pyc
| | | | | | |     test_recognition.cpython-311.pyc
| | | | | | |     __init__.cpython-311.pyc
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | |     branchings.cpython-311.pyc
| | | | | | |     coding.cpython-311.pyc

```

					decomposition.cpython-311.pyc
					mst.cpython-311.pyc
					operations.cpython-311.pyc
					recognition.cpython-311.pyc
					__init__.cpython-311.pyc
					\---__pycache__
					asteroidal.cpython-311.pyc
					boundary.cpython-311.pyc
					bridges.cpython-311.pyc
					broadcasting.cpython-311.pyc
					chains.cpython-311.pyc
					chordal.cpython-311.pyc
					clique.cpython-311.pyc
					cluster.cpython-311.pyc
					communicability_alg.cpython-311.pyc
					core.cpython-311.pyc
					covering.cpython-311.pyc
					cuts.cpython-311.pyc
					cycles.cpython-311.pyc
					dag.cpython-311.pyc
					distance_measures.cpython-311.pyc
					distance_regular.cpython-311.pyc
					dominance.cpython-311.pyc
					dominating.cpython-311.pyc
					d_separation.cpython-311.pyc
					efficiency_measures.cpython-311.pyc
					euler.cpython-311.pyc
					graphical.cpython-311.pyc
					graph_hashing.cpython-311.pyc
					hierarchy.cpython-311.pyc
					hybrid.cpython-311.pyc
					isolate.cpython-311.pyc
					link_prediction.cpython-311.pyc
					lowest_common_ancestors.cpython-311.pyc
					matching.cpython-311.pyc
					mis.cpython-311.pyc
					moral.cpython-311.pyc
					node_classification.cpython-311.pyc
					non_randomness.cpython-311.pyc
					planarity.cpython-311.pyc
					planar_drawing.cpython-311.pyc
					polynomials.cpython-311.pyc
					reciprocity.cpython-311.pyc
					regular.cpython-311.pyc
					richclub.cpython-311.pyc
					similarity.cpython-311.pyc
					simple_paths.cpython-311.pyc
					smallworld.cpython-311.pyc
					smetric.cpython-311.pyc
					sparsifiers.cpython-311.pyc

```

| | | | structuralholes.cpython-311.pyc
| | | | summarization.cpython-311.pyc
| | | | swap.cpython-311.pyc
| | | | threshold.cpython-311.pyc
| | | | time_dependent.cpython-311.pyc
| | | | tournament.cpython-311.pyc
| | | | triads.cpython-311.pyc
| | | | vitality.cpython-311.pyc
| | | | voronoi.cpython-311.pyc
| | | | walks.cpython-311.pyc
| | | | wiener.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | +---classes
| | | | | | | | coreviews.py
| | | | | | | | digraph.py
| | | | | | | | filters.py
| | | | | | | | function.py
| | | | | | | | graph.py
| | | | | | | | graphviews.py
| | | | | | | | multidigraph.py
| | | | | | | | multigraph.py
| | | | | | | | reportviews.py
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | | +---tests
| | | | | | | | | | | | dispatch_interface.py
| | | | | | | | | | | | historical_tests.py
| | | | | | | | | | | | test_coreviews.py
| | | | | | | | | | | | test_digraph.py
| | | | | | | | | | | | test_digraph_historical.py
| | | | | | | | | | | | test_filters.py
| | | | | | | | | | | | test_function.py
| | | | | | | | | | | | test_graph.py
| | | | | | | | | | | | test_graphviews.py
| | | | | | | | | | | | test_graph_historical.py
| | | | | | | | | | | | test_multidigraph.py
| | | | | | | | | | | | test_multigraph.py
| | | | | | | | | | | | test_reportviews.py
| | | | | | | | | | | | test_special.py
| | | | | | | | | | | | test_subgraphviews.py
| | | | | | | | | | | | __init__.py
| | | | | | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | | | | | | dispatch_interface.cpython-311.pyc
| | | | | | | | | | | | historical_tests.cpython-311.pyc
| | | | | | | | | | | | test_coreviews.cpython-311.pyc
| | | | | | | | | | | | test_digraph.cpython-311.pyc
| | | | | | | | | | | | test_digraph_historical.cpython-311.pyc
| | | | | | | | | | | | test_filters.cpython-311.pyc
| | | | | | | | | | | | test_function.cpython-311.pyc

```

```

| | | | | test_graph.cpython-311.pyc
| | | | | test_graphviews.cpython-311.pyc
| | | | | test_graph_historical.cpython-311.pyc
| | | | | test_multidigraph.cpython-311.pyc
| | | | | test_multigraph.cpython-311.pyc
| | | | | test_reportviews.cpython-311.pyc
| | | | | test_special.cpython-311.pyc
| | | | | test_subgraphviews.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |
| | | | | coreviews.cpython-311.pyc
| | | | | digraph.cpython-311.pyc
| | | | | filters.cpython-311.pyc
| | | | | function.cpython-311.pyc
| | | | | graph.cpython-311.pyc
| | | | | graphviews.cpython-311.pyc
| | | | | multidigraph.cpython-311.pyc
| | | | | multigraph.cpython-311.pyc
| | | | | reportviews.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---drawing
| | | | | | layout.py
| | | | | | nx_agraph.py
| | | | | | nx_latex.py
| | | | | | nx_pydot.py
| | | | | | nx_pylab.py
| | | | | | __init__.py
| | | | | |
| | | | | | +---tests
| | | | | | | test_agraph.py
| | | | | | | test_latex.py
| | | | | | | test_layout.py
| | | | | | | test_pydot.py
| | | | | | | test_pylab.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | +---baseline
| | | | | | | test_house_with_colors.png
| | | | | | |
| | | | | | \---__pycache__
| | | | | |
| | | | | | test_agraph.cpython-311.pyc
| | | | | | test_latex.cpython-311.pyc
| | | | | | test_layout.cpython-311.pyc
| | | | | | test_pydot.cpython-311.pyc
| | | | | | test_pylab.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | | \---__pycache__
| | | | | |
| | | | | | layout.cpython-311.pyc

```

				nx_agraph.cpython-311.pyc
				nx_latex.cpython-311.pyc
				nx_pydot.cpython-311.pyc
				nx_pylab.cpython-311.pyc
				__init__.cpython-311.pyc
				+++generators
				atlas.dat.gz
				atlas.py
				classic.py
				cographs.py
				community.py
				degree_seq.py
				directed.py
				duplication.py
				ego.py
				expanders.py
				geometric.py
				harary_graph.py
				internet_as_graphs.py
				intersection.py
				interval_graph.py
				joint_degree_seq.py
				lattice.py
				line.py
				mycielski.py
				nonisomorphic_trees.py
				random_clustered.py
				random_graphs.py
				small.py
				social.py
				spectral_graph_forge.py
				stochastic.py
				sudoku.py
				time_series.py
				trees.py
				triads.py
				__init__.py
				+++tests
				test_atlas.py
				test_classic.py
				test_cographs.py
				test_community.py
				test_degree_seq.py
				test_directed.py
				test_duplication.py
				test_ego.py
				test_expanders.py
				test_geometric.py
				test_harary_graph.py

```

| | | | | test_internet_as_graphs.py
| | | | | test_intersection.py
| | | | | test_interval_graph.py
| | | | | test_joint_degree_seq.py
| | | | | test_lattice.py
| | | | | test_line.py
| | | | | test_mycielski.py
| | | | | test_nonisomorphic_trees.py
| | | | | test_random_clustered.py
| | | | | test_random_graphs.py
| | | | | test_small.py
| | | | | test_spectral_graph_forge.py
| | | | | test_stochastic.py
| | | | | test_sudoku.py
| | | | | test_time_series.py
| | | | | test_trees.py
| | | | | test_triads.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     test_atlas.cpython-311.pyc
| | | | |     test_classic.cpython-311.pyc
| | | | |     test_cographs.cpython-311.pyc
| | | | |     test_community.cpython-311.pyc
| | | | |     test_degree_seq.cpython-311.pyc
| | | | |     test_directed.cpython-311.pyc
| | | | |     test_duplication.cpython-311.pyc
| | | | |     test_ego.cpython-311.pyc
| | | | |     test_expanders.cpython-311.pyc
| | | | |     test_geometric.cpython-311.pyc
| | | | |     test_harary_graph.cpython-311.pyc
| | | | |     test_internet_as_graphs.cpython-311.pyc
| | | | |     test_intersection.cpython-311.pyc
| | | | |     test_interval_graph.cpython-311.pyc
| | | | |     test_joint_degree_seq.cpython-311.pyc
| | | | |     test_lattice.cpython-311.pyc
| | | | |     test_line.cpython-311.pyc
| | | | |     test_mycielski.cpython-311.pyc
| | | | |     test_nonisomorphic_trees.cpython-311.pyc
| | | | |     test_random_clustered.cpython-311.pyc
| | | | |     test_random_graphs.cpython-311.pyc
| | | | |     test_small.cpython-311.pyc
| | | | |     test_spectral_graph_forge.cpython-311.pyc
| | | | |     test_stochastic.cpython-311.pyc
| | | | |     test_sudoku.cpython-311.pyc
| | | | |     test_time_series.cpython-311.pyc
| | | | |     test_trees.cpython-311.pyc
| | | | |     test_triads.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__

```

				atlas.cpython-311.pyc
				classic.cpython-311.pyc
				cographs.cpython-311.pyc
				community.cpython-311.pyc
				degree_seq.cpython-311.pyc
				directed.cpython-311.pyc
				duplication.cpython-311.pyc
				ego.cpython-311.pyc
				expanders.cpython-311.pyc
				geometric.cpython-311.pyc
				harary_graph.cpython-311.pyc
				internet_as_graphs.cpython-311.pyc
				intersection.cpython-311.pyc
				interval_graph.cpython-311.pyc
				joint_degree_seq.cpython-311.pyc
				lattice.cpython-311.pyc
				line.cpython-311.pyc
				mycielski.cpython-311.pyc
				nonisomorphic_trees.cpython-311.pyc
				random_clustered.cpython-311.pyc
				random_graphs.cpython-311.pyc
				small.cpython-311.pyc
				social.cpython-311.pyc
				spectral_graph_forge.cpython-311.pyc
				stochastic.cpython-311.pyc
				sudoku.cpython-311.pyc
				time_series.cpython-311.pyc
				trees.cpython-311.pyc
				triads.cpython-311.pyc
				__init__.cpython-311.pyc
				+++linalg
				algebraicconnectivity.py
				attrmatrix.py
				bethehessianmatrix.py
				graphmatrix.py
				laplacianmatrix.py
				modularitymatrix.py
				spectrum.py
				__init__.py
				+++tests
				test_algebraic_connectivity.py
				test_attrmatrix.py
				test_bethehessian.py
				test_graphmatrix.py
				test_laplacian.py
				test_modularity.py
				test_spectrum.py
				__init__.py

```

| | | | \---__pycache__
| | | | test_algebraic_connectivity.cpython-311.pyc
| | | | test_attrmatrix.cpython-311.pyc
| | | | test_bethehessian.cpython-311.pyc
| | | | test_graphmatrix.cpython-311.pyc
| | | | test_laplacian.cpython-311.pyc
| | | | test_modularity.cpython-311.pyc
| | | | test_spectrum.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | \---__pycache__
| | | | algebraicconnectivity.cpython-311.pyc
| | | | attrmatrix.cpython-311.pyc
| | | | bethehessianmatrix.cpython-311.pyc
| | | | graphmatrix.cpython-311.pyc
| | | | laplacianmatrix.cpython-311.pyc
| | | | modularitymatrix.cpython-311.pyc
| | | | spectrum.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | +---readwrite
| | | | adjlist.py
| | | | edgelist.py
| | | | gexf.py
| | | | gml.py
| | | | graph6.py
| | | | graphml.py
| | | | leda.py
| | | | multiline_adjlist.py
| | | | p2g.py
| | | | pajek.py
| | | | sparse6.py
| | | | text.py
| | | | __init__.py
| | | |
| | | +---json_graph
| | | | | adjacency.py
| | | | | cytoscape.py
| | | | | node_link.py
| | | | | tree.py
| | | | | __init__.py
| | | | |
| | | +---tests
| | | | | test_adjacency.py
| | | | | test_cytoscape.py
| | | | | test_node_link.py
| | | | | test_tree.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | | test_adjacency.cpython-311.pyc

```



```

| | | | | test_cytoscape.cpython-311.pyc
| | | | | test_node_link.cpython-311.pyc
| | | | | test_tree.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | adjacency.cpython-311.pyc
| | | | | cytoscape.cpython-311.pyc
| | | | | node_link.cpython-311.pyc
| | | | | tree.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---tests
| | | | | | test_adjlist.py
| | | | | | test_edgelist.py
| | | | | | test_gexf.py
| | | | | | test_gml.py
| | | | | | test_graph6.py
| | | | | | test_graphml.py
| | | | | | test_leda.py
| | | | | | test_p2g.py
| | | | | | test_pajek.py
| | | | | | test_sparse6.py
| | | | | | test_text.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | test_adjlist.cpython-311.pyc
| | | | | test_edgelist.cpython-311.pyc
| | | | | test_gexf.cpython-311.pyc
| | | | | test_gml.cpython-311.pyc
| | | | | test_graph6.cpython-311.pyc
| | | | | test_graphml.cpython-311.pyc
| | | | | test_leda.cpython-311.pyc
| | | | | test_p2g.cpython-311.pyc
| | | | | test_pajek.cpython-311.pyc
| | | | | test_sparse6.cpython-311.pyc
| | | | | test_text.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | adjlist.cpython-311.pyc
| | | | | edgelist.cpython-311.pyc
| | | | | gexf.cpython-311.pyc
| | | | | gml.cpython-311.pyc
| | | | | graph6.cpython-311.pyc
| | | | | graphml.cpython-311.pyc
| | | | | leda.cpython-311.pyc
| | | | | multiline_adjlist.cpython-311.pyc
| | | | | p2g.cpython-311.pyc
| | | | | pajek.cpython-311.pyc

```

```

| | | sparse6.cpython-311.pyc
| | | text.cpython-311.pyc
| | | __init__.cpython-311.pyc
| | |
| | | +---tests
| | | | test_all_random_functions.py
| | | | test_convert.py
| | | | test_convert_numpy.py
| | | | test_convert_pandas.py
| | | | test_convert_scipy.py
| | | | test_exceptions.py
| | | | test_import.py
| | | | test_lazy_imports.py
| | | | test_relabel.py
| | | | __init__.py
| | | |
| | | | \---__pycache__
| | | | test_all_random_functions.cpython-311.pyc
| | | | test_convert.cpython-311.pyc
| | | | test_convert_numpy.cpython-311.pyc
| | | | test_convert_pandas.cpython-311.pyc
| | | | test_convert_scipy.cpython-311.pyc
| | | | test_exceptions.cpython-311.pyc
| | | | test_import.cpython-311.pyc
| | | | test_lazy_imports.cpython-311.pyc
| | | | test_relabel.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | +---utils
| | | | backends.py
| | | | configs.py
| | | | decorators.py
| | | | heaps.py
| | | | mapped_queue.py
| | | | misc.py
| | | | random_sequence.py
| | | | rcm.py
| | | | union_find.py
| | | | __init__.py
| | | |
| | | +---tests
| | | | test_backends.py
| | | | test_config.py
| | | | test_decorators.py
| | | | test_heaps.py
| | | | test_mapped_queue.py
| | | | test_misc.py
| | | | test_random_sequence.py
| | | | test_rcm.py
| | | | test_unionfind.py
| | | | test__init.py

```

```

| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     test_backends.cpython-311.pyc
| | | | |     test_config.cpython-311.pyc
| | | | |     test_decorators.cpython-311.pyc
| | | | |     test_heaps.cpython-311.pyc
| | | | |     test_mapped_queue.cpython-311.pyc
| | | | |     test_misc.cpython-311.pyc
| | | | |     test_random_sequence.cpython-311.pyc
| | | | |     test_rcm.cpython-311.pyc
| | | | |     test_unionfind.cpython-311.pyc
| | | | |     test__init__.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     backends.cpython-311.pyc
| | | | |     configs.cpython-311.pyc
| | | | |     decorators.cpython-311.pyc
| | | | |     heaps.cpython-311.pyc
| | | | |     mapped_queue.cpython-311.pyc
| | | | |     misc.cpython-311.pyc
| | | | |     random_sequence.cpython-311.pyc
| | | | |     rcm.cpython-311.pyc
| | | | |     union_find.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     conftest.cpython-311.pyc
| | | | |     convert.cpython-311.pyc
| | | | |     convert_matrix.cpython-311.pyc
| | | | |     exception.cpython-311.pyc
| | | | |     lazy_imports.cpython-311.pyc
| | | | |     relabel.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---networkx-3.3.dist-info
| | | | |     entry_points.txt
| | | | |     INSTALLER
| | | | |     LICENSE.txt
| | | | |     METADATA
| | | | |     RECORD
| | | | |     top_level.txt
| | | | |     WHEEL
| | | | |
| | | | | +---numpy
| | | | |     conftest.py
| | | | |     ctypeslib.py
| | | | |     ctypeslib.pyi
| | | | |     dtypes.py
| | | | |     dtypes.pyi

```

```

| | | | exceptions.py
| | | | exceptions.pyi
| | | | matlib.py
| | | | py.typed
| | | | version.py
| | | | version.pyi
| | | | _array_api_info.py
| | | | _array_api_info.pyi
| | | | _configtool.py
| | | | _distributor_init.py
| | | | _expired_attrs_2_0.py
| | | | _globals.py
| | | | _pytesttester.py
| | | | _pytesttester.pyi
| | | | __config__.py
| | | | __init__.cython-30.pxd
| | | | __init__.pxd
| | | | __init__.py
| | | | __init__.pyi
| | | |
| | | | +---char
| | | | | | __init__.py
| | | | | | __init__.pyi
| | | | | |
| | | | | | \---__pycache__
| | | | | |     __init__.cpython-311.pyc
| | | | | |
| | | | +---compat
| | | | | | py3k.py
| | | | | | __init__.py
| | | | | |
| | | | +---tests
| | | | | | __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | |     __init__.cpython-311.pyc
| | | | | |
| | | | | | \---__pycache__
| | | | | |     py3k.cpython-311.pyc
| | | | | |     __init__.cpython-311.pyc
| | | | | |
| | | | +---core
| | | | | | arrayprint.py
| | | | | | defchararray.py
| | | | | | einsumfunc.py
| | | | | | fromnumeric.py
| | | | | | function_base.py
| | | | | | getlimits.py
| | | | | | multiarray.py
| | | | | | numeric.py
| | | | | | numerictypes.py

```

```

| | | | overrides.py
| | | | records.py
| | | | shape_base.py
| | | | umath.py
| | | | _dtype.py
| | | | _dtype_ctypes.py
| | | | _internal.py
| | | | _multiarray_umath.py
| | | | _utils.py
| | | | __init__.py
| | | | __init__.pyi
| | | |
| | | | \---__pycache__
| | | |     arrayprint.cpython-311.pyc
| | | |     defchararray.cpython-311.pyc
| | | |     einsumfunc.cpython-311.pyc
| | | |     fromnumeric.cpython-311.pyc
| | | |     function_base.cpython-311.pyc
| | | |     getlimits.cpython-311.pyc
| | | |     multiarray.cpython-311.pyc
| | | |     numeric.cpython-311.pyc
| | | |     numerictypes.cpython-311.pyc
| | | |     overrides.cpython-311.pyc
| | | |     records.cpython-311.pyc
| | | |     shape_base.cpython-311.pyc
| | | |     umath.cpython-311.pyc
| | | |     _dtype.cpython-311.pyc
| | | |     _dtype_ctypes.cpython-311.pyc
| | | |     _internal.cpython-311.pyc
| | | |     _multiarray_umath.cpython-311.pyc
| | | |     _utils.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---distutils
| | | | | armccompiler.py
| | | | | ccompiler.py
| | | | | ccompiler_opt.py
| | | | | conv_template.py
| | | | | core.py
| | | | | cpuinfo.py
| | | | | exec_command.py
| | | | | extension.py
| | | | | from_template.py
| | | | | fujitsucompiler.py
| | | | | intelccompiler.py
| | | | | lib2def.py
| | | | | line_endings.py
| | | | | log.py
| | | | | mingw32ccompiler.py
| | | | | misc_util.py
| | | | | msvc9compiler.py

```

					msvccompiler.py
					numpy_pkg_config.py
					numpy_distribution.py
					pathccompiler.py
					system_info.py
					unixccompiler.py
					_shell_utils.py
					__init__.py
					__init__.pyi
					+---checks
					cpu_asimd.c
					cpu_asimddp.c
					cpu_asimdfhm.c
					cpu_asimdhp.c
					cpu_avx.c
					cpu_avx2.c
					cpu_avx512cd.c
					cpu_avx512f.c
					cpu_avx512_clx.c
					cpu_avx512_cnl.c
					cpu_avx512_icl.c
					cpu_avx512_knl.c
					cpu_avx512_knm.c
					cpu_avx512_skx.c
					cpu_avx512_spr.c
					cpu_f16c.c
					cpu_fma3.c
					cpu_fma4.c
					cpu_neon.c
					cpu_neon_fp16.c
					cpu_neon_vfpv4.c
					cpu_popcnt.c
					cpu_rvv.c
					cpu_sse.c
					cpu_sse2.c
					cpu_sse3.c
					cpu_sse41.c
					cpu_sse42.c
					cpu_ssse3.c
					cpu_sve.c
					cpu_vsx.c
					cpu_vsx2.c
					cpu_vsx3.c
					cpu_vsx4.c
					cpu_vx.c
					cpu_vxe.c
					cpu_vxe2.c
					cpu_xop.c
					extra_avx512bw_mask.c
					extra_avx512dq_mask.c

					extra_avx512f_reduce.c
					extra_vsx3_half_double.c
					extra_vsx4_mma.c
					extra_vsx_asm.c
					test_flags.c
					+---command
					autodist.py
					bdist_rpm.py
					build.py
					build_clib.py
					build_ext.py
					build_py.py
					build_scripts.py
					build_src.py
					config.py
					config_compiler.py
					develop.py
					egg_info.py
					install.py
					install_clib.py
					install_data.py
					install_headers.py
					sdist.py
					__init__.py
					\---__pycache__
					autodist.cpython-311.pyc
					bdist_rpm.cpython-311.pyc
					build.cpython-311.pyc
					build_clib.cpython-311.pyc
					build_ext.cpython-311.pyc
					build_py.cpython-311.pyc
					build_scripts.cpython-311.pyc
					build_src.cpython-311.pyc
					config.cpython-311.pyc
					config_compiler.cpython-311.pyc
					develop.cpython-311.pyc
					egg_info.cpython-311.pyc
					install.cpython-311.pyc
					install_clib.cpython-311.pyc
					install_data.cpython-311.pyc
					install_headers.cpython-311.pyc
					sdist.cpython-311.pyc
					__init__.cpython-311.pyc
					+---fcompiler
					absoft.py
					arm.py
					compaq.py
					environment.py

					fujitsu.py
					g95.py
					gnu.py
					hpux.py
					ibm.py
					intel.py
					lahey.py
					mips.py
					nag.py
					none.py
					nv.py
					pathf95.py
					pg.py
					sun.py
					vast.py
					__init__.py
					\---__pycache__
					absoft.cpython-311.pyc
					arm.cpython-311.pyc
					compaq.cpython-311.pyc
					environment.cpython-311.pyc
					fujitsu.cpython-311.pyc
					g95.cpython-311.pyc
					gnu.cpython-311.pyc
					hpux.cpython-311.pyc
					ibm.cpython-311.pyc
					intel.cpython-311.pyc
					lahey.cpython-311.pyc
					mips.cpython-311.pyc
					nag.cpython-311.pyc
					none.cpython-311.pyc
					nv.cpython-311.pyc
					pathf95.cpython-311.pyc
					pg.cpython-311.pyc
					sun.cpython-311.pyc
					vast.cpython-311.pyc
					__init__.cpython-311.pyc
					+---mingw
					gfortran_vs2003_hack.c
					+---tests
					test_build_ext.py
					test_ccompiler_opt.py
					test_ccompiler_opt_conf.py
					test_exec_command.py
					test_fcompiler.py
					test_fcompiler_gnu.py
					test_fcompiler_intel.py
					test_fcompiler_nagfor.py

					test_from_template.py
					test_log.py
					test_mingw32ccompiler.py
					test_misc_util.py
					test_npy_pkg_config.py
					test_shell_utils.py
					test_system_info.py
					utilities.py
					__init__.py
					\---__pycache__
					test_build_ext.cpython-311.pyc
					test_ccompiler_opt.cpython-311.pyc
					test_ccompiler_opt_conf.cpython-311.pyc
					test_exec_command.cpython-311.pyc
					test_fcompiler.cpython-311.pyc
					test_fcompiler_gnu.cpython-311.pyc
					test_fcompiler_intel.cpython-311.pyc
					test_fcompiler_nagfor.cpython-311.pyc
					test_from_template.cpython-311.pyc
					test_log.cpython-311.pyc
					test_mingw32ccompiler.cpython-311.pyc
					test_misc_util.cpython-311.pyc
					test_npy_pkg_config.cpython-311.pyc
					test_shell_utils.cpython-311.pyc
					test_system_info.cpython-311.pyc
					utilities.cpython-311.pyc
					__init__.cpython-311.pyc
					\---__pycache__
					armccompiler.cpython-311.pyc
					ccompiler.cpython-311.pyc
					ccompiler_opt.cpython-311.pyc
					conv_template.cpython-311.pyc
					core.cpython-311.pyc
					cpuinfo.cpython-311.pyc
					exec_command.cpython-311.pyc
					extension.cpython-311.pyc
					from_template.cpython-311.pyc
					fujitsucompiler.cpython-311.pyc
					intelccompiler.cpython-311.pyc
					lib2def.cpython-311.pyc
					line_endings.cpython-311.pyc
					log.cpython-311.pyc
					mingw32ccompiler.cpython-311.pyc
					misc_util.cpython-311.pyc
					msvc9compiler.cpython-311.pyc
					msvccompiler.cpython-311.pyc
					npkg_config.cpython-311.pyc
					numpy_distribution.cpython-311.pyc
					pathccompiler.cpython-311.pyc

```

| | | | system_info.cpython-311.pyc
| | | | unixccompiler.cpython-311.pyc
| | | | _shell_utils.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | +---doc
| | | | | ufuncs.py
| | | | |
| | | | \---__pycache__
| | | | | ufuncs.cpython-311.pyc
| | | | |
| | | | +---f2py
| | | | | auxfuncs.py
| | | | | capi_maps.py
| | | | | cb_rules.py
| | | | | cfuncs.py
| | | | | common_rules.py
| | | | | crackfortran.py
| | | | | diagnose.py
| | | | | f2py2e.py
| | | | | f90mod_rules.py
| | | | | func2subr.py
| | | | | rules.py
| | | | | setup.cfg
| | | | | symbolic.py
| | | | | use_rules.py
| | | | | _isocbind.py
| | | | | _src_pyf.py
| | | | | __init__.py
| | | | | __init__.pyi
| | | | | __main__.py
| | | | | __version__.py
| | | | |
| | | | +---src
| | | | | fortranobject.c
| | | | | fortranobject.h
| | | | |
| | | | +---tests
| | | | | test_abstract_interface.py
| | | | | test_array_from_pyobj.py
| | | | | test_assumed_shape.py
| | | | | test_block_docstring.py
| | | | | test_callback.py
| | | | | test_character.py
| | | | | test_common.py
| | | | | test_crackfortran.py
| | | | | test_data.py
| | | | | test_docs.py
| | | | | test_f2cmap.py
| | | | | test_f2py2e.py
| | | | | test_isoc.py

```

						test_kind.py
						test_mixed.py
						test_modules.py
						test_parameter.py
						test_pyf_src.py
						test_quoted_character.py
						test_regression.py
						test_return_character.py
						test_return_complex.py
						test_return_integer.py
						test_return_logical.py
						test_return_real.py
						test_semicolon_split.py
						test_size.py
						test_string.py
						test_symbolic.py
						test_value_attrspec.py
						util.py
						__init__.py
						+---src
						+---abstract_interface
						foo.f90
						gh18403_mod.f90
						+---array_from_pyobj
						wrapmodule.c
						+---assumed_shape
						.f2py_f2cmap
						foo_free.f90
						foo_mod.f90
						foo_use.f90
						precision.f90
						+---block_docstring
						foo.f
						+---callback
						foo.f
						gh17797.f90
						gh18335.f90
						gh25211.f
						gh25211.pyf
						+---cli
						gh_22819.pyf
						hi77.f
						hiworld.f90
						+---common

						block.f
						gh19161.f90
						----crackfortran
						accesstype.f90
						data_common.f
						data_multiplier.f
						data_stmts.f90
						data_with_comments.f
						foo_deps.f90
						gh15035.f
						gh17859.f
						gh22648.pyf
						gh23533.f
						gh23598.f90
						gh23598Warn.f90
						gh23879.f90
						gh2848.f90
						operators.f90
						privatemod.f90
						publicmod.f90
						pubprivmod.f90
						unicode_comment.f90
						----f2cmap
						.f2py_f2cmap
						isoFortranEnvMap.f90
						----isocintrin
						isoCtests.f90
						----kind
						foo.f90
						----mixed
						foo.f
						foo_fixed.f90
						foo_free.f90
						----modules
						module_data_docstring.f90
						use_modules.f90
						----gh25337
						data.f90
						use_data.f90
						\---gh26920
						two_mods_with_no_public_entities.f90
						two_mods_with_one_public_routine.f90

						----negative_bounds
						issue_20853.f90
						----parameter
						constant_array.f90
						constant_both.f90
						constant_compound.f90
						constant_integer.f90
						constant_non_compound.f90
						constant_real.f90
						----quoted_character
						foo.f
						----regression
						AB.inc
						f77comments.f
						f77fixedform.f95
						f90continuation.f90
						incfile.f90
						inout.f90
						----return_character
						foo77.f
						foo90.f90
						----return_complex
						foo77.f
						foo90.f90
						----return_integer
						foo77.f
						foo90.f90
						----return_logical
						foo77.f
						foo90.f90
						----return_real
						foo77.f
						foo90.f90
						----size
						foo.f90
						----string
						char.f90
						fixed_string.f90
						gh24008.f
						gh24662.f90
						gh25286.f90

```

| | | | | gh25286.pyf
| | | | | gh25286_bc.pyf
| | | | | scalar_string.f90
| | | | | string.f
| | | | |
| | | | | \---value_attrspec
| | | | | gh21665.f90
| | | | |
| | | | | \---__pycache__
| | | | | test_abstract_interface.cpython-311.pyc
| | | | | test_array_from_pyobj.cpython-311.pyc
| | | | | test_assumed_shape.cpython-311.pyc
| | | | | test_block_docstring.cpython-311.pyc
| | | | | test_callback.cpython-311.pyc
| | | | | test_character.cpython-311.pyc
| | | | | test_common.cpython-311.pyc
| | | | | test_crackfortran.cpython-311.pyc
| | | | | test_data.cpython-311.pyc
| | | | | test_docs.cpython-311.pyc
| | | | | test_f2cmap.cpython-311.pyc
| | | | | test_f2py2e.cpython-311.pyc
| | | | | test_isoc.cpython-311.pyc
| | | | | test_kind.cpython-311.pyc
| | | | | test_mixed.cpython-311.pyc
| | | | | test_modules.cpython-311.pyc
| | | | | test_parameter.cpython-311.pyc
| | | | | test_pyf_src.cpython-311.pyc
| | | | | test_quoted_character.cpython-311.pyc
| | | | | test_regression.cpython-311.pyc
| | | | | test_return_character.cpython-311.pyc
| | | | | test_return_complex.cpython-311.pyc
| | | | | test_return_integer.cpython-311.pyc
| | | | | test_return_logical.cpython-311.pyc
| | | | | test_return_real.cpython-311.pyc
| | | | | test_semicolon_split.cpython-311.pyc
| | | | | test_size.cpython-311.pyc
| | | | | test_string.cpython-311.pyc
| | | | | test_symbolic.cpython-311.pyc
| | | | | test_value_attrspec.cpython-311.pyc
| | | | | util.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---_backends
| | | | | meson.build.template
| | | | | _backend.py
| | | | | _distutils.py
| | | | | _meson.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | | _backend.cpython-311.pyc

```

```

| | | | _distutils.cpython-311.pyc
| | | | _meson.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | \---__pycache__
| | | |     auxfuncs.cpython-311.pyc
| | | |     capi_maps.cpython-311.pyc
| | | |     cb_rules.cpython-311.pyc
| | | |     cfuncs.cpython-311.pyc
| | | |     common_rules.cpython-311.pyc
| | | |     crackfortran.cpython-311.pyc
| | | |     diagnose.cpython-311.pyc
| | | |     f2py2e.cpython-311.pyc
| | | |     f90mod_rules.cpython-311.pyc
| | | |     func2subr.cpython-311.pyc
| | | |     rules.cpython-311.pyc
| | | |     symbolic.cpython-311.pyc
| | | |     use_rules.cpython-311.pyc
| | | |     _isocbind.cpython-311.pyc
| | | |     _src_pyf.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |     __main__.cpython-311.pyc
| | | |     __version__.cpython-311.pyc
| | | |
| | | | +---fft
| | | | | helper.py
| | | | | _helper.py
| | | | | _helper.pyi
| | | | | _pocketfft.py
| | | | | _pocketfft.pyi
| | | | | _pocketfft_umath.cp311-win_amd64.lib
| | | | | _pocketfft_umath.cp311-win_amd64.pyd
| | | | | __init__.py
| | | | | __init__.pyi
| | | | |
| | | | | +---tests
| | | | | | test_helper.py
| | | | | | test_pocketfft.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | |     test_helper.cpython-311.pyc
| | | | |     test_pocketfft.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     helper.cpython-311.pyc
| | | | |     _helper.cpython-311.pyc
| | | | |     _pocketfft.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |

```

```
| | | +---lib
| | | | | array_utils.py
| | | | | array_utils.pyi
| | | | | format.py
| | | | | format.pyi
| | | | | introspect.py
| | | | | mixins.py
| | | | | mixins.pyi
| | | | | npyio.py
| | | | | npyio.pyi
| | | | | recfunctions.py
| | | | | scimath.py
| | | | | scimath.pyi
| | | | | stride_tricks.py
| | | | | stride_tricks.pyi
| | | | | user_array.py
| | | | | _arraypad_impl.py
| | | | | _arraypad_impl.pyi
| | | | | _arraysetops_impl.py
| | | | | _arraysetops_impl.pyi
| | | | | _arrayiterator_impl.py
| | | | | _arrayiterator_impl.pyi
| | | | | _array_utils_impl.py
| | | | | _array_utils_impl.pyi
| | | | | _datasource.py
| | | | | _function_base_impl.py
| | | | | _function_base_impl.pyi
| | | | | _histograms_impl.py
| | | | | _histograms_impl.pyi
| | | | | _index_tricks_impl.py
| | | | | _index_tricks_impl.pyi
| | | | | _iotools.py
| | | | | _nanfunctions_impl.py
| | | | | _nanfunctions_impl.pyi
| | | | | _npzio_impl.py
| | | | | _npzio_impl.pyi
| | | | | _polynomial_impl.py
| | | | | _polynomial_impl.pyi
| | | | | _scimath_impl.py
| | | | | _scimath_impl.pyi
| | | | | _shape_base_impl.py
| | | | | _shape_base_impl.pyi
| | | | | _stride_tricks_impl.py
| | | | | _stride_tricks_impl.pyi
| | | | | _twodim_base_impl.py
| | | | | _twodim_base_impl.pyi
| | | | | _type_check_impl.py
| | | | | _type_check_impl.pyi
| | | | | _ufunclike_impl.py
| | | | | _ufunclike_impl.pyi
| | | | | _user_array_impl.py
```



```

| | | | _utils_impl.py
| | | | _utils_impl.pyi
| | | | _version.py
| | | | _version.pyi
| | | | __init__.py
| | | | __init__.pyi
| | | |
| | | +---tests
| | | | | test_arraypad.py
| | | | | test_arraysetops.py
| | | | | test_arrayiterator.py
| | | | | test_array_utils.py
| | | | | test_format.py
| | | | | test_function_base.py
| | | | | test_histograms.py
| | | | | test_index_tricks.py
| | | | | test_io.py
| | | | | test_loadtxt.py
| | | | | test_mixins.py
| | | | | test_nanfunctions.py
| | | | | test_packbits.py
| | | | | test_polynomial.py
| | | | | test_recfunctions.py
| | | | | test_regression.py
| | | | | test_shape_base.py
| | | | | test_stride_tricks.py
| | | | | test_twodim_base.py
| | | | | test_type_check.py
| | | | | test_ufunclike.py
| | | | | test_utils.py
| | | | | test_datasource.py
| | | | | test_iotools.py
| | | | | test_version.py
| | | | | __init__.py
| | | |
| | | +---data
| | | | | py2-np0-objarr.npy
| | | | | py2-objarr.npy
| | | | | py2-objarr.npz
| | | | | py3-objarr.npy
| | | | | py3-objarr.npz
| | | | | python3.npy
| | | | | win64python2.npy
| | | |
| | | \---__pycache__
| | | | | test_arraypad.cpython-311.pyc
| | | | | test_arraysetops.cpython-311.pyc
| | | | | test_arrayiterator.cpython-311.pyc
| | | | | test_array_utils.cpython-311.pyc
| | | | | test_format.cpython-311.pyc
| | | | | test_function_base.cpython-311.pyc

```

					test_histograms.cpython-311.pyc
					test_index_tricks.cpython-311.pyc
					test_io.cpython-311.pyc
					test_loadtxt.cpython-311.pyc
					test_mixins.cpython-311.pyc
					test_nanfunctions.cpython-311.pyc
					test_packbits.cpython-311.pyc
					test_polynomial.cpython-311.pyc
					test_recfunctions.cpython-311.pyc
					test_regression.cpython-311.pyc
					test_shape_base.cpython-311.pyc
					test_stride_tricks.cpython-311.pyc
					test_twodim_base.cpython-311.pyc
					test_type_check.cpython-311.pyc
					test_ufunclike.cpython-311.pyc
					test_utils.cpython-311.pyc
					test_datasource.cpython-311.pyc
					test_iotools.cpython-311.pyc
					test_version.cpython-311.pyc
					__init__.cpython-311.pyc
					\---__pycache__
					array_utils.cpython-311.pyc
					format.cpython-311.pyc
					introspect.cpython-311.pyc
					mixins.cpython-311.pyc
					npymath.cpython-311.pyc
					recfunctions.cpython-311.pyc
					scimath.cpython-311.pyc
					stride_tricks.cpython-311.pyc
					user_array.cpython-311.pyc
					_arraypad_impl.cpython-311.pyc
					_arraysetops_impl.cpython-311.pyc
					_arrayiterator_impl.cpython-311.pyc
					_array_utils_impl.cpython-311.pyc
					_datasource.cpython-311.pyc
					_function_base_impl.cpython-311.pyc
					_histograms_impl.cpython-311.pyc
					_index_tricks_impl.cpython-311.pyc
					_iotools.cpython-311.pyc
					_nanfunctions_impl.cpython-311.pyc
					_npymath_impl.cpython-311.pyc
					_polynomial_impl.cpython-311.pyc
					_scimath_impl.cpython-311.pyc
					_shape_base_impl.cpython-311.pyc
					_stride_tricks_impl.cpython-311.pyc
					_twodim_base_impl.cpython-311.pyc
					_type_check_impl.cpython-311.pyc
					_ufunclike_impl.cpython-311.pyc
					_user_array_impl.cpython-311.pyc
					_utils_impl.cpython-311.pyc

```

| | | | _version.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | +---linalg
| | | | | lapack_lite.cp311-win_amd64.lib
| | | | | lapack_lite.cp311-win_amd64.pyd
| | | | | linalg.py
| | | | | _linalg.py
| | | | | _linalg.pyi
| | | | | _umath_linalg.cp311-win_amd64.lib
| | | | | _umath_linalg.cp311-win_amd64.pyd
| | | | | __init__.py
| | | | | __init__.pyi
| | | | |
| | | | | +---tests
| | | | | | test_deprecations.py
| | | | | | test_linalg.py
| | | | | | test_regression.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | test_deprecations.cpython-311.pyc
| | | | | | test_linalg.cpython-311.pyc
| | | | | | test_regression.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__
| | | | | | linalg.cpython-311.pyc
| | | | | | _linalg.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---ma
| | | | | API_CHANGES.txt
| | | | | core.py
| | | | | core.pyi
| | | | | extras.py
| | | | | extras.pyi
| | | | | LICENSE
| | | | | mrecords.py
| | | | | mrecords.pyi
| | | | | README.rst
| | | | | testutils.py
| | | | | timer_comparison.py
| | | | | __init__.py
| | | | | __init__.pyi
| | | | |
| | | | | +---tests
| | | | | | test_arrayobject.py
| | | | | | test_core.py
| | | | | | test_deprecations.py
| | | | | | test_extras.py

```

```

| | | | | test_mrecords.py
| | | | | test_old_ma.py
| | | | | test_regression.py
| | | | | test_subclassing.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     test_arrayobject.cpython-311.pyc
| | | | |     test_core.cpython-311.pyc
| | | | |     test_deprecations.cpython-311.pyc
| | | | |     test_extras.cpython-311.pyc
| | | | |     test_mrecords.cpython-311.pyc
| | | | |     test_old_ma.cpython-311.pyc
| | | | |     test_regression.cpython-311.pyc
| | | | |     test_subclassing.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     core.cpython-311.pyc
| | | | |     extras.cpython-311.pyc
| | | | |     mrecords.cpython-311.pyc
| | | | |     testutils.cpython-311.pyc
| | | | |     timer_comparison.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---matrixlib
| | | | |     defmatrix.py
| | | | |     defmatrix.pyi
| | | | |     __init__.py
| | | | |     __init__.pyi
| | | | |
| | | | | +---tests
| | | | |     test_defmatrix.py
| | | | |     test_interaction.py
| | | | |     test_masked_matrix.py
| | | | |     test_matrix_linalg.py
| | | | |     test_multiarray.py
| | | | |     test_numeric.py
| | | | |     test_regression.py
| | | | |     __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     test_defmatrix.cpython-311.pyc
| | | | |     test_interaction.cpython-311.pyc
| | | | |     test_masked_matrix.cpython-311.pyc
| | | | |     test_matrix_linalg.cpython-311.pyc
| | | | |     test_multiarray.cpython-311.pyc
| | | | |     test_numeric.cpython-311.pyc
| | | | |     test_regression.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |

```

```

| | | \---__pycache__
| | |         defmatrix.cpython-311.pyc
| | |         __init__.cpython-311.pyc
| | |
| | | +---polynomial
| | | |     chebyshev.py
| | | |     chebyshev.pyi
| | | |     hermite.py
| | | |     hermite.pyi
| | | |     hermite_e.py
| | | |     hermite_e.pyi
| | | |     laguerre.py
| | | |     laguerre.pyi
| | | |     legendre.py
| | | |     legendre.pyi
| | | |     polynomial.py
| | | |     polynomial.pyi
| | | |     polyutils.py
| | | |     polyutils.pyi
| | | |     _polybase.py
| | | |     _polybase.pyi
| | | |     _polytypes.pyi
| | | |     __init__.py
| | | |     __init__.pyi
| | | |
| | | | +---tests
| | | | |     test_chebyshev.py
| | | | |     test_classes.py
| | | | |     test_hermite.py
| | | | |     test_hermite_e.py
| | | | |     test_laguerre.py
| | | | |     test_legendre.py
| | | | |     test_polynomial.py
| | | | |     test_polyutils.py
| | | | |     test_printing.py
| | | | |     test_symbol.py
| | | | |     __init__.py
| | | | |
| | | | \---__pycache__
| | | |         test_chebyshev.cpython-311.pyc
| | | |         test_classes.cpython-311.pyc
| | | |         test_hermite.cpython-311.pyc
| | | |         test_hermite_e.cpython-311.pyc
| | | |         test_laguerre.cpython-311.pyc
| | | |         test_legendre.cpython-311.pyc
| | | |         test_polynomial.cpython-311.pyc
| | | |         test_polyutils.cpython-311.pyc
| | | |         test_printing.cpython-311.pyc
| | | |         test_symbol.cpython-311.pyc
| | | |         __init__.cpython-311.pyc
| | | |

```

```

| | | | \---__pycache__
| | | |     chebyshev.cpython-311.pyc
| | | |     hermite.cpython-311.pyc
| | | |     hermite_e.cpython-311.pyc
| | | |     laguerre.cpython-311.pyc
| | | |     legendre.cpython-311.pyc
| | | |     polynomial.cpython-311.pyc
| | | |     polyutils.cpython-311.pyc
| | | |     _polybase.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---random
| | | | | bit_generator.cp311-win_amd64.lib
| | | | | bit_generator.cp311-win_amd64.pyd
| | | | | bit_generator.pxd
| | | | | bit_generator.pyi
| | | | | c_distributions.pxd
| | | | | LICENSE.md
| | | | | mtrand.cp311-win_amd64.lib
| | | | | mtrand.cp311-win_amd64.pyd
| | | | | mtrand.pyi
| | | | | _bounded_integers.cp311-win_amd64.lib
| | | | | _bounded_integers.cp311-win_amd64.pyd
| | | | | _bounded_integers.pxd
| | | | | _common.cp311-win_amd64.lib
| | | | | _common.cp311-win_amd64.pyd
| | | | | _common.pxd
| | | | | _generator.cp311-win_amd64.lib
| | | | | _generator.cp311-win_amd64.pyd
| | | | | _generator.pyi
| | | | | _mt19937.cp311-win_amd64.lib
| | | | | _mt19937.cp311-win_amd64.pyd
| | | | | _mt19937.pyi
| | | | | _pcg64.cp311-win_amd64.lib
| | | | | _pcg64.cp311-win_amd64.pyd
| | | | | _pcg64.pyi
| | | | | _philox.cp311-win_amd64.lib
| | | | | _philox.cp311-win_amd64.pyd
| | | | | _philox.pyi
| | | | | _pickle.py
| | | | | _sfc64.cp311-win_amd64.lib
| | | | | _sfc64.cp311-win_amd64.pyd
| | | | | _sfc64.pyi
| | | | | __init__.pxd
| | | | | __init__.py
| | | | | __init__.pyi
| | | | |
| | | | +---lib
| | | | | npyrandom.lib
| | | | |
| | | | +---tests

```

```

| | | | | test_direct.py
| | | | | test_extending.py
| | | | | test_generator_mt19937.py
| | | | | test_generator_mt19937_regressions.py
| | | | | test_random.py
| | | | | test_randomstate.py
| | | | | test_randomstate_regression.py
| | | | | test_regression.py
| | | | | test_seed_sequence.py
| | | | | test_smoke.py
| | | | | __init__.py
| | | | |
| | | | | +---data
| | | | | | generator_pcg64_np121.pkl.gz
| | | | | | generator_pcg64_np126.pkl.gz
| | | | | | mt19937-testset-1.csv
| | | | | | mt19937-testset-2.csv
| | | | | | pcg64-testset-1.csv
| | | | | | pcg64-testset-2.csv
| | | | | | pcg64dxsm-testset-1.csv
| | | | | | pcg64dxsm-testset-2.csv
| | | | | | philox-testset-1.csv
| | | | | | philox-testset-2.csv
| | | | | | sfc64-testset-1.csv
| | | | | | sfc64-testset-2.csv
| | | | | | sfc64_np126.pkl.gz
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__
| | | | | | test_direct.cpython-311.pyc
| | | | | | test_extending.cpython-311.pyc
| | | | | | test_generator_mt19937.cpython-311.pyc
| | | | | | test_generator_mt19937_regressions.cpython-311.pyc
| | | | | | test_random.cpython-311.pyc
| | | | | | test_randomstate.cpython-311.pyc
| | | | | | test_randomstate_regression.cpython-311.pyc
| | | | | | test_regression.cpython-311.pyc
| | | | | | test_seed_sequence.cpython-311.pyc
| | | | | | test_smoke.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | +---_examples
| | | | | +---cffi
| | | | | | | extending.py
| | | | | | | parse.py
| | | | | | |
| | | | | \---__pycache__
| | | | | | | extending.cpython-311.pyc

```

```

| | | | | parse.cpython-311.pyc
| | | | |
| | | | | +---cython
| | | | |     extending.pyx
| | | | |     extending_distributions.pyx
| | | | |     meson.build
| | | | |
| | | | | \---numba
| | | | |     extending.py
| | | | |     extending_distributions.py
| | | | |
| | | | | \---__pycache__
| | | | |     extending.cpython-311.pyc
| | | | |     extending_distributions.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     _pickle.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---rec
| | | | |     __init__.py
| | | | |     __init__.pyi
| | | | |
| | | | | \---__pycache__
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---strings
| | | | |     __init__.py
| | | | |     __init__.pyi
| | | | |
| | | | | \---__pycache__
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---testing
| | | | |     overrides.py
| | | | |     print_coercion_tables.py
| | | | |     __init__.py
| | | | |     __init__.pyi
| | | | |
| | | | | +---tests
| | | | |     test_utils.py
| | | | |     __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     test_utils.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---_private
| | | | |     extbuild.py
| | | | |     utils.py
| | | | |     utils.pyi

```



```

| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     extbuild.cpython-311.pyc
| | | | |     utils.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     overrides.cpython-311.pyc
| | | | |     print_coercion_tables.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---tests
| | | | |     test_configtool.py
| | | | |     test_ctypeslib.py
| | | | |     test_lazyloading.py
| | | | |     test_matlib.py
| | | | |     test_numpy_config.py
| | | | |     test_numpy_version.py
| | | | |     test_public_api.py
| | | | |     test_reloading.py
| | | | |     test_scripts.py
| | | | |     test_warnings.py
| | | | |     test_all__.py
| | | | |     __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     test_configtool.cpython-311.pyc
| | | | |     test_ctypeslib.cpython-311.pyc
| | | | |     test_lazyloading.cpython-311.pyc
| | | | |     test_matlib.cpython-311.pyc
| | | | |     test_numpy_config.cpython-311.pyc
| | | | |     test_numpy_version.cpython-311.pyc
| | | | |     test_public_api.cpython-311.pyc
| | | | |     test_reloading.cpython-311.pyc
| | | | |     test_scripts.cpython-311.pyc
| | | | |     test_warnings.cpython-311.pyc
| | | | |     test_all__.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---typing
| | | | |     mypy_plugin.py
| | | | |     __init__.py
| | | | |
| | | | | +---tests
| | | | |     test_isfile.py
| | | | |     test_runtime.py
| | | | |     test_typing.py
| | | | |     __init__.py
| | | | |
| | | | | +---data

```

							mypy.ini
							+---fail
							arithmetic.pyi
							arrayprint.pyi
							arrayiterator.pyi
							array_constructors.pyi
							array_like.pyi
							array_pad.pyi
							bitwise_ops.pyi
							char.pyi
							chararray.pyi
							comparisons.pyi
							constants.pyi
							datasource.pyi
							dtype.pyi
							einsumfunc.pyi
							false_positives.pyi
							flatiter.pyi
							fromnumeric.pyi
							histograms.pyi
							index_tricks.pyi
							lib_function_base.pyi
							lib_polynomial.pyi
							lib_utils.pyi
							lib_version.pyi
							linalg.pyi
							memmap.pyi
							modules.pyi
							multiarray.pyi
							ndarray.pyi
							ndarray_misc.pyi
							nditer.pyi
							nested_sequence.pyi
							npio.pyi
							numerictypes.pyi
							random.pyi
							rec.pyi
							scalars.pyi
							shape.pyi
							shape_base.pyi
							stride_tricks.pyi
							strings.pyi
							testing.pyi
							twodim_base.pyi
							type_check.pyi
							ufunclike.pyi
							ufuncs.pyi
							ufunc_config.pyi
							warnings_and_errors.pyi

```

| | | | | +---misc
| | | | | | extended_precision.pyi
| | | | | |
| | | | | +---pass
| | | | | | arithmetic.py
| | | | | | arrayprint.py
| | | | | | arrayiterator.py
| | | | | | array_constructors.py
| | | | | | array_like.py
| | | | | | bitwise_ops.py
| | | | | | comparisons.py
| | | | | | dtype.py
| | | | | | einsumfunc.py
| | | | | | flatiter.py
| | | | | | fromnumeric.py
| | | | | | index_tricks.py
| | | | | | lib_utils.py
| | | | | | lib_version.py
| | | | | | literal.py
| | | | | | ma.py
| | | | | | mod.py
| | | | | | modules.py
| | | | | | multiarray.py
| | | | | | ndarray_conversion.py
| | | | | | ndarray_misc.py
| | | | | | ndarray_shape_manipulation.py
| | | | | | numeric.py
| | | | | | numerictypes.py
| | | | | | random.py
| | | | | | scalars.py
| | | | | | shape.py
| | | | | | simple.py
| | | | | | simple_py3.py
| | | | | | ufunclike.py
| | | | | | ufuncs.py
| | | | | | ufunc_config.py
| | | | | | warnings_and_errors.py
| | | | | |
| | | | | | \---__pycache__
| | | | | | arithmetic.cpython-311.pyc
| | | | | | arrayprint.cpython-311.pyc
| | | | | | arrayiterator.cpython-311.pyc
| | | | | | array_constructors.cpython-311.pyc
| | | | | | array_like.cpython-311.pyc
| | | | | | bitwise_ops.cpython-311.pyc
| | | | | | comparisons.cpython-311.pyc
| | | | | | dtype.cpython-311.pyc
| | | | | | einsumfunc.cpython-311.pyc
| | | | | | flatiter.cpython-311.pyc
| | | | | | fromnumeric.cpython-311.pyc
| | | | | | index_tricks.cpython-311.pyc

```

							lib_utils.cpython-311.pyc
							lib_version.cpython-311.pyc
							literal.cpython-311.pyc
							ma.cpython-311.pyc
							mod.cpython-311.pyc
							modules.cpython-311.pyc
							multiarray.cpython-311.pyc
							ndarray_conversion.cpython-311.pyc
							ndarray_misc.cpython-311.pyc
							ndarray_shape_manipulation.cpython-311.pyc
							numeric.cpython-311.pyc
							numerictypes.cpython-311.pyc
							random.cpython-311.pyc
							scalars.cpython-311.pyc
							shape.cpython-311.pyc
							simple.cpython-311.pyc
							simple_py3.cpython-311.pyc
							ufunclike.cpython-311.pyc
							ufuncs.cpython-311.pyc
							ufunc_config.cpython-311.pyc
							warnings_and_errors.cpython-311.pyc
						\---reveal	
							arithmetic.pyi
							arraypad.pyi
							arrayprint.pyi
							arraysetops.pyi
							arrayiterator.pyi
							array_api_info.pyi
							array_constructors.pyi
							bitwise_ops.pyi
							char.pyi
							chararray.pyi
							comparisons.pyi
							constants.pyi
							ctypeslib.pyi
							datasource.pyi
							dtype.pyi
							einsumfunc.pyi
							emath.pyi
							false_positives.pyi
							fft.pyi
							flatiter.pyi
							fromnumeric.pyi
							getlimits.pyi
							histograms.pyi
							index_tricks.pyi
							lib_function_base.pyi
							lib_polynomial.pyi
							lib_utils.pyi
							lib_version.pyi

					linalg.pyi
					matrix.pyi
					memmap.pyi
					mod.pyi
					modules.pyi
					multiarray.pyi
					nbit_base_example.pyi
					ndarray_conversion.pyi
					ndarray_misc.pyi
					ndarray_shape_manipulation.pyi
					nditer.pyi
					nested_sequence.pyi
					npio.pyi
					numeric.pyi
					numerictypes.pyi
					polynomial_polybase.pyi
					polynomial_polyutils.pyi
					polynomial_series.pyi
					random.pyi
					rec.pyi
					scalars.pyi
					shape.pyi
					shape_base.pyi
					stride_tricks.pyi
					strings.pyi
					testing.pyi
					twodim_base.pyi
					type_check.pyi
					ufunclike.pyi
					ufuncs.pyi
					ufunc_config.pyi
					warnings_and_errors.pyi
					\---__pycache__
					test_isfile.cpython-311.pyc
					test_runtime.cpython-311.pyc
					test_typing.cpython-311.pyc
					__init__.cpython-311.pyc
					\---__pycache__
					mypy_plugin.cpython-311.pyc
					__init__.cpython-311.pyc
					+---_core
					arrayprint.py
					arrayprint.pyi
					cversions.py
					defchararray.py
					defchararray.pyi
					einsumfunc.py
					einsumfunc.pyi

					fromnumeric.py
					fromnumeric.pyi
					function_base.py
					function_base.pyi
					getlimits.py
					getlimits.pyi
					memmap.py
					memmap.pyi
					multiarray.py
					multiarray.pyi
					numeric.py
					numeric.pyi
					numerictypes.py
					numerictypes.pyi
					overrides.py
					printoptions.py
					records.py
					records.pyi
					shape_base.py
					shape_base.pyi
					strings.py
					strings.pyi
					umath.py
					_add_newdocs.py
					_add_newdocs_scalars.py
					_asarray.py
					_asarray.pyi
					_dtype.py
					_dtype_ctype.py
					_exceptions.py
					_internal.py
					_internal.pyi
					_machar.py
					_methods.py
					_multiarray_tests.cp311-win_amd64.lib
					_multiarray_tests.cp311-win_amd64.pyd
					_multiarray_umath.cp311-win_amd64.lib
					_multiarray_umath.cp311-win_amd64.pyd
					_operand_flag_tests.cp311-win_amd64.lib
					_operand_flag_tests.cp311-win_amd64.pyd
					_rational_tests.cp311-win_amd64.lib
					_rational_tests.cp311-win_amd64.pyd
					_simd.cp311-win_amd64.lib
					_simd.cp311-win_amd64.pyd
					_string_helpers.py
					_struct_ufunc_tests.cp311-win_amd64.lib
					_struct_ufunc_tests.cp311-win_amd64.pyd
					_type_aliases.py
					_type_aliases.pyi
					_ufunc_config.py
					_ufunc_config.pyi

```

| | | | _umath_tests.cp311-win_amd64.lib
| | | | _umath_tests.cp311-win_amd64.pyd
| | | | __init__.py
| | | | __init__.pyi
| | | |
| | | | +---include
| | | | \---numpy
| | | |     | arrayobject.h
| | | |     | arrayscalars.h
| | | |     | dtype_api.h
| | | |     | halffloat.h
| | | |     | ndarrayobject.h
| | | |     | ndarraytypes.h
| | | |     | npy_1_7_deprecated_api.h
| | | |     | npy_2_compat.h
| | | |     | npy_2_complexcompat.h
| | | |     | npy_3kcompat.h
| | | |     | npy_common.h
| | | |     | npy_cpu.h
| | | |     | npy_endian.h
| | | |     | npy_math.h
| | | |     | npy_no_deprecated_api.h
| | | |     | npy_os.h
| | | |     | numpyconfig.h
| | | |     | ufuncobject.h
| | | |     | utils.h
| | | |     | _neighborhood_iterator_imp.h
| | | |     | _numpyconfig.h
| | | |     | _public_dtype_api_table.h
| | | |     | __multiarray_api.c
| | | |     | __multiarray_api.h
| | | |     | __ufunc_api.c
| | | |     | __ufunc_api.h
| | | |     |
| | | |     \---random
| | | |         bitgen.h
| | | |         distributions.h
| | | |         libdivide.h
| | | |         LICENSE.txt
| | | |
| | | | +---lib
| | | |     | npymath.lib
| | | |     |
| | | |     +---npy-pkg-config
| | | |         mlib.ini
| | | |         npymath.ini
| | | |         |
| | | |         \---pkgconfig
| | | |             numpy.pc
| | | |
| | | | +---tests

```

						test_abc.py
						test_api.py
						test_argparse.py
						test_arraymethod.py
						test_arrayobject.py
						test_arrayprint.py
						test_array_api_info.py
						test_array_coercion.py
						test_array_interface.py
						test_casting_floatingpoint_errors.py
						test_casting_unittests.py
						test_conversion_utils.py
						test_cpu_dispatcher.py
						test_cpu_features.py
						test_custom_dtypes.py
						test_cython.py
						test_datetime.py
						test_defchararray.py
						test_deprecations.py
						test_dlpack.py
						test_dtype.py
						test_einsum.py
						test_errstate.py
						test_extint128.py
						test_function_base.py
						test_getlimits.py
						test_half.py
						test_hashtable.py
						test_indexerrors.py
						test_indexing.py
						test_item_selection.py
						test_limited_api.py
						test_longdouble.py
						test_machar.py
						test_mmap.py
						test_mem_overlap.py
						test_mem_policy.py
						test_multiarray.py
						test_multithreading.py
						test_nditer.py
						test_nep50_promotions.py
						test_numeric.py
						test_numerictypes.py
						test_overrides.py
						test_print.py
						test_protocols.py
						test_records.py
						test_regression.py
						test_scalarbuffer.py
						test_scalarinherit.py
						test_scalarmath.py


```

| | | | | test_scalarprint.py
| | | | | test_scalar_ctors.py
| | | | | test_scalar_methods.py
| | | | | test_shape_base.py
| | | | | test_simd.py
| | | | | test_simd_module.py
| | | | | test_stringdtype.py
| | | | | test_strings.py
| | | | | test_ufunc.py
| | | | | test_umath.py
| | | | | test_umath_accuracy.py
| | | | | test_umath_complex.py
| | | | | test_unicode.py
| | | | | test__exceptions.py
| | | | | _locales.py
| | | | | _natype.py
| | | | |
| | | | +---data
| | | | | astype_copy.pkl
| | | | | generate_umath_validation_data.cpp
| | | | | recarray_from_file.fits
| | | | | umath-validation-set-arccos.csv
| | | | | umath-validation-set-arccosh.csv
| | | | | umath-validation-set-arcsin.csv
| | | | | umath-validation-set-arcsinh.csv
| | | | | umath-validation-set-arctan.csv
| | | | | umath-validation-set-arctanh.csv
| | | | | umath-validation-set-cbrt.csv
| | | | | umath-validation-set-cos.csv
| | | | | umath-validation-set-cosh.csv
| | | | | umath-validation-set-exp.csv
| | | | | umath-validation-set-exp2.csv
| | | | | umath-validation-set-expm1.csv
| | | | | umath-validation-set-log.csv
| | | | | umath-validation-set-log10.csv
| | | | | umath-validation-set-log1p.csv
| | | | | umath-validation-set-log2.csv
| | | | | umath-validation-set-README.txt
| | | | | umath-validation-set-sin.csv
| | | | | umath-validation-set-sinh.csv
| | | | | umath-validation-set-tan.csv
| | | | | umath-validation-set-tanh.csv
| | | | |
| | | | +---examples
| | | | | +---cython
| | | | | | | checks.pyx
| | | | | | | meson.build
| | | | | | | setup.py
| | | | | | |
| | | | | | \---__pycache__
| | | | | |
| | | | | | setup.cpython-311.pyc

```

```

| | | | |
| | | | | \---limited_api
| | | | | | limited_api1.c
| | | | | | limited_api2.pyx
| | | | | | limited_api_latest.c
| | | | | | meson.build
| | | | | | setup.py
| | | | | |
| | | | | \---__pycache__
| | | | | | setup.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__
| | | | | | test_abc.cpython-311.pyc
| | | | | | test_api.cpython-311.pyc
| | | | | | test_argparse.cpython-311.pyc
| | | | | | test_arraymethod.cpython-311.pyc
| | | | | | test_arrayobject.cpython-311.pyc
| | | | | | test_arrayprint.cpython-311.pyc
| | | | | | test_array_api_info.cpython-311.pyc
| | | | | | test_array_coercion.cpython-311.pyc
| | | | | | test_array_interface.cpython-311.pyc
| | | | | | test_casting_floatingpoint_errors.cpython-311.pyc
| | | | | | test_casting_unittests.cpython-311.pyc
| | | | | | test_conversion_utils.cpython-311.pyc
| | | | | | test_cpu_dispatcher.cpython-311.pyc
| | | | | | test_cpu_features.cpython-311.pyc
| | | | | | test_custom_dtypes.cpython-311.pyc
| | | | | | test_cython.cpython-311.pyc
| | | | | | test_datetime.cpython-311.pyc
| | | | | | test_defchararray.cpython-311.pyc
| | | | | | test_deprecations.cpython-311.pyc
| | | | | | test_dlpack.cpython-311.pyc
| | | | | | test_dtype.cpython-311.pyc
| | | | | | test_einsum.cpython-311.pyc
| | | | | | test_errstate.cpython-311.pyc
| | | | | | test_extint128.cpython-311.pyc
| | | | | | test_function_base.cpython-311.pyc
| | | | | | test_getlimits.cpython-311.pyc
| | | | | | test_half.cpython-311.pyc
| | | | | | test_hashtable.cpython-311.pyc
| | | | | | test_indexerrors.cpython-311.pyc
| | | | | | test_indexing.cpython-311.pyc
| | | | | | test_item_selection.cpython-311.pyc
| | | | | | test_limited_api.cpython-311.pyc
| | | | | | test_longdouble.cpython-311.pyc
| | | | | | test_machar.cpython-311.pyc
| | | | | | test_mmap.cpython-311.pyc
| | | | | | test_mem_overlap.cpython-311.pyc
| | | | | | test_mem_policy.cpython-311.pyc
| | | | | | test_multiarray.cpython-311.pyc
| | | | | | test_multithreading.cpython-311.pyc

```

					test_nditer.cpython-311.pyc
					test_nep50_promotions.cpython-311.pyc
					test_numeric.cpython-311.pyc
					test_numerictypes.cpython-311.pyc
					test_overrides.cpython-311.pyc
					test_print.cpython-311.pyc
					test_protocols.cpython-311.pyc
					test_records.cpython-311.pyc
					test_regression.cpython-311.pyc
					test_scalarbuffer.cpython-311.pyc
					test_scalarinherit.cpython-311.pyc
					test_scalarmath.cpython-311.pyc
					test_scalarprint.cpython-311.pyc
					test_scalar_ctors.cpython-311.pyc
					test_scalar_methods.cpython-311.pyc
					test_shape_base.cpython-311.pyc
					test_simd.cpython-311.pyc
					test_simd_module.cpython-311.pyc
					test_stringdtype.cpython-311.pyc
					test_strings.cpython-311.pyc
					test_ufunc.cpython-311.pyc
					test_umath.cpython-311.pyc
					test_umath_accuracy.cpython-311.pyc
					test_umath_complex.cpython-311.pyc
					test_unicode.cpython-311.pyc
					test__exceptions.cpython-311.pyc
					_locales.cpython-311.pyc
					_natype.cpython-311.pyc
					\---__pycache__
					arrayprint.cpython-311.pyc
					cversions.cpython-311.pyc
					defchararray.cpython-311.pyc
					einsumfunc.cpython-311.pyc
					fromnumeric.cpython-311.pyc
					function_base.cpython-311.pyc
					getlimits.cpython-311.pyc
					memmap.cpython-311.pyc
					multiarray.cpython-311.pyc
					numeric.cpython-311.pyc
					numerictypes.cpython-311.pyc
					overrides.cpython-311.pyc
					printoptions.cpython-311.pyc
					records.cpython-311.pyc
					shape_base.cpython-311.pyc
					strings.cpython-311.pyc
					umath.cpython-311.pyc
					_add_newdocs.cpython-311.pyc
					_add_newdocs_scalars.cpython-311.pyc
					_asarray.cpython-311.pyc
					_dtype.cpython-311.pyc

```

| | | | _dtype_ctypes.cpython-311.pyc
| | | | _exceptions.cpython-311.pyc
| | | | _internal.cpython-311.pyc
| | | | _machar.cpython-311.pyc
| | | | _methods.cpython-311.pyc
| | | | _string_helpers.cpython-311.pyc
| | | | _type_aliases.cpython-311.pyc
| | | | _ufunc_config.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | +---_pyinstaller
| | | | | hook-numpy.py
| | | | | __init__.py
| | | | |
| | | | +---tests
| | | | | | pyinstaller-smoke.py
| | | | | | test_pyinstaller.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | pyinstaller-smoke.cpython-311.pyc
| | | | | | test_pyinstaller.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | | hook-numpy.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | |
| | | +---_typing
| | | | | _add_docstring.py
| | | | | _array_like.py
| | | | | _callable.pyi
| | | | | _char_codes.py
| | | | | _dtype_like.py
| | | | | _extended_precision.py
| | | | | _nbit.py
| | | | | _nested_sequence.py
| | | | | _scalars.py
| | | | | _shape.py
| | | | | _ufunc.pyi
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | | | _add_docstring.cpython-311.pyc
| | | | | | _array_like.cpython-311.pyc
| | | | | | _char_codes.cpython-311.pyc
| | | | | | _dtype_like.cpython-311.pyc
| | | | | | _extended_precision.cpython-311.pyc
| | | | | | _nbit.cpython-311.pyc
| | | | | | _nested_sequence.cpython-311.pyc
| | | | | | _scalars.cpython-311.pyc

```

```

| | | | _shape.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | +---_utils
| | | | | _conversions.py
| | | | | _inspect.py
| | | | | _pep440.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | _conversions.cpython-311.pyc
| | | | | _inspect.cpython-311.pyc
| | | | | _pep440.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | conftest.cpython-311.pyc
| | | | | ctypeslib.cpython-311.pyc
| | | | | dtypes.cpython-311.pyc
| | | | | exceptions.cpython-311.pyc
| | | | | matlib.cpython-311.pyc
| | | | | version.cpython-311.pyc
| | | | | _array_api_info.cpython-311.pyc
| | | | | _configtool.cpython-311.pyc
| | | | | _distributor_init.cpython-311.pyc
| | | | | _expired_attrs_2_0.cpython-311.pyc
| | | | | _globals.cpython-311.pyc
| | | | | _pytesttester.cpython-311.pyc
| | | | | __config__.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---numpy-2.1.1.dist-info
| | | | | DELVEWHEEL
| | | | | entry_points.txt
| | | | | INSTALLER
| | | | | LICENSE.txt
| | | | | METADATA
| | | | | RECORD
| | | | | WHEEL
| | | | |
| | | +---numpy.libs
| | | | | libscipy_openblas64_-c16e4918366c6bc1f1cd71e28ca36fc0.dll
| | | | | msvcp140-23ebcc0b37c8e3d074511f362feac48b.dll
| | | | |
| | | +---openai
| | | | | pagination.py
| | | | | py.typed
| | | | | version.py
| | | | | _base_client.py
| | | | | _client.py
| | | | | _compat.py

```

```

| | | | _constants.py
| | | | _exceptions.py
| | | | _files.py
| | | | _legacy_response.py
| | | | _models.py
| | | | _module_client.py
| | | | _qs.py
| | | | _resource.py
| | | | _response.py
| | | | _streaming.py
| | | | _types.py
| | | | _version.py
| | | | __init__.py
| | | | __main__.py
| | | |
| | | +---cli
| | | | | _cli.py
| | | | | _errors.py
| | | | | _models.py
| | | | | _progress.py
| | | | | _utils.py
| | | | | __init__.py
| | | | |
| | | | +---_api
| | | | | | audio.py
| | | | | | completions.py
| | | | | | files.py
| | | | | | image.py
| | | | | | models.py
| | | | | | _main.py
| | | | | | __init__.py
| | | | | |
| | | | | +---chat
| | | | | | | completions.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | \---__pycache__
| | | | | | | completions.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | | \---__pycache__
| | | | | | | audio.cpython-311.pyc
| | | | | | | completions.cpython-311.pyc
| | | | | | | files.cpython-311.pyc
| | | | | | | image.cpython-311.pyc
| | | | | | | models.cpython-311.pyc
| | | | | | | _main.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | +---_tools
| | | | | | fine_tunes.py

```

```

| | | | migrate.py
| | | | _main.py
| | | | __init__.py
| | | |
| | | | \---__pycache__
| | | |     fine_tunes.cpython-311.pyc
| | | |     migrate.cpython-311.pyc
| | | |     _main.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | \---__pycache__
| | | |     _cli.cpython-311.pyc
| | | |     _errors.cpython-311.pyc
| | | |     _models.cpython-311.pyc
| | | |     _progress.cpython-311.pyc
| | | |     _utils.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | +---helpers
| | | |     local_audio_player.py
| | | |     microphone.py
| | | |     __init__.py
| | | |
| | | | \---__pycache__
| | | |     local_audio_player.cpython-311.pyc
| | | |     microphone.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | +---lib
| | | |     .keep
| | | |     azure.py
| | | |     _old_api.py
| | | |     _pydantic.py
| | | |     _tools.py
| | | |     _validators.py
| | | |     __init__.py
| | | |
| | | | +---streaming
| | | | |     _assistants.py
| | | | |     _deltas.py
| | | | |     __init__.py
| | | | |
| | | | +---chat
| | | | |     _completions.py
| | | | |     _events.py
| | | | |     _types.py
| | | | |     __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     _completions.cpython-311.pyc
| | | | |     _events.cpython-311.pyc

```

```

| | | | | _types.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---responses
| | | | | | _events.py
| | | | | | _responses.py
| | | | | | _types.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | _events.cpython-311.pyc
| | | | | | _responses.cpython-311.pyc
| | | | | | _types.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__
| | | | | | _assistants.cpython-311.pyc
| | | | | | _deltas.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | +---_parsing
| | | | | | _completions.py
| | | | | | _responses.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | _completions.cpython-311.pyc
| | | | | | _responses.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__
| | | | | | azure.cpython-311.pyc
| | | | | | _old_api.cpython-311.pyc
| | | | | | _pydantic.cpython-311.pyc
| | | | | | _tools.cpython-311.pyc
| | | | | | _validators.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | +---resources
| | | | | | batches.py
| | | | | | completions.py
| | | | | | embeddings.py
| | | | | | files.py
| | | | | | images.py
| | | | | | models.py
| | | | | | moderations.py
| | | | | | __init__.py
| | | | | |
| | | | | +---audio
| | | | | | audio.py
| | | | | | speech.py

```



```
| | | | | transcripts.py
| | | | | translations.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | audio.cpython-311.pyc
| | | | speech.cpython-311.pyc
| | | | transcriptions.cpython-311.pyc
| | | | translations.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | +---beta
| | | | assistants.py
| | | | beta.py
| | | | __init__.py
| | | |
| | | +---chat
| | | | chat.py
| | | | completions.py
| | | | __init__.py
| | | |
| | | \---__pycache__
| | | | chat.cpython-311.pyc
| | | | completions.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | +---realtime
| | | | realtime.py
| | | | sessions.py
| | | | transcription_sessions.py
| | | | __init__.py
| | | |
| | | \---__pycache__
| | | | realtime.cpython-311.pyc
| | | | sessions.cpython-311.pyc
| | | | transcription_sessions.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | +---threads
| | | | messages.py
| | | | threads.py
| | | | __init__.py
| | | |
| | | +---runs
| | | | runs.py
| | | | steps.py
| | | | __init__.py
| | | |
| | | \---__pycache__
| | | | runs.cpython-311.pyc
| | | | steps.cpython-311.pyc
```

```

| | | | | | | | __init__.cpython-311.pyc
| | | | | | | 
| | | | | | \---__pycache__
| | | | | | messages.cpython-311.pyc
| | | | | | threads.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | | 
| | | | | | \---__pycache__
| | | | | | assistants.cpython-311.pyc
| | | | | | beta.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | | 
| | | | +---chat
| | | | | chat.py
| | | | | __init__.py
| | | | | 
| | | | +---completions
| | | | | completions.py
| | | | | messages.py
| | | | | __init__.py
| | | | | 
| | | | \---__pycache__
| | | | | completions.cpython-311.pyc
| | | | | messages.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | | 
| | | | \---__pycache__
| | | | | chat.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | | 
| | | | +---fine_tuning
| | | | | fine_tuning.py
| | | | | __init__.py
| | | | | 
| | | | +---jobs
| | | | | checkpoints.py
| | | | | jobs.py
| | | | | __init__.py
| | | | | 
| | | | \---__pycache__
| | | | | checkpoints.cpython-311.pyc
| | | | | jobs.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | | 
| | | | \---__pycache__
| | | | | fine_tuning.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | | 
| | | | +---responses
| | | | | input_items.py
| | | | | responses.py

```

```

| | | | | responses.py.orig
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     input_items.cpython-311.pyc
| | | | |     responses.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---uploads
| | | | | | parts.py
| | | | | | uploads.py
| | | | | | __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | |     parts.cpython-311.pyc
| | | | | |     uploads.cpython-311.pyc
| | | | | |     __init__.cpython-311.pyc
| | | | | |
| | | | | +---vector_stores
| | | | | | files.py
| | | | | | file_batches.py
| | | | | | vector_stores.py
| | | | | | __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | |     files.cpython-311.pyc
| | | | | |     file_batches.cpython-311.pyc
| | | | | |     vector_stores.cpython-311.pyc
| | | | | |     __init__.cpython-311.pyc
| | | | | |
| | | | | | \---__pycache__
| | | | | |     batches.cpython-311.pyc
| | | | | |     completions.cpython-311.pyc
| | | | | |     embeddings.cpython-311.pyc
| | | | | |     files.cpython-311.pyc
| | | | | |     images.cpython-311.pyc
| | | | | |     models.cpython-311.pyc
| | | | | |     moderations.cpython-311.pyc
| | | | | |     __init__.cpython-311.pyc
| | | | | |
| | | | | +---types
| | | | | | audio_model.py
| | | | | | audio_response_format.py
| | | | | | auto_file_chunking_strategy_param.py
| | | | | | batch.py
| | | | | | batch_create_params.py
| | | | | | batch_error.py
| | | | | | batch_list_params.py
| | | | | | batch_request_counts.py
| | | | | | chat_model.py
| | | | | | completion.py

```

					completion_choice.py
					completion_create_params.py
					completion_usage.py
					create_embedding_response.py
					embedding.py
					embedding_create_params.py
					embedding_model.py
					file_chunking_strategy.py
					file_chunking_strategy_param.py
					file_content.py
					file_create_params.py
					file_deleted.py
					file_list_params.py
					file_object.py
					file_purpose.py
					image.py
					images_response.py
					image_create_variation_params.py
					image_edit_params.py
					image_generate_params.py
					image_model.py
					model.py
					model_deleted.py
					moderation.py
					moderation_create_params.py
					moderation_create_response.py
					moderation_image_url_input_param.py
					moderation_model.py
					moderation_multi_modal_input_param.py
					moderation_text_input_param.py
					other_file_chunking_strategy_object.py
					static_file_chunking_strategy.py
					static_file_chunking_strategy_object.py
					static_file_chunking_strategy_object_param.py
					static_file_chunking_strategy_param.py
					upload.py
					upload_complete_params.py
					upload_create_params.py
					vector_store.py
					vector_store_create_params.py
					vector_store_deleted.py
					vector_store_list_params.py
					vector_store_search_params.py
					vector_store_search_response.py
					vector_store_update_params.py
					websocket_connection_options.py
					__init__.py
					+---audio
					speech_create_params.py
					speech_model.py

						transcription.py
						transcription_create_params.py
						transcription_create_response.py
						transcription_include.py
						transcription_segment.py
						transcription_stream_event.py
						transcription_text_delta_event.py
						transcription_text_done_event.py
						transcription_verbose.py
						transcription_word.py
						translation.py
						translation_create_params.py
						translation_create_response.py
						translation_verbose.py
						__init__.py
						\---__pycache__
						speech_create_params.cpython-311.pyc
						speech_model.cpython-311.pyc
						transcription.cpython-311.pyc
						transcription_create_params.cpython-311.pyc
						transcription_create_response.cpython-311.pyc
						transcription_include.cpython-311.pyc
						transcription_segment.cpython-311.pyc
						transcription_stream_event.cpython-311.pyc
						transcription_text_delta_event.cpython-311.pyc
						transcription_text_done_event.cpython-311.pyc
						transcription_verbose.cpython-311.pyc
						transcription_word.cpython-311.pyc
						translation.cpython-311.pyc
						translation_create_params.cpython-311.pyc
						translation_create_response.cpython-311.pyc
						translation_verbose.cpython-311.pyc
						__init__.cpython-311.pyc
						+---beta
						assistant.py
						assistant_create_params.py
						assistant_deleted.py
						assistant_list_params.py
						assistant_response_format_option.py
						assistant_response_format_option_param.py
						assistant_stream_event.py
						assistant_tool.py
						assistant_tool_choice.py
						assistant_tool_choice_function.py
						assistant_tool_choice_function_param.py
						assistant_tool_choice_option.py
						assistant_tool_choice_option_param.py
						assistant_tool_choice_param.py
						assistant_tool_param.py

```

| | | | | assistant_update_params.py
| | | | | code_interpreter_tool.py
| | | | | code_interpreter_tool_param.py
| | | | | file_search_tool.py
| | | | | file_search_tool_param.py
| | | | | function_tool.py
| | | | | function_tool_param.py
| | | | | thread.py
| | | | | thread_create_and_run_params.py
| | | | | thread_create_params.py
| | | | | thread_deleted.py
| | | | | thread_update_params.py
| | | | | __init__.py
| | | | |
| | | | | +---chat
| | | | | | | __init__.py
| | | | | | |
| | | | | | \---__pycache__
| | | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | +---realtime
| | | | | | | conversation_created_event.py
| | | | | | | conversation_item.py
| | | | | | | conversation_item_content.py
| | | | | | | conversation_item_content_param.py
| | | | | | | conversation_item_created_event.py
| | | | | | | conversation_item_create_event.py
| | | | | | | conversation_item_create_event_param.py
| | | | | | | conversation_item_deleted_event.py
| | | | | | | conversation_item_delete_event.py
| | | | | | | conversation_item_delete_event_param.py
| | | | | | | conversation_item_input_audio_transcription_completed_event.py
| | | | | | | conversation_item_input_audio_transcription_delta_event.py
| | | | | | | conversation_item_input_audio_transcription_failed_event.py
| | | | | | | conversation_item_param.py
| | | | | | | conversation_item_retrieve_event.py
| | | | | | | conversation_item_retrieve_event_param.py
| | | | | | | conversation_item_truncated_event.py
| | | | | | | conversation_item_truncate_event.py
| | | | | | | conversation_item_truncate_event_param.py
| | | | | | | conversation_item_with_reference.py
| | | | | | | conversation_item_with_reference_param.py
| | | | | | | error_event.py
| | | | | | | input_audio_buffer_append_event.py
| | | | | | | input_audio_buffer_append_event_param.py
| | | | | | | input_audio_buffer_cleared_event.py
| | | | | | | input_audio_buffer_clear_event.py
| | | | | | | input_audio_buffer_clear_event_param.py
| | | | | | | input_audio_buffer_committed_event.py
| | | | | | | input_audio_buffer_commit_event.py
| | | | | | | input_audio_buffer_commit_event_param.py

```

						input_audio_buffer_speech_started_event.py
						input_audio_buffer_speech_stopped_event.py
						rate_limits_updated_event.py
						realtime_client_event.py
						realtime_client_event_param.py
						realtime_connect_params.py
						realtime_response.py
						realtime_response_status.py
						realtime_response_usage.py
						realtime_server_event.py
						response_audio_delta_event.py
						response_audio_done_event.py
						response_audio_transcript_delta_event.py
						response_audio_transcript_done_event.py
						response_cancel_event.py
						response_cancel_event_param.py
						response_content_part_added_event.py
						response_content_part_done_event.py
						response_created_event.py
						response_create_event.py
						response_create_event_param.py
						response_done_event.py
						response_function_call_arguments_delta_event.py
						response_function_call_arguments_done_event.py
						response_output_item_added_event.py
						response_output_item_done_event.py
						response_text_delta_event.py
						response_text_done_event.py
						session.py
						session_created_event.py
						session_create_params.py
						session_create_response.py
						session_updated_event.py
						session_update_event.py
						session_update_event_param.py
						transcription_session.py
						transcription_session_create_params.py
						transcription_session_update.py
						transcription_session_updated_event.py
						transcription_session_update_param.py
						__init__.py
						\---__pycache__
						conversation_created_event.cpython-311.pyc
						conversation_item.cpython-311.pyc
						conversation_item_content.cpython-311.pyc
						conversation_item_content_param.cpython-311.pyc
						conversation_item_created_event.cpython-311.pyc
						conversation_item_create_event.cpython-311.pyc
						conversation_item_create_event_param.cpython-311.pyc
						conversation_item_deleted_event.cpython-311.pyc

								session_created_event.cpython-311.pyc
								session_create_params.cpython-311.pyc
								session_create_response.cpython-311.pyc
								session_updated_event.cpython-311.pyc
								session_update_event.cpython-311.pyc
								session_update_event_param.cpython-311.pyc
								transcription_session.cpython-311.pyc
								transcription_session_create_params.cpython-311.pyc
								transcription_session_update.cpython-311.pyc
								transcription_session_updated_event.cpython-311.pyc
								transcription_session_update_param.cpython-311.pyc
								__init__.cpython-311.pyc
						+---threads		
								annotation.py
								annotation_delta.py
								file_citation_annotation.py
								file_citation_delta_annotation.py
								file_path_annotation.py
								file_path_delta_annotation.py
								image_file.py
								image_file_content_block.py
								image_file_content_block_param.py
								image_file_delta.py
								image_file_delta_block.py
								image_file_param.py
								image_url.py
								image_url_content_block.py
								image_url_content_block_param.py
								image_url_delta.py
								image_url_delta_block.py
								image_url_param.py
								message.py
								message_content.py
								message_content_delta.py
								message_content_part_param.py
								message_create_params.py
								message_deleted.py
								message_delta.py
								message_delta_event.py
								message_list_params.py
								message_update_params.py
								refusal_content_block.py
								refusal_delta_block.py
								required_action_function_tool_call.py
								run.py
								run_create_params.py
								run_list_params.py
								run_status.py
								run_submit_tool_outputs_params.py
								run update params.py

```

| | | | | | | | text.py
| | | | | | | | text_content_block.py
| | | | | | | | text_content_block_param.py
| | | | | | | | text_delta.py
| | | | | | | | text_delta_block.py
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | | +---runs
| | | | | | | | | code_interpreter_logs.py
| | | | | | | | | code_interpreter_output_image.py
| | | | | | | | | code_interpreter_tool_call.py
| | | | | | | | | code_interpreter_tool_call_delta.py
| | | | | | | | | file_search_tool_call.py
| | | | | | | | | file_search_tool_call_delta.py
| | | | | | | | | function_tool_call.py
| | | | | | | | | function_tool_call_delta.py
| | | | | | | | | message_creation_step_details.py
| | | | | | | | | run_step.py
| | | | | | | | | run_step_delta.py
| | | | | | | | | run_step_delta_event.py
| | | | | | | | | run_step_delta_message_delta.py
| | | | | | | | | run_step_include.py
| | | | | | | | | step_list_params.py
| | | | | | | | | step_retrieve_params.py
| | | | | | | | | tool_call.py
| | | | | | | | | tool_calls_step_details.py
| | | | | | | | | tool_call_delta.py
| | | | | | | | | tool_call_delta_object.py
| | | | | | | | | __init__.py
| | | | | | | | |
| | | | | | | | | \---__pycache__
| | | | | | | | | code_interpreter_logs.cpython-311.pyc
| | | | | | | | | code_interpreter_output_image.cpython-311.pyc
| | | | | | | | | code_interpreter_tool_call.cpython-311.pyc
| | | | | | | | | code_interpreter_tool_call_delta.cpython-311.pyc
| | | | | | | | | file_search_tool_call.cpython-311.pyc
| | | | | | | | | file_search_tool_call_delta.cpython-311.pyc
| | | | | | | | | function_tool_call.cpython-311.pyc
| | | | | | | | | function_tool_call_delta.cpython-311.pyc
| | | | | | | | | message_creation_step_details.cpython-311.pyc
| | | | | | | | | run_step.cpython-311.pyc
| | | | | | | | | run_step_delta.cpython-311.pyc
| | | | | | | | | run_step_delta_event.cpython-311.pyc
| | | | | | | | | run_step_delta_message_delta.cpython-311.pyc
| | | | | | | | | run_step_include.cpython-311.pyc
| | | | | | | | | step_list_params.cpython-311.pyc
| | | | | | | | | step_retrieve_params.cpython-311.pyc
| | | | | | | | | tool_call.cpython-311.pyc
| | | | | | | | | tool_calls_step_details.cpython-311.pyc
| | | | | | | | | tool_call_delta.cpython-311.pyc
| | | | | | | | | tool_call_delta_object.cpython-311.pyc

```

							__init__.cpython-311.pyc
							\---__pycache__
							annotation.cpython-311.pyc
							annotation_delta.cpython-311.pyc
							file_citation_annotation.cpython-311.pyc
							file_citation_delta_annotation.cpython-311.pyc
							file_path_annotation.cpython-311.pyc
							file_path_delta_annotation.cpython-311.pyc
							image_file.cpython-311.pyc
							image_file_content_block.cpython-311.pyc
							image_file_content_block_param.cpython-311.pyc
							image_file_delta.cpython-311.pyc
							image_file_delta_block.cpython-311.pyc
							image_file_param.cpython-311.pyc
							image_url.cpython-311.pyc
							image_url_content_block.cpython-311.pyc
							image_url_content_block_param.cpython-311.pyc
							image_url_delta.cpython-311.pyc
							image_url_delta_block.cpython-311.pyc
							image_url_param.cpython-311.pyc
							message.cpython-311.pyc
							message_content.cpython-311.pyc
							message_content_delta.cpython-311.pyc
							message_content_part_param.cpython-311.pyc
							message_create_params.cpython-311.pyc
							message_deleted.cpython-311.pyc
							message_delta.cpython-311.pyc
							message_delta_event.cpython-311.pyc
							message_list_params.cpython-311.pyc
							message_update_params.cpython-311.pyc
							refusal_content_block.cpython-311.pyc
							refusal_delta_block.cpython-311.pyc
							required_action_function_tool_call.cpython-311.pyc
							run.cpython-311.pyc
							run_create_params.cpython-311.pyc
							run_list_params.cpython-311.pyc
							run_status.cpython-311.pyc
							run_submit_tool_outputs_params.cpython-311.pyc
							run_update_params.cpython-311.pyc
							text.cpython-311.pyc
							text_content_block.cpython-311.pyc
							text_content_block_param.cpython-311.pyc
							text_delta.cpython-311.pyc
							text_delta_block.cpython-311.pyc
							__init__.cpython-311.pyc
							\---__pycache__
							assistant.cpython-311.pyc
							assistant_create_params.cpython-311.pyc
							assistant_deleted.cpython-311.pyc

					assistant_list_params.cpython-311.pyc
					assistant_response_format_option.cpython-311.pyc
					assistant_response_format_option_param.cpython-311.pyc
					assistant_stream_event.cpython-311.pyc
					assistant_tool.cpython-311.pyc
					assistant_tool_choice.cpython-311.pyc
					assistant_tool_choice_function.cpython-311.pyc
					assistant_tool_choice_function_param.cpython-311.pyc
					assistant_tool_choice_option.cpython-311.pyc
					assistant_tool_choice_option_param.cpython-311.pyc
					assistant_tool_choice_param.cpython-311.pyc
					assistant_tool_param.cpython-311.pyc
					assistant_update_params.cpython-311.pyc
					code_interpreter_tool.cpython-311.pyc
					code_interpreter_tool_param.cpython-311.pyc
					file_search_tool.cpython-311.pyc
					file_search_tool_param.cpython-311.pyc
					function_tool.cpython-311.pyc
					function_tool_param.cpython-311.pyc
					thread.cpython-311.pyc
					thread_create_and_run_params.cpython-311.pyc
					thread_create_params.cpython-311.pyc
					thread_deleted.cpython-311.pyc
					thread_update_params.cpython-311.pyc
					__init__.cpython-311.pyc
					+---chat
					chat_completion.py
					chat_completion_assistant_message_param.py
					chat_completion_audio.py
					chat_completion_audio_param.py
					chat_completion_chunk.py
					chat_completion_content_part_image_param.py
					chat_completion_content_part_input_audio_param.py
					chat_completion_content_part_param.py
					chat_completion_content_part_refusal_param.py
					chat_completion_content_part_text_param.py
					chat_completion_deleted.py
					chat_completion_developer_message_param.py
					chat_completion_function_call_option_param.py
					chat_completion_function_message_param.py
					chat_completion_message.py
					chat_completion_message_param.py
					chat_completion_message_tool_call.py
					chat_completion_message_tool_call_param.py
					chat_completion_modality.py
					chat_completion_named_tool_choice_param.py
					chat_completion_prediction_content_param.py
					chat_completion_reasoning_effort.py
					chat_completion_role.py
					chat_completion_store_message.py

```

| | | | | chat_completion_stream_options_param.py
| | | | | chat_completion_system_message_param.py
| | | | | chat_completion_token_logprob.py
| | | | | chat_completion_tool_choice_option_param.py
| | | | | chat_completion_tool_message_param.py
| | | | | chat_completion_tool_param.py
| | | | | chat_completion_user_message_param.py
| | | | | completion_create_params.py
| | | | | completion_list_params.py
| | | | | completion_update_params.py
| | | | | parsed_chat_completion.py
| | | | | parsed_function_tool_call.py
| | | | | __init__.py
| | | | |
| | | | | +---completions
| | | | | | message_list_params.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | |     message_list_params.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     chat_completion.cpython-311.pyc
| | | | |     chat_completion_assistant_message_param.cpython-311.pyc
| | | | |     chat_completion_audio.cpython-311.pyc
| | | | |     chat_completion_audio_param.cpython-311.pyc
| | | | |     chat_completion_chunk.cpython-311.pyc
| | | | |     chat_completion_content_part_image_param.cpython-311.pyc
| | | | |     chat_completion_content_part_input_audio_param.cpython-311.pyc
| | | | |     chat_completion_content_part_param.cpython-311.pyc
| | | | |     chat_completion_content_part_refusal_param.cpython-311.pyc
| | | | |     chat_completion_content_part_text_param.cpython-311.pyc
| | | | |     chat_completion_deleted.cpython-311.pyc
| | | | |     chat_completion_developer_message_param.cpython-311.pyc
| | | | |     chat_completion_function_call_option_param.cpython-311.pyc
| | | | |     chat_completion_function_message_param.cpython-311.pyc
| | | | |     chat_completion_message.cpython-311.pyc
| | | | |     chat_completion_message_param.cpython-311.pyc
| | | | |     chat_completion_message_tool_call.cpython-311.pyc
| | | | |     chat_completion_message_tool_call_param.cpython-311.pyc
| | | | |     chat_completion_modality.cpython-311.pyc
| | | | |     chat_completion_named_tool_choice_param.cpython-311.pyc
| | | | |     chat_completion_prediction_content_param.cpython-311.pyc
| | | | |     chat_completion_reasoning_effort.cpython-311.pyc
| | | | |     chat_completion_role.cpython-311.pyc
| | | | |     chat_completion_store_message.cpython-311.pyc
| | | | |     chat_completion_stream_options_param.cpython-311.pyc
| | | | |     chat_completion_system_message_param.cpython-311.pyc
| | | | |     chat_completion_token_logprob.cpython-311.pyc
| | | | |     chat_completion_tool_choice_option_param.cpython-311.pyc

```

```

| | | | chat_completion_tool_message_param.cpython-311.pyc
| | | | chat_completion_tool_param.cpython-311.pyc
| | | | chat_completion_user_message_param.cpython-311.pyc
| | | | completion_create_params.cpython-311.pyc
| | | | completion_list_params.cpython-311.pyc
| | | | completion_update_params.cpython-311.pyc
| | | | parsed_chat_completion.cpython-311.pyc
| | | | parsed_function_tool_call.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | +---fine_tuning
| | | | | fine_tuning_job.py
| | | | | fine_tuning_job_event.py
| | | | | fine_tuning_job_integration.py
| | | | | fine_tuning_job_wandb_integration.py
| | | | | fine_tuning_job_wandb_integration_object.py
| | | | | job_create_params.py
| | | | | job_list_events_params.py
| | | | | job_list_params.py
| | | | | __init__.py
| | | | |
| | | | +---jobs
| | | | | | checkpoint_list_params.py
| | | | | | fine_tuning_job_checkpoint.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | checkpoint_list_params.cpython-311.pyc
| | | | | | fine_tuning_job_checkpoint.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__
| | | | | | fine_tuning_job.cpython-311.pyc
| | | | | | fine_tuning_job_event.cpython-311.pyc
| | | | | | fine_tuning_job_integration.cpython-311.pyc
| | | | | | fine_tuning_job_wandb_integration.cpython-311.pyc
| | | | | | fine_tuning_job_wandb_integration_object.cpython-311.pyc
| | | | | | job_create_params.cpython-311.pyc
| | | | | | job_list_events_params.cpython-311.pyc
| | | | | | job_list_params.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | +---responses
| | | | | computer_tool.py
| | | | | computer_tool_param.py
| | | | | easy_input_message_param.py
| | | | | file_search_tool.py
| | | | | file_search_tool_param.py
| | | | | function_tool.py
| | | | | function_tool_param.py
| | | | | input_item_list_params.py

```

						parsed_response.py
						response.py
						response_audio_delta_event.py
						response_audio_done_event.py
						response_audio_transcript_delta_event.py
						response_audio_transcript_done_event.py
						response_code_interpreter_call_code_delta_event.py
						response_code_interpreter_call_code_done_event.py
						response_code_interpreter_call_completed_event.py
						response_code_interpreter_call_interpreting_event.py
						response_code_interpreter_call_in_progress_event.py
						response_code_interpreter_tool_call.py
						response_completed_event.py
						response_computer_tool_call.py
						response_computer_tool_call_output_item.py
						response_computer_tool_call_output_screenshot.py
						response_computer_tool_call_output_screenshot_param.py
						response_computer_tool_call_param.py
						response_content_part_added_event.py
						response_content_part_done_event.py
						response_created_event.py
						response_create_params.py
						response_error.py
						response_error_event.py
						response_failed_event.py
						response_file_search_call_completed_event.py
						response_file_search_call_in_progress_event.py
						response_file_search_call_searching_event.py
						response_file_search_tool_call.py
						response_file_search_tool_call_param.py
						response_format_text_config.py
						response_format_text_config_param.py
						response_format_text_json_schema_config.py
						response_format_text_json_schema_config_param.py
						response_function_call_arguments_delta_event.py
						response_function_call_arguments_done_event.py
						response_function_tool_call.py
						response_function_tool_call_item.py
						response_function_tool_call_output_item.py
						response_function_tool_call_param.py
						response_function_web_search.py
						response_function_web_search_param.py
						response_includable.py
						response_incomplete_event.py
						response_input_content.py
						response_input_content_param.py
						response_input_file.py
						response_input_file_param.py
						response_input_image.py
						response_input_image_param.py
						response_input_item_param.py

						response_input_message_content_list.py
						response_input_message_content_list_param.py
						response_input_message_item.py
						response_input_param.py
						response_input_text.py
						response_input_text_param.py
						response_in_progress_event.py
						response_item.py
						response_item_list.py
						response_output_item.py
						response_output_item_added_event.py
						response_output_item_done_event.py
						response_output_message.py
						response_output_message_param.py
						response_output_refusal.py
						response_output_refusal_param.py
						response_output_text.py
						response_output_text_param.py
						response_reasoning_item.py
						response_reasoning_item_param.py
						response_refusal_delta_event.py
						response_refusal_done_event.py
						response_retrieve_params.py
						response_status.py
						response_stream_event.py
						response_text_annotation_delta_event.py
						response_text_config.py
						response_text_config_param.py
						response_text_delta_event.py
						response_text_done_event.py
						response_usage.py
						response_web_search_call_completed_event.py
						response_web_search_call_in_progress_event.py
						response_web_search_call_searching_event.py
						tool.py
						tool_choice_function.py
						tool_choice_function_param.py
						tool_choice_options.py
						tool_choice_types.py
						tool_choice_types_param.py
						tool_param.py
						web_search_tool.py
						web_search_tool_param.py
						__init__.py
						\---__pycache__
						computer_tool.cpython-311.pyc
						computer_tool_param.cpython-311.pyc
						easy_input_message_param.cpython-311.pyc
						file_search_tool.cpython-311.pyc
						file_search_tool_param.cpython-311.pyc

					function_tool.cpython-311.pyc
					function_tool_param.cpython-311.pyc
					input_item_list_params.cpython-311.pyc
					parsed_response.cpython-311.pyc
					response.cpython-311.pyc
					response_audio_delta_event.cpython-311.pyc
					response_audio_done_event.cpython-311.pyc
					response_audio_transcript_delta_event.cpython-311.pyc
					response_audio_transcript_done_event.cpython-311.pyc
					response_code_interpreter_call_code_delta_event.cpython-311.pyc
					response_code_interpreter_call_code_done_event.cpython-311.pyc
					response_code_interpreter_call_completed_event.cpython-311.pyc
					response_code_interpreter_call_interpreting_event.cpython-311.pyc
					response_code_interpreter_call_in_progress_event.cpython-311.pyc
					response_code_interpreter_tool_call.cpython-311.pyc
					response_completed_event.cpython-311.pyc
					response_computer_tool_call.cpython-311.pyc
					response_computer_tool_call_output_item.cpython-311.pyc
					response_computer_tool_call_output_screenshot.cpython-311.pyc
					response_computer_tool_call_output_screenshot_param.cpython-311.pyc
					response_computer_tool_call_param.cpython-311.pyc
					response_content_part_added_event.cpython-311.pyc
					response_content_part_done_event.cpython-311.pyc
					response_created_event.cpython-311.pyc
					response_create_params.cpython-311.pyc
					response_error.cpython-311.pyc
					response_error_event.cpython-311.pyc
					response_failed_event.cpython-311.pyc
					response_file_search_call_completed_event.cpython-311.pyc
					response_file_search_call_in_progress_event.cpython-311.pyc
					response_file_search_call_searching_event.cpython-311.pyc
					response_file_search_tool_call.cpython-311.pyc
					response_file_search_tool_call_param.cpython-311.pyc
					response_format_text_config.cpython-311.pyc
					response_format_text_config_param.cpython-311.pyc
					response_format_text_json_schema_config.cpython-311.pyc
					response_format_text_json_schema_config_param.cpython-311.pyc
					response_function_call_arguments_delta_event.cpython-311.pyc
					response_function_call_arguments_done_event.cpython-311.pyc
					response_function_tool_call.cpython-311.pyc
					response_function_tool_call_item.cpython-311.pyc
					response_function_tool_call_output_item.cpython-311.pyc
					response_function_tool_call_param.cpython-311.pyc
					response_function_web_search.cpython-311.pyc
					response_function_web_search_param.cpython-311.pyc
					response_includable.cpython-311.pyc
					response_incomplete_event.cpython-311.pyc
					response_input_content.cpython-311.pyc
					response_input_content_param.cpython-311.pyc
					response_input_file.cpython-311.pyc
					response_input_file_param.cpython-311.pyc

					response_input_image.cpython-311.pyc
					response_input_image_param.cpython-311.pyc
					response_input_item_param.cpython-311.pyc
					response_input_message_content_list.cpython-311.pyc
					response_input_message_content_list_param.cpython-311.pyc
					response_input_message_item.cpython-311.pyc
					response_input_param.cpython-311.pyc
					response_input_text.cpython-311.pyc
					response_input_text_param.cpython-311.pyc
					response_in_progress_event.cpython-311.pyc
					response_item.cpython-311.pyc
					response_item_list.cpython-311.pyc
					response_output_item.cpython-311.pyc
					response_output_item_added_event.cpython-311.pyc
					response_output_item_done_event.cpython-311.pyc
					response_output_message.cpython-311.pyc
					response_output_message_param.cpython-311.pyc
					response_output_refusal.cpython-311.pyc
					response_output_refusal_param.cpython-311.pyc
					response_output_text.cpython-311.pyc
					response_output_text_param.cpython-311.pyc
					response_reasoning_item.cpython-311.pyc
					response_reasoning_item_param.cpython-311.pyc
					response_refusal_delta_event.cpython-311.pyc
					response_refusal_done_event.cpython-311.pyc
					response_retrieve_params.cpython-311.pyc
					response_status.cpython-311.pyc
					response_stream_event.cpython-311.pyc
					response_text_annotation_delta_event.cpython-311.pyc
					response_text_config.cpython-311.pyc
					response_text_config_param.cpython-311.pyc
					response_text_delta_event.cpython-311.pyc
					response_text_done_event.cpython-311.pyc
					response_usage.cpython-311.pyc
					response_web_search_call_completed_event.cpython-311.pyc
					response_web_search_call_in_progress_event.cpython-311.pyc
					response_web_search_call_searching_event.cpython-311.pyc
					tool.cpython-311.pyc
					tool_choice_function.cpython-311.pyc
					tool_choice_function_param.cpython-311.pyc
					tool_choice_options.cpython-311.pyc
					tool_choice_types.cpython-311.pyc
					tool_choice_types_param.cpython-311.pyc
					tool_param.cpython-311.pyc
					web_search_tool.cpython-311.pyc
					web_search_tool_param.cpython-311.pyc
					__init__.cpython-311.pyc
				+	---shared
					all_models.py
					chat_model.py

```

| | | | comparison_filter.py
| | | | compound_filter.py
| | | | error_object.py
| | | | function_definition.py
| | | | function_parameters.py
| | | | metadata.py
| | | | reasoning.py
| | | | reasoning_effort.py
| | | | responses_model.py
| | | | response_format_json_object.py
| | | | response_format_json_schema.py
| | | | response_format_text.py
| | | | __init__.py
| | | |
| | | | \---__pycache__
| | | |     all_models.cpython-311.pyc
| | | |     chat_model.cpython-311.pyc
| | | |     comparison_filter.cpython-311.pyc
| | | |     compound_filter.cpython-311.pyc
| | | |     error_object.cpython-311.pyc
| | | |     function_definition.cpython-311.pyc
| | | |     function_parameters.cpython-311.pyc
| | | |     metadata.cpython-311.pyc
| | | |     reasoning.cpython-311.pyc
| | | |     reasoning_effort.cpython-311.pyc
| | | |     responses_model.cpython-311.pyc
| | | |     response_format_json_object.cpython-311.pyc
| | | |     response_format_json_schema.cpython-311.pyc
| | | |     response_format_text.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---shared_params
| | | | | chat_model.py
| | | | | comparison_filter.py
| | | | | compound_filter.py
| | | | | function_definition.py
| | | | | function_parameters.py
| | | | | metadata.py
| | | | | reasoning.py
| | | | | reasoning_effort.py
| | | | | responses_model.py
| | | | | response_format_json_object.py
| | | | | response_format_json_schema.py
| | | | | response_format_text.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     chat_model.cpython-311.pyc
| | | | |     comparison_filter.cpython-311.pyc
| | | | |     compound_filter.cpython-311.pyc
| | | | |     function_definition.cpython-311.pyc

```

```

| | | | function_parameters.cpython-311.pyc
| | | | metadata.cpython-311.pyc
| | | | reasoning.cpython-311.pyc
| | | | reasoning_effort.cpython-311.pyc
| | | | responses_model.cpython-311.pyc
| | | | response_format_json_object.cpython-311.pyc
| | | | response_format_json_schema.cpython-311.pyc
| | | | response_format_text.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | +---uploads
| | | | | part_create_params.py
| | | | | upload_part.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | part_create_params.cpython-311.pyc
| | | | | upload_part.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---vector_stores
| | | | | file_batch_create_params.py
| | | | | file_batch_list_files_params.py
| | | | | file_content_response.py
| | | | | file_create_params.py
| | | | | file_list_params.py
| | | | | file_update_params.py
| | | | | vector_store_file.py
| | | | | vector_store_file_batch.py
| | | | | vector_store_file_deleted.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | file_batch_create_params.cpython-311.pyc
| | | | | file_batch_list_files_params.cpython-311.pyc
| | | | | file_content_response.cpython-311.pyc
| | | | | file_create_params.cpython-311.pyc
| | | | | file_list_params.cpython-311.pyc
| | | | | file_update_params.cpython-311.pyc
| | | | | vector_store_file.cpython-311.pyc
| | | | | vector_store_file_batch.cpython-311.pyc
| | | | | vector_store_file_deleted.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | audio_model.cpython-311.pyc
| | | | | audio_response_format.cpython-311.pyc
| | | | | auto_file_chunking_strategy_param.cpython-311.pyc
| | | | | batch.cpython-311.pyc
| | | | | batch_create_params.cpython-311.pyc
| | | | | batch_error.cpython-311.pyc

```

				batch_list_params.cpython-311.pyc
				batch_request_counts.cpython-311.pyc
				chat_model.cpython-311.pyc
				completion.cpython-311.pyc
				completion_choice.cpython-311.pyc
				completion_create_params.cpython-311.pyc
				completion_usage.cpython-311.pyc
				create_embedding_response.cpython-311.pyc
				embedding.cpython-311.pyc
				embedding_create_params.cpython-311.pyc
				embedding_model.cpython-311.pyc
				file_chunking_strategy.cpython-311.pyc
				file_chunking_strategy_param.cpython-311.pyc
				file_content.cpython-311.pyc
				file_create_params.cpython-311.pyc
				file_deleted.cpython-311.pyc
				file_list_params.cpython-311.pyc
				file_object.cpython-311.pyc
				file_purpose.cpython-311.pyc
				image.cpython-311.pyc
				images_response.cpython-311.pyc
				image_create_variation_params.cpython-311.pyc
				image_edit_params.cpython-311.pyc
				image_generate_params.cpython-311.pyc
				image_model.cpython-311.pyc
				model.cpython-311.pyc
				model_deleted.cpython-311.pyc
				moderation.cpython-311.pyc
				moderation_create_params.cpython-311.pyc
				moderation_create_response.cpython-311.pyc
				moderation_image_url_input_param.cpython-311.pyc
				moderation_model.cpython-311.pyc
				moderation_multi_modal_input_param.cpython-311.pyc
				moderation_text_input_param.cpython-311.pyc
				other_file_chunking_strategy_object.cpython-311.pyc
				static_file_chunking_strategy.cpython-311.pyc
				static_file_chunking_strategy_object.cpython-311.pyc
				static_file_chunking_strategy_object_param.cpython-311.pyc
				static_file_chunking_strategy_param.cpython-311.pyc
				upload.cpython-311.pyc
				upload_complete_params.cpython-311.pyc
				upload_create_params.cpython-311.pyc
				vector_store.cpython-311.pyc
				vector_store_create_params.cpython-311.pyc
				vector_store_deleted.cpython-311.pyc
				vector_store_list_params.cpython-311.pyc
				vector_store_search_params.cpython-311.pyc
				vector_store_search_response.cpython-311.pyc
				vector_store_update_params.cpython-311.pyc
				websocket_connection_options.cpython-311.pyc
				__init__.cpython-311.pyc

```

| | | |
| | | +---_extras
| | | | | numpy_proxy.py
| | | | | pandas_proxy.py
| | | | | sounddevice_proxy.py
| | | | | _common.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | numpy_proxy.cpython-311.pyc
| | | | | pandas_proxy.cpython-311.pyc
| | | | | sounddevice_proxy.cpython-311.pyc
| | | | | _common.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---_utils
| | | | | _logs.py
| | | | | _proxy.py
| | | | | _reflection.py
| | | | | _streams.py
| | | | | _sync.py
| | | | | _transform.py
| | | | | _typing.py
| | | | | _utils.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | _logs.cpython-311.pyc
| | | | | _proxy.cpython-311.pyc
| | | | | _reflection.cpython-311.pyc
| | | | | _streams.cpython-311.pyc
| | | | | _sync.cpython-311.pyc
| | | | | _transform.cpython-311.pyc
| | | | | _typing.cpython-311.pyc
| | | | | _utils.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | pagination.cpython-311.pyc
| | | | | version.cpython-311.pyc
| | | | | _base_client.cpython-311.pyc
| | | | | _client.cpython-311.pyc
| | | | | _compat.cpython-311.pyc
| | | | | _constants.cpython-311.pyc
| | | | | _exceptions.cpython-311.pyc
| | | | | _files.cpython-311.pyc
| | | | | _legacy_response.cpython-311.pyc
| | | | | _models.cpython-311.pyc
| | | | | _module_client.cpython-311.pyc
| | | | | _qs.cpython-311.pyc
| | | | | _resource.cpython-311.pyc

```

```

| | | _response.cpython-311.pyc
| | | _streaming.cpython-311.pyc
| | | _types.cpython-311.pyc
| | | _version.cpython-311.pyc
| | | __init__.cpython-311.pyc
| | | __main__.cpython-311.pyc
| | |
| | +---openai-1.68.2.dist-info
| | | | entry_points.txt
| | | | INSTALLER
| | | | METADATA
| | | | RECORD
| | | | REQUESTED
| | | | WHEEL
| | | |
| | | \---licenses
| | | | LICENSE
| | | |
| | +---opencv_python-4.11.0.86.dist-info
| | | | INSTALLER
| | | | LICENSE-3RD-PARTY.txt
| | | | LICENSE.txt
| | | | METADATA
| | | | RECORD
| | | | top_level.txt
| | | | WHEEL
| | | |
| | +---packaging
| | | | markers.py
| | | | metadata.py
| | | | py.typed
| | | | requirements.py
| | | | specifiers.py
| | | | tags.py
| | | | utils.py
| | | | version.py
| | | | _elffile.py
| | | | _manylinux.py
| | | | _musllinux.py
| | | | _parser.py
| | | | _structures.py
| | | | _tokenizer.py
| | | | __init__.py
| | | |
| | | | +---licenses
| | | | | | _spdx.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | _spdx.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc

```

```

| | |
| | | \---__pycache__
| | |     markers.cpython-311.pyc
| | |     metadata.cpython-311.pyc
| | |     requirements.cpython-311.pyc
| | |     specifiers.cpython-311.pyc
| | |     tags.cpython-311.pyc
| | |     utils.cpython-311.pyc
| | |     version.cpython-311.pyc
| | |     _elffile.cpython-311.pyc
| | |     _manylinux.cpython-311.pyc
| | |     _musllinux.cpython-311.pyc
| | |     _parser.cpython-311.pyc
| | |     _structures.cpython-311.pyc
| | |     _tokenizer.cpython-311.pyc
| | |     __init__.cpython-311.pyc
| | |
| | +---packaging-24.2.dist-info
| | |     INSTALLER
| | |     LICENSE
| | |     LICENSE.APACHE
| | |     LICENSE.BSD
| | |     METADATA
| | |     RECORD
| | |     WHEEL
| | |
| | +---pandas
| | | | conftest.py
| | | | pyproject.toml
| | | | testing.py
| | | | _typing.py
| | | | _version.py
| | | | _version_meson.py
| | | | __init__.py
| | | |
| | | +---api
| | | | | __init__.py
| | | | |
| | | | +---extensions
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | +---indexers
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | +---interchange

```



```

| | | | __init__.py
| | | |
| | | | \---__pycache__
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---types
| | | | | | __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | |     __init__.cpython-311.pyc
| | | | | |
| | | | | | +---typing
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | |     __init__.cpython-311.pyc
| | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | |     __init__.cpython-311.pyc
| | | | | | | |
| | | | | | +---arrays
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | |     __init__.cpython-311.pyc
| | | | | | | |
| | | | | | +---compat
| | | | | | | | compressors.py
| | | | | | | | pickle_compat.py
| | | | | | | | pyarrow.py
| | | | | | | | _constants.py
| | | | | | | | _optional.py
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | +---numpy
| | | | | | | | function.py
| | | | | | | | | | __init__.py
| | | | | | | | | |
| | | | | | | | | | \---__pycache__
| | | | | | | | | |     function.cpython-311.pyc
| | | | | | | | | |     __init__.cpython-311.pyc
| | | | | | | | | |
| | | | | | | | | | \---__pycache__
| | | | | | | | | |     compressors.cpython-311.pyc
| | | | | | | | | |     pickle_compat.cpython-311.pyc
| | | | | | | | | |     pyarrow.cpython-311.pyc
| | | | | | | | | |     _constants.cpython-311.pyc
| | | | | | | | | |     _optional.cpython-311.pyc
| | | | | | | | | |     __init__.cpython-311.pyc
| | | | | | | | | |
| | | | | | +---core

```

					accessor.py
					algorithms.py
					api.py
					apply.py
					arraylike.py
					base.py
					common.py
					config_init.py
					construction.py
					flags.py
					frame.py
					generic.py
					indexing.py
					missing.py
					nanops.py
					resample.py
					roperator.py
					sample.py
					series.py
					shared_docs.py
					sorting.py
					__init__.py
					+++arrays
					base.py
					boolean.py
					categorical.py
					datetimelike.py
					datetimes.py
					floating.py
					integer.py
					interval.py
					masked.py
					numeric.py
					numpy_.py
					period.py
					string_.py
					string_arrow.py
					timedeltas.py
					_arrow_string_mixins.py
					_mixins.py
					_ranges.py
					_utils.py
					__init__.py
					+++arrow
					accessors.py
					array.py
					extension_types.py
					_arrow_utils.py
					__init__.py

```

| | | | |
| | | | | \---__pycache__
| | | | |     accessors.cpython-311.pyc
| | | | |     array.cpython-311.pyc
| | | | |     extension_types.cpython-311.pyc
| | | | |     _arrow_utils.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---sparse
| | | | | |   accessor.py
| | | | | |   array.py
| | | | | |   scipy_sparse.py
| | | | | |   __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     accessor.cpython-311.pyc
| | | | |     array.cpython-311.pyc
| | | | |     scipy_sparse.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     base.cpython-311.pyc
| | | | |     boolean.cpython-311.pyc
| | | | |     categorical.cpython-311.pyc
| | | | |     datetimelike.cpython-311.pyc
| | | | |     datetimes.cpython-311.pyc
| | | | |     floating.cpython-311.pyc
| | | | |     integer.cpython-311.pyc
| | | | |     interval.cpython-311.pyc
| | | | |     masked.cpython-311.pyc
| | | | |     numeric.cpython-311.pyc
| | | | |     numpy_.cpython-311.pyc
| | | | |     period.cpython-311.pyc
| | | | |     string_.cpython-311.pyc
| | | | |     string_arrow.cpython-311.pyc
| | | | |     timedeltas.cpython-311.pyc
| | | | |     _arrow_string_mixins.cpython-311.pyc
| | | | |     _mixins.cpython-311.pyc
| | | | |     _ranges.cpython-311.pyc
| | | | |     _utils.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---array_algos
| | | | | |   datetimelike_accumulations.py
| | | | | |   masked_accumulations.py
| | | | | |   masked_reductions.py
| | | | | |   putmask.py
| | | | | |   quantile.py
| | | | | |   replace.py
| | | | | |   take.py
| | | | | |   transforms.py

```

```

| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     datetimelike_accumulations.cpython-311.pyc
| | | | |     masked_accumulations.cpython-311.pyc
| | | | |     masked_reductions.cpython-311.pyc
| | | | |     putmask.cpython-311.pyc
| | | | |     quantile.cpython-311.pyc
| | | | |     replace.cpython-311.pyc
| | | | |     take.cpython-311.pyc
| | | | |     transforms.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---computation
| | | | | | align.py
| | | | | | api.py
| | | | | | check.py
| | | | | | common.py
| | | | | | engines.py
| | | | | | eval.py
| | | | | | expr.py
| | | | | | expressions.py
| | | | | | ops.py
| | | | | | parsing.py
| | | | | | pytables.py
| | | | | | scope.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | |     align.cpython-311.pyc
| | | | |     api.cpython-311.pyc
| | | | |     check.cpython-311.pyc
| | | | |     common.cpython-311.pyc
| | | | |     engines.cpython-311.pyc
| | | | |     eval.cpython-311.pyc
| | | | |     expr.cpython-311.pyc
| | | | |     expressions.cpython-311.pyc
| | | | |     ops.cpython-311.pyc
| | | | |     parsing.cpython-311.pyc
| | | | |     pytables.cpython-311.pyc
| | | | |     scope.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---dtypes
| | | | | | api.py
| | | | | | astype.py
| | | | | | base.py
| | | | | | cast.py
| | | | | | common.py
| | | | | | concat.py
| | | | | | dtypes.py

```

```

| | | | generic.py
| | | | inference.py
| | | | missing.py
| | | | __init__.py
| | | |
| | | | \---__pycache__
| | | |     api.cpython-311.pyc
| | | |     astype.cpython-311.pyc
| | | |     base.cpython-311.pyc
| | | |     cast.cpython-311.pyc
| | | |     common.cpython-311.pyc
| | | |     concat.cpython-311.pyc
| | | |     dtypes.cpython-311.pyc
| | | |     generic.cpython-311.pyc
| | | |     inference.cpython-311.pyc
| | | |     missing.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---groupby
| | | |     base.py
| | | |     categorical.py
| | | |     generic.py
| | | |     groupby.py
| | | |     grouper.py
| | | |     indexing.py
| | | |     numba_.py
| | | |     ops.py
| | | |     __init__.py
| | | |
| | | | \---__pycache__
| | | |     base.cpython-311.pyc
| | | |     categorical.cpython-311.pyc
| | | |     generic.cpython-311.pyc
| | | |     groupby.cpython-311.pyc
| | | |     grouper.cpython-311.pyc
| | | |     indexing.cpython-311.pyc
| | | |     numba_.cpython-311.pyc
| | | |     ops.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---indexers
| | | |     objects.py
| | | |     utils.py
| | | |     __init__.py
| | | |
| | | | \---__pycache__
| | | |     objects.cpython-311.pyc
| | | |     utils.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---indexes

```

						accessors.py
						api.py
						base.py
						category.py
						datetimelike.py
						datetimes.py
						extension.py
						frozen.py
						interval.py
						multi.py
						period.py
						range.py
						timedeltas.py
						__init__.py
						\---__pycache__
						accessors.cpython-311.pyc
						api.cpython-311.pyc
						base.cpython-311.pyc
						category.cpython-311.pyc
						datetimelike.cpython-311.pyc
						datetimes.cpython-311.pyc
						extension.cpython-311.pyc
						frozen.cpython-311.pyc
						interval.cpython-311.pyc
						multi.cpython-311.pyc
						period.cpython-311.pyc
						range.cpython-311.pyc
						timedeltas.cpython-311.pyc
						__init__.cpython-311.pyc
						+---interchange
						buffer.py
						column.py
						dataframe.py
						dataframe_protocol.py
						from_dataframe.py
						utils.py
						__init__.py
						\---__pycache__
						buffer.cpython-311.pyc
						column.cpython-311.pyc
						dataframe.cpython-311.pyc
						dataframe_protocol.cpython-311.pyc
						from_dataframe.cpython-311.pyc
						utils.cpython-311.pyc
						__init__.cpython-311.pyc
						+---internals
						api.py


```

| | | |
| | | | +---reshape
| | | | | | api.py
| | | | | | concat.py
| | | | | | encoding.py
| | | | | | melt.py
| | | | | | merge.py
| | | | | | pivot.py
| | | | | | reshape.py
| | | | | | tile.py
| | | | | | util.py
| | | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | | | api.cpython-311.pyc
| | | | | | concat.cpython-311.pyc
| | | | | | encoding.cpython-311.pyc
| | | | | | melt.cpython-311.pyc
| | | | | | merge.cpython-311.pyc
| | | | | | pivot.cpython-311.pyc
| | | | | | reshape.cpython-311.pyc
| | | | | | tile.cpython-311.pyc
| | | | | | util.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---sparse
| | | | | | api.py
| | | | | | __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | | | api.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | +---strings
| | | | | | accessor.py
| | | | | | base.py
| | | | | | object_array.py
| | | | | | __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | | | accessor.cpython-311.pyc
| | | | | | | base.cpython-311.pyc
| | | | | | | object_array.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | +---tools
| | | | | | datetimes.py
| | | | | | numeric.py
| | | | | | timedeltas.py
| | | | | | times.py
| | | | | | __init__.py

```



```

| | | |
| | | | \---__pycache__
| | | |      datetimes.cpython-311.pyc
| | | |      numeric.cpython-311.pyc
| | | |      timedeltas.cpython-311.pyc
| | | |      times.cpython-311.pyc
| | | |      __init__.cpython-311.pyc
| | | |
| | | | +---util
| | | | | hashing.py
| | | | | numba_.py
| | | | | __init__.py
| | | |
| | | | \---__pycache__
| | | |      hashing.cpython-311.pyc
| | | |      numba_.cpython-311.pyc
| | | |      __init__.cpython-311.pyc
| | | |
| | | | +---window
| | | | | common.py
| | | | | doc.py
| | | | | ewm.py
| | | | | expanding.py
| | | | | numba_.py
| | | | | online.py
| | | | | rolling.py
| | | | | __init__.py
| | | |
| | | | \---__pycache__
| | | |      common.cpython-311.pyc
| | | |      doc.cpython-311.pyc
| | | |      ewm.cpython-311.pyc
| | | |      expanding.cpython-311.pyc
| | | |      numba_.cpython-311.pyc
| | | |      online.cpython-311.pyc
| | | |      rolling.cpython-311.pyc
| | | |      __init__.cpython-311.pyc
| | | |
| | | | +---_numba
| | | | | executor.py
| | | | | extensions.py
| | | | | __init__.py
| | | |
| | | | +---kernels
| | | | | mean_.py
| | | | | min_max_.py
| | | | | shared.py
| | | | | sum_.py
| | | | | var_.py
| | | | | __init__.py
| | | |

```

```

| | | | | \---__pycache__
| | | | | mean_.cpython-311.pyc
| | | | | min_max_.cpython-311.pyc
| | | | | shared.cpython-311.pyc
| | | | | sum_.cpython-311.pyc
| | | | | var_.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | executor.cpython-311.pyc
| | | | | extensions.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | accessor.cpython-311.pyc
| | | | | algorithms.cpython-311.pyc
| | | | | api.cpython-311.pyc
| | | | | apply.cpython-311.pyc
| | | | | arraylike.cpython-311.pyc
| | | | | base.cpython-311.pyc
| | | | | common.cpython-311.pyc
| | | | | config_init.cpython-311.pyc
| | | | | construction.cpython-311.pyc
| | | | | flags.cpython-311.pyc
| | | | | frame.cpython-311.pyc
| | | | | generic.cpython-311.pyc
| | | | | indexing.cpython-311.pyc
| | | | | missing.cpython-311.pyc
| | | | | nanops.cpython-311.pyc
| | | | | resample.cpython-311.pyc
| | | | | roperator.cpython-311.pyc
| | | | | sample.cpython-311.pyc
| | | | | series.cpython-311.pyc
| | | | | shared_docs.cpython-311.pyc
| | | | | sorting.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---errors
| | | | | | | __init__.py
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | +---io
| | | | | | | api.py
| | | | | | | clipboards.py
| | | | | | | common.py
| | | | | | | feather_format.py
| | | | | | | gbq.py
| | | | | | | html.py
| | | | | | | orc.py

```

					parquet.py
					pickle.py
					pytables.py
					spss.py
					sql.py
					stata.py
					xml.py
					_util.py
					__init__.py
					+---clipboard
					__init__.py
					\---__pycache__
					__init__.cpython-311.pyc
					+---excel
					_base.py
					_calamine.py
					_odfreader.py
					_odswriter.py
					_openpyxl.py
					_pyxlsb.py
					_util.py
					_xlrd.py
					_xlsxwriter.py
					__init__.py
					\---__pycache__
					_base.cpython-311.pyc
					_calamine.cpython-311.pyc
					_odfreader.cpython-311.pyc
					_odswriter.cpython-311.pyc
					_openpyxl.cpython-311.pyc
					_pyxlsb.cpython-311.pyc
					_util.cpython-311.pyc
					_xlrd.cpython-311.pyc
					_xlsxwriter.cpython-311.pyc
					__init__.cpython-311.pyc
					+---formats
					console.py
					css.py
					csvs.py
					excel.py
					format.py
					html.py
					info.py
					printing.py
					string.py
					style.py

```

| | | | style_render.py
| | | | xml.py
| | | | _color_data.py
| | | | __init__.py
| | | |
| | | | +---templates
| | | | | html.tpl
| | | | | html_style.tpl
| | | | | html_table.tpl
| | | | | latex.tpl
| | | | | latex_longtable.tpl
| | | | | latex_table.tpl
| | | | | string.tpl
| | | |
| | | | \---__pycache__
| | | | | console.cpython-311.pyc
| | | | | css.cpython-311.pyc
| | | | | csvs.cpython-311.pyc
| | | | | excel.cpython-311.pyc
| | | | | format.cpython-311.pyc
| | | | | html.cpython-311.pyc
| | | | | info.cpython-311.pyc
| | | | | printing.cpython-311.pyc
| | | | | string.cpython-311.pyc
| | | | | style.cpython-311.pyc
| | | | | style_render.cpython-311.pyc
| | | | | xml.cpython-311.pyc
| | | | | _color_data.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | |
| | | | +---json
| | | | | _json.py
| | | | | _normalize.py
| | | | | _table_schema.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | | | _json.cpython-311.pyc
| | | | | | _normalize.cpython-311.pyc
| | | | | | _table_schema.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---parsers
| | | | | arrow_parser_wrapper.py
| | | | | base_parser.py
| | | | | c_parser_wrapper.py
| | | | | python_parser.py
| | | | | readers.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__

```

```

| | | | arrow_parser_wrapper.cpython-311.pyc
| | | | base_parser.cpython-311.pyc
| | | | c_parser_wrapper.cpython-311.pyc
| | | | python_parser.cpython-311.pyc
| | | | readers.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | +---sas
| | | | | sas7bdat.py
| | | | | sasreader.py
| | | | | sas_constants.py
| | | | | sas_xport.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | sas7bdat.cpython-311.pyc
| | | | | sasreader.cpython-311.pyc
| | | | | sas_constants.cpython-311.pyc
| | | | | sas_xport.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | api.cpython-311.pyc
| | | | | clipboards.cpython-311.pyc
| | | | | common.cpython-311.pyc
| | | | | feather_format.cpython-311.pyc
| | | | | gbq.cpython-311.pyc
| | | | | html.cpython-311.pyc
| | | | | orc.cpython-311.pyc
| | | | | parquet.cpython-311.pyc
| | | | | pickle.cpython-311.pyc
| | | | | pytables.cpython-311.pyc
| | | | | spss.cpython-311.pyc
| | | | | sql.cpython-311.pyc
| | | | | stata.cpython-311.pyc
| | | | | xml.cpython-311.pyc
| | | | | _util.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---plotting
| | | | | _core.py
| | | | | _misc.py
| | | | | __init__.py
| | | | |
| | | | +---matplotlib
| | | | | boxplot.py
| | | | | converter.py
| | | | | core.py
| | | | | groupby.py
| | | | | hist.py
| | | | | misc.py

```

```

| | | | style.py
| | | | timeseries.py
| | | | tools.py
| | | | __init__.py
| | | |
| | | | \---__pycache__
| | | |     boxplot.cpython-311.pyc
| | | |     converter.cpython-311.pyc
| | | |     core.cpython-311.pyc
| | | |     groupby.cpython-311.pyc
| | | |     hist.cpython-311.pyc
| | | |     misc.cpython-311.pyc
| | | |     style.cpython-311.pyc
| | | |     timeseries.cpython-311.pyc
| | | |     tools.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | \---__pycache__
| | | |     _core.cpython-311.pyc
| | | |     _misc.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | +---tests
| | | | test_aggregation.py
| | | | test_algos.py
| | | | test_common.py
| | | | test_downstream.py
| | | | test_errors.py
| | | | test_expressions.py
| | | | test_flags.py
| | | | test_multilevel.py
| | | | test_nanops.py
| | | | test_optional_dependency.py
| | | | test_register_accessor.py
| | | | test_sorting.py
| | | | test_take.py
| | | | __init__.py
| | | |
| | | | +---api
| | | | | test_api.py
| | | | | test_types.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     test_api.cpython-311.pyc
| | | | |     test_types.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | +---apply
| | | | | common.py
| | | | | test_frame_apply.py

```

```

| | | | | test_frame_apply_relabeling.py
| | | | | test_frame_transform.py
| | | | | test_invalid_arg.py
| | | | | test_numba.py
| | | | | test_series_apply.py
| | | | | test_series_apply_relabeling.py
| | | | | test_series_transform.py
| | | | | test_str.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     common.cpython-311.pyc
| | | | |     test_frame_apply.cpython-311.pyc
| | | | |     test_frame_apply_relabeling.cpython-311.pyc
| | | | |     test_frame_transform.cpython-311.pyc
| | | | |     test_invalid_arg.cpython-311.pyc
| | | | |     test_numba.cpython-311.pyc
| | | | |     test_series_apply.cpython-311.pyc
| | | | |     test_series_apply_relabeling.cpython-311.pyc
| | | | |     test_series_transform.cpython-311.pyc
| | | | |     test_str.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---arithmetic
| | | | | | common.py
| | | | | | conftest.py
| | | | | | test_array_ops.py
| | | | | | test_categorical.py
| | | | | | test_datetime64.py
| | | | | | test_interval.py
| | | | | | test_numeric.py
| | | | | | test_object.py
| | | | | | test_period.py
| | | | | | test_timedelta64.py
| | | | | | __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | |     common.cpython-311.pyc
| | | | | |     conftest.cpython-311.pyc
| | | | | |     test_array_ops.cpython-311.pyc
| | | | | |     test_categorical.cpython-311.pyc
| | | | | |     test_datetime64.cpython-311.pyc
| | | | | |     test_interval.cpython-311.pyc
| | | | | |     test_numeric.cpython-311.pyc
| | | | | |     test_object.cpython-311.pyc
| | | | | |     test_period.cpython-311.pyc
| | | | | |     test_timedelta64.cpython-311.pyc
| | | | | |     __init__.cpython-311.pyc
| | | | | |
| | | | | +---arrays
| | | | | | masked_shared.py

```

						test_array.py
						test_datetimelike.py
						test_datetimes.py
						test_ndarray_backed.py
						test_period.py
						test_timedeltas.py
						__init__.py
						+---boolean
						test_arithmetic.py
						test_astype.py
						test_comparison.py
						test_construction.py
						test_function.py
						test_indexing.py
						test_logical.py
						test_ops.py
						test_reduction.py
						test_repr.py
						__init__.py
						\---__pycache__
						test_arithmetic.cpython-311.pyc
						test_astype.cpython-311.pyc
						test_comparison.cpython-311.pyc
						test_construction.cpython-311.pyc
						test_function.cpython-311.pyc
						test_indexing.cpython-311.pyc
						test_logical.cpython-311.pyc
						test_ops.cpython-311.pyc
						test_reduction.cpython-311.pyc
						test_repr.cpython-311.pyc
						__init__.cpython-311.pyc
						+---categorical
						test_algos.py
						test_analytics.py
						test_api.py
						test_astype.py
						test_constructors.py
						test_dtypes.py
						test_indexing.py
						test_map.py
						test_missing.py
						test_operators.py
						test_replace.py
						test_repr.py
						test_sorting.py
						test_subclass.py
						test_take.py
						test_warnings.py


```

| | | | | | | __init__.py
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | |     test_algos.cpython-311.pyc
| | | | | | |     test_analytics.cpython-311.pyc
| | | | | | |     test_api.cpython-311.pyc
| | | | | | |     test_astype.cpython-311.pyc
| | | | | | |     test_constructors.cpython-311.pyc
| | | | | | |     test_dtypes.cpython-311.pyc
| | | | | | |     test_indexing.cpython-311.pyc
| | | | | | |     test_map.cpython-311.pyc
| | | | | | |     test_missing.cpython-311.pyc
| | | | | | |     test_operators.cpython-311.pyc
| | | | | | |     test_replace.cpython-311.pyc
| | | | | | |     test_repr.cpython-311.pyc
| | | | | | |     test_sorting.cpython-311.pyc
| | | | | | |     test_subclass.cpython-311.pyc
| | | | | | |     test_take.cpython-311.pyc
| | | | | | |     test_warnings.cpython-311.pyc
| | | | | | |     __init__.cpython-311.pyc
| | | | | | |
| | | | | | | +---datetimes
| | | | | | | | test_constructors.py
| | | | | | | | test_cumulative.py
| | | | | | | | test_reductions.py
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | |     test_constructors.cpython-311.pyc
| | | | | | | |     test_cumulative.cpython-311.pyc
| | | | | | | |     test_reductions.cpython-311.pyc
| | | | | | | |     __init__.cpython-311.pyc
| | | | | | | |
| | | | | | | +---floating
| | | | | | | | conftest.py
| | | | | | | | test_arithmetic.py
| | | | | | | | test_astype.py
| | | | | | | | test_comparison.py
| | | | | | | | test_concat.py
| | | | | | | | test_construction.py
| | | | | | | | test_contains.py
| | | | | | | | test_function.py
| | | | | | | | test_repr.py
| | | | | | | | test_to_numpy.py
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | |     conftest.cpython-311.pyc
| | | | | | | |     test_arithmetic.cpython-311.pyc
| | | | | | | |     test_astype.cpython-311.pyc
| | | | | | | |     test_comparison.cpython-311.pyc

```

					test_concat.cpython-311.pyc
					test_construction.cpython-311.pyc
					test_contains.cpython-311.pyc
					test_function.cpython-311.pyc
					test_repr.cpython-311.pyc
					test_to_numpy.cpython-311.pyc
					__init__.cpython-311.pyc
					+---integer
					conftest.py
					test_arithmetic.py
					test_comparison.py
					test_concat.py
					test_construction.py
					test_dtypes.py
					test_function.py
					test_indexing.py
					test_reduction.py
					test_repr.py
					__init__.py
					\---__pycache__
					conftest.cpython-311.pyc
					test_arithmetic.cpython-311.pyc
					test_comparison.cpython-311.pyc
					test_concat.cpython-311.pyc
					test_construction.cpython-311.pyc
					test_dtypes.cpython-311.pyc
					test_function.cpython-311.pyc
					test_indexing.cpython-311.pyc
					test_reduction.cpython-311.pyc
					test_repr.cpython-311.pyc
					__init__.cpython-311.pyc
					+---interval
					test_astype.py
					test_formats.py
					test_interval.py
					test_interval_pyarrow.py
					test_overlaps.py
					__init__.py
					\---__pycache__
					test_astype.cpython-311.pyc
					test_formats.cpython-311.pyc
					test_interval.cpython-311.pyc
					test_interval_pyarrow.cpython-311.pyc
					test_overlaps.cpython-311.pyc
					__init__.cpython-311.pyc
					+---masked

```

| | | | | | test_arithmetic.py
| | | | | | test_arrow_compat.py
| | | | | | test_function.py
| | | | | | test_indexing.py
| | | | | | __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | |     test_arithmetic.cpython-311.pyc
| | | | | |     test_arrow_compat.cpython-311.pyc
| | | | | |     test_function.cpython-311.pyc
| | | | | |     test_indexing.cpython-311.pyc
| | | | | |     __init__.cpython-311.pyc
| | | | | |
| | | | | | +---numpy_
| | | | | | | test_indexing.py
| | | | | | | test_numpy.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | \---__pycache__
| | | | | |     test_indexing.cpython-311.pyc
| | | | | |     test_numpy.cpython-311.pyc
| | | | | |     __init__.cpython-311.pyc
| | | | | |
| | | | | | +---period
| | | | | | | test_arrow_compat.py
| | | | | | | test_astype.py
| | | | | | | test_constructors.py
| | | | | | | test_reductions.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | \---__pycache__
| | | | | |     test_arrow_compat.cpython-311.pyc
| | | | | |     test_astype.cpython-311.pyc
| | | | | |     test_constructors.cpython-311.pyc
| | | | | |     test_reductions.cpython-311.pyc
| | | | | |     __init__.cpython-311.pyc
| | | | | |
| | | | | | +---sparse
| | | | | | | test_accessor.py
| | | | | | | test_arithmetics.py
| | | | | | | test_array.py
| | | | | | | test_astype.py
| | | | | | | test_combine_concat.py
| | | | | | | test_constructors.py
| | | | | | | test_dtype.py
| | | | | | | test_indexing.py
| | | | | | | test_libsparse.py
| | | | | | | test_reductions.py
| | | | | | | test_unary.py
| | | | | | | __init__.py
| | | | | |

```

```

| | | | | \---__pycache__
| | | | | test_accessor.cpython-311.pyc
| | | | | test_arithmetics.cpython-311.pyc
| | | | | test_array.cpython-311.pyc
| | | | | test_astype.cpython-311.pyc
| | | | | test_combine_concat.cpython-311.pyc
| | | | | test_constructors.cpython-311.pyc
| | | | | test_dtype.cpython-311.pyc
| | | | | test_indexing.cpython-311.pyc
| | | | | test_libsparse.cpython-311.pyc
| | | | | test_reductions.cpython-311.pyc
| | | | | test_unary.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---string_
| | | | | | test_string.py
| | | | | | test_string_arrow.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | test_string.cpython-311.pyc
| | | | | test_string_arrow.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---timedeltas
| | | | | | test_constructors.py
| | | | | | test_cumulative.py
| | | | | | test_reductions.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | test_constructors.cpython-311.pyc
| | | | | test_cumulative.cpython-311.pyc
| | | | | test_reductions.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | masked_shared.cpython-311.pyc
| | | | | test_array.cpython-311.pyc
| | | | | test_datetimelike.cpython-311.pyc
| | | | | test_datetimes.cpython-311.pyc
| | | | | test_ndarray_backed.cpython-311.pyc
| | | | | test_period.cpython-311.pyc
| | | | | test_timedeltas.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---base
| | | | | | common.py
| | | | | | test_constructors.py
| | | | | | test_conversion.py
| | | | | | test_fillna.py

```

```

| | | | | test_misc.py
| | | | | test_transpose.py
| | | | | test_unique.py
| | | | | test_value_counts.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     common.cpython-311.pyc
| | | | |     test_constructors.cpython-311.pyc
| | | | |     test_conversion.cpython-311.pyc
| | | | |     test_fillna.cpython-311.pyc
| | | | |     test_misc.cpython-311.pyc
| | | | |     test_transpose.cpython-311.pyc
| | | | |     test_unique.cpython-311.pyc
| | | | |     test_value_counts.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---computation
| | | | | | test_compat.py
| | | | | | test_eval.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | |     test_compat.cpython-311.pyc
| | | | |     test_eval.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---config
| | | | | | test_config.py
| | | | | | test_localization.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | |     test_config.cpython-311.pyc
| | | | |     test_localization.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---construction
| | | | | | test_extract_array.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | |     test_extract_array.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---copy_view
| | | | | | test_array.py
| | | | | | test_astype.py
| | | | | | test_chained_assignment_deprecation.py
| | | | | | test_clip.py
| | | | | | test_constructors.py

```

```

| | | | | test_core_functionalities.py
| | | | | test_functions.py
| | | | | test_indexing.py
| | | | | test_internals.py
| | | | | test_interp_fillna.py
| | | | | test_methods.py
| | | | | test_replace.py
| | | | | test_setitem.py
| | | | | test_util.py
| | | | | util.py
| | | | | __init__.py
| | | | |
| | | | +---index
| | | | | test_datetimeindex.py
| | | | | test_index.py
| | | | | test_periodindex.py
| | | | | test_timedeltaindex.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | test_datetimeindex.cpython-311.pyc
| | | | | test_index.cpython-311.pyc
| | | | | test_periodindex.cpython-311.pyc
| | | | | test_timedeltaindex.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | test_array.cpython-311.pyc
| | | | | test_astype.cpython-311.pyc
| | | | | test_chained_assignment_deprecation.cpython-311.pyc
| | | | | test_clip.cpython-311.pyc
| | | | | test_constructors.cpython-311.pyc
| | | | | test_core_functionalities.cpython-311.pyc
| | | | | test_functions.cpython-311.pyc
| | | | | test_indexing.cpython-311.pyc
| | | | | test_internals.cpython-311.pyc
| | | | | test_interp_fillna.cpython-311.pyc
| | | | | test_methods.cpython-311.pyc
| | | | | test_replace.cpython-311.pyc
| | | | | test_setitem.cpython-311.pyc
| | | | | test_util.cpython-311.pyc
| | | | | util.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---dtypes
| | | | | test_common.py
| | | | | test_concat.py
| | | | | test_dtypes.py
| | | | | test_generic.py
| | | | | test_inference.py
| | | | | test_missing.py

```

```

| | | | | __init__.py
| | | | |
| | | | | +---cast
| | | | | test_can_hold_element.py
| | | | | test_construct_from_scalar.py
| | | | | test_construct_ndarray.py
| | | | | test_construct_object_arr.py
| | | | | test_dict_compat.py
| | | | | test_downcast.py
| | | | | test_find_common_type.py
| | | | | test_infer_datetimelike.py
| | | | | test_infer_dtype.py
| | | | | test_maybe_box_native.py
| | | | | test_promote.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | | test_can_hold_element.cpython-311.pyc
| | | | | test_construct_from_scalar.cpython-311.pyc
| | | | | test_construct_ndarray.cpython-311.pyc
| | | | | test_construct_object_arr.cpython-311.pyc
| | | | | test_dict_compat.cpython-311.pyc
| | | | | test_downcast.cpython-311.pyc
| | | | | test_find_common_type.cpython-311.pyc
| | | | | test_infer_datetimelike.cpython-311.pyc
| | | | | test_infer_dtype.cpython-311.pyc
| | | | | test_maybe_box_native.cpython-311.pyc
| | | | | test_promote.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | test_common.cpython-311.pyc
| | | | | test_concat.cpython-311.pyc
| | | | | test_dtypes.cpython-311.pyc
| | | | | test_generic.cpython-311.pyc
| | | | | test_inference.cpython-311.pyc
| | | | | test_missing.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---extension
| | | | | conftest.py
| | | | | test_arrow.py
| | | | | test_categorical.py
| | | | | test_common.py
| | | | | test_datetime.py
| | | | | test_extension.py
| | | | | test_interval.py
| | | | | test_masked.py
| | | | | test_numpy.py
| | | | | test_period.py
| | | | | test_sparse.py

```

```

| | | | | test_string.py
| | | | | __init__.py
| | | | |
| | | | | +---array_with_attr
| | | | | | array.py
| | | | | | test_array_with_attr.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | |     array.cpython-311.pyc
| | | | |     test_array_with_attr.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---base
| | | | | | accumulate.py
| | | | | | base.py
| | | | | | casting.py
| | | | | | constructors.py
| | | | | | dim2.py
| | | | | | dtype.py
| | | | | | getitem.py
| | | | | | groupby.py
| | | | | | index.py
| | | | | | interface.py
| | | | | | io.py
| | | | | | methods.py
| | | | | | missing.py
| | | | | | ops.py
| | | | | | printing.py
| | | | | | reduce.py
| | | | | | reshaping.py
| | | | | | setitem.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | |     accumulate.cpython-311.pyc
| | | | |     base.cpython-311.pyc
| | | | |     casting.cpython-311.pyc
| | | | |     constructors.cpython-311.pyc
| | | | |     dim2.cpython-311.pyc
| | | | |     dtype.cpython-311.pyc
| | | | |     getitem.cpython-311.pyc
| | | | |     groupby.cpython-311.pyc
| | | | |     index.cpython-311.pyc
| | | | |     interface.cpython-311.pyc
| | | | |     io.cpython-311.pyc
| | | | |     methods.cpython-311.pyc
| | | | |     missing.cpython-311.pyc
| | | | |     ops.cpython-311.pyc
| | | | |     printing.cpython-311.pyc
| | | | |     reduce.cpython-311.pyc

```



```

| | | | | reshaping.cpython-311.pyc
| | | | | setitem.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---date
| | | | | | array.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | array.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---decimal
| | | | | | array.py
| | | | | | test_decimal.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | array.cpython-311.pyc
| | | | | test_decimal.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---json
| | | | | | array.py
| | | | | | test_json.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | array.cpython-311.pyc
| | | | | test_json.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---list
| | | | | | array.py
| | | | | | test_list.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | array.cpython-311.pyc
| | | | | test_list.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | conftest.cpython-311.pyc
| | | | | test_arrow.cpython-311.pyc
| | | | | test_categorical.cpython-311.pyc
| | | | | test_common.cpython-311.pyc
| | | | | test_datetime.cpython-311.pyc
| | | | | test_extension.cpython-311.pyc
| | | | | test_interval.cpython-311.pyc
| | | | | test_masked.cpython-311.pyc

```

```

| | | | test_numpy.cpython-311.pyc
| | | | test_period.cpython-311.pyc
| | | | test_sparse.cpython-311.pyc
| | | | test_string.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | +---frame
| | | | | common.py
| | | | | conftest.py
| | | | | test_alter_axes.py
| | | | | test_api.py
| | | | | test_arithmetic.py
| | | | | test_arrow_interface.py
| | | | | test_block_internals.py
| | | | | test_constructors.py
| | | | | test_cumulative.py
| | | | | test_iteration.py
| | | | | test_logical_ops.py
| | | | | test_nonunique_indexes.py
| | | | | test_npfuncs.py
| | | | | test_query_eval.py
| | | | | test_reductions.py
| | | | | test_repr.py
| | | | | test_stack_unstack.py
| | | | | test_subclass.py
| | | | | test_ufunc.py
| | | | | test_unary.py
| | | | | test_validate.py
| | | | | __init__.py
| | | | |
| | | +---constructors
| | | | | test_from_dict.py
| | | | | test_from_records.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | test_from_dict.cpython-311.pyc
| | | | | test_from_records.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---indexing
| | | | | test_coercion.py
| | | | | test_delitem.py
| | | | | test_get.py
| | | | | test_getitem.py
| | | | | test_get_value.py
| | | | | test_indexing.py
| | | | | test_insert.py
| | | | | test_mask.py
| | | | | test_setitem.py
| | | | | test_set_value.py

```

						test_take.py
						test_where.py
						test_xs.py
						__init__.py
						\---__pycache__
						test_coercion.cpython-311.pyc
						test_delitem.cpython-311.pyc
						test_get.cpython-311.pyc
						test_getitem.cpython-311.pyc
						test_get_value.cpython-311.pyc
						test_indexing.cpython-311.pyc
						test_insert.cpython-311.pyc
						test_mask.cpython-311.pyc
						test_setitem.cpython-311.pyc
						test_set_value.cpython-311.pyc
						test_take.cpython-311.pyc
						test_where.cpython-311.pyc
						test_xs.cpython-311.pyc
						__init__.cpython-311.pyc
						+---methods
						test_add_prefix_suffix.py
						test_align.py
						test_asfreq.py
						test_asof.py
						test_assign.py
						test_astype.py
						test_at_time.py
						test_between_time.py
						test_clip.py
						test_combine.py
						test_combine_first.py
						test_compare.py
						test_convert_dtypes.py
						test_copy.py
						test_count.py
						test_cov_corr.py
						test_describe.py
						test_diff.py
						test_dot.py
						test_drop.py
						test_droplevel.py
						test_dropna.py
						test_drop_duplicates.py
						test_dtypes.py
						test_duplicated.py
						test_equals.py
						test_explode.py
						test_fillna.py
						test_filter.py

								test_first_and_last.py
								test_first_valid_index.py
								test_get_numeric_data.py
								test_head_tail.py
								test_infer_objects.py
								test_info.py
								test_interpolate.py
								test_isetitem.py
								test_isin.py
								test_is_homogeneous_dtype.py
								test_iterrows.py
								test_join.py
								test_map.py
								test_matmul.py
								test_nlargest.py
								test_pct_change.py
								test_pipe.py
								test_pop.py
								test_quantile.py
								test_rank.py
								test_reindex.py
								test_reindex_like.py
								test_rename.py
								test_rename_axis.py
								test_reorder_levels.py
								test_replace.py
								test_reset_index.py
								test_round.py
								test_sample.py
								test_select_dtypes.py
								test_set_axis.py
								test_set_index.py
								test_shift.py
								test_size.py
								test_sort_index.py
								test_sort_values.py
								test_swapaxes.py
								test_swaplevel.py
								test_to_csv.py
								test_to_dict.py
								test_to_dict_of_blocks.py
								test_to_numpy.py
								test_to_period.py
								test_to_records.py
								test_to_timestamp.py
								test_transpose.py
								test_truncate.py
								test_tz_convert.py
								test_tz_localize.py
								test_update.py
								test_values.py

							test_value_counts.py
							__init__.py
							\---_pycache_
							test_add_prefix_suffix.cpython-311.pyc
							test_align.cpython-311.pyc
							test_asfreq.cpython-311.pyc
							test_asof.cpython-311.pyc
							test_assign.cpython-311.pyc
							test_astype.cpython-311.pyc
							test_at_time.cpython-311.pyc
							test_between_time.cpython-311.pyc
							test_clip.cpython-311.pyc
							test_combine.cpython-311.pyc
							test_combine_first.cpython-311.pyc
							test_compare.cpython-311.pyc
							test_convert_dtypes.cpython-311.pyc
							test_copy.cpython-311.pyc
							test_count.cpython-311.pyc
							test_cov_corr.cpython-311.pyc
							test_describe.cpython-311.pyc
							test_diff.cpython-311.pyc
							test_dot.cpython-311.pyc
							test_drop.cpython-311.pyc
							test_droplevel.cpython-311.pyc
							test_dropna.cpython-311.pyc
							test_drop_duplicates.cpython-311.pyc
							test_dtypes.cpython-311.pyc
							test_duplicated.cpython-311.pyc
							test_equals.cpython-311.pyc
							test_explode.cpython-311.pyc
							test_fillna.cpython-311.pyc
							test_filter.cpython-311.pyc
							test_first_and_last.cpython-311.pyc
							test_first_valid_index.cpython-311.pyc
							test_get_numeric_data.cpython-311.pyc
							test_head_tail.cpython-311.pyc
							test_infer_objects.cpython-311.pyc
							test_info.cpython-311.pyc
							test_interpolate.cpython-311.pyc
							test_isetitem.cpython-311.pyc
							test_isin.cpython-311.pyc
							test_is_homogeneous_dtype.cpython-311.pyc
							test_iterrows.cpython-311.pyc
							test_join.cpython-311.pyc
							test_map.cpython-311.pyc
							test_matmul.cpython-311.pyc
							test_nlargest.cpython-311.pyc
							test_pct_change.cpython-311.pyc
							test_pipe.cpython-311.pyc
							test_pop.cpython-311.pyc

					test_quantile.cpython-311.pyc
					test_rank.cpython-311.pyc
					test_reindex.cpython-311.pyc
					test_reindex_like.cpython-311.pyc
					test_rename.cpython-311.pyc
					test_rename_axis.cpython-311.pyc
					test_reorder_levels.cpython-311.pyc
					test_replace.cpython-311.pyc
					test_reset_index.cpython-311.pyc
					test_round.cpython-311.pyc
					test_sample.cpython-311.pyc
					test_select_dtypes.cpython-311.pyc
					test_set_axis.cpython-311.pyc
					test_set_index.cpython-311.pyc
					test_shift.cpython-311.pyc
					test_size.cpython-311.pyc
					test_sort_index.cpython-311.pyc
					test_sort_values.cpython-311.pyc
					test_swapaxes.cpython-311.pyc
					test_swaplevel.cpython-311.pyc
					test_to_csv.cpython-311.pyc
					test_to_dict.cpython-311.pyc
					test_to_dict_of_blocks.cpython-311.pyc
					test_to_numpy.cpython-311.pyc
					test_to_period.cpython-311.pyc
					test_to_records.cpython-311.pyc
					test_to_timestamp.cpython-311.pyc
					test_transpose.cpython-311.pyc
					test_truncate.cpython-311.pyc
					test_tz_convert.cpython-311.pyc
					test_tz_localize.cpython-311.pyc
					test_update.cpython-311.pyc
					test_values.cpython-311.pyc
					test_value_counts.cpython-311.pyc
					__init__.cpython-311.pyc
					\---__pycache__
					common.cpython-311.pyc
					conftest.cpython-311.pyc
					test_alter_axes.cpython-311.pyc
					test_api.cpython-311.pyc
					test_arithmetic.cpython-311.pyc
					test_arrow_interface.cpython-311.pyc
					test_block_internals.cpython-311.pyc
					test_constructors.cpython-311.pyc
					test_cumulative.cpython-311.pyc
					test_iteration.cpython-311.pyc
					test_logical_ops.cpython-311.pyc
					test_nonunique_indexes.cpython-311.pyc
					test_npfuns.cpython-311.pyc
					test_query_eval.cpython-311.pyc

					test_reductions.cpython-311.pyc
					test_repr.cpython-311.pyc
					test_stack_unstack.cpython-311.pyc
					test_subclass.cpython-311.pyc
					test_ufunc.cpython-311.pyc
					test_unary.cpython-311.pyc
					test_validate.cpython-311.pyc
					__init__.cpython-311.pyc
					+---generic
					test_duplicate_labels.py
					test_finalize.py
					test_frame.py
					test_generic.py
					test_label_or_level_utils.py
					test_series.py
					test_to_xarray.py
					__init__.py
					\---__pycache__
					test_duplicate_labels.cpython-311.pyc
					test_finalize.cpython-311.pyc
					test_frame.cpython-311.pyc
					test_generic.cpython-311.pyc
					test_label_or_level_utils.cpython-311.pyc
					test_series.cpython-311.pyc
					test_to_xarray.cpython-311.pyc
					__init__.cpython-311.pyc
					+---groupby
					conftest.py
					test_all_methods.py
					test_api.py
					test_apply.py
					test_apply_mutate.py
					test_bin_groupby.py
					test_categorical.py
					test_counting.py
					test_cumulative.py
					test_filters.py
					test_groupby.py
					test_groupby_dropna.py
					test_groupby_subclass.py
					test_grouping.py
					test_indexing.py
					test_index_as_string.py
					test_libgroupby.py
					test_missing.py
					test_numba.py
					test_numeric_only.py
					test_pipe.py

```

| | | | | test_raises.py
| | | | | test_reductions.py
| | | | | test_timegrouper.py
| | | | | __init__.py
| | | | |
| | | | | +---aggregate
| | | | | | test_aggregate.py
| | | | | | test_cython.py
| | | | | | test_numba.py
| | | | | | test_other.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | test_aggregate.cpython-311.pyc
| | | | | | test_cython.cpython-311.pyc
| | | | | | test_numba.cpython-311.pyc
| | | | | | test_other.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | +---methods
| | | | | | test_corrwith.py
| | | | | | test_describe.py
| | | | | | test_groupby_shift_diff.py
| | | | | | test_is_monotonic.py
| | | | | | test_nlargest_nsmallest.py
| | | | | | test_nth.py
| | | | | | test_quantile.py
| | | | | | test_rank.py
| | | | | | test_sample.py
| | | | | | test_size.py
| | | | | | test_skew.py
| | | | | | test_value_counts.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | test_corrwith.cpython-311.pyc
| | | | | | test_describe.cpython-311.pyc
| | | | | | test_groupby_shift_diff.cpython-311.pyc
| | | | | | test_is_monotonic.cpython-311.pyc
| | | | | | test_nlargest_nsmallest.cpython-311.pyc
| | | | | | test_nth.cpython-311.pyc
| | | | | | test_quantile.cpython-311.pyc
| | | | | | test_rank.cpython-311.pyc
| | | | | | test_sample.cpython-311.pyc
| | | | | | test_size.cpython-311.pyc
| | | | | | test_skew.cpython-311.pyc
| | | | | | test_value_counts.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | +---transform
| | | | | | test_numba.py

```



```

| | | | | | test_transform.py
| | | | | | __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | |     test_numba.cpython-311.pyc
| | | | | |     test_transform.cpython-311.pyc
| | | | | |     __init__.cpython-311.pyc
| | | | | |
| | | | | | \---__pycache__
| | | | | |     conftest.cpython-311.pyc
| | | | | |     test_all_methods.cpython-311.pyc
| | | | | |     test_api.cpython-311.pyc
| | | | | |     test_apply.cpython-311.pyc
| | | | | |     test_apply_mutate.cpython-311.pyc
| | | | | |     test_bin_groupby.cpython-311.pyc
| | | | | |     test_categorical.cpython-311.pyc
| | | | | |     test_counting.cpython-311.pyc
| | | | | |     test_cumulative.cpython-311.pyc
| | | | | |     test_filters.cpython-311.pyc
| | | | | |     test_groupby.cpython-311.pyc
| | | | | |     test_groupby_dropna.cpython-311.pyc
| | | | | |     test_groupby_subclass.cpython-311.pyc
| | | | | |     test_grouping.cpython-311.pyc
| | | | | |     test_indexing.cpython-311.pyc
| | | | | |     test_index_as_string.cpython-311.pyc
| | | | | |     test_libgroupby.cpython-311.pyc
| | | | | |     test_missing.cpython-311.pyc
| | | | | |     test_numba.cpython-311.pyc
| | | | | |     test_numeric_only.cpython-311.pyc
| | | | | |     test_pipe.cpython-311.pyc
| | | | | |     test_raises.cpython-311.pyc
| | | | | |     test_reductions.cpython-311.pyc
| | | | | |     test_timegrouper.cpython-311.pyc
| | | | | |     __init__.cpython-311.pyc
| | | | | |
| | | | | | +---indexes
| | | | | | | conftest.py
| | | | | | | test_any_index.py
| | | | | | | test_base.py
| | | | | | | test_common.py
| | | | | | | test_datetimelike.py
| | | | | | | test_engines.py
| | | | | | | test_frozen.py
| | | | | | | test_indexing.py
| | | | | | | test_index_new.py
| | | | | | | test_numpy_compat.py
| | | | | | | test_old_base.py
| | | | | | | test_setops.py
| | | | | | | test_subclass.py
| | | | | | | __init__.py
| | | | | |

```

```

| | | | +---base_class
| | | | | test_constructors.py
| | | | | test_formats.py
| | | | | test_indexing.py
| | | | | test_pickle.py
| | | | | test_reshape.py
| | | | | test_setops.py
| | | | | test_where.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | test_constructors.cpython-311.pyc
| | | | | test_formats.cpython-311.pyc
| | | | | test_indexing.cpython-311.pyc
| | | | | test_pickle.cpython-311.pyc
| | | | | test_reshape.cpython-311.pyc
| | | | | test_setops.cpython-311.pyc
| | | | | test_where.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---categorical
| | | | | test_append.py
| | | | | test_astype.py
| | | | | test_category.py
| | | | | test_constructors.py
| | | | | test_equals.py
| | | | | test_fillna.py
| | | | | test_formats.py
| | | | | test_indexing.py
| | | | | test_map.py
| | | | | test_reindex.py
| | | | | test_setops.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | test_append.cpython-311.pyc
| | | | | test_astype.cpython-311.pyc
| | | | | test_category.cpython-311.pyc
| | | | | test_constructors.cpython-311.pyc
| | | | | test_equals.cpython-311.pyc
| | | | | test_fillna.cpython-311.pyc
| | | | | test_formats.cpython-311.pyc
| | | | | test_indexing.cpython-311.pyc
| | | | | test_map.cpython-311.pyc
| | | | | test_reindex.cpython-311.pyc
| | | | | test_setops.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---datetimelike_
| | | | | test_drop_duplicates.py
| | | | | test_equals.py

```

						test_indexing.py
						test_is_monotonic.py
						test_nat.py
						test_sort_values.py
						test_value_counts.py
						__init__.py
						\---__pycache__
						test_drop_duplicates.cpython-311.pyc
						test_equals.cpython-311.pyc
						test_indexing.cpython-311.pyc
						test_is_monotonic.cpython-311.pyc
						test_nat.cpython-311.pyc
						test_sort_values.cpython-311.pyc
						test_value_counts.cpython-311.pyc
						__init__.cpython-311.pyc
						+---datetimes
						test_arithmetic.py
						test_constructors.py
						test_datetime.py
						test_date_range.py
						test_formats.py
						test_freq_attr.py
						test_indexing.py
						test_iter.py
						test_join.py
						test_npfuncs.py
						test_ops.py
						test_partial_slicing.py
						test_pickle.py
						test_reindex.py
						test_scalar_compat.py
						test_setops.py
						test_timezones.py
						__init__.py
						+---methods
						test_asof.py
						test_astype.py
						test_delete.py
						test_factorize.py
						test_fillna.py
						test_insert.py
						test_isocalendar.py
						test_map.py
						test_normalize.py
						test_repeat.py
						test_resolution.py
						test_round.py
						test_shift.py

								test_snap.py
								test_to_frame.py
								test_to_julian_date.py
								test_to_period.py
								test_to_pydatetime.py
								test_to_series.py
								test_tz_convert.py
								test_tz_localize.py
								test_unique.py
								__init__.py
								\---__pycache__
								test_asof.cpython-311.pyc
								test_astype.cpython-311.pyc
								test_delete.cpython-311.pyc
								test_factorize.cpython-311.pyc
								test_fillna.cpython-311.pyc
								test_insert.cpython-311.pyc
								test_isocalendar.cpython-311.pyc
								test_map.cpython-311.pyc
								test_normalize.cpython-311.pyc
								test_repeat.cpython-311.pyc
								test_resolution.cpython-311.pyc
								test_round.cpython-311.pyc
								test_shift.cpython-311.pyc
								test_snap.cpython-311.pyc
								test_to_frame.cpython-311.pyc
								test_to_julian_date.cpython-311.pyc
								test_to_period.cpython-311.pyc
								test_to_pydatetime.cpython-311.pyc
								test_to_series.cpython-311.pyc
								test_tz_convert.cpython-311.pyc
								test_tz_localize.cpython-311.pyc
								test_unique.cpython-311.pyc
								__init__.cpython-311.pyc
								\---__pycache__
								test_arithmetic.cpython-311.pyc
								test_constructors.cpython-311.pyc
								test_datetime.cpython-311.pyc
								test_date_range.cpython-311.pyc
								test_formats.cpython-311.pyc
								test_freq_attr.cpython-311.pyc
								test_indexing.cpython-311.pyc
								test_iter.cpython-311.pyc
								test_join.cpython-311.pyc
								test_npfuncs.cpython-311.pyc
								test_ops.cpython-311.pyc
								test_partial_slicing.cpython-311.pyc
								test_pickle.cpython-311.pyc
								test_reindex.cpython-311.pyc

					test_scalar_compat.cpython-311.pyc
					test_setops.cpython-311.pyc
					test_timezones.cpython-311.pyc
					__init__.cpython-311.pyc
					+---interval
					test_astype.py
					test_constructors.py
					test_equals.py
					test_formats.py
					test_indexing.py
					test_interval.py
					test_interval_range.py
					test_interval_tree.py
					test_join.py
					test_pickle.py
					test_setops.py
					__init__.py
					\---__pycache__
					test_astype.cpython-311.pyc
					test_constructors.cpython-311.pyc
					test_equals.cpython-311.pyc
					test_formats.cpython-311.pyc
					test_indexing.cpython-311.pyc
					test_interval.cpython-311.pyc
					test_interval_range.cpython-311.pyc
					test_interval_tree.cpython-311.pyc
					test_join.cpython-311.pyc
					test_pickle.cpython-311.pyc
					test_setops.cpython-311.pyc
					__init__.cpython-311.pyc
					+---multi
					conftest.py
					test_analytics.py
					test_astype.py
					test_compat.py
					test_constructors.py
					test_conversion.py
					test_copy.py
					test_drop.py
					test_duplicates.py
					test_equivalence.py
					test_formats.py
					test_get_level_values.py
					test_get_set.py
					test_indexing.py
					test_integrity.py
					test_isin.py
					test_join.py

						test_lexsort.py
						test_missing.py
						test_monotonic.py
						test_names.py
						test_partial_indexing.py
						test_pickle.py
						test_reindex.py
						test_reshape.py
						test_setops.py
						test_sorting.py
						test_take.py
						__init__.py
						\---__pycache__
						conftest.cpython-311.pyc
						test_analytics.cpython-311.pyc
						test_astype.cpython-311.pyc
						test_compat.cpython-311.pyc
						test_constructors.cpython-311.pyc
						test_conversion.cpython-311.pyc
						test_copy.cpython-311.pyc
						test_drop.cpython-311.pyc
						test_duplicates.cpython-311.pyc
						test_equivalence.cpython-311.pyc
						test_formats.cpython-311.pyc
						test_get_level_values.cpython-311.pyc
						test_get_set.cpython-311.pyc
						test_indexing.cpython-311.pyc
						test_integrity.cpython-311.pyc
						test_isin.cpython-311.pyc
						test_join.cpython-311.pyc
						test_lexsort.cpython-311.pyc
						test_missing.cpython-311.pyc
						test_monotonic.cpython-311.pyc
						test_names.cpython-311.pyc
						test_partial_indexing.cpython-311.pyc
						test_pickle.cpython-311.pyc
						test_reindex.cpython-311.pyc
						test_reshape.cpython-311.pyc
						test_setops.cpython-311.pyc
						test_sorting.cpython-311.pyc
						test_take.cpython-311.pyc
						__init__.cpython-311.pyc
						+---numeric
						test_astype.py
						test_indexing.py
						test_join.py
						test_numeric.py
						test_setops.py
						__init__.py

```

| | | | |
| | | | | \---__pycache__
| | | | | test_astype.cpython-311.pyc
| | | | | test_indexing.cpython-311.pyc
| | | | | test_join.cpython-311.pyc
| | | | | test_numeric.cpython-311.pyc
| | | | | test_setops.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---object
| | | | | | test_astype.py
| | | | | | test_indexing.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | test_astype.cpython-311.pyc
| | | | | test_indexing.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---period
| | | | | | test_constructors.py
| | | | | | test_formats.py
| | | | | | test_freq_attr.py
| | | | | | test_indexing.py
| | | | | | test_join.py
| | | | | | test_monotonic.py
| | | | | | test_partial_slicing.py
| | | | | | test_period.py
| | | | | | test_period_range.py
| | | | | | test_pickle.py
| | | | | | test_resolution.py
| | | | | | test_scalar_compat.py
| | | | | | test_searchsorted.py
| | | | | | test_setops.py
| | | | | | test_tools.py
| | | | | | __init__.py
| | | | | |
| | | | | +---methods
| | | | | | | test_asfreq.py
| | | | | | | test_astype.py
| | | | | | | test_factorize.py
| | | | | | | test_fillna.py
| | | | | | | test_insert.py
| | | | | | | test_is_full.py
| | | | | | | test_repeat.py
| | | | | | | test_shift.py
| | | | | | | test_to_timestamp.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | \---__pycache__
| | | | | | test_asfreq.cpython-311.pyc

```

```

| | | | | | | | test_astype.cpython-311.pyc
| | | | | | | | test_factorize.cpython-311.pyc
| | | | | | | | test_fillna.cpython-311.pyc
| | | | | | | | test_insert.cpython-311.pyc
| | | | | | | | test_is_full.cpython-311.pyc
| | | | | | | | test_repeat.cpython-311.pyc
| | | | | | | | test_shift.cpython-311.pyc
| | | | | | | | test_to_timestamp.cpython-311.pyc
| | | | | | | | __init__.cpython-311.pyc
| | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | | test_constructors.cpython-311.pyc
| | | | | | | | test_formats.cpython-311.pyc
| | | | | | | | test_freq_attr.cpython-311.pyc
| | | | | | | | test_indexing.cpython-311.pyc
| | | | | | | | test_join.cpython-311.pyc
| | | | | | | | test_monotonic.cpython-311.pyc
| | | | | | | | test_partial_slicing.cpython-311.pyc
| | | | | | | | test_period.cpython-311.pyc
| | | | | | | | test_period_range.cpython-311.pyc
| | | | | | | | test_pickle.cpython-311.pyc
| | | | | | | | test_resolution.cpython-311.pyc
| | | | | | | | test_scalar_compat.cpython-311.pyc
| | | | | | | | test_searchsorted.cpython-311.pyc
| | | | | | | | test_setops.cpython-311.pyc
| | | | | | | | test_tools.cpython-311.pyc
| | | | | | | | __init__.cpython-311.pyc
| | | | | | | |
| | | | | | | | +---ranges
| | | | | | | | | test_constructors.py
| | | | | | | | | test_indexing.py
| | | | | | | | | test_join.py
| | | | | | | | | test_range.py
| | | | | | | | | test_setops.py
| | | | | | | | | __init__.py
| | | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | | test_constructors.cpython-311.pyc
| | | | | | | | test_indexing.cpython-311.pyc
| | | | | | | | test_join.cpython-311.pyc
| | | | | | | | test_range.cpython-311.pyc
| | | | | | | | test_setops.cpython-311.pyc
| | | | | | | | __init__.cpython-311.pyc
| | | | | | | |
| | | | | | | | +---timedeltas
| | | | | | | | | test_arithmetic.py
| | | | | | | | | test_constructors.py
| | | | | | | | | test_delete.py
| | | | | | | | | test_formats.py
| | | | | | | | | test_freq_attr.py
| | | | | | | | | test_indexing.py

```



```

| | | | | | test_join.py
| | | | | | test_ops.py
| | | | | | test_pickle.py
| | | | | | test_scalar_compat.py
| | | | | | test_searchsorted.py
| | | | | | test_setops.py
| | | | | | test_timedelta.py
| | | | | | test_timedelta_range.py
| | | | | | __init__.py
| | | | | |
| | | | | | +---methods
| | | | | | | test_astype.py
| | | | | | | test_factorize.py
| | | | | | | test_fillna.py
| | | | | | | test_insert.py
| | | | | | | test_repeat.py
| | | | | | | test_shift.py
| | | | | | | __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | | test_astype.cpython-311.pyc
| | | | | | test_factorize.cpython-311.pyc
| | | | | | test_fillna.cpython-311.pyc
| | | | | | test_insert.cpython-311.pyc
| | | | | | test_repeat.cpython-311.pyc
| | | | | | test_shift.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | | \---__pycache__
| | | | | | test_arithmetic.cpython-311.pyc
| | | | | | test_constructors.cpython-311.pyc
| | | | | | test_delete.cpython-311.pyc
| | | | | | test_formats.cpython-311.pyc
| | | | | | test_freq_attr.cpython-311.pyc
| | | | | | test_indexing.cpython-311.pyc
| | | | | | test_join.cpython-311.pyc
| | | | | | test_ops.cpython-311.pyc
| | | | | | test_pickle.cpython-311.pyc
| | | | | | test_scalar_compat.cpython-311.pyc
| | | | | | test_searchsorted.cpython-311.pyc
| | | | | | test_setops.cpython-311.pyc
| | | | | | test_timedelta.cpython-311.pyc
| | | | | | test_timedelta_range.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | | \---__pycache__
| | | | | | conftest.cpython-311.pyc
| | | | | | test_any_index.cpython-311.pyc
| | | | | | test_base.cpython-311.pyc
| | | | | | test_common.cpython-311.pyc
| | | | | | test_datetimelike.cpython-311.pyc

```

					test_engines.cpython-311.pyc
					test_frozen.cpython-311.pyc
					test_indexing.cpython-311.pyc
					test_index_new.cpython-311.pyc
					test_numpy_compat.cpython-311.pyc
					test_old_base.cpython-311.pyc
					test_setops.cpython-311.pyc
					test_subclass.cpython-311.pyc
					__init__.cpython-311.pyc
				+	----indexing
					common.py
					conftest.py
					test_at.py
					test_categorical.py
					test_chaining_and_caching.py
					test_check_indexer.py
					test_coercion.py
					test_datetime.py
					test_floats.py
					test_iat.py
					test_iloc.py
					test_indexers.py
					test_indexing.py
					test_loc.py
					test_na_indexing.py
					test_partial.py
					test_scalar.py
					__init__.py
				+	----interval
					test_interval.py
					test_interval_new.py
					__init__.py
					\---__pycache__
					test_interval.cpython-311.pyc
					test_interval_new.cpython-311.pyc
					__init__.cpython-311.pyc
				+	----multiindex
					test_chaining_and_caching.py
					test_datetime.py
					test_getitem.py
					test_iloc.py
					test_indexing_slow.py
					test_loc.py
					test_multiindex.py
					test_partial.py
					test_setitem.py
					test_slice.py

```

| | | | | | test_sorted.py
| | | | | | __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | |     test_chaining_and_caching.cpython-311.pyc
| | | | | |     test_datetime.cpython-311.pyc
| | | | | |     test_getitem.cpython-311.pyc
| | | | | |     test_iloc.cpython-311.pyc
| | | | | |     test_indexing_slow.cpython-311.pyc
| | | | | |     test_loc.cpython-311.pyc
| | | | | |     test_multiindex.cpython-311.pyc
| | | | | |     test_partial.cpython-311.pyc
| | | | | |     test_setitem.cpython-311.pyc
| | | | | |     test_slice.cpython-311.pyc
| | | | | |     test_sorted.cpython-311.pyc
| | | | | |     __init__.cpython-311.pyc
| | | | | |
| | | | | | \---__pycache__
| | | | | |     common.cpython-311.pyc
| | | | | |     conftest.cpython-311.pyc
| | | | | |     test_at.cpython-311.pyc
| | | | | |     test_categorical.cpython-311.pyc
| | | | | |     test_chaining_and_caching.cpython-311.pyc
| | | | | |     test_check_indexer.cpython-311.pyc
| | | | | |     test_coercion.cpython-311.pyc
| | | | | |     test_datetime.cpython-311.pyc
| | | | | |     test_floats.cpython-311.pyc
| | | | | |     test_iat.cpython-311.pyc
| | | | | |     test_iloc.cpython-311.pyc
| | | | | |     test_indexers.cpython-311.pyc
| | | | | |     test_indexing.cpython-311.pyc
| | | | | |     test_loc.cpython-311.pyc
| | | | | |     test_na_indexing.cpython-311.pyc
| | | | | |     test_partial.cpython-311.pyc
| | | | | |     test_scalar.cpython-311.pyc
| | | | | |     __init__.cpython-311.pyc
| | | | | |
| | | | | | +---interchange
| | | | | | | test_impl.py
| | | | | | | test_spec_conformance.py
| | | | | | | test_utils.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | \---__pycache__
| | | | | |     test_impl.cpython-311.pyc
| | | | | |     test_spec_conformance.cpython-311.pyc
| | | | | |     test_utils.cpython-311.pyc
| | | | | |     __init__.cpython-311.pyc
| | | | | |
| | | | | | +---internals
| | | | | | | test_api.py

```

					test_internals.py
					test_managers.py
					__init__.py
					\---__pycache__
					test_api.cpython-311.pyc
					test_internals.cpython-311.pyc
					test_managers.cpython-311.pyc
					__init__.cpython-311.pyc
					+---io
					conftest.py
					generate_legacy_storage_files.py
					test_clipboard.py
					test_common.py
					test_compression.py
					test_feather.py
					test_fsspec.py
					test_gbq.py
					test_gcs.py
					test_html.py
					test_http_headers.py
					test_orc.py
					test_parquet.py
					test_pickle.py
					test_s3.py
					test_spss.py
					test_sql.py
					test_stata.py
					__init__.py
					+---excel
					test_odf.py
					test_odswriter.py
					test_openpyxl.py
					test_readers.py
					test_style.py
					test_writers.py
					test_xlrd.py
					test_xlsxwriter.py
					__init__.py
					\---__pycache__
					test_odf.cpython-311.pyc
					test_odswriter.cpython-311.pyc
					test_openpyxl.cpython-311.pyc
					test_readers.cpython-311.pyc
					test_style.cpython-311.pyc
					test_writers.cpython-311.pyc
					test_xlrd.cpython-311.pyc
					test_xlsxwriter.cpython-311.pyc

```

| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---formats
| | | | | | test_console.py
| | | | | | test_css.py
| | | | | | test_eng_formatting.py
| | | | | | test_format.py
| | | | | | test_ipython_compat.py
| | | | | | test_printing.py
| | | | | | test_to_csv.py
| | | | | | test_to_excel.py
| | | | | | test_to_html.py
| | | | | | test_to_latex.py
| | | | | | test_to_markdown.py
| | | | | | test_to_string.py
| | | | | | __init__.py
| | | | | |
| | | | | +---style
| | | | | | test_bar.py
| | | | | | test_exceptions.py
| | | | | | test_format.py
| | | | | | test_highlight.py
| | | | | | test_html.py
| | | | | | test_matplotlib.py
| | | | | | test_non_unique.py
| | | | | | test_style.py
| | | | | | test_tooltip.py
| | | | | | test_to_latex.py
| | | | | | test_to_string.py
| | | | | | __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | | test_bar.cpython-311.pyc
| | | | | | test_exceptions.cpython-311.pyc
| | | | | | test_format.cpython-311.pyc
| | | | | | test_highlight.cpython-311.pyc
| | | | | | test_html.cpython-311.pyc
| | | | | | test_matplotlib.cpython-311.pyc
| | | | | | test_non_unique.cpython-311.pyc
| | | | | | test_style.cpython-311.pyc
| | | | | | test_tooltip.cpython-311.pyc
| | | | | | test_to_latex.cpython-311.pyc
| | | | | | test_to_string.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | | \---__pycache__
| | | | | | test_console.cpython-311.pyc
| | | | | | test_css.cpython-311.pyc
| | | | | | test_eng_formatting.cpython-311.pyc
| | | | | | test_format.cpython-311.pyc
| | | | | | test_ipython_compat.cpython-311.pyc

```

						test_printing.cpython-311.pyc
						test_to_csv.cpython-311.pyc
						test_to_excel.cpython-311.pyc
						test_to_html.cpython-311.pyc
						test_to_latex.cpython-311.pyc
						test_to_markdown.cpython-311.pyc
						test_to_string.cpython-311.pyc
						__init__.cpython-311.pyc
					+---json	
						conftest.py
						test_compression.py
						test_deprecated_kwargs.py
						test_json_table_schema.py
						test_json_table_schema_ext_dtype.py
						test_normalize.py
						test_pandas.py
						test_readlines.py
						test_ujson.py
						__init__.py
					\---__pycache__	
						conftest.cpython-311.pyc
						test_compression.cpython-311.pyc
						test_deprecated_kwargs.cpython-311.pyc
						test_json_table_schema.cpython-311.pyc
						test_json_table_schema_ext_dtype.cpython-311.pyc
						test_normalize.cpython-311.pyc
						test_pandas.cpython-311.pyc
						test_readlines.cpython-311.pyc
						test_ujson.cpython-311.pyc
						__init__.cpython-311.pyc
					+---parser	
						conftest.py
						test_comment.py
						test_compression.py
						test_concatenate_chunks.py
						test_converters.py
						test_c_parser_only.py
						test_dialect.py
						test_encoding.py
						test_header.py
						test_index_col.py
						test_mangle_dupes.py
						test_multi_thread.py
						test_na_values.py
						test_network.py
						test_parse_dates.py
						test_python_parser_only.py
						test_quoting.py

```

| | | | | | | test_read_fwf.py
| | | | | | | test_skiprows.py
| | | | | | | test_textreader.py
| | | | | | | test_unsupported.py
| | | | | | | test_upcast.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | | +---common
| | | | | | | | test_chunksize.py
| | | | | | | | test_common_basic.py
| | | | | | | | test_data_list.py
| | | | | | | | test_decimal.py
| | | | | | | | test_file_buffer_url.py
| | | | | | | | test_float.py
| | | | | | | | test_index.py
| | | | | | | | test_inf.py
| | | | | | | | test_ints.py
| | | | | | | | test_iterator.py
| | | | | | | | test_read_errors.py
| | | | | | | | test_verbose.py
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | \---_pycache_
| | | | | | | | test_chunksize.cpython-311.pyc
| | | | | | | | test_common_basic.cpython-311.pyc
| | | | | | | | test_data_list.cpython-311.pyc
| | | | | | | | test_decimal.cpython-311.pyc
| | | | | | | | test_file_buffer_url.cpython-311.pyc
| | | | | | | | test_float.cpython-311.pyc
| | | | | | | | test_index.cpython-311.pyc
| | | | | | | | test_inf.cpython-311.pyc
| | | | | | | | test_ints.cpython-311.pyc
| | | | | | | | test_iterator.cpython-311.pyc
| | | | | | | | test_read_errors.cpython-311.pyc
| | | | | | | | test_verbose.cpython-311.pyc
| | | | | | | | __init__.cpython-311.pyc
| | | | | | | |
| | | | | | | +---dtypes
| | | | | | | | test_categorical.py
| | | | | | | | test_dtypes_basic.py
| | | | | | | | test_empty.py
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | \---_pycache_
| | | | | | | | test_categorical.cpython-311.pyc
| | | | | | | | test_dtypes_basic.cpython-311.pyc
| | | | | | | | test_empty.cpython-311.pyc
| | | | | | | | __init__.cpython-311.pyc
| | | | | | | |
| | | | | | | +---usecols
| | | | | | | | test_parse_dates.py

```

```

| | | | | | | test_strings.py
| | | | | | | test_usecols_basic.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | |     test_parse_dates.cpython-311.pyc
| | | | | | |     test_strings.cpython-311.pyc
| | | | | | |     test_usecols_basic.cpython-311.pyc
| | | | | | |     __init__.cpython-311.pyc
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | |     conftest.cpython-311.pyc
| | | | | | |     test_comment.cpython-311.pyc
| | | | | | |     test_compression.cpython-311.pyc
| | | | | | |     test_concatenate_chunks.cpython-311.pyc
| | | | | | |     test_converters.cpython-311.pyc
| | | | | | |     test_c_parser_only.cpython-311.pyc
| | | | | | |     test_dialect.cpython-311.pyc
| | | | | | |     test_encoding.cpython-311.pyc
| | | | | | |     test_header.cpython-311.pyc
| | | | | | |     test_index_col.cpython-311.pyc
| | | | | | |     test_mangle_dupes.cpython-311.pyc
| | | | | | |     test_multi_thread.cpython-311.pyc
| | | | | | |     test_na_values.cpython-311.pyc
| | | | | | |     test_network.cpython-311.pyc
| | | | | | |     test_parse_dates.cpython-311.pyc
| | | | | | |     test_python_parser_only.cpython-311.pyc
| | | | | | |     test_quoting.cpython-311.pyc
| | | | | | |     test_read_fwf.cpython-311.pyc
| | | | | | |     test_skiprows.cpython-311.pyc
| | | | | | |     test_textreader.cpython-311.pyc
| | | | | | |     test_unsupported.cpython-311.pyc
| | | | | | |     test_upcast.cpython-311.pyc
| | | | | | |     __init__.cpython-311.pyc
| | | | | | |
| | | | | +---pytables
| | | | | | | common.py
| | | | | | | conftest.py
| | | | | | | test_append.py
| | | | | | | test_categorical.py
| | | | | | | test_compat.py
| | | | | | | test_complex.py
| | | | | | | test_errors.py
| | | | | | | test_file_handling.py
| | | | | | | test_keys.py
| | | | | | | test_put.py
| | | | | | | test_pytables_missing.py
| | | | | | | test_read.py
| | | | | | | test_retain_attributes.py
| | | | | | | test_round_trip.py
| | | | | | | test_select.py

```



```
| | | | | test_store.py
| | | | | test_subclass.py
| | | | | test_timezones.py
| | | | | test_time_series.py
| | | | | __init__.py
| | | | | 
| | | | | \---_pycache_
| | | | |     common.cpython-311.pyc
| | | | |     conftest.cpython-311.pyc
| | | | |     test_append.cpython-311.pyc
| | | | |     test_categorical.cpython-311.pyc
| | | | |     test_compat.cpython-311.pyc
| | | | |     test_complex.cpython-311.pyc
| | | | |     test_errors.cpython-311.pyc
| | | | |     test_file_handling.cpython-311.pyc
| | | | |     test_keys.cpython-311.pyc
| | | | |     test_put.cpython-311.pyc
| | | | |     test_pytables_missing.cpython-311.pyc
| | | | |     test_read.cpython-311.pyc
| | | | |     test_retain_attributes.cpython-311.pyc
| | | | |     test_round_trip.cpython-311.pyc
| | | | |     test_select.cpython-311.pyc
| | | | |     test_store.cpython-311.pyc
| | | | |     test_subclass.cpython-311.pyc
| | | | |     test_timezones.cpython-311.pyc
| | | | |     test_time_series.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | | 
| | | | | +---sas
| | | | |     test_byteswap.py
| | | | |     test_sas.py
| | | | |     test_sas7bdat.py
| | | | |     test_xport.py
| | | | |     __init__.py
| | | | | 
| | | | | \---_pycache_
| | | | |     test_byteswap.cpython-311.pyc
| | | | |     test_sas.cpython-311.pyc
| | | | |     test_sas7bdat.cpython-311.pyc
| | | | |     test_xport.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | | 
| | | | | +---xml
| | | | |     conftest.py
| | | | |     test_to_xml.py
| | | | |     test_xml.py
| | | | |     test_xml_dtypes.py
| | | | |     __init__.py
| | | | | 
| | | | | \---_pycache_
| | | | |     conftest.cpython-311.pyc
```

					test_to_xml.cpython-311.pyc
					test_xml.cpython-311.pyc
					test_xml_dtypes.cpython-311.pyc
					__init__.cpython-311.pyc
					\---__pycache__
					conftest.cpython-311.pyc
					generate_legacy_storage_files.cpython-311.pyc
					test_clipboard.cpython-311.pyc
					test_common.cpython-311.pyc
					test_compression.cpython-311.pyc
					test_feather.cpython-311.pyc
					test_fsspec.cpython-311.pyc
					test_gbq.cpython-311.pyc
					test_gcs.cpython-311.pyc
					test_html.cpython-311.pyc
					test_http_headers.cpython-311.pyc
					test_orc.cpython-311.pyc
					test_parquet.cpython-311.pyc
					test_pickle.cpython-311.pyc
					test_s3.cpython-311.pyc
					test_spss.cpython-311.pyc
					test_sql.cpython-311.pyc
					test_stata.cpython-311.pyc
					__init__.cpython-311.pyc
					+---libs
					test_hashtable.py
					test_join.py
					test_lib.py
					test_libalgos.py
					__init__.py
					\---__pycache__
					test_hashtable.cpython-311.pyc
					test_join.cpython-311.pyc
					test_lib.cpython-311.pyc
					test_libalgos.cpython-311.pyc
					__init__.cpython-311.pyc
					+---plotting
					common.py
					conftest.py
					test_backend.py
					test_boxplot_method.py
					test_common.py
					test_converter.py
					test_datetimelike.py
					test_groupby.py
					test_hist_method.py
					test_misc.py

```

| | | | | test_series.py
| | | | | test_style.py
| | | | | __init__.py
| | | | |
| | | | +---frame
| | | | | test_frame.py
| | | | | test_frame_color.py
| | | | | test_frame_groupby.py
| | | | | test_frame_legend.py
| | | | | test_frame_subplots.py
| | | | | test_hist_box_by.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | test_frame.cpython-311.pyc
| | | | | test_frame_color.cpython-311.pyc
| | | | | test_frame_groupby.cpython-311.pyc
| | | | | test_frame_legend.cpython-311.pyc
| | | | | test_frame_subplots.cpython-311.pyc
| | | | | test_hist_box_by.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | common.cpython-311.pyc
| | | | | conftest.cpython-311.pyc
| | | | | test_backend.cpython-311.pyc
| | | | | test_boxplot_method.cpython-311.pyc
| | | | | test_common.cpython-311.pyc
| | | | | test_converter.cpython-311.pyc
| | | | | test_datetimelike.cpython-311.pyc
| | | | | test_groupby.cpython-311.pyc
| | | | | test_hist_method.cpython-311.pyc
| | | | | test_misc.cpython-311.pyc
| | | | | test_series.cpython-311.pyc
| | | | | test_style.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---reductions
| | | | | test_reductions.py
| | | | | test_stat_reductions.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | test_reductions.cpython-311.pyc
| | | | | test_stat_reductions.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---resample
| | | | | conftest.py
| | | | | test_base.py
| | | | | test_datetime_index.py

```

					test_period_index.py
					test_resampler_grouper.py
					test_resample_api.py
					test_timedelta.py
					test_time_grouper.py
					__init__.py
					\---__pycache__
					conftest.cpython-311.pyc
					test_base.cpython-311.pyc
					test_datetime_index.cpython-311.pyc
					test_period_index.cpython-311.pyc
					test_resampler_grouper.cpython-311.pyc
					test_resample_api.cpython-311.pyc
					test_timedelta.cpython-311.pyc
					test_time_grouper.cpython-311.pyc
					__init__.cpython-311.pyc
					+---reshape
					test_crosstab.py
					test_cut.py
					test_from_dummies.py
					test_get_dummies.py
					test_melt.py
					test_pivot.py
					test_pivot_multilevel.py
					test_qcut.py
					test_union_categoricals.py
					test_util.py
					__init__.py
					+---concat
					conftest.py
					test_append.py
					test_append_common.py
					test_categorical.py
					test_concat.py
					test_dataframe.py
					test_datetimes.py
					test_empty.py
					test_index.py
					test_invalid.py
					test_series.py
					test_sort.py
					__init__.py
					\---__pycache__
					conftest.cpython-311.pyc
					test_append.cpython-311.pyc
					test_append_common.cpython-311.pyc
					test_categorical.cpython-311.pyc

					test_concat.cpython-311.pyc
					test_dataframe.cpython-311.pyc
					test_datetimes.cpython-311.pyc
					test_empty.cpython-311.pyc
					test_index.cpython-311.pyc
					test_invalid.cpython-311.pyc
					test_series.cpython-311.pyc
					test_sort.cpython-311.pyc
					__init__.cpython-311.pyc
					+---merge
					test_join.py
					test_merge.py
					test_merge_asof.py
					test_merge_cross.py
					test_merge_index_as_string.py
					test_merge_ordered.py
					test_multi.py
					__init__.py
					\---__pycache__
					test_join.cpython-311.pyc
					test_merge.cpython-311.pyc
					test_merge_asof.cpython-311.pyc
					test_merge_cross.cpython-311.pyc
					test_merge_index_as_string.cpython-311.pyc
					test_merge_ordered.cpython-311.pyc
					test_multi.cpython-311.pyc
					__init__.cpython-311.pyc
					\---__pycache__
					test_crosstab.cpython-311.pyc
					test_cut.cpython-311.pyc
					test_from_dummies.cpython-311.pyc
					test_get_dummies.cpython-311.pyc
					test_melt.cpython-311.pyc
					test_pivot.cpython-311.pyc
					test_pivot_multilevel.cpython-311.pyc
					test_qcut.cpython-311.pyc
					test_union_categoricals.cpython-311.pyc
					test_util.cpython-311.pyc
					__init__.cpython-311.pyc
					+---scalar
					test_nat.py
					test_na_scalar.py
					__init__.py
					+---interval
					test_arithmetic.py
					test_constructors.py

```

| | | | | test_contains.py
| | | | | test_formats.py
| | | | | test_interval.py
| | | | | test_overlaps.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     test_arithmetic.cpython-311.pyc
| | | | |     test_constructors.cpython-311.pyc
| | | | |     test_contains.cpython-311.pyc
| | | | |     test_formats.cpython-311.pyc
| | | | |     test_interval.cpython-311.pyc
| | | | |     test_overlaps.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---period
| | | | | | test_arithmetic.py
| | | | | | test_asfreq.py
| | | | | | test_period.py
| | | | | | __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | |     test_arithmetic.cpython-311.pyc
| | | | | |     test_asfreq.cpython-311.pyc
| | | | | |     test_period.cpython-311.pyc
| | | | | |     __init__.cpython-311.pyc
| | | | | |
| | | | | +---timedelta
| | | | | | test_arithmetic.py
| | | | | | test_constructors.py
| | | | | | test_formats.py
| | | | | | test_timedelta.py
| | | | | | __init__.py
| | | | | |
| | | | | +---methods
| | | | | | | test_as_unit.py
| | | | | | | test_round.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | |     test_as_unit.cpython-311.pyc
| | | | | | |     test_round.cpython-311.pyc
| | | | | | |     __init__.cpython-311.pyc
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | |     test_arithmetic.cpython-311.pyc
| | | | | | |     test_constructors.cpython-311.pyc
| | | | | | |     test_formats.cpython-311.pyc
| | | | | | |     test_timedelta.cpython-311.pyc
| | | | | | |     __init__.cpython-311.pyc
| | | | | | |

```

```

| | | | | +---timestamp
| | | | | | | test_arithmetic.py
| | | | | | | test_comparisons.py
| | | | | | | test_constructors.py
| | | | | | | test_formats.py
| | | | | | | test_timestamp.py
| | | | | | | test_timezones.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | | +---methods
| | | | | | | | test_as_unit.py
| | | | | | | | test_normalize.py
| | | | | | | | test_replace.py
| | | | | | | | test_round.py
| | | | | | | | test_timestamp_method.py
| | | | | | | | test_to_julian_date.py
| | | | | | | | test_to_pydatetime.py
| | | | | | | | test_tz_convert.py
| | | | | | | | test_tz_localize.py
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | \---__pycache__
| | | | | | | | test_as_unit.cpython-311.pyc
| | | | | | | | test_normalize.cpython-311.pyc
| | | | | | | | test_replace.cpython-311.pyc
| | | | | | | | test_round.cpython-311.pyc
| | | | | | | | test_timestamp_method.cpython-311.pyc
| | | | | | | | test_to_julian_date.cpython-311.pyc
| | | | | | | | test_to_pydatetime.cpython-311.pyc
| | | | | | | | test_tz_convert.cpython-311.pyc
| | | | | | | | test_tz_localize.cpython-311.pyc
| | | | | | | | __init__.cpython-311.pyc
| | | | | | | |
| | | | | | | \---__pycache__
| | | | | | | | test_arithmetic.cpython-311.pyc
| | | | | | | | test_comparisons.cpython-311.pyc
| | | | | | | | test_constructors.cpython-311.pyc
| | | | | | | | test_formats.cpython-311.pyc
| | | | | | | | test_timestamp.cpython-311.pyc
| | | | | | | | test_timezones.cpython-311.pyc
| | | | | | | | __init__.cpython-311.pyc
| | | | | | | |
| | | | | | | \---__pycache__
| | | | | | | | test_nat.cpython-311.pyc
| | | | | | | | test_na_scalar.cpython-311.pyc
| | | | | | | | __init__.cpython-311.pyc
| | | | | | | |
| | | | | | | +---series
| | | | | | | | test_api.py
| | | | | | | | test_arithmetic.py
| | | | | | | | test_constructors.py

```

```

| | | | | test_cumulative.py
| | | | | test_formats.py
| | | | | test_iteration.py
| | | | | test_logical_ops.py
| | | | | test_missing.py
| | | | | test_npfuncs.py
| | | | | test_reductions.py
| | | | | test_subclass.py
| | | | | test_ufunc.py
| | | | | test_unary.py
| | | | | test_validate.py
| | | | | __init__.py
| | | | |
| | | | | +---accessors
| | | | | | test_cat_accessor.py
| | | | | | test_dt_accessor.py
| | | | | | test_list_accessor.py
| | | | | | test_sparse_accessor.py
| | | | | | test_struct_accessor.py
| | | | | | test_str_accessor.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | test_cat_accessor.cpython-311.pyc
| | | | | | test_dt_accessor.cpython-311.pyc
| | | | | | test_list_accessor.cpython-311.pyc
| | | | | | test_sparse_accessor.cpython-311.pyc
| | | | | | test_struct_accessor.cpython-311.pyc
| | | | | | test_str_accessor.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | +---indexing
| | | | | | test_datetime.py
| | | | | | test_delitem.py
| | | | | | test_get.py
| | | | | | test_getitem.py
| | | | | | test_indexing.py
| | | | | | test_mask.py
| | | | | | test_setitem.py
| | | | | | test_set_value.py
| | | | | | test_take.py
| | | | | | test_where.py
| | | | | | test_xs.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | test_datetime.cpython-311.pyc
| | | | | | test_delitem.cpython-311.pyc
| | | | | | test_get.cpython-311.pyc
| | | | | | test_getitem.cpython-311.pyc
| | | | | | test_indexing.cpython-311.pyc

```


						test_mask.cpython-311.pyc
						test_setitem.cpython-311.pyc
						test_set_value.cpython-311.pyc
						test_take.cpython-311.pyc
						test_where.cpython-311.pyc
						test_xs.cpython-311.pyc
						__init__.cpython-311.pyc
						+---methods
						test_add_prefix_suffix.py
						test_align.py
						test_argsort.py
						test_asof.py
						test_astype.py
						test_autocorr.py
						test_between.py
						test_case_when.py
						test_clip.py
						test_combine.py
						test_combine_first.py
						test_compare.py
						test_convert_dtypes.py
						test_copy.py
						test_count.py
						test_cov_corr.py
						test_describe.py
						test_diff.py
						test_drop.py
						test_dropna.py
						test_drop_duplicates.py
						test_dtypes.py
						test_duplicated.py
						test_equals.py
						test_explode.py
						test_fillna.py
						test_get_numeric_data.py
						test_head_tail.py
						test_infer_objects.py
						test_info.py
						test_interpolate.py
						test_isin.py
						test_isna.py
						test_is_monotonic.py
						test_is_unique.py
						test_item.py
						test_map.py
						test_matmul.py
						test_nlargest.py
						test_nunique.py
						test_pct_change.py
						test_pop.py

							test_quantile.py
							test_rank.py
							test_reindex.py
							test_reindex_like.py
							test_rename.py
							test_rename_axis.py
							test_repeat.py
							test_replace.py
							test_reset_index.py
							test_round.py
							test_searchsorted.py
							test_set_name.py
							test_size.py
							test_sort_index.py
							test_sort_values.py
							test_tolist.py
							test_to_csv.py
							test_to_dict.py
							test_to_frame.py
							test_to_numpy.py
							test_truncate.py
							test_tz_localize.py
							test_unique.py
							test_unstack.py
							test_update.py
							test_values.py
							test_value_counts.py
							test_view.py
							__init__.py
							\---__pycache__
							test_add_prefix_suffix.cpython-311.pyc
							test_align.cpython-311.pyc
							test_argsort.cpython-311.pyc
							test_asof.cpython-311.pyc
							test_astype.cpython-311.pyc
							test_autocorr.cpython-311.pyc
							test_between.cpython-311.pyc
							test_case_when.cpython-311.pyc
							test_clip.cpython-311.pyc
							test_combine.cpython-311.pyc
							test_combine_first.cpython-311.pyc
							test_compare.cpython-311.pyc
							test_convert_dtypes.cpython-311.pyc
							test_copy.cpython-311.pyc
							test_count.cpython-311.pyc
							test_cov_corr.cpython-311.pyc
							test_describe.cpython-311.pyc
							test_diff.cpython-311.pyc
							test_drop.cpython-311.pyc
							test_dropna.cpython-311.pyc


```

| | | | |
| | | | | \---__pycache__
| | | | | test_api.cpython-311.pyc
| | | | | test_arithmetic.cpython-311.pyc
| | | | | test_constructors.cpython-311.pyc
| | | | | test_cumulative.cpython-311.pyc
| | | | | test_formats.cpython-311.pyc
| | | | | test_iteration.cpython-311.pyc
| | | | | test_logical_ops.cpython-311.pyc
| | | | | test_missing.cpython-311.pyc
| | | | | test_npfuns.cpython-311.pyc
| | | | | test_reductions.cpython-311.pyc
| | | | | test_subclass.cpython-311.pyc
| | | | | test_ufunc.cpython-311.pyc
| | | | | test_unary.cpython-311.pyc
| | | | | test_validate.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---strings
| | | | | | conftest.py
| | | | | | test_api.py
| | | | | | test_case_justify.py
| | | | | | test_cat.py
| | | | | | test_extract.py
| | | | | | test_find_replace.py
| | | | | | test_get_dummies.py
| | | | | | test_split_partition.py
| | | | | | test_strings.py
| | | | | | test_string_array.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | conftest.cpython-311.pyc
| | | | | | test_api.cpython-311.pyc
| | | | | | test_case_justify.cpython-311.pyc
| | | | | | test_cat.cpython-311.pyc
| | | | | | test_extract.cpython-311.pyc
| | | | | | test_find_replace.cpython-311.pyc
| | | | | | test_get_dummies.cpython-311.pyc
| | | | | | test_split_partition.cpython-311.pyc
| | | | | | test_strings.cpython-311.pyc
| | | | | | test_string_array.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | +---tools
| | | | | | test_to_datetime.py
| | | | | | test_to_numeric.py
| | | | | | test_to_time.py
| | | | | | test_to_timedelta.py
| | | | | | __init__.py
| | | | | |

```

```

| | | | \---__pycache__
| | | | test_to_datetime.cpython-311.pyc
| | | | test_to_numeric.cpython-311.pyc
| | | | test_to_time.cpython-311.pyc
| | | | test_to_timedelta.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | +---tseries
| | | | | __init__.py
| | | | |
| | | | +---frequencies
| | | | | | test_frequencies.py
| | | | | | test_freq_code.py
| | | | | | test_inference.py
| | | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | | | test_frequencies.cpython-311.pyc
| | | | | | test_freq_code.cpython-311.pyc
| | | | | | test_inference.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---holiday
| | | | | | test_calendar.py
| | | | | | test_federal.py
| | | | | | test_holiday.py
| | | | | | test_observance.py
| | | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | | | test_calendar.cpython-311.pyc
| | | | | | test_federal.cpython-311.pyc
| | | | | | test_holiday.cpython-311.pyc
| | | | | | test_observance.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---offsets
| | | | | | common.py
| | | | | | test_business_day.py
| | | | | | test_business_hour.py
| | | | | | test_business_month.py
| | | | | | test_business_quarter.py
| | | | | | test_business_year.py
| | | | | | test_common.py
| | | | | | test_custom_business_day.py
| | | | | | test_custom_business_hour.py
| | | | | | test_custom_business_month.py
| | | | | | test_dst.py
| | | | | | test_easter.py
| | | | | | test_fiscal.py
| | | | | | test_index.py

```

```

| | | | | | test_month.py
| | | | | | test_offsets.py
| | | | | | test_offsets_properties.py
| | | | | | test_quarter.py
| | | | | | test_ticks.py
| | | | | | test_week.py
| | | | | | test_year.py
| | | | | | __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | |     common.cpython-311.pyc
| | | | | |     test_business_day.cpython-311.pyc
| | | | | |     test_business_hour.cpython-311.pyc
| | | | | |     test_business_month.cpython-311.pyc
| | | | | |     test_business_quarter.cpython-311.pyc
| | | | | |     test_business_year.cpython-311.pyc
| | | | | |     test_common.cpython-311.pyc
| | | | | |     test_custom_business_day.cpython-311.pyc
| | | | | |     test_custom_business_hour.cpython-311.pyc
| | | | | |     test_custom_business_month.cpython-311.pyc
| | | | | |     test_dst.cpython-311.pyc
| | | | | |     test_easter.cpython-311.pyc
| | | | | |     test_fiscal.cpython-311.pyc
| | | | | |     test_index.cpython-311.pyc
| | | | | |     test_month.cpython-311.pyc
| | | | | |     test_offsets.cpython-311.pyc
| | | | | |     test_offsets_properties.cpython-311.pyc
| | | | | |     test_quarter.cpython-311.pyc
| | | | | |     test_ticks.cpython-311.pyc
| | | | | |     test_week.cpython-311.pyc
| | | | | |     test_year.cpython-311.pyc
| | | | | |     __init__.cpython-311.pyc
| | | | | |
| | | | | | \---__pycache__
| | | | | |     __init__.cpython-311.pyc
| | | | | |
| | | | | | +---tslibs
| | | | | |     test_api.py
| | | | | |     test_array_to_datetime.py
| | | | | |     test_ccalendar.py
| | | | | |     test_conversion.py
| | | | | |     test_fields.py
| | | | | |     test_libfrequencies.py
| | | | | |     test_liboffsets.py
| | | | | |     test_npy_units.py
| | | | | |     test_np_datetime.py
| | | | | |     test_parse_iso8601.py
| | | | | |     test_parsing.py
| | | | | |     test_period.py
| | | | | |     test_resolution.py
| | | | | |     test_strptime.py

```

					test_timedeltas.py
					test_timezones.py
					test_to_offset.py
					test_tzconversion.py
					__init__.py
					\---__pycache__
					test_api.cpython-311.pyc
					test_array_to_datetime.cpython-311.pyc
					test_ccalendar.cpython-311.pyc
					test_conversion.cpython-311.pyc
					test_fields.cpython-311.pyc
					test_libfrequencies.cpython-311.pyc
					test_liboffsets.cpython-311.pyc
					test_npy_units.cpython-311.pyc
					test_np_datetime.cpython-311.pyc
					test_parse_iso8601.cpython-311.pyc
					test_parsing.cpython-311.pyc
					test_period.cpython-311.pyc
					test_resolution.cpython-311.pyc
					test_strptime.cpython-311.pyc
					test_timedeltas.cpython-311.pyc
					test_timezones.cpython-311.pyc
					test_to_offset.cpython-311.pyc
					test_tzconversion.cpython-311.pyc
					__init__.cpython-311.pyc
					+---util
					conftest.py
					test_assert_almost_equal.py
					test_assert_attr_equal.py
					test_assert_categorical_equal.py
					test_assert_extension_array_equal.py
					test_assert_frame_equal.py
					test_assert_index_equal.py
					test_assert_interval_array_equal.py
					test_assert_numpy_array_equal.py
					test_assert_produces_warning.py
					test_assert_series_equal.py
					test_deprecate.py
					test_deprecate_kwarg.py
					test_deprecate_nonkeyword_arguments.py
					test_doc.py
					test_hashing.py
					test_numba.py
					test_rewrite_warning.py
					test_shares_memory.py
					test_show_versions.py
					test_util.py
					test_validate_args.py
					test_validate_args_and_kwargs.py

					test_validate_inclusive.py
					test_validate_kwargs.py
					__init__.py
					\---__pycache__
					conftest.cpython-311.pyc
					test_assert_almost_equal.cpython-311.pyc
					test_assert_attr_equal.cpython-311.pyc
					test_assert_categorical_equal.cpython-311.pyc
					test_assert_extension_array_equal.cpython-311.pyc
					test_assert_frame_equal.cpython-311.pyc
					test_assert_index_equal.cpython-311.pyc
					test_assert_interval_array_equal.cpython-311.pyc
					test_assert_numpy_array_equal.cpython-311.pyc
					test_assert_produces_warning.cpython-311.pyc
					test_assert_series_equal.cpython-311.pyc
					test_deprecate.cpython-311.pyc
					test_deprecate_kwarg.cpython-311.pyc
					test_deprecate_nonkeyword_arguments.cpython-311.pyc
					test_doc.cpython-311.pyc
					test_hashing.cpython-311.pyc
					test_numba.cpython-311.pyc
					test_rewrite_warning.cpython-311.pyc
					test_shares_memory.cpython-311.pyc
					test_show_versions.cpython-311.pyc
					test_util.cpython-311.pyc
					test_validate_args.cpython-311.pyc
					test_validate_args_and_kwargs.cpython-311.pyc
					test_validate_inclusive.cpython-311.pyc
					test_validate_kwargs.cpython-311.pyc
					__init__.cpython-311.pyc
					+---window
					conftest.py
					test_api.py
					test_apply.py
					test_base_indexer.py
					test_cython_aggregations.py
					test_dtypes.py
					test_ewm.py
					test_expanding.py
					test_groupby.py
					test_numba.py
					test_online.py
					test_pairwise.py
					test_rolling.py
					test_rolling_functions.py
					test_rolling_quantile.py
					test_rolling_skew_kurt.py
					test_timeseries_window.py
					test_win_type.py


```

| | | | | __init__.py
| | | | |
| | | | | +---moments
| | | | | | conftest.py
| | | | | | test_moments_consistency_ewm.py
| | | | | | test_moments_consistency_expanding.py
| | | | | | test_moments_consistency_rolling.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | conftest.cpython-311.pyc
| | | | | | test_moments_consistency_ewm.cpython-311.pyc
| | | | | | test_moments_consistency_expanding.cpython-311.pyc
| | | | | | test_moments_consistency_rolling.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__
| | | | | | conftest.cpython-311.pyc
| | | | | | test_api.cpython-311.pyc
| | | | | | test_apply.cpython-311.pyc
| | | | | | test_base_indexer.cpython-311.pyc
| | | | | | test_cython_aggregations.cpython-311.pyc
| | | | | | test_dtypes.cpython-311.pyc
| | | | | | test_ewm.cpython-311.pyc
| | | | | | test_expanding.cpython-311.pyc
| | | | | | test_groupby.cpython-311.pyc
| | | | | | test_numba.cpython-311.pyc
| | | | | | test_online.cpython-311.pyc
| | | | | | test_pairwise.cpython-311.pyc
| | | | | | test_rolling.cpython-311.pyc
| | | | | | test_rolling_functions.cpython-311.pyc
| | | | | | test_rolling_quantile.cpython-311.pyc
| | | | | | test_rolling_skew_kurt.cpython-311.pyc
| | | | | | test_timeseries_window.cpython-311.pyc
| | | | | | test_win_type.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__
| | | | | | test_aggregation.cpython-311.pyc
| | | | | | test_algos.cpython-311.pyc
| | | | | | test_common.cpython-311.pyc
| | | | | | test_downstream.cpython-311.pyc
| | | | | | test_errors.cpython-311.pyc
| | | | | | test_expressions.cpython-311.pyc
| | | | | | test_flags.cpython-311.pyc
| | | | | | test_multilevel.cpython-311.pyc
| | | | | | test_nanops.cpython-311.pyc
| | | | | | test_optional_dependency.cpython-311.pyc
| | | | | | test_register_accessor.cpython-311.pyc
| | | | | | test_sorting.cpython-311.pyc
| | | | | | test_take.cpython-311.pyc

```

```

| | | | __init__.cpython-311.pyc
| | | |
| | | +---tseries
| | | | | api.py
| | | | | frequencies.py
| | | | | holiday.py
| | | | | offsets.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | api.cpython-311.pyc
| | | | | frequencies.cpython-311.pyc
| | | | | holiday.cpython-311.pyc
| | | | | offsets.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---util
| | | | | _decorators.py
| | | | | _doctools.py
| | | | | _exceptions.py
| | | | | _print_versions.py
| | | | | _tester.py
| | | | | _test_decorators.py
| | | | | _validators.py
| | | | | __init__.py
| | | | |
| | | | +---version
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__
| | | | | | _decorators.cpython-311.pyc
| | | | | | _doctools.cpython-311.pyc
| | | | | | _exceptions.cpython-311.pyc
| | | | | | _print_versions.cpython-311.pyc
| | | | | | _tester.cpython-311.pyc
| | | | | | _test_decorators.cpython-311.pyc
| | | | | | _validators.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | +---_config
| | | | | | config.py
| | | | | | dates.py
| | | | | | display.py
| | | | | | localization.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | config.cpython-311.pyc

```

				dates.cpython-311.pyc
				display.cpython-311.pyc
				localization.cpython-311.pyc
				__init__.cpython-311.pyc
				+---_libs
				algos.cp311-win_amd64.lib
				algos.cp311-win_amd64.pyd
				algos.pyi
				arrays.cp311-win_amd64.lib
				arrays.cp311-win_amd64.pyd
				arrays.pyi
				byteswap.cp311-win_amd64.lib
				byteswap.cp311-win_amd64.pyd
				byteswap.pyi
				groupby.cp311-win_amd64.lib
				groupby.cp311-win_amd64.pyd
				groupby.pyi
				hashing.cp311-win_amd64.lib
				hashing.cp311-win_amd64.pyd
				hashing.pyi
				hashtable.cp311-win_amd64.lib
				hashtable.cp311-win_amd64.pyd
				hashtable.pyi
				index.cp311-win_amd64.lib
				index.cp311-win_amd64.pyd
				index.pyi
				indexing.cp311-win_amd64.lib
				indexing.cp311-win_amd64.pyd
				indexing.pyi
				internals.cp311-win_amd64.lib
				internals.cp311-win_amd64.pyd
				internals.pyi
				interval.cp311-win_amd64.lib
				interval.cp311-win_amd64.pyd
				interval.pyi
				join.cp311-win_amd64.lib
				join.cp311-win_amd64.pyd
				join.pyi
				json.cp311-win_amd64.lib
				json.cp311-win_amd64.pyd
				json.pyi
				lib.cp311-win_amd64.lib
				lib.cp311-win_amd64.pyd
				lib.pyi
				missing.cp311-win_amd64.lib
				missing.cp311-win_amd64.pyd
				missing.pyi
				ops.cp311-win_amd64.lib
				ops.cp311-win_amd64.pyd
				ops.pyi

					ops_dispatch.cp311-win_amd64.lib
					ops_dispatch.cp311-win_amd64.pyd
					ops_dispatch.pyi
					pandas_datetime.cp311-win_amd64.lib
					pandas_datetime.cp311-win_amd64.pyd
					pandas_parser.cp311-win_amd64.lib
					pandas_parser.cp311-win_amd64.pyd
					parsers.cp311-win_amd64.lib
					parsers.cp311-win_amd64.pyd
					parsers.pyi
					properties.cp311-win_amd64.lib
					properties.cp311-win_amd64.pyd
					properties.pyi
					reshape.cp311-win_amd64.lib
					reshape.cp311-win_amd64.pyd
					reshape.pyi
					sas.cp311-win_amd64.lib
					sas.cp311-win_amd64.pyd
					sas.pyi
					sparse.cp311-win_amd64.lib
					sparse.cp311-win_amd64.pyd
					sparse.pyi
					testing.cp311-win_amd64.lib
					testing.cp311-win_amd64.pyd
					testing.pyi
					tslib.cp311-win_amd64.lib
					tslib.cp311-win_amd64.pyd
					tslib.pyi
					writers.cp311-win_amd64.lib
					writers.cp311-win_amd64.pyd
					writers.pyi
					__init__.py
					+++tslibs
					base.cp311-win_amd64.lib
					base.cp311-win_amd64.pyd
					ccalendar.cp311-win_amd64.lib
					ccalendar.cp311-win_amd64.pyd
					ccalendar.pyi
					conversion.cp311-win_amd64.lib
					conversion.cp311-win_amd64.pyd
					conversion.pyi
					dtypes.cp311-win_amd64.lib
					dtypes.cp311-win_amd64.pyd
					dtypes.pyi
					fields.cp311-win_amd64.lib
					fields.cp311-win_amd64.pyd
					fields.pyi
					natype.cp311-win_amd64.lib
					natype.cp311-win_amd64.pyd
					natype.pyi

						np_datetime.cp311-win_amd64.lib
						np_datetime.cp311-win_amd64.pyd
						np_datetime.pyi
						offsets.cp311-win_amd64.lib
						offsets.cp311-win_amd64.pyd
						offsets.pyi
						parsing.cp311-win_amd64.lib
						parsing.cp311-win_amd64.pyd
						parsing.pyi
						period.cp311-win_amd64.lib
						period.cp311-win_amd64.pyd
						period.pyi
						strptime.cp311-win_amd64.lib
						strptime.cp311-win_amd64.pyd
						strptime.pyi
						timedeltas.cp311-win_amd64.lib
						timedeltas.cp311-win_amd64.pyd
						timedeltas.pyi
						timestamps.cp311-win_amd64.lib
						timestamps.cp311-win_amd64.pyd
						timestamps.pyi
						timezones.cp311-win_amd64.lib
						timezones.cp311-win_amd64.pyd
						timezones.pyi
						tzconversion.cp311-win_amd64.lib
						tzconversion.cp311-win_amd64.pyd
						tzconversion.pyi
						vectorized.cp311-win_amd64.lib
						vectorized.cp311-win_amd64.pyd
						vectorized.pyi
						__init__.py
						\---__pycache__
						__init__.cpython-311.pyc
						+---window
						aggregations.cp311-win_amd64.lib
						aggregations.cp311-win_amd64.pyd
						aggregations.pyi
						indexers.cp311-win_amd64.lib
						indexers.cp311-win_amd64.pyd
						indexers.pyi
						__init__.py
						\---__pycache__
						__init__.cpython-311.pyc
						\---__pycache__
						__init__.cpython-311.pyc
						+---_testing

```

| | | asserters.py
| | | compat.py
| | | contexts.py
| | | _hypothesis.py
| | | _io.py
| | | _warnings.py
| | | __init__.py
| | |
| | | \---__pycache__
| | |     asserters.cpython-311.pyc
| | |     compat.cpython-311.pyc
| | |     contexts.cpython-311.pyc
| | |     _hypothesis.cpython-311.pyc
| | |     _io.cpython-311.pyc
| | |     _warnings.cpython-311.pyc
| | |     __init__.cpython-311.pyc
| | |
| | | \---__pycache__
| | |     conftest.cpython-311.pyc
| | |     testing.cpython-311.pyc
| | |     _typing.cpython-311.pyc
| | |     _version.cpython-311.pyc
| | |     _version_meson.cpython-311.pyc
| | |     __init__.cpython-311.pyc
| | |
| | +---pandas-2.2.3.dist-info
| | |     DELVEWHEEL
| | |     entry_points.txt
| | |     INSTALLER
| | |     LICENSE
| | |     METADATA
| | |     RECORD
| | |     WHEEL
| | |
| | +---pandas.libs
| | |     msvcp140-0f2ea95580b32bcfc81c235d5751ce78.dll
| | |
| | +---PIL
| | |     BdfFontFile.py
| | |     BlpImagePlugin.py
| | |     BmpImagePlugin.py
| | |     BufrStubImagePlugin.py
| | |     ContainerIO.py
| | |     CurImagePlugin.py
| | |     DcxImagePlugin.py
| | |     DdsImagePlugin.py
| | |     EpsImagePlugin.py
| | |     ExifTags.py
| | |     features.py
| | |     FitsImagePlugin.py
| | |     FliImagePlugin.py

```

				FontFile.py
				FpxImagePlugin.py
				FtexImagePlugin.py
				GbrImagePlugin.py
				GdImageFile.py
				GifImagePlugin.py
				GimpGradientFile.py
				GimpPaletteFile.py
				GribStubImagePlugin.py
				Hdf5StubImagePlugin.py
				IcnsImagePlugin.py
				IcoImagePlugin.py
				Image.py
				ImageChops.py
				ImageCms.py
				ImageColor.py
				ImageDraw.py
				ImageDraw2.py
				ImageEnhance.py
				ImageFile.py
				ImageFilter.py
				ImageFont.py
				ImageGrab.py
				ImageMath.py
				ImageMode.py
				ImageMorph.py
				ImageOps.py
				ImagePalette.py
				ImagePath.py
				ImageQt.py
				ImageSequence.py
				ImageShow.py
				ImageStat.py
				ImageTk.py
				ImageTransform.py
				ImageWin.py
				ImImagePlugin.py
				ImtImagePlugin.py
				IptcImagePlugin.py
				Jpeg2KImagePlugin.py
				JpegImagePlugin.py
				JpegPresets.py
				McIdasImagePlugin.py
				MicImagePlugin.py
				MpegImagePlugin.py
				MpoImagePlugin.py
				MspImagePlugin.py
				PaletteFile.py
				PalmImagePlugin.py
				PcdImagePlugin.py
				PcfFontFile.py

				PcxImagePlugin.py
				PdfImagePlugin.py
				PdfParser.py
				PixarImagePlugin.py
				PngImagePlugin.py
				PpmImagePlugin.py
				PsdImagePlugin.py
				PSDraw.py
				py.typed
				QoiImagePlugin.py
				report.py
				SgiImagePlugin.py
				SpiderImagePlugin.py
				SunImagePlugin.py
				TarIO.py
				TgaImagePlugin.py
				TiffImagePlugin.py
				TiffTags.py
				WalImageFile.py
				WebPImagePlugin.py
				WmfImagePlugin.py
				XbmImagePlugin.py
				XpmImagePlugin.py
				XVThumbImagePlugin.py
				_binary.py
				_deprecate.py
				_imaging.cp311-win_amd64.pyd
				_imaging.pyi
				_imagingcms.cp311-win_amd64.pyd
				_imagingcms.pyi
				_imagingft.cp311-win_amd64.pyd
				_imagingft.pyi
				_imagingmath.cp311-win_amd64.pyd
				_imagingmath.pyi
				_imagingmorph.cp311-win_amd64.pyd
				_imagingmorph.pyi
				_imagingtk.cp311-win_amd64.pyd
				_imagingtk.pyi
				_tkinter_finder.py
				_typing.py
				_util.py
				_version.py
				_webp.cp311-win_amd64.pyd
				_webp.pyi
				__init__.py
				__main__.py
				\---__pycache__
				BdfFontFile.cpython-311.pyc
				BlpImagePlugin.cpython-311.pyc
				BmpImagePlugin.cpython-311.pyc

			BufrStubImagePlugin.cpython-311.pyc
			ContainerIO.cpython-311.pyc
			CurImagePlugin.cpython-311.pyc
			DcxImagePlugin.cpython-311.pyc
			DdsImagePlugin.cpython-311.pyc
			EpsImagePlugin.cpython-311.pyc
			ExifTags.cpython-311.pyc
			features.cpython-311.pyc
			FitsImagePlugin.cpython-311.pyc
			FliImagePlugin.cpython-311.pyc
			FontFile.cpython-311.pyc
			FpxImagePlugin.cpython-311.pyc
			FtexImagePlugin.cpython-311.pyc
			GbrImagePlugin.cpython-311.pyc
			GdImageFile.cpython-311.pyc
			GifImagePlugin.cpython-311.pyc
			GimpGradientFile.cpython-311.pyc
			GimpPaletteFile.cpython-311.pyc
			GribStubImagePlugin.cpython-311.pyc
			Hdf5StubImagePlugin.cpython-311.pyc
			IcnsImagePlugin.cpython-311.pyc
			IcoImagePlugin.cpython-311.pyc
			Image.cpython-311.pyc
			ImageChops.cpython-311.pyc
			ImageCms.cpython-311.pyc
			ImageColor.cpython-311.pyc
			ImageDraw.cpython-311.pyc
			ImageDraw2.cpython-311.pyc
			ImageEnhance.cpython-311.pyc
			ImageFile.cpython-311.pyc
			ImageFilter.cpython-311.pyc
			ImageFont.cpython-311.pyc
			ImageGrab.cpython-311.pyc
			ImageMath.cpython-311.pyc
			ImageMode.cpython-311.pyc
			ImageMorph.cpython-311.pyc
			ImageOps.cpython-311.pyc
			ImagePalette.cpython-311.pyc
			ImagePath.cpython-311.pyc
			ImageQt.cpython-311.pyc
			ImageSequence.cpython-311.pyc
			ImageShow.cpython-311.pyc
			ImageStat.cpython-311.pyc
			ImageTk.cpython-311.pyc
			ImageTransform.cpython-311.pyc
			ImageWin.cpython-311.pyc
			ImImagePlugin.cpython-311.pyc
			ImtImagePlugin.cpython-311.pyc
			IptcImagePlugin.cpython-311.pyc
			Jpeg2KImagePlugin.cpython-311.pyc
			JpegImagePlugin.cpython-311.pyc

			JpegPresets.cpython-311.pyc
			McIdasImagePlugin.cpython-311.pyc
			MicImagePlugin.cpython-311.pyc
			MpegImagePlugin.cpython-311.pyc
			MpoImagePlugin.cpython-311.pyc
			MspImagePlugin.cpython-311.pyc
			PaletteFile.cpython-311.pyc
			PalmImagePlugin.cpython-311.pyc
			PcdImagePlugin.cpython-311.pyc
			PcfFontFile.cpython-311.pyc
			PcxImagePlugin.cpython-311.pyc
			PdfImagePlugin.cpython-311.pyc
			PdfParser.cpython-311.pyc
			PixarImagePlugin.cpython-311.pyc
			PngImagePlugin.cpython-311.pyc
			PpmImagePlugin.cpython-311.pyc
			PsdImagePlugin.cpython-311.pyc
			PSDraw.cpython-311.pyc
			QoiImagePlugin.cpython-311.pyc
			report.cpython-311.pyc
			SgiImagePlugin.cpython-311.pyc
			SpiderImagePlugin.cpython-311.pyc
			SunImagePlugin.cpython-311.pyc
			TarIO.cpython-311.pyc
			TgaImagePlugin.cpython-311.pyc
			TiffImagePlugin.cpython-311.pyc
			TiffTags.cpython-311.pyc
			WalImageFile.cpython-311.pyc
			WebPImagePlugin.cpython-311.pyc
			WmfImagePlugin.cpython-311.pyc
			XbmImagePlugin.cpython-311.pyc
			XpmImagePlugin.cpython-311.pyc
			XVThumbImagePlugin.cpython-311.pyc
			_binary.cpython-311.pyc
			_deprecate.cpython-311.pyc
			_tkinter_finder.cpython-311.pyc
			_typing.cpython-311.pyc
			_util.cpython-311.pyc
			_version.cpython-311.pyc
			__init__.cpython-311.pyc
			__main__.cpython-311.pyc
			+++pillow-11.0.0.dist-info
			INSTALLER
			LICENSE
			METADATA
			RECORD
			top_level.txt
			WHEEL
			zip-safe

```

| | +---pip
| | | | py.typed
| | | | __init__.py
| | | | __main__.py
| | | | __pip-runner__.py
| | | |
| | | +---_internal
| | | | | build_env.py
| | | | | cache.py
| | | | | configuration.py
| | | | | exceptions.py
| | | | | main.py
| | | | | pyproject.py
| | | | | self_outdated_check.py
| | | | | wheel_builder.py
| | | | | __init__.py
| | | | |
| | | | +---cli
| | | | | | autocompletion.py
| | | | | | base_command.py
| | | | | | cmdoptions.py
| | | | | | command_context.py
| | | | | | index_command.py
| | | | | | main.py
| | | | | | main_parser.py
| | | | | | parser.py
| | | | | | progressBars.py
| | | | | | req_command.py
| | | | | | spinners.py
| | | | | | status_codes.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | autocompletion.cpython-311.pyc
| | | | | | base_command.cpython-311.pyc
| | | | | | cmdoptions.cpython-311.pyc
| | | | | | command_context.cpython-311.pyc
| | | | | | index_command.cpython-311.pyc
| | | | | | main.cpython-311.pyc
| | | | | | main_parser.cpython-311.pyc
| | | | | | parser.cpython-311.pyc
| | | | | | progressBars.cpython-311.pyc
| | | | | | req_command.cpython-311.pyc
| | | | | | spinners.cpython-311.pyc
| | | | | | status_codes.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | +---commands
| | | | | | cache.py
| | | | | | check.py
| | | | | | completion.py

```

					configuration.py
					debug.py
					download.py
					freeze.py
					hash.py
					help.py
					index.py
					inspect.py
					install.py
					list.py
					search.py
					show.py
					uninstall.py
					wheel.py
					__init__.py
					\---__pycache__
					cache.cpython-311.pyc
					check.cpython-311.pyc
					completion.cpython-311.pyc
					configuration.cpython-311.pyc
					debug.cpython-311.pyc
					download.cpython-311.pyc
					freeze.cpython-311.pyc
					hash.cpython-311.pyc
					help.cpython-311.pyc
					index.cpython-311.pyc
					inspect.cpython-311.pyc
					install.cpython-311.pyc
					list.cpython-311.pyc
					search.cpython-311.pyc
					show.cpython-311.pyc
					uninstall.cpython-311.pyc
					wheel.cpython-311.pyc
					__init__.cpython-311.pyc
					+---distributions
					base.py
					installed.py
					sdist.py
					wheel.py
					__init__.py
					\---__pycache__
					base.cpython-311.pyc
					installed.cpython-311.pyc
					sdist.cpython-311.pyc
					wheel.cpython-311.pyc
					__init__.cpython-311.pyc
					+---index

```

| | | | collector.py
| | | | package_finder.py
| | | | sources.py
| | | | __init__.py
| | | |
| | | | \---__pycache__
| | | |     collector.cpython-311.pyc
| | | |     package_finder.cpython-311.pyc
| | | |     sources.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---locations
| | | | | base.py
| | | | | _distutils.py
| | | | | _sysconfig.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     base.cpython-311.pyc
| | | | |     _distutils.cpython-311.pyc
| | | | |     _sysconfig.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | +---metadata
| | | | | base.py
| | | | | pkg_resources.py
| | | | | _json.py
| | | | | __init__.py
| | | | |
| | | | +---importlib
| | | | | _compat.py
| | | | | _dists.py
| | | | | _envs.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     _compat.cpython-311.pyc
| | | | |     _dists.cpython-311.pyc
| | | | |     _envs.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     base.cpython-311.pyc
| | | | |     pkg_resources.cpython-311.pyc
| | | | |     _json.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | +---models
| | | | | candidate.py
| | | | | direct_url.py
| | | | | format_control.py

```

```

| | | | | index.py
| | | | | installation_report.py
| | | | | link.py
| | | | | scheme.py
| | | | | search_scope.py
| | | | | selection_prefs.py
| | | | | target_python.py
| | | | | wheel.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | |     candidate.cpython-311.pyc
| | | |     direct_url.cpython-311.pyc
| | | |     format_control.cpython-311.pyc
| | | |     index.cpython-311.pyc
| | | |     installation_report.cpython-311.pyc
| | | |     link.cpython-311.pyc
| | | |     scheme.cpython-311.pyc
| | | |     search_scope.cpython-311.pyc
| | | |     selection_prefs.cpython-311.pyc
| | | |     target_python.cpython-311.pyc
| | | |     wheel.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---network
| | | | | auth.py
| | | | | cache.py
| | | | | download.py
| | | | | lazy_wheel.py
| | | | | session.py
| | | | | utils.py
| | | | | xmlrpc.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | |     auth.cpython-311.pyc
| | | |     cache.cpython-311.pyc
| | | |     download.cpython-311.pyc
| | | |     lazy_wheel.cpython-311.pyc
| | | |     session.cpython-311.pyc
| | | |     utils.cpython-311.pyc
| | | |     xmlrpc.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---operations
| | | | | check.py
| | | | | freeze.py
| | | | | prepare.py
| | | | | __init__.py
| | | | |
| | | | +---build

```

```

| | | | | | build_tracker.py
| | | | | | metadata.py
| | | | | | metadata_editable.py
| | | | | | metadata_legacy.py
| | | | | | wheel.py
| | | | | | wheel_editable.py
| | | | | | wheel_legacy.py
| | | | | | __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | |     build_tracker.cpython-311.pyc
| | | | | |     metadata.cpython-311.pyc
| | | | | |     metadata_editable.cpython-311.pyc
| | | | | |     metadata_legacy.cpython-311.pyc
| | | | | |     wheel.cpython-311.pyc
| | | | | |     wheel_editable.cpython-311.pyc
| | | | | |     wheel_legacy.cpython-311.pyc
| | | | | |     __init__.cpython-311.pyc
| | | | | |
| | | | | | +---install
| | | | | | |     editable_legacy.py
| | | | | | |     wheel.py
| | | | | | |     __init__.py
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | |     editable_legacy.cpython-311.pyc
| | | | | | |     wheel.cpython-311.pyc
| | | | | | |     __init__.cpython-311.pyc
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | |     check.cpython-311.pyc
| | | | | | |     freeze.cpython-311.pyc
| | | | | | |     prepare.cpython-311.pyc
| | | | | | |     __init__.cpython-311.pyc
| | | | | | |
| | | | | | +---req
| | | | | | |     constructors.py
| | | | | | |     req_file.py
| | | | | | |     req_install.py
| | | | | | |     req_set.py
| | | | | | |     req_uninstall.py
| | | | | | |     __init__.py
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | |     constructors.cpython-311.pyc
| | | | | | |     req_file.cpython-311.pyc
| | | | | | |     req_install.cpython-311.pyc
| | | | | | |     req_set.cpython-311.pyc
| | | | | | |     req_uninstall.cpython-311.pyc
| | | | | | |     __init__.cpython-311.pyc
| | | | | | |

```

```

| | | | +---resolution
| | | | | | base.py
| | | | | | __init__.py
| | | | |
| | | | +---legacy
| | | | | | resolver.py
| | | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | resolver.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---resolvelib
| | | | | | base.py
| | | | | | candidates.py
| | | | | | factory.py
| | | | | | found_candidates.py
| | | | | | provider.py
| | | | | | reporter.py
| | | | | | requirements.py
| | | | | | resolver.py
| | | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | base.cpython-311.pyc
| | | | | candidates.cpython-311.pyc
| | | | | factory.cpython-311.pyc
| | | | | found_candidates.cpython-311.pyc
| | | | | provider.cpython-311.pyc
| | | | | reporter.cpython-311.pyc
| | | | | requirements.cpython-311.pyc
| | | | | resolver.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | base.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---utils
| | | | | | appdirs.py
| | | | | | compat.py
| | | | | | compatibility_tags.py
| | | | | | datetime.py
| | | | | | deprecation.py
| | | | | | direct_url_helpers.py
| | | | | | egg_link.py
| | | | | | entrypoints.py
| | | | | | filesystem.py
| | | | | | filetypes.py
| | | | | | glibc.py
| | | | | | hashes.py

```


					logging.py
					misc.py
					packaging.py
					retry.py
					setuptools_build.py
					subprocess.py
					temp_dir.py
					unpacking.py
					urls.py
					virtualenv.py
					wheel.py
					_jaraco_text.py
					_log.py
					__init__.py
					\---__pycache__
					appdirs.cpython-311.pyc
					compat.cpython-311.pyc
					compatibility_tags.cpython-311.pyc
					datetime.cpython-311.pyc
					deprecation.cpython-311.pyc
					direct_url_helpers.cpython-311.pyc
					egg_link.cpython-311.pyc
					entrypoints.cpython-311.pyc
					filesystem.cpython-311.pyc
					filetypes.cpython-311.pyc
					glibc.cpython-311.pyc
					hashes.cpython-311.pyc
					logging.cpython-311.pyc
					misc.cpython-311.pyc
					packaging.cpython-311.pyc
					retry.cpython-311.pyc
					setuptools_build.cpython-311.pyc
					subprocess.cpython-311.pyc
					temp_dir.cpython-311.pyc
					unpacking.cpython-311.pyc
					urls.cpython-311.pyc
					virtualenv.cpython-311.pyc
					wheel.cpython-311.pyc
					_jaraco_text.cpython-311.pyc
					_log.cpython-311.pyc
					__init__.cpython-311.pyc
					+---vcs
					bazaar.py
					git.py
					mercurial.py
					subversion.py
					versioncontrol.py
					__init__.py

```

| | | | \---__pycache__
| | | |     bazaar.cpython-311.pyc
| | | |     git.cpython-311.pyc
| | | |     mercurial.cpython-311.pyc
| | | |     subversion.cpython-311.pyc
| | | |     versioncontrol.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | \---__pycache__
| | | |     build_env.cpython-311.pyc
| | | |     cache.cpython-311.pyc
| | | |     configuration.cpython-311.pyc
| | | |     exceptions.cpython-311.pyc
| | | |     main.cpython-311.pyc
| | | |     pyproject.cpython-311.pyc
| | | |     self_outdated_check.cpython-311.pyc
| | | |     wheel_builder.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---_vendor
| | | | |   typing_extensions.py
| | | | |   vendor.txt
| | | | |   __init__.py
| | | | |
| | | | |   +---cachecontrol
| | | | | |   adapter.py
| | | | | |   cache.py
| | | | | |   controller.py
| | | | | |   filewrapper.py
| | | | | |   heuristics.py
| | | | | |   py.typed
| | | | | |   serialize.py
| | | | | |   wrapper.py
| | | | | |   _cmd.py
| | | | | |   __init__.py
| | | | | |
| | | | |   +---caches
| | | | | |   file_cache.py
| | | | | |   redis_cache.py
| | | | | |   __init__.py
| | | | | |
| | | | |   \---__pycache__
| | | | | |   file_cache.cpython-311.pyc
| | | | | |   redis_cache.cpython-311.pyc
| | | | | |   __init__.cpython-311.pyc
| | | | | |
| | | | |   \---__pycache__
| | | | | |   adapter.cpython-311.pyc
| | | | | |   cache.cpython-311.pyc
| | | | | |   controller.cpython-311.pyc
| | | | | |   filewrapper.cpython-311.pyc

```

```

| | | | | heuristics.cpython-311.pyc
| | | | | serialize.cpython-311.pyc
| | | | | wrapper.cpython-311.pyc
| | | | | _cmd.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---certifi
| | | | | | cacert.pem
| | | | | | core.py
| | | | | | py.typed
| | | | | | __init__.py
| | | | | | __main__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | core.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | | __main__.cpython-311.pyc
| | | | | |
| | | | | +---distlib
| | | | | | compat.py
| | | | | | database.py
| | | | | | index.py
| | | | | | locators.py
| | | | | | manifest.py
| | | | | | markers.py
| | | | | | metadata.py
| | | | | | resources.py
| | | | | | scripts.py
| | | | | | t32.exe
| | | | | | t64-arm.exe
| | | | | | t64.exe
| | | | | | util.py
| | | | | | version.py
| | | | | | w32.exe
| | | | | | w64-arm.exe
| | | | | | w64.exe
| | | | | | wheel.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | compat.cpython-311.pyc
| | | | | | database.cpython-311.pyc
| | | | | | index.cpython-311.pyc
| | | | | | locators.cpython-311.pyc
| | | | | | manifest.cpython-311.pyc
| | | | | | markers.cpython-311.pyc
| | | | | | metadata.cpython-311.pyc
| | | | | | resources.cpython-311.pyc
| | | | | | scripts.cpython-311.pyc
| | | | | | util.cpython-311.pyc
| | | | | | version.cpython-311.pyc

```

```

| | | wheel.cpython-311.pyc
| | | __init__.cpython-311.pyc
| | |
| | | +---distro
| | | | distro.py
| | | | py.typed
| | | | __init__.py
| | | | __main__.py
| | | |
| | | | \---__pycache__
| | | | distro.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | | __main__.cpython-311.pyc
| | | |
| | | +---idna
| | | | codec.py
| | | | compat.py
| | | | core.py
| | | | idnadata.py
| | | | intranges.py
| | | | package_data.py
| | | | py.typed
| | | | uts46data.py
| | | | __init__.py
| | | |
| | | | \---__pycache__
| | | | codec.cpython-311.pyc
| | | | compat.cpython-311.pyc
| | | | core.cpython-311.pyc
| | | | idnadata.cpython-311.pyc
| | | | intranges.cpython-311.pyc
| | | | package_data.cpython-311.pyc
| | | | uts46data.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | +---msgpack
| | | | exceptions.py
| | | | ext.py
| | | | fallback.py
| | | | __init__.py
| | | |
| | | | \---__pycache__
| | | | exceptions.cpython-311.pyc
| | | | ext.cpython-311.pyc
| | | | fallback.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | +---packaging
| | | | markers.py
| | | | metadata.py
| | | | py.typed

```

```

| | | | requirements.py
| | | | specifiers.py
| | | | tags.py
| | | | utils.py
| | | | version.py
| | | | _elffile.py
| | | | _manylinux.py
| | | | _musllinux.py
| | | | _parser.py
| | | | _structures.py
| | | | _tokenizer.py
| | | | __init__.py
| | | |
| | | | +---licenses
| | | | | _spdx.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | _spdx.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | markers.cpython-311.pyc
| | | | | metadata.cpython-311.pyc
| | | | | requirements.cpython-311.pyc
| | | | | specifiers.cpython-311.pyc
| | | | | tags.cpython-311.pyc
| | | | | utils.cpython-311.pyc
| | | | | version.cpython-311.pyc
| | | | | _elffile.cpython-311.pyc
| | | | | _manylinux.cpython-311.pyc
| | | | | _musllinux.cpython-311.pyc
| | | | | _parser.cpython-311.pyc
| | | | | _structures.cpython-311.pyc
| | | | | _tokenizer.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---pkg_resources
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---platformdirs
| | | | | android.py
| | | | | api.py
| | | | | macos.py
| | | | | py.typed
| | | | | unix.py
| | | | | version.py
| | | | | windows.py

```

```

| | | | | __init__.py
| | | | | __main__.py
| | | | |
| | | | | \---__pycache__
| | | | |     android.cpython-311.pyc
| | | | |     api.cpython-311.pyc
| | | | |     macos.cpython-311.pyc
| | | | |     unix.cpython-311.pyc
| | | | |     version.cpython-311.pyc
| | | | |     windows.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |     __main__.cpython-311.pyc
| | | | |
| | | | | +---pygments
| | | | | | cmdline.py
| | | | | | console.py
| | | | | | filter.py
| | | | | | formatter.py
| | | | | | lexer.py
| | | | | | modeline.py
| | | | | | plugin.py
| | | | | | regexopt.py
| | | | | | scanner.py
| | | | | | sphinxext.py
| | | | | | style.py
| | | | | | token.py
| | | | | | unistring.py
| | | | | | util.py
| | | | | | __init__.py
| | | | | | __main__.py
| | | | | |
| | | | | +---filters
| | | | | | | __init__.py
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | |     __init__.cpython-311.pyc
| | | | | | |
| | | | | +---formatters
| | | | | | | bbcode.py
| | | | | | | groff.py
| | | | | | | html.py
| | | | | | | img.py
| | | | | | | irc.py
| | | | | | | latex.py
| | | | | | | other.py
| | | | | | | pangomarkup.py
| | | | | | | rtf.py
| | | | | | | svg.py
| | | | | | | terminal.py
| | | | | | | terminal256.py
| | | | | | | _mapping.py

```

```

| | | | | | | __init__.py
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | |     bbcode.cpython-311.pyc
| | | | | | |     groff.cpython-311.pyc
| | | | | | |     html.cpython-311.pyc
| | | | | | |     img.cpython-311.pyc
| | | | | | |     irc.cpython-311.pyc
| | | | | | |     latex.cpython-311.pyc
| | | | | | |     other.cpython-311.pyc
| | | | | | |     pangomarkup.cpython-311.pyc
| | | | | | |     rtf.cpython-311.pyc
| | | | | | |     svg.cpython-311.pyc
| | | | | | |     terminal.cpython-311.pyc
| | | | | | |     terminal256.cpython-311.pyc
| | | | | | |     _mapping.cpython-311.pyc
| | | | | | |     __init__.cpython-311.pyc
| | | | | | |
| | | | | | | +---lexers
| | | | | | | | python.py
| | | | | | | | _mapping.py
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | |     python.cpython-311.pyc
| | | | | | | |     _mapping.cpython-311.pyc
| | | | | | | |     __init__.cpython-311.pyc
| | | | | | | |
| | | | | | | +---styles
| | | | | | | | _mapping.py
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | |     _mapping.cpython-311.pyc
| | | | | | | |     __init__.cpython-311.pyc
| | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | |     cmdline.cpython-311.pyc
| | | | | | | |     console.cpython-311.pyc
| | | | | | | |     filter.cpython-311.pyc
| | | | | | | |     formatter.cpython-311.pyc
| | | | | | | |     lexer.cpython-311.pyc
| | | | | | | |     modeline.cpython-311.pyc
| | | | | | | |     plugin.cpython-311.pyc
| | | | | | | |     regexopt.cpython-311.pyc
| | | | | | | |     scanner.cpython-311.pyc
| | | | | | | |     sphinxext.cpython-311.pyc
| | | | | | | |     style.cpython-311.pyc
| | | | | | | |     token.cpython-311.pyc
| | | | | | | |     unistring.cpython-311.pyc
| | | | | | | |     util.cpython-311.pyc

```

```

| | | | | __init__.cpython-311.pyc
| | | | | __main__.cpython-311.pyc
| | | | |
| | | | | +---pyproject_hooks
| | | | | | py.typed
| | | | | | _impl.py
| | | | | | __init__.py
| | | | | |
| | | | | +---_in_process
| | | | | | | _in_process.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | \---__pycache__
| | | | | | | _in_process.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | | \---__pycache__
| | | | | | | _impl.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | +---requests
| | | | | | adapters.py
| | | | | | api.py
| | | | | | auth.py
| | | | | | certs.py
| | | | | | compat.py
| | | | | | cookies.py
| | | | | | exceptions.py
| | | | | | help.py
| | | | | | hooks.py
| | | | | | models.py
| | | | | | packages.py
| | | | | | sessions.py
| | | | | | status_codes.py
| | | | | | structures.py
| | | | | | utils.py
| | | | | | _internal_utils.py
| | | | | | __init__.py
| | | | | | __version__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | | | adapters.cpython-311.pyc
| | | | | | | api.cpython-311.pyc
| | | | | | | auth.cpython-311.pyc
| | | | | | | certs.cpython-311.pyc
| | | | | | | compat.cpython-311.pyc
| | | | | | | cookies.cpython-311.pyc
| | | | | | | exceptions.cpython-311.pyc
| | | | | | | help.cpython-311.pyc
| | | | | | | hooks.cpython-311.pyc
| | | | | | | models.cpython-311.pyc

```



```

| | | | packages.cpython-311.pyc
| | | | sessions.cpython-311.pyc
| | | | status_codes.cpython-311.pyc
| | | | structures.cpython-311.pyc
| | | | utils.cpython-311.pyc
| | | | _internal_utils.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | | __version__.cpython-311.pyc
| | | |
| | | | +---resolvelib
| | | | | providers.py
| | | | | py.typed
| | | | | reporters.py
| | | | | resolvers.py
| | | | | structs.py
| | | | | __init__.py
| | | | |
| | | | +---compat
| | | | | collections_abc.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | collections_abc.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | providers.cpython-311.pyc
| | | | | reporters.cpython-311.pyc
| | | | | resolvers.cpython-311.pyc
| | | | | structs.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---rich
| | | | | abc.py
| | | | | align.py
| | | | | ansi.py
| | | | | bar.py
| | | | | box.py
| | | | | cells.py
| | | | | color.py
| | | | | color_triplet.py
| | | | | columns.py
| | | | | console.py
| | | | | constrain.py
| | | | | containers.py
| | | | | control.py
| | | | | default_styles.py
| | | | | diagnose.py
| | | | | emoji.py
| | | | | errors.py
| | | | | filesize.py

```

						file_proxy.py
						highlighter.py
						json.py
						jupyter.py
						layout.py
						live.py
						live_render.py
						logging.py
						markup.py
						measure.py
						padding.py
						pager.py
						palette.py
						panel.py
						pretty.py
						progress.py
						progress_bar.py
						prompt.py
						protocol.py
						py.typed
						region.py
						repr.py
						rule.py
						scope.py
						screen.py
						segment.py
						spinner.py
						status.py
						style.py
						styled.py
						syntax.py
						table.py
						terminal_theme.py
						text.py
						theme.py
						themes.py
						traceback.py
						tree.py
						_cell_widths.py
						_emoji_codes.py
						_emoji_replace.py
						_export_format.py
						_extension.py
						_fileno.py
						_inspect.py
						_log_render.py
						_loop.py
						_null_file.py
						_palettes.py
						_pick.py
						_ratio.py

						_spinners.py
						_stack.py
						_timer.py
						_win32_console.py
						_windows.py
						_windows_renderer.py
						_wrap.py
						__init__.py
						__main__.py
						\--- __pycache__
						abc.cpython-311.pyc
						align.cpython-311.pyc
						ansi.cpython-311.pyc
						bar.cpython-311.pyc
						box.cpython-311.pyc
						cells.cpython-311.pyc
						color.cpython-311.pyc
						color_triplet.cpython-311.pyc
						columns.cpython-311.pyc
						console.cpython-311.pyc
						constrain.cpython-311.pyc
						containers.cpython-311.pyc
						control.cpython-311.pyc
						default_styles.cpython-311.pyc
						diagnose.cpython-311.pyc
						emoji.cpython-311.pyc
						errors.cpython-311.pyc
						filesize.cpython-311.pyc
						file_proxy.cpython-311.pyc
						highlighter.cpython-311.pyc
						json.cpython-311.pyc
						jupyter.cpython-311.pyc
						layout.cpython-311.pyc
						live.cpython-311.pyc
						live_render.cpython-311.pyc
						logging.cpython-311.pyc
						markup.cpython-311.pyc
						measure.cpython-311.pyc
						padding.cpython-311.pyc
						pager.cpython-311.pyc
						palette.cpython-311.pyc
						panel.cpython-311.pyc
						pretty.cpython-311.pyc
						progress.cpython-311.pyc
						progress_bar.cpython-311.pyc
						prompt.cpython-311.pyc
						protocol.cpython-311.pyc
						region.cpython-311.pyc
						repr.cpython-311.pyc
						rule.cpython-311.pyc

					scope.cpython-311.pyc
					screen.cpython-311.pyc
					segment.cpython-311.pyc
					spinner.cpython-311.pyc
					status.cpython-311.pyc
					style.cpython-311.pyc
					styled.cpython-311.pyc
					syntax.cpython-311.pyc
					table.cpython-311.pyc
					terminal_theme.cpython-311.pyc
					text.cpython-311.pyc
					theme.cpython-311.pyc
					themes.cpython-311.pyc
					traceback.cpython-311.pyc
					tree.cpython-311.pyc
					_cell_widths.cpython-311.pyc
					_emoji_codes.cpython-311.pyc
					_emoji_replace.cpython-311.pyc
					_export_format.cpython-311.pyc
					_extension.cpython-311.pyc
					_fileno.cpython-311.pyc
					_inspect.cpython-311.pyc
					_log_render.cpython-311.pyc
					_loop.cpython-311.pyc
					_null_file.cpython-311.pyc
					_palettes.cpython-311.pyc
					_pick.cpython-311.pyc
					_ratio.cpython-311.pyc
					_spinners.cpython-311.pyc
					_stack.cpython-311.pyc
					_timer.cpython-311.pyc
					_win32_console.cpython-311.pyc
					_windows.cpython-311.pyc
					_windows_renderer.cpython-311.pyc
					_wrap.cpython-311.pyc
					__init__.cpython-311.pyc
					__main__.cpython-311.pyc
					+---tomli
					py.typed
					_parser.py
					_re.py
					_types.py
					__init__.py
					\---__pycache__
					_parser.cpython-311.pyc
					_re.cpython-311.pyc
					_types.cpython-311.pyc
					__init__.cpython-311.pyc

```

| | | | +---truststore
| | | | | | py.typed
| | | | | | _api.py
| | | | | | _macos.py
| | | | | | _openssl.py
| | | | | | _ssl_constants.py
| | | | | | _windows.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | _api.cpython-311.pyc
| | | | | | _macos.cpython-311.pyc
| | | | | | _openssl.cpython-311.pyc
| | | | | | _ssl_constants.cpython-311.pyc
| | | | | | _windows.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | +---urllib3
| | | | | | connection.py
| | | | | | connectionpool.py
| | | | | | exceptions.py
| | | | | | fields.py
| | | | | | filepost.py
| | | | | | poolmanager.py
| | | | | | request.py
| | | | | | response.py
| | | | | | _collections.py
| | | | | | _version.py
| | | | | | __init__.py
| | | | | |
| | | | | +---contrib
| | | | | | | appengine.py
| | | | | | | ntlmpool.py
| | | | | | | pyopenssl.py
| | | | | | | securetransport.py
| | | | | | | socks.py
| | | | | | | _appengine_environ.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | +---_securetransport
| | | | | | | | bindings.py
| | | | | | | | low_level.py
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | \---__pycache__
| | | | | | | | bindings.cpython-311.pyc
| | | | | | | | low_level.cpython-311.pyc
| | | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | | \---__pycache__
| | | | | | appengine.cpython-311.pyc

```

```

| | | | | ntlmpool.cpython-311.pyc
| | | | | pyopenssl.cpython-311.pyc
| | | | | securetransport.cpython-311.pyc
| | | | | socks.cpython-311.pyc
| | | | | _appengine_environ.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---packages
| | | | | six.py
| | | | | __init__.py
| | | | |
| | | | +---backports
| | | | | makefile.py
| | | | | weakref_finalize.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | makefile.cpython-311.pyc
| | | | | weakref_finalize.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | six.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---util
| | | | | connection.py
| | | | | proxy.py
| | | | | queue.py
| | | | | request.py
| | | | | response.py
| | | | | retry.py
| | | | | ssltransport.py
| | | | | ssl_.py
| | | | | ssl_match_hostname.py
| | | | | timeout.py
| | | | | url.py
| | | | | wait.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | connection.cpython-311.pyc
| | | | | proxy.cpython-311.pyc
| | | | | queue.cpython-311.pyc
| | | | | request.cpython-311.pyc
| | | | | response.cpython-311.pyc
| | | | | retry.cpython-311.pyc
| | | | | ssltransport.cpython-311.pyc
| | | | | ssl_.cpython-311.pyc
| | | | | ssl_match_hostname.cpython-311.pyc
| | | | | timeout.cpython-311.pyc

```

```

| | | | | url.cpython-311.pyc
| | | | | wait.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | connection.cpython-311.pyc
| | | | connectionpool.cpython-311.pyc
| | | | exceptions.cpython-311.pyc
| | | | fields.cpython-311.pyc
| | | | filepost.cpython-311.pyc
| | | | poolmanager.cpython-311.pyc
| | | | request.cpython-311.pyc
| | | | response.cpython-311.pyc
| | | | _collections.cpython-311.pyc
| | | | _version.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | \---__pycache__
| | | | typing_extensions.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | \---__pycache__
| | | | __init__.cpython-311.pyc
| | | | __main__.cpython-311.pyc
| | | | __pip-runner__.cpython-311.pyc
| | | |
| | +---pip-25.0.1.dist-info
| | | AUTHORS.txt
| | | entry_points.txt
| | | INSTALLER
| | | LICENSE.txt
| | | METADATA
| | | RECORD
| | | REQUESTED
| | | top_level.txt
| | | WHEEL
| | |
| | +---pkg_resources
| | | | __init__.py
| | | |
| | | +---extern
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---_vendor
| | | | appdirs.py
| | | | zipp.py
| | | | __init__.py
| | | |

```

```

| | | | +---importlib_resources
| | | | | | abc.py
| | | | | | readers.py
| | | | | | simple.py
| | | | | | _adapters.py
| | | | | | _common.py
| | | | | | _compat.py
| | | | | | _itertools.py
| | | | | | _legacy.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | abc.cpython-311.pyc
| | | | | | readers.cpython-311.pyc
| | | | | | simple.cpython-311.pyc
| | | | | | _adapters.cpython-311.pyc
| | | | | | _common.cpython-311.pyc
| | | | | | _compat.cpython-311.pyc
| | | | | | _itertools.cpython-311.pyc
| | | | | | _legacy.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | +---jaraco
| | | | | | context.py
| | | | | | functools.py
| | | | | | __init__.py
| | | | | |
| | | | | +---text
| | | | | | | __init__.py
| | | | | | |
| | | | | | \---__pycache__
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | | \---__pycache__
| | | | | | | context.cpython-311.pyc
| | | | | | | functools.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | +---more_itertools
| | | | | | more.py
| | | | | | recipes.py
| | | | | | __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | | | more.cpython-311.pyc
| | | | | | | recipes.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | +---packaging
| | | | | | markers.py
| | | | | | requirements.py

```



```

| | | | | specifiers.py
| | | | | tags.py
| | | | | utils.py
| | | | | version.py
| | | | | _manylinux.py
| | | | | _musllinux.py
| | | | | _structures.py
| | | | | __about__.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     markers.cpython-311.pyc
| | | | |     requirements.cpython-311.pyc
| | | | |     specifiers.cpython-311.pyc
| | | | |     tags.cpython-311.pyc
| | | | |     utils.cpython-311.pyc
| | | | |     version.cpython-311.pyc
| | | | |     _manylinux.cpython-311.pyc
| | | | |     _musllinux.cpython-311.pyc
| | | | |     _structures.cpython-311.pyc
| | | | |     __about__.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---pyparsing
| | | | | | actions.py
| | | | | | common.py
| | | | | | core.py
| | | | | | exceptions.py
| | | | | | helpers.py
| | | | | | results.py
| | | | | | testing.py
| | | | | | unicode.py
| | | | | | util.py
| | | | | | __init__.py
| | | | | |
| | | | | +---diagram
| | | | | | | __init__.py
| | | | | | |
| | | | | | \---__pycache__
| | | | | |     __init__.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__
| | | | |     actions.cpython-311.pyc
| | | | |     common.cpython-311.pyc
| | | | |     core.cpython-311.pyc
| | | | |     exceptions.cpython-311.pyc
| | | | |     helpers.cpython-311.pyc
| | | | |     results.cpython-311.pyc
| | | | |     testing.cpython-311.pyc
| | | | |     unicode.cpython-311.pyc
| | | | |     util.cpython-311.pyc

```

```

| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | appdirs.cpython-311.pyc
| | | | | zipp.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---proto
| | | | | datetime_helpers.py
| | | | | enums.py
| | | | | fields.py
| | | | | message.py
| | | | | modules.py
| | | | | primitives.py
| | | | | utils.py
| | | | | version.py
| | | | | _file_info.py
| | | | | _package_info.py
| | | | | __init__.py
| | | | |
| | | | +---marshal
| | | | | | compat.py
| | | | | | marshal.py
| | | | | | __init__.py
| | | | | |
| | | | | +---collections
| | | | | | | maps.py
| | | | | | | repeated.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | \---__pycache__
| | | | | | maps.cpython-311.pyc
| | | | | | repeated.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | +---rules
| | | | | | | bytes.py
| | | | | | | dates.py
| | | | | | | enums.py
| | | | | | | field_mask.py
| | | | | | | message.py
| | | | | | | stringy_numbers.py
| | | | | | | struct.py
| | | | | | | wrappers.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | \---__pycache__
| | | | | | bytes.cpython-311.pyc

```

```

| | | | | dates.cpython-311.pyc
| | | | | enums.cpython-311.pyc
| | | | | field_mask.cpython-311.pyc
| | | | | message.cpython-311.pyc
| | | | | stringy_numbers.cpython-311.pyc
| | | | | struct.cpython-311.pyc
| | | | | wrappers.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | compat.cpython-311.pyc
| | | | | marshal.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | datetime_helpers.cpython-311.pyc
| | | | | enums.cpython-311.pyc
| | | | | fields.cpython-311.pyc
| | | | | message.cpython-311.pyc
| | | | | modules.cpython-311.pyc
| | | | | primitives.cpython-311.pyc
| | | | | utils.cpython-311.pyc
| | | | | version.cpython-311.pyc
| | | | | _file_info.cpython-311.pyc
| | | | | _package_info.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | +---protobuf-6.30.1.dist-info
| | | | | INSTALLER
| | | | | LICENSE
| | | | | METADATA
| | | | | RECORD
| | | | | WHEEL
| | | | |
| | +---proto_plus-1.26.1.dist-info
| | | | | INSTALLER
| | | | | LICENSE
| | | | | METADATA
| | | | | RECORD
| | | | | top_level.txt
| | | | | WHEEL
| | | | |
| | +---psutil
| | | | | _common.py
| | | | | _psaix.py
| | | | | _psbsd.py
| | | | | _pslinux.py
| | | | | _psosx.py
| | | | | _psposix.py
| | | | | _pssunos.py
| | | | | _psutil_windows.pyd

```

```

| | | | _pswindows.py
| | | | __init__.py
| | | |
| | | | +---tests
| | | | | test_aix.py
| | | | | test_bsd.py
| | | | | test_connections.py
| | | | | test_contracts.py
| | | | | test_linux.py
| | | | | test_memleaks.py
| | | | | test_misc.py
| | | | | test_osx.py
| | | | | test_posix.py
| | | | | test_process.py
| | | | | test_process_all.py
| | | | | test_scripts.py
| | | | | test_sunos.py
| | | | | test_system.py
| | | | | test_testutils.py
| | | | | test_unicode.py
| | | | | test_windows.py
| | | | | __init__.py
| | | | | __main__.py
| | | | |
| | | | \---__pycache__
| | | | | test_aix.cpython-311.pyc
| | | | | test_bsd.cpython-311.pyc
| | | | | test_connections.cpython-311.pyc
| | | | | test_contracts.cpython-311.pyc
| | | | | test_linux.cpython-311.pyc
| | | | | test_memleaks.cpython-311.pyc
| | | | | test_misc.cpython-311.pyc
| | | | | test_osx.cpython-311.pyc
| | | | | test_posix.cpython-311.pyc
| | | | | test_process.cpython-311.pyc
| | | | | test_process_all.cpython-311.pyc
| | | | | test_scripts.cpython-311.pyc
| | | | | test_sunos.cpython-311.pyc
| | | | | test_system.cpython-311.pyc
| | | | | test_testutils.cpython-311.pyc
| | | | | test_unicode.cpython-311.pyc
| | | | | test_windows.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | | __main__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | _common.cpython-311.pyc
| | | | | _psaix.cpython-311.pyc
| | | | | _psbsd.cpython-311.pyc
| | | | | _pslinux.cpython-311.pyc
| | | | | _psosx.cpython-311.pyc

```

```

| | | _psposix.cpython-311.pyc
| | | _pssunos.cpython-311.pyc
| | | _pswindows.cpython-311.pyc
| | | __init__.cpython-311.pyc
| | |
| | +---psutil-7.0.0.dist-info
| | |
| | | INSTALLER
| | |
| | | LICENSE
| | |
| | | METADATA
| | |
| | | RECORD
| | |
| | | top_level.txt
| | |
| | | WHEEL
| | |
| | +---pyasn1
| | |
| | | | debug.py
| | | |
| | | | error.py
| | | |
| | | | __init__.py
| | | |
| | | |
| | | | +---codec
| | | | |
| | | | | streaming.py
| | | | |
| | | | | __init__.py
| | | | |
| | | | |
| | | | | +---ber
| | | | | |
| | | | | | decoder.py
| | | | | |
| | | | | | encoder.py
| | | | | |
| | | | | | eoo.py
| | | | | |
| | | | | | __init__.py
| | | | | |
| | | | | |
| | | | | \---__pycache__
| | | | |
| | | | | decoder.cpython-311.pyc
| | | | |
| | | | | encoder.cpython-311.pyc
| | | | |
| | | | | eoo.cpython-311.pyc
| | | | |
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | |
| | | | | +---cer
| | | | | |
| | | | | | decoder.py
| | | | | |
| | | | | | encoder.py
| | | | | |
| | | | | | __init__.py
| | | | | |
| | | | | |
| | | | | \---__pycache__
| | | | |
| | | | | decoder.cpython-311.pyc
| | | | |
| | | | | encoder.cpython-311.pyc
| | | | |
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | |
| | | | | +---der
| | | | | |
| | | | | | decoder.py
| | | | | |
| | | | | | encoder.py
| | | | | |
| | | | | | __init__.py
| | | | | |
| | | | | |
| | | | | \---__pycache__
| | | | |
| | | | | decoder.cpython-311.pyc

```

```

| | | | | encoder.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---native
| | | | | | decoder.py
| | | | | | encoder.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | decoder.cpython-311.pyc
| | | | | | encoder.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__
| | | | | | streaming.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | +---compat
| | | | | | integer.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | integer.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | +---type
| | | | | | base.py
| | | | | | char.py
| | | | | | constraint.py
| | | | | | error.py
| | | | | | namedtype.py
| | | | | | namedval.py
| | | | | | opentype.py
| | | | | | tag.py
| | | | | | tagmap.py
| | | | | | univ.py
| | | | | | useful.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | base.cpython-311.pyc
| | | | | | char.cpython-311.pyc
| | | | | | constraint.cpython-311.pyc
| | | | | | error.cpython-311.pyc
| | | | | | namedtype.cpython-311.pyc
| | | | | | namedval.cpython-311.pyc
| | | | | | opentype.cpython-311.pyc
| | | | | | tag.cpython-311.pyc
| | | | | | tagmap.cpython-311.pyc
| | | | | | univ.cpython-311.pyc
| | | | | | useful.cpython-311.pyc

```

```
| | | | __init__.cpython-311.pyc
| | | |
| | | | \---__pycache__
| | | |     debug.cpython-311.pyc
| | | |     error.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | +---pyasn1-0.6.1.dist-info
| | | |     INSTALLER
| | | |     LICENSE.rst
| | | |     METADATA
| | | |     RECORD
| | | |     top_level.txt
| | | |     WHEEL
| | | |     zip-safe
| | | |
| | +---pyasn1_modules
| | | |     pem.py
| | | |     rfc1155.py
| | | |     rfc1157.py
| | | |     rfc1901.py
| | | |     rfc1902.py
| | | |     rfc1905.py
| | | |     rfc2251.py
| | | |     rfc2314.py
| | | |     rfc2315.py
| | | |     rfc2437.py
| | | |     rfc2459.py
| | | |     rfc2511.py
| | | |     rfc2560.py
| | | |     rfc2631.py
| | | |     rfc2634.py
| | | |     rfc2876.py
| | | |     rfc2985.py
| | | |     rfc2986.py
| | | |     rfc3058.py
| | | |     rfc3114.py
| | | |     rfc3125.py
| | | |     rfc3161.py
| | | |     rfc3274.py
| | | |     rfc3279.py
| | | |     rfc3280.py
| | | |     rfc3281.py
| | | |     rfc3370.py
| | | |     rfc3412.py
| | | |     rfc3414.py
| | | |     rfc3447.py
| | | |     rfc3537.py
| | | |     rfc3560.py
| | | |     rfc3565.py
| | | |     rfc3657.py
```

				rfc3709.py
				rfc3739.py
				rfc3770.py
				rfc3779.py
				rfc3820.py
				rfc3852.py
				rfc4010.py
				rfc4043.py
				rfc4055.py
				rfc4073.py
				rfc4108.py
				rfc4210.py
				rfc4211.py
				rfc4334.py
				rfc4357.py
				rfc4387.py
				rfc4476.py
				rfc4490.py
				rfc4491.py
				rfc4683.py
				rfc4985.py
				rfc5035.py
				rfc5083.py
				rfc5084.py
				rfc5126.py
				rfc5208.py
				rfc5275.py
				rfc5280.py
				rfc5480.py
				rfc5636.py
				rfc5639.py
				rfc5649.py
				rfc5652.py
				rfc5697.py
				rfc5751.py
				rfc5752.py
				rfc5753.py
				rfc5755.py
				rfc5913.py
				rfc5914.py
				rfc5915.py
				rfc5916.py
				rfc5917.py
				rfc5924.py
				rfc5934.py
				rfc5940.py
				rfc5958.py
				rfc5990.py
				rfc6010.py
				rfc6019.py
				rfc6031.py

				rfc6032.py
				rfc6120.py
				rfc6170.py
				rfc6187.py
				rfc6210.py
				rfc6211.py
				rfc6402.py
				rfc6482.py
				rfc6486.py
				rfc6487.py
				rfc6664.py
				rfc6955.py
				rfc6960.py
				rfc7030.py
				rfc7191.py
				rfc7229.py
				rfc7292.py
				rfc7296.py
				rfc7508.py
				rfc7585.py
				rfc7633.py
				rfc7773.py
				rfc7894.py
				rfc7906.py
				rfc7914.py
				rfc8017.py
				rfc8018.py
				rfc8103.py
				rfc8209.py
				rfc8226.py
				rfc8358.py
				rfc8360.py
				rfc8398.py
				rfc8410.py
				rfc8418.py
				rfc8419.py
				rfc8479.py
				rfc8494.py
				rfc8520.py
				rfc8619.py
				rfc8649.py
				rfc8692.py
				rfc8696.py
				rfc8702.py
				rfc8708.py
				rfc8769.py
				__init__.py
				\\---__pycache__
				pem.cpython-311.pyc
				rfc1155.cpython-311.pyc

			rfc1157.cpython-311.pyc
			rfc1901.cpython-311.pyc
			rfc1902.cpython-311.pyc
			rfc1905.cpython-311.pyc
			rfc2251.cpython-311.pyc
			rfc2314.cpython-311.pyc
			rfc2315.cpython-311.pyc
			rfc2437.cpython-311.pyc
			rfc2459.cpython-311.pyc
			rfc2511.cpython-311.pyc
			rfc2560.cpython-311.pyc
			rfc2631.cpython-311.pyc
			rfc2634.cpython-311.pyc
			rfc2876.cpython-311.pyc
			rfc2985.cpython-311.pyc
			rfc2986.cpython-311.pyc
			rfc3058.cpython-311.pyc
			rfc3114.cpython-311.pyc
			rfc3125.cpython-311.pyc
			rfc3161.cpython-311.pyc
			rfc3274.cpython-311.pyc
			rfc3279.cpython-311.pyc
			rfc3280.cpython-311.pyc
			rfc3281.cpython-311.pyc
			rfc3370.cpython-311.pyc
			rfc3412.cpython-311.pyc
			rfc3414.cpython-311.pyc
			rfc3447.cpython-311.pyc
			rfc3537.cpython-311.pyc
			rfc3560.cpython-311.pyc
			rfc3565.cpython-311.pyc
			rfc3657.cpython-311.pyc
			rfc3709.cpython-311.pyc
			rfc3739.cpython-311.pyc
			rfc3770.cpython-311.pyc
			rfc3779.cpython-311.pyc
			rfc3820.cpython-311.pyc
			rfc3852.cpython-311.pyc
			rfc4010.cpython-311.pyc
			rfc4043.cpython-311.pyc
			rfc4055.cpython-311.pyc
			rfc4073.cpython-311.pyc
			rfc4108.cpython-311.pyc
			rfc4210.cpython-311.pyc
			rfc4211.cpython-311.pyc
			rfc4334.cpython-311.pyc
			rfc4357.cpython-311.pyc
			rfc4387.cpython-311.pyc
			rfc4476.cpython-311.pyc
			rfc4490.cpython-311.pyc
			rfc4491.cpython-311.pyc

			rfc4683.cpython-311.pyc
			rfc4985.cpython-311.pyc
			rfc5035.cpython-311.pyc
			rfc5083.cpython-311.pyc
			rfc5084.cpython-311.pyc
			rfc5126.cpython-311.pyc
			rfc5208.cpython-311.pyc
			rfc5275.cpython-311.pyc
			rfc5280.cpython-311.pyc
			rfc5480.cpython-311.pyc
			rfc5636.cpython-311.pyc
			rfc5639.cpython-311.pyc
			rfc5649.cpython-311.pyc
			rfc5652.cpython-311.pyc
			rfc5697.cpython-311.pyc
			rfc5751.cpython-311.pyc
			rfc5752.cpython-311.pyc
			rfc5753.cpython-311.pyc
			rfc5755.cpython-311.pyc
			rfc5913.cpython-311.pyc
			rfc5914.cpython-311.pyc
			rfc5915.cpython-311.pyc
			rfc5916.cpython-311.pyc
			rfc5917.cpython-311.pyc
			rfc5924.cpython-311.pyc
			rfc5934.cpython-311.pyc
			rfc5940.cpython-311.pyc
			rfc5958.cpython-311.pyc
			rfc5990.cpython-311.pyc
			rfc6010.cpython-311.pyc
			rfc6019.cpython-311.pyc
			rfc6031.cpython-311.pyc
			rfc6032.cpython-311.pyc
			rfc6120.cpython-311.pyc
			rfc6170.cpython-311.pyc
			rfc6187.cpython-311.pyc
			rfc6210.cpython-311.pyc
			rfc6211.cpython-311.pyc
			rfc6402.cpython-311.pyc
			rfc6482.cpython-311.pyc
			rfc6486.cpython-311.pyc
			rfc6487.cpython-311.pyc
			rfc6664.cpython-311.pyc
			rfc6955.cpython-311.pyc
			rfc6960.cpython-311.pyc
			rfc7030.cpython-311.pyc
			rfc7191.cpython-311.pyc
			rfc7229.cpython-311.pyc
			rfc7292.cpython-311.pyc
			rfc7296.cpython-311.pyc
			rfc7508.cpython-311.pyc

```

| | | rfc7585.cpython-311.pyc
| | | rfc7633.cpython-311.pyc
| | | rfc7773.cpython-311.pyc
| | | rfc7894.cpython-311.pyc
| | | rfc7906.cpython-311.pyc
| | | rfc7914.cpython-311.pyc
| | | rfc8017.cpython-311.pyc
| | | rfc8018.cpython-311.pyc
| | | rfc8103.cpython-311.pyc
| | | rfc8209.cpython-311.pyc
| | | rfc8226.cpython-311.pyc
| | | rfc8358.cpython-311.pyc
| | | rfc8360.cpython-311.pyc
| | | rfc8398.cpython-311.pyc
| | | rfc8410.cpython-311.pyc
| | | rfc8418.cpython-311.pyc
| | | rfc8419.cpython-311.pyc
| | | rfc8479.cpython-311.pyc
| | | rfc8494.cpython-311.pyc
| | | rfc8520.cpython-311.pyc
| | | rfc8619.cpython-311.pyc
| | | rfc8649.cpython-311.pyc
| | | rfc8692.cpython-311.pyc
| | | rfc8696.cpython-311.pyc
| | | rfc8702.cpython-311.pyc
| | | rfc8708.cpython-311.pyc
| | | rfc8769.cpython-311.pyc
| | | __init__.cpython-311.pyc
| | |
| | +---pyasn1_modules-0.4.1.dist-info
| | |
| | | INSTALLER
| | | LICENSE.txt
| | | METADATA
| | | RECORD
| | | top_level.txt
| | | WHEEL
| | | zip-safe
| | |
| | +---pydantic
| | | | aliases.py
| | | | alias_generators.py
| | | | annotated_handlers.py
| | | | class_validators.py
| | | | color.py
| | | | config.py
| | | | dataclasses.py
| | | | datetime_parse.py
| | | | decorator.py
| | | | env_settings.py
| | | | errors.py
| | | | error_wrappers.py

```

```

| | | | fields.py
| | | | functional_serializers.py
| | | | functional_validators.py
| | | | generics.py
| | | | json.py
| | | | json_schema.py
| | | | main.py
| | | | mypy.py
| | | | networks.py
| | | | parse.py
| | | | py.typed
| | | | root_model.py
| | | | schema.py
| | | | tools.py
| | | | types.py
| | | | type_adapter.py
| | | | typing.py
| | | | utils.py
| | | | validate_call_decorator.py
| | | | validators.py
| | | | version.py
| | | | warnings.py
| | | | _migration.py
| | | | __init__.py
| | | |
| | | | +---deprecated
| | | | | class_validators.py
| | | | | config.py
| | | | | copy_internals.py
| | | | | decorator.py
| | | | | json.py
| | | | | parse.py
| | | | | tools.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | |     class_validators.cpython-311.pyc
| | | |     config.cpython-311.pyc
| | | |     copy_internals.cpython-311.pyc
| | | |     decorator.cpython-311.pyc
| | | |     json.cpython-311.pyc
| | | |     parse.cpython-311.pyc
| | | |     tools.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---experimental
| | | | | pipeline.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | |     pipeline.cpython-311.pyc

```

```

| | | | __init__.cpython-311.pyc
| | | |
| | | | +---plugin
| | | | | _loader.py
| | | | | _schema_validator.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | _loader.cpython-311.pyc
| | | | | _schema_validator.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---v1
| | | | | annotated_types.py
| | | | | class_validators.py
| | | | | color.py
| | | | | config.py
| | | | | dataclasses.py
| | | | | datetime_parse.py
| | | | | decorator.py
| | | | | env_settings.py
| | | | | errors.py
| | | | | error_wrappers.py
| | | | | fields.py
| | | | | generics.py
| | | | | json.py
| | | | | main.py
| | | | | mypy.py
| | | | | networks.py
| | | | | parse.py
| | | | | py.typed
| | | | | schema.py
| | | | | tools.py
| | | | | types.py
| | | | | typing.py
| | | | | utils.py
| | | | | validators.py
| | | | | version.py
| | | | | _hypothesis_plugin.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | annotated_types.cpython-311.pyc
| | | | | class_validators.cpython-311.pyc
| | | | | color.cpython-311.pyc
| | | | | config.cpython-311.pyc
| | | | | dataclasses.cpython-311.pyc
| | | | | datetime_parse.cpython-311.pyc
| | | | | decorator.cpython-311.pyc
| | | | | env_settings.cpython-311.pyc
| | | | | errors.cpython-311.pyc

```

				error_wrappers.cpython-311.pyc
				fields.cpython-311.pyc
				generics.cpython-311.pyc
				json.cpython-311.pyc
				main.cpython-311.pyc
				mypy.cpython-311.pyc
				networks.cpython-311.pyc
				parse.cpython-311.pyc
				schema.cpython-311.pyc
				tools.cpython-311.pyc
				types.cpython-311.pyc
				typing.cpython-311.pyc
				utils.cpython-311.pyc
				validators.cpython-311.pyc
				version.cpython-311.pyc
				_hypothesis_plugin.cpython-311.pyc
				__init__.cpython-311.pyc
			+---_internal	
				_config.py
				_core_metadata.py
				_core_utils.py
				_dataclasses.py
				_decorators.py
				_decorators_v1.py
				_discriminated_union.py
				_docs_extraction.py
				_fields.py
				_forward_ref.py
				_generate_schema.py
				_generics.py
				_git.py
				_import_utils.py
				_internal_dataclass.py
				_known_annotated_metadata.py
				_mock_val_ser.py
				_model_construction.py
				_namespace_utils.py
				_repr.py
				_schema_generation_shared.py
				_serializers.py
				_signature.py
				_std_types_schema.py
				_typing_extra.py
				_utils.py
				_validate_call.py
				_validators.py
				__init__.py
				\---__pycache__
				_config.cpython-311.pyc

				_core_metadata.cpython-311.pyc
				_core_utils.cpython-311.pyc
				_dataclasses.cpython-311.pyc
				_decorators.cpython-311.pyc
				_decorators_v1.cpython-311.pyc
				_discriminated_union.cpython-311.pyc
				_docs_extraction.cpython-311.pyc
				_fields.cpython-311.pyc
				_forward_ref.cpython-311.pyc
				_generate_schema.cpython-311.pyc
				_generics.cpython-311.pyc
				_git.cpython-311.pyc
				_import_utils.cpython-311.pyc
				_internal_dataclass.cpython-311.pyc
				_known_annotated_metadata.cpython-311.pyc
				_mock_val_ser.cpython-311.pyc
				_model_construction.cpython-311.pyc
				_namespace_utils.cpython-311.pyc
				_repr.cpython-311.pyc
				_schema_generation_shared.cpython-311.pyc
				_serializers.cpython-311.pyc
				_signature.cpython-311.pyc
				_std_types_schema.cpython-311.pyc
				_typing_extra.cpython-311.pyc
				_utils.cpython-311.pyc
				_validate_call.cpython-311.pyc
				_validators.cpython-311.pyc
				__init__.cpython-311.pyc
				\--- __pycache__
				aliases.cpython-311.pyc
				alias_generators.cpython-311.pyc
				annotated_handlers.cpython-311.pyc
				class_validators.cpython-311.pyc
				color.cpython-311.pyc
				config.cpython-311.pyc
				dataclasses.cpython-311.pyc
				datetime_parse.cpython-311.pyc
				decorator.cpython-311.pyc
				env_settings.cpython-311.pyc
				errors.cpython-311.pyc
				error_wrappers.cpython-311.pyc
				fields.cpython-311.pyc
				functional_serializers.cpython-311.pyc
				functional_validators.cpython-311.pyc
				generics.cpython-311.pyc
				json.cpython-311.pyc
				json_schema.cpython-311.pyc
				main.cpython-311.pyc
				mypy.cpython-311.pyc
				networks.cpython-311.pyc


```

| | | parse.cpython-311.pyc
| | | root_model.cpython-311.pyc
| | | schema.cpython-311.pyc
| | | tools.cpython-311.pyc
| | | types.cpython-311.pyc
| | | type_adapter.cpython-311.pyc
| | | typing.cpython-311.pyc
| | | utils.cpython-311.pyc
| | | validate_call_decorator.cpython-311.pyc
| | | validators.cpython-311.pyc
| | | version.cpython-311.pyc
| | | warnings.cpython-311.pyc
| | | _migration.cpython-311.pyc
| | | __init__.cpython-311.pyc
| | |
| | +---pydantic-2.10.6.dist-info
| | | | INSTALLER
| | | | METADATA
| | | | RECORD
| | | | WHEEL
| | | |
| | | \---licenses
| | | | LICENSE
| | | |
| | +---pydantic_core
| | | | core_schema.py
| | | | py.typed
| | | | _pydantic_core.cp311-win_amd64.pyd
| | | | _pydantic_core.pyi
| | | | __init__.py
| | | |
| | | \---__pycache__
| | | | core_schema.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | +---pydantic_core-2.27.2.dist-info
| | | | INSTALLER
| | | | METADATA
| | | | RECORD
| | | | WHEEL
| | | |
| | | \---licenses
| | | | LICENSE
| | | |
| | +---pyparsing
| | | | actions.py
| | | | common.py
| | | | core.py
| | | | exceptions.py
| | | | helpers.py
| | | | py.typed

```

```

| | | results.py
| | | testing.py
| | | unicode.py
| | | util.py
| | | __init__.py
| | |
| | | +---diagram
| | | | __init__.py
| | | |
| | | \---__pycache__
| | |     __init__.cpython-311.pyc
| | |
| | | \---__pycache__
| | |     actions.cpython-311.pyc
| | |     common.cpython-311.pyc
| | |     core.cpython-311.pyc
| | |     exceptions.cpython-311.pyc
| | |     helpers.cpython-311.pyc
| | |     results.cpython-311.pyc
| | |     testing.cpython-311.pyc
| | |     unicode.cpython-311.pyc
| | |     util.cpython-311.pyc
| | |     __init__.cpython-311.pyc
| | |
| | +---pyparsing-3.2.1.dist-info
| | | INSTALLER
| | | LICENSE
| | | METADATA
| | | RECORD
| | | WHEEL
| | |
| | +---python_dateutil-2.9.0.post0.dist-info
| | | INSTALLER
| | | LICENSE
| | | METADATA
| | | RECORD
| | | top_level.txt
| | | WHEEL
| | | zip-safe
| | |
| | +---python_dotenv-1.0.1.dist-info
| | | entry_points.txt
| | | INSTALLER
| | | LICENSE
| | | METADATA
| | | RECORD
| | | REQUESTED
| | | top_level.txt
| | | WHEEL
| | |
| | +---python_multipart

```

```
| | | decoders.py
| | | exceptions.py
| | | multipart.py
| | | py.typed
| | | __init__.py
| | |
| | | \---__pycache__
| | |     decoders.cpython-311.pyc
| | |     exceptions.cpython-311.pyc
| | |     multipart.cpython-311.pyc
| | |     __init__.cpython-311.pyc
| | |
| | +---python_multipart-0.0.20.dist-info
| | | | INSTALLER
| | | | METADATA
| | | | RECORD
| | | | REQUESTED
| | | | WHEEL
| | | |
| | | | \---licenses
| | | |     LICENSE.txt
| | | |
| | +---pytz
| | | | exceptions.py
| | | | lazy.py
| | | | reference.py
| | | | tzfile.py
| | | | tzinfo.py
| | | | __init__.py
| | | |
| | | | +---zoneinfo
| | | | | | CET
| | | | | | CST6CDT
| | | | | | Cuba
| | | | | | EET
| | | | | | Egypt
| | | | | | Eire
| | | | | | EST
| | | | | | EST5EDT
| | | | | | Factory
| | | | | | GB
| | | | | | GB-Eire
| | | | | | GMT
| | | | | | GMT+0
| | | | | | GMT-0
| | | | | | GMT0
| | | | | | Greenwich
| | | | | | Hongkong
| | | | | | HST
| | | | | | Iceland
| | | | | | Iran
```

					iso3166.tab
					Israel
					Jamaica
					Japan
					Kwajalein
					leapseconds
					Libya
					MET
					MST
					MST7MDT
					Navajo
					NZ
					NZ-CHAT
					Poland
					Portugal
					PRC
					PST8PDT
					ROC
					ROK
					Singapore
					Turkey
					tzdata.zi
					UCT
					Universal
					UTC
					W-SU
					WET
					zone.tab
					zone1970.tab
					zonenow.tab
					Zulu
					+---Africa
					Abidjan
					Accra
					Addis_Ababa
					Algiers
					Asmara
					Asmera
					Bamako
					Bangui
					Banjul
					Bissau
					Blantyre
					Brazzaville
					Bujumbura
					Cairo
					Casablanca
					Ceuta
					Conakry
					Dakar

					Dar_es_Salaam
					Djibouti
					Douala
					El_Aaiun
					Freetown
					Gaborone
					Harare
					Johannesburg
					Juba
					Kampala
					Khartoum
					Kigali
					Kinshasa
					Lagos
					Libreville
					Lome
					Luanda
					Lubumbashi
					Lusaka
					Malabo
					Maputo
					Maseru
					Mbabane
					Mogadishu
					Monrovia
					Nairobi
					Ndjamena
					Niamey
					Nouakchott
					Ouagadougou
					Porto-Novo
					Sao_Tome
					Timbuktu
					Tripoli
					Tunis
					Windhoek
				+	---America
					Adak
					Anchorage
					Anguilla
					Antigua
					Araguaina
					Aruba
					Asuncion
					Atikokan
					Atka
					Bahia
					Bahia_Banderas
					Barbados
					Belem

					Belize
					Blanc-Sablon
					Boa_Vista
					Bogota
					Boise
					Buenos_Aires
					Cambridge_Bay
					Campo_Grande
					Cancun
					Caracas
					Catamarca
					Cayenne
					Cayman
					Chicago
					Chihuahua
					Ciudad_Juarez
					Coral_Harbour
					Cordoba
					Costa_Rica
					Creston
					Cuiaba
					Curacao
					Danmarkshavn
					Dawson
					Dawson_Creek
					Denver
					Detroit
					Dominica
					Edmonton
					Eirunepe
					El_Salvador
					Ensenada
					Fortaleza
					Fort_Nelson
					Fort_Wayne
					Glace_Bay
					Godthab
					Goose_Bay
					Grand_Turk
					Grenada
					Guadeloupe
					Guatemala
					Guayaquil
					Guyana
					Halifax
					Havana
					Hermosillo
					Indianapolis
					Inuvik
					Iqaluit
					Jamaica

					Jujuy
					Juneau
					Knox_IN
					Kralendijk
					La_Paz
					Lima
					Los_Angeles
					Louisville
					Lower_Princes
					Maceio
					Managua
					Manaus
					Marigot
					Martinique
					Matamoros
					Mazatlan
					Mendoza
					Menominee
					Merida
					Metlakatla
					Mexico_City
					Miquelon
					Moncton
					Monterrey
					Montevideo
					Montreal
					Montserrat
					Nassau
					New_York
					Nipigon
					Nome
					Noronha
					Nuuk
					Ojinaga
					Panama
					Pangnirtung
					Paramaribo
					Phoenix
					Port-au-Prince
					Porto_Acre
					Porto_Velho
					Port_of_Spain
					Puerto_Rico
					Punta_Arenas
					Rainy_River
					Rankin_Inlet
					Recife
					Regina
					Resolute
					Rio_Branco
					Rosario

						Santarem
						Santa_Isabel
						Santiago
						Santo_Domingo
						Sao_Paulo
						Scoresbysund
						Shiprock
						Sitka
						St_Barthelemy
						St_Johns
						St_Kitts
						St_Lucia
						St_Thomas
						St_Vincent
						Swift_Current
						Tegucigalpa
						Thule
						Thunder_Bay
						Tijuana
						Toronto
						Tortola
						Vancouver
						Virgin
						Whitehorse
						Winnipeg
						Yakutat
						Yellowknife
						+---Argentina
						Buenos_Aires
						Catamarca
						ComodRivadavia
						Cordoba
						Jujuy
						La_Rioja
						Mendoza
						Rio_Gallegos
						Salta
						San_Juan
						San_Luis
						Tucuman
						Ushuaia
						+---Indiana
						Indianapolis
						Knox
						Marengo
						Petersburg
						Tell_City
						Vevay
						Vincennes

					Winamac
					+---Kentucky
					Louisville
					Monticello
					\---North_Dakota
					Beulah
					Center
					New_Salem
					+---Antarctica
					Casey
					Davis
					DumontDUrville
					Macquarie
					Mawson
					McMurdo
					Palmer
					Rothera
					South_Pole
					Syowa
					Troll
					Vostok
					+---Arctic
					Longyearbyen
					+---Asia
					Aden
					Almaty
					Amman
					Anadyr
					Aqtau
					Aqtobe
					Ashgabat
					Ashkhabad
					Atyrau
					Baghdad
					Bahrain
					Baku
					Bangkok
					Barnaul
					Beirut
					Bishkek
					Brunei
					Calcutta
					Chita
					Choibalsan
					Chongqing
					Chungking

					Colombo
					Dacca
					Damascus
					Dhaka
					Dili
					Dubai
					Dushanbe
					Famagusta
					Gaza
					Harbin
					Hebron
					Hong_Kong
					Hovd
					Ho_Chi_Minh
					Irkutsk
					Istanbul
					Jakarta
					Jayapura
					Jerusalem
					Kabul
					Kamchatka
					Karachi
					Kashgar
					Kathmandu
					Katmandu
					Khandyga
					Kolkata
					Krasnoyarsk
					Kuala_Lumpur
					Kuching
					Kuwait
					Macao
					Macau
					Magadan
					Makassar
					Manila
					Muscat
					Nicosia
					Novokuznetsk
					Novosibirsk
					Omsk
					Oral
					Phnom_Penh
					Pontianak
					Pyongyang
					Qatar
					Qostanay
					Qyzylorda
					Rangoon
					Riyadh
					Saigon

					Sakhalin
					Samarkand
					Seoul
					Shanghai
					Singapore
					Srednekolymsk
					Taipei
					Tashkent
					Tbilisi
					Tehran
					Tel_Aviv
					Thimbu
					Thimphu
					Tokyo
					Tomsk
					Ujung_Pandang
					Ulaanbaatar
					Ulan_Bator
					Urumqi
					Ust-Nera
					Vientiane
					Vladivostok
					Yakutsk
					Yangon
					Yekaterinburg
					Yerevan
					+++Atlantic
					Azores
					Bermuda
					Canary
					Cape_Verde
					Faeroe
					Faroe
					Jan_Mayen
					Madeira
					Reykjavik
					South_Georgia
					Stanley
					St_Helena
					+++Australia
					ACT
					Adelaide
					Brisbane
					Broken_Hill
					Canberra
					Currie
					Darwin
					Eucla
					Hobart

					LHI
					Lindeman
					Lord_Howe
					Melbourne
					North
					NSW
					Perth
					Queensland
					South
					Sydney
					Tasmania
					Victoria
					West
					Yancowinna
					+---Brazil
					Acre
					DeNoronha
					East
					West
					+---Canada
					Atlantic
					Central
					Eastern
					Mountain
					Newfoundland
					Pacific
					Saskatchewan
					Yukon
					+---Chile
					Continental
					EasterIsland
					+---Etc
					GMT
					GMT+0
					GMT+1
					GMT+10
					GMT+11
					GMT+12
					GMT+2
					GMT+3
					GMT+4
					GMT+5
					GMT+6
					GMT+7
					GMT+8
					GMT+9
					GMT-0

					GMT-1
					GMT-10
					GMT-11
					GMT-12
					GMT-13
					GMT-14
					GMT-2
					GMT-3
					GMT-4
					GMT-5
					GMT-6
					GMT-7
					GMT-8
					GMT-9
					GMT0
					Greenwich
					UCT
					Universal
					UTC
					Zulu
					+---Europe
					Amsterdam
					Andorra
					Astrakhan
					Athens
					Belfast
					Belgrade
					Berlin
					Bratislava
					Brussels
					Bucharest
					Budapest
					Busingen
					Chisinau
					Copenhagen
					Dublin
					Gibraltar
					Guernsey
					Helsinki
					Isle_of_Man
					Istanbul
					Jersey
					Kaliningrad
					Kiev
					Kirov
					Kyiv
					Lisbon
					Ljubljana
					London
					Luxembourg

					Madrid
					Malta
					Mariehamn
					Minsk
					Monaco
					Moscow
					Nicosia
					Oslo
					Paris
					Podgorica
					Prague
					Riga
					Rome
					Samara
					San_Marino
					Sarajevo
					Saratov
					Simferopol
					Skopje
					Sofia
					Stockholm
					Tallinn
					Tirane
					Tiraspol
					Ulyanovsk
					Uzhgorod
					Vaduz
					Vatican
					Vienna
					Vilnius
					Volgograd
					Warsaw
					Zagreb
					Zaporozhye
					Zurich
				----	Indian
					Antananarivo
					Chagos
					Christmas
					Cocos
					Comoro
					Kerguelen
					Mahe
					Maldives
					Mauritius
					Mayotte
					Reunion
				----	Mexico
					BajaNorte

					BajaSur
					General
					+---Pacific
					Apia
					Auckland
					Bougainville
					Chatham
					Chuuk
					Easter
					Efate
					Enderbury
					Fakaofu
					Fiji
					Funafuti
					Galapagos
					Gambier
					Guadalcanal
					Guam
					Honolulu
					Johnston
					Kanton
					Kiritimati
					Kosrae
					Kwajalein
					Majuro
					Marquesas
					Midway
					Nauru
					Niue
					Norfolk
					Noumea
					Pago_Pago
					Palau
					Pitcairn
					Pohnpei
					Ponape
					Port_Moresby
					Rarotonga
					Saipan
					Samoa
					Tahiti
					Tarawa
					Tongatapu
					Truk
					Wake
					Wallis
					Yap
					\---US
					Alaska

```
| | | | Aleutian
| | | | Arizona
| | | | Central
| | | | East-Indiana
| | | | Eastern
| | | | Hawaii
| | | | Indiana-Starke
| | | | Michigan
| | | | Mountain
| | | | Pacific
| | | | Samoa
| | | |
| | | | \---__pycache__
| | | |     exceptions.cpython-311.pyc
| | | |     lazy.cpython-311.pyc
| | | |     reference.cpython-311.pyc
| | | |     tzfile.cpython-311.pyc
| | | |     tzinfo.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | +---pytz-2025.1.dist-info
| | | |     INSTALLER
| | | |     LICENSE.txt
| | | |     METADATA
| | | |     RECORD
| | | |     top_level.txt
| | | |     WHEEL
| | | |     zip-safe
| | | |
| | | +---PyYAML-6.0.2.dist-info
| | | |     INSTALLER
| | | |     LICENSE
| | | |     METADATA
| | | |     RECORD
| | | |     top_level.txt
| | | |     WHEEL
| | | |
| | | +---py_cpuinfo-9.0.0.dist-info
| | | |     entry_points.txt
| | | |     INSTALLER
| | | |     LICENSE
| | | |     METADATA
| | | |     RECORD
| | | |     top_level.txt
| | | |     WHEEL
| | | |
| | | +---requests
| | | | | adapters.py
| | | | | api.py
| | | | | auth.py
| | | | | certs.py
```



```

| | | compat.py
| | | cookies.py
| | | exceptions.py
| | | help.py
| | | hooks.py
| | | models.py
| | | packages.py
| | | sessions.py
| | | status_codes.py
| | | structures.py
| | | utils.py
| | | _internal_utils.py
| | | __init__.py
| | | __version__.py
| | |
| | | \---__pycache__
| | |     adapters.cpython-311.pyc
| | |     api.cpython-311.pyc
| | |     auth.cpython-311.pyc
| | |     certs.cpython-311.pyc
| | |     compat.cpython-311.pyc
| | |     cookies.cpython-311.pyc
| | |     exceptions.cpython-311.pyc
| | |     help.cpython-311.pyc
| | |     hooks.cpython-311.pyc
| | |     models.cpython-311.pyc
| | |     packages.cpython-311.pyc
| | |     sessions.cpython-311.pyc
| | |     status_codes.cpython-311.pyc
| | |     structures.cpython-311.pyc
| | |     utils.cpython-311.pyc
| | |     _internal_utils.cpython-311.pyc
| | |     __init__.cpython-311.pyc
| | |     __version__.cpython-311.pyc
| | |
| | +---requests-2.32.3.dist-info
| | |     INSTALLER
| | |     LICENSE
| | |     METADATA
| | |     RECORD
| | |     top_level.txt
| | |     WHEEL
| | |
| | +---rsa
| | |     asn1.py
| | |     cli.py
| | |     common.py
| | |     core.py
| | |     key.py
| | |     parallel.py
| | |     pem.py

```

```

| | | | pkcs1.py
| | | | pkcs1_v2.py
| | | | prime.py
| | | | py.typed
| | | | randnum.py
| | | | transform.py
| | | | util.py
| | | | __init__.py
| | | |
| | | | \---__pycache__
| | | |     asn1.cpython-311.pyc
| | | |     cli.cpython-311.pyc
| | | |     common.cpython-311.pyc
| | | |     core.cpython-311.pyc
| | | |     key.cpython-311.pyc
| | | |     parallel.cpython-311.pyc
| | | |     pem.cpython-311.pyc
| | | |     pkcs1.cpython-311.pyc
| | | |     pkcs1_v2.cpython-311.pyc
| | | |     prime.cpython-311.pyc
| | | |     randnum.cpython-311.pyc
| | | |     transform.cpython-311.pyc
| | | |     util.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | +---rsa-4.9.dist-info
| | | |     entry_points.txt
| | | |     INSTALLER
| | | |     LICENSE
| | | |     METADATA
| | | |     RECORD
| | | |     WHEEL
| | | |
| | | +---scipy
| | | | | conftest.py
| | | | | version.py
| | | | | _distributor_init.py
| | | | | __config__.py
| | | | | __init__.py
| | | | |
| | | | +---cluster
| | | | | | hierarchy.py
| | | | | | vq.py
| | | | | | _hierarchy.cp311-win_amd64.dll.a
| | | | | | _hierarchy.cp311-win_amd64.pyd
| | | | | | _optimal_leaf_ordering.cp311-win_amd64.dll.a
| | | | | | _optimal_leaf_ordering.cp311-win_amd64.pyd
| | | | | | _vq.cp311-win_amd64.dll.a
| | | | | | _vq.cp311-win_amd64.pyd
| | | | | | __init__.py
| | | | |

```

```

| | | +---tests
| | | | hierarchy_test_data.py
| | | | test_disjoint_set.py
| | | | test_hierarchy.py
| | | | test_vq.py
| | | | __init__.py
| | | |
| | | \---__pycache__
| | | | hierarchy_test_data.cpython-311.pyc
| | | | test_disjoint_set.cpython-311.pyc
| | | | test_hierarchy.cpython-311.pyc
| | | | test_vq.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | \---__pycache__
| | | | hierarchy.cpython-311.pyc
| | | | vq.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | +---constants
| | | | codata.py
| | | | constants.py
| | | | _codata.py
| | | | _constants.py
| | | | __init__.py
| | | |
| | | +---tests
| | | | test_codata.py
| | | | test_constants.py
| | | | __init__.py
| | | |
| | | \---__pycache__
| | | | test_codata.cpython-311.pyc
| | | | test_constants.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | \---__pycache__
| | | | codata.cpython-311.pyc
| | | | constants.cpython-311.pyc
| | | | _codata.cpython-311.pyc
| | | | _constants.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | +---datasets
| | | | _download_all.py
| | | | _fetchers.py
| | | | _registry.py
| | | | _utils.py
| | | | __init__.py
| | | |
| | | +---tests

```

```

| | | | test_data.py
| | | | __init__.py
| | | |
| | | | \---__pycache__
| | | |     test_data.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | \---__pycache__
| | | |     _download_all.cpython-311.pyc
| | | |     _fetchers.cpython-311.pyc
| | | |     _registry.cpython-311.pyc
| | | |     _utils.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | +---differentiate
| | | | | _differentiate.py
| | | | | __init__.py
| | | | |
| | | | +---tests
| | | | | | test_differentiate.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | |     test_differentiate.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     _differentiate.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | +---fft
| | | | | _backend.py
| | | | | _basic.py
| | | | | _basic_backend.py
| | | | | _debug_backends.py
| | | | | _fftlog.py
| | | | | _fftlog_backend.py
| | | | | _helper.py
| | | | | _realtransforms.py
| | | | | _realtransforms_backend.py
| | | | | __init__.py
| | | | |
| | | | +---tests
| | | | | | mock_backend.py
| | | | | | test_backend.py
| | | | | | test_basic.py
| | | | | | test_fftlog.py
| | | | | | test_helper.py
| | | | | | test_multithreading.py
| | | | | | test_real_transforms.py
| | | | | | __init__.py

```

```

| | | | |
| | | | | \---__pycache__
| | | | |      mock_backend.cpython-311.pyc
| | | | |      test_backend.cpython-311.pyc
| | | | |      test_basic.cpython-311.pyc
| | | | |      test_ffftlog.cpython-311.pyc
| | | | |      test_helper.cpython-311.pyc
| | | | |      test_multithreading.cpython-311.pyc
| | | | |      test_real_transforms.cpython-311.pyc
| | | | |      __init__.cpython-311.pyc
| | | | |
| | | | | +---_pocketfft
| | | | | |   basic.py
| | | | | |   helper.py
| | | | | |   LICENSE.md
| | | | | |   pypocketfft.cp311-win_amd64.dll.a
| | | | | |   pypocketfft.cp311-win_amd64.pyd
| | | | | |   realtransforms.py
| | | | | |   __init__.py
| | | | | |
| | | | | +---tests
| | | | | |   test_basic.py
| | | | | |   test_real_transforms.py
| | | | | |   __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | |      test_basic.cpython-311.pyc
| | | | | |      test_real_transforms.cpython-311.pyc
| | | | | |      __init__.cpython-311.pyc
| | | | | |
| | | | | | \---__pycache__
| | | | | |      basic.cpython-311.pyc
| | | | | |      helper.cpython-311.pyc
| | | | | |      realtransforms.cpython-311.pyc
| | | | | |      __init__.cpython-311.pyc
| | | | | |
| | | | | | \---__pycache__
| | | | | |      _backend.cpython-311.pyc
| | | | | |      _basic.cpython-311.pyc
| | | | | |      _basic_backend.cpython-311.pyc
| | | | | |      _debug_backends.cpython-311.pyc
| | | | | |      _ffftlog.cpython-311.pyc
| | | | | |      _ffftlog_backend.cpython-311.pyc
| | | | | |      _helper.cpython-311.pyc
| | | | | |      _realtransforms.cpython-311.pyc
| | | | | |      _realtransforms_backend.cpython-311.pyc
| | | | | |      __init__.cpython-311.pyc
| | | | | |
| | | | | +---fftpack
| | | | | |   basic.py
| | | | | |   convolve.cp311-win_amd64.dll.a

```

```

| | | | convolve.cp311-win_amd64.pyd
| | | | helper.py
| | | | pseudo_diffs.py
| | | | realtransforms.py
| | | | _basic.py
| | | | _helper.py
| | | | _pseudo_diffs.py
| | | | _realtransforms.py
| | | | __init__.py
| | | |
| | | | +---tests
| | | | | | fftw_double_ref.npz
| | | | | | fftw_longdouble_ref.npz
| | | | | | fftw_single_ref.npz
| | | | | | test.npz
| | | | | | test_basic.py
| | | | | | test_helper.py
| | | | | | test_import.py
| | | | | | test_pseudo_diffs.py
| | | | | | test_real_transforms.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | test_basic.cpython-311.pyc
| | | | | | test_helper.cpython-311.pyc
| | | | | | test_import.cpython-311.pyc
| | | | | | test_pseudo_diffs.cpython-311.pyc
| | | | | | test_real_transforms.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__
| | | | | | basic.cpython-311.pyc
| | | | | | helper.cpython-311.pyc
| | | | | | pseudo_diffs.cpython-311.pyc
| | | | | | realtransforms.cpython-311.pyc
| | | | | | _basic.cpython-311.pyc
| | | | | | _helper.cpython-311.pyc
| | | | | | _pseudo_diffs.cpython-311.pyc
| | | | | | _realtransforms.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | +---integrate
| | | | | | dop.py
| | | | | | lsoda.py
| | | | | | odepack.py
| | | | | | quadpack.py
| | | | | | vode.py
| | | | | | _bvp.py
| | | | | | _cubature.py
| | | | | | _dop.cp311-win_amd64.dll.a
| | | | | | _dop.cp311-win_amd64.pyd

```

```

| | | | | _lebedev.py
| | | | | _lsoda.cp311-win_amd64.dll.a
| | | | | _lsoda.cp311-win_amd64.pyd
| | | | | _ode.py
| | | | | _odepack.cp311-win_amd64.dll.a
| | | | | _odepack.cp311-win_amd64.pyd
| | | | | _odepack_py.py
| | | | | _quadpack.cp311-win_amd64.dll.a
| | | | | _quadpack.cp311-win_amd64.pyd
| | | | | _quadpack_py.py
| | | | | _quadrature.py
| | | | | _quad_vec.py
| | | | | _tanhsinh.py
| | | | | _test_multivariate.cp311-win_amd64.dll.a
| | | | | _test_multivariate.cp311-win_amd64.pyd
| | | | | _test_odeint_banded.cp311-win_amd64.dll.a
| | | | | _test_odeint_banded.cp311-win_amd64.pyd
| | | | | _vode.cp311-win_amd64.dll.a
| | | | | _vode.cp311-win_amd64.pyd
| | | | | __init__.py
| | | | |
| | | | | +---tests
| | | | | | test_banded_ode_solvers.py
| | | | | | test_bvp.py
| | | | | | test_cubature.py
| | | | | | test_integrate.py
| | | | | | test_odeint_jac.py
| | | | | | test_quadpack.py
| | | | | | test_quadrature.py
| | | | | | test_tanhsinh.py
| | | | | | test__quad_vec.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | test_banded_ode_solvers.cpython-311.pyc
| | | | | | test_bvp.cpython-311.pyc
| | | | | | test_cubature.cpython-311.pyc
| | | | | | test_integrate.cpython-311.pyc
| | | | | | test_odeint_jac.cpython-311.pyc
| | | | | | test_quadpack.cpython-311.pyc
| | | | | | test_quadrature.cpython-311.pyc
| | | | | | test_tanhsinh.cpython-311.pyc
| | | | | | test__quad_vec.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | +---_ivp
| | | | | | base.py
| | | | | | bdf.py
| | | | | | common.py
| | | | | | dop853_coefficients.py
| | | | | | ivp.py

```

```

| | | | | lsoda.py
| | | | | radau.py
| | | | | rk.py
| | | | | __init__.py
| | | | |
| | | | | +---tests
| | | | | | test_ivp.py
| | | | | | test_rk.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | test_ivp.cpython-311.pyc
| | | | | | test_rk.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__
| | | | | | base.cpython-311.pyc
| | | | | | bdf.cpython-311.pyc
| | | | | | common.cpython-311.pyc
| | | | | | dop853_coefficients.cpython-311.pyc
| | | | | | ivp.cpython-311.pyc
| | | | | | lsoda.cpython-311.pyc
| | | | | | radau.cpython-311.pyc
| | | | | | rk.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | +---_rules
| | | | | | _base.py
| | | | | | _gauss_kronrod.py
| | | | | | _gauss_legendre.py
| | | | | | _genz_malik.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | _base.cpython-311.pyc
| | | | | | _gauss_kronrod.cpython-311.pyc
| | | | | | _gauss_legendre.cpython-311.pyc
| | | | | | _genz_malik.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__
| | | | | | dop.cpython-311.pyc
| | | | | | lsoda.cpython-311.pyc
| | | | | | odepack.cpython-311.pyc
| | | | | | quadpack.cpython-311.pyc
| | | | | | vode.cpython-311.pyc
| | | | | | _bvp.cpython-311.pyc
| | | | | | _cubature.cpython-311.pyc
| | | | | | _lebedev.cpython-311.pyc
| | | | | | _ode.cpython-311.pyc
| | | | | | _odepack_py.cpython-311.pyc

```


				_quadpack_py.cpython-311.pyc
				_quadrature.cpython-311.pyc
				_quad_vec.cpython-311.pyc
				_tanhsinh.cpython-311.pyc
				__init__.cpython-311.pyc
				+---interpolate
				dfitpack.py
				fitpack.py
				fitpack2.py
				interpnd.py
				interpolate.py
				ndgriddata.py
				polyint.py
				rbf.py
				_bary_rational.py
				_bspl.cp311-win_amd64.dll.a
				_bspl.cp311-win_amd64.pyd
				_bsplines.py
				_cubic.py
				_dfitpack.cp311-win_amd64.dll.a
				_dfitpack.cp311-win_amd64.pyd
				_dierckx.cp311-win_amd64.dll.a
				_dierckx.cp311-win_amd64.pyd
				_fitpack.cp311-win_amd64.dll.a
				_fitpack.cp311-win_amd64.pyd
				_fitpack2.py
				_fitpack_impl.py
				_fitpack_py.py
				_fitpack_repro.py
				_interpnd.cp311-win_amd64.dll.a
				_interpnd.cp311-win_amd64.pyd
				_interpolate.py
				_ndbspline.py
				_ndgriddata.py
				_pade.py
				_polyint.py
				_ppoly.cp311-win_amd64.dll.a
				_ppoly.cp311-win_amd64.pyd
				_rbf.py
				_rbfinterp.py
				_rbfinterp_pythran.cp311-win_amd64.dll.a
				_rbfinterp_pythran.cp311-win_amd64.pyd
				_rgi.py
				_rgi_cython.cp311-win_amd64.dll.a
				_rgi_cython.cp311-win_amd64.pyd
				__init__.py
				+---tests
				test_bary_rational.py
				test_bsplines.py

```

| | | | | test_fitpack.py
| | | | | test_fitpack2.py
| | | | | test_gil.py
| | | | | test_interpnd.py
| | | | | test_interpolate.py
| | | | | test_ndgriddata.py
| | | | | test_pade.py
| | | | | test_polyint.py
| | | | | test_rbf.py
| | | | | test_rbfinterp.py
| | | | | test_rgi.py
| | | | | __init__.py
| | | | |
| | | | | +---data
| | | | |     bug-1310.npz
| | | | |     estimate_gradients_hang.npy
| | | | |     gcvspl.npz
| | | | |
| | | | | \---__pycache__
| | | | |     test_bary_rational.cpython-311.pyc
| | | | |     test_bsplines.cpython-311.pyc
| | | | |     test_fitpack.cpython-311.pyc
| | | | |     test_fitpack2.cpython-311.pyc
| | | | |     test_gil.cpython-311.pyc
| | | | |     test_interpnd.cpython-311.pyc
| | | | |     test_interpolate.cpython-311.pyc
| | | | |     test_ndgriddata.cpython-311.pyc
| | | | |     test_pade.cpython-311.pyc
| | | | |     test_polyint.cpython-311.pyc
| | | | |     test_rbf.cpython-311.pyc
| | | | |     test_rbfinterp.cpython-311.pyc
| | | | |     test_rgi.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     dfitpack.cpython-311.pyc
| | | | |     fitpack.cpython-311.pyc
| | | | |     fitpack2.cpython-311.pyc
| | | | |     interpnd.cpython-311.pyc
| | | | |     interpolate.cpython-311.pyc
| | | | |     ndgriddata.cpython-311.pyc
| | | | |     polyint.cpython-311.pyc
| | | | |     rbf.cpython-311.pyc
| | | | |     _bary_rational.cpython-311.pyc
| | | | |     _bsplines.cpython-311.pyc
| | | | |     _cubic.cpython-311.pyc
| | | | |     _fitpack2.cpython-311.pyc
| | | | |     _fitpack_impl.cpython-311.pyc
| | | | |     _fitpack_py.cpython-311.pyc
| | | | |     _fitpack_repro.cpython-311.pyc
| | | | |     _interpolate.cpython-311.pyc

```

				_ndbspline.cpython-311.pyc
				_ndgriddata.cpython-311.pyc
				_pade.cpython-311.pyc
				_polyint.cpython-311.pyc
				_rbf.cpython-311.pyc
				_rbfinterp.cpython-311.pyc
				_rgi.cpython-311.pyc
				__init__.cpython-311.pyc
			+---io	
				harwell_boeing.py
				idl.py
				mmio.py
				netcdf.py
				wavfile.py
				_fortran.py
				_idl.py
				_mmio.py
				_netcdf.py
				_test_fortran.cp311-win_amd64.dll.a
				_test_fortran.cp311-win_amd64.pyd
				__init__.py
			+----arff	
				arffread.py
				_arffread.py
				__init__.py
				+----tests
				test_arffread.py
				__init__.py
				+---data
				iris.arff
				missing.arff
				nodata.arff
				quoted_nominal.arff
				quoted_nominal_spaces.arff
				test1.arff
				test10.arff
				test11.arff
				test2.arff
				test3.arff
				test4.arff
				test5.arff
				test6.arff
				test7.arff
				test8.arff
				test9.arff
				\---_pycache_

					test_arffread.cpython-311.pyc
					__init__.cpython-311.pyc
					\---__pycache__
					arffread.cpython-311.pyc
					_arffread.cpython-311.pyc
					__init__.cpython-311.pyc
					+---matlab
					byteordercodes.py
					mio.py
					mio4.py
					mio5.py
					mio5_params.py
					mio5_utils.py
					miobase.py
					mio_utils.py
					streams.py
					_byteordercodes.py
					_mio.py
					_mio4.py
					_mio5.py
					_mio5_params.py
					_mio5_utils.cp311-win_amd64.dll.a
					_mio5_utils.cp311-win_amd64.pyd
					_miobase.py
					_mio_utils.cp311-win_amd64.dll.a
					_mio_utils.cp311-win_amd64.pyd
					_streams.cp311-win_amd64.dll.a
					_streams.cp311-win_amd64.pyd
					__init__.py
					+---tests
					test_byteordercodes.py
					test_mio.py
					test_mio5_utils.py
					test_miobase.py
					test_mio_funcs.py
					test_mio_utils.py
					test_pathological.py
					test_streams.py
					__init__.py
					+---data
					bad_miuint32.mat
					bad_miutf8_array_name.mat
					big_endian.mat
					broken_utf8.mat
					corrupted_zlib_checksum.mat
					corrupted_zlib_data.mat
					debugged_m4.mat

[illegible]

						test_mat4_le_floats.mat
						test_skip_variable.mat
						\---__pycache__
						test_byteordercodes.cpython-311.pyc
						test_mio.cpython-311.pyc
						test_mio5_utils.cpython-311.pyc
						test_miobase.cpython-311.pyc
						test_mio_funcs.cpython-311.pyc
						test_mio_utils.cpython-311.pyc
						test_pathological.cpython-311.pyc
						test_streams.cpython-311.pyc
						__init__.cpython-311.pyc
						\---__pycache__
						byteordercodes.cpython-311.pyc
						mio.cpython-311.pyc
						mio4.cpython-311.pyc
						mio5.cpython-311.pyc
						mio5_params.cpython-311.pyc
						mio5_utils.cpython-311.pyc
						miobase.cpython-311.pyc
						mio_utils.cpython-311.pyc
						streams.cpython-311.pyc
						_byteordercodes.cpython-311.pyc
						_mio.cpython-311.pyc
						_mio4.cpython-311.pyc
						_mio5.cpython-311.pyc
						_mio5_params.cpython-311.pyc
						_miobase.cpython-311.pyc
						__init__.cpython-311.pyc
						+---tests
						test_fortran.py
						test_idl.py
						test_mmio.py
						test_netcdf.py
						test_paths.py
						test_wavfile.py
						__init__.py
						+---data
						array_float32_1d.sav
						array_float32_2d.sav
						array_float32_3d.sav
						array_float32_4d.sav
						array_float32_5d.sav
						array_float32_6d.sav
						array_float32_7d.sav
						array_float32_8d.sav
						array_float32_pointer_1d.sav

						array_float32_pointer_2d.sav
						array_float32_pointer_3d.sav
						array_float32_pointer_4d.sav
						array_float32_pointer_5d.sav
						array_float32_pointer_6d.sav
						array_float32_pointer_7d.sav
						array_float32_pointer_8d.sav
						example_1.nc
						example_2.nc
						example_3_maskedvals.nc
						fortran-3x3d-2i.dat
						fortran-mixed.dat
						fortran-sf8-11x1x10.dat
						fortran-sf8-15x10x22.dat
						fortran-sf8-1x1x1.dat
						fortran-sf8-1x1x5.dat
						fortran-sf8-1x1x7.dat
						fortran-sf8-1x3x5.dat
						fortran-si4-11x1x10.dat
						fortran-si4-15x10x22.dat
						fortran-si4-1x1x1.dat
						fortran-si4-1x1x5.dat
						fortran-si4-1x1x7.dat
						fortran-si4-1x3x5.dat
						invalid_pointer.sav
						null_pointer.sav
						scalar_byte.sav
						scalar_byte_descr.sav
						scalar_complex32.sav
						scalar_complex64.sav
						scalar_float32.sav
						scalar_float64.sav
						scalar_heap_pointer.sav
						scalar_int16.sav
						scalar_int32.sav
						scalar_int64.sav
						scalar_string.sav
						scalar_uint16.sav
						scalar_uint32.sav
						scalar_uint64.sav
						struct_arrays.sav
						struct_arrays_byte_idl80.sav
						struct_arrays_replicated.sav
						struct_arrays_replicated_3d.sav
						struct_inherit.sav
						struct_pointers.sav
						struct_pointers_replicated.sav
						struct_pointers_replicated_3d.sav
						struct_pointer_arrays.sav
						struct_pointer_arrays_replicated.sav
						struct_pointer_arrays_replicated_3d.sav

					struct_scalars.sav
					struct_scalars_replicated.sav
					struct_scalars_replicated_3d.sav
					test-1234Hz-1e-1ch-10S-20bit-extra.wav
					test-44100Hz-2ch-32bit-float-be.wav
					test-44100Hz-2ch-32bit-float-le.wav
					test-44100Hz-be-1ch-4bytes.wav
					test-44100Hz-le-1ch-4bytes-early-eof-no-data.wav
					test-44100Hz-le-1ch-4bytes-early-eof.wav
					test-44100Hz-le-1ch-4bytes-incomplete-chunk.wav
					test-44100Hz-le-1ch-4bytes-rf64.wav
					test-44100Hz-le-1ch-4bytes.wav
					test-48000Hz-2ch-64bit-float-le-wavex.wav
					test-8000Hz-be-3ch-5S-24bit.wav
					test-8000Hz-le-1ch-1byte-ulaw.wav
					test-8000Hz-le-2ch-1byteu.wav
					test-8000Hz-le-3ch-5S-24bit-inconsistent.wav
					test-8000Hz-le-3ch-5S-24bit-rf64.wav
					test-8000Hz-le-3ch-5S-24bit.wav
					test-8000Hz-le-3ch-5S-36bit.wav
					test-8000Hz-le-3ch-5S-45bit.wav
					test-8000Hz-le-3ch-5S-53bit.wav
					test-8000Hz-le-3ch-5S-64bit.wav
					test-8000Hz-le-4ch-9S-12bit.wav
					test-8000Hz-le-5ch-9S-5bit.wav
					Transparent Busy.ani
					various_compressed.sav
					\---__pycache__
					test_fortran.cpython-311.pyc
					test_idl.cpython-311.pyc
					test_mmio.cpython-311.pyc
					test_netcdf.cpython-311.pyc
					test_paths.cpython-311.pyc
					test_wavfile.cpython-311.pyc
					__init__.cpython-311.pyc
					+---_fast_matrix_market
					_fmm_core.cp311-win_amd64.dll.a
					_fmm_core.cp311-win_amd64.pyd
					__init__.py
					\---__pycache__
					__init__.cpython-311.pyc
					+---_harwell_boeing
					hb.py
					_fortran_format_parser.py
					__init__.py
					+---tests

```

| | | | | test_fortran_format.py
| | | | | test_hb.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | | test_fortran_format.cpython-311.pyc
| | | | | test_hb.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | hb.cpython-311.pyc
| | | | | _fortran_format_parser.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | harwell_boeing.cpython-311.pyc
| | | | | idl.cpython-311.pyc
| | | | | mmio.cpython-311.pyc
| | | | | netcdf.cpython-311.pyc
| | | | | wavfile.cpython-311.pyc
| | | | | _fortran.cpython-311.pyc
| | | | | _idl.cpython-311.pyc
| | | | | _mmio.cpython-311.pyc
| | | | | _netcdf.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---linalg
| | | | basic.py
| | | | blas.py
| | | | cython_blas.cp311-win_amd64.dll.a
| | | | cython_blas.cp311-win_amd64.pyd
| | | | cython_blas.pxd
| | | | cython_blas.pyx
| | | | cython_lapack.cp311-win_amd64.dll.a
| | | | cython_lapack.cp311-win_amd64.pyd
| | | | cython_lapack.pxd
| | | | cython_lapack.pyx
| | | | decomp.py
| | | | decomp_cholesky.py
| | | | decomp_lu.py
| | | | decomp_qr.py
| | | | decomp_schur.py
| | | | decomp_svd.py
| | | | interpolative.py
| | | | lapack.py
| | | | matfuncs.py
| | | | misc.py
| | | | special_matrices.py
| | | | _basic.py
| | | | _blas_subroutines.h
| | | | _cythonized_array_utils.cp311-win_amd64.dll.a

```

					_cythonized_array_utils.cp311-win_amd64.pyd
					_cythonized_array_utils.pxd
					_cythonized_array_utils.pyi
					_decomp.py
					_decomp_cholesky.py
					_decomp_cossin.py
					_decomp_interpolative.cp311-win_amd64.dll.a
					_decomp_interpolative.cp311-win_amd64.pyd
					_decomp_ldl.py
					_decomp_lu.py
					_decomp_lu_cython.cp311-win_amd64.dll.a
					_decomp_lu_cython.cp311-win_amd64.pyd
					_decomp_lu_cython.pyi
					_decomp_polar.py
					_decomp_qr.py
					_decomp_qz.py
					_decomp_schur.py
					_decomp_svd.py
					_decomp_update.cp311-win_amd64.dll.a
					_decomp_update.cp311-win_amd64.pyd
					_expm_frechet.py
					_fblas.cp311-win_amd64.dll.a
					_fblas.cp311-win_amd64.pyd
					_flapack.cp311-win_amd64.dll.a
					_flapack.cp311-win_amd64.pyd
					_lapack_subroutines.h
					_linalg_pythran.cp311-win_amd64.dll.a
					_linalg_pythran.cp311-win_amd64.pyd
					_matfuncs.py
					_matfuncs_expm.cp311-win_amd64.dll.a
					_matfuncs_expm.cp311-win_amd64.pyd
					_matfuncs_expm.pyi
					_matfuncs_inv_ssqr.py
					_matfuncs_sqrtm.py
					_matfuncs_sqrtm_triu.cp311-win_amd64.dll.a
					_matfuncs_sqrtm_triu.cp311-win_amd64.pyd
					_misc.py
					_procrustes.py
					_sketches.py
					_solvers.py
					_solve_toeplitz.cp311-win_amd64.dll.a
					_solve_toeplitz.cp311-win_amd64.pyd
					_special_matrices.py
					_testutils.py
					__init__.pxd
					__init__.py
					+---tests
					test_basic.py
					test_blas.py
					test_cythonized_array_utils.py

```

| | | | | test_cython_blas.py
| | | | | test_cython_lapack.py
| | | | | test_decomp.py
| | | | | test_decomp_cholesky.py
| | | | | test_decomp_cossin.py
| | | | | test_decomp_ldl.py
| | | | | test_decomp_lu.py
| | | | | test_decomp_polar.py
| | | | | test_decomp_update.py
| | | | | test_extending.py
| | | | | test_fblas.py
| | | | | test_interpolative.py
| | | | | test_lapack.py
| | | | | test_matfuncs.py
| | | | | test_matmul_toeplitz.py
| | | | | test_procrustes.py
| | | | | test_sketches.py
| | | | | test_solvers.py
| | | | | test_solve_toeplitz.py
| | | | | test_special_matrices.py
| | | | | __init__.py
| | | | |
| | | | | +---data
| | | | |     carex_15_data.npz
| | | | |     carex_18_data.npz
| | | | |     carex_19_data.npz
| | | | |     carex_20_data.npz
| | | | |     carex_6_data.npz
| | | | |     gendare_20170120_data.npz
| | | | |
| | | | | +---_cython_examples
| | | | |     extending.pyx
| | | | |     meson.build
| | | | |
| | | | | \---__pycache__
| | | | |     test_basic.cpython-311.pyc
| | | | |     test_blas.cpython-311.pyc
| | | | |     test_cythonized_array_utils.cpython-311.pyc
| | | | |     test_cython_blas.cpython-311.pyc
| | | | |     test_cython_lapack.cpython-311.pyc
| | | | |     test_decomp.cpython-311.pyc
| | | | |     test_decomp_cholesky.cpython-311.pyc
| | | | |     test_decomp_cossin.cpython-311.pyc
| | | | |     test_decomp_ldl.cpython-311.pyc
| | | | |     test_decomp_lu.cpython-311.pyc
| | | | |     test_decomp_polar.cpython-311.pyc
| | | | |     test_decomp_update.cpython-311.pyc
| | | | |     test_extending.cpython-311.pyc
| | | | |     test_fblas.cpython-311.pyc
| | | | |     test_interpolative.cpython-311.pyc
| | | | |     test_lapack.cpython-311.pyc

```

					test_matfuncs.cpython-311.pyc
					test_matmul_toeplitz.cpython-311.pyc
					test_procrustes.cpython-311.pyc
					test_sketches.cpython-311.pyc
					test_solvers.cpython-311.pyc
					test_solve_toeplitz.cpython-311.pyc
					test_special_matrices.cpython-311.pyc
					__init__.cpython-311.pyc
					\---__pycache__
					basic.cpython-311.pyc
					blas.cpython-311.pyc
					decomp.cpython-311.pyc
					decomp_cholesky.cpython-311.pyc
					decomp_lu.cpython-311.pyc
					decomp_qr.cpython-311.pyc
					decomp_schur.cpython-311.pyc
					decomp_svd.cpython-311.pyc
					interpolative.cpython-311.pyc
					lapack.cpython-311.pyc
					matfuncs.cpython-311.pyc
					misc.cpython-311.pyc
					special_matrices.cpython-311.pyc
					_basic.cpython-311.pyc
					_decomp.cpython-311.pyc
					_decomp_cholesky.cpython-311.pyc
					_decomp_cossin.cpython-311.pyc
					_decomp_ldl.cpython-311.pyc
					_decomp_lu.cpython-311.pyc
					_decomp_polar.cpython-311.pyc
					_decomp_qr.cpython-311.pyc
					_decomp_qz.cpython-311.pyc
					_decomp_schur.cpython-311.pyc
					_decomp_svd.cpython-311.pyc
					_expm_frechet.cpython-311.pyc
					_matfuncs.cpython-311.pyc
					_matfuncs_inv_ssqr.cpython-311.pyc
					_matfuncs_sqrtm.cpython-311.pyc
					_misc.cpython-311.pyc
					_procrustes.cpython-311.pyc
					_sketches.cpython-311.pyc
					_solvers.cpython-311.pyc
					_special_matrices.cpython-311.pyc
					_testutils.cpython-311.pyc
					__init__.cpython-311.pyc
					+---misc
					common.py
					doccer.py
					__init__.py

```

| | | | \---__pycache__
| | | |     common.cpython-311.pyc
| | | |     doccer.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---ndimage
| | | | | filters.py
| | | | | fourier.py
| | | | | interpolation.py
| | | | | measurements.py
| | | | | morphology.py
| | | | | _ctest.cp311-win_amd64.dll.a
| | | | | _ctest.cp311-win_amd64.pyd
| | | | | _cytest.cp311-win_amd64.dll.a
| | | | | _cytest.cp311-win_amd64.pyd
| | | | | _delegators.py
| | | | | _filters.py
| | | | | _fourier.py
| | | | | _interpolation.py
| | | | | _measurements.py
| | | | | _morphology.py
| | | | | _ndimage_api.py
| | | | | _nd_image.cp311-win_amd64.dll.a
| | | | | _nd_image.cp311-win_amd64.pyd
| | | | | _ni_docstrings.py
| | | | | _ni_label.cp311-win_amd64.dll.a
| | | | | _ni_label.cp311-win_amd64.pyd
| | | | | _ni_support.py
| | | | | _rank_filter_1d.cp311-win_amd64.dll.a
| | | | | _rank_filter_1d.cp311-win_amd64.pyd
| | | | | _support_alternative_backends.py
| | | | | __init__.py
| | | | |
| | | | +---tests
| | | | | dots.png
| | | | | test_c_api.py
| | | | | test_datatypes.py
| | | | | test_filters.py
| | | | | test_fourier.py
| | | | | test_interpolation.py
| | | | | test_measurements.py
| | | | | test_morphology.py
| | | | | test_ni_support.py
| | | | | test_splines.py
| | | | | __init__.py
| | | | |
| | | | +---data
| | | | | label_inputs.txt
| | | | | label_results.txt
| | | | | label_strels.txt
| | | | |

```

```

| | | | \---__pycache__
| | | | test_c_api.cpython-311.pyc
| | | | test_datatypes.cpython-311.pyc
| | | | test_filters.cpython-311.pyc
| | | | test_fourier.cpython-311.pyc
| | | | test_interpolation.cpython-311.pyc
| | | | test_measurements.cpython-311.pyc
| | | | test_morphology.cpython-311.pyc
| | | | test_ni_support.cpython-311.pyc
| | | | test_splines.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | \---__pycache__
| | | | filters.cpython-311.pyc
| | | | fourier.cpython-311.pyc
| | | | interpolation.cpython-311.pyc
| | | | measurements.cpython-311.pyc
| | | | morphology.cpython-311.pyc
| | | | _delegators.cpython-311.pyc
| | | | _filters.cpython-311.pyc
| | | | _fourier.cpython-311.pyc
| | | | _interpolation.cpython-311.pyc
| | | | _measurements.cpython-311.pyc
| | | | _morphology.cpython-311.pyc
| | | | _ndimage_api.cpython-311.pyc
| | | | _ni_docstrings.cpython-311.pyc
| | | | _ni_support.cpython-311.pyc
| | | | _support_alternative_backends.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | +---odr
| | | | | models.py
| | | | | odrpack.py
| | | | | _add_newdocs.py
| | | | | _models.py
| | | | | _odrpack.py
| | | | | __init__.py
| | | | | __odrpack.cp311-win_amd64.dll.a
| | | | | __odrpack.cp311-win_amd64.pyd
| | | | |
| | | | | +---tests
| | | | | | test_odr.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | test_odr.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | models.cpython-311.pyc
| | | | | odrpack.cpython-311.pyc

```

				_add_newdocs.cpython-311.pyc
				_models.cpython-311.pyc
				_odrpack.cpython-311.pyc
				__init__.cpython-311.pyc
				+---optimize
				cobyala.py
				cython_optimize.pxd
				elementwise.py
				lbfgsb.py
				linesearch.py
				minpack.py
				minpack2.py
				moduleTNC.py
				nonlin.py
				optimize.py
				slsqp.py
				tnc.py
				zeros.py
				_basinhopping.py
				_bglu_dense.cp311-win_amd64.dll.a
				_bglu_dense.cp311-win_amd64.pyd
				_bracket.py
				_chandrupatla.py
				_cobyala.cp311-win_amd64.dll.a
				_cobyala.cp311-win_amd64.pyd
				_cobyala_py.py
				_cobyqa_py.py
				_constraints.py
				_cython_nnls.cp311-win_amd64.dll.a
				_cython_nnls.cp311-win_amd64.pyd
				_dcsrch.py
				_differentiable_functions.py
				_differentialevolution.py
				_direct.cp311-win_amd64.dll.a
				_direct.cp311-win_amd64.pyd
				_direct_py.py
				_dual_annealing.py
				_elementwise.py
				_group_columns.cp311-win_amd64.dll.a
				_group_columns.cp311-win_amd64.pyd
				_hessian_update_strategy.py
				_isotonic.py
				_lbfgsb.cp311-win_amd64.dll.a
				_lbfgsb.cp311-win_amd64.pyd
				_lbfgsb_py.py
				_linesearch.py
				_linprog.py
				_linprog_doc.py
				_linprog_highs.py
				_linprog_ip.py


```

| | | | _linprog_rs.py
| | | | _linprog_simplex.py
| | | | _linprog_util.py
| | | | _lsap.cp311-win_amd64.dll.a
| | | | _lsap.cp311-win_amd64.pyd
| | | | _milp.py
| | | | _minimize.py
| | | | _minpack.cp311-win_amd64.dll.a
| | | | _minpack.cp311-win_amd64.pyd
| | | | _minpack_py.py
| | | | _moduleTNC.cp311-win_amd64.dll.a
| | | | _moduleTNC.cp311-win_amd64.pyd
| | | | _nnls.py
| | | | _nonlin.py
| | | | _numdiff.py
| | | | _optimize.py
| | | | _pava_pybind.cp311-win_amd64.dll.a
| | | | _pava_pybind.cp311-win_amd64.pyd
| | | | _qap.py
| | | | _remove_redundancy.py
| | | | _root.py
| | | | _root_scalar.py
| | | | _shgo.py
| | | | _slsqp.cp311-win_amd64.dll.a
| | | | _slsqp.cp311-win_amd64.pyd
| | | | _slsqp_py.py
| | | | _spectral.py
| | | | _tnc.py
| | | | _trustregion.py
| | | | _trustregion_dogleg.py
| | | | _trustregion_exact.py
| | | | _trustregion_krylov.py
| | | | _trustregion_ncg.py
| | | | _tstutils.py
| | | | _zeros.cp311-win_amd64.dll.a
| | | | _zeros.cp311-win_amd64.pyd
| | | | _zeros_py.py
| | | | __init__.pxd
| | | | __init__.py
| | | |
| | | +---cython_optimize
| | | | | c_zeros.pxd
| | | | | _zeros.cp311-win_amd64.dll.a
| | | | | _zeros.cp311-win_amd64.pyd
| | | | | _zeros.pxd
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | |
| | | +---tests

```

						test_bracket.py
						test_chandrupatla.py
						test_cobyla.py
						test_cobyqa.py
						test_constraints.py
						test_constraint_conversion.py
						test_cython_optimize.py
						test_differentiable_functions.py
						test_direct.py
						test_extending.py
						test_hessian_update_strategy.py
						test_isotonic_regression.py
						test_lbfgsb_hessinv.py
						test_lbfgsb_setulb.py
						test_least_squares.py
						test_linear_assignment.py
						test_linesearch.py
						test_linprog.py
						test_lsq_common.py
						test_lsq_linear.py
						test_milp.py
						test_minimize_constrained.py
						test_minpack.py
						test_nnls.py
						test_nonlin.py
						test_optimize.py
						test_quadratic_assignment.py
						test_regression.py
						test_slsqp.py
						test_tnc.py
						test_trustregion.py
						test_trustregion_exact.py
						test_trustregion_krylov.py
						test_zeros.py
						test__basinhopping.py
						test__differential_evolution.py
						test__dual_annealing.py
						test__linprog_clean_inputs.py
						test__numdiff.py
						test__remove_redundancy.py
						test__root.py
						test__shgo.py
						test__spectral.py
						__init__.py
						+---_cython_examples
						extending.pyx
						meson.build
						\---__pycache__
						test_bracket.cpython-311.pyc

					test_chandrupatla.cpython-311.pyc
					test_cobyla.cpython-311.pyc
					test_cobyqa.cpython-311.pyc
					test_constraints.cpython-311.pyc
					test_constraint_conversion.cpython-311.pyc
					test_cython_optimize.cpython-311.pyc
					test_differentiable_functions.cpython-311.pyc
					test_direct.cpython-311.pyc
					test_extending.cpython-311.pyc
					test_hessian_update_strategy.cpython-311.pyc
					test_isotonic_regression.cpython-311.pyc
					test_lbfgsb_hessinv.cpython-311.pyc
					test_lbfgsb_setulb.cpython-311.pyc
					test_least_squares.cpython-311.pyc
					test_linear_assignment.cpython-311.pyc
					test_linesearch.cpython-311.pyc
					test_linprog.cpython-311.pyc
					test_lsq_common.cpython-311.pyc
					test_lsq_linear.cpython-311.pyc
					test_milp.cpython-311.pyc
					test_minimize_constrained.cpython-311.pyc
					test_minpack.cpython-311.pyc
					test_nnls.cpython-311.pyc
					test_nonlin.cpython-311.pyc
					test_optimize.cpython-311.pyc
					test_quadratic_assignment.cpython-311.pyc
					test_regression.cpython-311.pyc
					test_slsqp.cpython-311.pyc
					test_tnc.cpython-311.pyc
					test_trustregion.cpython-311.pyc
					test_trustregion_exact.cpython-311.pyc
					test_trustregion_krylov.cpython-311.pyc
					test_zeros.cpython-311.pyc
					test__basinhopping.cpython-311.pyc
					test__differential_evolution.cpython-311.pyc
					test__dual_annealing.cpython-311.pyc
					test__linprog_clean_inputs.cpython-311.pyc
					test__numdiff.cpython-311.pyc
					test__remove_redundancy.cpython-311.pyc
					test__root.cpython-311.pyc
					test__shgo.cpython-311.pyc
					test__spectral.cpython-311.pyc
					__init__.cpython-311.pyc
				+++_highspy	
					_core.cp311-win_amd64.dll.a
					_core.cp311-win_amd64.pyd
					_highs_options.cp311-win_amd64.dll.a
					_highs_options.cp311-win_amd64.pyd
					_highs_wrapper.py
					__init__.py

```

| | | | |
| | | | | \---__pycache__
| | | | |     _highs_wrapper.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---_lsq
| | | | | |   bvls.py
| | | | | |   common.py
| | | | | |   dogbox.py
| | | | | |   givens_elimination.cp311-win_amd64.dll.a
| | | | | |   givens_elimination.cp311-win_amd64.pyd
| | | | | |   least_squares.py
| | | | | |   lsq_linear.py
| | | | | |   trf.py
| | | | | |   trf_linear.py
| | | | | |   __init__.py
| | | | |
| | | | | \---__pycache__
| | | | | |   bvls.cpython-311.pyc
| | | | | |   common.cpython-311.pyc
| | | | | |   dogbox.cpython-311.pyc
| | | | | |   least_squares.cpython-311.pyc
| | | | | |   lsq_linear.cpython-311.pyc
| | | | | |   trf.cpython-311.pyc
| | | | | |   trf_linear.cpython-311.pyc
| | | | | |   __init__.cpython-311.pyc
| | | | |
| | | | | +---_shgo_lib
| | | | | |   _complex.py
| | | | | |   _vertex.py
| | | | | |   __init__.py
| | | | |
| | | | | \---__pycache__
| | | | | |   _complex.cpython-311.pyc
| | | | | |   _vertex.cpython-311.pyc
| | | | | |   __init__.cpython-311.pyc
| | | | |
| | | | | +---_trlib
| | | | | |   _trlib.cp311-win_amd64.dll.a
| | | | | |   _trlib.cp311-win_amd64.pyd
| | | | | |   __init__.py
| | | | |
| | | | | \---__pycache__
| | | | | |   __init__.cpython-311.pyc
| | | | |
| | | | | +---_trustregion_constr
| | | | | |   canonical_constraint.py
| | | | | |   equality_constrained_sqp.py
| | | | | |   minimize_trustregion_constr.py
| | | | | |   projections.py
| | | | | |   qp_subproblem.py

```

```

| | | | | report.py
| | | | | tr_interior_point.py
| | | | | __init__.py
| | | | |
| | | | | +---tests
| | | | | | test_canonical_constraint.py
| | | | | | test_nested_minimize.py
| | | | | | test_projections.py
| | | | | | test_qp_subproblem.py
| | | | | | test_report.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | test_canonical_constraint.cpython-311.pyc
| | | | | | test_nested_minimize.cpython-311.pyc
| | | | | | test_projections.cpython-311.pyc
| | | | | | test_qp_subproblem.cpython-311.pyc
| | | | | | test_report.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__
| | | | | | canonical_constraint.cpython-311.pyc
| | | | | | equality_constrained_sqp.cpython-311.pyc
| | | | | | minimize_trustregion_constr.cpython-311.pyc
| | | | | | projections.cpython-311.pyc
| | | | | | qp_subproblem.cpython-311.pyc
| | | | | | report.cpython-311.pyc
| | | | | | tr_interior_point.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__
| | | | | | cobyala.cpython-311.pyc
| | | | | | elementwise.cpython-311.pyc
| | | | | | lbfgsb.cpython-311.pyc
| | | | | | linesearch.cpython-311.pyc
| | | | | | minpack.cpython-311.pyc
| | | | | | minpack2.cpython-311.pyc
| | | | | | moduleTNC.cpython-311.pyc
| | | | | | nonlin.cpython-311.pyc
| | | | | | optimize.cpython-311.pyc
| | | | | | slsqp.cpython-311.pyc
| | | | | | tnc.cpython-311.pyc
| | | | | | zeros.cpython-311.pyc
| | | | | | _basinhopping.cpython-311.pyc
| | | | | | _bracket.cpython-311.pyc
| | | | | | _chandrupatla.cpython-311.pyc
| | | | | | _cobyala_py.cpython-311.pyc
| | | | | | _cobyqa_py.cpython-311.pyc
| | | | | | _constraints.cpython-311.pyc
| | | | | | _dcsrcch.cpython-311.pyc
| | | | | | _differentiable_functions.cpython-311.pyc

```

				_differentialevolution.cpython-311.pyc
				_direct_py.cpython-311.pyc
				_dual_annealing.cpython-311.pyc
				_elementwise.cpython-311.pyc
				_hessian_update_strategy.cpython-311.pyc
				_isotonic.cpython-311.pyc
				_lbfgsb_py.cpython-311.pyc
				_linesearch.cpython-311.pyc
				_linprog.cpython-311.pyc
				_linprog_doc.cpython-311.pyc
				_linprog_highs.cpython-311.pyc
				_linprog_ip.cpython-311.pyc
				_linprog_rs.cpython-311.pyc
				_linprog_simplex.cpython-311.pyc
				_linprog_util.cpython-311.pyc
				_milp.cpython-311.pyc
				_minimize.cpython-311.pyc
				_minpack_py.cpython-311.pyc
				_nnls.cpython-311.pyc
				_nonlin.cpython-311.pyc
				_numdiff.cpython-311.pyc
				_optimize.cpython-311.pyc
				_qap.cpython-311.pyc
				_remove_redundancy.cpython-311.pyc
				_root.cpython-311.pyc
				_root_scalar.cpython-311.pyc
				_shgo.cpython-311.pyc
				_slsqp_py.cpython-311.pyc
				_spectral.cpython-311.pyc
				_tnc.cpython-311.pyc
				_trustregion.cpython-311.pyc
				_trustregion_dogleg.cpython-311.pyc
				_trustregion_exact.cpython-311.pyc
				_trustregion_krylov.cpython-311.pyc
				_trustregion_ncg.cpython-311.pyc
				_tstutils.cpython-311.pyc
				_zeros_py.cpython-311.pyc
				__init__.cpython-311.pyc
				+---signal
				bsplines.py
				filter_design.py
				fir_filter_design.py
				ltisys.py
				lti_conversion.py
				signaltools.py
				spectral.py
				spline.py
				waveforms.py
				wavelets.py
				_arraytools.py

```

| | | | | _czt.py
| | | | | _filter_design.py
| | | | | _fir_filter_design.py
| | | | | _ltisys.py
| | | | | _lti_conversion.py
| | | | | _max_len_seq.py
| | | | | _max_len_seq_inner.cp311-win_amd64.dll.a
| | | | | _max_len_seq_inner.cp311-win_amd64.pyd
| | | | | _peak_finding.py
| | | | | _peak_finding_utils.cp311-win_amd64.dll.a
| | | | | _peak_finding_utils.cp311-win_amd64.pyd
| | | | | _savitzky_golay.py
| | | | | _short_time_fft.py
| | | | | _signaltools.py
| | | | | _sigtools.cp311-win_amd64.dll.a
| | | | | _sigtools.cp311-win_amd64.pyd
| | | | | _sosfilt.cp311-win_amd64.dll.a
| | | | | _sosfilt.cp311-win_amd64.pyd
| | | | | _spectral_py.py
| | | | | _spline.cp311-win_amd64.dll.a
| | | | | _spline.cp311-win_amd64.pyd
| | | | | _spline.pyi
| | | | | _spline_filters.py
| | | | | _upfirdn.py
| | | | | _upfirdn_apply.cp311-win_amd64.dll.a
| | | | | _upfirdn_apply.cp311-win_amd64.pyd
| | | | | _waveforms.py
| | | | | _wavelets.py
| | | | | __init__.py
| | | | |
| | | | | +---tests
| | | | | | mpsig.py
| | | | | | test_array_tools.py
| | | | | | test_bsplines.py
| | | | | | test_cont2discrete.py
| | | | | | test_czt.py
| | | | | | test_dltisys.py
| | | | | | test_filter_design.py
| | | | | | test_fir_filter_design.py
| | | | | | test_ltisys.py
| | | | | | test_max_len_seq.py
| | | | | | test_peak_finding.py
| | | | | | test_result_type.py
| | | | | | test_savitzky_golay.py
| | | | | | test_short_time_fft.py
| | | | | | test_signaltools.py
| | | | | | test_spectral.py
| | | | | | test_splines.py
| | | | | | test_upfirdn.py
| | | | | | test_waveforms.py
| | | | | | test_wavelets.py

```

```

| | | | | test_windows.py
| | | | | _scipy_spectral_test_shim.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     mpsig.cpython-311.pyc
| | | | |     test_array_tools.cpython-311.pyc
| | | | |     test_bsplines.cpython-311.pyc
| | | | |     test_cont2discrete.cpython-311.pyc
| | | | |     test_czt.cpython-311.pyc
| | | | |     test_dltisys.cpython-311.pyc
| | | | |     test_filter_design.cpython-311.pyc
| | | | |     test_fir_filter_design.cpython-311.pyc
| | | | |     test_ltisys.cpython-311.pyc
| | | | |     test_max_len_seq.cpython-311.pyc
| | | | |     test_peak_finding.cpython-311.pyc
| | | | |     test_result_type.cpython-311.pyc
| | | | |     test_savitzky_golay.cpython-311.pyc
| | | | |     test_short_time_fft.cpython-311.pyc
| | | | |     test_signaltools.cpython-311.pyc
| | | | |     test_spectral.cpython-311.pyc
| | | | |     test_splines.cpython-311.pyc
| | | | |     test_upfirdn.cpython-311.pyc
| | | | |     test_waveforms.cpython-311.pyc
| | | | |     test_wavelets.cpython-311.pyc
| | | | |     test_windows.cpython-311.pyc
| | | | |     _scipy_spectral_test_shim.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---windows
| | | | | | windows.py
| | | | | | _windows.py
| | | | | | __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | |     windows.cpython-311.pyc
| | | | | |     _windows.cpython-311.pyc
| | | | | |     __init__.cpython-311.pyc
| | | | | |
| | | | | | \---__pycache__
| | | | | |     bsplines.cpython-311.pyc
| | | | | |     filter_design.cpython-311.pyc
| | | | | |     fir_filter_design.cpython-311.pyc
| | | | | |     ltisys.cpython-311.pyc
| | | | | |     lti_conversion.cpython-311.pyc
| | | | | |     signaltools.cpython-311.pyc
| | | | | |     spectral.cpython-311.pyc
| | | | | |     spline.cpython-311.pyc
| | | | | |     waveforms.cpython-311.pyc
| | | | | |     wavelets.cpython-311.pyc
| | | | | |     _arraytools.cpython-311.pyc

```


				_czt.cpython-311.pyc
				_filter_design.cpython-311.pyc
				_fir_filter_design.cpython-311.pyc
				_ltisys.cpython-311.pyc
				_lti_conversion.cpython-311.pyc
				_max_len_seq.cpython-311.pyc
				_peak_finding.cpython-311.pyc
				_savitzky_golay.cpython-311.pyc
				_short_time_fft.cpython-311.pyc
				_signaltools.cpython-311.pyc
				_spectral_py.cpython-311.pyc
				_spline_filters.cpython-311.pyc
				_upfirdn.cpython-311.pyc
				_waveforms.cpython-311.pyc
				_wavelets.cpython-311.pyc
				__init__.cpython-311.pyc
			+	----sparse
				base.py
				bsr.py
				compressed.py
				construct.py
				coo.py
				csc.py
				csr.py
				data.py
				dia.py
				dok.py
				extract.py
				lil.py
				sparsetools.py
				spfuncs.py
				sputils.py
				_base.py
				_bsr.py
				_compressed.py
				_construct.py
				_coo.py
				_csc.py
				_csparsetools.cp311-win_amd64.dll.a
				_csparsetools.cp311-win_amd64.pyd
				_csr.py
				_data.py
				_dia.py
				_dok.py
				_extract.py
				_index.py
				_lil.py
				_matrix.py
				_matrix_io.py
				_sparsetools.cp311-win_amd64.dll.a

```

| | | | _sparsetools.cp311-win_amd64.pyd
| | | | _spfuncs.py
| | | | _sputils.py
| | | | __init__.py
| | | |
| | | | +---csgraph
| | | | | _flow.cp311-win_amd64.dll.a
| | | | | _flow.cp311-win_amd64.pyd
| | | | | _laplacian.py
| | | | | _matching.cp311-win_amd64.dll.a
| | | | | _matching.cp311-win_amd64.pyd
| | | | | _min_spanning_tree.cp311-win_amd64.dll.a
| | | | | _min_spanning_tree.cp311-win_amd64.pyd
| | | | | _reordering.cp311-win_amd64.dll.a
| | | | | _reordering.cp311-win_amd64.pyd
| | | | | _shortest_path.cp311-win_amd64.dll.a
| | | | | _shortest_path.cp311-win_amd64.pyd
| | | | | _tools.cp311-win_amd64.dll.a
| | | | | _tools.cp311-win_amd64.pyd
| | | | | _traversal.cp311-win_amd64.dll.a
| | | | | _traversal.cp311-win_amd64.pyd
| | | | | _validation.py
| | | | | __init__.py
| | | | |
| | | | +---tests
| | | | | test_connected_components.py
| | | | | test_conversions.py
| | | | | test_flow.py
| | | | | test_graph_laplacian.py
| | | | | test_matching.py
| | | | | test_pydata_sparse.py
| | | | | test_reordering.py
| | | | | test_shortest_path.py
| | | | | test_spanning_tree.py
| | | | | test_traversal.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | test_connected_components.cpython-311.pyc
| | | | | test_conversions.cpython-311.pyc
| | | | | test_flow.cpython-311.pyc
| | | | | test_graph_laplacian.cpython-311.pyc
| | | | | test_matching.cpython-311.pyc
| | | | | test_pydata_sparse.cpython-311.pyc
| | | | | test_reordering.cpython-311.pyc
| | | | | test_shortest_path.cpython-311.pyc
| | | | | test_spanning_tree.cpython-311.pyc
| | | | | test_traversal.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__

```

```

| | | | | _laplacian.cpython-311.pyc
| | | | | _validation.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---linalg
| | | | | | dsolve.py
| | | | | | eigen.py
| | | | | | interface.py
| | | | | | isolve.py
| | | | | | matfuncs.py
| | | | | | _expm_multiply.py
| | | | | | _interface.py
| | | | | | _matfuncs.py
| | | | | | _norm.py
| | | | | | _onenormest.py
| | | | | | _special_sparse_arrays.py
| | | | | | _svdp.py
| | | | | | __init__.py
| | | | | |
| | | | | +---tests
| | | | | | propack_test_data.npz
| | | | | | test_expm_multiply.py
| | | | | | test_interface.py
| | | | | | test_matfuncs.py
| | | | | | test_norm.py
| | | | | | test_onenormest.py
| | | | | | test_propack.py
| | | | | | test_pydata_sparse.py
| | | | | | test_special_sparse_arrays.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | test_expm_multiply.cpython-311.pyc
| | | | | | test_interface.cpython-311.pyc
| | | | | | test_matfuncs.cpython-311.pyc
| | | | | | test_norm.cpython-311.pyc
| | | | | | test_onenormest.cpython-311.pyc
| | | | | | test_propack.cpython-311.pyc
| | | | | | test_pydata_sparse.cpython-311.pyc
| | | | | | test_special_sparse_arrays.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | +---_dsolve
| | | | | | linsolve.py
| | | | | | _add_newdocs.py
| | | | | | _superlu.cp311-win_amd64.dll.a
| | | | | | _superlu.cp311-win_amd64.pyd
| | | | | | __init__.py
| | | | | |
| | | | | +---tests
| | | | | | test_linsolve.py

```

```
| | | | | | | | _init__.py
| | | | | | | |
| | | | | | | \---__pycache__
| | | | | | | test_linsolve.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | | linsolve.cpython-311.pyc
| | | | | | | _add_newdocs.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | +---_eigen
| | | | | | _svds.py
| | | | | | _svds_doc.py
| | | | | | __init__.py
| | | | | |
| | | | | +---arpack
| | | | | | arpack.py
| | | | | | COPYING
| | | | | | _arpack.cp311-win_amd64.dll.a
| | | | | | _arpack.cp311-win_amd64.pyd
| | | | | | __init__.py
| | | | | |
| | | | | +---tests
| | | | | | | test_arpack.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | | test_arpack.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | | arpack.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | +---lobpcg
| | | | | | lobpcg.py
| | | | | | __init__.py
| | | | | |
| | | | | +---tests
| | | | | | | test_lobpcg.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | | test_lobpcg.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | | lobpcg.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
```

```

| | | | | +---tests
| | | | | | | test_svds.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | | test_svds.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | | _svds.cpython-311.pyc
| | | | | | | _svds_doc.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | +---_isolve
| | | | | | | iterative.py
| | | | | | | lgmres.py
| | | | | | | lsqr.py
| | | | | | | lsqr.py
| | | | | | | minres.py
| | | | | | | tfqmr.py
| | | | | | | utils.py
| | | | | | | _gcrotmk.py
| | | | | | | __init__.py
| | | | | | |
| | | | | +---tests
| | | | | | | test_gcrotmk.py
| | | | | | | test_iterative.py
| | | | | | | test_lgmres.py
| | | | | | | test_lsmr.py
| | | | | | | test_lsqr.py
| | | | | | | test_minres.py
| | | | | | | test_utils.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | | test_gcrotmk.cpython-311.pyc
| | | | | | | test_iterative.cpython-311.pyc
| | | | | | | test_lgmres.cpython-311.pyc
| | | | | | | test_lsmr.cpython-311.pyc
| | | | | | | test_lsqr.cpython-311.pyc
| | | | | | | test_minres.cpython-311.pyc
| | | | | | | test_utils.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | | iterative.cpython-311.pyc
| | | | | | | lgmres.cpython-311.pyc
| | | | | | | lsqr.cpython-311.pyc
| | | | | | | lsqr.cpython-311.pyc
| | | | | | | minres.cpython-311.pyc
| | | | | | | tfqmr.cpython-311.pyc

```

```
| | | | | utils.cpython-311.pyc
| | | | | _gcrotmk.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | | 
+---_propack
| | | | | _cpropack.cp311-win_amd64.dll.a
| | | | | _cpropack.cp311-win_amd64.pyd
| | | | | _dpropack.cp311-win_amd64.dll.a
| | | | | _dpropack.cp311-win_amd64.pyd
| | | | | _spropack.cp311-win_amd64.dll.a
| | | | | _spropack.cp311-win_amd64.pyd
| | | | | _zpropack.cp311-win_amd64.dll.a
| | | | | _zpropack.cp311-win_amd64.pyd
| | | | | 
\---__pycache__
| | | | dsolve.cpython-311.pyc
| | | | eigen.cpython-311.pyc
| | | | interface.cpython-311.pyc
| | | | isolve.cpython-311.pyc
| | | | matfuncs.cpython-311.pyc
| | | | _expm_multiply.cpython-311.pyc
| | | | _interface.cpython-311.pyc
| | | | _matfuncs.cpython-311.pyc
| | | | _norm.cpython-311.pyc
| | | | _onenormest.cpython-311.pyc
| | | | _special_sparse_arrays.cpython-311.pyc
| | | | _svdp.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | | 
+----tests
| | | test_arithmeticld.py
| | | test_array_api.py
| | | test_base.py
| | | test_commonld.py
| | | test_construct.py
| | | test_coo.py
| | | test_csc.py
| | | test_csr.py
| | | test_dok.py
| | | test_extract.py
| | | test_indexingld.py
| | | test_matrix_io.py
| | | test_minmaxld.py
| | | test_sparsetools.py
| | | test_spfuncs.py
| | | test_sputils.py
| | | __init__.py
| | | 
+----data
| | csc_py2.npz
| | csc_py3.npz
```

					\---__pycache__
					test_arithmetic1d.cpython-311.pyc
					test_array_api.cpython-311.pyc
					test_base.cpython-311.pyc
					test_common1d.cpython-311.pyc
					test_construct.cpython-311.pyc
					test_coo.cpython-311.pyc
					test_csc.cpython-311.pyc
					test_csr.cpython-311.pyc
					test_dok.cpython-311.pyc
					test_extract.cpython-311.pyc
					test_indexing1d.cpython-311.pyc
					test_matrix_io.cpython-311.pyc
					test_minmax1d.cpython-311.pyc
					test_sparsetools.cpython-311.pyc
					test_spfuncs.cpython-311.pyc
					test_sputils.cpython-311.pyc
					__init__.cpython-311.pyc
					\---__pycache__
					base.cpython-311.pyc
					bsr.cpython-311.pyc
					compressed.cpython-311.pyc
					construct.cpython-311.pyc
					coo.cpython-311.pyc
					csc.cpython-311.pyc
					csr.cpython-311.pyc
					data.cpython-311.pyc
					dia.cpython-311.pyc
					dok.cpython-311.pyc
					extract.cpython-311.pyc
					lil.cpython-311.pyc
					sparsetools.cpython-311.pyc
					spfuncs.cpython-311.pyc
					sputils.cpython-311.pyc
					_base.cpython-311.pyc
					_bsr.cpython-311.pyc
					_compressed.cpython-311.pyc
					_construct.cpython-311.pyc
					_coo.cpython-311.pyc
					_csc.cpython-311.pyc
					_csr.cpython-311.pyc
					_data.cpython-311.pyc
					_dia.cpython-311.pyc
					_dok.cpython-311.pyc
					_extract.cpython-311.pyc
					_index.cpython-311.pyc
					_lil.cpython-311.pyc
					_matrix.cpython-311.pyc
					_matrix_io.cpython-311.pyc

```

| | | | _spfuncs.cpython-311.pyc
| | | | _sputils.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | +---spatial
| | | | | ckdtree.py
| | | | | distance.py
| | | | | distance.pyi
| | | | | kdtree.py
| | | | | qhull.py
| | | | | _ckdtree.cp311-win_amd64.dll.a
| | | | | _ckdtree.cp311-win_amd64.pyd
| | | | | _distance_pybind.cp311-win_amd64.dll.a
| | | | | _distance_pybind.cp311-win_amd64.pyd
| | | | | _distance_wrap.cp311-win_amd64.dll.a
| | | | | _distance_wrap.cp311-win_amd64.pyd
| | | | | _geometric_slerp.py
| | | | | _hausdorff.cp311-win_amd64.dll.a
| | | | | _hausdorff.cp311-win_amd64.pyd
| | | | | _kdtree.py
| | | | | _plotutils.py
| | | | | _procrustes.py
| | | | | _qhull.cp311-win_amd64.dll.a
| | | | | _qhull.cp311-win_amd64.pyd
| | | | | _qhull.pyi
| | | | | _spherical_voronoi.py
| | | | | _voronoi.cp311-win_amd64.dll.a
| | | | | _voronoi.cp311-win_amd64.pyd
| | | | | _voronoi.pyi
| | | | | __init__.py
| | | | |
| | | | +---qhull_src
| | | | | COPYING.txt
| | | | |
| | | | +---tests
| | | | | | test_distance.py
| | | | | | test_hausdorff.py
| | | | | | test_kdtree.py
| | | | | | test_qhull.py
| | | | | | test_slerp.py
| | | | | | test_spherical_voronoi.py
| | | | | | test__plotutils.py
| | | | | | test__procrustes.py
| | | | | | __init__.py
| | | | | |
| | | | +---data
| | | | | | cdist-X1.txt
| | | | | | cdist-X2.txt
| | | | | | degenerate_pointset.npz
| | | | | | iris.txt
| | | | | | pdist-boolean-inp.txt

```


						pdist-chebyshev-ml-iris.txt
						pdist-chebyshev-ml.txt
						pdist-cityblock-ml-iris.txt
						pdist-cityblock-ml.txt
						pdist-correlation-ml-iris.txt
						pdist-correlation-ml.txt
						pdist-cosine-ml-iris.txt
						pdist-cosine-ml.txt
						pdist-double-inp.txt
						pdist-euclidean-ml-iris.txt
						pdist-euclidean-ml.txt
						pdist-hamming-ml.txt
						pdist-jaccard-ml.txt
						pdist-jensenshannon-ml-iris.txt
						pdist-jensenshannon-ml.txt
						pdist-minkowski-3.2-ml-iris.txt
						pdist-minkowski-3.2-ml.txt
						pdist-minkowski-5.8-ml-iris.txt
						pdist-seuclidean-ml-iris.txt
						pdist-seuclidean-ml.txt
						pdist-spearman-ml.txt
						random-bool-data.txt
						random-double-data.txt
						random-int-data.txt
						random-uint-data.txt
						selfdual-4d-polytope.txt
						\---__pycache__
						test_distance.cpython-311.pyc
						test_hausdorff.cpython-311.pyc
						test_kdtree.cpython-311.pyc
						test_ghull.cpython-311.pyc
						test_slarp.cpython-311.pyc
						test_spherical_voronoi.cpython-311.pyc
						test__plotutils.cpython-311.pyc
						test__procrustes.cpython-311.pyc
						__init__.cpython-311.pyc
						+---transform
						rotation.py
						_rotation.cp311-win_amd64.dll.a
						_rotation.cp311-win_amd64.pyd
						_rotation_groups.py
						_rotation_spline.py
						__init__.py
						+---tests
						test_rotation.py
						test_rotation_groups.py
						test_rotation_spline.py
						__init__.py

```

| | | | |
| | | | | \---__pycache__
| | | | | test_rotation.cpython-311.pyc
| | | | | test_rotation_groups.cpython-311.pyc
| | | | | test_rotation_spline.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | rotation.cpython-311.pyc
| | | | | _rotation_groups.cpython-311.pyc
| | | | | _rotation_spline.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | ckdtree.cpython-311.pyc
| | | | | distance.cpython-311.pyc
| | | | | kdtree.cpython-311.pyc
| | | | | qhull.cpython-311.pyc
| | | | | _geometric_slerp.cpython-311.pyc
| | | | | _kdtree.cpython-311.pyc
| | | | | _plotutils.cpython-311.pyc
| | | | | _procrustes.cpython-311.pyc
| | | | | _spherical_voronoi.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---special
| | | | | add_newdocs.py
| | | | | basic.py
| | | | | cython_special.cp311-win_amd64.dll.a
| | | | | cython_special.cp311-win_amd64.pyd
| | | | | cython_special.pxd
| | | | | cython_special.pyi
| | | | | libsf_error_state.dll
| | | | | libsf_error_state.dll.a
| | | | | orthogonal.py
| | | | | sf_error.py
| | | | | specfun.py
| | | | | spfun_stats.py
| | | | | _add_newdocs.py
| | | | | _basic.py
| | | | | _comb.cp311-win_amd64.dll.a
| | | | | _comb.cp311-win_amd64.pyd
| | | | | _ellip_harm.py
| | | | | _ellip_harm_2.cp311-win_amd64.dll.a
| | | | | _ellip_harm_2.cp311-win_amd64.pyd
| | | | | _gufuncs.cp311-win_amd64.dll.a
| | | | | _gufuncs.cp311-win_amd64.pyd
| | | | | _input_validation.py
| | | | | _lambertw.py
| | | | | _logsumexp.py
| | | | | _mptestutils.py

```

					_multiufuncs.py
					_orthogonal.py
					_orthogonal.pyi
					_sf_error.py
					_specfun.cp311-win_amd64.dll.a
					_specfun.cp311-win_amd64.pyd
					_special_ufuncs.cp311-win_amd64.dll.a
					_special_ufuncs.cp311-win_amd64.pyd
					_spfun_stats.py
					_spherical_bessel.py
					_support_alternative_backends.py
					_testutils.py
					_test_internal.cp311-win_amd64.dll.a
					_test_internal.cp311-win_amd64.pyd
					_test_internal.pyi
					_ufuncs.cp311-win_amd64.dll.a
					_ufuncs.cp311-win_amd64.pyd
					_ufuncs.pyi
					_ufuncs.pyx
					_ufuncs_cxx.cp311-win_amd64.dll.a
					_ufuncs_cxx.cp311-win_amd64.pyd
					_ufuncs_cxx.pxd
					_ufuncs_cxx.pyx
					_ufuncs_cxx_defs.h
					_ufuncs_defs.h
					__init__.pxd
					__init__.py
					+---tests
					test_basic.py
					test_bdtr.py
					test_boost_ufuncs.py
					test_boxcox.py
					test_cdflib.py
					test_cdft_asymptotic.py
					test_cephes_intp_cast.py
					test_cosine_distr.py
					test_cython_special.py
					test_data.py
					test_dd.py
					test_digamma.py
					test_ellip_harm.py
					test_erfinv.py
					test_exponential_integrals.py
					test_extending.py
					test_faddeeva.py
					test_gamma.py
					test_gammainc.py
					test_hyp2f1.py
					test_hypergeometric.py
					test_iv_ratio.py

						test_kolmogorov.py
						test_lambertw.py
						test_legendre.py
						test_loggamma.py
						test_logit.py
						test_logsumexp.py
						test_log_softmax.py
						test_mpmath.py
						test_nan_inputs.py
						test_ndtr.py
						test_ndtri_exp.py
						test_orthogonal.py
						test_orthogonal_eval.py
						test_owens_t.py
						test_pcf.py
						test_pdtr.py
						test_powml.py
						test_precompute_expn_asy.py
						test_precompute_gammainc.py
						test_precompute_utils.py
						test_round.py
						test_sf_error.py
						test_sici.py
						test_specfun.py
						test_spence.py
						test_spfun_stats.py
						test_spherical_bessel.py
						test_sph_harm.py
						test_support_alternative_backends.py
						test_trig.py
						test_ufunc_signatures.py
						test_wrightomega.py
						test_wright_bessel.py
						test_xsf_cuda.py
						test_zeta.py
						__init__.py
						+---data
						boost.npz
						gsl.npz
						local.npz
						__init__.py
						\---_pycache_
						__init__.cpython-311.pyc
						+---_cython_examples
						extending.pyx
						meson.build
						\---_pycache_

					test_basic.cpython-311.pyc
					test_bdtr.cpython-311.pyc
					test_boost_ufuncs.cpython-311.pyc
					test_boxcox.cpython-311.pyc
					test_cdflib.cpython-311.pyc
					test_cdft_asymptotic.cpython-311.pyc
					test_cephes_intp_cast.cpython-311.pyc
					test_cosine_distr.cpython-311.pyc
					test_cython_special.cpython-311.pyc
					test_data.cpython-311.pyc
					test_dd.cpython-311.pyc
					test_digamma.cpython-311.pyc
					test_ellip_harm.cpython-311.pyc
					test_erfinv.cpython-311.pyc
					test_exponential_integrals.cpython-311.pyc
					test_extending.cpython-311.pyc
					test_faddeeva.cpython-311.pyc
					test_gamma.cpython-311.pyc
					test_gammainc.cpython-311.pyc
					test_hyp2f1.cpython-311.pyc
					test_hypergeometric.cpython-311.pyc
					test_iv_ratio.cpython-311.pyc
					test_kolmogorov.cpython-311.pyc
					test_lambertw.cpython-311.pyc
					test_legendre.cpython-311.pyc
					test_loggamma.cpython-311.pyc
					test_logit.cpython-311.pyc
					test_logsumexp.cpython-311.pyc
					test_log_softmax.cpython-311.pyc
					test_mpmath.cpython-311.pyc
					test_nan_inputs.cpython-311.pyc
					test_ndtr.cpython-311.pyc
					test_ndtri_exp.cpython-311.pyc
					test_orthogonal.cpython-311.pyc
					test_orthogonal_eval.cpython-311.pyc
					test_owens_t.cpython-311.pyc
					test_pcf.cpython-311.pyc
					test_pdtr.cpython-311.pyc
					test_powm1.cpython-311.pyc
					test_precompute_expn_asy.cpython-311.pyc
					test_precompute_gammainc.cpython-311.pyc
					test_precompute_utils.cpython-311.pyc
					test_round.cpython-311.pyc
					test_sf_error.cpython-311.pyc
					test_sici.cpython-311.pyc
					test_specfun.cpython-311.pyc
					test_spence.cpython-311.pyc
					test_spfun_stats.cpython-311.pyc
					test_spherical_bessel.cpython-311.pyc
					test_sph_harm.cpython-311.pyc
					test_support_alternative_backends.cpython-311.pyc

					test_trig.cpython-311.pyc
					test_ufunc_signatures.cpython-311.pyc
					test_wrightomega.cpython-311.pyc
					test_wright_bessel.cpython-311.pyc
					test_xsf_cuda.cpython-311.pyc
					test_zeta.cpython-311.pyc
					__init__.cpython-311.pyc

--	--	--	--	--	--

					+---xsf
--	--	--	--	--	---------

					binom.h
					cdflib.h
					config.h
					digamma.h
					error.h
					evalpoly.h
					expint.h
					hyp2f1.h
					iv_ratio.h
					lambertw.h
					loggamma.h
					sici.h
					tools.h
					trig.h
					wright_bessel.h
					zlog1.h

--	--	--	--	--	--

					\---cephes
--	--	--	--	--	------------

					airy.h
					besselpoly.h
					beta.h
					cbrt.h
					chbevl.h
					chdtr.h
					const.h
					ellie.h
					ellik.h
					ellpe.h
					ellpk.h
					expn.h
					gamma.h
					hyp2f1.h
					hyperg.h
					i0.h
					i1.h
					igam.h
					igami.h
					igam_asymp_coeff.h
					j0.h
					j1.h
					jv.h
					k0.h

					kl.h
					kn.h
					lanczos.h
					ndtr.h
					poch.h
					polevl.h
					psi.h
					rgamma.h
					scipy_iv.h
					shichi.h
					sici.h
					sindg.h
					tandg.h
					trig.h
					unity.h
					zeta.h
				+---_precompute	
					cosine_cdf.py
					expn_asy.py
					gammainc_asy.py
					gammainc_data.py
					hyp2f1_data.py
					lambertw.py
					loggamma.py
					struve_convergence.py
					utils.py
					wrightomega.py
					wright_bessel.py
					wright_bessel_data.py
					zetac.py
					__init__.py
				\---__pycache__	
					cosine_cdf.cpython-311.pyc
					expn_asy.cpython-311.pyc
					gammainc_asy.cpython-311.pyc
					gammainc_data.cpython-311.pyc
					hyp2f1_data.cpython-311.pyc
					lambertw.cpython-311.pyc
					loggamma.cpython-311.pyc
					struve_convergence.cpython-311.pyc
					utils.cpython-311.pyc
					wrightomega.cpython-311.pyc
					wright_bessel.cpython-311.pyc
					wright_bessel_data.cpython-311.pyc
					zetac.cpython-311.pyc
					__init__.cpython-311.pyc
				\---__pycache__	
					add_newdocs.cpython-311.pyc

				basic.cpython-311.pyc
				orthogonal.cpython-311.pyc
				sf_error.cpython-311.pyc
				specfun.cpython-311.pyc
				spfun_stats.cpython-311.pyc
				_add_newdocs.cpython-311.pyc
				_basic.cpython-311.pyc
				_ellip_harm.cpython-311.pyc
				_input_validation.cpython-311.pyc
				_lambertw.cpython-311.pyc
				_logsumexp.cpython-311.pyc
				_mptestutils.cpython-311.pyc
				_multiufuncs.cpython-311.pyc
				_orthogonal.cpython-311.pyc
				_sf_error.cpython-311.pyc
				_spfun_stats.cpython-311.pyc
				_spherical_bessel.cpython-311.pyc
				_support_alternative_backends.cpython-311.pyc
				_testutils.cpython-311.pyc
				__init__.cpython-311.pyc
			+	---stats
				biasedurn.py
				contingency.py
				distributions.py
				kde.py
				morestats.py
				mstats.py
				mstats_basic.py
				mstats_extras.py
				mvn.py
				qmc.py
				sampling.py
				stats.py
				_ansari_swilk_statistics.cp311-win_amd64.dll.a
				_ansari_swilk_statistics.cp311-win_amd64.pyd
				_axis_nan_policy.py
				_biasedurn.cp311-win_amd64.dll.a
				_biasedurn.cp311-win_amd64.pyd
				_biasedurn.pxd
				_binned_statistic.py
				_binomtest.py
				_bws_test.py
				_censored_data.py
				_common.py
				_constants.py
				_continuous_distns.py
				_correlation.py
				_covariance.py
				_crosstab.py
				_discrete_distns.py

					_distn_infrastructure.py
					_distribution_infrastructure.py
					_distr_params.py
					_entropy.py
					_fit.py
					_hypotests.py
					_kde.py
					_ksstats.py
					_mannwhitneyu.py
					_mgc.py
					_morestats.py
					_mstats_basic.py
					_mstats_extras.py
					_multicomp.py
					_multivariate.py
					_mvn.cp311-win_amd64.dll.a
					_mvn.cp311-win_amd64.pyd
					_new_distributions.py
					_odds_ratio.py
					_page_trend_test.py
					_probability_distribution.py
					_qmc.py
					_qmc_cy.cp311-win_amd64.dll.a
					_qmc_cy.cp311-win_amd64.pyd
					_qmc_cy.pyi
					_qmvnt.py
					_relative_risk.py
					_resampling.py
					_result_classes.py
					_sampling.py
					_sensitivity_analysis.py
					_sobol.cp311-win_amd64.dll.a
					_sobol.cp311-win_amd64.pyd
					_sobol.pyi
					_sobol_direction_numbers.npz
					_stats.cp311-win_amd64.dll.a
					_stats.cp311-win_amd64.pyd
					_stats.pxd
					_stats_mstats_common.py
					_stats_py.py
					_stats_pythran.cp311-win_amd64.dll.a
					_stats_pythran.cp311-win_amd64.pyd
					_survival.py
					_tukeylambda_stats.py
					_variation.py
					_warnings_errors.py
					_wilcoxon.py
					__init__.py
					+++tests
					common_tests.py

						test_axis_nan_policy.py
						test_binned_statistic.py
						test_censored_data.py
						test_contingency.py
						test_continuous.py
						test_continuous_basic.py
						test_continuous_fit_censored.py
						test_correlation.py
						test_crosstab.py
						test_discrete_basic.py
						test_discrete_distns.py
						test_distributions.py
						test_entropy.py
						test_fast_gen_inversion.py
						test_fit.py
						test_hypotests.py
						test_kdeoth.py
						test_mgc.py
						test_morestats.py
						test_mstats_basic.py
						test_mstats_extras.py
						test_multicomp.py
						test_multivariate.py
						test_odds_ratio.py
						test_qmc.py
						test_rank.py
						test_relative_risk.py
						test_resampling.py
						test_sampling.py
						test_sensitivity_analysis.py
						test_stats.py
						test_survival.py
						test_tukeylambda_stats.py
						test_variation.py
						__init__.py
						+---data
						fisher_exact_results_from_r.py
						jf_skew_t_gamlss_pdf_data.npy
						rel_breitwigner_pdf_sample_data_ROOT.npy
						studentized_range_mpmath_ref.json
						_mvt.py
						+---levy_stable
						stable-loc-scale-sample-data.npy
						stable-Z1-cdf-sample-data.npy
						stable-Z1-pdf-sample-data.npy
						+---nist_anova
						AtmWtAg.dat
						SiRstv.dat

						SmLs01.dat
						SmLs02.dat
						SmLs03.dat
						SmLs04.dat
						SmLs05.dat
						SmLs06.dat
						SmLs07.dat
						SmLs08.dat
						SmLs09.dat
						+---nist_linregress
						Norris.dat
						\---__pycache__
						fisher_exact_results_from_r.cpython-311.pyc
						_mvt.cpython-311.pyc
						\---__pycache__
						common_tests.cpython-311.pyc
						test_axis_nan_policy.cpython-311.pyc
						test_binned_statistic.cpython-311.pyc
						test_censored_data.cpython-311.pyc
						test_contingency.cpython-311.pyc
						test_continuous.cpython-311.pyc
						test_continuous_basic.cpython-311.pyc
						test_continuous_fit_censored.cpython-311.pyc
						test_correlation.cpython-311.pyc
						test_crosstab.cpython-311.pyc
						test_discrete_basic.cpython-311.pyc
						test_discrete_distns.cpython-311.pyc
						test_distributions.cpython-311.pyc
						test_entropy.cpython-311.pyc
						test_fast_gen_inversion.cpython-311.pyc
						test_fit.cpython-311.pyc
						test_hypotests.cpython-311.pyc
						test_kdeoth.cpython-311.pyc
						test_mgc.cpython-311.pyc
						test_morestats.cpython-311.pyc
						test_mstats_basic.cpython-311.pyc
						test_mstats_extras.cpython-311.pyc
						test_multicomp.cpython-311.pyc
						test_multivariate.cpython-311.pyc
						test_odds_ratio.cpython-311.pyc
						test_qmc.cpython-311.pyc
						test_rank.cpython-311.pyc
						test_relative_risk.cpython-311.pyc
						test_resampling.cpython-311.pyc
						test_sampling.cpython-311.pyc
						test_sensitivity_analysis.cpython-311.pyc
						test_stats.cpython-311.pyc
						test_survival.cpython-311.pyc

```

| | | | | test_tukeylambda_stats.cpython-311.pyc
| | | | | test_variation.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---_levy_stable
| | | | | | levyst.cp311-win_amd64.dll.a
| | | | | | levyst.cp311-win_amd64.pyd
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | +---_rcont
| | | | | | rcont.cp311-win_amd64.dll.a
| | | | | | rcont.cp311-win_amd64.pyd
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | +---_unuran
| | | | | | unuran_wrapper.cp311-win_amd64.dll.a
| | | | | | unuran_wrapper.cp311-win_amd64.pyd
| | | | | | unuran_wrapper.pyi
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__
| | | | | | biasedurn.cpython-311.pyc
| | | | | | contingency.cpython-311.pyc
| | | | | | distributions.cpython-311.pyc
| | | | | | kde.cpython-311.pyc
| | | | | | morestats.cpython-311.pyc
| | | | | | mstats.cpython-311.pyc
| | | | | | mstats_basic.cpython-311.pyc
| | | | | | mstats_extras.cpython-311.pyc
| | | | | | mvn.cpython-311.pyc
| | | | | | qmc.cpython-311.pyc
| | | | | | sampling.cpython-311.pyc
| | | | | | stats.cpython-311.pyc
| | | | | | _axis_nan_policy.cpython-311.pyc
| | | | | | _binned_statistic.cpython-311.pyc
| | | | | | _binomtest.cpython-311.pyc
| | | | | | _bws_test.cpython-311.pyc
| | | | | | _censored_data.cpython-311.pyc
| | | | | | _common.cpython-311.pyc
| | | | | | _constants.cpython-311.pyc
| | | | | | _continuous_distns.cpython-311.pyc
| | | | | | _correlation.cpython-311.pyc

```

				_covariance.cpython-311.pyc
				_crosstab.cpython-311.pyc
				_discrete_distns.cpython-311.pyc
				_distn_infrastructure.cpython-311.pyc
				_distribution_infrastructure.cpython-311.pyc
				_distr_params.cpython-311.pyc
				_entropy.cpython-311.pyc
				_fit.cpython-311.pyc
				_hypotests.cpython-311.pyc
				_kde.cpython-311.pyc
				_ksstats.cpython-311.pyc
				_mannwhitneyu.cpython-311.pyc
				_mgc.cpython-311.pyc
				_morestats.cpython-311.pyc
				_mstats_basic.cpython-311.pyc
				_mstats_extras.cpython-311.pyc
				_multicomp.cpython-311.pyc
				_multivariate.cpython-311.pyc
				_new_distributions.cpython-311.pyc
				_odds_ratio.cpython-311.pyc
				_page_trend_test.cpython-311.pyc
				_probability_distribution.cpython-311.pyc
				_qmc.cpython-311.pyc
				_qmvnt.cpython-311.pyc
				_relative_risk.cpython-311.pyc
				_resampling.cpython-311.pyc
				_result_classes.cpython-311.pyc
				_sampling.cpython-311.pyc
				_sensitivity_analysis.cpython-311.pyc
				_stats_mstats_common.cpython-311.pyc
				_stats_py.cpython-311.pyc
				_survival.cpython-311.pyc
				_tukeylambda_stats.cpython-311.pyc
				_variation.cpython-311.pyc
				_warnings_errors.cpython-311.pyc
				_wilcoxon.cpython-311.pyc
				__init__.cpython-311.pyc
				+---_lib
				decorator.py
				deprecation.py
				doccer.py
				messagestream.cp311-win_amd64.dll.a
				messagestream.cp311-win_amd64.pyd
				uarray.py
				_array_api.py
				_array_api_no_0d.py
				_bunch.py
				_ccallback.py
				_ccallback_c.cp311-win_amd64.dll.a
				_ccallback_c.cp311-win_amd64.pyd

```

| | | | _disjoint_set.py
| | | | _docsrape.py
| | | | _elementwise_iterative_method.py
| | | | _finite_differences.py
| | | | _fpumode.cp311-win_amd64.dll.a
| | | | _fpumode.cp311-win_amd64.pyd
| | | | _gcutils.py
| | | | _pep440.py
| | | | _testutils.py
| | | | _test_ccallback.cp311-win_amd64.dll.a
| | | | _test_ccallback.cp311-win_amd64.pyd
| | | | _test_deprecation_call.cp311-win_amd64.dll.a
| | | | _test_deprecation_call.cp311-win_amd64.pyd
| | | | _test_deprecation_def.cp311-win_amd64.dll.a
| | | | _test_deprecation_def.cp311-win_amd64.pyd
| | | | _threadsafety.py
| | | | _tmpdirs.py
| | | | _util.py
| | | | __init__.py
| | | |
| | | | +---array_api_compat
| | | | | | _internal.py
| | | | | | __init__.py
| | | | | |
| | | | | | +---common
| | | | | | | | _aliases.py
| | | | | | | | _fft.py
| | | | | | | | _helpers.py
| | | | | | | | _linalg.py
| | | | | | | | _typing.py
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | \---__pycache__
| | | | | | | | _aliases.cpython-311.pyc
| | | | | | | | _fft.cpython-311.pyc
| | | | | | | | _helpers.cpython-311.pyc
| | | | | | | | _linalg.cpython-311.pyc
| | | | | | | | _typing.cpython-311.pyc
| | | | | | | | __init__.cpython-311.pyc
| | | | | | | |
| | | | | | +---cupy
| | | | | | | | fft.py
| | | | | | | | linalg.py
| | | | | | | | _aliases.py
| | | | | | | | _info.py
| | | | | | | | _typing.py
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | \---__pycache__
| | | | | | | | fft.cpython-311.pyc
| | | | | | | | linalg.cpython-311.pyc

```

```

| | | | | _aliases.cpython-311.pyc
| | | | | _info.cpython-311.pyc
| | | | | _typing.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---dask
| | | | | | __init__.py
| | | | | |
| | | | +---array
| | | | | | | fft.py
| | | | | | | linalg.py
| | | | | | | _aliases.py
| | | | | | | _info.py
| | | | | | | __init__.py
| | | | | |
| | | | \---__pycache__
| | | | | | | fft.cpython-311.pyc
| | | | | | | linalg.cpython-311.pyc
| | | | | | | _aliases.cpython-311.pyc
| | | | | | | _info.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | \---__pycache__
| | | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | +---numpy
| | | | | | | fft.py
| | | | | | | linalg.py
| | | | | | | _aliases.py
| | | | | | | _info.py
| | | | | | | _typing.py
| | | | | | | __init__.py
| | | | | |
| | | | \---__pycache__
| | | | | | | fft.cpython-311.pyc
| | | | | | | linalg.cpython-311.pyc
| | | | | | | _aliases.cpython-311.pyc
| | | | | | | _info.cpython-311.pyc
| | | | | | | _typing.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | +---torch
| | | | | | | fft.py
| | | | | | | linalg.py
| | | | | | | _aliases.py
| | | | | | | _info.py
| | | | | | | __init__.py
| | | | | |
| | | | \---__pycache__
| | | | | | | fft.cpython-311.pyc
| | | | | | | linalg.cpython-311.pyc

```

```

| | | | | _aliases.cpython-311.pyc
| | | | | _info.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | _internal.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---array_api_extra
| | | | | | _funcs.py
| | | | | | _typing.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | _funcs.cpython-311.pyc
| | | | | _typing.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---cobyqa
| | | | | | framework.py
| | | | | | main.py
| | | | | | models.py
| | | | | | problem.py
| | | | | | settings.py
| | | | | | __init__.py
| | | | | |
| | | | | +---subsolvers
| | | | | | geometry.py
| | | | | | optim.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | geometry.cpython-311.pyc
| | | | | optim.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---utils
| | | | | | exceptions.py
| | | | | | math.py
| | | | | | versions.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | exceptions.cpython-311.pyc
| | | | | math.cpython-311.pyc
| | | | | versions.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | framework.cpython-311.pyc
| | | | | main.cpython-311.pyc

```



```

| | | | | models.cpython-311.pyc
| | | | | problem.cpython-311.pyc
| | | | | settings.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---tests
| | | | | | test_array_api.py
| | | | | | test_bunch.py
| | | | | | test_ccallback.py
| | | | | | test_config.py
| | | | | | test_deprecation.py
| | | | | | test_doccer.py
| | | | | | test_import_cycles.py
| | | | | | test_public_api.py
| | | | | | test_scipy_version.py
| | | | | | test_tmpdirs.py
| | | | | | test_warnings.py
| | | | | | test_gcutils.py
| | | | | | test__pep440.py
| | | | | | test__testutils.py
| | | | | | test__threadsafety.py
| | | | | | test__util.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | test_array_api.cpython-311.pyc
| | | | | | test_bunch.cpython-311.pyc
| | | | | | test_ccallback.cpython-311.pyc
| | | | | | test_config.cpython-311.pyc
| | | | | | test_deprecation.cpython-311.pyc
| | | | | | test_doccer.cpython-311.pyc
| | | | | | test_import_cycles.cpython-311.pyc
| | | | | | test_public_api.cpython-311.pyc
| | | | | | test_scipy_version.cpython-311.pyc
| | | | | | test_tmpdirs.cpython-311.pyc
| | | | | | test_warnings.cpython-311.pyc
| | | | | | test_gcutils.cpython-311.pyc
| | | | | | test__pep440.cpython-311.pyc
| | | | | | test__testutils.cpython-311.pyc
| | | | | | test__threadsafety.cpython-311.pyc
| | | | | | test__util.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | +---_uarray
| | | | | | LICENSE
| | | | | | _backend.py
| | | | | | _uarray.cp311-win_amd64.dll.a
| | | | | | _uarray.cp311-win_amd64.pyd
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__

```

```

| | | | _backend.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | \---__pycache__
| | | |     decorator.cpython-311.pyc
| | | |     deprecation.cpython-311.pyc
| | | |     doccer.cpython-311.pyc
| | | |     uarray.cpython-311.pyc
| | | |     _array_api.cpython-311.pyc
| | | |     _array_api_no_0d.cpython-311.pyc
| | | |     _bunch.cpython-311.pyc
| | | |     _ccallback.cpython-311.pyc
| | | |     _disjoint_set.cpython-311.pyc
| | | |     _docsrape.cpython-311.pyc
| | | |     _elementwise_iterative_method.cpython-311.pyc
| | | |     _finite_differences.cpython-311.pyc
| | | |     _gcutils.cpython-311.pyc
| | | |     _pep440.cpython-311.pyc
| | | |     _testutils.cpython-311.pyc
| | | |     _threadsafety.cpython-311.pyc
| | | |     _tmpdirs.cpython-311.pyc
| | | |     _util.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | \---__pycache__
| | | |     conftest.cpython-311.pyc
| | | |     version.cpython-311.pyc
| | | |     _distributor_init.cpython-311.pyc
| | | |     __config__.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | +---scipy-1.15.2.dist-info
| | |     DELVEWHEEL
| | |     INSTALLER
| | |     LICENSE.txt
| | |     METADATA
| | |     RECORD
| | |     WHEEL
| | |
| | +---scipy.libs
| | |     libscipy_openblas-f07f5a5d207a3a47104dca54d6d0c86a.dll
| | |
| | +---seaborn
| | |     algorithms.py
| | |     axisgrid.py
| | |     categorical.py
| | |     cm.py
| | |     distributions.py
| | |     matrix.py
| | |     miscplot.py
| | |     objects.py

```

```

| | | | palettes.py
| | | | rcmod.py
| | | | regression.py
| | | | relational.py
| | | | utils.py
| | | | widgets.py
| | | | _base.py
| | | | _compat.py
| | | | _docstrings.py
| | | | _statistics.py
| | | | _testing.py
| | | | __init__.py
| | | |
| | | | +---colors
| | | | | | | | crayons.py
| | | | | | | | xkcd_rgb.py
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | |     crayons.cpython-311.pyc
| | | | | | | |     xkcd_rgb.cpython-311.pyc
| | | | | | | |     __init__.cpython-311.pyc
| | | | | | | |
| | | | | | | | +---external
| | | | | | | | | | appdirs.py
| | | | | | | | | | docscrape.py
| | | | | | | | | | husl.py
| | | | | | | | | | kde.py
| | | | | | | | | | version.py
| | | | | | | | | | __init__.py
| | | | | | | | | |
| | | | | | | | | | \---__pycache__
| | | | | | | | | |     appdirs.cpython-311.pyc
| | | | | | | | | |     docscrape.cpython-311.pyc
| | | | | | | | | |     husl.cpython-311.pyc
| | | | | | | | | |     kde.cpython-311.pyc
| | | | | | | | | |     version.cpython-311.pyc
| | | | | | | | | |     __init__.cpython-311.pyc
| | | | | | | | | |
| | | | | | | | | | +---_core
| | | | | | | | | | | | data.py
| | | | | | | | | | | | exceptions.py
| | | | | | | | | | | | groupby.py
| | | | | | | | | | | | moves.py
| | | | | | | | | | | | plot.py
| | | | | | | | | | | | properties.py
| | | | | | | | | | | | rules.py
| | | | | | | | | | | | scales.py
| | | | | | | | | | | | subplots.py
| | | | | | | | | | | | typing.py
| | | | | | | | | | | | __init__.py

```

```

| | | |
| | | | \---__pycache__
| | | |     data.cpython-311.pyc
| | | |     exceptions.cpython-311.pyc
| | | |     groupby.cpython-311.pyc
| | | |     moves.cpython-311.pyc
| | | |     plot.cpython-311.pyc
| | | |     properties.cpython-311.pyc
| | | |     rules.cpython-311.pyc
| | | |     scales.cpython-311.pyc
| | | |     subplots.cpython-311.pyc
| | | |     typing.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---_marks
| | | | |   area.py
| | | | |   bar.py
| | | | |   base.py
| | | | |   dot.py
| | | | |   line.py
| | | | |   text.py
| | | | |   __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     area.cpython-311.pyc
| | | | |     bar.cpython-311.pyc
| | | | |     base.cpython-311.pyc
| | | | |     dot.cpython-311.pyc
| | | | |     line.cpython-311.pyc
| | | | |     text.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---_stats
| | | | | |   aggregation.py
| | | | | |   base.py
| | | | | |   counting.py
| | | | | |   density.py
| | | | | |   order.py
| | | | | |   regression.py
| | | | | |   __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | |     aggregation.cpython-311.pyc
| | | | | |     base.cpython-311.pyc
| | | | | |     counting.cpython-311.pyc
| | | | | |     density.cpython-311.pyc
| | | | | |     order.cpython-311.pyc
| | | | | |     regression.cpython-311.pyc
| | | | | |     __init__.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__

```

```

| | | algorithms.cpython-311.pyc
| | | axisgrid.cpython-311.pyc
| | | categorical.cpython-311.pyc
| | | cm.cpython-311.pyc
| | | distributions.cpython-311.pyc
| | | matrix.cpython-311.pyc
| | | miscplot.cpython-311.pyc
| | | objects.cpython-311.pyc
| | | palettes.cpython-311.pyc
| | | rcmod.cpython-311.pyc
| | | regression.cpython-311.pyc
| | | relational.cpython-311.pyc
| | | utils.cpython-311.pyc
| | | widgets.cpython-311.pyc
| | | _base.cpython-311.pyc
| | | _compat.cpython-311.pyc
| | | _docstrings.cpython-311.pyc
| | | _statistics.cpython-311.pyc
| | | _testing.cpython-311.pyc
| | | __init__.cpython-311.pyc
| | |
| | +---seaborn-0.13.2.dist-info
| | |
| | | INSTALLER
| | | LICENSE.md
| | | METADATA
| | | RECORD
| | | WHEEL
| | |
| | +---setuptools
| | |
| | | | archive_util.py
| | | | build_meta.py
| | | | cli-32.exe
| | | | cli-64.exe
| | | | cli-arm64.exe
| | | | cli.exe
| | | | depends.py
| | | | dep_util.py
| | | | discovery.py
| | | | dist.py
| | | | errors.py
| | | | extension.py
| | | | glob.py
| | | | gui-32.exe
| | | | gui-64.exe
| | | | gui-arm64.exe
| | | | gui.exe
| | | | installer.py
| | | | launch.py
| | | | logging.py
| | | | monkey.py
| | | | msvc.py

```

				namespaces.py
				package_index.py
				py34compat.py
				sandbox.py
				script (dev).tmpl
				script.tmpl
				unicode_utils.py
				version.py
				wheel.py
				windows_support.py
				_deprecation_warning.py
				_entry_points.py
				_imp.py
				_importlib.py
				_itertools.py
				_path.py
				_reqs.py
				__init__.py
				+---command
				alias.py
				bdist_egg.py
				bdist_rpm.py
				build.py
				build_clib.py
				build_ext.py
				build_py.py
				develop.py
				dist_info.py
				easy_install.py
				editable_wheel.py
				egg_info.py
				install.py
				install_egg_info.py
				install_lib.py
				install_scripts.py
				launcher manifest.xml
				py36compat.py
				register.py
				rotate.py
				saveopts.py
				sdist.py
				setopt.py
				test.py
				upload.py
				upload_docs.py
				__init__.py
				\---__pycache__
				alias.cpython-311.pyc
				bdist_egg.cpython-311.pyc

				bdist_rpm.cpython-311.pyc
				build.cpython-311.pyc
				build_clib.cpython-311.pyc
				build_ext.cpython-311.pyc
				build_py.cpython-311.pyc
				develop.cpython-311.pyc
				dist_info.cpython-311.pyc
				easy_install.cpython-311.pyc
				editable_wheel.cpython-311.pyc
				egg_info.cpython-311.pyc
				install.cpython-311.pyc
				install_egg_info.cpython-311.pyc
				install_lib.cpython-311.pyc
				install_scripts.cpython-311.pyc
				py36compat.cpython-311.pyc
				register.cpython-311.pyc
				rotate.cpython-311.pyc
				saveopts.cpython-311.pyc
				sdist.cpython-311.pyc
				setopt.cpython-311.pyc
				test.cpython-311.pyc
				upload.cpython-311.pyc
				upload_docs.cpython-311.pyc
				__init__.cpython-311.pyc
				+---config
				expand.py
				pyprojecttoml.py
				setupcfg.py
				_apply_pyprojecttoml.py
				__init__.py
				+---_validate_pyproject
				error_reporting.py
				extra_validations.py
				fastjsonschema_exceptions.py
				fastjsonschema_validations.py
				formats.py
				__init__.py
				\---__pycache__
				error_reporting.cpython-311.pyc
				extra_validations.cpython-311.pyc
				fastjsonschema_exceptions.cpython-311.pyc
				fastjsonschema_validations.cpython-311.pyc
				formats.cpython-311.pyc
				__init__.cpython-311.pyc
				\---__pycache__
				expand.cpython-311.pyc
				pyprojecttoml.cpython-311.pyc

```

| | | | setupcfg.cpython-311.pyc
| | | | _apply_pyprojecttoml.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | +---extern
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | | __init__.cpython-311.pyc
| | | | | | | |
| | | | | +---_distutils
| | | | | | | | archive_util.py
| | | | | | | | bcppcompiler.py
| | | | | | | | ccompiler.py
| | | | | | | | cmd.py
| | | | | | | | config.py
| | | | | | | | core.py
| | | | | | | | cygwinccompiler.py
| | | | | | | | debug.py
| | | | | | | | dep_util.py
| | | | | | | | dir_util.py
| | | | | | | | dist.py
| | | | | | | | errors.py
| | | | | | | | extension.py
| | | | | | | | fancy_getopt.py
| | | | | | | | filelist.py
| | | | | | | | file_util.py
| | | | | | | | log.py
| | | | | | | | msvc9compiler.py
| | | | | | | | msvccompiler.py
| | | | | | | | py38compat.py
| | | | | | | | py39compat.py
| | | | | | | | spawn.py
| | | | | | | | sysconfig.py
| | | | | | | | text_file.py
| | | | | | | | unixccompiler.py
| | | | | | | | util.py
| | | | | | | | version.py
| | | | | | | | versionpredicate.py
| | | | | | | | _collections.py
| | | | | | | | _functools.py
| | | | | | | | _macos_compat.py
| | | | | | | | _msvccompiler.py
| | | | | | | | __init__.py
| | | | | | | |
| | | | | +---command
| | | | | | | | bdist.py
| | | | | | | | bdist_dumb.py
| | | | | | | | bdist_rpm.py
| | | | | | | | build.py
| | | | | | | | build_clib.py

```


					build_ext.py
					build_py.py
					build_scripts.py
					check.py
					clean.py
					config.py
					install.py
					install_data.py
					install_egg_info.py
					install_headers.py
					install_lib.py
					install_scripts.py
					py37compat.py
					register.py
					sdist.py
					upload.py
					_framework_compat.py
					__init__.py
					\---__pycache__
					bdist.cpython-311.pyc
					bdist_dumb.cpython-311.pyc
					bdist_rpm.cpython-311.pyc
					build.cpython-311.pyc
					build_clib.cpython-311.pyc
					build_ext.cpython-311.pyc
					build_py.cpython-311.pyc
					build_scripts.cpython-311.pyc
					check.cpython-311.pyc
					clean.cpython-311.pyc
					config.cpython-311.pyc
					install.cpython-311.pyc
					install_data.cpython-311.pyc
					install_egg_info.cpython-311.pyc
					install_headers.cpython-311.pyc
					install_lib.cpython-311.pyc
					install_scripts.cpython-311.pyc
					py37compat.cpython-311.pyc
					register.cpython-311.pyc
					sdist.cpython-311.pyc
					upload.cpython-311.pyc
					_framework_compat.cpython-311.pyc
					__init__.cpython-311.pyc
					\---__pycache__
					archive_util.cpython-311.pyc
					bcppcompiler.cpython-311.pyc
					ccompiler.cpython-311.pyc
					cmd.cpython-311.pyc
					config.cpython-311.pyc
					core.cpython-311.pyc

				cygwinccompiler.cpython-311.pyc
				debug.cpython-311.pyc
				dep_util.cpython-311.pyc
				dir_util.cpython-311.pyc
				dist.cpython-311.pyc
				errors.cpython-311.pyc
				extension.cpython-311.pyc
				fancy_getopt.cpython-311.pyc
				filelist.cpython-311.pyc
				file_util.cpython-311.pyc
				log.cpython-311.pyc
				msvc9compiler.cpython-311.pyc
				msvccompiler.cpython-311.pyc
				py38compat.cpython-311.pyc
				py39compat.cpython-311.pyc
				spawn.cpython-311.pyc
				sysconfig.cpython-311.pyc
				text_file.cpython-311.pyc
				unixccompiler.cpython-311.pyc
				util.cpython-311.pyc
				version.cpython-311.pyc
				versionpredicate.cpython-311.pyc
				_collections.cpython-311.pyc
				_functools.cpython-311.pyc
				_macos_compat.cpython-311.pyc
				_msvccompiler.cpython-311.pyc
				__init__.cpython-311.pyc
			+---_vendor	
				ordered_set.py
				typing_extensions.py
				zipp.py
				__init__.py
			+---importlib_metadata	
				_adapters.py
				_collections.py
				_compat.py
				_functools.py
				_itertools.py
				_meta.py
				_text.py
				__init__.py
				\---__pycache__
				_adapters.cpython-311.pyc
				_collections.cpython-311.pyc
				_compat.cpython-311.pyc
				_functools.cpython-311.pyc
				_itertools.cpython-311.pyc
				_meta.cpython-311.pyc

```

| | | | _text.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | +---importlib_resources
| | | | | abc.py
| | | | | readers.py
| | | | | simple.py
| | | | | _adapters.py
| | | | | _common.py
| | | | | _compat.py
| | | | | _itertools.py
| | | | | _legacy.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | abc.cpython-311.pyc
| | | | | readers.cpython-311.pyc
| | | | | simple.cpython-311.pyc
| | | | | _adapters.cpython-311.pyc
| | | | | _common.cpython-311.pyc
| | | | | _compat.cpython-311.pyc
| | | | | _itertools.cpython-311.pyc
| | | | | _legacy.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---jaraco
| | | | | context.py
| | | | | functools.py
| | | | | __init__.py
| | | | |
| | | | | +---text
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__
| | | | | | context.cpython-311.pyc
| | | | | | functools.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | +---more_itertools
| | | | | | more.py
| | | | | | recipes.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | more.cpython-311.pyc
| | | | | | recipes.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | |

```

```

| | | | +---packaging
| | | | | markers.py
| | | | | requirements.py
| | | | | specifiers.py
| | | | | tags.py
| | | | | utils.py
| | | | | version.py
| | | | | _manylinux.py
| | | | | _musllinux.py
| | | | | _structures.py
| | | | | __about__.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | markers.cpython-311.pyc
| | | | | requirements.cpython-311.pyc
| | | | | specifiers.cpython-311.pyc
| | | | | tags.cpython-311.pyc
| | | | | utils.cpython-311.pyc
| | | | | version.cpython-311.pyc
| | | | | _manylinux.cpython-311.pyc
| | | | | _musllinux.cpython-311.pyc
| | | | | _structures.cpython-311.pyc
| | | | | __about__.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---pyparsing
| | | | | actions.py
| | | | | common.py
| | | | | core.py
| | | | | exceptions.py
| | | | | helpers.py
| | | | | results.py
| | | | | testing.py
| | | | | unicode.py
| | | | | util.py
| | | | | __init__.py
| | | | |
| | | | +---diagram
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | actions.cpython-311.pyc
| | | | | common.cpython-311.pyc
| | | | | core.cpython-311.pyc
| | | | | exceptions.cpython-311.pyc
| | | | | helpers.cpython-311.pyc
| | | | | results.cpython-311.pyc

```

```

| | | | testing.cpython-311.pyc
| | | | unicode.cpython-311.pyc
| | | | util.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | +---tomli
| | | | | _parser.py
| | | | | _re.py
| | | | | _types.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | _parser.cpython-311.pyc
| | | | | _re.cpython-311.pyc
| | | | | _types.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | ordered_set.cpython-311.pyc
| | | | | typing_extensions.cpython-311.pyc
| | | | | zipp.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | archive_util.cpython-311.pyc
| | | | | build_meta.cpython-311.pyc
| | | | | depends.cpython-311.pyc
| | | | | dep_util.cpython-311.pyc
| | | | | discovery.cpython-311.pyc
| | | | | dist.cpython-311.pyc
| | | | | errors.cpython-311.pyc
| | | | | extension.cpython-311.pyc
| | | | | glob.cpython-311.pyc
| | | | | installer.cpython-311.pyc
| | | | | launch.cpython-311.pyc
| | | | | logging.cpython-311.pyc
| | | | | monkey.cpython-311.pyc
| | | | | msvc.cpython-311.pyc
| | | | | namespaces.cpython-311.pyc
| | | | | package_index.cpython-311.pyc
| | | | | py34compat.cpython-311.pyc
| | | | | sandbox.cpython-311.pyc
| | | | | unicode_utils.cpython-311.pyc
| | | | | version.cpython-311.pyc
| | | | | wheel.cpython-311.pyc
| | | | | windows_support.cpython-311.pyc
| | | | | _deprecation_warning.cpython-311.pyc
| | | | | _entry_points.cpython-311.pyc
| | | | | _imp.cpython-311.pyc
| | | | | _importlib.cpython-311.pyc
| | | | | _itertools.cpython-311.pyc

```

```

| | | _path.cpython-311.pyc
| | | _reqs.cpython-311.pyc
| | | __init__.cpython-311.pyc
| | |
| | +---setuptools-65.5.0.dist-info
| | | entry_points.txt
| | | INSTALLER
| | | LICENSE
| | | METADATA
| | | RECORD
| | | REQUESTED
| | | top_level.txt
| | | WHEEL
| | |
| | +---six-1.17.0.dist-info
| | | INSTALLER
| | | LICENSE
| | | METADATA
| | | RECORD
| | | top_level.txt
| | | WHEEL
| | |
| | +---sniffio
| | | | py.typed
| | | | _impl.py
| | | | _version.py
| | | | __init__.py
| | | |
| | | +---_tests
| | | | | test_sniffio.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | test_sniffio.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | _impl.cpython-311.pyc
| | | | | _version.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | |
| | +---sniffio-1.3.1.dist-info
| | | INSTALLER
| | | LICENSE
| | | LICENSE.APACHE2
| | | LICENSE.MIT
| | | METADATA
| | | RECORD
| | | top_level.txt
| | | WHEEL
| | |

```

```

| | +---starlette
| | | | applications.py
| | | | authentication.py
| | | | background.py
| | | | concurrency.py
| | | | config.py
| | | | convertors.py
| | | | datastructures.py
| | | | endpoints.py
| | | | exceptions.py
| | | | formparsers.py
| | | | py.typed
| | | | requests.py
| | | | responses.py
| | | | routing.py
| | | | schemas.py
| | | | staticfiles.py
| | | | status.py
| | | | templating.py
| | | | testclient.py
| | | | types.py
| | | | websockets.py
| | | | _exception_handler.py
| | | | _utils.py
| | | | __init__.py
| | | |
| | | +---middleware
| | | | | authentication.py
| | | | | base.py
| | | | | cors.py
| | | | | errors.py
| | | | | exceptions.py
| | | | | gzip.py
| | | | | httpsredirect.py
| | | | | sessions.py
| | | | | trustedhost.py
| | | | | wsgi.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | |     authentication.cpython-311.pyc
| | | |     base.cpython-311.pyc
| | | |     cors.cpython-311.pyc
| | | |     errors.cpython-311.pyc
| | | |     exceptions.cpython-311.pyc
| | | |     gzip.cpython-311.pyc
| | | |     httpsredirect.cpython-311.pyc
| | | |     sessions.cpython-311.pyc
| | | |     trustedhost.cpython-311.pyc
| | | |     wsgi.cpython-311.pyc
| | | |     __init__.cpython-311.pyc

```

```

| | | |
| | | \---__pycache__
| | |     applications.cpython-311.pyc
| | |     authentication.cpython-311.pyc
| | |     background.cpython-311.pyc
| | |     concurrency.cpython-311.pyc
| | |     config.cpython-311.pyc
| | |     convertors.cpython-311.pyc
| | |     datastructures.cpython-311.pyc
| | |     endpoints.cpython-311.pyc
| | |     exceptions.cpython-311.pyc
| | |     formparsers.cpython-311.pyc
| | |     requests.cpython-311.pyc
| | |     responses.cpython-311.pyc
| | |     routing.cpython-311.pyc
| | |     schemas.cpython-311.pyc
| | |     staticfiles.cpython-311.pyc
| | |     status.cpython-311.pyc
| | |     templating.cpython-311.pyc
| | |     testclient.cpython-311.pyc
| | |     types.cpython-311.pyc
| | |     websockets.cpython-311.pyc
| | |     _exception_handler.cpython-311.pyc
| | |     _utils.cpython-311.pyc
| | |     __init__.cpython-311.pyc
| | |
| | +---starlette-0.46.1.dist-info
| | | | INSTALLER
| | | | METADATA
| | | | RECORD
| | | | WHEEL
| | | |
| | | \---licenses
| | |     LICENSE.md
| | |
| | +---sympy
| | | | abc.py
| | | | conftest.py
| | | | galgebra.py
| | | | release.py
| | | | this.py
| | | | __init__.py
| | | |
| | | +---algebras
| | | | | quaternion.py
| | | | | __init__.py
| | | | |
| | | +---tests
| | | | | test_quaternion.py
| | | | | __init__.py
| | | | |

```



```

| | | | \---__pycache__
| | | | test_quaternion.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | \---__pycache__
| | | | quaternion.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | +---assumptions
| | | | ask.py
| | | | ask_generated.py
| | | | assume.py
| | | | cnf.py
| | | | facts.py
| | | | lra_satask.py
| | | | refine.py
| | | | satask.py
| | | | sathandlers.py
| | | | wrapper.py
| | | | __init__.py
| | | |
| | | +---handlers
| | | | | calculus.py
| | | | | common.py
| | | | | matrices.py
| | | | | nththeory.py
| | | | | order.py
| | | | | sets.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | calculus.cpython-311.pyc
| | | | | common.cpython-311.pyc
| | | | | matrices.cpython-311.pyc
| | | | | nththeory.cpython-311.pyc
| | | | | order.cpython-311.pyc
| | | | | sets.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---predicates
| | | | | calculus.py
| | | | | common.py
| | | | | matrices.py
| | | | | nththeory.py
| | | | | order.py
| | | | | sets.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | calculus.cpython-311.pyc
| | | | | common.cpython-311.pyc

```

```

| | | | matrices.cpython-311.pyc
| | | | ntheory.cpython-311.pyc
| | | | order.cpython-311.pyc
| | | | sets.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | +---relation
| | | | | binrel.py
| | | | | equality.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | binrel.cpython-311.pyc
| | | | | equality.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---tests
| | | | | test_assumptions_2.py
| | | | | test_context.py
| | | | | test_matrices.py
| | | | | test_query.py
| | | | | test_refine.py
| | | | | test_rel_queries.py
| | | | | test_satask.py
| | | | | test_sathandlers.py
| | | | | test_wrapper.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | test_assumptions_2.cpython-311.pyc
| | | | | test_context.cpython-311.pyc
| | | | | test_matrices.cpython-311.pyc
| | | | | test_query.cpython-311.pyc
| | | | | test_refine.cpython-311.pyc
| | | | | test_rel_queries.cpython-311.pyc
| | | | | test_satask.cpython-311.pyc
| | | | | test_sathandlers.cpython-311.pyc
| | | | | test_wrapper.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | ask.cpython-311.pyc
| | | | | ask_generated.cpython-311.pyc
| | | | | assume.cpython-311.pyc
| | | | | cnf.cpython-311.pyc
| | | | | facts.cpython-311.pyc
| | | | | lra_satask.cpython-311.pyc
| | | | | refine.cpython-311.pyc
| | | | | satask.cpython-311.pyc
| | | | | sathandlers.cpython-311.pyc
| | | | | wrapper.cpython-311.pyc

```

```

| | | | __init__.cpython-311.pyc
| | | |
| | | +---benchmarks
| | | | bench_discrete_log.py
| | | | bench_meijerint.py
| | | | bench_symbench.py
| | | | __init__.py
| | | |
| | | \---__pycache__
| | | | bench_discrete_log.cpython-311.pyc
| | | | bench_meijerint.cpython-311.pyc
| | | | bench_symbench.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | +---calculus
| | | | accumulationbounds.py
| | | | euler.py
| | | | finite_diff.py
| | | | singularities.py
| | | | util.py
| | | | __init__.py
| | | |
| | | +---tests
| | | | test_accumulationbounds.py
| | | | test_euler.py
| | | | test_finite_diff.py
| | | | test_singularities.py
| | | | test_util.py
| | | | __init__.py
| | | |
| | | \---__pycache__
| | | | test_accumulationbounds.cpython-311.pyc
| | | | test_euler.cpython-311.pyc
| | | | test_finite_diff.cpython-311.pyc
| | | | test_singularities.cpython-311.pyc
| | | | test_util.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | \---__pycache__
| | | | accumulationbounds.cpython-311.pyc
| | | | euler.cpython-311.pyc
| | | | finite_diff.cpython-311.pyc
| | | | singularities.cpython-311.pyc
| | | | util.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | +---categories
| | | | baseclasses.py
| | | | diagram_drawing.py
| | | | __init__.py
| | | |

```

```

| | | +---tests
| | | | | test_baseclasses.py
| | | | | test_drawing.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | test_baseclasses.cpython-311.pyc
| | | | | test_drawing.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | baseclasses.cpython-311.pyc
| | | | | diagram_drawing.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---codegen
| | | | | abstract_nodes.py
| | | | | algorithms.py
| | | | | approximations.py
| | | | | ast.py
| | | | | cfunctions.py
| | | | | cnodes.py
| | | | | cutils.py
| | | | | cxnnodes.py
| | | | | fnodes.py
| | | | | futils.py
| | | | | matrix_nodes.py
| | | | | numpy_nodes.py
| | | | | pynodes.py
| | | | | pyutils.py
| | | | | rewriting.py
| | | | | scipy_nodes.py
| | | | | __init__.py
| | | | |
| | | | +---tests
| | | | | test_abstract_nodes.py
| | | | | test_algorithms.py
| | | | | test_applications.py
| | | | | test_approximations.py
| | | | | test_ast.py
| | | | | test_cfunctions.py
| | | | | test_cnodes.py
| | | | | test_cxnnodes.py
| | | | | test_fnodes.py
| | | | | test_matrix_nodes.py
| | | | | test_numpy_nodes.py
| | | | | test_pynodes.py
| | | | | test_pyutils.py
| | | | | test_rewriting.py
| | | | | test_scipy_nodes.py
| | | | | __init__.py

```

```

| | | | |
| | | | | \---__pycache__
| | | | | test_abstract_nodes.cpython-311.pyc
| | | | | test_algorithms.cpython-311.pyc
| | | | | test_applications.cpython-311.pyc
| | | | | test_approximations.cpython-311.pyc
| | | | | test_ast.cpython-311.pyc
| | | | | test_cfunctions.cpython-311.pyc
| | | | | test_cnodes.cpython-311.pyc
| | | | | test_cxxnodes.cpython-311.pyc
| | | | | test_fnodes.cpython-311.pyc
| | | | | test_matrix_nodes.cpython-311.pyc
| | | | | test_numpy_nodes.cpython-311.pyc
| | | | | test_pynodes.cpython-311.pyc
| | | | | test_pyutils.cpython-311.pyc
| | | | | test_rewriting.cpython-311.pyc
| | | | | test_scipy_nodes.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | abstract_nodes.cpython-311.pyc
| | | | | algorithms.cpython-311.pyc
| | | | | approximations.cpython-311.pyc
| | | | | ast.cpython-311.pyc
| | | | | cfunctions.cpython-311.pyc
| | | | | cnodes.cpython-311.pyc
| | | | | cutils.cpython-311.pyc
| | | | | cxxnodes.cpython-311.pyc
| | | | | fnodes.cpython-311.pyc
| | | | | futils.cpython-311.pyc
| | | | | matrix_nodes.cpython-311.pyc
| | | | | numpy_nodes.cpython-311.pyc
| | | | | pynodes.cpython-311.pyc
| | | | | pyutils.cpython-311.pyc
| | | | | rewriting.cpython-311.pyc
| | | | | scipy_nodes.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---combinatorics
| | | | | coset_table.py
| | | | | fp_groups.py
| | | | | free_groups.py
| | | | | galois.py
| | | | | generators.py
| | | | | graycode.py
| | | | | group_constructs.py
| | | | | group_numbers.py
| | | | | homomorphisms.py
| | | | | named_groups.py
| | | | | partitions.py
| | | | | pc_groups.py

```

```

| | | | | permutations.py
| | | | | perm_groups.py
| | | | | polyhedron.py
| | | | | prufer.py
| | | | | rewritingsystem.py
| | | | | rewritingsystem_fsm.py
| | | | | schur_number.py
| | | | | subsets.py
| | | | | tensor_can.py
| | | | | testutil.py
| | | | | util.py
| | | | | __init__.py
| | | | |
| | | | | +---tests
| | | | | | test_coset_table.py
| | | | | | test_fp_groups.py
| | | | | | test_free_groups.py
| | | | | | test_galois.py
| | | | | | test_generators.py
| | | | | | test_graycode.py
| | | | | | test_group_constructs.py
| | | | | | test_group_numbers.py
| | | | | | test_homomorphisms.py
| | | | | | test_named_groups.py
| | | | | | test_partitions.py
| | | | | | test_pc_groups.py
| | | | | | test_permutations.py
| | | | | | test_perm_groups.py
| | | | | | test_polyhedron.py
| | | | | | test_prufer.py
| | | | | | test_rewriting.py
| | | | | | test_schur_number.py
| | | | | | test_subsets.py
| | | | | | test_tensor_can.py
| | | | | | test_testutil.py
| | | | | | test_util.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | test_coset_table.cpython-311.pyc
| | | | | | test_fp_groups.cpython-311.pyc
| | | | | | test_free_groups.cpython-311.pyc
| | | | | | test_galois.cpython-311.pyc
| | | | | | test_generators.cpython-311.pyc
| | | | | | test_graycode.cpython-311.pyc
| | | | | | test_group_constructs.cpython-311.pyc
| | | | | | test_group_numbers.cpython-311.pyc
| | | | | | test_homomorphisms.cpython-311.pyc
| | | | | | test_named_groups.cpython-311.pyc
| | | | | | test_partitions.cpython-311.pyc
| | | | | | test_pc_groups.cpython-311.pyc

```

```

| | | | | test_permutations.cpython-311.pyc
| | | | | test_perm_groups.cpython-311.pyc
| | | | | test_polyhedron.cpython-311.pyc
| | | | | test_prufer.cpython-311.pyc
| | | | | test_rewriting.cpython-311.pyc
| | | | | test_schur_number.cpython-311.pyc
| | | | | test_subsets.cpython-311.pyc
| | | | | test_tensor_can.cpython-311.pyc
| | | | | test_testutil.cpython-311.pyc
| | | | | test_util.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | coset_table.cpython-311.pyc
| | | | | fp_groups.cpython-311.pyc
| | | | | free_groups.cpython-311.pyc
| | | | | galois.cpython-311.pyc
| | | | | generators.cpython-311.pyc
| | | | | graycode.cpython-311.pyc
| | | | | group_constructs.cpython-311.pyc
| | | | | group_numbers.cpython-311.pyc
| | | | | homomorphisms.cpython-311.pyc
| | | | | named_groups.cpython-311.pyc
| | | | | partitions.cpython-311.pyc
| | | | | pc_groups.cpython-311.pyc
| | | | | permutations.cpython-311.pyc
| | | | | perm_groups.cpython-311.pyc
| | | | | polyhedron.cpython-311.pyc
| | | | | prufer.cpython-311.pyc
| | | | | rewritesystem.cpython-311.pyc
| | | | | rewritesystem_fsm.cpython-311.pyc
| | | | | schur_number.cpython-311.pyc
| | | | | subsets.cpython-311.pyc
| | | | | tensor_can.cpython-311.pyc
| | | | | testutil.cpython-311.pyc
| | | | | util.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---concrete
| | | | | | delta.py
| | | | | | expr_with_intlimits.py
| | | | | | expr_with_limits.py
| | | | | | gosper.py
| | | | | | guess.py
| | | | | | products.py
| | | | | | summations.py
| | | | | | __init__.py
| | | | | |
| | | | | +---tests
| | | | | | test_delta.py
| | | | | | test_gosper.py

```

```

| | | | | test_guess.py
| | | | | test_products.py
| | | | | test_sums_products.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     test_delta.cpython-311.pyc
| | | | |     test_gosper.cpython-311.pyc
| | | | |     test_guess.cpython-311.pyc
| | | | |     test_products.cpython-311.pyc
| | | | |     test_sums_products.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     delta.cpython-311.pyc
| | | | |     expr_with_intlimits.cpython-311.pyc
| | | | |     expr_with_limits.cpython-311.pyc
| | | | |     gosper.cpython-311.pyc
| | | | |     guess.cpython-311.pyc
| | | | |     products.cpython-311.pyc
| | | | |     summations.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | +---core
| | | | | add.py
| | | | | alphabets.py
| | | | | assumptions.py
| | | | | assumptions_generated.py
| | | | | backend.py
| | | | | basic.py
| | | | | cache.py
| | | | | compatibility.py
| | | | | containers.py
| | | | | core.py
| | | | | coreerrors.py
| | | | | decorators.py
| | | | | evalf.py
| | | | | expr.py
| | | | | exprtools.py
| | | | | facts.py
| | | | | function.py
| | | | | intfunc.py
| | | | | kind.py
| | | | | logic.py
| | | | | mod.py
| | | | | mul.py
| | | | | multidimensional.py
| | | | | numbers.py
| | | | | operations.py
| | | | | parameters.py
| | | | | power.py

```



```

| | | | random.py
| | | | relational.py
| | | | rules.py
| | | | singleton.py
| | | | sorting.py
| | | | symbol.py
| | | | sympify.py
| | | | trace.py
| | | | traversal.py
| | | | _print_helpers.py
| | | | __init__.py
| | | |
| | | | +---benchmarks
| | | | | | bench_arit.py
| | | | | | bench_assumptions.py
| | | | | | bench_basic.py
| | | | | | bench_expand.py
| | | | | | bench_numbers.py
| | | | | | bench_sympify.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | bench_arit.cpython-311.pyc
| | | | | | bench_assumptions.cpython-311.pyc
| | | | | | bench_basic.cpython-311.pyc
| | | | | | bench_expand.cpython-311.pyc
| | | | | | bench_numbers.cpython-311.pyc
| | | | | | bench_sympify.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | +---tests
| | | | | | test_args.py
| | | | | | test_arit.py
| | | | | | test_assumptions.py
| | | | | | test_basic.py
| | | | | | test_cache.py
| | | | | | test_compatibility.py
| | | | | | test_complex.py
| | | | | | test_constructor_postprocessor.py
| | | | | | test_containers.py
| | | | | | test_count_ops.py
| | | | | | test_diff.py
| | | | | | test_equal.py
| | | | | | test_eval.py
| | | | | | test_evalf.py
| | | | | | test_expand.py
| | | | | | test_expr.py
| | | | | | test_exprtools.py
| | | | | | test_facts.py
| | | | | | test_function.py
| | | | | | test_kind.py

```

					test_logic.py
					test_match.py
					test_multidimensional.py
					test_noncommutative.py
					test_numbers.py
					test_operations.py
					test_parameters.py
					test_power.py
					test_priority.py
					test_random.py
					test_relational.py
					test_rules.py
					test_singleton.py
					test_sorting.py
					test_subs.py
					test_symbol.py
					test_sympify.py
					test_traversal.py
					test_truediv.py
					test_var.py
					__init__.py
					\---__pycache__
					test_args.cpython-311.pyc
					test_arit.cpython-311.pyc
					test_assumptions.cpython-311.pyc
					test_basic.cpython-311.pyc
					test_cache.cpython-311.pyc
					test_compatibility.cpython-311.pyc
					test_complex.cpython-311.pyc
					test_constructor_postprocessor.cpython-311.pyc
					test_containers.cpython-311.pyc
					test_count_ops.cpython-311.pyc
					test_diff.cpython-311.pyc
					test_equal.cpython-311.pyc
					test_eval.cpython-311.pyc
					test_evalf.cpython-311.pyc
					test_expand.cpython-311.pyc
					test_expr.cpython-311.pyc
					test_exprtools.cpython-311.pyc
					test_facts.cpython-311.pyc
					test_function.cpython-311.pyc
					test_kind.cpython-311.pyc
					test_logic.cpython-311.pyc
					test_match.cpython-311.pyc
					test_multidimensional.cpython-311.pyc
					test_noncommutative.cpython-311.pyc
					test_numbers.cpython-311.pyc
					test_operations.cpython-311.pyc
					test_parameters.cpython-311.pyc
					test_power.cpython-311.pyc

					test_priority.cpython-311.pyc
					test_random.cpython-311.pyc
					test_relational.cpython-311.pyc
					test_rules.cpython-311.pyc
					test_singleton.cpython-311.pyc
					test_sorting.cpython-311.pyc
					test_subs.cpython-311.pyc
					test_symbol.cpython-311.pyc
					test_sympify.cpython-311.pyc
					test_traversal.cpython-311.pyc
					test_truediv.cpython-311.pyc
					test_var.cpython-311.pyc
					__init__.cpython-311.pyc
					\---__pycache__
					add.cpython-311.pyc
					alphabets.cpython-311.pyc
					assumptions.cpython-311.pyc
					assumptions_generated.cpython-311.pyc
					backend.cpython-311.pyc
					basic.cpython-311.pyc
					cache.cpython-311.pyc
					compatibility.cpython-311.pyc
					containers.cpython-311.pyc
					core.cpython-311.pyc
					coreerrors.cpython-311.pyc
					decorators.cpython-311.pyc
					evalf.cpython-311.pyc
					expr.cpython-311.pyc
					exprtools.cpython-311.pyc
					facts.cpython-311.pyc
					function.cpython-311.pyc
					intfunc.cpython-311.pyc
					kind.cpython-311.pyc
					logic.cpython-311.pyc
					mod.cpython-311.pyc
					mul.cpython-311.pyc
					multidimensional.cpython-311.pyc
					numbers.cpython-311.pyc
					operations.cpython-311.pyc
					parameters.cpython-311.pyc
					power.cpython-311.pyc
					random.cpython-311.pyc
					relational.cpython-311.pyc
					rules.cpython-311.pyc
					singleton.cpython-311.pyc
					sorting.cpython-311.pyc
					symbol.cpython-311.pyc
					sympify.cpython-311.pyc
					trace.cpython-311.pyc
					traversal.cpython-311.pyc

```

| | | | _print_helpers.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | +---crypto
| | | | | crypto.py
| | | | | __init__.py
| | | | |
| | | +---tests
| | | | | test_crypto.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | test_crypto.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | crypto.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---diffgeom
| | | | | diffgeom.py
| | | | | rn.py
| | | | | __init__.py
| | | | |
| | | | +---tests
| | | | | | test_class_structure.py
| | | | | | test_diffgeom.py
| | | | | | test_function_diffgeom_book.py
| | | | | | test_hyperbolic_space.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | test_class_structure.cpython-311.pyc
| | | | | | test_diffgeom.cpython-311.pyc
| | | | | | test_function_diffgeom_book.cpython-311.pyc
| | | | | | test_hyperbolic_space.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__
| | | | | | diffgeom.cpython-311.pyc
| | | | | | rn.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | |
| | | +---discrete
| | | | | convolutions.py
| | | | | recurrences.py
| | | | | transforms.py
| | | | | __init__.py
| | | | |
| | | | +---tests
| | | | | | test_convolutions.py

```

```

| | | | | test_recurrences.py
| | | | | test_transforms.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     test_convolutions.cpython-311.pyc
| | | | |     test_recurrences.cpython-311.pyc
| | | | |     test_transforms.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     convolutions.cpython-311.pyc
| | | | |     recurrences.cpython-311.pyc
| | | | |     transforms.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---external
| | | | | | gmpy.py
| | | | | | importtools.py
| | | | | | ntheory.py
| | | | | | pythonmpq.py
| | | | | | __init__.py
| | | | | |
| | | | | +---tests
| | | | | | | test_autowrap.py
| | | | | | | test_codegen.py
| | | | | | | test_gmpy.py
| | | | | | | test_importtools.py
| | | | | | | test_ntheory.py
| | | | | | | test_numpy.py
| | | | | | | test_pythonmpq.py
| | | | | | | test_scipy.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | |     test_autowrap.cpython-311.pyc
| | | | | | |     test_codegen.cpython-311.pyc
| | | | | | |     test_gmpy.cpython-311.pyc
| | | | | | |     test_importtools.cpython-311.pyc
| | | | | | |     test_ntheory.cpython-311.pyc
| | | | | | |     test_numpy.cpython-311.pyc
| | | | | | |     test_pythonmpq.cpython-311.pyc
| | | | | | |     test_scipy.cpython-311.pyc
| | | | | | |     __init__.cpython-311.pyc
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | |     gmpy.cpython-311.pyc
| | | | | | |     importtools.cpython-311.pyc
| | | | | | |     ntheory.cpython-311.pyc
| | | | | | |     pythonmpq.cpython-311.pyc
| | | | | | |     __init__.cpython-311.pyc

```

```

| | | |
| | | +---functions
| | | | | __init__.py
| | | | |
| | | +---combinatorial
| | | | | factorials.py
| | | | | numbers.py
| | | | | __init__.py
| | | | |
| | | +---tests
| | | | | test_comb_factorials.py
| | | | | test_comb_numbers.py
| | | | | __init__.py
| | | | |
| | | \---__pycache__
| | | | | test_comb_factorials.cpython-311.pyc
| | | | | test_comb_numbers.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | \---__pycache__
| | | | | factorials.cpython-311.pyc
| | | | | numbers.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---elementary
| | | | | complexes.py
| | | | | exponential.py
| | | | | hyperbolic.py
| | | | | integers.py
| | | | | miscellaneous.py
| | | | | piecewise.py
| | | | | trigonometric.py
| | | | | _trigonometric_special.py
| | | | | __init__.py
| | | | |
| | | +---benchmarks
| | | | | bench_exp.py
| | | | | __init__.py
| | | | |
| | | \---__pycache__
| | | | | bench_exp.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---tests
| | | | | test_complexes.py
| | | | | test_exponential.py
| | | | | test_hyperbolic.py
| | | | | test_integers.py
| | | | | test_interface.py
| | | | | test_miscellaneous.py
| | | | | test_piecewise.py

```

```

| | | | | | | test_trigonometric.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | |     test_complexes.cpython-311.pyc
| | | | | | |     test_exponential.cpython-311.pyc
| | | | | | |     test_hyperbolic.cpython-311.pyc
| | | | | | |     test_integers.cpython-311.pyc
| | | | | | |     test_interface.cpython-311.pyc
| | | | | | |     test_miscellaneous.cpython-311.pyc
| | | | | | |     test_piecewise.cpython-311.pyc
| | | | | | |     test_trigonometric.cpython-311.pyc
| | | | | | |     __init__.cpython-311.pyc
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | |     complexes.cpython-311.pyc
| | | | | | |     exponential.cpython-311.pyc
| | | | | | |     hyperbolic.cpython-311.pyc
| | | | | | |     integers.cpython-311.pyc
| | | | | | |     miscellaneous.cpython-311.pyc
| | | | | | |     piecewise.cpython-311.pyc
| | | | | | |     trigonometric.cpython-311.pyc
| | | | | | |     _trigonometric_special.cpython-311.pyc
| | | | | | |     __init__.cpython-311.pyc
| | | | | | |
| | | | | | | +---special
| | | | | | |     bessell.py
| | | | | | |     beta_functions.py
| | | | | | |     bsplines.py
| | | | | | |     delta_functions.py
| | | | | | |     elliptic_integrals.py
| | | | | | |     error_functions.py
| | | | | | |     gamma_functions.py
| | | | | | |     hyper.py
| | | | | | |     mathieu_functions.py
| | | | | | |     polynomials.py
| | | | | | |     singularity_functions.py
| | | | | | |     spherical_harmonics.py
| | | | | | |     tensor_functions.py
| | | | | | |     zeta_functions.py
| | | | | | |     __init__.py
| | | | | | |
| | | | | | | +---benchmarks
| | | | | | |     | bench_special.py
| | | | | | |     | __init__.py
| | | | | | |     |
| | | | | | | \---__pycache__
| | | | | | |     bench_special.cpython-311.pyc
| | | | | | |     __init__.cpython-311.pyc
| | | | | | |
| | | | | | | +---tests

```



```

| | | | __init__.cpython-311.pyc
| | | |
| | | | +---geometry
| | | | | curve.py
| | | | | ellipse.py
| | | | | entity.py
| | | | | exceptions.py
| | | | | line.py
| | | | | parabola.py
| | | | | plane.py
| | | | | point.py
| | | | | polygon.py
| | | | | util.py
| | | | | __init__.py
| | | | |
| | | | | +---tests
| | | | | | test_curve.py
| | | | | | test_ellipse.py
| | | | | | test_entity.py
| | | | | | test_geometrysets.py
| | | | | | test_line.py
| | | | | | test_parabola.py
| | | | | | test_plane.py
| | | | | | test_point.py
| | | | | | test_polygon.py
| | | | | | test_util.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | test_curve.cpython-311.pyc
| | | | | | test_ellipse.cpython-311.pyc
| | | | | | test_entity.cpython-311.pyc
| | | | | | test_geometrysets.cpython-311.pyc
| | | | | | test_line.cpython-311.pyc
| | | | | | test_parabola.cpython-311.pyc
| | | | | | test_plane.cpython-311.pyc
| | | | | | test_point.cpython-311.pyc
| | | | | | test_polygon.cpython-311.pyc
| | | | | | test_util.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__
| | | | | | curve.cpython-311.pyc
| | | | | | ellipse.cpython-311.pyc
| | | | | | entity.cpython-311.pyc
| | | | | | exceptions.cpython-311.pyc
| | | | | | line.cpython-311.pyc
| | | | | | parabola.cpython-311.pyc
| | | | | | plane.cpython-311.pyc
| | | | | | point.cpython-311.pyc
| | | | | | polygon.cpython-311.pyc

```

```

| | | | util.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | +---holonomic
| | | | | holonomic.py
| | | | | holonomicerrors.py
| | | | | numerical.py
| | | | | recurrence.py
| | | | | __init__.py
| | | | |
| | | | +---tests
| | | | | | test_holonomic.py
| | | | | | test_recurrence.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | test_holonomic.cpython-311.pyc
| | | | | | test_recurrence.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__
| | | | | | holonomic.cpython-311.pyc
| | | | | | holonomicerrors.cpython-311.pyc
| | | | | | numerical.cpython-311.pyc
| | | | | | recurrence.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | +---integrals
| | | | | | deltafunctions.py
| | | | | | heurisch.py
| | | | | | integrals.py
| | | | | | intpoly.py
| | | | | | laplace.py
| | | | | | manualintegrate.py
| | | | | | meijerint.py
| | | | | | meijerint_doc.py
| | | | | | prde.py
| | | | | | quadrature.py
| | | | | | rationaltools.py
| | | | | | rde.py
| | | | | | risch.py
| | | | | | singularityfunctions.py
| | | | | | transforms.py
| | | | | | trigonometry.py
| | | | | | __init__.py
| | | | | |
| | | | | +---benchmarks
| | | | | | | bench_integrate.py
| | | | | | | bench_trigintegrate.py
| | | | | | | __init__.py
| | | | | | |

```

```

| | | | \---__pycache__
| | | | bench_integrate.cpython-311.pyc
| | | | bench_trigintegrate.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | +---tests
| | | | | test_deltafunctions.py
| | | | | test_failing_integrals.py
| | | | | test_heurisch.py
| | | | | test_integrals.py
| | | | | test_intpoly.py
| | | | | test_laplace.py
| | | | | test_lineintegrals.py
| | | | | test_manual.py
| | | | | test_meijerint.py
| | | | | test_prde.py
| | | | | test_quadrature.py
| | | | | test_rationaltools.py
| | | | | test_rde.py
| | | | | test_risch.py
| | | | | test_singularityfunctions.py
| | | | | test_transforms.py
| | | | | test_trigonometry.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | test_deltafunctions.cpython-311.pyc
| | | | test_failing_integrals.cpython-311.pyc
| | | | test_heurisch.cpython-311.pyc
| | | | test_integrals.cpython-311.pyc
| | | | test_intpoly.cpython-311.pyc
| | | | test_laplace.cpython-311.pyc
| | | | test_lineintegrals.cpython-311.pyc
| | | | test_manual.cpython-311.pyc
| | | | test_meijerint.cpython-311.pyc
| | | | test_prde.cpython-311.pyc
| | | | test_quadrature.cpython-311.pyc
| | | | test_rationaltools.cpython-311.pyc
| | | | test_rde.cpython-311.pyc
| | | | test_risch.cpython-311.pyc
| | | | test_singularityfunctions.cpython-311.pyc
| | | | test_transforms.cpython-311.pyc
| | | | test_trigonometry.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | \---__pycache__
| | | | deltafunctions.cpython-311.pyc
| | | | heurisch.cpython-311.pyc
| | | | integrals.cpython-311.pyc
| | | | intpoly.cpython-311.pyc
| | | | laplace.cpython-311.pyc

```

```

| | | | manualintegrate.cpython-311.pyc
| | | | meijerint.cpython-311.pyc
| | | | meijerint_doc.cpython-311.pyc
| | | | prde.cpython-311.pyc
| | | | quadrature.cpython-311.pyc
| | | | rationaltools.cpython-311.pyc
| | | | rde.cpython-311.pyc
| | | | risch.cpython-311.pyc
| | | | singularityfunctions.cpython-311.pyc
| | | | transforms.cpython-311.pyc
| | | | trigonometry.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | +---interactive
| | | | | printing.py
| | | | | session.py
| | | | | traversal.py
| | | | | __init__.py
| | | | |
| | | | +---tests
| | | | | test_interactive.py
| | | | | test_ipython.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | test_interactive.cpython-311.pyc
| | | | | test_ipython.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | printing.cpython-311.pyc
| | | | | session.cpython-311.pyc
| | | | | traversal.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---liealgebras
| | | | | cartan_matrix.py
| | | | | cartan_type.py
| | | | | dynkin_diagram.py
| | | | | root_system.py
| | | | | type_a.py
| | | | | type_b.py
| | | | | type_c.py
| | | | | type_d.py
| | | | | type_e.py
| | | | | type_f.py
| | | | | type_g.py
| | | | | weyl_group.py
| | | | | __init__.py
| | | | |
| | | | +---tests

```

```

| | | | | test_cartan_matrix.py
| | | | | test_cartan_type.py
| | | | | test_dynkin_diagram.py
| | | | | test_root_system.py
| | | | | test_type_A.py
| | | | | test_type_B.py
| | | | | test_type_C.py
| | | | | test_type_D.py
| | | | | test_type_E.py
| | | | | test_type_F.py
| | | | | test_type_G.py
| | | | | test_weyl_group.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     test_cartan_matrix.cpython-311.pyc
| | | | |     test_cartan_type.cpython-311.pyc
| | | | |     test_dynkin_diagram.cpython-311.pyc
| | | | |     test_root_system.cpython-311.pyc
| | | | |     test_type_A.cpython-311.pyc
| | | | |     test_type_B.cpython-311.pyc
| | | | |     test_type_C.cpython-311.pyc
| | | | |     test_type_D.cpython-311.pyc
| | | | |     test_type_E.cpython-311.pyc
| | | | |     test_type_F.cpython-311.pyc
| | | | |     test_type_G.cpython-311.pyc
| | | | |     test_weyl_group.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     cartan_matrix.cpython-311.pyc
| | | | |     cartan_type.cpython-311.pyc
| | | | |     dynkin_diagram.cpython-311.pyc
| | | | |     root_system.cpython-311.pyc
| | | | |     type_a.cpython-311.pyc
| | | | |     type_b.cpython-311.pyc
| | | | |     type_c.cpython-311.pyc
| | | | |     type_d.cpython-311.pyc
| | | | |     type_e.cpython-311.pyc
| | | | |     type_f.cpython-311.pyc
| | | | |     type_g.cpython-311.pyc
| | | | |     weyl_group.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---logic
| | | | | | boolalg.py
| | | | | | inference.py
| | | | | | __init__.py
| | | | | |
| | | | | +---algorithms
| | | | | | dpll.py

```

```

| | | | | dp112.py
| | | | | lra_theory.py
| | | | | minisat22_wrapper.py
| | | | | pycosat_wrapper.py
| | | | | z3_wrapper.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     dp11.cpython-311.pyc
| | | | |     dp112.cpython-311.pyc
| | | | |     lra_theory.cpython-311.pyc
| | | | |     minisat22_wrapper.cpython-311.pyc
| | | | |     pycosat_wrapper.cpython-311.pyc
| | | | |     z3_wrapper.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---tests
| | | | | | test_boolalg.py
| | | | | | test_dimacs.py
| | | | | | test_inference.py
| | | | | | test_lra_theory.py
| | | | | | __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | |     test_boolalg.cpython-311.pyc
| | | | | |     test_dimacs.cpython-311.pyc
| | | | | |     test_inference.cpython-311.pyc
| | | | | |     test_lra_theory.cpython-311.pyc
| | | | | |     __init__.cpython-311.pyc
| | | | | |
| | | | | | +---utilities
| | | | | | | dimacs.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | |     dimacs.cpython-311.pyc
| | | | | | |     __init__.cpython-311.pyc
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | |     boolalg.cpython-311.pyc
| | | | | | |     inference.cpython-311.pyc
| | | | | | |     __init__.cpython-311.pyc
| | | | | | |
| | | | | +---matrices
| | | | | | common.py
| | | | | | decompositions.py
| | | | | | dense.py
| | | | | | determinant.py
| | | | | | eigen.py
| | | | | | exceptions.py
| | | | | | graph.py

```

					immutable.py
					inverse.py
					kind.py
					matrices.py
					matrixbase.py
					normalforms.py
					reductions.py
					repmatrix.py
					solvers.py
					sparse.py
					sparsetools.py
					subspaces.py
					utilities.py
					__init__.py
					+++benchmarks
					bench_matrix.py
					__init__.py
					\---__pycache__
					bench_matrix.cpython-311.pyc
					__init__.cpython-311.pyc
					+++expressions
					adjoint.py
					applyfunc.py
					blockmatrix.py
					companion.py
					determinant.py
					diagonal.py
					dotproduct.py
					factorizations.py
					fourier.py
					funcmatrix.py
					hadamard.py
					inverse.py
					kronecker.py
					matadd.py
					matexpr.py
					matmul.py
					matpow.py
					permutation.py
					sets.py
					slice.py
					special.py
					trace.py
					transpose.py
					_shape.py
					__init__.py
					+++tests

						test_adjoint.py
						test_applyfunc.py
						test_blockmatrix.py
						test_companion.py
						test_derivatives.py
						test_determinant.py
						test_diagonal.py
						test_dotproduct.py
						test_factorizations.py
						test_fourier.py
						test_funcmatrix.py
						test_hadamard.py
						test_indexing.py
						test_inverse.py
						test_kronecker.py
						test_matadd.py
						test_matexpr.py
						test_matmul.py
						test_matpow.py
						test_permutation.py
						test_sets.py
						test_slice.py
						test_special.py
						test_trace.py
						test_transpose.py
						__init__.py
						\---__pycache__
						test_adjoint.cpython-311.pyc
						test_applyfunc.cpython-311.pyc
						test_blockmatrix.cpython-311.pyc
						test_companion.cpython-311.pyc
						test_derivatives.cpython-311.pyc
						test_determinant.cpython-311.pyc
						test_diagonal.cpython-311.pyc
						test_dotproduct.cpython-311.pyc
						test_factorizations.cpython-311.pyc
						test_fourier.cpython-311.pyc
						test_funcmatrix.cpython-311.pyc
						test_hadamard.cpython-311.pyc
						test_indexing.cpython-311.pyc
						test_inverse.cpython-311.pyc
						test_kronecker.cpython-311.pyc
						test_matadd.cpython-311.pyc
						test_matexpr.cpython-311.pyc
						test_matmul.cpython-311.pyc
						test_matpow.cpython-311.pyc
						test_permutation.cpython-311.pyc
						test_sets.cpython-311.pyc
						test_slice.cpython-311.pyc
						test_special.cpython-311.pyc

					test_trace.cpython-311.pyc
					test_transpose.cpython-311.pyc
					__init__.cpython-311.pyc
					\---__pycache__
					adjoint.cpython-311.pyc
					applyfunc.cpython-311.pyc
					blockmatrix.cpython-311.pyc
					companion.cpython-311.pyc
					determinant.cpython-311.pyc
					diagonal.cpython-311.pyc
					dotproduct.cpython-311.pyc
					factorizations.cpython-311.pyc
					fourier.cpython-311.pyc
					funcmatrix.cpython-311.pyc
					hadamard.cpython-311.pyc
					inverse.cpython-311.pyc
					kronecker.cpython-311.pyc
					matadd.cpython-311.pyc
					matexpr.cpython-311.pyc
					matmul.cpython-311.pyc
					matpow.cpython-311.pyc
					permutation.cpython-311.pyc
					sets.cpython-311.pyc
					slice.cpython-311.pyc
					special.cpython-311.pyc
					trace.cpython-311.pyc
					transpose.cpython-311.pyc
					_shape.cpython-311.pyc
					__init__.cpython-311.pyc
					+---tests
					test_commonmatrix.py
					test_decompositions.py
					test_determinant.py
					test_domains.py
					test_eigen.py
					test_graph.py
					test_immutable.py
					test_interactions.py
					test_matrices.py
					test_matrixbase.py
					test_normalforms.py
					test_reductions.py
					test_repmatrix.py
					test_solvers.py
					test_sparse.py
					test_sparsetools.py
					test_subspaces.py
					__init__.py

```

| | | | \---__pycache__
| | | | test_commonmatrix.cpython-311.pyc
| | | | test_decompositions.cpython-311.pyc
| | | | test_determinant.cpython-311.pyc
| | | | test_domains.cpython-311.pyc
| | | | test_eigen.cpython-311.pyc
| | | | test_graph.cpython-311.pyc
| | | | test_immutable.cpython-311.pyc
| | | | test_interactions.cpython-311.pyc
| | | | test_matrices.cpython-311.pyc
| | | | test_matrixbase.cpython-311.pyc
| | | | test_normalforms.cpython-311.pyc
| | | | test_reductions.cpython-311.pyc
| | | | test_repmatrix.cpython-311.pyc
| | | | test_solvers.cpython-311.pyc
| | | | test_sparse.cpython-311.pyc
| | | | test_sparsetools.cpython-311.pyc
| | | | test_subspaces.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | \---__pycache__
| | | | common.cpython-311.pyc
| | | | decompositions.cpython-311.pyc
| | | | dense.cpython-311.pyc
| | | | determinant.cpython-311.pyc
| | | | eigen.cpython-311.pyc
| | | | exceptions.cpython-311.pyc
| | | | graph.cpython-311.pyc
| | | | immutable.cpython-311.pyc
| | | | inverse.cpython-311.pyc
| | | | kind.cpython-311.pyc
| | | | matrices.cpython-311.pyc
| | | | matrixbase.cpython-311.pyc
| | | | normalforms.cpython-311.pyc
| | | | reductions.cpython-311.pyc
| | | | repmatrix.cpython-311.pyc
| | | | solvers.cpython-311.pyc
| | | | sparse.cpython-311.pyc
| | | | sparsetools.cpython-311.pyc
| | | | subspaces.cpython-311.pyc
| | | | utilities.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | +---multipledispatch
| | | | | conflict.py
| | | | | core.py
| | | | | dispatcher.py
| | | | | utils.py
| | | | | __init__.py
| | | | |
| | | | +---tests

```

```

| | | | | test_conflict.py
| | | | | test_core.py
| | | | | test_dispatcher.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     test_conflict.cpython-311.pyc
| | | | |     test_core.cpython-311.pyc
| | | | |     test_dispatcher.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     conflict.cpython-311.pyc
| | | | |     core.cpython-311.pyc
| | | | |     dispatcher.cpython-311.pyc
| | | | |     utils.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---ntheory
| | | | | | | bbp_pi.py
| | | | | | | continued_fraction.py
| | | | | | | digits.py
| | | | | | | ecm.py
| | | | | | | egyptian_fraction.py
| | | | | | | elliptic_curve.py
| | | | | | | factor_.py
| | | | | | | generate.py
| | | | | | | modular.py
| | | | | | | multinomial.py
| | | | | | | partitions_.py
| | | | | | | primetest.py
| | | | | | | qs.py
| | | | | | | residue_ntheory.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | | +---tests
| | | | | | | | | test_bbp_pi.py
| | | | | | | | | test_continued_fraction.py
| | | | | | | | | test_digits.py
| | | | | | | | | test_ecm.py
| | | | | | | | | test_egyptian_fraction.py
| | | | | | | | | test_elliptic_curve.py
| | | | | | | | | test_factor_.py
| | | | | | | | | test_generate.py
| | | | | | | | | test_hypothesis.py
| | | | | | | | | test_modular.py
| | | | | | | | | test_multinomial.py
| | | | | | | | | test_partitions.py
| | | | | | | | | test_primetest.py
| | | | | | | | | test_qs.py
| | | | | | | | | test_residue.py

```

```

| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     test_bbp_pi.cpython-311.pyc
| | | | |     test_continued_fraction.cpython-311.pyc
| | | | |     test_digits.cpython-311.pyc
| | | | |     test_ecm.cpython-311.pyc
| | | | |     test_egyptian_fraction.cpython-311.pyc
| | | | |     test_elliptic_curve.cpython-311.pyc
| | | | |     test_factor_.cpython-311.pyc
| | | | |     test_generate.cpython-311.pyc
| | | | |     test_hypothesis.cpython-311.pyc
| | | | |     test_modular.cpython-311.pyc
| | | | |     test_multinomial.cpython-311.pyc
| | | | |     test_partitions.cpython-311.pyc
| | | | |     test_primetest.cpython-311.pyc
| | | | |     test_qs.cpython-311.pyc
| | | | |     test_residue.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     bbp_pi.cpython-311.pyc
| | | | |     continued_fraction.cpython-311.pyc
| | | | |     digits.cpython-311.pyc
| | | | |     ecm.cpython-311.pyc
| | | | |     egyptian_fraction.cpython-311.pyc
| | | | |     elliptic_curve.cpython-311.pyc
| | | | |     factor_.cpython-311.pyc
| | | | |     generate.cpython-311.pyc
| | | | |     modular.cpython-311.pyc
| | | | |     multinomial.cpython-311.pyc
| | | | |     partitions_.cpython-311.pyc
| | | | |     primetest.cpython-311.pyc
| | | | |     qs.cpython-311.pyc
| | | | |     residue_ntheory.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---parsing
| | | | |     ast_parser.py
| | | | |     mathematica.py
| | | | |     maxima.py
| | | | |     sympy_parser.py
| | | | |     sym_expr.py
| | | | |     __init__.py
| | | | |
| | | | | +---autolev
| | | | |     Autolev.g4
| | | | |     _build_autolev_antlr.py
| | | | |     _listener_autolev_antlr.py
| | | | |     _parse_autolev_antlr.py
| | | | |     __init__.py

```

```

| | | | |
| | | | | +---test-examples
| | | | | | | README.txt
| | | | | | | ruletest1.al
| | | | | | | ruletest1.py
| | | | | | | ruletest10.al
| | | | | | | ruletest10.py
| | | | | | | ruletest11.al
| | | | | | | ruletest11.py
| | | | | | | ruletest12.al
| | | | | | | ruletest12.py
| | | | | | | ruletest2.al
| | | | | | | ruletest2.py
| | | | | | | ruletest3.al
| | | | | | | ruletest3.py
| | | | | | | ruletest4.al
| | | | | | | ruletest4.py
| | | | | | | ruletest5.al
| | | | | | | ruletest5.py
| | | | | | | ruletest6.al
| | | | | | | ruletest6.py
| | | | | | | ruletest7.al
| | | | | | | ruletest7.py
| | | | | | | ruletest8.al
| | | | | | | ruletest8.py
| | | | | | | ruletest9.al
| | | | | | | ruletest9.py
| | | | | | |
| | | | | | | +---pydy-example-repo
| | | | | | | | | chaos_pendulum.al
| | | | | | | | | chaos_pendulum.py
| | | | | | | | | double_pendulum.al
| | | | | | | | | double_pendulum.py
| | | | | | | | | mass_spring_damper.al
| | | | | | | | | mass_spring_damper.py
| | | | | | | | | non_min_pendulum.al
| | | | | | | | | non_min_pendulum.py
| | | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | | | chaos_pendulum.cpython-311.pyc
| | | | | | | | | double_pendulum.cpython-311.pyc
| | | | | | | | | mass_spring_damper.cpython-311.pyc
| | | | | | | | | non_min_pendulum.cpython-311.pyc
| | | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | | | ruletest1.cpython-311.pyc
| | | | | | | | | ruletest10.cpython-311.pyc
| | | | | | | | | ruletest11.cpython-311.pyc
| | | | | | | | | ruletest12.cpython-311.pyc
| | | | | | | | | ruletest2.cpython-311.pyc
| | | | | | | | | ruletest3.cpython-311.pyc

```

```

| | | | ruletest4.cpython-311.pyc
| | | | ruletest5.cpython-311.pyc
| | | | ruletest6.cpython-311.pyc
| | | | ruletest7.cpython-311.pyc
| | | | ruletest8.cpython-311.pyc
| | | | ruletest9.cpython-311.pyc
| | | |
| | | | +---_antlr
| | | | | autolevlexer.py
| | | | | autolevlistener.py
| | | | | autolevparser.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | | autolevlexer.cpython-311.pyc
| | | | | autolevlistener.cpython-311.pyc
| | | | | autolevparser.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | _build_autolev_antlr.cpython-311.pyc
| | | | | _listener_autolev_antlr.cpython-311.pyc
| | | | | _parse_autolev_antlr.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---c
| | | | | c_parser.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | | c_parser.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---fortran
| | | | | fortran_parser.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | | fortran_parser.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---latex
| | | | | errors.py
| | | | | LaTeX.g4
| | | | | LICENSE.txt
| | | | | _build_latex_antlr.py
| | | | | _parse_latex_antlr.py
| | | | | __init__.py
| | | | |
| | | | +---lark
| | | | | latex_parser.py

```

```

| | | | | | | transformer.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | | +---grammar
| | | | | | | greek_symbols.lark
| | | | | | | latex.lark
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | | latex_parser.cpython-311.pyc
| | | | | | | transformer.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | | | +---antlr
| | | | | | | latexlexer.py
| | | | | | | latexparser.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | | latexlexer.cpython-311.pyc
| | | | | | | latexparser.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | | errors.cpython-311.pyc
| | | | | | | _build_latex_antlr.cpython-311.pyc
| | | | | | | _parse_latex_antlr.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | | | +---tests
| | | | | | | test_ast_parser.py
| | | | | | | test_autolev.py
| | | | | | | test_custom_latex.py
| | | | | | | test_c_parser.py
| | | | | | | test_fortran_parser.py
| | | | | | | test_implicit_multiplication_application.py
| | | | | | | test_latex.py
| | | | | | | test_latex_deps.py
| | | | | | | test_latex_lark.py
| | | | | | | test_mathematica.py
| | | | | | | test_maxima.py
| | | | | | | test_sympy_parser.py
| | | | | | | test_sym_expr.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | | test_ast_parser.cpython-311.pyc
| | | | | | | test_autolev.cpython-311.pyc
| | | | | | | test_custom_latex.cpython-311.pyc
| | | | | | | test_c_parser.cpython-311.pyc
| | | | | | | test_fortran_parser.cpython-311.pyc
| | | | | | | test_implicit_multiplication_application.cpython-311.pyc

```

```

| | | | test_latex.cpython-311.pyc
| | | | test_latex_deps.cpython-311.pyc
| | | | test_latex_lark.cpython-311.pyc
| | | | test_mathematica.cpython-311.pyc
| | | | test_maxima.cpython-311.pyc
| | | | test_sympy_parser.cpython-311.pyc
| | | | test_sym_expr.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | \---__pycache__
| | | |     ast_parser.cpython-311.pyc
| | | |     mathematica.cpython-311.pyc
| | | |     maxima.cpython-311.pyc
| | | |     sympy_parser.cpython-311.pyc
| | | |     sym_expr.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | +---physics
| | | |     hydrogen.py
| | | |     matrices.py
| | | |     paulialgebra.py
| | | |     pring.py
| | | |     qho_ld.py
| | | |     secondquant.py
| | | |     sho.py
| | | |     wigner.py
| | | |     __init__.py
| | | |
| | | | +---biomechanics
| | | | |     activation.py
| | | | |     curve.py
| | | | |     musculotendon.py
| | | | |     _mixin.py
| | | | |     __init__.py
| | | | |
| | | | +---tests
| | | | |     test_activation.py
| | | | |     test_curve.py
| | | | |     test_mixin.py
| | | | |     test_musculotendon.py
| | | | |     __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     test_activation.cpython-311.pyc
| | | | |     test_curve.cpython-311.pyc
| | | | |     test_mixin.cpython-311.pyc
| | | | |     test_musculotendon.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     activation.cpython-311.pyc

```



```

| | | | curve.cpython-311.pyc
| | | | musculetendon.cpython-311.pyc
| | | | _mixin.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | +---continuum_mechanics
| | | | | beam.py
| | | | | cable.py
| | | | | truss.py
| | | | | __init__.py
| | | | |
| | | | +---tests
| | | | | test_beam.py
| | | | | test_cable.py
| | | | | test_truss.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | test_beam.cpython-311.pyc
| | | | | test_cable.cpython-311.pyc
| | | | | test_truss.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | beam.cpython-311.pyc
| | | | | cable.cpython-311.pyc
| | | | | truss.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---control
| | | | | control_plots.py
| | | | | lti.py
| | | | | __init__.py
| | | | |
| | | | +---tests
| | | | | test_control_plots.py
| | | | | test_lti.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | test_control_plots.cpython-311.pyc
| | | | | test_lti.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | control_plots.cpython-311.pyc
| | | | | lti.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---hep
| | | | | gamma_matrices.py

```

```

| | | | | __init__.py
| | | | |
| | | | | +---tests
| | | | | | test_gamma_matrices.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | test_gamma_matrices.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__
| | | | | | gamma_matrices.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | +---mechanics
| | | | | | actuator.py
| | | | | | body.py
| | | | | | body_base.py
| | | | | | functions.py
| | | | | | inertia.py
| | | | | | joint.py
| | | | | | jointsmethod.py
| | | | | | kane.py
| | | | | | lagrange.py
| | | | | | linearize.py
| | | | | | loads.py
| | | | | | method.py
| | | | | | models.py
| | | | | | particle.py
| | | | | | pathway.py
| | | | | | rigidbody.py
| | | | | | system.py
| | | | | | wrapping_geometry.py
| | | | | | __init__.py
| | | | | |
| | | | | +---tests
| | | | | | test_actuator.py
| | | | | | test_body.py
| | | | | | test_functions.py
| | | | | | test_inertia.py
| | | | | | test_joint.py
| | | | | | test_jointsmethod.py
| | | | | | test_kane.py
| | | | | | test_kane2.py
| | | | | | test_kane3.py
| | | | | | test_kane4.py
| | | | | | test_kane5.py
| | | | | | test_lagrange.py
| | | | | | test_lagrange2.py
| | | | | | test_linearize.py
| | | | | | test_loads.py

```

[illegible]

```

| | | | | pathway.cpython-311.pyc
| | | | | rigidbody.cpython-311.pyc
| | | | | system.cpython-311.pyc
| | | | | wrapping_geometry.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---optics
| | | | | | gaussopt.py
| | | | | | medium.py
| | | | | | polarization.py
| | | | | | utils.py
| | | | | | waves.py
| | | | | | __init__.py
| | | | |
| | | | +---tests
| | | | | | test_gaussopt.py
| | | | | | test_medium.py
| | | | | | test_polarization.py
| | | | | | test_utils.py
| | | | | | test_waves.py
| | | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | | test_gaussopt.cpython-311.pyc
| | | | | | test_medium.cpython-311.pyc
| | | | | | test_polarization.cpython-311.pyc
| | | | | | test_utils.cpython-311.pyc
| | | | | | test_waves.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | | gaussopt.cpython-311.pyc
| | | | | | medium.cpython-311.pyc
| | | | | | polarization.cpython-311.pyc
| | | | | | utils.cpython-311.pyc
| | | | | | waves.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---quantum
| | | | | | anticommutator.py
| | | | | | boson.py
| | | | | | cartesian.py
| | | | | | cg.py
| | | | | | circuitplot.py
| | | | | | circuitutils.py
| | | | | | commutator.py
| | | | | | constants.py
| | | | | | dagger.py
| | | | | | density.py
| | | | | | fermion.py
| | | | | | gate.py

```

						grover.py
						hilbert.py
						identitysearch.py
						innerproduct.py
						matrixcache.py
						matrixutils.py
						operator.py
						operatorordering.py
						operatorset.py
						pauli.py
						piab.py
						qapply.py
						qasm.py
						qexpr.py
						qft.py
						qubit.py
						represent.py
						shold.py
						shor.py
						spin.py
						state.py
						tensorproduct.py
						trace.py
						__init__.py
						+---tests
						test_anticommutator.py
						test_boson.py
						test_cartesian.py
						test_cg.py
						test_circuitplot.py
						test_circuitutils.py
						test_commutator.py
						test_constants.py
						test_dagger.py
						test_density.py
						test_fermion.py
						test_gate.py
						test_grover.py
						test_hilbert.py
						test_identitysearch.py
						test_innerproduct.py
						test_matrixutils.py
						test_operator.py
						test_operatorordering.py
						test_operatorset.py
						test_pauli.py
						test_piab.py
						test_printing.py
						test_qapply.py
						test_qasm.py

```

| | | | | | test_qexpr.py
| | | | | | test_qft.py
| | | | | | test_qubit.py
| | | | | | test_represent.py
| | | | | | test_shold.py
| | | | | | test_shor.py
| | | | | | test_spin.py
| | | | | | test_state.py
| | | | | | test_tensorproduct.py
| | | | | | test_trace.py
| | | | | | __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | |     test_anticommutator.cpython-311.pyc
| | | | | |     test_boson.cpython-311.pyc
| | | | | |     test_cartesian.cpython-311.pyc
| | | | | |     test_cg.cpython-311.pyc
| | | | | |     test_circuitplot.cpython-311.pyc
| | | | | |     test_circuitutils.cpython-311.pyc
| | | | | |     test_commutator.cpython-311.pyc
| | | | | |     test_constants.cpython-311.pyc
| | | | | |     test_dagger.cpython-311.pyc
| | | | | |     test_density.cpython-311.pyc
| | | | | |     test_fermion.cpython-311.pyc
| | | | | |     test_gate.cpython-311.pyc
| | | | | |     test_grover.cpython-311.pyc
| | | | | |     test_hilbert.cpython-311.pyc
| | | | | |     test_identitysearch.cpython-311.pyc
| | | | | |     test_innerproduct.cpython-311.pyc
| | | | | |     test_matrixutils.cpython-311.pyc
| | | | | |     test_operator.cpython-311.pyc
| | | | | |     test_operatorordering.cpython-311.pyc
| | | | | |     test_operatorset.cpython-311.pyc
| | | | | |     test_pauli.cpython-311.pyc
| | | | | |     test_piab.cpython-311.pyc
| | | | | |     test_printing.cpython-311.pyc
| | | | | |     test_qapply.cpython-311.pyc
| | | | | |     test_qasm.cpython-311.pyc
| | | | | |     test_qexpr.cpython-311.pyc
| | | | | |     test_qft.cpython-311.pyc
| | | | | |     test_qubit.cpython-311.pyc
| | | | | |     test_represent.cpython-311.pyc
| | | | | |     test_shold.cpython-311.pyc
| | | | | |     test_shor.cpython-311.pyc
| | | | | |     test_spin.cpython-311.pyc
| | | | | |     test_state.cpython-311.pyc
| | | | | |     test_tensorproduct.cpython-311.pyc
| | | | | |     test_trace.cpython-311.pyc
| | | | | |     __init__.cpython-311.pyc
| | | | | |
| | | | | | \---__pycache__

```

					anticommutator.cpython-311.pyc
					boson.cpython-311.pyc
					cartesian.cpython-311.pyc
					cg.cpython-311.pyc
					circuitplot.cpython-311.pyc
					circuitutils.cpython-311.pyc
					commutator.cpython-311.pyc
					constants.cpython-311.pyc
					dagger.cpython-311.pyc
					density.cpython-311.pyc
					fermion.cpython-311.pyc
					gate.cpython-311.pyc
					grover.cpython-311.pyc
					hilbert.cpython-311.pyc
					identitysearch.cpython-311.pyc
					innerproduct.cpython-311.pyc
					matrixcache.cpython-311.pyc
					matrixutils.cpython-311.pyc
					operator.cpython-311.pyc
					operatorordering.cpython-311.pyc
					operatorset.cpython-311.pyc
					pauli.cpython-311.pyc
					piab.cpython-311.pyc
					qapply.cpython-311.pyc
					qasm.cpython-311.pyc
					qexpr.cpython-311.pyc
					qft.cpython-311.pyc
					qubit.cpython-311.pyc
					represent.cpython-311.pyc
					shold.cpython-311.pyc
					shor.cpython-311.pyc
					spin.cpython-311.pyc
					state.cpython-311.pyc
					tensorproduct.cpython-311.pyc
					trace.cpython-311.pyc
					__init__.cpython-311.pyc
				+	---tests
					test_clebsch_gordan.py
					test_hydrogen.py
					test_paulialgebra.py
					test_physics_matrices.py
					test_pring.py
					test_qho_1d.py
					test_secondquant.py
					test_sho.py
					__init__.py
					\---__pycache__
					test_clebsch_gordan.cpython-311.pyc
					test_hydrogen.cpython-311.pyc

```

| | | | | test_paulialgebra.cpython-311.pyc
| | | | | test_physics_matrices.cpython-311.pyc
| | | | | test_pring.cpython-311.pyc
| | | | | test_qho_1d.cpython-311.pyc
| | | | | test_secondquant.cpython-311.pyc
| | | | | test_sho.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---units
| | | | | | dimensions.py
| | | | | | prefixes.py
| | | | | | quantities.py
| | | | | | unitsystem.py
| | | | | | util.py
| | | | | | __init__.py
| | | | | |
| | | | | +---definitions
| | | | | | dimension_definitions.py
| | | | | | unit_definitions.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | dimension_definitions.cpython-311.pyc
| | | | | | unit_definitions.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | +---systems
| | | | | | cgs.py
| | | | | | length_weight_time.py
| | | | | | mks.py
| | | | | | mksa.py
| | | | | | natural.py
| | | | | | si.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | cgs.cpython-311.pyc
| | | | | | length_weight_time.cpython-311.pyc
| | | | | | mks.cpython-311.pyc
| | | | | | mksa.cpython-311.pyc
| | | | | | natural.cpython-311.pyc
| | | | | | si.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | +---tests
| | | | | | test_dimensions.py
| | | | | | test_dimensionsystem.py
| | | | | | test_prefixes.py
| | | | | | test_quantities.py
| | | | | | test_unitsystem.py
| | | | | | test_unit_system_cgs_gauss.py

```



```

| | | | | | test_util.py
| | | | | | __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | |     test_dimensions.cpython-311.pyc
| | | | | |     test_dimensionsystem.cpython-311.pyc
| | | | | |     test_prefixes.cpython-311.pyc
| | | | | |     test_quantities.cpython-311.pyc
| | | | | |     test_unitsystem.cpython-311.pyc
| | | | | |     test_unit_system_cgs_gauss.cpython-311.pyc
| | | | | |     test_util.cpython-311.pyc
| | | | | |     __init__.cpython-311.pyc
| | | | | |
| | | | | | \---__pycache__
| | | | | |     dimensions.cpython-311.pyc
| | | | | |     prefixes.cpython-311.pyc
| | | | | |     quantities.cpython-311.pyc
| | | | | |     unitsystem.cpython-311.pyc
| | | | | |     util.cpython-311.pyc
| | | | | |     __init__.cpython-311.pyc
| | | | | |
| | | | | | +---vector
| | | | | | | dyadic.py
| | | | | | | fieldfunctions.py
| | | | | | | frame.py
| | | | | | | functions.py
| | | | | | | point.py
| | | | | | | printing.py
| | | | | | | vector.py
| | | | | | | __init__.py
| | | | | |
| | | | | | +---tests
| | | | | | | test_dyadic.py
| | | | | | | test_fieldfunctions.py
| | | | | | | test_frame.py
| | | | | | | test_functions.py
| | | | | | | test_output.py
| | | | | | | test_point.py
| | | | | | | test_printing.py
| | | | | | | test_vector.py
| | | | | | | __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | |     test_dyadic.cpython-311.pyc
| | | | | |     test_fieldfunctions.cpython-311.pyc
| | | | | |     test_frame.cpython-311.pyc
| | | | | |     test_functions.cpython-311.pyc
| | | | | |     test_output.cpython-311.pyc
| | | | | |     test_point.cpython-311.pyc
| | | | | |     test_printing.cpython-311.pyc
| | | | | |     test_vector.cpython-311.pyc

```

```

| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | dyadic.cpython-311.pyc
| | | | | fieldfunctions.cpython-311.pyc
| | | | | frame.cpython-311.pyc
| | | | | functions.cpython-311.pyc
| | | | | point.cpython-311.pyc
| | | | | printing.cpython-311.pyc
| | | | | vector.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | hydrogen.cpython-311.pyc
| | | | | matrices.cpython-311.pyc
| | | | | paulialgebra.cpython-311.pyc
| | | | | pring.cpython-311.pyc
| | | | | qho_1d.cpython-311.pyc
| | | | | secondquant.cpython-311.pyc
| | | | | sho.cpython-311.pyc
| | | | | wigner.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---plotting
| | | | | experimental_lambdify.py
| | | | | plot.py
| | | | | plotgrid.py
| | | | | plot_implicit.py
| | | | | series.py
| | | | | textplot.py
| | | | | utils.py
| | | | | __init__.py
| | | | |
| | | | +---backends
| | | | | base_backend.py
| | | | | __init__.py
| | | | |
| | | | +---matplotlibbackend
| | | | | matplotlib.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | | matplotlib.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---textbackend
| | | | | text.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | | text.cpython-311.pyc

```

```

| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | base_backend.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---intervalmath
| | | | | | interval_arithmetic.py
| | | | | | interval_membership.py
| | | | | | lib_interval.py
| | | | | | __init__.py
| | | | | |
| | | | | +---tests
| | | | | | | test_intervalmath.py
| | | | | | | test_interval_functions.py
| | | | | | | test_interval_membership.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | \---__pycache__
| | | | | | | test_intervalmath.cpython-311.pyc
| | | | | | | test_interval_functions.cpython-311.pyc
| | | | | | | test_interval_membership.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | | \---__pycache__
| | | | | | | interval_arithmetic.cpython-311.pyc
| | | | | | | interval_membership.cpython-311.pyc
| | | | | | | lib_interval.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | +---pygletplot
| | | | | | color_scheme.py
| | | | | | managed_window.py
| | | | | | plot.py
| | | | | | plot_axes.py
| | | | | | plot_camera.py
| | | | | | plot_controller.py
| | | | | | plot_curve.py
| | | | | | plot_interval.py
| | | | | | plot_mode.py
| | | | | | plot_modes.py
| | | | | | plot_mode_base.py
| | | | | | plot_object.py
| | | | | | plot_rotation.py
| | | | | | plot_surface.py
| | | | | | plot_window.py
| | | | | | util.py
| | | | | | __init__.py
| | | | | |
| | | | | +---tests
| | | | | | test_plotting.py

```

```
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | | test_plotting.cpython-311.pyc
| | | | | | | | __init__.cpython-311.pyc
| | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | | color_scheme.cpython-311.pyc
| | | | | | | | managed_window.cpython-311.pyc
| | | | | | | | plot.cpython-311.pyc
| | | | | | | | plot_axes.cpython-311.pyc
| | | | | | | | plot_camera.cpython-311.pyc
| | | | | | | | plot_controller.cpython-311.pyc
| | | | | | | | plot_curve.cpython-311.pyc
| | | | | | | | plot_interval.cpython-311.pyc
| | | | | | | | plot_mode.cpython-311.pyc
| | | | | | | | plot_modes.cpython-311.pyc
| | | | | | | | plot_mode_base.cpython-311.pyc
| | | | | | | | plot_object.cpython-311.pyc
| | | | | | | | plot_rotation.cpython-311.pyc
| | | | | | | | plot_surface.cpython-311.pyc
| | | | | | | | plot_window.cpython-311.pyc
| | | | | | | | util.cpython-311.pyc
| | | | | | | | __init__.cpython-311.pyc
| | | | | | | |
| | | | +----tests
| | | | | | | | test_experimental_lambdify.py
| | | | | | | | test_plot.py
| | | | | | | | test_plot_implicit.py
| | | | | | | | test_region_and.png
| | | | | | | | test_region_not.png
| | | | | | | | test_region_or.png
| | | | | | | | test_region_xor.png
| | | | | | | | test_series.py
| | | | | | | | test_textplot.py
| | | | | | | | test_utils.py
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | | test_experimental_lambdify.cpython-311.pyc
| | | | | | | | test_plot.cpython-311.pyc
| | | | | | | | test_plot_implicit.cpython-311.pyc
| | | | | | | | test_series.cpython-311.pyc
| | | | | | | | test_textplot.cpython-311.pyc
| | | | | | | | test_utils.cpython-311.pyc
| | | | | | | | __init__.cpython-311.pyc
| | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | | experimental_lambdify.cpython-311.pyc
| | | | | | | | plot.cpython-311.pyc
| | | | | | | | plotgrid.cpython-311.pyc
```

				plot_implicit.cpython-311.pyc
				series.cpython-311.pyc
				textplot.cpython-311.pyc
				utils.cpython-311.pyc
				__init__.cpython-311.pyc
				+++polys
				appellseqs.py
				compatibility.py
				constructor.py
				densearith.py
				densebasic.py
				densetools.py
				dispersion.py
				distributedmodules.py
				domainmatrix.py
				euclidtools.py
				factortools.py
				fglmttools.py
				fields.py
				galoistools.py
				groebnertools.py
				heuristicgcd.py
				modulargcd.py
				monomials.py
				multivariate_resultants.py
				orderings.py
				orthopolys.py
				partfrac.py
				polyclasses.py
				polyconfig.py
				polyerrors.py
				polyfuncs.py
				polymatrix.py
				polyoptions.py
				polyquinticconst.py
				polyroots.py
				polytools.py
				polyutils.py
				rationaltools.py
				rings.py
				ring_series.py
				rootisolation.py
				rootoftools.py
				solvers.py
				specialpolys.py
				sqfreetools.py
				subresultants_qq_zz.py
				__init__.py
				+++agca

```

| | | | extensions.py
| | | | homomorphisms.py
| | | | ideals.py
| | | | modules.py
| | | | __init__.py
| | | |
| | | | +---tests
| | | | | test_extensions.py
| | | | | test_homomorphisms.py
| | | | | test_ideals.py
| | | | | test_modules.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | test_extensions.cpython-311.pyc
| | | | | test_homomorphisms.cpython-311.pyc
| | | | | test_ideals.cpython-311.pyc
| | | | | test_modules.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | extensions.cpython-311.pyc
| | | | | homomorphisms.cpython-311.pyc
| | | | | ideals.cpython-311.pyc
| | | | | modules.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---benchmarks
| | | | | bench_galoispolys.py
| | | | | bench_groebnertools.py
| | | | | bench_solvers.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | bench_galoispolys.cpython-311.pyc
| | | | | bench_groebnertools.cpython-311.pyc
| | | | | bench_solvers.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---domains
| | | | | algebraicfield.py
| | | | | characteristiczero.py
| | | | | complexfield.py
| | | | | compositedomain.py
| | | | | domain.py
| | | | | domainelement.py
| | | | | expressiondomain.py
| | | | | expressionrawdomain.py
| | | | | field.py
| | | | | finitefield.py
| | | | | fractionfield.py

```

```

| | | | | gaussiandomains.py
| | | | | gmpyfinitefield.py
| | | | | gmpyintegerring.py
| | | | | gmpyrationalfield.py
| | | | | groundtypes.py
| | | | | integerring.py
| | | | | modularinteger.py
| | | | | mpelements.py
| | | | | old_fractionfield.py
| | | | | old_polynomialring.py
| | | | | polynomialring.py
| | | | | pythonfinitefield.py
| | | | | pythonintegerring.py
| | | | | pythonrational.py
| | | | | pythonrationalfield.py
| | | | | quotientring.py
| | | | | rationalfield.py
| | | | | realfield.py
| | | | | ring.py
| | | | | simpliedomain.py
| | | | | __init__.py
| | | | |
| | | | | +---tests
| | | | | | test_domains.py
| | | | | | test_polynomialring.py
| | | | | | test_quotientring.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | |     test_domains.cpython-311.pyc
| | | | |     test_polynomialring.cpython-311.pyc
| | | | |     test_quotientring.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     algebraicfield.cpython-311.pyc
| | | | |     characteristiczero.cpython-311.pyc
| | | | |     complexfield.cpython-311.pyc
| | | | |     compositedomain.cpython-311.pyc
| | | | |     domain.cpython-311.pyc
| | | | |     domainelement.cpython-311.pyc
| | | | |     expressiondomain.cpython-311.pyc
| | | | |     expressionrawdomain.cpython-311.pyc
| | | | |     field.cpython-311.pyc
| | | | |     finitefield.cpython-311.pyc
| | | | |     fractionfield.cpython-311.pyc
| | | | |     gaussiandomains.cpython-311.pyc
| | | | |     gmpyfinitefield.cpython-311.pyc
| | | | |     gmpyintegerring.cpython-311.pyc
| | | | |     gmpyrationalfield.cpython-311.pyc
| | | | |     groundtypes.cpython-311.pyc

```

```

| | | | | integerring.cpython-311.pyc
| | | | | modularinteger.cpython-311.pyc
| | | | | mpelements.cpython-311.pyc
| | | | | old_fractionfield.cpython-311.pyc
| | | | | old_polynomialring.cpython-311.pyc
| | | | | polynomialring.cpython-311.pyc
| | | | | pythonfinitefield.cpython-311.pyc
| | | | | pythonintegerring.cpython-311.pyc
| | | | | pythonrational.cpython-311.pyc
| | | | | pythonrationalfield.cpython-311.pyc
| | | | | quotientring.cpython-311.pyc
| | | | | rationalfield.cpython-311.pyc
| | | | | realfield.cpython-311.pyc
| | | | | ring.cpython-311.pyc
| | | | | simpLEDomain.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---matrices
| | | | | | ddm.py
| | | | | | dense.py
| | | | | | dfm.py
| | | | | | domainmatrix.py
| | | | | | domainscalar.py
| | | | | | eigen.py
| | | | | | exceptions.py
| | | | | | linsolve.py
| | | | | | lll.py
| | | | | | normalforms.py
| | | | | | rref.py
| | | | | | sdm.py
| | | | | | _dfm.py
| | | | | | _typing.py
| | | | | | __init__.py
| | | | | |
| | | | | +---tests
| | | | | | test_ddm.py
| | | | | | test_dense.py
| | | | | | test_domainmatrix.py
| | | | | | test_domainscalar.py
| | | | | | test_eigen.py
| | | | | | test_inverse.py
| | | | | | test_linsolve.py
| | | | | | test_lll.py
| | | | | | test_normalforms.py
| | | | | | test_nullspace.py
| | | | | | test_rref.py
| | | | | | test_sdm.py
| | | | | | test_xxm.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__

```


					test_ddm.cpython-311.pyc
					test_dense.cpython-311.pyc
					test_domainmatrix.cpython-311.pyc
					test_domainscalar.cpython-311.pyc
					test_eigen.cpython-311.pyc
					test_inverse.cpython-311.pyc
					test_linsolve.cpython-311.pyc
					test_l1l.cpython-311.pyc
					test_normalforms.cpython-311.pyc
					test_nullspace.cpython-311.pyc
					test_rref.cpython-311.pyc
					test_sdm.cpython-311.pyc
					test_xxm.cpython-311.pyc
					__init__.cpython-311.pyc
					\---__pycache__
					ddm.cpython-311.pyc
					dense.cpython-311.pyc
					dfm.cpython-311.pyc
					domainmatrix.cpython-311.pyc
					domainscalar.cpython-311.pyc
					eigen.cpython-311.pyc
					exceptions.cpython-311.pyc
					linsolve.cpython-311.pyc
					l1l.cpython-311.pyc
					normalforms.cpython-311.pyc
					rref.cpython-311.pyc
					sdm.cpython-311.pyc
					_dfm.cpython-311.pyc
					_typing.cpython-311.pyc
					__init__.cpython-311.pyc
					+---numberfields
					basis.py
					exceptions.py
					galoisgroups.py
					galois_resolvents.py
					minpoly.py
					modules.py
					primes.py
					resolvent_lookup.py
					subfield.py
					utilities.py
					__init__.py
					+---tests
					test_basis.py
					test_galoisgroups.py
					test_minpoly.py
					test_modules.py
					test_numbers.py

```

| | | | | test_primes.py
| | | | | test_subfield.py
| | | | | test_utilities.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     test_basis.cpython-311.pyc
| | | | |     test_galoisgroups.cpython-311.pyc
| | | | |     test_minpoly.cpython-311.pyc
| | | | |     test_modules.cpython-311.pyc
| | | | |     test_numbers.cpython-311.pyc
| | | | |     test_primes.cpython-311.pyc
| | | | |     test_subfield.cpython-311.pyc
| | | | |     test_utilities.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     basis.cpython-311.pyc
| | | | |     exceptions.cpython-311.pyc
| | | | |     galoisgroups.cpython-311.pyc
| | | | |     galois_resolvents.cpython-311.pyc
| | | | |     minpoly.cpython-311.pyc
| | | | |     modules.cpython-311.pyc
| | | | |     primes.cpython-311.pyc
| | | | |     resolvent_lookup.cpython-311.pyc
| | | | |     subfield.cpython-311.pyc
| | | | |     utilities.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---tests
| | | | | test_appellseqs.py
| | | | | test_constructor.py
| | | | | test_densearith.py
| | | | | test_densebasic.py
| | | | | test_densetools.py
| | | | | test_dispersion.py
| | | | | test_distributedmodules.py
| | | | | test_euclidtools.py
| | | | | test_factortools.py
| | | | | test_fields.py
| | | | | test_galoistools.py
| | | | | test_groebnertools.py
| | | | | test_heuristicgcd.py
| | | | | test_hypothesis.py
| | | | | test_injections.py
| | | | | test_modulargcd.py
| | | | | test_monomials.py
| | | | | test_multivariate_resultants.py
| | | | | test_orderings.py
| | | | | test_orthopolys.py
| | | | | test_partfrac.py

```

					test_polyclasses.py
					test_polyfuncs.py
					test_polymatrix.py
					test_polyoptions.py
					test_polyroots.py
					test_polytools.py
					test_polyutils.py
					test_pythonrational.py
					test_rationaltools.py
					test_rings.py
					test_ring_series.py
					test_rootisolation.py
					test_rootoftools.py
					test_solvers.py
					test_specialpolys.py
					test_sqfreetools.py
					test_subresultants_qq_zz.py
					__init__.py
					\---__pycache__
					test_appellseqs.cpython-311.pyc
					test_constructor.cpython-311.pyc
					test_densearith.cpython-311.pyc
					test_densebasic.cpython-311.pyc
					test_densetools.cpython-311.pyc
					test_dispersion.cpython-311.pyc
					test_distributedmodules.cpython-311.pyc
					test_euclidtools.cpython-311.pyc
					test_factortools.cpython-311.pyc
					test_fields.cpython-311.pyc
					test_galoistools.cpython-311.pyc
					test_groebnertools.cpython-311.pyc
					test_heuristicgcd.cpython-311.pyc
					test_hypothesis.cpython-311.pyc
					test_injections.cpython-311.pyc
					test_modulargcd.cpython-311.pyc
					test_monomials.cpython-311.pyc
					test_multivariate_resultants.cpython-311.pyc
					test_orderings.cpython-311.pyc
					test_orthopolys.cpython-311.pyc
					test_partfrac.cpython-311.pyc
					test_polyclasses.cpython-311.pyc
					test_polyfuncs.cpython-311.pyc
					test_polymatrix.cpython-311.pyc
					test_polyoptions.cpython-311.pyc
					test_polyroots.cpython-311.pyc
					test_polytools.cpython-311.pyc
					test_polyutils.cpython-311.pyc
					test_pythonrational.cpython-311.pyc
					test_rationaltools.cpython-311.pyc
					test_rings.cpython-311.pyc

					test_ring_series.cpython-311.pyc
					test_rootisolation.cpython-311.pyc
					test_rootoftools.cpython-311.pyc
					test_solvers.cpython-311.pyc
					test_specialpolys.cpython-311.pyc
					test_sqfreetools.cpython-311.pyc
					test_subresultants_qq_zz.cpython-311.pyc
					__init__.cpython-311.pyc
					\---__pycache__
					appellseqs.cpython-311.pyc
					compatibility.cpython-311.pyc
					constructor.cpython-311.pyc
					densearith.cpython-311.pyc
					densebasic.cpython-311.pyc
					densetools.cpython-311.pyc
					dispersion.cpython-311.pyc
					distributedmodules.cpython-311.pyc
					domainmatrix.cpython-311.pyc
					euclidtools.cpython-311.pyc
					factortools.cpython-311.pyc
					fglmttools.cpython-311.pyc
					fields.cpython-311.pyc
					galoistools.cpython-311.pyc
					groebnertools.cpython-311.pyc
					heuristicgcd.cpython-311.pyc
					modulargcd.cpython-311.pyc
					monomials.cpython-311.pyc
					multivariate_resultants.cpython-311.pyc
					orderings.cpython-311.pyc
					orthopolys.cpython-311.pyc
					partfrac.cpython-311.pyc
					polyclasses.cpython-311.pyc
					polyconfig.cpython-311.pyc
					polyerrors.cpython-311.pyc
					polyfuncs.cpython-311.pyc
					polymatrix.cpython-311.pyc
					polyoptions.cpython-311.pyc
					polyquinticconst.cpython-311.pyc
					polyroots.cpython-311.pyc
					polytools.cpython-311.pyc
					polyutils.cpython-311.pyc
					rationaltools.cpython-311.pyc
					rings.cpython-311.pyc
					ring_series.cpython-311.pyc
					rootisolation.cpython-311.pyc
					rootoftools.cpython-311.pyc
					solvers.cpython-311.pyc
					specialpolys.cpython-311.pyc
					sqfreetools.cpython-311.pyc
					subresultants_qq_zz.cpython-311.pyc

```

| | | | __init__.cpython-311.pyc
| | | |
| | | | +---printing
| | | | | aesaracode.py
| | | | | c.py
| | | | | codeprinter.py
| | | | | conventions.py
| | | | | cxx.py
| | | | | defaults.py
| | | | | dot.py
| | | | | fortran.py
| | | | | glsl.py
| | | | | gtk.py
| | | | | jscode.py
| | | | | julia.py
| | | | | lambdarepr.py
| | | | | latex.py
| | | | | llvmjitcode.py
| | | | | maple.py
| | | | | mathematica.py
| | | | | mathml.py
| | | | | numpy.py
| | | | | octave.py
| | | | | precedence.py
| | | | | preview.py
| | | | | printer.py
| | | | | pycode.py
| | | | | python.py
| | | | | rcode.py
| | | | | repr.py
| | | | | rust.py
| | | | | smtlib.py
| | | | | str.py
| | | | | tableform.py
| | | | | tensorflow.py
| | | | | theano.py
| | | | | tree.py
| | | | | __init__.py
| | | | |
| | | | | +---pretty
| | | | | | pretty.py
| | | | | | pretty_symbolology.py
| | | | | | stringpict.py
| | | | | | __init__.py
| | | | | |
| | | | | +---tests
| | | | | | test_pretty.py
| | | | | | __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | |
| | | | | | test_pretty.cpython-311.pyc

```

```

| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | pretty.cpython-311.pyc
| | | | | pretty_symbolology.cpython-311.pyc
| | | | | stringpict.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---tests
| | | | | test_aesaracode.py
| | | | | test_c.py
| | | | | test_codeprinter.py
| | | | | test_conventions.py
| | | | | test_cupy.py
| | | | | test_cxx.py
| | | | | test_dot.py
| | | | | test_fortran.py
| | | | | test_gls1.py
| | | | | test_gtk.py
| | | | | test_jax.py
| | | | | test_jscode.py
| | | | | test_julia.py
| | | | | test_lambdarepr.py
| | | | | test_latex.py
| | | | | test_llvmjit.py
| | | | | test_maple.py
| | | | | test_mathematica.py
| | | | | test_mathml.py
| | | | | test_numpy.py
| | | | | test_octave.py
| | | | | test_precedence.py
| | | | | test_preview.py
| | | | | test_pycode.py
| | | | | test_python.py
| | | | | test_rcode.py
| | | | | test_repr.py
| | | | | test_rust.py
| | | | | test_smtlib.py
| | | | | test_str.py
| | | | | test_tableform.py
| | | | | test_tensorflow.py
| | | | | test_theanocode.py
| | | | | test_tree.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | | test_aesaracode.cpython-311.pyc
| | | | | test_c.cpython-311.pyc
| | | | | test_codeprinter.cpython-311.pyc
| | | | | test_conventions.cpython-311.pyc
| | | | | test_cupy.cpython-311.pyc

```

					test_cxx.cpython-311.pyc
					test_dot.cpython-311.pyc
					test_fortran.cpython-311.pyc
					test_gls1.cpython-311.pyc
					test_gtk.cpython-311.pyc
					test_jax.cpython-311.pyc
					test_jscode.cpython-311.pyc
					test_julia.cpython-311.pyc
					test_lambdarepr.cpython-311.pyc
					test_latex.cpython-311.pyc
					test_llvmjit.cpython-311.pyc
					test_maple.cpython-311.pyc
					test_mathematica.cpython-311.pyc
					test_mathml.cpython-311.pyc
					test_numpy.cpython-311.pyc
					test_octave.cpython-311.pyc
					test_precedence.cpython-311.pyc
					test_preview.cpython-311.pyc
					test_pycode.cpython-311.pyc
					test_python.cpython-311.pyc
					test_rcode.cpython-311.pyc
					test_repr.cpython-311.pyc
					test_rust.cpython-311.pyc
					test_smtlib.cpython-311.pyc
					test_str.cpython-311.pyc
					test_tableform.cpython-311.pyc
					test_tensorflow.cpython-311.pyc
					test_theanocode.cpython-311.pyc
					test_tree.cpython-311.pyc
					__init__.cpython-311.pyc
					\---__pycache__
					aesaracode.cpython-311.pyc
					c.cpython-311.pyc
					codeprinter.cpython-311.pyc
					conventions.cpython-311.pyc
					cxx.cpython-311.pyc
					defaults.cpython-311.pyc
					dot.cpython-311.pyc
					fortran.cpython-311.pyc
					gls1.cpython-311.pyc
					gtk.cpython-311.pyc
					jscode.cpython-311.pyc
					julia.cpython-311.pyc
					lambdarepr.cpython-311.pyc
					latex.cpython-311.pyc
					llvmjitcode.cpython-311.pyc
					maple.cpython-311.pyc
					mathematica.cpython-311.pyc
					mathml.cpython-311.pyc
					numpy.cpython-311.pyc

```

| | | | octave.cpython-311.pyc
| | | | precedence.cpython-311.pyc
| | | | preview.cpython-311.pyc
| | | | printer.cpython-311.pyc
| | | | pycode.cpython-311.pyc
| | | | python.cpython-311.pyc
| | | | rcode.cpython-311.pyc
| | | | repr.cpython-311.pyc
| | | | rust.cpython-311.pyc
| | | | smtplib.cpython-311.pyc
| | | | str.cpython-311.pyc
| | | | tableform.cpython-311.pyc
| | | | tensorflow.cpython-311.pyc
| | | | theano.cpython-311.pyc
| | | | tree.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | +---sandbox
| | | | indexed_integrals.py
| | | | __init__.py
| | | |
| | | +---tests
| | | | test_indexed_integrals.py
| | | | __init__.py
| | | |
| | | | \---__pycache__
| | | | test_indexed_integrals.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | \---__pycache__
| | | | indexed_integrals.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | +---series
| | | | acceleration.py
| | | | approximants.py
| | | | aseries.py
| | | | formal.py
| | | | fourier.py
| | | | gruntz.py
| | | | kauers.py
| | | | limits.py
| | | | limitseq.py
| | | | order.py
| | | | residues.py
| | | | sequences.py
| | | | series.py
| | | | series_class.py
| | | | __init__.py
| | | |
| | | +---benchmarks

```



```

| | | | | bench_limit.py
| | | | | bench_order.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     bench_limit.cpython-311.pyc
| | | | |     bench_order.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---tests
| | | | | | test_approximants.py
| | | | | | test_aseries.py
| | | | | | test_demidovich.py
| | | | | | test_formal.py
| | | | | | test_fourier.py
| | | | | | test_gruntz.py
| | | | | | test_kauers.py
| | | | | | test_limits.py
| | | | | | test_limitseq.py
| | | | | | test_lseries.py
| | | | | | test_nseries.py
| | | | | | test_order.py
| | | | | | test_residues.py
| | | | | | test_sequences.py
| | | | | | test_series.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | |     test_approximants.cpython-311.pyc
| | | | |     test_aseries.cpython-311.pyc
| | | | |     test_demidovich.cpython-311.pyc
| | | | |     test_formal.cpython-311.pyc
| | | | |     test_fourier.cpython-311.pyc
| | | | |     test_gruntz.cpython-311.pyc
| | | | |     test_kauers.cpython-311.pyc
| | | | |     test_limits.cpython-311.pyc
| | | | |     test_limitseq.cpython-311.pyc
| | | | |     test_lseries.cpython-311.pyc
| | | | |     test_nseries.cpython-311.pyc
| | | | |     test_order.cpython-311.pyc
| | | | |     test_residues.cpython-311.pyc
| | | | |     test_sequences.cpython-311.pyc
| | | | |     test_series.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     acceleration.cpython-311.pyc
| | | | |     approximants.cpython-311.pyc
| | | | |     aseries.cpython-311.pyc
| | | | |     formal.cpython-311.pyc
| | | | |     fourier.cpython-311.pyc

```

				gruntz.cpython-311.pyc
				kauers.cpython-311.pyc
				limits.cpython-311.pyc
				limitseq.cpython-311.pyc
				order.cpython-311.pyc
				residues.cpython-311.pyc
				sequences.cpython-311.pyc
				series.cpython-311.pyc
				series_class.cpython-311.pyc
				__init__.cpython-311.pyc
			+	---sets
				conditionset.py
				contains.py
				fancysets.py
				ordinals.py
				powerset.py
				setexpr.py
				sets.py
				__init__.py
				+
				---handlers
				add.py
				comparison.py
				functions.py
				intersection.py
				issubset.py
				mul.py
				power.py
				union.py
				__init__.py
				\---
				__pycache__
				add.cpython-311.pyc
				comparison.cpython-311.pyc
				functions.cpython-311.pyc
				intersection.cpython-311.pyc
				issubset.cpython-311.pyc
				mul.cpython-311.pyc
				power.cpython-311.pyc
				union.cpython-311.pyc
				__init__.cpython-311.pyc
				+
				---tests
				test_conditionset.py
				test_contains.py
				test_fancysets.py
				test_ordinals.py
				test_powerset.py
				test_setexpr.py
				test_sets.py

```

| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     test_conditionset.cpython-311.pyc
| | | | |     test_contains.cpython-311.pyc
| | | | |     test_fancysets.cpython-311.pyc
| | | | |     test_ordinals.cpython-311.pyc
| | | | |     test_powerset.cpython-311.pyc
| | | | |     test_setexpr.cpython-311.pyc
| | | | |     test_sets.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     conditionset.cpython-311.pyc
| | | | |     contains.cpython-311.pyc
| | | | |     fancysets.cpython-311.pyc
| | | | |     ordinals.cpython-311.pyc
| | | | |     powerset.cpython-311.pyc
| | | | |     setexpr.cpython-311.pyc
| | | | |     sets.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | +---simplify
| | | | | combsimp.py
| | | | | cse_main.py
| | | | | cse_opts.py
| | | | | epathhools.py
| | | | | fu.py
| | | | | gammasimp.py
| | | | | hyperexpand.py
| | | | | hyperexpand_doc.py
| | | | | powsimp.py
| | | | | radsimp.py
| | | | | ratsimp.py
| | | | | simplify.py
| | | | | sqrtidenest.py
| | | | | traversaltools.py
| | | | | trigsimp.py
| | | | | __init__.py
| | | | |
| | | +---tests
| | | | | test_combsimp.py
| | | | | test_cse.py
| | | | | test_epathhools.py
| | | | | test_fu.py
| | | | | test_function.py
| | | | | test_gammasimp.py
| | | | | test_hyperexpand.py
| | | | | test_powsimp.py
| | | | | test_radsimp.py
| | | | | test_ratsimp.py

```

```

| | | | | test_rewrite.py
| | | | | test_simplify.py
| | | | | test_sqrtdenest.py
| | | | | test_trigsimp.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     test_combsimp.cpython-311.pyc
| | | | |     test_cse.cpython-311.pyc
| | | | |     test_epathtools.cpython-311.pyc
| | | | |     test_fu.cpython-311.pyc
| | | | |     test_function.cpython-311.pyc
| | | | |     test_gammasimp.cpython-311.pyc
| | | | |     test_hyperexpand.cpython-311.pyc
| | | | |     test_powsimp.cpython-311.pyc
| | | | |     test_radsimp.cpython-311.pyc
| | | | |     test_ratsimp.cpython-311.pyc
| | | | |     test_rewrite.cpython-311.pyc
| | | | |     test_simplify.cpython-311.pyc
| | | | |     test_sqrtdenest.cpython-311.pyc
| | | | |     test_trigsimp.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     combsimp.cpython-311.pyc
| | | | |     cse_main.cpython-311.pyc
| | | | |     cse_opts.cpython-311.pyc
| | | | |     epathtools.cpython-311.pyc
| | | | |     fu.cpython-311.pyc
| | | | |     gammasimp.cpython-311.pyc
| | | | |     hyperexpand.cpython-311.pyc
| | | | |     hyperexpand_doc.cpython-311.pyc
| | | | |     powsimp.cpython-311.pyc
| | | | |     radsimp.cpython-311.pyc
| | | | |     ratsimp.cpython-311.pyc
| | | | |     simplify.cpython-311.pyc
| | | | |     sqrtdenest.cpython-311.pyc
| | | | |     traversaltools.cpython-311.pyc
| | | | |     trigsimp.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---solvers
| | | | |     bivariate.py
| | | | |     decompogen.py
| | | | |     deutils.py
| | | | |     inequalities.py
| | | | |     pde.py
| | | | |     polysys.py
| | | | |     recurr.py
| | | | |     simplex.py
| | | | |     solvers.py

```

```

| | | solveset.py
| | | __init__.py
| | |
| | | +---benchmarks
| | | | bench_solvers.py
| | | | __init__.py
| | | |
| | | | \---__pycache__
| | | |     bench_solvers.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---diophantine
| | | | | diophantine.py
| | | | | __init__.py
| | | | |
| | | | | +---tests
| | | | | | test_diophantine.py
| | | | | | __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | |     test_diophantine.cpython-311.pyc
| | | | | |     __init__.cpython-311.pyc
| | | | | |
| | | | | | \---__pycache__
| | | | | |     diophantine.cpython-311.pyc
| | | | | |     __init__.cpython-311.pyc
| | | | | |
| | | | | +---ode
| | | | | | hypergeometric.py
| | | | | | lie_group.py
| | | | | | nonhomogeneous.py
| | | | | | ode.py
| | | | | | riccati.py
| | | | | | single.py
| | | | | | subscheck.py
| | | | | | systems.py
| | | | | | __init__.py
| | | | | |
| | | | | | +---tests
| | | | | | | test_lie_group.py
| | | | | | | test_ode.py
| | | | | | | test_riccati.py
| | | | | | | test_single.py
| | | | | | | test_subscheck.py
| | | | | | | test_systems.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | |     test_lie_group.cpython-311.pyc
| | | | | | |     test_ode.cpython-311.pyc
| | | | | | |     test_riccati.cpython-311.pyc

```

```

| | | | | test_single.cpython-311.pyc
| | | | | test_subcheck.cpython-311.pyc
| | | | | test_systems.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | hypergeometric.cpython-311.pyc
| | | | | lie_group.cpython-311.pyc
| | | | | nonhomogeneous.cpython-311.pyc
| | | | | ode.cpython-311.pyc
| | | | | riccati.cpython-311.pyc
| | | | | single.cpython-311.pyc
| | | | | subcheck.cpython-311.pyc
| | | | | systems.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---tests
| | | | | | test_constantsimp.py
| | | | | | test_decompogen.py
| | | | | | test_inequalities.py
| | | | | | test_numeric.py
| | | | | | test_pde.py
| | | | | | test_polysys.py
| | | | | | test_recurr.py
| | | | | | test_simplex.py
| | | | | | test_solvers.py
| | | | | | test_solveiset.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | test_constantsimp.cpython-311.pyc
| | | | | test_decompogen.cpython-311.pyc
| | | | | test_inequalities.cpython-311.pyc
| | | | | test_numeric.cpython-311.pyc
| | | | | test_pde.cpython-311.pyc
| | | | | test_polysys.cpython-311.pyc
| | | | | test_recurr.cpython-311.pyc
| | | | | test_simplex.cpython-311.pyc
| | | | | test_solvers.cpython-311.pyc
| | | | | test_solveiset.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | bivariate.cpython-311.pyc
| | | | | decompogen.cpython-311.pyc
| | | | | deutils.cpython-311.pyc
| | | | | inequalities.cpython-311.pyc
| | | | | pde.cpython-311.pyc
| | | | | polysys.cpython-311.pyc
| | | | | recurr.cpython-311.pyc
| | | | | simplex.cpython-311.pyc

```

```

| | | solvers.cpython-311.pyc
| | | solveset.cpython-311.pyc
| | | __init__.cpython-311.pyc
| | |
| | | +---stats
| | | | compound_rv.py
| | | | crv.py
| | | | crv_types.py
| | | | drv.py
| | | | drv_types.py
| | | | error_prop.py
| | | | frv.py
| | | | frv_types.py
| | | | joint_rv.py
| | | | joint_rv_types.py
| | | | matrix_distributions.py
| | | | random_matrix.py
| | | | random_matrix_models.py
| | | | rv.py
| | | | rv_interface.py
| | | | stochastic_process.py
| | | | stochastic_process_types.py
| | | | symbolic_multivariate_probability.py
| | | | symbolic_probability.py
| | | | __init__.py
| | | |
| | | +---sampling
| | | | sample_numpy.py
| | | | sample_pymc.py
| | | | sample_scipy.py
| | | | __init__.py
| | | |
| | | +---tests
| | | | test_sample_continuous_rv.py
| | | | test_sample_discrete_rv.py
| | | | test_sample_finite_rv.py
| | | | __init__.py
| | | |
| | | \---__pycache__
| | | | test_sample_continuous_rv.cpython-311.pyc
| | | | test_sample_discrete_rv.cpython-311.pyc
| | | | test_sample_finite_rv.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | \---__pycache__
| | | | sample_numpy.cpython-311.pyc
| | | | sample_pymc.cpython-311.pyc
| | | | sample_scipy.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | +---tests

```

```

| | | | | test_compound_rv.py
| | | | | test_continuous_rv.py
| | | | | test_discrete_rv.py
| | | | | test_error_prop.py
| | | | | test_finite_rv.py
| | | | | test_joint_rv.py
| | | | | test_matrix_distributions.py
| | | | | test_mix.py
| | | | | test_random_matrix.py
| | | | | test_rv.py
| | | | | test_stochastic_process.py
| | | | | test_symbolic_multivariate.py
| | | | | test_symbolic_probability.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     test_compound_rv.cpython-311.pyc
| | | | |     test_continuous_rv.cpython-311.pyc
| | | | |     test_discrete_rv.cpython-311.pyc
| | | | |     test_error_prop.cpython-311.pyc
| | | | |     test_finite_rv.cpython-311.pyc
| | | | |     test_joint_rv.cpython-311.pyc
| | | | |     test_matrix_distributions.cpython-311.pyc
| | | | |     test_mix.cpython-311.pyc
| | | | |     test_random_matrix.cpython-311.pyc
| | | | |     test_rv.cpython-311.pyc
| | | | |     test_stochastic_process.cpython-311.pyc
| | | | |     test_symbolic_multivariate.cpython-311.pyc
| | | | |     test_symbolic_probability.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     compound_rv.cpython-311.pyc
| | | | |     crv.cpython-311.pyc
| | | | |     crv_types.cpython-311.pyc
| | | | |     drv.cpython-311.pyc
| | | | |     drv_types.cpython-311.pyc
| | | | |     error_prop.cpython-311.pyc
| | | | |     frv.cpython-311.pyc
| | | | |     frv_types.cpython-311.pyc
| | | | |     joint_rv.cpython-311.pyc
| | | | |     joint_rv_types.cpython-311.pyc
| | | | |     matrix_distributions.cpython-311.pyc
| | | | |     random_matrix.cpython-311.pyc
| | | | |     random_matrix_models.cpython-311.pyc
| | | | |     rv.cpython-311.pyc
| | | | |     rv_interface.cpython-311.pyc
| | | | |     stochastic_process.cpython-311.pyc
| | | | |     stochastic_process_types.cpython-311.pyc
| | | | |     symbolic_multivariate_probability.cpython-311.pyc
| | | | |     symbolic_probability.cpython-311.pyc

```



```

| | | | __init__.cpython-311.pyc
| | | |
| | | +---strategies
| | | | | core.py
| | | | | rl.py
| | | | | tools.py
| | | | | traverse.py
| | | | | tree.py
| | | | | util.py
| | | | | __init__.py
| | | | |
| | | +---branch
| | | | | core.py
| | | | | tools.py
| | | | | traverse.py
| | | | | __init__.py
| | | | |
| | | +---tests
| | | | | test_core.py
| | | | | test_tools.py
| | | | | test_traverse.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | | test_core.cpython-311.pyc
| | | | | test_tools.cpython-311.pyc
| | | | | test_traverse.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | core.cpython-311.pyc
| | | | | tools.cpython-311.pyc
| | | | | traverse.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---tests
| | | | | test_core.py
| | | | | test_rl.py
| | | | | test_tools.py
| | | | | test_traverse.py
| | | | | test_tree.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | | test_core.cpython-311.pyc
| | | | | test_rl.cpython-311.pyc
| | | | | test_tools.cpython-311.pyc
| | | | | test_traverse.cpython-311.pyc
| | | | | test_tree.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |

```

```

| | | | \---__pycache__
| | | |     core.cpython-311.pyc
| | | |     rl.cpython-311.pyc
| | | |     tools.cpython-311.pyc
| | | |     traverse.cpython-311.pyc
| | | |     tree.cpython-311.pyc
| | | |     util.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---tensor
| | | | | functions.py
| | | | | indexed.py
| | | | | index_methods.py
| | | | | tensor.py
| | | | | tooperators.py
| | | | | __init__.py
| | | | |
| | | | +---array
| | | | | arrayop.py
| | | | | array_comprehension.py
| | | | | array_derivatives.py
| | | | | dense_ndim_array.py
| | | | | mutable_ndim_array.py
| | | | | ndim_array.py
| | | | | sparse_ndim_array.py
| | | | | __init__.py
| | | | |
| | | | +---expressions
| | | | | arrayexpr_derivatives.py
| | | | | array_expressions.py
| | | | | conv_array_to_indexed.py
| | | | | conv_array_to_matrix.py
| | | | | conv_indexed_to_array.py
| | | | | conv_matrix_to_array.py
| | | | | from_array_to_indexed.py
| | | | | from_array_to_matrix.py
| | | | | from_indexed_to_array.py
| | | | | from_matrix_to_array.py
| | | | | utils.py
| | | | | __init__.py
| | | | |
| | | | +---tests
| | | | | test_arrayexpr_derivatives.py
| | | | | test_array_expressions.py
| | | | | test_as_explicit.py
| | | | | test_convert_array_to_indexed.py
| | | | | test_convert_array_to_matrix.py
| | | | | test_convert_indexed_to_array.py
| | | | | test_convert_matrix_to_array.py
| | | | | test_deprecated_conv_modules.py
| | | | | __init__.py

```

```

| | | | | | |
| | | | | | | \---__pycache__
| | | | | | |     test_arrayexpr_derivatives.cpython-311.pyc
| | | | | | |     test_array_expressions.cpython-311.pyc
| | | | | | |     test_as_explicit.cpython-311.pyc
| | | | | | |     test_convert_array_to_indexed.cpython-311.pyc
| | | | | | |     test_convert_array_to_matrix.cpython-311.pyc
| | | | | | |     test_convert_indexed_to_array.cpython-311.pyc
| | | | | | |     test_convert_matrix_to_array.cpython-311.pyc
| | | | | | |     test_deprecated_conv_modules.cpython-311.pyc
| | | | | | |     __init__.cpython-311.pyc
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | |     arrayexpr_derivatives.cpython-311.pyc
| | | | | | |     array_expressions.cpython-311.pyc
| | | | | | |     conv_array_to_indexed.cpython-311.pyc
| | | | | | |     conv_array_to_matrix.cpython-311.pyc
| | | | | | |     conv_indexed_to_array.cpython-311.pyc
| | | | | | |     conv_matrix_to_array.cpython-311.pyc
| | | | | | |     from_array_to_indexed.cpython-311.pyc
| | | | | | |     from_array_to_matrix.cpython-311.pyc
| | | | | | |     from_indexed_to_array.cpython-311.pyc
| | | | | | |     from_matrix_to_array.cpython-311.pyc
| | | | | | |     utils.cpython-311.pyc
| | | | | | |     __init__.cpython-311.pyc
| | | | | | |
| | | | | | | +---tests
| | | | | | |     test_arrayop.py
| | | | | | |     test_array_comprehension.py
| | | | | | |     test_array_derivatives.py
| | | | | | |     test_immutable_ndim_array.py
| | | | | | |     test_mutable_ndim_array.py
| | | | | | |     test_ndim_array.py
| | | | | | |     test_ndim_array_conversions.py
| | | | | | |     __init__.py
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | |     test_arrayop.cpython-311.pyc
| | | | | | |     test_array_comprehension.cpython-311.pyc
| | | | | | |     test_array_derivatives.cpython-311.pyc
| | | | | | |     test_immutable_ndim_array.cpython-311.pyc
| | | | | | |     test_mutable_ndim_array.cpython-311.pyc
| | | | | | |     test_ndim_array.cpython-311.pyc
| | | | | | |     test_ndim_array_conversions.cpython-311.pyc
| | | | | | |     __init__.cpython-311.pyc
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | |     arrayop.cpython-311.pyc
| | | | | | |     array_comprehension.cpython-311.pyc
| | | | | | |     array_derivatives.cpython-311.pyc
| | | | | | |     dense_ndim_array.cpython-311.pyc

```

```

| | | | mutable_ndim_array.cpython-311.pyc
| | | | ndim_array.cpython-311.pyc
| | | | sparse_ndim_array.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | +---tests
| | | | | test_functions.py
| | | | | test_indexed.py
| | | | | test_index_methods.py
| | | | | test_printing.py
| | | | | test_tensor.py
| | | | | test_tensor_element.py
| | | | | test_tensor_operators.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | test_functions.cpython-311.pyc
| | | | | test_indexed.cpython-311.pyc
| | | | | test_index_methods.cpython-311.pyc
| | | | | test_printing.cpython-311.pyc
| | | | | test_tensor.cpython-311.pyc
| | | | | test_tensor_element.cpython-311.pyc
| | | | | test_tensor_operators.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | functions.cpython-311.pyc
| | | | | indexed.cpython-311.pyc
| | | | | index_methods.cpython-311.pyc
| | | | | tensor.cpython-311.pyc
| | | | | toperators.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---testing
| | | | | matrices.py
| | | | | pytest.py
| | | | | quality_unicode.py
| | | | | randtest.py
| | | | | runtests.py
| | | | | runtests_pytest.py
| | | | | tmpfiles.py
| | | | | __init__.py
| | | | |
| | | | +---tests
| | | | | diagnose_imports.py
| | | | | test_code_quality.py
| | | | | test_deprecated.py
| | | | | test_module_imports.py
| | | | | test_pytest.py
| | | | | test_runtests_pytest.py
| | | | | __init__.py

```

```

| | | | |
| | | | | \---__pycache__
| | | | |     diagnose_imports.cpython-311.pyc
| | | | |     test_code_quality.cpython-311.pyc
| | | | |     test_deprecated.cpython-311.pyc
| | | | |     test_module_imports.cpython-311.pyc
| | | | |     test_pytest.cpython-311.pyc
| | | | |     test_runtests_pytest.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     matrices.cpython-311.pyc
| | | | |     pytest.cpython-311.pyc
| | | | |     quality_unicode.cpython-311.pyc
| | | | |     randtest.cpython-311.pyc
| | | | |     runtests.cpython-311.pyc
| | | | |     runtests_pytest.cpython-311.pyc
| | | | |     tmpfiles.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---unify
| | | | | |   core.py
| | | | | |   rewrite.py
| | | | | |   usympy.py
| | | | | |   __init__.py
| | | | | |
| | | | | +---tests
| | | | | |   test_rewrite.py
| | | | | |   test_sympy.py
| | | | | |   test_unify.py
| | | | | |   __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | |   test_rewrite.cpython-311.pyc
| | | | | |   test_sympy.cpython-311.pyc
| | | | | |   test_unify.cpython-311.pyc
| | | | | |   __init__.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__
| | | | | |   core.cpython-311.pyc
| | | | | |   rewrite.cpython-311.pyc
| | | | | |   usympy.cpython-311.pyc
| | | | | |   __init__.cpython-311.pyc
| | | | | |
| | | | | +---utilities
| | | | | |   autowrap.py
| | | | | |   codegen.py
| | | | | |   decorator.py
| | | | | |   enumerative.py
| | | | | |   exceptions.py
| | | | | |   iterables.py

```

```
| | | | | lambdify.py
| | | | | magic.py
| | | | | matchpy_connector.py
| | | | | memoization.py
| | | | | misc.py
| | | | | pkgdata.py
| | | | | pytest.py
| | | | | randtest.py
| | | | | runtests.py
| | | | | source.py
| | | | | timeutils.py
| | | | | tmpfiles.py
| | | | | __init__.py
| | | | |
| | | | +---mathml
| | | | | | __init__.py
| | | | | |
| | | | +---data
| | | | | | mmlctop.xml
| | | | | | mmltex.xml
| | | | | | simple_mmlctop.xml
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | +---tests
| | | | | test_autowrap.py
| | | | | test_codegen.py
| | | | | test_codegen_julia.py
| | | | | test_codegen_octave.py
| | | | | test_codegen_rust.py
| | | | | test_decorator.py
| | | | | test_deprecated.py
| | | | | test_enumerative.py
| | | | | test_exceptions.py
| | | | | test_iterables.py
| | | | | test_lambdify.py
| | | | | test_matchpy_connector.py
| | | | | test_mathml.py
| | | | | test_misc.py
| | | | | test_pickling.py
| | | | | test_source.py
| | | | | test_timeutils.py
| | | | | test_wester.py
| | | | | test_xxe.py
| | | | | __init__.py
```

```

| | | | \---__pycache__
| | | | test_autowrap.cpython-311.pyc
| | | | test_codegen.cpython-311.pyc
| | | | test_codegen_julia.cpython-311.pyc
| | | | test_codegen_octave.cpython-311.pyc
| | | | test_codegen_rust.cpython-311.pyc
| | | | test_decorator.cpython-311.pyc
| | | | test_deprecated.cpython-311.pyc
| | | | test_enumerative.cpython-311.pyc
| | | | test_exceptions.cpython-311.pyc
| | | | test_iterables.cpython-311.pyc
| | | | test_lambdify.cpython-311.pyc
| | | | test_matchpy_connector.cpython-311.pyc
| | | | test_mathml.cpython-311.pyc
| | | | test_misc.cpython-311.pyc
| | | | test_pickling.cpython-311.pyc
| | | | test_source.cpython-311.pyc
| | | | test_timeutils.cpython-311.pyc
| | | | test_wester.cpython-311.pyc
| | | | test_xxe.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | +---_compilation
| | | | | availability.py
| | | | | compilation.py
| | | | | runners.py
| | | | | util.py
| | | | | __init__.py
| | | | |
| | | | +---tests
| | | | | test_compilation.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | | test_compilation.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | availability.cpython-311.pyc
| | | | | compilation.cpython-311.pyc
| | | | | runners.cpython-311.pyc
| | | | | util.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | autowrap.cpython-311.pyc
| | | | | codegen.cpython-311.pyc
| | | | | decorator.cpython-311.pyc
| | | | | enumerative.cpython-311.pyc
| | | | | exceptions.cpython-311.pyc
| | | | | iterables.cpython-311.pyc

```

				lambdify.cpython-311.pyc
				magic.cpython-311.pyc
				matchpy_connector.cpython-311.pyc
				memoization.cpython-311.pyc
				misc.cpython-311.pyc
				pkgdata.cpython-311.pyc
				pytest.cpython-311.pyc
				randtest.cpython-311.pyc
				runtests.cpython-311.pyc
				source.cpython-311.pyc
				timeutils.cpython-311.pyc
				tmpfiles.cpython-311.pyc
				__init__.cpython-311.pyc
				+++vector
				basisdependent.py
				coordsysrect.py
				deloperator.py
				dyadic.py
				functions.py
				implicitregion.py
				integrals.py
				operators.py
				orienters.py
				parametricregion.py
				point.py
				scalar.py
				vector.py
				__init__.py
				+++tests
				test_coordsysrect.py
				test_dyadic.py
				test_field_functions.py
				test_functions.py
				test_implicitregion.py
				test_integrals.py
				test_operators.py
				test_parametricregion.py
				test_printing.py
				test_vector.py
				__init__.py
				\---__pycache__
				test_coordsysrect.cpython-311.pyc
				test_dyadic.cpython-311.pyc
				test_field_functions.cpython-311.pyc
				test_functions.cpython-311.pyc
				test_implicitregion.cpython-311.pyc
				test_integrals.cpython-311.pyc
				test_operators.cpython-311.pyc


```

| | | | test_parametricregion.cpython-311.pyc
| | | | test_printing.cpython-311.pyc
| | | | test_vector.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | \---__pycache__
| | | | basisdependent.cpython-311.pyc
| | | | coordsysrect.cpython-311.pyc
| | | | deloperator.cpython-311.pyc
| | | | dyadic.cpython-311.pyc
| | | | functions.cpython-311.pyc
| | | | implicitregion.cpython-311.pyc
| | | | integrals.cpython-311.pyc
| | | | operators.cpython-311.pyc
| | | | orienters.cpython-311.pyc
| | | | parametricregion.cpython-311.pyc
| | | | point.cpython-311.pyc
| | | | scalar.cpython-311.pyc
| | | | vector.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | \---__pycache__
| | | | abc.cpython-311.pyc
| | | | conftest.cpython-311.pyc
| | | | galgebra.cpython-311.pyc
| | | | release.cpython-311.pyc
| | | | this.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | +---sympy-1.13.1.dist-info
| | | | AUTHORS
| | | | entry_points.txt
| | | | INSTALLER
| | | | LICENSE
| | | | METADATA
| | | | RECORD
| | | | top_level.txt
| | | | WHEEL
| | | |
| | +---tests
| | | | conftest.py
| | | | test_cli.py
| | | | test_cuda.py
| | | | test_engine.py
| | | | test_exports.py
| | | | test_integrations.py
| | | | test_python.py
| | | | test_solutions.py
| | | | __init__.py
| | | |
| | | | \---__pycache__

```

```

| | | conftest.cpython-311.pyc
| | | test_cli.cpython-311.pyc
| | | test_cuda.cpython-311.pyc
| | | test_engine.cpython-311.pyc
| | | test_exports.cpython-311.pyc
| | | test_integrations.cpython-311.pyc
| | | test_python.cpython-311.pyc
| | | test_solutions.cpython-311.pyc
| | | __init__.cpython-311.pyc
| | |
| | +---thop
| | | | fx_profile.py
| | | | profile.py
| | | | rnn_hooks.py
| | | | utils.py
| | | | __init__.py
| | | |
| | | +---vision
| | | | | basic_hooks.py
| | | | | calc_func.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | basic_hooks.cpython-311.pyc
| | | | | calc_func.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | fx_profile.cpython-311.pyc
| | | | | profile.cpython-311.pyc
| | | | | rnn_hooks.cpython-311.pyc
| | | | | utils.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | +---torch
| | | | functional.py
| | | | hub.py
| | | | library.py
| | | | overrides.py
| | | | py.typed
| | | | quasirandom.py
| | | | random.py
| | | | return_types.py
| | | | return_types.pyi
| | | | serialization.py
| | | | storage.py
| | | | torch_version.py
| | | | types.py
| | | | version.py
| | | | _appdirs.py
| | | | _C.cp311-win_amd64.pyd

```

```

| | | | _classes.py
| | | | _compile.py
| | | | _custom_ops.py
| | | | _deploy.py
| | | | _environment.py
| | | | _guards.py
| | | | _jit_internal.py
| | | | _linalg_utils.py
| | | | _lobpcg.py
| | | | _lowrank.py
| | | | _meta_registrations.py
| | | | _namedtensor_internals.py
| | | | _ops.py
| | | | _python_dispatcher.py
| | | | _size_docs.py
| | | | _sources.py
| | | | _storage_docs.py
| | | | _streambase.py
| | | | _tensor.py
| | | | _tensor_docs.py
| | | | _tensor_str.py
| | | | _thread_safe_fork.py
| | | | _torch_docs.py
| | | | _utils.py
| | | | _utils_internal.py
| | | | _VF.py
| | | | _VF.pyi
| | | | _vmap_internals.py
| | | | _weights_only_unpickler.py
| | | | __config__.py
| | | | __future__.py
| | | | __init__.py
| | | |
| | | +---accelerator
| | | | | _utils.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | |         _utils.cpython-311.pyc
| | | |         __init__.cpython-311.pyc
| | | |
| | | +---amp
| | | | | autocast_mode.py
| | | | | grad_scaler.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | |         autocast_mode.cpython-311.pyc
| | | |         grad_scaler.cpython-311.pyc
| | | |         __init__.cpython-311.pyc
| | | |

```

```

| | | +---ao
| | | | | __init__.py
| | | | |
| | | +---nn
| | | | | __init__.py
| | | | |
| | | +---intrinsic
| | | | | __init__.py
| | | | |
| | | +---modules
| | | | | fused.py
| | | | | __init__.py
| | | | |
| | | \---__pycache__
| | | | | fused.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---gat
| | | | | __init__.py
| | | | |
| | | +---modules
| | | | | conv_fused.py
| | | | | linear_fused.py
| | | | | linear_relu.py
| | | | | __init__.py
| | | | |
| | | \---__pycache__
| | | | | conv_fused.cpython-311.pyc
| | | | | linear_fused.cpython-311.pyc
| | | | | linear_relu.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---quantized
| | | | | __init__.py
| | | | |
| | | +---dynamic
| | | | | __init__.py
| | | | |
| | | +---modules
| | | | | linear_relu.py
| | | | | __init__.py
| | | | |
| | | \---__pycache__
| | | | | linear_relu.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | \---__pycache__
| | | | | __init__.cpython-311.pyc

```

```

| | | | | | |
| | | | | | | +---modules
| | | | | | | | bn_relu.py
| | | | | | | | conv_add.py
| | | | | | | | conv_relu.py
| | | | | | | | linear_relu.py
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | | bn_relu.cpython-311.pyc
| | | | | | | | conv_add.cpython-311.pyc
| | | | | | | | conv_relu.cpython-311.pyc
| | | | | | | | linear_relu.cpython-311.pyc
| | | | | | | | __init__.cpython-311.pyc
| | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | | __init__.cpython-311.pyc
| | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | | __init__.cpython-311.pyc
| | | | | | | |
| | | | | | | +---qat
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | +---dynamic
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | +---modules
| | | | | | | | linear.py
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | | linear.cpython-311.pyc
| | | | | | | | __init__.cpython-311.pyc
| | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | | __init__.cpython-311.pyc
| | | | | | | |
| | | | | | | +---modules
| | | | | | | | conv.py
| | | | | | | | embedding_ops.py
| | | | | | | | linear.py
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | | conv.cpython-311.pyc
| | | | | | | | embedding_ops.cpython-311.pyc
| | | | | | | | linear.cpython-311.pyc
| | | | | | | | __init__.cpython-311.pyc
| | | | | | | |
| | | | | | | | \---__pycache__

```

```

| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---quantizable
| | | | | | | __init__.py
| | | | | |
| | | | | | +---modules
| | | | | | | | activation.py
| | | | | | | | rnn.py
| | | | | | | | __init__.py
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | | | activation.cpython-311.pyc
| | | | | | | | rnn.cpython-311.pyc
| | | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | | +---quantized
| | | | | | | | functional.py
| | | | | | | | __init__.py
| | | | | | |
| | | | | | +---dynamic
| | | | | | | | __init__.py
| | | | | | |
| | | | | | | +---modules
| | | | | | | | | conv.py
| | | | | | | | | linear.py
| | | | | | | | | rnn.py
| | | | | | | | | __init__.py
| | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | | | conv.cpython-311.pyc
| | | | | | | | | linear.cpython-311.pyc
| | | | | | | | | rnn.cpython-311.pyc
| | | | | | | | | __init__.cpython-311.pyc
| | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | | +---modules
| | | | | | | | activation.py
| | | | | | | | batchnorm.py
| | | | | | | | conv.py
| | | | | | | | dropout.py
| | | | | | | | embedding_ops.py
| | | | | | | | functional_modules.py
| | | | | | | | linear.py
| | | | | | | | normalization.py
| | | | | | | | rnn.py
| | | | | | | | utils.py

```

```

| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | |     activation.cpython-311.pyc
| | | | | | | |     batchnorm.cpython-311.pyc
| | | | | | | |     conv.cpython-311.pyc
| | | | | | | |     dropout.cpython-311.pyc
| | | | | | | |     embedding_ops.cpython-311.pyc
| | | | | | | |     functional_modules.cpython-311.pyc
| | | | | | | |     linear.cpython-311.pyc
| | | | | | | |     normalization.cpython-311.pyc
| | | | | | | |     rnn.cpython-311.pyc
| | | | | | | |     utils.cpython-311.pyc
| | | | | | | |     __init__.cpython-311.pyc
| | | | | | | |
| | | | | | | | +---reference
| | | | | | | | | | __init__.py
| | | | | | | | | |
| | | | | | | | | | +---modules
| | | | | | | | | | | | conv.py
| | | | | | | | | | | | linear.py
| | | | | | | | | | | | rnn.py
| | | | | | | | | | | | sparse.py
| | | | | | | | | | | | utils.py
| | | | | | | | | | | | __init__.py
| | | | | | | | | | | |
| | | | | | | | | | \---__pycache__
| | | | | | | | | |     conv.cpython-311.pyc
| | | | | | | | | |     linear.cpython-311.pyc
| | | | | | | | | |     rnn.cpython-311.pyc
| | | | | | | | | |     sparse.cpython-311.pyc
| | | | | | | | | |     utils.cpython-311.pyc
| | | | | | | | | |     __init__.cpython-311.pyc
| | | | | | | | | |
| | | | | | | | | | \---__pycache__
| | | | | | | | | |     __init__.cpython-311.pyc
| | | | | | | | | |
| | | | | | | | | | \---__pycache__
| | | | | | | | | |     functional.cpython-311.pyc
| | | | | | | | | |     __init__.cpython-311.pyc
| | | | | | | | | |
| | | | | | | | +---sparse
| | | | | | | | | | __init__.py
| | | | | | | | | |
| | | | | | | | +---quantized
| | | | | | | | | | linear.py
| | | | | | | | | | utils.py
| | | | | | | | | | __init__.py
| | | | | | | | | |
| | | | | | | | +---dynamic
| | | | | | | | | | linear.py

```

```

| | | | | | | | | | __init__.py
| | | | | | | | | |
| | | | | | | | | | \---__pycache__
| | | | | | | | | | linear.cpython-311.pyc
| | | | | | | | | | __init__.cpython-311.pyc
| | | | | | | | | |
| | | | | | | | | | \---__pycache__
| | | | | | | | | | linear.cpython-311.pyc
| | | | | | | | | | utils.cpython-311.pyc
| | | | | | | | | | __init__.cpython-311.pyc
| | | | | | | | | |
| | | | | | | | | | \---__pycache__
| | | | | | | | | | __init__.cpython-311.pyc
| | | | | | | | | |
| | | | | | | | | | \---__pycache__
| | | | | | | | | | __init__.cpython-311.pyc
| | | | | | | | | |
| | | | | | +---ns
| | | | | | _numeric_suite.py
| | | | | | _numeric_suite_fx.py
| | | | | | __init__.py
| | | | | |
| | | | | | +---fx
| | | | | | graph_matcher.py
| | | | | | graph_passes.py
| | | | | | mappings.py
| | | | | | ns_types.py
| | | | | | n_shadows_utils.py
| | | | | | pattern_utils.py
| | | | | | qconfig_multi_mapping.py
| | | | | | utils.py
| | | | | | weight_utils.py
| | | | | | __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | | graph_matcher.cpython-311.pyc
| | | | | | graph_passes.cpython-311.pyc
| | | | | | mappings.cpython-311.pyc
| | | | | | ns_types.cpython-311.pyc
| | | | | | n_shadows_utils.cpython-311.pyc
| | | | | | pattern_utils.cpython-311.pyc
| | | | | | qconfig_multi_mapping.cpython-311.pyc
| | | | | | utils.cpython-311.pyc
| | | | | | weight_utils.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | | \---__pycache__
| | | | | | _numeric_suite.cpython-311.pyc
| | | | | | _numeric_suite_fx.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |

```



```

| | | | +---pruning
| | | | | | _mappings.py
| | | | | | __init__.py
| | | | |
| | | | +---scheduler
| | | | | | base_scheduler.py
| | | | | | cubic_scheduler.py
| | | | | | lambda_scheduler.py
| | | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | | base_scheduler.cpython-311.pyc
| | | | | | cubic_scheduler.cpython-311.pyc
| | | | | | lambda_scheduler.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---sparsifier
| | | | | | base_sparsifier.py
| | | | | | nearly_diagonal_sparsifier.py
| | | | | | utils.py
| | | | | | weight_norm_sparsifier.py
| | | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | | base_sparsifier.cpython-311.pyc
| | | | | | nearly_diagonal_sparsifier.cpython-311.pyc
| | | | | | utils.cpython-311.pyc
| | | | | | weight_norm_sparsifier.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---_experimental
| | | | | | __init__.py
| | | | |
| | | | +---activation_sparsifier
| | | | | | activation_sparsifier.py
| | | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | | activation_sparsifier.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---data_scheduler
| | | | | | base_data_scheduler.py
| | | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | | base_data_scheduler.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---data_sparsifier
| | | | | | base_data_sparsifier.py

```

```

| | | | | | | data_norm_sparsifier.py
| | | | | | | quantization_utils.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | | +---lightning
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | | +---callbacks
| | | | | | | | | data_sparsity.py
| | | | | | | | | _data_sparsity_utils.py
| | | | | | | | | __init__.py
| | | | | | | | |
| | | | | | | | | \---__pycache__
| | | | | | | | | data_sparsity.cpython-311.pyc
| | | | | | | | | _data_sparsity_utils.cpython-311.pyc
| | | | | | | | | __init__.cpython-311.pyc
| | | | | | | | |
| | | | | | | | | \---__pycache__
| | | | | | | | | __init__.cpython-311.pyc
| | | | | | | | |
| | | | | | | | | \---__pycache__
| | | | | | | | | base_data_sparsifier.cpython-311.pyc
| | | | | | | | | data_norm_sparsifier.cpython-311.pyc
| | | | | | | | | quantization_utils.cpython-311.pyc
| | | | | | | | | __init__.cpython-311.pyc
| | | | | | | | |
| | | | | | | +---pruner
| | | | | | | | base_structured_sparsifier.py
| | | | | | | | FPGM_pruner.py
| | | | | | | | lstm_saliency_pruner.py
| | | | | | | | match_utils.py
| | | | | | | | parametrization.py
| | | | | | | | prune_functions.py
| | | | | | | | saliency_pruner.py
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | | | base_structured_sparsifier.cpython-311.pyc
| | | | | | | | | FPGM_pruner.cpython-311.pyc
| | | | | | | | | lstm_saliency_pruner.cpython-311.pyc
| | | | | | | | | match_utils.cpython-311.pyc
| | | | | | | | | parametrization.cpython-311.pyc
| | | | | | | | | prune_functions.cpython-311.pyc
| | | | | | | | | saliency_pruner.cpython-311.pyc
| | | | | | | | | __init__.cpython-311.pyc
| | | | | | | | |
| | | | | | | | | \---__pycache__
| | | | | | | | | __init__.cpython-311.pyc
| | | | | | | | |
| | | | | | | | | \---__pycache__
| | | | | | | | | _mappings.cpython-311.pyc

```

```

| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---quantization
| | | | | fake_quantize.py
| | | | | fuser_method_mappings.py
| | | | | fuse_modules.py
| | | | | observer.py
| | | | | qconfig.py
| | | | | qconfig_mapping.py
| | | | | quantization_mappings.py
| | | | | quantize.py
| | | | | quantize_fx.py
| | | | | quantize_jit.py
| | | | | quantize_pt2e.py
| | | | | quant_type.py
| | | | | stubs.py
| | | | | utils.py
| | | | | _correct_bias.py
| | | | | _equalize.py
| | | | | _learnable_fake_quantize.py
| | | | | __init__.py
| | | | |
| | | | +---backend_config
| | | | | backend_config.py
| | | | | executorch.py
| | | | | fbgemm.py
| | | | | native.py
| | | | | observation_type.py
| | | | | onednn.py
| | | | | qnnpack.py
| | | | | tensorrt.py
| | | | | utils.py
| | | | | x86.py
| | | | | _common_operator_config_utils.py
| | | | | _qnnpack_pt2e.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | backend_config.cpython-311.pyc
| | | | | executorch.cpython-311.pyc
| | | | | fbgemm.cpython-311.pyc
| | | | | native.cpython-311.pyc
| | | | | observation_type.cpython-311.pyc
| | | | | onednn.cpython-311.pyc
| | | | | qnnpack.cpython-311.pyc
| | | | | tensorrt.cpython-311.pyc
| | | | | utils.cpython-311.pyc
| | | | | x86.cpython-311.pyc
| | | | | _common_operator_config_utils.cpython-311.pyc
| | | | | _qnnpack_pt2e.cpython-311.pyc
| | | | | __init__.cpython-311.pyc

```

```

| | | | |
| | | | | +---fx
| | | | | | | convert.py
| | | | | | | custom_config.py
| | | | | | | fuse.py
| | | | | | | fuse_handler.py
| | | | | | | graph_module.py
| | | | | | | lower_to_fbgemm.py
| | | | | | | lower_to_qnnpack.py
| | | | | | | lstm_utils.py
| | | | | | | match_utils.py
| | | | | | | pattern_utils.py
| | | | | | | prepare.py
| | | | | | | qconfig_mapping_utils.py
| | | | | | | quantize_handler.py
| | | | | | | tracer.py
| | | | | | | utils.py
| | | | | | | _decomposed.py
| | | | | | | _equalize.py
| | | | | | | _lower_to_native_backend.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | | +---_model_report
| | | | | | | | | detector.py
| | | | | | | | | model_report.py
| | | | | | | | | model_report_observer.py
| | | | | | | | | model_report_visualizer.py
| | | | | | | | | __init__.py
| | | | | | | | |
| | | | | | | | | \---__pycache__
| | | | | | | | | | | detector.cpython-311.pyc
| | | | | | | | | | | model_report.cpython-311.pyc
| | | | | | | | | | | model_report_observer.cpython-311.pyc
| | | | | | | | | | | model_report_visualizer.cpython-311.pyc
| | | | | | | | | | | __init__.cpython-311.pyc
| | | | | | | | | | |
| | | | | | | | | | | \---__pycache__
| | | | | | | | | | | | | convert.cpython-311.pyc
| | | | | | | | | | | | | custom_config.cpython-311.pyc
| | | | | | | | | | | | | fuse.cpython-311.pyc
| | | | | | | | | | | | | fuse_handler.cpython-311.pyc
| | | | | | | | | | | | | graph_module.cpython-311.pyc
| | | | | | | | | | | | | lower_to_fbgemm.cpython-311.pyc
| | | | | | | | | | | | | lower_to_qnnpack.cpython-311.pyc
| | | | | | | | | | | | | lstm_utils.cpython-311.pyc
| | | | | | | | | | | | | match_utils.cpython-311.pyc
| | | | | | | | | | | | | pattern_utils.cpython-311.pyc
| | | | | | | | | | | | | prepare.cpython-311.pyc
| | | | | | | | | | | | | qconfig_mapping_utils.cpython-311.pyc
| | | | | | | | | | | | | quantize_handler.cpython-311.pyc
| | | | | | | | | | | | | tracer.cpython-311.pyc

```

```
| | | | |  
| | | | | utils.cpython-311.pyc  
| | | | | _decomposed.cpython-311.pyc  
| | | | | _equalize.cpython-311.pyc  
| | | | | _lower_to_native_backend.cpython-311.pyc  
| | | | | __init__.cpython-311.pyc  
  
| | | | |  
| | | | +---pt2e  
| | | | duplicate_dq_pass.py  
| | | | export_utils.py  
| | | | graph_utils.py  
| | | | port_metadata_pass.py  
| | | | prepare.py  
| | | | qat_utils.py  
| | | | utils.py  
| | | | _numeric_debugger.py  
| | | | __init__.py  
  
| | | | |  
| | | | +---representation  
| | | | | rewrite.py  
| | | | | __init__.py  
| | | | |  
| | | | \---_pycache_  
| | | | | rewrite.cpython-311.pyc  
| | | | | __init__.cpython-311.pyc  
| | | | |  
| | | | \---_pycache_  
| | | | duplicate_dq_pass.cpython-311.pyc  
| | | | export_utils.cpython-311.pyc  
| | | | graph_utils.cpython-311.pyc  
| | | | port_metadata_pass.cpython-311.pyc  
| | | | prepare.cpython-311.pyc  
| | | | qat_utils.cpython-311.pyc  
| | | | utils.cpython-311.pyc  
| | | | _numeric_debugger.cpython-311.pyc  
| | | | __init__.cpython-311.pyc  
  
| | | | |  
| | | | +---quantizer  
| | | | composable_quantizer.py  
| | | | embedding_quantizer.py  
| | | | quantizer.py  
| | | | utils.py  
| | | | x86_inductor_quantizer.py  
| | | | xnnpack_quantizer.py  
| | | | xnnpack_quantizer_utils.py  
| | | | xpu_inductor_quantizer.py  
| | | | __init__.py  
| | | | |  
| | | | \---_pycache_  
| | | | composable_quantizer.cpython-311.pyc  
| | | | embedding_quantizer.cpython-311.pyc  
| | | | quantizer.cpython-311.pyc
```



```

| | | | |      utils.cpython-311.pyc
| | | | |      __init__.cpython-311.pyc
| | | | |
| | | | |      \---__pycache__
| | | | |      anomaly_mode.cpython-311.pyc
| | | | |      forward_ad.cpython-311.pyc
| | | | |      function.cpython-311.pyc
| | | | |      functional.cpython-311.pyc
| | | | |      gradcheck.cpython-311.pyc
| | | | |      grad_mode.cpython-311.pyc
| | | | |      graph.cpython-311.pyc
| | | | |      profiler.cpython-311.pyc
| | | | |      profiler_legacy.cpython-311.pyc
| | | | |      profiler_util.cpython-311.pyc
| | | | |      variable.cpython-311.pyc
| | | | |      __init__.cpython-311.pyc
| | | | |
| | | | |      +---backends
| | | | |      | | | | |      __init__.py
| | | | |      | | | | |
| | | | |      | | | | |      +---cpu
| | | | |      | | | | |      | | | | |      __init__.py
| | | | |      | | | | |      | | | | |
| | | | |      | | | | |      \---__pycache__
| | | | |      | | | | |      __init__.cpython-311.pyc
| | | | |      | | | | |
| | | | |      | | | | |      +---cuda
| | | | |      | | | | |      | | | | |      __init__.py
| | | | |      | | | | |      | | | | |
| | | | |      | | | | |      \---__pycache__
| | | | |      | | | | |      __init__.cpython-311.pyc
| | | | |      | | | | |
| | | | |      | | | | |      +---cudnn
| | | | |      | | | | |      | | | | |      rnn.py
| | | | |      | | | | |      | | | | |      __init__.py
| | | | |      | | | | |      | | | | |
| | | | |      | | | | |      \---__pycache__
| | | | |      | | | | |      rnn.cpython-311.pyc
| | | | |      | | | | |      __init__.cpython-311.pyc
| | | | |      | | | | |
| | | | |      | | | | |      +---cusparselt
| | | | |      | | | | |      | | | | |      __init__.py
| | | | |      | | | | |      | | | | |
| | | | |      | | | | |      \---__pycache__
| | | | |      | | | | |      __init__.cpython-311.pyc
| | | | |      | | | | |
| | | | |      | | | | |      +---mha
| | | | |      | | | | |      | | | | |      __init__.py
| | | | |      | | | | |      | | | | |
| | | | |      | | | | |      \---__pycache__
| | | | |      | | | | |      __init__.cpython-311.pyc

```

```
| | | |
| | | | +---mkl
| | | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---mkl_dnn
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---mps
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---nnpack
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---openmp
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---opt_einsum
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---quantized
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---xeon
| | | | | | run_cpu.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | run_cpu.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
```



```

| | | +---xnnpack
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---_coreml
| | | | | preprocess.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | | preprocess.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---_nnapi
| | | | | prepare.py
| | | | | serializer.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | | prepare.cpython-311.pyc
| | | | | serializer.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---bin
| | | | | asmjit.dll
| | | | | fbgemm.dll
| | | | | protoc.exe
| | | | |
| | | +---compiler
| | | | | config.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | | config.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---contrib
| | | | | _tensorboard_vis.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | | _tensorboard_vis.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---cpu
| | | | | __init__.py
| | | | |

```

```

| | | +---amp
| | | | | autocast_mode.py
| | | | | grad_scaler.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | autocast_mode.cpython-311.pyc
| | | | | grad_scaler.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---cuda
| | | | | comm.py
| | | | | error.py
| | | | | gds.py
| | | | | graphs.py
| | | | | jiterator.py
| | | | | memory.py
| | | | | nccl.py
| | | | | nvtx.py
| | | | | profiler.py
| | | | | random.py
| | | | | sparse.py
| | | | | streams.py
| | | | | tunable.py
| | | | | _gpu_trace.py
| | | | | _memory_viz.py
| | | | | _sanitizer.py
| | | | | _utils.py
| | | | | __init__.py
| | | | |
| | | | +---amp
| | | | | autocast_mode.py
| | | | | common.py
| | | | | grad_scaler.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | | autocast_mode.cpython-311.pyc
| | | | | common.cpython-311.pyc
| | | | | grad_scaler.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | comm.cpython-311.pyc
| | | | | error.cpython-311.pyc
| | | | | gds.cpython-311.pyc
| | | | | graphs.cpython-311.pyc
| | | | | jiterator.cpython-311.pyc

```

				memory.cpython-311.pyc
				nccl.cpython-311.pyc
				nvtx.cpython-311.pyc
				profiler.cpython-311.pyc
				random.cpython-311.pyc
				sparse.cpython-311.pyc
				streams.cpython-311.pyc
				tunable.cpython-311.pyc
				_gpu_trace.cpython-311.pyc
				_memory_viz.cpython-311.pyc
				_sanitizer.cpython-311.pyc
				_utils.cpython-311.pyc
				__init__.cpython-311.pyc
				+---distributed
				argparse_util.py
				c10d_logger.py
				collective_utils.py
				constants.py
				device_mesh.py
				distributed_c10d.py
				launch.py
				logging_handlers.py
				remote_device.py
				rendezvous.py
				run.py
				utils.py
				_checkpointable.py
				_composable_state.py
				_functional_collectives.py
				_functional_collectives_impl.py
				_state_dict_utils.py
				__init__.py
				+---algorithms
				join.py
				__init__.py
				+---ddp_comm_hooks
				ddp_zero_hook.py
				debugging_hooks.py
				default_hooks.py
				mixed_precision_hooks.py
				optimizer_overlap_hooks.py
				post_localSGD_hook.py
				powerSGD_hook.py
				quantization_hooks.py
				__init__.py
				\---__pycache__
				ddp_zero_hook.cpython-311.pyc

```

| | | | | debugging_hooks.cpython-311.pyc
| | | | | default_hooks.cpython-311.pyc
| | | | | mixed_precision_hooks.cpython-311.pyc
| | | | | optimizer_overlap_hooks.cpython-311.pyc
| | | | | post_localSGD_hook.cpython-311.pyc
| | | | | powerSGD_hook.cpython-311.pyc
| | | | | quantization_hooks.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---model_averaging
| | | | | averagers.py
| | | | | hierarchical_model_averager.py
| | | | | utils.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | averagers.cpython-311.pyc
| | | | | hierarchical_model_averager.cpython-311.pyc
| | | | | utils.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---_checkpoint
| | | | | checkpoint_wrapper.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | checkpoint_wrapper.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---_comm_hooks
| | | | | default_hooks.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | default_hooks.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---_optimizer_overlap
| | | | | optimizer_overlap.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | optimizer_overlap.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---_quantization
| | | | | quantization.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | quantization.cpython-311.pyc

```

```

| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | join.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---autograd
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---checkpoint
| | | | | | api.py
| | | | | | default_planner.py
| | | | | | filesystem.py
| | | | | | format_utils.py
| | | | | | logger.py
| | | | | | logging_handlers.py
| | | | | | metadata.py
| | | | | | optimizer.py
| | | | | | planner.py
| | | | | | planner_helpers.py
| | | | | | resharding.py
| | | | | | staging.py
| | | | | | stateful.py
| | | | | | state_dict.py
| | | | | | state_dict_loader.py
| | | | | | state_dict_saver.py
| | | | | | storage.py
| | | | | | utils.py
| | | | | | _checkpointer.py
| | | | | | _dedup_save_plans.py
| | | | | | _dedup_tensors.py
| | | | | | _fsspec_filesystem.py
| | | | | | _nested_dict.py
| | | | | | _sharded_tensor_utils.py
| | | | | | _storage_utils.py
| | | | | | _traverse.py
| | | | | | _version.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | api.cpython-311.pyc
| | | | | default_planner.cpython-311.pyc
| | | | | filesystem.cpython-311.pyc
| | | | | format_utils.cpython-311.pyc
| | | | | logger.cpython-311.pyc
| | | | | logging_handlers.cpython-311.pyc
| | | | | metadata.cpython-311.pyc
| | | | | optimizer.cpython-311.pyc

```

					planner.cpython-311.pyc
					planner_helpers.cpython-311.pyc
					resharding.cpython-311.pyc
					staging.cpython-311.pyc
					stateful.cpython-311.pyc
					state_dict.cpython-311.pyc
					state_dict_loader.cpython-311.pyc
					state_dict_saver.cpython-311.pyc
					storage.cpython-311.pyc
					utils.cpython-311.pyc
					_checkpointinter.cpython-311.pyc
					_dedup_save_plans.cpython-311.pyc
					_dedup_tensors.cpython-311.pyc
					_fsspec_filesystem.cpython-311.pyc
					_nested_dict.cpython-311.pyc
					_sharded_tensor_utils.cpython-311.pyc
					_storage_utils.cpython-311.pyc
					_traverse.cpython-311.pyc
					_version.cpython-311.pyc
					__init__.cpython-311.pyc
				+++elastic	
					control_plane.py
					__init__.py
				+++agent	
					__init__.py
				+++server	
					api.py
					health_check_server.py
					local_elastic_agent.py
					__init__.py
					\---__pycache__
					api.cpython-311.pyc
					health_check_server.cpython-311.pyc
					local_elastic_agent.cpython-311.pyc
					__init__.cpython-311.pyc
					\---__pycache__
					__init__.cpython-311.pyc
				+++events	
					api.py
					handlers.py
					__init__.py
					\---__pycache__
					api.cpython-311.pyc
					handlers.cpython-311.pyc

```

| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---metrics
| | | | | | api.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | api.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | +---multiprocessing
| | | | | | api.py
| | | | | | redirects.py
| | | | | | tail_log.py
| | | | | | __init__.py
| | | | | |
| | | | | +---errors
| | | | | | | error_handler.py
| | | | | | | handlers.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | \---__pycache__
| | | | | | | error_handler.cpython-311.pyc
| | | | | | | handlers.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | +---subprocess_handler
| | | | | | handlers.py
| | | | | | subprocess_handler.py
| | | | | | __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | | | handlers.cpython-311.pyc
| | | | | | | subprocess_handler.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | | \---__pycache__
| | | | | | | api.cpython-311.pyc
| | | | | | | redirects.cpython-311.pyc
| | | | | | | tail_log.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | +---rendezvous
| | | | | | api.py
| | | | | | c10d_rendezvous_backend.py
| | | | | | dynamic_rendezvous.py
| | | | | | etcd_rendezvous.py
| | | | | | etcd_rendezvous_backend.py
| | | | | | etcd_server.py
| | | | | | etcd_store.py
| | | | | | registry.py

```

```

| | | | | static_tcp_rendezvous.py
| | | | | utils.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     api.cpython-311.pyc
| | | | |     cl0d_rendezvous_backend.cpython-311.pyc
| | | | |     dynamic_rendezvous.cpython-311.pyc
| | | | |     etcd_rendezvous.cpython-311.pyc
| | | | |     etcd_rendezvous_backend.cpython-311.pyc
| | | | |     etcd_server.cpython-311.pyc
| | | | |     etcd_store.cpython-311.pyc
| | | | |     registry.cpython-311.pyc
| | | | |     static_tcp_rendezvous.cpython-311.pyc
| | | | |     utils.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---timer
| | | | | | | api.py
| | | | | | | debug_info_logging.py
| | | | | | | file_based_local_timer.py
| | | | | | | local_timer.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | |     api.cpython-311.pyc
| | | | | | |     debug_info_logging.cpython-311.pyc
| | | | | | |     file_based_local_timer.cpython-311.pyc
| | | | | | |     local_timer.cpython-311.pyc
| | | | | | |     __init__.cpython-311.pyc
| | | | | | |
| | | | | | | +---utils
| | | | | | | | | api.py
| | | | | | | | | distributed.py
| | | | | | | | | logging.py
| | | | | | | | | log_level.py
| | | | | | | | | store.py
| | | | | | | | | __init__.py
| | | | | | | | |
| | | | | | | | | +---data
| | | | | | | | | | | cycling_iterator.py
| | | | | | | | | | | elastic_distributed_sampler.py
| | | | | | | | | | | __init__.py
| | | | | | | | | | |
| | | | | | | | | | | \---__pycache__
| | | | | | | | | | |     cycling_iterator.cpython-311.pyc
| | | | | | | | | | |     elastic_distributed_sampler.cpython-311.pyc
| | | | | | | | | | |     __init__.cpython-311.pyc
| | | | | | | | | | |
| | | | | | | | | | | \---__pycache__
| | | | | | | | | | |     api.cpython-311.pyc

```



```

| | | | distributed.cpython-311.pyc
| | | | logging.cpython-311.pyc
| | | | log_level.cpython-311.pyc
| | | | store.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | \---__pycache__
| | | | control_plane.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | +---fsdp
| | | | | api.py
| | | | | fully_sharded_data_parallel.py
| | | | | sharded_grad_scaler.py
| | | | | wrap.py
| | | | | _common_utils.py
| | | | | _debug_utils.py
| | | | | _dynamo_utils.py
| | | | | _exec_order_utils.py
| | | | | _flat_param.py
| | | | | _fsdp_extensions.py
| | | | | _init_utils.py
| | | | | _limiter_utils.py
| | | | | _optim_utils.py
| | | | | _runtime_utils.py
| | | | | _shard_utils.py
| | | | | _state_dict_utils.py
| | | | | _trace_utils.py
| | | | | _traversal_utils.py
| | | | | _unshard_param_utils.py
| | | | | _wrap_utils.py
| | | | | __init__.py
| | | | |
| | | | +---_fully_shard
| | | | | _fsdp_api.py
| | | | | _fsdp_collectives.py
| | | | | _fsdp_common.py
| | | | | _fsdp_init.py
| | | | | _fsdp_param.py
| | | | | _fsdp_param_group.py
| | | | | _fsdp_state.py
| | | | | _fully_shard.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | | _fsdp_api.cpython-311.pyc
| | | | | _fsdp_collectives.cpython-311.pyc
| | | | | _fsdp_common.cpython-311.pyc
| | | | | _fsdp_init.cpython-311.pyc
| | | | | _fsdp_param.cpython-311.pyc
| | | | | _fsdp_param_group.cpython-311.pyc

```

```

| | | | | _fsdp_state.cpython-311.pyc
| | | | | _fully_shard.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     api.cpython-311.pyc
| | | | |     fully_sharded_data_parallel.cpython-311.pyc
| | | | |     sharded_grad_scaler.cpython-311.pyc
| | | | |     wrap.cpython-311.pyc
| | | | |     _common_utils.cpython-311.pyc
| | | | |     _debug_utils.cpython-311.pyc
| | | | |     _dynamo_utils.cpython-311.pyc
| | | | |     _exec_order_utils.cpython-311.pyc
| | | | |     _flat_param.cpython-311.pyc
| | | | |     _fsdp_extensions.cpython-311.pyc
| | | | |     _init_utils.cpython-311.pyc
| | | | |     _limiter_utils.cpython-311.pyc
| | | | |     _optim_utils.cpython-311.pyc
| | | | |     _runtime_utils.cpython-311.pyc
| | | | |     _shard_utils.cpython-311.pyc
| | | | |     _state_dict_utils.cpython-311.pyc
| | | | |     _trace_utils.cpython-311.pyc
| | | | |     _traversal_utils.cpython-311.pyc
| | | | |     _unshard_param_utils.cpython-311.pyc
| | | | |     _wrap_utils.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---launcher
| | | | |     api.py
| | | | |     __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     api.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---nn
| | | | |     functional.py
| | | | |     __init__.py
| | | | |
| | | | | +---api
| | | | |     remote_module.py
| | | | |     __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     remote_module.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---jit
| | | | |     instantiator.py
| | | | |     __init__.py
| | | | |

```

```

| | | | | +---templates
| | | | | | | remote_module_template.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | | remote_module_template.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | | instantiator.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | | functional.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | +---optim
| | | | | | | apply_optimizer_in_backward.py
| | | | | | | functional_adadelta.py
| | | | | | | functional_adagrad.py
| | | | | | | functional_adam.py
| | | | | | | functional_adamax.py
| | | | | | | functional_adamw.py
| | | | | | | functional_rmsprop.py
| | | | | | | functional_rprop.py
| | | | | | | functional_sgd.py
| | | | | | | named_optimizer.py
| | | | | | | optimizer.py
| | | | | | | post_localSGD_optimizer.py
| | | | | | | utils.py
| | | | | | | zero_redundancy_optimizer.py
| | | | | | | zero_redundancy_optimizer.pyi
| | | | | | | _deprecation_warning.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | | apply_optimizer_in_backward.cpython-311.pyc
| | | | | | | functional_adadelta.cpython-311.pyc
| | | | | | | functional_adagrad.cpython-311.pyc
| | | | | | | functional_adam.cpython-311.pyc
| | | | | | | functional_adamax.cpython-311.pyc
| | | | | | | functional_adamw.cpython-311.pyc
| | | | | | | functional_rmsprop.cpython-311.pyc
| | | | | | | functional_rprop.cpython-311.pyc
| | | | | | | functional_sgd.cpython-311.pyc
| | | | | | | named_optimizer.cpython-311.pyc
| | | | | | | optimizer.cpython-311.pyc
| | | | | | | post_localSGD_optimizer.cpython-311.pyc
| | | | | | | utils.cpython-311.pyc
| | | | | | | zero_redundancy_optimizer.cpython-311.pyc
| | | | | | | _deprecation_warning.cpython-311.pyc

```

```

| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---pipelining
| | | | | microbatch.py
| | | | | schedules.py
| | | | | stage.py
| | | | | _backward.py
| | | | | _debug.py
| | | | | _IR.py
| | | | | _unflatten.py
| | | | | _utils.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | microbatch.cpython-311.pyc
| | | | | schedules.cpython-311.pyc
| | | | | stage.cpython-311.pyc
| | | | | _backward.cpython-311.pyc
| | | | | _debug.cpython-311.pyc
| | | | | _IR.cpython-311.pyc
| | | | | _unflatten.cpython-311.pyc
| | | | | _utils.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---rpc
| | | | | api.py
| | | | | backend_registry.py
| | | | | constants.py
| | | | | functions.py
| | | | | internal.py
| | | | | options.py
| | | | | rref_proxy.py
| | | | | server_process_global_profiler.py
| | | | | _utils.py
| | | | | __init__.py
| | | | |
| | | | +---_testing
| | | | | faulty_agent_backend_registry.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | faulty_agent_backend_registry.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | api.cpython-311.pyc
| | | | | backend_registry.cpython-311.pyc
| | | | | constants.cpython-311.pyc
| | | | | functions.cpython-311.pyc
| | | | | internal.cpython-311.pyc
| | | | | options.cpython-311.pyc

```

```

| | | | rref_proxy.cpython-311.pyc
| | | | server_process_global_profiler.cpython-311.pyc
| | | | _utils.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | +---tensor
| | | | | device_mesh.py
| | | | | placement_types.py
| | | | | _api.py
| | | | | _collective_utils.py
| | | | | _dispatch.py
| | | | | _dtensor_spec.py
| | | | | _op_schema.py
| | | | | _random.py
| | | | | _redistribute.py
| | | | | _sharding_prop.py
| | | | | _shards_wrapper.py
| | | | | _tp_conv.py
| | | | | _utils.py
| | | | | __init__.py
| | | |
| | | +---debug
| | | | | _comm_mode.py
| | | | | _op_coverage.py
| | | | | _visualize_sharding.py
| | | | | __init__.py
| | | |
| | | \---__pycache__
| | | | | _comm_mode.cpython-311.pyc
| | | | | _op_coverage.cpython-311.pyc
| | | | | _visualize_sharding.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | |
| | | +---experimental
| | | | | _attention.py
| | | | | _func_map.py
| | | | | _register_sharding.py
| | | | | _tp_transform.py
| | | | | __init__.py
| | | |
| | | \---__pycache__
| | | | | _attention.cpython-311.pyc
| | | | | _func_map.cpython-311.pyc
| | | | | _register_sharding.cpython-311.pyc
| | | | | _tp_transform.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | |
| | | +---parallel
| | | | | api.py
| | | | | ddp.py
| | | | | fsdp.py

```

```

| | | | | | input_reshard.py
| | | | | | loss.py
| | | | | | style.py
| | | | | | _data_parallel_utils.py
| | | | | | _utils.py
| | | | | | __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | |     api.cpython-311.pyc
| | | | | |     ddp.cpython-311.pyc
| | | | | |     fsdp.cpython-311.pyc
| | | | | |     input_reshard.cpython-311.pyc
| | | | | |     loss.cpython-311.pyc
| | | | | |     style.cpython-311.pyc
| | | | | |     _data_parallel_utils.cpython-311.pyc
| | | | | |     _utils.cpython-311.pyc
| | | | | |     __init__.cpython-311.pyc
| | | | | |
| | | | | | +---_ops
| | | | | | |   utils.py
| | | | | | |   _common_rules.py
| | | | | | |   _conv_ops.py
| | | | | | |   _einsum_strategy.py
| | | | | | |   _embedding_ops.py
| | | | | | |   _experimental_ops.py
| | | | | | |   _math_ops.py
| | | | | | |   _matrix_ops.py
| | | | | | |   _pointwise_ops.py
| | | | | | |   _random_ops.py
| | | | | | |   _tensor_ops.py
| | | | | | |   _view_ops.py
| | | | | | |   __init__.py
| | | | | | |
| | | | | | |   \---__pycache__
| | | | | | |       utils.cpython-311.pyc
| | | | | | |       _common_rules.cpython-311.pyc
| | | | | | |       _conv_ops.cpython-311.pyc
| | | | | | |       _einsum_strategy.cpython-311.pyc
| | | | | | |       _embedding_ops.cpython-311.pyc
| | | | | | |       _experimental_ops.cpython-311.pyc
| | | | | | |       _math_ops.cpython-311.pyc
| | | | | | |       _matrix_ops.cpython-311.pyc
| | | | | | |       _pointwise_ops.cpython-311.pyc
| | | | | | |       _random_ops.cpython-311.pyc
| | | | | | |       _tensor_ops.cpython-311.pyc
| | | | | | |       _view_ops.cpython-311.pyc
| | | | | | |       __init__.cpython-311.pyc
| | | | | | |
| | | | | | |   \---__pycache__
| | | | | | |       device_mesh.cpython-311.pyc
| | | | | | |       placement_types.cpython-311.pyc

```

```

| | | | | _api.cpython-311.pyc
| | | | | _collective_utils.cpython-311.pyc
| | | | | _dispatch.cpython-311.pyc
| | | | | _dtensor_spec.cpython-311.pyc
| | | | | _op_schema.cpython-311.pyc
| | | | | _random.cpython-311.pyc
| | | | | _redistribute.cpython-311.pyc
| | | | | _sharding_prop.cpython-311.pyc
| | | | | _shards_wrapper.cpython-311.pyc
| | | | | _tp_conv.cpython-311.pyc
| | | | | _utils.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---_composable
| | | | | checkpoint_activation.py
| | | | | contract.py
| | | | | replicate.py
| | | | | __init__.py
| | | | |
| | | | +---fsdp
| | | | | fully_shard.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | fully_shard.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | checkpoint_activation.cpython-311.pyc
| | | | | contract.cpython-311.pyc
| | | | | replicate.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---_shard
| | | | | api.py
| | | | | common_op_utils.py
| | | | | metadata.py
| | | | | op_registry_utils.py
| | | | | sharder.py
| | | | | _utils.py
| | | | | __init__.py
| | | | |
| | | | +---checkpoint
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---sharded_optim
| | | | | api.py
| | | | | __init__.py

```

```

| | | | |
| | | | | \---__pycache__
| | | | |     api.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---sharded_tensor
| | | | | |   api.py
| | | | | |   logger.py
| | | | | |   logging_handlers.py
| | | | | |   metadata.py
| | | | | |   reshard.py
| | | | | |   shard.py
| | | | | |   utils.py
| | | | | |   __init__.py
| | | | |
| | | | | +---_ops
| | | | | |   binary_cmp.py
| | | | | |   init.py
| | | | | |   misc_ops.py
| | | | | |   tensor_ops.py
| | | | | |   _common.py
| | | | | |   __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     binary_cmp.cpython-311.pyc
| | | | |     init.cpython-311.pyc
| | | | |     misc_ops.cpython-311.pyc
| | | | |     tensor_ops.cpython-311.pyc
| | | | |     _common.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     api.cpython-311.pyc
| | | | |     logger.cpython-311.pyc
| | | | |     logging_handlers.cpython-311.pyc
| | | | |     metadata.cpython-311.pyc
| | | | |     reshard.cpython-311.pyc
| | | | |     shard.cpython-311.pyc
| | | | |     utils.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---sharding_plan
| | | | | |   api.py
| | | | | |   __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     api.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---sharding_spec
| | | | | |   api.py

```



```

| | | | | | | chunk_sharding_spec.py
| | | | | | | _internals.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | | +---chunk_sharding_spec_ops
| | | | | | | | embedding.py
| | | | | | | | embedding_bag.py
| | | | | | | | _common.py
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | \---__pycache__
| | | | | | | | embedding.cpython-311.pyc
| | | | | | | | embedding_bag.cpython-311.pyc
| | | | | | | | _common.cpython-311.pyc
| | | | | | | | __init__.cpython-311.pyc
| | | | | | | |
| | | | | | | \---__pycache__
| | | | | | | | api.cpython-311.pyc
| | | | | | | | chunk_sharding_spec.cpython-311.pyc
| | | | | | | | _internals.cpython-311.pyc
| | | | | | | | __init__.cpython-311.pyc
| | | | | | | |
| | | | | | | \---__pycache__
| | | | | | | | api.cpython-311.pyc
| | | | | | | | common_op_utils.cpython-311.pyc
| | | | | | | | metadata.cpython-311.pyc
| | | | | | | | op_registry_utils.cpython-311.pyc
| | | | | | | | sharder.cpython-311.pyc
| | | | | | | | _utils.cpython-311.pyc
| | | | | | | | __init__.cpython-311.pyc
| | | | | | | |
| | | | | | | +---_sharded_tensor
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | \---__pycache__
| | | | | | | | __init__.cpython-311.pyc
| | | | | | | |
| | | | | | | +---_sharding_spec
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | \---__pycache__
| | | | | | | | __init__.cpython-311.pyc
| | | | | | | |
| | | | | | | +---_symmetric_memory
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | \---__pycache__
| | | | | | | | __init__.cpython-311.pyc
| | | | | | | |
| | | | | | | +---_tensor
| | | | | | | | api.py

```

```

| | | | placement_types.py
| | | | __init__.py
| | | |
| | | | \---__pycache__
| | | |     api.cpython-311.pyc
| | | |     placement_types.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---_tools
| | | | | fsdp2_mem_tracker.py
| | | | | ilp_utils.py
| | | | | memory_tracker.py
| | | | | mem_tracker.py
| | | | | mod_tracker.py
| | | | | runtime_estimator.py
| | | | | sac_estimator.py
| | | | | sac_ilp.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     fsdp2_mem_tracker.cpython-311.pyc
| | | | |     ilp_utils.cpython-311.pyc
| | | | |     memory_tracker.cpython-311.pyc
| | | | |     mem_tracker.cpython-311.pyc
| | | | |     mod_tracker.cpython-311.pyc
| | | | |     runtime_estimator.cpython-311.pyc
| | | | |     sac_estimator.cpython-311.pyc
| | | | |     sac_ilp.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     argparse_util.cpython-311.pyc
| | | | |     c10d_logger.cpython-311.pyc
| | | | |     collective_utils.cpython-311.pyc
| | | | |     constants.cpython-311.pyc
| | | | |     device_mesh.cpython-311.pyc
| | | | |     distributed_c10d.cpython-311.pyc
| | | | |     launch.cpython-311.pyc
| | | | |     logging_handlers.cpython-311.pyc
| | | | |     remote_device.cpython-311.pyc
| | | | |     rendezvous.cpython-311.pyc
| | | | |     run.cpython-311.pyc
| | | | |     utils.cpython-311.pyc
| | | | |     _checkpointable.cpython-311.pyc
| | | | |     _composable_state.cpython-311.pyc
| | | | |     _functional_collectives.cpython-311.pyc
| | | | |     _functional_collectives_impl.cpython-311.pyc
| | | | |     _state_dict_utils.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | +---distributions

```

					bernoulli.py
					beta.py
					binomial.py
					categorical.py
					cauchy.py
					chi2.py
					constraints.py
					constraint_registry.py
					continuous_bernoulli.py
					dirichlet.py
					distribution.py
					exponential.py
					exp_family.py
					fishersnedecor.py
					gamma.py
					geometric.py
					gumbel.py
					half_cauchy.py
					half_normal.py
					independent.py
					inverse_gamma.py
					kl.py
					kumaraswamy.py
					laplace.py
					lkj_cholesky.py
					logistic_normal.py
					log_normal.py
					lowrank_multivariate_normal.py
					mixture_same_family.py
					multinomial.py
					multivariate_normal.py
					negative_binomial.py
					normal.py
					one_hot_categorical.py
					pareto.py
					poisson.py
					relaxed_bernoulli.py
					relaxed_categorical.py
					studentT.py
					transformed_distribution.py
					transforms.py
					uniform.py
					utils.py
					von_mises.py
					weibull.py
					wishart.py
					__init__.py
					\---__pycache__
					bernoulli.cpython-311.pyc
					beta.cpython-311.pyc

				binomial.cpython-311.pyc
				categorical.cpython-311.pyc
				cauchy.cpython-311.pyc
				chi2.cpython-311.pyc
				constraints.cpython-311.pyc
				constraint_registry.cpython-311.pyc
				continuous_bernoulli.cpython-311.pyc
				dirichlet.cpython-311.pyc
				distribution.cpython-311.pyc
				exponential.cpython-311.pyc
				exp_family.cpython-311.pyc
				fishersnedecor.cpython-311.pyc
				gamma.cpython-311.pyc
				geometric.cpython-311.pyc
				gumbel.cpython-311.pyc
				half_cauchy.cpython-311.pyc
				half_normal.cpython-311.pyc
				independent.cpython-311.pyc
				inverse_gamma.cpython-311.pyc
				kl.cpython-311.pyc
				kumaraswamy.cpython-311.pyc
				laplace.cpython-311.pyc
				lkj_cholesky.cpython-311.pyc
				logistic_normal.cpython-311.pyc
				log_normal.cpython-311.pyc
				lowrank_multivariate_normal.cpython-311.pyc
				mixture_same_family.cpython-311.pyc
				multinomial.cpython-311.pyc
				multivariate_normal.cpython-311.pyc
				negative_binomial.cpython-311.pyc
				normal.cpython-311.pyc
				one_hot_categorical.cpython-311.pyc
				pareto.cpython-311.pyc
				poisson.cpython-311.pyc
				relaxed_bernoulli.cpython-311.pyc
				relaxed_categorical.cpython-311.pyc
				studentT.cpython-311.pyc
				transformed_distribution.cpython-311.pyc
				transforms.cpython-311.pyc
				uniform.cpython-311.pyc
				utils.cpython-311.pyc
				von_mises.cpython-311.pyc
				weibull.cpython-311.pyc
				wishart.cpython-311.pyc
				__init__.cpython-311.pyc
				+---export
				custom_obj.py
				decomp_utils.py
				dynamic_shapes.py
				exported_program.py

```

| | | | graph_signature.py
| | | | unflatten.py
| | | | _draft_export.py
| | | | _remove_auto_functionalized_pass.py
| | | | _remove_effect_tokens_pass.py
| | | | _safeguard.py
| | | | _swap.py
| | | | _trace.py
| | | | _tree_utils.py
| | | | _unlift.py
| | | | __init__.py
| | | |
| | | | +---experimental
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | +---passes
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     custom_obj.cpython-311.pyc
| | | | |     decomp_utils.cpython-311.pyc
| | | | |     dynamic_shapes.cpython-311.pyc
| | | | |     exported_program.cpython-311.pyc
| | | | |     graph_signature.cpython-311.pyc
| | | | |     unflatten.cpython-311.pyc
| | | | |     _draft_export.cpython-311.pyc
| | | | |     _remove_auto_functionalized_pass.cpython-311.pyc
| | | | |     _remove_effect_tokens_pass.cpython-311.pyc
| | | | |     _safeguard.cpython-311.pyc
| | | | |     _swap.cpython-311.pyc
| | | | |     _trace.cpython-311.pyc
| | | | |     _tree_utils.cpython-311.pyc
| | | | |     _unlift.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | +---fft
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | +---func
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__

```

```

| | | | __init__.cpython-311.pyc
| | | |
| | | | +---futures
| | | | | | __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | +---fx
| | | | | | annotate.py
| | | | | | config.py
| | | | | | graph.py
| | | | | | graph_module.py
| | | | | | immutable_collections.py
| | | | | | interpreter.py
| | | | | | node.py
| | | | | | operator_schemas.py
| | | | | | proxy.py
| | | | | | subgraph_rewriter.py
| | | | | | tensor_type.py
| | | | | | traceback.py
| | | | | | _compatibility.py
| | | | | | _lazy_graph_module.py
| | | | | | _pytree.py
| | | | | | _symbolic_trace.py
| | | | | | _utils.py
| | | | | | __init__.py
| | | | | |
| | | | | | +---experimental
| | | | | | | | accelerator_partitioner.py
| | | | | | | | const_fold.py
| | | | | | | | debug.py
| | | | | | | | graph_gradual_typechecker.py
| | | | | | | | merge_matmul.py
| | | | | | | | meta_tracer.py
| | | | | | | | normalize.py
| | | | | | | | optimization.py
| | | | | | | | partitioner_utils.py
| | | | | | | | proxy_tensor.py
| | | | | | | | recording.py
| | | | | | | | refinement_types.py
| | | | | | | | rewriter.py
| | | | | | | | schema_type_annotation.py
| | | | | | | | symbolic_shapes.py
| | | | | | | | sym_node.py
| | | | | | | | unify_refinements.py
| | | | | | | | validator.py
| | | | | | | | _backward_state.py
| | | | | | | | _config.py
| | | | | | | | _constant_symnode.py
| | | | | | | | __init__.py

```

```

| | | | |
| | | | | +---migrate_gradual_types
| | | | | | | constraint.py
| | | | | | | constraint_generator.py
| | | | | | | constraint_transformation.py
| | | | | | | operation.py
| | | | | | | transform_to_z3.py
| | | | | | | util.py
| | | | | | | z3_types.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | \---__pycache__
| | | | | | | constraint.cpython-311.pyc
| | | | | | | constraint_generator.cpython-311.pyc
| | | | | | | constraint_transformation.cpython-311.pyc
| | | | | | | operation.cpython-311.pyc
| | | | | | | transform_to_z3.cpython-311.pyc
| | | | | | | util.cpython-311.pyc
| | | | | | | z3_types.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | | +---unification
| | | | | | | | core.py
| | | | | | | | dispatch.py
| | | | | | | | match.py
| | | | | | | | more.py
| | | | | | | | unification_tools.py
| | | | | | | | utils.py
| | | | | | | | variable.py
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | +---multipledispatch
| | | | | | | | | conflict.py
| | | | | | | | | core.py
| | | | | | | | | dispatcher.py
| | | | | | | | | utils.py
| | | | | | | | | variadic.py
| | | | | | | | | __init__.py
| | | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | | | conflict.cpython-311.pyc
| | | | | | | | | core.cpython-311.pyc
| | | | | | | | | dispatcher.cpython-311.pyc
| | | | | | | | | utils.cpython-311.pyc
| | | | | | | | | variadic.cpython-311.pyc
| | | | | | | | | __init__.cpython-311.pyc
| | | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | | | core.cpython-311.pyc
| | | | | | | | | dispatch.cpython-311.pyc
| | | | | | | | | match.cpython-311.pyc

```

```

| | | | | more.cpython-311.pyc
| | | | | unification_tools.cpython-311.pyc
| | | | | utils.cpython-311.pyc
| | | | | variable.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | accelerator_partitioner.cpython-311.pyc
| | | | | const_fold.cpython-311.pyc
| | | | | debug.cpython-311.pyc
| | | | | graph_gradual_typechecker.cpython-311.pyc
| | | | | merge_matmul.cpython-311.pyc
| | | | | meta_tracer.cpython-311.pyc
| | | | | normalize.cpython-311.pyc
| | | | | optimization.cpython-311.pyc
| | | | | partitioner_utils.cpython-311.pyc
| | | | | proxy_tensor.cpython-311.pyc
| | | | | recording.cpython-311.pyc
| | | | | refinement_types.cpython-311.pyc
| | | | | rewriter.cpython-311.pyc
| | | | | schema_type_annotation.cpython-311.pyc
| | | | | symbolic_shapes.cpython-311.pyc
| | | | | sym_node.cpython-311.pyc
| | | | | unify_refinements.cpython-311.pyc
| | | | | validator.cpython-311.pyc
| | | | | _backward_state.cpython-311.pyc
| | | | | _config.cpython-311.pyc
| | | | | _constant_symnode.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---passes
| | | | | | annotate_getitem_nodes.py
| | | | | | fake_tensor_prop.py
| | | | | | graph_drawer.py
| | | | | | graph_manipulation.py
| | | | | | graph_transform_observer.py
| | | | | | net_min_base.py
| | | | | | operator_support.py
| | | | | | param_fetch.py
| | | | | | pass_manager.py
| | | | | | reinplace.py
| | | | | | runtime_assert.py
| | | | | | shape_prop.py
| | | | | | splitter_base.py
| | | | | | split_module.py
| | | | | | split_utils.py
| | | | | | tools_common.py
| | | | | | _tensorify_python_scalars.py
| | | | | | __init__.py
| | | | | |
| | | | | +---backends

```



```

| | | | | | | cudagraphs.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | | \---_pycache_
| | | | | | | cudagraphs.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | | | +---dialect
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | +---common
| | | | | | | | cse_pass.py
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | \---_pycache_
| | | | | | | cse_pass.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | | | \---_pycache_
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | | | +---infra
| | | | | | | | partitioner.py
| | | | | | | | pass_base.py
| | | | | | | | pass_manager.py
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | \---_pycache_
| | | | | | | | partitioner.cpython-311.pyc
| | | | | | | | pass_base.cpython-311.pyc
| | | | | | | | pass_manager.cpython-311.pyc
| | | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | | | +---tests
| | | | | | | | test_pass_manager.py
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | \---_pycache_
| | | | | | | | test_pass_manager.cpython-311.pyc
| | | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | | | +---utils
| | | | | | | | common.py
| | | | | | | | fuser_utils.py
| | | | | | | | matcher_utils.py
| | | | | | | | matcher_with_name_node_map_utils.py
| | | | | | | | source_matcher_utils.py
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | \---_pycache_
| | | | | | | | common.cpython-311.pyc

```

```

| | | | | fuser_utils.cpython-311.pyc
| | | | | matcher_utils.cpython-311.pyc
| | | | | matcher_with_name_node_map_utils.cpython-311.pyc
| | | | | source_matcher_utils.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | annotate_getitem_nodes.cpython-311.pyc
| | | | | fake_tensor_prop.cpython-311.pyc
| | | | | graph_drawer.cpython-311.pyc
| | | | | graph_manipulation.cpython-311.pyc
| | | | | graph_transform_observer.cpython-311.pyc
| | | | | net_min_base.cpython-311.pyc
| | | | | operator_support.cpython-311.pyc
| | | | | param_fetch.cpython-311.pyc
| | | | | pass_manager.cpython-311.pyc
| | | | | reinplace.cpython-311.pyc
| | | | | runtime_assert.cpython-311.pyc
| | | | | shape_prop.cpython-311.pyc
| | | | | splitter_base.cpython-311.pyc
| | | | | split_module.cpython-311.pyc
| | | | | split_utils.cpython-311.pyc
| | | | | tools_common.cpython-311.pyc
| | | | | _tensorify_python_scalars.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | annotate.cpython-311.pyc
| | | | | config.cpython-311.pyc
| | | | | graph.cpython-311.pyc
| | | | | graph_module.cpython-311.pyc
| | | | | immutable_collections.cpython-311.pyc
| | | | | interpreter.cpython-311.pyc
| | | | | node.cpython-311.pyc
| | | | | operator_schemas.cpython-311.pyc
| | | | | proxy.cpython-311.pyc
| | | | | subgraph_rewriter.cpython-311.pyc
| | | | | tensor_type.cpython-311.pyc
| | | | | traceback.cpython-311.pyc
| | | | | _compatibility.cpython-311.pyc
| | | | | _lazy_graph_module.cpython-311.pyc
| | | | | _pytree.cpython-311.pyc
| | | | | _symbolic_trace.cpython-311.pyc
| | | | | _utils.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---include
| | | | |   cpuinfo.h
| | | | |   dnnl.h
| | | | |   dnnl_config.h
| | | | |   dnnl_debug.h

```

					dnnl_ocl.h
					dnnl_sycl.h
					dnnl_sycl_types.h
					dnnl_threadpool.h
					dnnl_types.h
					dnnl_version.h
					experiments-config.h
					fp16.h
					fxdiv.h
					libshm.h
					psimd.h
					pthreadpool.h
					sleef.h
					xnnpack.h
					+++ATen
					AccumulateType.h
					ArrayRef.h
					ATen.h
					autocast_mode.h
					Backend.h
					Backtrace.h
					BlasBackend.h
					CachedTensorUtils.h
					ceil_div.h
					code_template.h
					CollapseDims.h
					CompositeExplicitAutogradFunctions.h
					CompositeExplicitAutogradFunctions_inl.h
					CompositeExplicitAutogradNonFunctionalFunctions.h
					CompositeExplicitAutogradNonFunctionalFunctions_inl.h
					CompositeImplicitAutogradFunctions.h
					CompositeImplicitAutogradFunctions_inl.h
					CompositeImplicitAutogradNestedTensorFunctions.h
					CompositeImplicitAutogradNestedTensorFunctions_inl.h
					Config.h
					Context.h
					cpp_custom_type_hack.h
					CPUApplyUtils.h
					CPUFixedAllocator.h
					CPUFunctions.h
					CPUFunctions_inl.h
					CPUGeneratorImpl.h
					CUDAFunctions.h
					CUDAFunctions_inl.h
					Device.h
					DeviceAccelerator.h
					DeviceGuard.h
					Dimname.h
					DimVector.h
					Dispatch.h

					Dispatch_v2.h
					div_rtn.h
					DLConvertor.h
					dlpack.h
					DynamicLibrary.h
					EmptyTensor.h
					ExpandBase.h
					ExpandUtils.h
					Formatting.h
					FunctionalStorageImpl.h
					FunctionalTensorWrapper.h
					Functions.h
					FuncTorchTLS.h
					Generator.h
					InferSize.h
					InitialTensorOptions.h
					jiterator_macros.h
					jit_macros.h
					Layout.h
					LegacyBatchedFallback.h
					LegacyBatchedTensorImpl.h
					LegacyVmapMode.h
					LegacyVmapTransforms.h
					LinalgBackend.h
					MapAllocator.h
					MatrixRef.h
					MemoryOverlap.h
					MetaFunctions.h
					MetaFunctions_inl.h
					MethodOperators.h
					NamedTensor.h
					NamedTensorUtils.h
					NativeFunctions.h
					NativeMetaFunctions.h
					NestedTensorImpl.h
					NumericUtils.h
					OpaqueTensorImpl.h
					Operators.h
					OpMathType.h
					PadNd.h
					Parallel-inl.h
					Parallel.h
					ParallelFuture.h
					ParallelNative.h
					ParallelOpenMP.h
					PTThreadPool.h
					PythonTorchFunctionTLS.h
					record_function.h
					RedispatchFunctions.h
					RegistrationDeclarations.h
					SavedTensorHooks.h

						Scalar.h
						ScalarOps.h
						ScalarType.h
						SDPBackend.h
						SequenceNumber.h
						SmallVector.h
						SparseCsrTensorImpl.h
						SparseCsrTensorUtils.h
						SparseTensorImpl.h
						Storage.h
						StorageUtils.h
						Tensor.h
						TensorAccessor.h
						TensorGeometry.h
						TensorIndexing.h
						TensorIterator.h
						TensorIteratorInternal.h
						TensorMeta.h
						TensorNames.h
						TensorOperators.h
						TensorOptions.h
						TensorSubclassLikeUtils.h
						TensorUtils.h
						ThreadLocalPythonObjects.h
						ThreadLocalState.h
						TracerMode.h
						TypeDefault.h
						Utils.h
						Version.h
						VmapGeneratedPlumbing.h
						WrapDimUtils.h
						WrapDimUtilsMulti.h
						+---core
						alias_info.h
						Array.h
						ATenGeneral.h
						ATenOpList.h
						ATen_fwd.h
						aten_interned_strings.h
						ATen_pch.h
						Backtrace.h
						blob.h
						builtin_function.h
						CachingHostAllocator.h
						CheckMemoryFormat.h
						class_type.h
						custom_class.h
						DeprecatedTypeProperties.h
						DeprecatedTypePropertiesRegistry.h
						Dict.h

						Dict_inl.h
						Dimname.h
						DimVector.h
						DistributionsHelper.h
						dynamic_type.h
						enum_tag.h
						enum_type.h
						Formatting.h
						function.h
						functional.h
						function_schema.h
						function_schema_inl.h
						Generator.h
						GeneratorForPrivateuseone.h
						grad_mode.h
						IListRef.h
						IListRef_inl.h
						interned_strings.h
						interned_strings_class.h
						ivalue.h
						ivalue_inl.h
						ivalue_to.h
						jit_type.h
						jit_type_base.h
						LegacyTypeDispatch.h
						List.h
						List_inl.h
						MT19937RNGEngine.h
						NamedTensor.h
						NestedIntSymNodeImpl.h
						operator_name.h
						PhiloxRNGEngine.h
						PythonFallbackKernel.h
						PythonOpRegistrationTrampoline.h
						qualified_name.h
						QuantizerBase.h
						Range.h
						Reduction.h
						rref_interface.h
						Scalar.h
						ScalarType.h
						stack.h
						symbol.h
						Tensor.h
						TensorAccessor.h
						TensorBase.h
						TensorBody.h
						TorchDispatchUtils.h
						TransformationHelper.h
						typeid.h
						type_factory.h

								type_ptr.h
								UndefinedTensorImpl.h
								UnsafeFromTH.h
								VariableHooksInterface.h
								Variadic.h
								Vitals.h
							+---	boxing
								BoxedKernel.h
								BoxedKernel_impl.h
								KernelFunction.h
								KernelFunction_impl.h
								OperatorKernel.h
								\---impl
								boxing.h
								make_boxed_from_unboxed_functor.h
								test_helpers.h
								WrapFunctionIntoFunctor.h
								WrapFunctionIntoRuntimeFunctor.h
							+---	dispatch
								CppSignature.h
								Dispatcher.h
								DispatchKeyExtractor.h
								ObservedOperators.h
								OperatorEntry.h
								OperatorOptions.h
								RegistrationHandleRAII.h
								\---op_registration
								adaption.h
								infer_schema.h
								op_allowlist.h
								op_registration.h
							+----	cpu
								FlushDenormal.h
								Utils.h
								vml.h
								\---vec
								functional.h
								functional_base.h
								functional_bfloat16.h
								intrinsics.h
								vec.h
								vec_base.h
								vec_convert.h
								vec_half.h
								vec_mask.h

[illegible]

						vec512.h
						vec512_bfloat16.h
						vec512_complex_double.h
						vec512_complex_float.h
						vec512_convert.h
						vec512_double.h
						vec512_float.h
						vec512_int.h
						vec512_mask.h
						vec512_qint.h
					+++cuda	
						ApplyGridUtils.cuh
						AsmUtils.cuh
						ATenCUDAGeneral.h
						Atomic.cuh
						CachingHostAllocator.h
						cub.cuh
						cub.h
						cub_definitions.cuh
						CUDAApplyUtils.cuh
						CUDABlas.h
						CUDAContext.h
						CUDAContextLight.h
						CUDADataType.h
						CUDADevice.h
						CUDAEvent.h
						CUDAGeneratorImpl.h
						CUDAGraph.h
						CUDAGraphsUtils.cuh
						CUDASparse.h
						CUDASparseBlas.h
						CUDASparseDescriptors.h
						CUDATensorMethods.cuh
						CUDAUtils.h
						DeviceUtils.cuh
						EmptyTensor.h
						Exceptions.h
						jiterator.h
						jiterator_impl.h
						llvm_jit_strings.h
						NumericLimits.cuh
						PeerToPeerAccess.h
						PhiloxCudaState.h
						PhiloxUtils.cuh
						PinnedMemoryAllocator.h
						ScanUtils.cuh
						Sleep.h
						ThrustAllocator.h
					+++detail	

						CUDAHooks.h
						DeviceThreadHandles.h
						IndexUtils.cuh
						IntegerDivider.cuh
						KernelUtils.h
						LazyNVRTC.h
						OffsetCalculator.cuh
						PhiloxCudaStateRaw.cuh
						TensorInfo.cuh
						UnpackRaw.cuh
					\---	tunable
						GemmCommon.h
						GemmHipblaslt.h
						GemmRocblas.h
						StreamTimer.h
						Tunable.h
						TunableGemm.h
						TunableOp.h
				+----	cudnn	
						cudnn-wrapper.h
						Descriptors.h
						Handle.h
						Handles.h
						Types.h
						Utils.h
				+-----	detail	
						AcceleratorHooksInterface.h
						CUDAHooksInterface.h
						FunctionTraits.h
						HIPHooksInterface.h
						HPUHooksInterface.h
						IPUHooksInterface.h
						MAIAHooksInterface.h
						MPSHooksInterface.h
						MTIAHooksInterface.h
						PrivateUselHooksInterface.h
						XPUHooksInterface.h
				+-----	functorch	
						ADInterpreters.h
						BatchedFallback.h
						BatchedTensorImpl.h
						BatchingMetaprogramming.h
						BatchRulesHelper.h
						DynamicLayer.h
						FunctionalizeInterpreter.h
						Interpreter.h
						LegacyVmapTransforms.h

					Macros.h
					PlumbingHelper.h
					TensorWrapper.h
					VmapInterpreter.h
					+---hip
					\---impl
					HIPAllocatorMasqueradingAsCUDA.h
					HIPCachingAllocatorMasqueradingAsCUDA.h
					HIPGuardImplMasqueradingAsCUDA.h
					HIPStreamMasqueradingAsCUDA.h
					+---miopen
					Descriptors.h
					Exceptions.h
					Handle.h
					miopen-wrapper.h
					Types.h
					Utils.h
					+---mps
					EmptyTensor.h
					IndexKernels.h
					MPSAllocator.h
					MPSAllocatorInterface.h
					MPSDevice.h
					MPSEvent.h
					MPSGeneratorImpl.h
					MPSGuardImpl.h
					MPSHooks.h
					MPSProfiler.h
					MPSStream.h
					+---native
					Activation.h
					AdaptivePooling.h
					AmpKernels.h
					BatchLinearAlgebra.h
					batch_norm.h
					BinaryOps.h
					BucketizationUtils.h
					CanUse32BitIndexMath.h
					ComplexHelper.h
					CompositeRandomAccessor.h
					CompositeRandomAccessorCommon.h
					ConvolutionMM3d.h
					ConvUtils.h
					Copy.h
					CPUBlas.h
					CPUFallback.h
					Cross.h

						DilatedConvolutionUtils.h
						DispatchStub.h
						Distance.h
						Distributions.h
						DistributionTemplates.h
						EmbeddingBag.h
						Fill.h
						ForeachUtils.h
						FractionalMaxPooling.h
						FunctionOfAMatrixUtils.h
						FusedAdagrad.h
						FusedAdam.h
						FusedSGD.h
						Gelu.h
						GridSampler.h
						GridSamplerUtils.h
						group_norm.h
						Histogram.h
						im2col.h
						im2col_shape_check.h
						IndexingUtils.h
						IndexKernel.h
						layer_norm.h
						Lerp.h
						LinearAlgebra.h
						LinearAlgebraUtils.h
						LossMulti.h
						Math.h
						MathBitFallThroughLists.h
						MathBitsFallback.h
						MaxPooling.h
						NonEmptyUtils.h
						NonSymbolicBC.h
						Normalization.h
						Padding.h
						PixelShuffle.h
						PointwiseOps.h
						Pool.h
						Pow.h
						RangeFactories.h
						ReduceAllOps.h
						ReduceOps.h
						ReduceOpsUtils.h
						ReductionType.h
						Repeat.h
						Resize.h
						ResizeCommon.h
						RNN.h
						ScatterGatherChecks.h
						SegmentReduce.h
						SharedReduceOps.h

						SobolEngineOpsUtils.h
						Sorting.h
						SortingUtils.h
						SparseTensorUtils.h
						SpectralOpsUtils.h
						StridedRandomAccessor.h
						TensorAdvancedIndexing.h
						TensorAdvancedIndexingUtils.h
						TensorCompare.h
						TensorConversions.h
						TensorDimApply.h
						TensorFactories.h
						TensorIterator.h
						TensorIteratorDynamicCasting.h
						TensorProperties.h
						TensorShape.h
						TensorTransformations.h
						TopKImpl.h
						TransposeType.h
						TriangularOpsUtils.h
						TypeProperties.h
						UnaryOps.h
						Unfold2d.h
						Unfold3d.h
						UnfoldBackward.h
						UpSample.h
						verbose_wrapper.h
						vol2col.h
						+---cpu
						AtomicAddFloat.h
						avx_mathfun.h
						CatKernel.h
						ChannelShuffleKernel.h
						CopyKernel.h
						DepthwiseConvKernel.h
						DistributionTemplates.h
						Gelu.h
						GridSamplerKernel.h
						IndexKernelUtils.h
						Intrinsics.h
						int_mm_kernel.h
						IsContiguous.h
						LogAddExp.h
						Loops.h
						MaxUnpoolKernel.h
						mixed_data_type.h
						moments_utils.h
						PixelShuffleKernel.h
						Reduce.h
						ReducedPrecisionFloatGemvFastPathKernel.h

						ReduceUtils.h
						SampledAddmmKernel.h
						SerialStackImpl.h
						SoftmaxKernel.h
						SpmvReduceKernel.h
						StackKernel.h
						UpSampleKernelAVXAntialias.h
						utils.h
						WeightNormKernel.h
						zmath.h
					----	cuda
						Activation.h
						BinaryInternal.h
						block_reduce.cuh
						CompositeRandomAccessor.h
						Copy.h
						CUDAJitLoops.cuh
						CUDALoops.cuh
						CuFFTPlanCache.h
						CuFFTUtils.h
						DeviceSqrt.cuh
						Distributions.h
						DistributionTemplates.h
						EmbeddingBackwardKernel.cuh
						ForeachFunctors.cuh
						ForeachMinMaxFunctors.cuh
						fused_adamw_amsgrad_impl.cuh
						fused_adamw_impl.cuh
						fused_adam_amsgrad_impl.cuh
						fused_adam_impl.cuh
						fused_adam_utils.cuh
						GridSampler.cuh
						GridSampler.h
						im2col.cuh
						IndexKernel.h
						JitLoops.cuh
						jit_utils.h
						KernelUtils.cuh
						LaunchUtils.h
						Loops.cuh
						Math.cuh
						MemoryAccess.cuh
						MiscUtils.h
						MultiTensorApply.cuh
						Normalization.cuh
						PersistentSoftmax.cuh
						Pow.cuh
						Randperm.cuh
						Reduce.cuh
						ReduceOps.h

						reduction_template.cuh
						Resize.h
						RowwiseScaledMM.h
						ScanKernels.h
						ScanUtils.cuh
						Sort.h
						Sorting.h
						SortingCommon.cuh
						SortingRadixSelect.cuh
						SortStable.h
						SortUtils.cuh
						TensorModeKernel.cuh
						TensorModeKernel.h
						TensorTopK.h
						thread_constants.h
						UniqueCub.cuh
						UpSample.cuh
						vol2col.cuh
						+---hip
						ck_bgemm.h
						ck_gemm.h
						ck_gemm_template.h
						ck_types.h
						+---mkldnn
						\---xpu
						\---detail
						Attr.h
						oneDNN.h
						oneDNNContext.h
						Utils.h
						+---mps
						Copy.h
						MetalShaderLibrary.h
						MPSGraphSequoiaOps.h
						MPSGraphSonomaOps.h
						MPSGraphVenturaOps.h
						OperationUtils.h
						TensorFactory.h
						UnaryConstants.h
						+---nested
						NestedTensorBinaryOps.h
						NestedTensorMath.h
						NestedTensorTransformerFunctions.h
						NestedTensorTransformerUtils.h
						NestedTensorUtils.h
						+---quantized

						acosh_meta_dispatch.h
						acosh_native.h
						acosh_ops.h
						acos_compositeexplicitautogradnonfunctional_dispatch.h
						acos_cpu_dispatch.h
						acos_cuda_dispatch.h
						acos_meta.h
						acos_meta_dispatch.h
						acos_native.h
						acos_ops.h
						adaptive_avg_pool1d.h
						adaptive_avg_pool1d_compositeexplicitautograd_dispatch.h
						adaptive_avg_pool1d_compositeimplicitautograd_dispatch.h
						adaptive_avg_pool1d_native.h
						adaptive_avg_pool1d_ops.h
						adaptive_avg_pool2d.h
						adaptive_avg_pool2d_compositeimplicitautograd_dispatch.h
						adaptive_avg_pool2d_cpu_dispatch.h
						adaptive_avg_pool2d_cuda_dispatch.h
						adaptive_avg_pool2d_native.h
						adaptive_avg_pool2d_ops.h
						adaptive_avg_pool3d.h
						adaptive_avg_pool3d_backward.h
						adaptive_avg_pool3d_backward_cpu_dispatch.h
						adaptive_avg_pool3d_backward_cuda_dispatch.h
						adaptive_avg_pool3d_backward_native.h
						adaptive_avg_pool3d_backward_ops.h
						adaptive_avg_pool3d_compositeimplicitautograd_dispatch.h
						adaptive_avg_pool3d_cpu_dispatch.h
						adaptive_avg_pool3d_cuda_dispatch.h
						adaptive_avg_pool3d_native.h
						adaptive_avg_pool3d_ops.h
						adaptive_max_pool1d.h
						adaptive_max_pool1d_compositeimplicitautograd_dispatch.h
						adaptive_max_pool1d_native.h
						adaptive_max_pool1d_ops.h
						adaptive_max_pool2d.h
						adaptive_max_pool2d_backward.h
						adaptive_max_pool2d_backward_compositeexplicitautogradnonfunctional_dispatch.h
						adaptive_max_pool2d_backward_cpu_dispatch.h
						adaptive_max_pool2d_backward_cuda_dispatch.h
						adaptive_max_pool2d_backward_meta.h
						adaptive_max_pool2d_backward_meta_dispatch.h
						adaptive_max_pool2d_backward_native.h
						adaptive_max_pool2d_backward_ops.h
						adaptive_max_pool2d_compositeexplicitautogradnonfunctional_dispatch.h
						adaptive_max_pool2d_cpu_dispatch.h
						adaptive_max_pool2d_cuda_dispatch.h
						adaptive_max_pool2d_meta.h
						adaptive_max_pool2d_meta_dispatch.h
						adaptive_max_pool2d_native.h

						adaptive_max_pool2d_ops.h
						adaptive_max_pool3d.h
						adaptive_max_pool3d_backward.h
						adaptive_max_pool3d_backward_compositeexplicitautogradnonfunctional_dispatch.h
						adaptive_max_pool3d_backward_cpu_dispatch.h
						adaptive_max_pool3d_backward_cuda_dispatch.h
						adaptive_max_pool3d_backward_meta.h
						adaptive_max_pool3d_backward_meta_dispatch.h
						adaptive_max_pool3d_backward_native.h
						adaptive_max_pool3d_backward_ops.h
						adaptive_max_pool3d_compositeexplicitautogradnonfunctional_dispatch.h
						adaptive_max_pool3d_cpu_dispatch.h
						adaptive_max_pool3d_cuda_dispatch.h
						adaptive_max_pool3d_meta.h
						adaptive_max_pool3d_meta_dispatch.h
						adaptive_max_pool3d_native.h
						adaptive_max_pool3d_ops.h
						add.h
						addbmm.h
						addbmm_cpu_dispatch.h
						addbmm_cuda_dispatch.h
						addbmm_meta_dispatch.h
						addbmm_native.h
						addbmm_ops.h
						addcdiv.h
						addcdiv_compositeexplicitautogradnonfunctional_dispatch.h
						addcdiv_cpu_dispatch.h
						addcdiv_cuda_dispatch.h
						addcdiv_meta.h
						addcdiv_meta_dispatch.h
						addcdiv_native.h
						addcdiv_ops.h
						addcmul.h
						addcmul_compositeexplicitautogradnonfunctional_dispatch.h
						addcmul_cpu_dispatch.h
						addcmul_cuda_dispatch.h
						addcmul_meta.h
						addcmul_meta_dispatch.h
						addcmul_native.h
						addcmul_ops.h
						addmm.h
						addmm_compositeexplicitautogradnonfunctional_dispatch.h
						addmm_cpu_dispatch.h
						addmm_cuda_dispatch.h
						addmm_meta.h
						addmm_meta_dispatch.h
						addmm_native.h
						addmm_ops.h
						addmv.h
						addmv_compositeexplicitautogradnonfunctional_dispatch.h
						addmv cpu dispatch.h

						addmv_cuda_dispatch.h
						addmv_meta.h
						addmv_meta_dispatch.h
						addmv_native.h
						addmv_ops.h
						addr.h
						addr_compositeexplicitautograd_dispatch.h
						addr_cpu_dispatch.h
						addr_cuda_dispatch.h
						addr_native.h
						addr_ops.h
						add_compositeexplicitautogradnonfunctional_dispatch.h
						add_compositeexplicitautograd_dispatch.h
						add_cpu_dispatch.h
						add_cuda_dispatch.h
						add_meta.h
						add_meta_dispatch.h
						add_native.h
						add_ops.h
						adjoint.h
						adjoint_compositeimplicitautograd_dispatch.h
						adjoint_native.h
						adjoint_ops.h
						affine_grid_generator.h
						affine_grid_generator_backward.h
						affine_grid_generator_backward_compositeimplicitautograd_dispatch.h
						affine_grid_generator_backward_native.h
						affine_grid_generator_backward_ops.h
						affine_grid_generator_compositeexplicitautograd_dispatch.h
						affine_grid_generator_native.h
						affine_grid_generator_ops.h
						alias.h
						alias_compositeexplicitautograd_dispatch.h
						alias_copy.h
						alias_copy_compositeexplicitautogradnonfunctional_dispatch.h
						alias_copy_compositeexplicitautograd_dispatch.h
						alias_copy_native.h
						alias_copy_ops.h
						alias_native.h
						alias_ops.h
						align_as.h
						align_as_compositeimplicitautograd_dispatch.h
						align_as_native.h
						align_as_ops.h
						align_tensors.h
						align_tensors_compositeimplicitautograd_dispatch.h
						align_tensors_native.h
						align_tensors_ops.h
						align_to.h
						align_to_compositeimplicitautograd_dispatch.h
						align_to_native.h

					align_to_ops.h
					all.h
					allclose.h
					allclose_compositeexplicitautograd_dispatch.h
					allclose_native.h
					allclose_ops.h
					all_compositeexplicitautogradnonfunctional_dispatch.h
					all_compositeexplicitautograd_dispatch.h
					all_compositeimplicitautograd_dispatch.h
					all_cpu_dispatch.h
					all_cuda_dispatch.h
					all_meta.h
					all_meta_dispatch.h
					all_native.h
					all_ops.h
					alpha_dropout.h
					alpha_dropout_compositeimplicitautograd_dispatch.h
					alpha_dropout_native.h
					alpha_dropout_ops.h
					amax.h
					amax_compositeexplicitautogradnonfunctional_dispatch.h
					amax_cpu_dispatch.h
					amax_cuda_dispatch.h
					amax_meta.h
					amax_meta_dispatch.h
					amax_native.h
					amax_ops.h
					amin.h
					aminmax.h
					aminmax_compositeexplicitautogradnonfunctional_dispatch.h
					aminmax_cpu_dispatch.h
					aminmax_cuda_dispatch.h
					aminmax_meta.h
					aminmax_meta_dispatch.h
					aminmax_native.h
					aminmax_ops.h
					amin_compositeexplicitautogradnonfunctional_dispatch.h
					amin_cpu_dispatch.h
					amin_cuda_dispatch.h
					amin_meta.h
					amin_meta_dispatch.h
					amin_native.h
					amin_ops.h
					and.h
					and_compositeimplicitautograd_dispatch.h
					and_native.h
					and_ops.h
					angle.h
					angle_cpu_dispatch.h
					angle_cuda_dispatch.h
					angle_native.h

					angle_ops.h
					any.h
					any_compositeexplicitautogradnonfunctional_dispatch.h
					any_compositeexplicitautograd_dispatch.h
					any_compositeimplicitautograd_dispatch.h
					any_cpu_dispatch.h
					any_cuda_dispatch.h
					any_meta.h
					any_meta_dispatch.h
					any_native.h
					any_ops.h
					arange.h
					arange_compositeexplicitautograd_dispatch.h
					arange_cpu_dispatch.h
					arange_cuda_dispatch.h
					arange_meta_dispatch.h
					arange_native.h
					arange_ops.h
					arccos.h
					arccosh.h
					arccosh_compositeimplicitautograd_dispatch.h
					arccosh_native.h
					arccosh_ops.h
					arccos_compositeimplicitautograd_dispatch.h
					arccos_native.h
					arccos_ops.h
					arcsin.h
					arcsinh.h
					arcsinh_compositeimplicitautograd_dispatch.h
					arcsinh_native.h
					arcsinh_ops.h
					arcsin_compositeimplicitautograd_dispatch.h
					arcsin_native.h
					arcsin_ops.h
					arctan.h
					arctan2.h
					arctan2_compositeimplicitautograd_dispatch.h
					arctan2_native.h
					arctan2_ops.h
					arctanh.h
					arctanh_compositeimplicitautograd_dispatch.h
					arctanh_native.h
					arctanh_ops.h
					arctan_compositeimplicitautograd_dispatch.h
					arctan_native.h
					arctan_ops.h
					argmax.h
					argmax_compositeexplicitautogradnonfunctional_dispatch.h
					argmax_cpu_dispatch.h
					argmax_cuda_dispatch.h
					argmax_meta.h

						argmax_meta_dispatch.h
						argmax_native.h
						argmax_ops.h
						argmin.h
						argmin_compositeexplicitautogradnonfunctional_dispatch.h
						argmin_cpu_dispatch.h
						argmin_cuda_dispatch.h
						argmin_meta.h
						argmin_meta_dispatch.h
						argmin_native.h
						argmin_ops.h
						argsort.h
						argsort_compositeimplicitautograd_dispatch.h
						argsort_native.h
						argsort_ops.h
						argwhere.h
						argwhere_compositeimplicitautograd_dispatch.h
						argwhere_native.h
						argwhere_ops.h
						asin.h
						asinh.h
						asinh_compositeexplicitautogradnonfunctional_dispatch.h
						asinh_cpu_dispatch.h
						asinh_cuda_dispatch.h
						asinh_meta.h
						asinh_meta_dispatch.h
						asinh_native.h
						asinh_ops.h
						asin_compositeexplicitautogradnonfunctional_dispatch.h
						asin_cpu_dispatch.h
						asin_cuda_dispatch.h
						asin_meta.h
						asin_meta_dispatch.h
						asin_native.h
						asin_ops.h
						as_strided.h
						as_strided_compositeexplicitautogradnonfunctional_dispatch.h
						as_strided_copy.h
						as_strided_copy_compositeexplicitautogradnonfunctional_dispatch.h
						as_strided_copy_compositeexplicitautograd_dispatch.h
						as_strided_copy_native.h
						as_strided_copy_ops.h
						as_strided_cpu_dispatch.h
						as_strided_cuda_dispatch.h
						as_strided_meta_dispatch.h
						as_strided_native.h
						as_strided_ops.h
						as_strided_scatter.h
						as_strided_scatter_compositeexplicitautogradnonfunctional_dispatch.h
						as_strided_scatter_compositeexplicitautograd_dispatch.h
						as_strided_scatter_native.h

						as_strided_scatter_ops.h
						atan.h
						atan2.h
						atan2_compositeexplicitautogradnonfunctional_dispatch.h
						atan2_cpu_dispatch.h
						atan2_cuda_dispatch.h
						atan2_meta.h
						atan2_meta_dispatch.h
						atan2_native.h
						atan2_ops.h
						atanh.h
						atanh_compositeexplicitautogradnonfunctional_dispatch.h
						atanh_cpu_dispatch.h
						atanh_cuda_dispatch.h
						atanh_meta.h
						atanh_meta_dispatch.h
						atanh_native.h
						atanh_ops.h
						atan_compositeexplicitautogradnonfunctional_dispatch.h
						atan_cpu_dispatch.h
						atan_cuda_dispatch.h
						atan_meta.h
						atan_meta_dispatch.h
						atan_native.h
						atan_ops.h
						atleast_1d.h
						atleast_1d_compositeimplicitautograd_dispatch.h
						atleast_1d_native.h
						atleast_1d_ops.h
						atleast_2d.h
						atleast_2d_compositeimplicitautograd_dispatch.h
						atleast_2d_native.h
						atleast_2d_ops.h
						atleast_3d.h
						atleast_3d_compositeimplicitautograd_dispatch.h
						atleast_3d_native.h
						atleast_3d_ops.h
						avg_pool1d.h
						avg_pool1d_compositeexplicitautograd_dispatch.h
						avg_pool1d_compositeimplicitautograd_dispatch.h
						avg_pool1d_native.h
						avg_pool1d_ops.h
						avg_pool2d.h
						avg_pool2d_backward.h
						avg_pool2d_backward_compositeexplicitautogradnonfunctional_dispatch.h
						avg_pool2d_backward_cpu_dispatch.h
						avg_pool2d_backward_cuda_dispatch.h
						avg_pool2d_backward_meta.h
						avg_pool2d_backward_meta_dispatch.h
						avg_pool2d_backward_native.h
						avg_pool2d_backward_ops.h

					avg_pool2d_compositeexplicitautogradnonfunctional_dispatch.h
					avg_pool2d_cpu_dispatch.h
					avg_pool2d_cuda_dispatch.h
					avg_pool2d_meta.h
					avg_pool2d_meta_dispatch.h
					avg_pool2d_native.h
					avg_pool2d_ops.h
					avg_pool3d.h
					avg_pool3d_backward.h
					avg_pool3d_backward_compositeexplicitautogradnonfunctional_dispatch.h
					avg_pool3d_backward_cpu_dispatch.h
					avg_pool3d_backward_cuda_dispatch.h
					avg_pool3d_backward_meta.h
					avg_pool3d_backward_meta_dispatch.h
					avg_pool3d_backward_native.h
					avg_pool3d_backward_ops.h
					avg_pool3d_compositeexplicitautogradnonfunctional_dispatch.h
					avg_pool3d_cpu_dispatch.h
					avg_pool3d_cuda_dispatch.h
					avg_pool3d_meta.h
					avg_pool3d_meta_dispatch.h
					avg_pool3d_native.h
					avg_pool3d_ops.h
					baddbmm.h
					baddbmm_compositeexplicitautogradnonfunctional_dispatch.h
					baddbmm_cpu_dispatch.h
					baddbmm_cuda_dispatch.h
					baddbmm_meta.h
					baddbmm_meta_dispatch.h
					baddbmm_native.h
					baddbmm_ops.h
					bartlett_window.h
					bartlett_window_compositeexplicitautograd_dispatch.h
					bartlett_window_native.h
					bartlett_window_ops.h
					batch_norm.h
					batch_norm_backward.h
					batch_norm_backward_cpu_dispatch.h
					batch_norm_backward_cuda_dispatch.h
					batch_norm_backward_element.h
					batch_norm_backward_element_compositeexplicitautograd_dispatch.h
					batch_norm_backward_element_cuda_dispatch.h
					batch_norm_backward_element_native.h
					batch_norm_backward_element_ops.h
					batch_norm_backward_native.h
					batch_norm_backward_ops.h
					batch_norm_backward_reduce.h
					batch_norm_backward_reduce_compositeexplicitautograd_dispatch.h
					batch_norm_backward_reduce_cuda_dispatch.h
					batch_norm_backward_reduce_native.h
					batch_norm_backward_reduce_ops.h

						batch_norm_compositeimplicitautograd_dispatch.h
						batch_norm_elemt.h
						batch_norm_elemt_cuda_dispatch.h
						batch_norm_elemt_native.h
						batch_norm_elemt_ops.h
						batch_norm_gather_stats.h
						batch_norm_gather_stats_compositeexplicitautograd_dispatch.h
						batch_norm_gather_stats_cuda_dispatch.h
						batch_norm_gather_stats_native.h
						batch_norm_gather_stats_ops.h
						batch_norm_gather_stats_with_counts.h
						batch_norm_gather_stats_with_counts_compositeexplicitautograd_dispatch.h
						batch_norm_gather_stats_with_counts_cuda_dispatch.h
						batch_norm_gather_stats_with_counts_native.h
						batch_norm_gather_stats_with_counts_ops.h
						batch_norm_native.h
						batch_norm_ops.h
						batch_norm_stats.h
						batch_norm_stats_compositeexplicitautograd_dispatch.h
						batch_norm_stats_cuda_dispatch.h
						batch_norm_stats_native.h
						batch_norm_stats_ops.h
						batch_norm_update_stats.h
						batch_norm_update_stats_compositeexplicitautograd_dispatch.h
						batch_norm_update_stats_cpu_dispatch.h
						batch_norm_update_stats_cuda_dispatch.h
						batch_norm_update_stats_native.h
						batch_norm_update_stats_ops.h
						bernoulli.h
						bernoulli_compositeexplicitautogradnonfunctional_dispatch.h
						bernoulli_compositeexplicitautograd_dispatch.h
						bernoulli_cpu_dispatch.h
						bernoulli_cuda_dispatch.h
						bernoulli_meta_dispatch.h
						bernoulli_native.h
						bernoulli_ops.h
						bilinear.h
						bilinear_compositeimplicitautograd_dispatch.h
						bilinear_native.h
						bilinear_ops.h
						binary_cross_entropy.h
						binary_cross_entropy_backward.h
						binary_cross_entropy_backward_cpu_dispatch.h
						binary_cross_entropy_backward_cuda_dispatch.h
						binary_cross_entropy_backward_native.h
						binary_cross_entropy_backward_ops.h
						binary_cross_entropy_cpu_dispatch.h
						binary_cross_entropy_cuda_dispatch.h
						binary_cross_entropy_native.h
						binary_cross_entropy_ops.h
						binary_cross_entropy_with_logits.h

						bitwise_right_shift_compositeexplicitautogradnonfunctional_dispatch.h
						bitwise_right_shift_compositeexplicitautograd_dispatch.h
						bitwise_right_shift_cpu_dispatch.h
						bitwise_right_shift_cuda_dispatch.h
						bitwise_right_shift_meta.h
						bitwise_right_shift_meta_dispatch.h
						bitwise_right_shift_native.h
						bitwise_right_shift_ops.h
						bitwise_xor.h
						bitwise_xor_compositeexplicitautogradnonfunctional_dispatch.h
						bitwise_xor_compositeexplicitautograd_dispatch.h
						bitwise_xor_cpu_dispatch.h
						bitwise_xor_cuda_dispatch.h
						bitwise_xor_meta.h
						bitwise_xor_meta_dispatch.h
						bitwise_xor_native.h
						bitwise_xor_ops.h
						blackman_window.h
						blackman_window_compositeexplicitautograd_dispatch.h
						blackman_window_native.h
						blackman_window_ops.h
						block_diag.h
						block_diag_compositeexplicitautograd_dispatch.h
						block_diag_native.h
						block_diag_ops.h
						bmm.h
						bmm_compositeexplicitautogradnonfunctional_dispatch.h
						bmm_cpu_dispatch.h
						bmm_cuda_dispatch.h
						bmm_meta.h
						bmm_meta_dispatch.h
						bmm_native.h
						bmm_ops.h
						broadcast_tensors.h
						broadcast_tensors_compositeimplicitautograd_dispatch.h
						broadcast_tensors_native.h
						broadcast_tensors_ops.h
						broadcast_to.h
						broadcast_to_compositeimplicitautograd_dispatch.h
						broadcast_to_native.h
						broadcast_to_ops.h
						bucketize.h
						bucketize_compositeexplicitautograd_dispatch.h
						bucketize_cpu_dispatch.h
						bucketize_cuda_dispatch.h
						bucketize_native.h
						bucketize_ops.h
						can_cast.h
						can_cast_compositeimplicitautograd_dispatch.h
						can_cast_native.h
						can_cast_ops.h

						cartesian_prod.h
						cartesian_prod_compositeimplicitautograd_dispatch.h
						cartesian_prod_native.h
						cartesian_prod_ops.h
						cat.h
						cat_compositeexplicitautogradnonfunctional_dispatch.h
						cat_compositeimplicitautograd_dispatch.h
						cat_cpu_dispatch.h
						cat_cuda_dispatch.h
						cat_meta.h
						cat_meta_dispatch.h
						cat_native.h
						cat_ops.h
						cauchy.h
						cauchy_compositeexplicitautograd_dispatch.h
						cauchy_cpu_dispatch.h
						cauchy_cuda_dispatch.h
						cauchy_meta_dispatch.h
						cauchy_native.h
						cauchy_ops.h
						ccol_indices.h
						ccol_indices_compositeexplicitautograd_dispatch.h
						ccol_indices_copy.h
						ccol_indices_copy_compositeexplicitautogradnonfunctional_dispatch.h
						ccol_indices_copy_compositeexplicitautograd_dispatch.h
						ccol_indices_copy_native.h
						ccol_indices_copy_ops.h
						ccol_indices_native.h
						ccol_indices_ops.h
						cdist.h
						cdist_compositeimplicitautograd_dispatch.h
						cdist_native.h
						cdist_ops.h
						ceil.h
						ceil_compositeexplicitautogradnonfunctional_dispatch.h
						ceil_cpu_dispatch.h
						ceil_cuda_dispatch.h
						ceil_meta.h
						ceil_meta_dispatch.h
						ceil_native.h
						ceil_ops.h
						celu.h
						celu_compositeexplicitautograd_dispatch.h
						celu_native.h
						celu_ops.h
						chain_matmul.h
						chain_matmul_compositeimplicitautograd_dispatch.h
						chain_matmul_native.h
						chain_matmul_ops.h
						chalf.h
						chalf_compositeimplicitautograd_dispatch.h

					chalf_native.h
					chalf_ops.h
					channel_shuffle.h
					channel_shuffle_compositeexplicitautograd_dispatch.h
					channel_shuffle_cpu_dispatch.h
					channel_shuffle_cuda_dispatch.h
					channel_shuffle_native.h
					channel_shuffle_ops.h
					cholesky.h
					cholesky_cpu_dispatch.h
					cholesky_cuda_dispatch.h
					cholesky_inverse.h
					cholesky_inverse_cpu_dispatch.h
					cholesky_inverse_cuda_dispatch.h
					cholesky_inverse_native.h
					cholesky_inverse_ops.h
					cholesky_native.h
					cholesky_ops.h
					cholesky_solve.h
					cholesky_solve_compositeexplicitautograd_dispatch.h
					cholesky_solve_native.h
					cholesky_solve_ops.h
					choose_qparams_optimized.h
					choose_qparams_optimized_compositeimplicitautograd_dispatch.h
					choose_qparams_optimized_native.h
					choose_qparams_optimized_ops.h
					chunk.h
					chunk_compositeimplicitautograd_dispatch.h
					chunk_native.h
					chunk_ops.h
					clamp.h
					clamp_compositeexplicitautogradnonfunctional_dispatch.h
					clamp_cpu_dispatch.h
					clamp_cuda_dispatch.h
					clamp_max.h
					clamp_max_compositeexplicitautogradnonfunctional_dispatch.h
					clamp_max_cpu_dispatch.h
					clamp_max_cuda_dispatch.h
					clamp_max_meta.h
					clamp_max_meta_dispatch.h
					clamp_max_native.h
					clamp_max_ops.h
					clamp_meta.h
					clamp_meta_dispatch.h
					clamp_min.h
					clamp_min_compositeexplicitautogradnonfunctional_dispatch.h
					clamp_min_cpu_dispatch.h
					clamp_min_cuda_dispatch.h
					clamp_min_meta.h
					clamp_min_meta_dispatch.h
					clamp_min_native.h

						clamp_min_ops.h
						clamp_native.h
						clamp_ops.h
						clip.h
						clip_compositeimplicitautograd_dispatch.h
						clip_native.h
						clip_ops.h
						clone.h
						clone_compositeexplicitautograd_dispatch.h
						clone_native.h
						clone_ops.h
						coalesce.h
						coalesce_compositeimplicitautograd_dispatch.h
						coalesce_native.h
						coalesce_ops.h
						col2im.h
						col2im_cpu_dispatch.h
						col2im_cuda_dispatch.h
						col2im_native.h
						col2im_ops.h
						column_stack.h
						column_stack_compositeimplicitautograd_dispatch.h
						column_stack_native.h
						column_stack_ops.h
						col_indices.h
						col_indices_compositeexplicitautograd_dispatch.h
						col_indices_copy.h
						col_indices_copy_compositeexplicitautogradnonfunctional_dispatch.h
						col_indices_copy_compositeexplicitautograd_dispatch.h
						col_indices_copy_native.h
						col_indices_copy_ops.h
						col_indices_native.h
						col_indices_ops.h
						combinations.h
						combinations_compositeimplicitautograd_dispatch.h
						combinations_native.h
						combinations_ops.h
						complex.h
						complex_compositeexplicitautograd_dispatch.h
						complex_cpu_dispatch.h
						complex_cuda_dispatch.h
						complex_native.h
						complex_ops.h
						concat.h
						concatenate.h
						concatenate_compositeimplicitautograd_dispatch.h
						concatenate_native.h
						concatenate_ops.h
						concat_compositeimplicitautograd_dispatch.h
						concat_native.h
						concat_ops.h

						conj.h
						conj_compositeimplicitautograd_dispatch.h
						conj_native.h
						conj_ops.h
						conj_physical.h
						conj_physical_compositeexplicitautograd_dispatch.h
						conj_physical_compositeimplicitautograd_dispatch.h
						conj_physical_cpu_dispatch.h
						conj_physical_cuda_dispatch.h
						conj_physical_native.h
						conj_physical_ops.h
						constant_pad_nd.h
						constant_pad_nd_compositeexplicitautograd_dispatch.h
						constant_pad_nd_native.h
						constant_pad_nd_ops.h
						contiguous.h
						contiguous_compositeimplicitautograd_dispatch.h
						contiguous_native.h
						contiguous_ops.h
						conv1d.h
						conv1d_compositeimplicitautograd_dispatch.h
						conv1d_native.h
						conv1d_ops.h
						conv2d.h
						conv2d_compositeimplicitautograd_dispatch.h
						conv2d_native.h
						conv2d_ops.h
						conv3d.h
						conv3d_compositeimplicitautograd_dispatch.h
						conv3d_native.h
						conv3d_ops.h
						convolution.h
						convolution_backward.h
						convolution_backward_compositeexplicitautograd_dispatch.h
						convolution_backward_cuda_dispatch.h
						convolution_backward_native.h
						convolution_backward_ops.h
						convolution_backward_overrideable.h
						convolution_backward_overrideable_compositeexplicitautograd_dispatch.h
						convolution_backward_overrideable_native.h
						convolution_backward_overrideable_ops.h
						convolution_compositeexplicitautograd_dispatch.h
						convolution_native.h
						convolution_ops.h
						convolution_overrideable.h
						convolution_overrideable_compositeexplicitautograd_dispatch.h
						convolution_overrideable_native.h
						convolution_overrideable_ops.h
						conv_depthwise3d.h
						conv_depthwise3d_compositeexplicitautograd_dispatch.h
						conv_depthwise3d_cuda_dispatch.h

									conv_depthwise3d_native.h
									conv_depthwise3d_ops.h
									conv_tbc.h
									conv_tbc_backward.h
									conv_tbc_backward_compositeimplicitautograd_dispatch.h
									conv_tbc_backward_native.h
									conv_tbc_backward_ops.h
									conv_tbc_compositeexplicitautograd_dispatch.h
									conv_tbc_native.h
									conv_tbc_ops.h
									conv_transpose1d.h
									conv_transpose1d_compositeimplicitautograd_dispatch.h
									conv_transpose1d_native.h
									conv_transpose1d_ops.h
									convTranspose2d.h
									convTranspose2d_compositeimplicitautograd_dispatch.h
									convTranspose2d_native.h
									convTranspose2d_ops.h
									convTranspose3d.h
									convTranspose3d_compositeimplicitautograd_dispatch.h
									convTranspose3d_native.h
									convTranspose3d_ops.h
									copy.h
									copysign.h
									copysign_compositeexplicitautogradnonfunctional_dispatch.h
									copysign_compositeexplicitautograd_dispatch.h
									copysign_cpu_dispatch.h
									copysign_cuda_dispatch.h
									copysign_meta.h
									copysign_meta_dispatch.h
									copysign_native.h
									copysign_ops.h
									copy_compositeexplicitautogradnonfunctional_dispatch.h
									copy_compositeexplicitautograd_dispatch.h
									copyMetaDispatch.h
									copyNative.h
									copyOps.h
									copy_sparse_to_sparse.h
									copy_sparse_to_sparse_compositeexplicitautograd_dispatch.h
									copy_sparse_to_sparse_MetaDispatch.h
									copy_sparse_to_sparse_Native.h
									copy_sparse_to_sparse_Ops.h
									corrcoef.h
									corrcoef_compositeimplicitautograd_dispatch.h
									corrcoef_Native.h
									corrcoef_Ops.h
									cos.h
									cosh.h
									cosh_compositeexplicitautogradnonfunctional_dispatch.h
									cosh_CpuDispatch.h
									Cosh_CUDA_Dispatch.h

						cosh_meta.h
						cosh_meta_dispatch.h
						cosh_native.h
						cosh_ops.h
						cosine_embedding_loss.h
						cosine_embedding_loss_compositeimplicitautograd_dispatch.h
						cosine_embedding_loss_native.h
						cosine_embedding_loss_ops.h
						cosine_similarity.h
						cosine_similarity_compositeimplicitautograd_dispatch.h
						cosine_similarity_native.h
						cosine_similarity_ops.h
						cos_compositeexplicitautogradnonfunctional_dispatch.h
						cos_cpu_dispatch.h
						cos_cuda_dispatch.h
						cos_meta.h
						cos_meta_dispatch.h
						cos_native.h
						cos_ops.h
						count_nonzero.h
						count_nonzero_compositeexplicitautograd_dispatch.h
						count_nonzero_cpu_dispatch.h
						count_nonzero_cuda_dispatch.h
						count_nonzero_native.h
						count_nonzero_ops.h
						cov.h
						cov_compositeimplicitautograd_dispatch.h
						cov_native.h
						cov_ops.h
						cross.h
						cross_compositeimplicitautograd_dispatch.h
						cross_entropy_loss.h
						cross_entropy_loss_compositeimplicitautograd_dispatch.h
						cross_entropy_loss_native.h
						cross_entropy_loss_ops.h
						cross_native.h
						cross_ops.h
						crow_indices.h
						crow_indices_compositeexplicitautograd_dispatch.h
						crow_indices_copy.h
						crow_indices_copy_compositeexplicitautogradnonfunctional_dispatch.h
						crow_indices_copy_compositeexplicitautograd_dispatch.h
						crow_indices_copy_native.h
						crow_indices_copy_ops.h
						crow_indices_native.h
						crow_indices_ops.h
						ctc_loss.h
						ctc_loss_compositeimplicitautograd_dispatch.h
						ctc_loss_native.h
						ctc_loss_ops.h
						cudnn_affine_grid_generator.h

					cudnn_affine_grid_generator_backward.h
					cudnn_affine_grid_generator_backward_compositeexplicitautograd_dispatch.h
					cudnn_affine_grid_generator_backward_cuda_dispatch.h
					cudnn_affine_grid_generator_backward_native.h
					cudnn_affine_grid_generator_backward_ops.h
					cudnn_affine_grid_generator_compositeexplicitautograd_dispatch.h
					cudnn_affine_grid_generator_cuda_dispatch.h
					cudnn_affine_grid_generator_native.h
					cudnn_affine_grid_generator_ops.h
					cudnn_batch_norm.h
					cudnn_batch_norm_backward.h
					cudnn_batch_norm_backward_compositeexplicitautograd_dispatch.h
					cudnn_batch_norm_backward_cuda_dispatch.h
					cudnn_batch_norm_backward_native.h
					cudnn_batch_norm_backward_ops.h
					cudnn_batch_norm_compositeexplicitautograd_dispatch.h
					cudnn_batch_norm_cuda_dispatch.h
					cudnn_batch_norm_native.h
					cudnn_batch_norm_ops.h
					cudnn_convolution.h
					cudnn_convolution_add_relu.h
					cudnn_convolution_add_relu_compositeexplicitautograd_dispatch.h
					cudnn_convolution_add_relu_cuda_dispatch.h
					cudnn_convolution_add_relu_native.h
					cudnn_convolution_add_relu_ops.h
					cudnn_convolution_cuda_dispatch.h
					cudnn_convolution_native.h
					cudnn_convolution_ops.h
					cudnn_convolution_relu.h
					cudnn_convolution_relu_compositeexplicitautograd_dispatch.h
					cudnn_convolution_relu_cuda_dispatch.h
					cudnn_convolution_relu_native.h
					cudnn_convolution_relu_ops.h
					cudnn_convolution_transpose.h
					cudnn_convolution_transpose_compositeexplicitautograd_dispatch.h
					cudnn_convolution_transpose_cuda_dispatch.h
					cudnn_convolution_transpose_native.h
					cudnn_convolution_transpose_ops.h
					cudnn_grid_sampler.h
					cudnn_grid_sampler_backward.h
					cudnn_grid_sampler_backward_compositeexplicitautograd_dispatch.h
					cudnn_grid_sampler_backward_cuda_dispatch.h
					cudnn_grid_sampler_backward_native.h
					cudnn_grid_sampler_backward_ops.h
					cudnn_grid_sampler_compositeexplicitautograd_dispatch.h
					cudnn_grid_sampler_cuda_dispatch.h
					cudnn_grid_sampler_native.h
					cudnn_grid_sampler_ops.h
					cudnn_is_acceptable.h
					cudnn_is_acceptable_compositeimplicitautograd_dispatch.h
					cudnn_is_acceptable_native.h

					cudnn_is_acceptable_ops.h
					cummax.h
					cummaxmin_backward.h
					cummaxmin_backward_compositeimplicitautograd_dispatch.h
					cummaxmin_backward_native.h
					cummaxmin_backward_ops.h
					cummax_compositeexplicitautograd_dispatch.h
					cummax_compositeimplicitautograd_dispatch.h
					cummax_native.h
					cummax_ops.h
					cummin.h
					cummin_compositeexplicitautograd_dispatch.h
					cummin_compositeimplicitautograd_dispatch.h
					cummin_native.h
					cummin_ops.h
					cumprod.h
					cumprod_backward.h
					cumprod_backward_compositeimplicitautograd_dispatch.h
					cumprod_backward_native.h
					cumprod_backward_ops.h
					cumprod_compositeexplicitautogradnonfunctional_dispatch.h
					cumprod_compositeimplicitautograd_dispatch.h
					cumprod_cpu_dispatch.h
					cumprod_cuda_dispatch.h
					cumprod_meta.h
					cumprod_meta_dispatch.h
					cumprod_native.h
					cumprod_ops.h
					cumsum.h
					cumsum_compositeexplicitautogradnonfunctional_dispatch.h
					cumsum_compositeimplicitautograd_dispatch.h
					cumsum_cpu_dispatch.h
					cumsum_cuda_dispatch.h
					cumsum_meta.h
					cumsum_meta_dispatch.h
					cumsum_native.h
					cumsum_ops.h
					cumulative_trapezoid.h
					cumulative_trapezoid_compositeimplicitautograd_dispatch.h
					cumulative_trapezoid_native.h
					cumulative_trapezoid_ops.h
					data.h
					data_compositeimplicitautograd_dispatch.h
					data_native.h
					data_ops.h
					deg2rad.h
					deg2rad_compositeexplicitautograd_dispatch.h
					deg2rad_native.h
					deg2rad_ops.h
					dense_dim.h
					dense_dim_compositeexplicitautograd_dispatch.h

					dense_dim_native.h
					dense_dim_ops.h
					dequantize.h
					dequantize_compositeexplicitautograd_dispatch.h
					dequantize_cpu_dispatch.h
					dequantize_cuda_dispatch.h
					dequantize_native.h
					dequantize_ops.h
					det.h
					detach.h
					detach_compositeexplicitautograd_dispatch.h
					detach_copy.h
					detach_copy_compositeexplicitautogradnonfunctional_dispatch.h
					detach_copy_compositeexplicitautograd_dispatch.h
					detach_copy_native.h
					detach_copy_ops.h
					detach_native.h
					detach_ops.h
					det_compositeimplicitautograd_dispatch.h
					det_native.h
					det_ops.h
					diag.h
					diagflat.h
					diagflat_compositeimplicitautograd_dispatch.h
					diagflat_native.h
					diagflat_ops.h
					diagonal.h
					diagonal_backward.h
					diagonal_backward_compositeexplicitautograd_dispatch.h
					diagonal_backward_native.h
					diagonal_backward_ops.h
					diagonal_compositeexplicitautograd_dispatch.h
					diagonal_compositeimplicitautograd_dispatch.h
					diagonal_copy.h
					diagonal_copy_compositeexplicitautogradnonfunctional_dispatch.h
					diagonal_copy_compositeexplicitautograd_dispatch.h
					diagonal_copy_native.h
					diagonal_copy_ops.h
					diagonal_native.h
					diagonal_ops.h
					diagonal_scatter.h
					diagonal_scatter_compositeexplicitautogradnonfunctional_dispatch.h
					diagonal_scatter_compositeexplicitautograd_dispatch.h
					diagonal_scatter_native.h
					diagonal_scatter_ops.h
					diag_compositeimplicitautograd_dispatch.h
					diag_embed.h
					diag_embed_compositeexplicitautogradnonfunctional_dispatch.h
					diag_embed_compositeexplicitautograd_dispatch.h
					diag_embed_native.h
					diag_embed_ops.h

						diag_native.h
						diag_ops.h
						diff.h
						diff_compositeimplicitautograd_dispatch.h
						diff_native.h
						diff_ops.h
						digamma.h
						digamma_compositeexplicitautogradnonfunctional_dispatch.h
						digamma_cpu_dispatch.h
						digamma_cuda_dispatch.h
						digamma_meta.h
						digamma_meta_dispatch.h
						digamma_native.h
						digamma_ops.h
						dist.h
						dist_compositeexplicitautograd_dispatch.h
						dist_native.h
						dist_ops.h
						div.h
						divide.h
						divide_compositeimplicitautograd_dispatch.h
						divide_native.h
						divide_ops.h
						div_compositeexplicitautogradnonfunctional_dispatch.h
						div_compositeexplicitautograd_dispatch.h
						div_cpu_dispatch.h
						div_cuda_dispatch.h
						div_meta.h
						div_meta_dispatch.h
						div_native.h
						div_ops.h
						dot.h
						dot_compositeexplicitautograd_dispatch.h
						dot_cpu_dispatch.h
						dot_cuda_dispatch.h
						dot_native.h
						dot_ops.h
						dropout.h
						dropout_compositeimplicitautograd_dispatch.h
						dropout_native.h
						dropout_ops.h
						dsplit.h
						dsplit_compositeimplicitautograd_dispatch.h
						dsplit_native.h
						dsplit_ops.h
						dstack.h
						dstack_compositeimplicitautograd_dispatch.h
						dstack_native.h
						dstack_ops.h
						einsum.h
						einsum_compositeimplicitautograd_dispatch.h

					einsum_native.h
					einsum_ops.h
					elu.h
					elu_backward.h
					elu_backward_compositeexplicitautogradnonfunctional_dispatch.h
					elu_backward_cpu_dispatch.h
					elu_backward_cuda_dispatch.h
					elu_backward_meta.h
					elu_backward_meta_dispatch.h
					elu_backward_native.h
					elu_backward_ops.h
					elu_compositeexplicitautogradnonfunctional_dispatch.h
					elu_cpu_dispatch.h
					elu_cuda_dispatch.h
					elu_meta.h
					elu_meta_dispatch.h
					elu_native.h
					elu_ops.h
					embedding.h
					embedding_backward.h
					embedding_backward_compositeimplicitautograd_dispatch.h
					embedding_backward_native.h
					embedding_backward_ops.h
					embedding_bag.h
					embedding_bag_compositeimplicitautograd_dispatch.h
					embedding_bag_native.h
					embedding_bag_ops.h
					embedding_compositeexplicitautograd_dispatch.h
					embedding_dense_backward.h
					embedding_dense_backward_compositeexplicitautograd_dispatch.h
					embedding_dense_backward_cpu_dispatch.h
					embedding_dense_backward_cuda_dispatch.h
					embedding_dense_backward_native.h
					embedding_dense_backward_ops.h
					embedding_native.h
					embedding_ops.h
					embedding_renorm.h
					embedding_renorm_compositeexplicitautograd_dispatch.h
					embedding_renorm_cpu_dispatch.h
					embedding_renorm_cuda_dispatch.h
					embedding_renorm_meta_dispatch.h
					embedding_renorm_native.h
					embedding_renorm_ops.h
					embedding_sparse_backward.h
					embedding_sparse_backward_compositeimplicitautograd_dispatch.h
					embedding_sparse_backward_native.h
					embedding_sparse_backward_ops.h
					empty.h
					empty_compositeexplicitautograd_dispatch.h
					empty_compositeimplicitautograd_dispatch.h
					empty_cpu_dispatch.h

							empty_cuda_dispatch.h
							empty_like.h
							empty_like_compositeexplicitautograd_dispatch.h
							empty_like_native.h
							empty_like_ops.h
							empty_meta_dispatch.h
							empty_native.h
							empty_ops.h
							empty_permuted.h
							empty_permuted_compositeexplicitautograd_dispatch.h
							empty_permuted_native.h
							empty_permuted_ops.h
							empty_quantized.h
							empty_quantized_compositeexplicitautograd_dispatch.h
							empty_quantized_native.h
							empty_quantized_ops.h
							empty_strided.h
							empty_strided_compositeexplicitautograd_dispatch.h
							empty_strided_cpu_dispatch.h
							empty_strided_cuda_dispatch.h
							empty_strided_meta_dispatch.h
							empty_strided_native.h
							empty_strided_ops.h
							eq.h
							equal.h
							equal_cpu_dispatch.h
							equal_cuda_dispatch.h
							equal_native.h
							equal_ops.h
							eq_compositeexplicitautogradnonfunctional_dispatch.h
							eq_cpu_dispatch.h
							eq_cuda_dispatch.h
							eq_meta.h
							eq_meta_dispatch.h
							eq_native.h
							eq_ops.h
							erf.h
							erfc.h
							erfc_compositeexplicitautogradnonfunctional_dispatch.h
							erfc_cpu_dispatch.h
							erfc_cuda_dispatch.h
							erfc_meta.h
							erfc_meta_dispatch.h
							erfc_native.h
							erfc_ops.h
							erfinv.h
							erfinv_compositeexplicitautogradnonfunctional_dispatch.h
							erfinv_cpu_dispatch.h
							erfinv_cuda_dispatch.h
							erfinv_meta.h
							erfinv meta dispatch.h

						erfinv_native.h
						erfinv_ops.h
						erf_compositeexplicitautogradnonfunctional_dispatch.h
						erf_cpu_dispatch.h
						erf_cuda_dispatch.h
						erf_meta.h
						erf_meta_dispatch.h
						erf_native.h
						erf_ops.h
						exp.h
						exp2.h
						exp2_compositeexplicitautogradnonfunctional_dispatch.h
						exp2_cpu_dispatch.h
						exp2_cuda_dispatch.h
						exp2_meta.h
						exp2_meta_dispatch.h
						exp2_native.h
						exp2_ops.h
						expand.h
						expand_as.h
						expand_as_compositeimplicitautograd_dispatch.h
						expand_as_native.h
						expand_as_ops.h
						expand_compositeexplicitautograd_dispatch.h
						expand_copy.h
						expand_copy_compositeexplicitautogradnonfunctional_dispatch.h
						expand_copy_compositeexplicitautograd_dispatch.h
						expand_copy_native.h
						expand_copy_ops.h
						expand_native.h
						expand_ops.h
						expm1.h
						expm1_compositeexplicitautogradnonfunctional_dispatch.h
						expm1_cpu_dispatch.h
						expm1_cuda_dispatch.h
						expm1_meta.h
						expm1_meta_dispatch.h
						expm1_native.h
						expm1_ops.h
						exponential.h
						exponential_compositeexplicitautograd_dispatch.h
						exponential_cpu_dispatch.h
						exponential_cuda_dispatch.h
						exponential_meta_dispatch.h
						exponential_native.h
						exponential_ops.h
						exp_compositeexplicitautogradnonfunctional_dispatch.h
						exp_cpu_dispatch.h
						exp_cuda_dispatch.h
						exp_meta.h
						exp_meta_dispatch.h

						exp_native.h
						exp_ops.h
						eye.h
						eye_compositeexplicitautograd_dispatch.h
						eye_cpu_dispatch.h
						eye_cuda_dispatch.h
						eye_meta_dispatch.h
						eye_native.h
						eye_ops.h
						fake_quantize_per_channel_affine.h
						fake_quantize_per_channel_affine_cachemask.h
						fake_quantize_per_channel_affine_cachemask_backward.h
						fake_quantize_per_channel_affine_cachemask_backward_compositeimplicitautograd_dispatch.h
						fake_quantize_per_channel_affine_cachemask_backward_native.h
						fake_quantize_per_channel_affine_cachemask_backward_ops.h
						fake_quantize_per_channel_affine_cachemask_compositeexplicitautograd_dispatch.h
						fake_quantize_per_channel_affine_cachemask_cpu_dispatch.h
						fake_quantize_per_channel_affine_cachemask_cuda_dispatch.h
						fake_quantize_per_channel_affine_cachemask_native.h
						fake_quantize_per_channel_affine_cachemask_ops.h
						fake_quantize_per_channel_affine_compositeimplicitautograd_dispatch.h
						fake_quantize_per_channel_affine_native.h
						fake_quantize_per_channel_affine_ops.h
						fake_quantize_per_tensor_affine.h
						fake_quantize_per_tensor_affine_cachemask.h
						fake_quantize_per_tensor_affine_cachemask_backward.h
						fake_quantize_per_tensor_affine_cachemask_backward_compositeimplicitautograd_dispatch.h
						fake_quantize_per_tensor_affine_cachemask_backward_native.h
						fake_quantize_per_tensor_affine_cachemask_backward_ops.h
						fake_quantize_per_tensor_affine_cachemask_compositeexplicitautograd_dispatch.h
						fake_quantize_per_tensor_affine_cachemask_cpu_dispatch.h
						fake_quantize_per_tensor_affine_cachemask_cuda_dispatch.h
						fake_quantize_per_tensor_affine_cachemask_native.h
						fake_quantize_per_tensor_affine_cachemask_ops.h
						fake_quantize_per_tensor_affine_compositeimplicitautograd_dispatch.h
						fake_quantize_per_tensor_affine_native.h
						fake_quantize_per_tensor_affine_ops.h
						fbgemm_linear_fp16_weight.h
						fbgemm_linear_fp16_weight_compositeimplicitautograd_dispatch.h
						fbgemm_linear_fp16_weight_fp32_activation.h
						fbgemm_linear_fp16_weight_fp32_activation_compositeimplicitautograd_dispatch.h
						fbgemm_linear_fp16_weight_fp32_activation_native.h
						fbgemm_linear_fp16_weight_fp32_activation_ops.h
						fbgemm_linear_fp16_weight_native.h
						fbgemm_linear_fp16_weight_ops.h
						fbgemm_linear_int8_weight.h
						fbgemm_linear_int8_weight_compositeimplicitautograd_dispatch.h
						fbgemm_linear_int8_weight_fp32_activation.h
						fbgemm_linear_int8_weight_fp32_activation_compositeimplicitautograd_dispatch.h
						fbgemm_linear_int8_weight_fp32_activation_native.h
						fbgemm_linear_int8_weight_fp32_activation_ops.h

						fbgemm_linear_int8_weight_native.h
						fbgemm_linear_int8_weight_ops.h
						fbgemm_linear_quantize_weight.h
						fbgemm_linear_quantize_weight_compositeimplicitautograd_dispatch.h
						fbgemm_linear_quantize_weight_native.h
						fbgemm_linear_quantize_weight_ops.h
						fbgemm_pack_gemm_matrix_fp16.h
						fbgemm_pack_gemm_matrix_fp16_compositeimplicitautograd_dispatch.h
						fbgemm_pack_gemm_matrix_fp16_native.h
						fbgemm_pack_gemm_matrix_fp16_ops.h
						fbgemm_pack_quantized_matrix.h
						fbgemm_pack_quantized_matrix_compositeimplicitautograd_dispatch.h
						fbgemm_pack_quantized_matrix_native.h
						fbgemm_pack_quantized_matrix_ops.h
						feature_alpha_dropout.h
						feature_alpha_dropout_compositeimplicitautograd_dispatch.h
						feature_alpha_dropout_native.h
						feature_alpha_dropout_ops.h
						feature_dropout.h
						feature_dropout_compositeimplicitautograd_dispatch.h
						feature_dropout_native.h
						feature_dropout_ops.h
						fft_fft.h
						fft_fft2.h
						fft_fft2_compositeimplicitautograd_dispatch.h
						fft_fft2_native.h
						fft_fft2_ops.h
						fft_fftfreq.h
						fft_fftfreq_compositeexplicitautograd_dispatch.h
						fft_fftfreq_native.h
						fft_fftfreq_ops.h
						fft_fftn.h
						fft_fftn_compositeimplicitautograd_dispatch.h
						fft_fftn_native.h
						fft_fftn_ops.h
						fft_fftshift.h
						fft_fftshift_compositeimplicitautograd_dispatch.h
						fft_fftshift_native.h
						fft_fftshift_ops.h
						fft_fft_compositeimplicitautograd_dispatch.h
						fft_fft_native.h
						fft_fft_ops.h
						fft_hfft.h
						fft_hfft2.h
						fft_hfft2_compositeimplicitautograd_dispatch.h
						fft_hfft2_native.h
						fft_hfft2_ops.h
						fft_hfftn.h
						fft_hfftn_compositeimplicitautograd_dispatch.h
						fft_hfftn_native.h
						fft_hfftn_ops.h

						fft_rfftfreq_ops.h
						fft_rfftn.h
						fft_rfftn_compositeimplicitautograd_dispatch.h
						fft_rfftn_native.h
						fft_rfftn_ops.h
						fft_rfft_compositeimplicitautograd_dispatch.h
						fft_rfft_native.h
						fft_rfft_ops.h
						fill.h
						fill_compositeexplicitautograd_dispatch.h
						fill_cpu_dispatch.h
						fill_cuda_dispatch.h
						fill_diagonal.h
						fill_diagonal_compositeimplicitautograd_dispatch.h
						fill_diagonal_native.h
						fill_diagonal_ops.h
						fill_meta_dispatch.h
						fill_native.h
						fill_ops.h
						fix.h
						fix_compositeimplicitautograd_dispatch.h
						fix_native.h
						fix_ops.h
						flatten.h
						flatten_compositeimplicitautograd_dispatch.h
						flatten_dense_tensors.h
						flatten_dense_tensors_compositeimplicitautograd_dispatch.h
						flatten_dense_tensors_native.h
						flatten_dense_tensors_ops.h
						flatten_native.h
						flatten_ops.h
						flip.h
						fliplr.h
						fliplr_compositeimplicitautograd_dispatch.h
						fliplr_native.h
						fliplr_ops.h
						flipud.h
						flipud_compositeimplicitautograd_dispatch.h
						flipud_native.h
						flipud_ops.h
						flip_compositeexplicitautograd_dispatch.h
						flip_cpu_dispatch.h
						flip_cuda_dispatch.h
						flip_native.h
						flip_ops.h
						float_power.h
						float_power_compositeimplicitautograd_dispatch.h
						float_power_native.h
						float_power_ops.h
						floor.h
						floor_compositeexplicitautogradnonfunctional_dispatch.h

					floor_cpu_dispatch.h
					floor_cuda_dispatch.h
					floor_divide.h
					floor_divide_compositeexplicitautograd_dispatch.h
					floor_divide_cpu_dispatch.h
					floor_divide_cuda_dispatch.h
					floor_divide_meta_dispatch.h
					floor_divide_native.h
					floor_divide_ops.h
					floor_meta.h
					floor_meta_dispatch.h
					floor_native.h
					floor_ops.h
					fmax.h
					fmax_compositeexplicitautogradnonfunctional_dispatch.h
					fmax_cpu_dispatch.h
					fmax_cuda_dispatch.h
					fmax_meta.h
					fmax_meta_dispatch.h
					fmax_native.h
					fmax_ops.h
					fmin.h
					fmin_compositeexplicitautogradnonfunctional_dispatch.h
					fmin_cpu_dispatch.h
					fmin_cuda_dispatch.h
					fmin_meta.h
					fmin_meta_dispatch.h
					fmin_native.h
					fmin_ops.h
					fmod.h
					fmod_compositeexplicitautogradnonfunctional_dispatch.h
					fmod_compositeexplicitautograd_dispatch.h
					fmod_cpu_dispatch.h
					fmod_cuda_dispatch.h
					fmod_meta.h
					fmod_meta_dispatch.h
					fmod_native.h
					fmod_ops.h
					frac.h
					fractional_max_pool2d.h
					fractional_max_pool2d_backward.h
					fractional_max_pool2d_backward_compositeexplicitautogradnonfunctional_dispatch.h
					fractional_max_pool2d_backward_cpu_dispatch.h
					fractional_max_pool2d_backward_cuda_dispatch.h
					fractional_max_pool2d_backward_meta.h
					fractional_max_pool2d_backward_meta_dispatch.h
					fractional_max_pool2d_backward_native.h
					fractional_max_pool2d_backward_ops.h
					fractional_max_pool2d_compositeexplicitautogradnonfunctional_dispatch.h
					fractional_max_pool2d_cpu_dispatch.h
					fractional_max_pool2d_cuda_dispatch.h

						fractional_max_pool2d_meta.h
						fractional_max_pool2d_meta_dispatch.h
						fractional_max_pool2d_native.h
						fractional_max_pool2d_ops.h
						fractional_max_pool3d.h
						fractional_max_pool3d_backward.h
						fractional_max_pool3d_backward_cpu_dispatch.h
						fractional_max_pool3d_backward_cuda_dispatch.h
						fractional_max_pool3d_backward_native.h
						fractional_max_pool3d_backward_ops.h
						fractional_max_pool3d_compositeexplicitautogradnonfunctional_dispatch.h
						fractional_max_pool3d_cpu_dispatch.h
						fractional_max_pool3d_cuda_dispatch.h
						fractional_max_pool3d_meta.h
						fractional_max_pool3d_meta_dispatch.h
						fractional_max_pool3d_native.h
						fractional_max_pool3d_ops.h
						frac_compositeexplicitautogradnonfunctional_dispatch.h
						frac_cpu_dispatch.h
						frac_cuda_dispatch.h
						frac_meta.h
						frac_meta_dispatch.h
						frac_native.h
						frac_ops.h
						frexp.h
						frexp_compositeexplicitautograd_dispatch.h
						frexp_cpu_dispatch.h
						frexp_cuda_dispatch.h
						frexp_native.h
						frexp_ops.h
						frobenius_norm.h
						frobenius_norm_compositeimplicitautograd_dispatch.h
						frobenius_norm_native.h
						frobenius_norm_ops.h
						from_blob.h
						from_file.h
						from_file_compositeexplicitautograd_dispatch.h
						from_file_cpu_dispatch.h
						from_file_native.h
						from_file_ops.h
						full.h
						full_compositeexplicitautograd_dispatch.h
						full_like.h
						full_like_compositeexplicitautograd_dispatch.h
						full_like_native.h
						full_like_ops.h
						full_native.h
						full_ops.h
						fused_moving_avg_obs_fake_quant.h
						fused_moving_avg_obs_fake_quant_compositeimplicitautograd_dispatch.h
						fused_moving_avg_obs_fake_quant_native.h

					fused_moving_avg_obs_fake_quant_ops.h
					gather.h
					gather_backward.h
					gather_backward_compositeimplicitautograd_dispatch.h
					gather_backward_native.h
					gather_backward_ops.h
					gather_compositeexplicitautogradnonfunctional_dispatch.h
					gather_compositeimplicitautograd_dispatch.h
					gather_cpu_dispatch.h
					gather_cuda_dispatch.h
					gather_meta.h
					gather_meta_dispatch.h
					gather_native.h
					gather_ops.h
					gcd.h
					gcd_compositeexplicitautogradnonfunctional_dispatch.h
					gcd_cpu_dispatch.h
					gcd_cuda_dispatch.h
					gcd_meta.h
					gcd_meta_dispatch.h
					gcd_native.h
					gcd_ops.h
					ge.h
					gelu.h
					gelu_backward.h
					gelu_backward_compositeexplicitautogradnonfunctional_dispatch.h
					gelu_backward_cpu_dispatch.h
					gelu_backward_cuda_dispatch.h
					gelu_backward_meta.h
					gelu_backward_meta_dispatch.h
					gelu_backward_native.h
					gelu_backward_ops.h
					gelu_compositeexplicitautogradnonfunctional_dispatch.h
					gelu_cpu_dispatch.h
					gelu_cuda_dispatch.h
					gelu_meta.h
					gelu_meta_dispatch.h
					gelu_native.h
					gelu_ops.h
					geometric.h
					geometric_compositeexplicitautograd_dispatch.h
					geometric_cpu_dispatch.h
					geometric_cuda_dispatch.h
					geometric_meta_dispatch.h
					geometric_native.h
					geometric_ops.h
					geqrf.h
					geqrf_cpu_dispatch.h
					geqrf_cuda_dispatch.h
					geqrf_native.h
					geqrf_ops.h

							ger.h
							ger_compositeimplicitautograd_dispatch.h
							ger_native.h
							ger_ops.h
							ge_compositeexplicitautogradnonfunctional_dispatch.h
							ge_cpu_dispatch.h
							ge_cuda_dispatch.h
							ge_meta.h
							ge_meta_dispatch.h
							ge_native.h
							ge_ops.h
							glu.h
							glu_backward.h
							glu_backward_cpu_dispatch.h
							glu_backward_cuda_dispatch.h
							glu_backward_jvp.h
							glu_backward_jvp_compositeexplicitautograd_dispatch.h
							glu_backward_jvp_cpu_dispatch.h
							glu_backward_jvp_cuda_dispatch.h
							glu_backward_jvp_native.h
							glu_backward_jvp_ops.h
							glu_backward_native.h
							glu_backward_ops.h
							glu_compositeexplicitautogradnonfunctional_dispatch.h
							glu_cpu_dispatch.h
							glu_cuda_dispatch.h
							glu_jvp.h
							glu_jvp_compositeexplicitautograd_dispatch.h
							glu_jvp_cpu_dispatch.h
							glu_jvp_cuda_dispatch.h
							glu_jvp_native.h
							glu_jvp_ops.h
							glu_meta.h
							glu_meta_dispatch.h
							glu_native.h
							glu_ops.h
							gradient.h
							gradient_compositeimplicitautograd_dispatch.h
							gradient_native.h
							gradient_ops.h
							greater.h
							greater_compositeimplicitautograd_dispatch.h
							greater_equal.h
							greater_equal_compositeimplicitautograd_dispatch.h
							greater_equal_native.h
							greater_equal_ops.h
							greater_native.h
							greater_ops.h
							grid_sampler.h
							grid_sampler_2d.h
							grid_sampler_2d_backward.h

						grid_sampler_2d_backward_compositeexplicitautograd_dispatch.h
						grid_sampler_2d_backward_cpu_dispatch.h
						grid_sampler_2d_backward_cuda_dispatch.h
						grid_sampler_2d_backward_native.h
						grid_sampler_2d_backward_ops.h
						grid_sampler_2d_compositeexplicitautograd_dispatch.h
						grid_sampler_2d_cpu_dispatch.h
						grid_sampler_2d_cuda_dispatch.h
						grid_sampler_2d_native.h
						grid_sampler_2d_ops.h
						grid_sampler_3d.h
						grid_sampler_3d_backward.h
						grid_sampler_3d_backward_compositeexplicitautograd_dispatch.h
						grid_sampler_3d_backward_cpu_dispatch.h
						grid_sampler_3d_backward_cuda_dispatch.h
						grid_sampler_3d_backward_native.h
						grid_sampler_3d_backward_ops.h
						grid_sampler_3d_compositeexplicitautograd_dispatch.h
						grid_sampler_3d_cpu_dispatch.h
						grid_sampler_3d_cuda_dispatch.h
						grid_sampler_3d_native.h
						grid_sampler_3d_ops.h
						grid_sampler_compositeimplicitautograd_dispatch.h
						grid_sampler_native.h
						grid_sampler_ops.h
						group_norm.h
						group_norm_compositeimplicitautograd_dispatch.h
						group_norm_native.h
						group_norm_ops.h
						gru.h
						gru_cell.h
						gru_cell_compositeimplicitautograd_dispatch.h
						gru_cell_native.h
						gru_cell_ops.h
						gru_compositeimplicitautograd_dispatch.h
						gru_native.h
						gru_ops.h
						gt.h
						gt_compositeexplicitautogradnonfunctional_dispatch.h
						gt_cpu_dispatch.h
						gt_cuda_dispatch.h
						gt_meta.h
						gt_meta_dispatch.h
						gt_native.h
						gt_ops.h
						hamming_window.h
						hamming_window_compositeexplicitautograd_dispatch.h
						hamming_window_native.h
						hamming_window_ops.h
						hann_window.h
						hann_window_compositeexplicitautograd_dispatch.h

						hann_window_native.h
						hann_window_ops.h
						hardshrink.h
						hardshrink_backward.h
						hardshrink_backward_compositeexplicitautogradnonfunctional_dispatch.h
						hardshrink_backward_cpu_dispatch.h
						hardshrink_backward_cuda_dispatch.h
						hardshrink_backward_meta.h
						hardshrink_backward_meta_dispatch.h
						hardshrink_backward_native.h
						hardshrink_backward_ops.h
						hardshrink_compositeexplicitautogradnonfunctional_dispatch.h
						hardshrink_cpu_dispatch.h
						hardshrink_cuda_dispatch.h
						hardshrink_meta.h
						hardshrink_meta_dispatch.h
						hardshrink_native.h
						hardshrink_ops.h
						hardsigmoid.h
						hardsigmoid_backward.h
						hardsigmoid_backward_compositeexplicitautogradnonfunctional_dispatch.h
						hardsigmoid_backward_cpu_dispatch.h
						hardsigmoid_backward_cuda_dispatch.h
						hardsigmoid_backward_meta.h
						hardsigmoid_backward_meta_dispatch.h
						hardsigmoid_backward_native.h
						hardsigmoid_backward_ops.h
						hardsigmoid_compositeexplicitautogradnonfunctional_dispatch.h
						hardsigmoid_cpu_dispatch.h
						hardsigmoid_cuda_dispatch.h
						hardsigmoid_meta.h
						hardsigmoid_meta_dispatch.h
						hardsigmoid_native.h
						hardsigmoid_ops.h
						hardswish.h
						hardswish_backward.h
						hardswish_backward_compositeexplicitautograd_dispatch.h
						hardswish_backward_cpu_dispatch.h
						hardswish_backward_cuda_dispatch.h
						hardswish_backward_native.h
						hardswish_backward_ops.h
						hardswish_cpu_dispatch.h
						hardswish_cuda_dispatch.h
						hardswish_meta_dispatch.h
						hardswish_native.h
						hardswish_ops.h
						hardtanh.h
						hardtanh_backward.h
						hardtanh_backward_cpu_dispatch.h
						hardtanh_backward_cuda_dispatch.h
						hardtanh_backward_native.h

					hardtanh_backward_ops.h
					hardtanh_cpu_dispatch.h
					hardtanh_cuda_dispatch.h
					hardtanh_meta_dispatch.h
					hardtanh_native.h
					hardtanh_ops.h
					heaviside.h
					heaviside_compositeexplicitautogradnonfunctional_dispatch.h
					heaviside_cpu_dispatch.h
					heaviside_cuda_dispatch.h
					heaviside_meta.h
					heaviside_meta_dispatch.h
					heaviside_native.h
					heaviside_ops.h
					hinge_embedding_loss.h
					hinge_embedding_loss_compositeimplicitautograd_dispatch.h
					hinge_embedding_loss_native.h
					hinge_embedding_loss_ops.h
					histc.h
					histc_cpu_dispatch.h
					histc_cuda_dispatch.h
					histc_native.h
					histc_ops.h
					histogram.h
					histogramdd.h
					histogramdd_compositeimplicitautograd_dispatch.h
					histogramdd_native.h
					histogramdd_ops.h
					histogram_cpu_dispatch.h
					histogram_native.h
					histogram_ops.h
					hsplit.h
					hsplit_compositeimplicitautograd_dispatch.h
					hsplit_native.h
					hsplit_ops.h
					hspmm.h
					hspmm_native.h
					hspmm_ops.h
					hstack.h
					hstack_compositeimplicitautograd_dispatch.h
					hstack_native.h
					hstack_ops.h
					huber_loss.h
					huber_loss_backward.h
					huber_loss_backward_compositeexplicitautograd_dispatch.h
					huber_loss_backward_cpu_dispatch.h
					huber_loss_backward_cuda_dispatch.h
					huber_loss_backward_native.h
					huber_loss_backward_ops.h
					huber_loss_cpu_dispatch.h
					huber_loss_cuda_dispatch.h

						huber_loss_native.h
						huber_loss_ops.h
						hypot.h
						hypot_compositeexplicitautogradnonfunctional_dispatch.h
						hypot_cpu_dispatch.h
						hypot_cuda_dispatch.h
						hypot_meta.h
						hypot_meta_dispatch.h
						hypot_native.h
						hypot_ops.h
						i0.h
						i0_compositeexplicitautogradnonfunctional_dispatch.h
						i0_cpu_dispatch.h
						i0_cuda_dispatch.h
						i0_meta.h
						i0_meta_dispatch.h
						i0_native.h
						i0_ops.h
						igamma.h
						igammac.h
						igammac_compositeexplicitautogradnonfunctional_dispatch.h
						igammac_cpu_dispatch.h
						igammac_cuda_dispatch.h
						igammac_meta.h
						igammac_meta_dispatch.h
						igammac_native.h
						igammac_ops.h
						igamma_compositeexplicitautogradnonfunctional_dispatch.h
						igamma_cpu_dispatch.h
						igamma_cuda_dispatch.h
						igamma_meta.h
						igamma_meta_dispatch.h
						igamma_native.h
						igamma_ops.h
						im2col.h
						im2col_cpu_dispatch.h
						im2col_cuda_dispatch.h
						im2col_native.h
						im2col_ops.h
						imag.h
						imag_compositeimplicitautograd_dispatch.h
						imag_native.h
						imag_ops.h
						index.h
						index_add.h
						index_add_compositeexplicitautogradnonfunctional_dispatch.h
						index_add_compositeimplicitautograd_dispatch.h
						index_add_cpu_dispatch.h
						index_add_cuda_dispatch.h
						index_add_meta.h
						index_add_meta_dispatch.h

						index_add_native.h
						index_add_ops.h
						index_compositeexplicitautogradnonfunctional_dispatch.h
						index_copy.h
						index_copy_compositeexplicitautogradnonfunctional_dispatch.h
						index_copy_compositeimplicitautograd_dispatch.h
						index_copy_cpu_dispatch.h
						index_copy_cuda_dispatch.h
						index_copy_meta.h
						index_copy_meta_dispatch.h
						index_copy_native.h
						index_copy_ops.h
						index_cpu_dispatch.h
						index_cuda_dispatch.h
						index_fill.h
						index_fill_compositeexplicitautograd_dispatch.h
						index_fill_compositeimplicitautograd_dispatch.h
						index_fill_cpu_dispatch.h
						index_fill_cuda_dispatch.h
						index_fill_meta_dispatch.h
						index_fill_native.h
						index_fill_ops.h
						index_meta.h
						index_meta_dispatch.h
						index_native.h
						index_ops.h
						index_put.h
						index_put_compositeexplicitautograd_dispatch.h
						index_put_native.h
						index_put_ops.h
						index_reduce.h
						index_reduce_compositeexplicitautogradnonfunctional_dispatch.h
						index_reduce_cpu_dispatch.h
						index_reduce_cuda_dispatch.h
						index_reduce_meta.h
						index_reduce_meta_dispatch.h
						index_reduce_native.h
						index_reduce_ops.h
						index_select.h
						index_select_backward.h
						index_select_backward_compositeimplicitautograd_dispatch.h
						index_select_backward_native.h
						index_select_backward_ops.h
						index_select_compositeimplicitautograd_dispatch.h
						index_select_cpu_dispatch.h
						index_select_cuda_dispatch.h
						index_select_native.h
						index_select_ops.h
						indices.h
						indices_compositeexplicitautograd_dispatch.h
						indices_copy.h

						indices_copy_compositeexplicitautogradnonfunctional_dispatch.h
						indices_copy_compositeexplicitautograd_dispatch.h
						indices_copy_native.h
						indices_copy_ops.h
						indices_native.h
						indices_ops.h
						infinitely_differentiable_gelu_backward.h
						infinitely_differentiable_gelu_backward_compositeimplicitautograd_dispatch.h
						infinitely_differentiable_gelu_backward_native.h
						infinitely_differentiable_gelu_backward_ops.h
						inner.h
						inner_compositeimplicitautograd_dispatch.h
						inner_native.h
						inner_ops.h
						instance_norm.h
						instance_norm_compositeimplicitautograd_dispatch.h
						instance_norm_native.h
						instance_norm_ops.h
						int_repr.h
						int_repr_compositeexplicitautograd_dispatch.h
						int_repr_native.h
						int_repr_ops.h
						inverse.h
						inverse_compositeimplicitautograd_dispatch.h
						inverse_native.h
						inverse_ops.h
						isclose.h
						isclose_compositeimplicitautograd_dispatch.h
						isclose_native.h
						isclose_ops.h
						isfinite.h
						isfinite_compositeimplicitautograd_dispatch.h
						isfinite_native.h
						isfinite_ops.h
						isin.h
						isinf.h
						isinf_compositeexplicitautograd_dispatch.h
						isinf_native.h
						isinf_ops.h
						isin_compositeexplicitautogradnonfunctional_dispatch.h
						isin_cpu_dispatch.h
						isin_cuda_dispatch.h
						isin_meta.h
						isin_meta_dispatch.h
						isin_native.h
						isin_ops.h
						isnan.h
						isnan_compositeexplicitautograd_dispatch.h
						isnan_cpu_dispatch.h
						isnan_cuda_dispatch.h
						isnan_native.h

						isnan_ops.h
						isneginf.h
						isneginf_compositeexplicitautogradnonfunctional_dispatch.h
						isneginf_cpu_dispatch.h
						isneginf_cuda_dispatch.h
						isneginf_meta.h
						isneginf_meta_dispatch.h
						isneginf_native.h
						isneginf_ops.h
						isposinf.h
						isposinf_compositeexplicitautogradnonfunctional_dispatch.h
						isposinf_cpu_dispatch.h
						isposinf_cuda_dispatch.h
						isposinf_meta.h
						isposinf_meta_dispatch.h
						isposinf_native.h
						isposinf_ops.h
						isreal.h
						isreal_compositeimplicitautograd_dispatch.h
						isreal_native.h
						isreal_ops.h
						istft.h
						istft_compositeimplicitautograd_dispatch.h
						istft_native.h
						istft_ops.h
						is_coalesced.h
						is_coalesced_compositeexplicitautograd_dispatch.h
						is_coalesced_native.h
						is_coalesced_ops.h
						is_complex.h
						is_complex_compositeimplicitautograd_dispatch.h
						is_complex_native.h
						is_complex_ops.h
						is_conj.h
						is_conj_compositeimplicitautograd_dispatch.h
						is_conj_native.h
						is_conj_ops.h
						is_distributed.h
						is_distributed_compositeimplicitautograd_dispatch.h
						is_distributed_native.h
						is_distributed_ops.h
						is_floating_point.h
						is_floating_point_compositeimplicitautograd_dispatch.h
						is_floating_point_native.h
						is_floating_point_ops.h
						is_inference.h
						is_inference_compositeimplicitautograd_dispatch.h
						is_inference_native.h
						is_inference_ops.h
						is_leaf.h
						is_leaf_compositeimplicitautograd_dispatch.h

					kthvalue_cuda_dispatch.h
					kthvalue_native.h
					kthvalue_ops.h
					l1_loss.h
					l1_loss_compositeimplicitautograd_dispatch.h
					l1_loss_native.h
					l1_loss_ops.h
					layer_norm.h
					layer_norm_compositeimplicitautograd_dispatch.h
					layer_norm_native.h
					layer_norm_ops.h
					lcm.h
					lcm_compositeexplicitautogradnonfunctional_dispatch.h
					lcm_cpu_dispatch.h
					lcm_cuda_dispatch.h
					lcm_meta.h
					lcm_meta_dispatch.h
					lcm_native.h
					lcm_ops.h
					ldexp.h
					ldexp_compositeimplicitautograd_dispatch.h
					ldexp_native.h
					ldexp_ops.h
					le.h
					leaky_relu.h
					leaky_relu_backward.h
					leaky_relu_backward_compositeexplicitautogradnonfunctional_dispatch.h
					leaky_relu_backward_cpu_dispatch.h
					leaky_relu_backward_cuda_dispatch.h
					leaky_relu_backward_meta.h
					leaky_relu_backward_meta_dispatch.h
					leaky_relu_backward_native.h
					leaky_relu_backward_ops.h
					leaky_relu_compositeexplicitautogradnonfunctional_dispatch.h
					leaky_relu_cpu_dispatch.h
					leaky_relu_cuda_dispatch.h
					leaky_relu_meta.h
					leaky_relu_meta_dispatch.h
					leaky_relu_native.h
					leaky_relu_ops.h
					lerp.h
					lerp_compositeexplicitautogradnonfunctional_dispatch.h
					lerp_cpu_dispatch.h
					lerp_cuda_dispatch.h
					lerp_meta.h
					lerp_meta_dispatch.h
					lerp_native.h
					lerp_ops.h
					less.h
					less_compositeimplicitautograd_dispatch.h
					less_equal.h

						less_equal_compositeimplicitautograd_dispatch.h
						less_equal_native.h
						less_equal_ops.h
						less_native.h
						less_ops.h
						le_compositeexplicitautogradnonfunctional_dispatch.h
						le_cpu_dispatch.h
						le_cuda_dispatch.h
						le_meta.h
						le_meta_dispatch.h
						le_native.h
						le_ops.h
						lgamma.h
						lgamma_compositeexplicitautogradnonfunctional_dispatch.h
						lgamma_cpu_dispatch.h
						lgamma_cuda_dispatch.h
						lgamma_meta.h
						lgamma_meta_dispatch.h
						lgamma_native.h
						lgamma_ops.h
						lift.h
						lift_compositeexplicitautograd_dispatch.h
						lift_fresh.h
						lift_fresh_compositeexplicitautograd_dispatch.h
						lift_fresh_copy.h
						lift_fresh_copy_compositeexplicitautogradnonfunctional_dispatch.h
						lift_fresh_copy_compositeexplicitautograd_dispatch.h
						lift_fresh_copy_native.h
						lift_fresh_copy_ops.h
						lift_fresh_native.h
						lift_fresh_ops.h
						lift_native.h
						lift_ops.h
						linalg_cholesky.h
						linalg_cholesky_compositeimplicitautograd_dispatch.h
						linalg_cholesky_ex.h
						linalg_cholesky_ex_compositeexplicitautogradnonfunctional_dispatch.h
						linalg_cholesky_ex_cpu_dispatch.h
						linalg_cholesky_ex_cuda_dispatch.h
						linalg_cholesky_ex_meta.h
						linalg_cholesky_ex_meta_dispatch.h
						linalg_cholesky_ex_native.h
						linalg_cholesky_ex_ops.h
						linalg_cholesky_native.h
						linalg_cholesky_ops.h
						linalg_cond.h
						linalg_cond_compositeimplicitautograd_dispatch.h
						linalg_cond_native.h
						linalg_cond_ops.h
						linalg_cross.h
						linalg_cross_compositeexplicitautogradnonfunctional_dispatch.h

							linalg_cross_cpu_dispatch.h
							linalg_cross_cuda_dispatch.h
							linalg_cross_meta.h
							linalg_cross_meta_dispatch.h
							linalg_cross_native.h
							linalg_cross_ops.h
							linalg_det.h
							linalg_det_compositeimplicitautograd_dispatch.h
							linalg_det_native.h
							linalg_det_ops.h
							linalg_diagonal.h
							linalg_diagonal_compositeimplicitautograd_dispatch.h
							linalg_diagonal_native.h
							linalg_diagonal_ops.h
							linalg_eig.h
							linalg_eigh.h
							linalg_eigh_compositeimplicitautograd_dispatch.h
							linalg_eigh_native.h
							linalg_eigh_ops.h
							linalg_eigvals.h
							linalg_eigvalsh.h
							linalg_eigvalsh_compositeimplicitautograd_dispatch.h
							linalg_eigvalsh_native.h
							linalg_eigvalsh_ops.h
							linalg_eigvals_compositeimplicitautograd_dispatch.h
							linalg_eigvals_cpu_dispatch.h
							linalg_eigvals_cuda_dispatch.h
							linalg_eigvals_native.h
							linalg_eigvals_ops.h
							linalg_eig_cpu_dispatch.h
							linalg_eig_cuda_dispatch.h
							linalg_eig_native.h
							linalg_eig_ops.h
							linalg_householder_product.h
							linalg_householder_product_cpu_dispatch.h
							linalg_householder_product_cuda_dispatch.h
							linalg_householder_product_native.h
							linalg_householder_product_ops.h
							linalg_inv.h
							linalg_inv_compositeimplicitautograd_dispatch.h
							linalg_inv_ex.h
							linalg_inv_ex_compositeexplicitautogradnonfunctional_dispatch.h
							linalg_inv_ex_cpu_dispatch.h
							linalg_inv_ex_cuda_dispatch.h
							linalg_inv_ex_meta.h
							linalg_inv_ex_meta_dispatch.h
							linalg_inv_ex_native.h
							linalg_inv_ex_ops.h
							linalg_inv_native.h
							linalg_inv_ops.h
							linalg_ldl_factor.h

						linalg_ldl_factor_compositeimplicitautograd_dispatch.h
						linalg_ldl_factor_ex.h
						linalg_ldl_factor_ex_compositeexplicitautogradnonfunctional_dispatch.h
						linalg_ldl_factor_ex_cpu_dispatch.h
						linalg_ldl_factor_ex_cuda_dispatch.h
						linalg_ldl_factor_ex_meta.h
						linalg_ldl_factor_ex_meta_dispatch.h
						linalg_ldl_factor_ex_native.h
						linalg_ldl_factor_ex_ops.h
						linalg_ldl_factor_native.h
						linalg_ldl_factor_ops.h
						linalg_ldl_solve.h
						linalg_ldl_solve_compositeexplicitautogradnonfunctional_dispatch.h
						linalg_ldl_solve_cpu_dispatch.h
						linalg_ldl_solve_cuda_dispatch.h
						linalg_ldl_solve_meta.h
						linalg_ldl_solve_meta_dispatch.h
						linalg_ldl_solve_native.h
						linalg_ldl_solve_ops.h
						linalg_lstsq.h
						linalg_lstsq_compositeexplicitautograd_dispatch.h
						linalg_lstsq_cpu_dispatch.h
						linalg_lstsq_cuda_dispatch.h
						linalg_lstsq_native.h
						linalg_lstsq_ops.h
						linalg_lu.h
						linalg_lu_compositeexplicitautogradnonfunctional_dispatch.h
						linalg_lu_cpu_dispatch.h
						linalg_lu_cuda_dispatch.h
						linalg_lu_factor.h
						linalg_lu_factor_compositeimplicitautograd_dispatch.h
						linalg_lu_factor_ex.h
						linalg_lu_factor_ex_compositeexplicitautogradnonfunctional_dispatch.h
						linalg_lu_factor_ex_cpu_dispatch.h
						linalg_lu_factor_ex_cuda_dispatch.h
						linalg_lu_factor_ex_meta.h
						linalg_lu_factor_ex_meta_dispatch.h
						linalg_lu_factor_ex_native.h
						linalg_lu_factor_ex_ops.h
						linalg_lu_factor_native.h
						linalg_lu_factor_ops.h
						linalg_lu_meta.h
						linalg_lu_meta_dispatch.h
						linalg_lu_native.h
						linalg_lu_ops.h
						linalg_lu_solve.h
						linalg_lu_solve_compositeexplicitautogradnonfunctional_dispatch.h
						linalg_lu_solve_cpu_dispatch.h
						linalg_lu_solve_cuda_dispatch.h
						linalg_lu_solve_meta.h
						linalg_lu_solve_meta_dispatch.h

						linalg_lu_solve_native.h
						linalg_lu_solve_ops.h
						linalg_matmul.h
						linalg_matmul_compositeimplicitautograd_dispatch.h
						linalg_matmul_native.h
						linalg_matmul_ops.h
						linalg_matrix_exp.h
						linalg_matrix_exp_compositeexplicitautograd_dispatch.h
						linalg_matrix_exp_cpu_dispatch.h
						linalg_matrix_exp_cuda_dispatch.h
						linalg_matrix_exp_native.h
						linalg_matrix_exp_ops.h
						linalg_matrix_norm.h
						linalg_matrix_norm_compositeimplicitautograd_dispatch.h
						linalg_matrix_norm_native.h
						linalg_matrix_norm_ops.h
						linalg_matrix_power.h
						linalg_matrix_power_compositeimplicitautograd_dispatch.h
						linalg_matrix_power_native.h
						linalg_matrix_power_ops.h
						linalg_matrix_rank.h
						linalg_matrix_rank_compositeimplicitautograd_dispatch.h
						linalg_matrix_rank_native.h
						linalg_matrix_rank_ops.h
						linalg_multi_dot.h
						linalg_multi_dot_compositeimplicitautograd_dispatch.h
						linalg_multi_dot_native.h
						linalg_multi_dot_ops.h
						linalg_norm.h
						linalg_norm_compositeimplicitautograd_dispatch.h
						linalg_norm_native.h
						linalg_norm_ops.h
						linalg_pinv.h
						linalg_pinv_compositeexplicitautogradnonfunctional_dispatch.h
						linalg_pinv_compositeexplicitautograd_dispatch.h
						linalg_pinv_compositeimplicitautograd_dispatch.h
						linalg_pinv_native.h
						linalg_pinv_ops.h
						linalg_qr.h
						linalg_qr_compositeexplicitautogradnonfunctional_dispatch.h
						linalg_qr_cpu_dispatch.h
						linalg_qr_cuda_dispatch.h
						linalg_qr_meta.h
						linalg_qr_meta_dispatch.h
						linalg_qr_native.h
						linalg_qr_ops.h
						linalg_slogdet.h
						linalg_slogdet_compositeimplicitautograd_dispatch.h
						linalg_slogdet_native.h
						linalg_slogdet_ops.h
						linalg_solve.h

						linalg_solve_compositeimplicitautograd_dispatch.h
						linalg_solve_ex.h
						linalg_solve_ex_compositeimplicitautograd_dispatch.h
						linalg_solve_ex_native.h
						linalg_solve_ex_ops.h
						linalg_solve_native.h
						linalg_solve_ops.h
						linalg_solve_triangular.h
						linalg_solve_triangular_cpu_dispatch.h
						linalg_solve_triangular_cuda_dispatch.h
						linalg_solve_triangular_native.h
						linalg_solve_triangular_ops.h
						linalg_svd.h
						linalg_svdvals.h
						linalg_svdvals_compositeimplicitautograd_dispatch.h
						linalg_svdvals_native.h
						linalg_svdvals_ops.h
						linalg_svd_compositeimplicitautograd_dispatch.h
						linalg_svd_native.h
						linalg_svd_ops.h
						linalg_tensorinv.h
						linalg_tensorinv_compositeimplicitautograd_dispatch.h
						linalg_tensorinv_native.h
						linalg_tensorinv_ops.h
						linalg_tensorsolve.h
						linalg_tensorsolve_compositeimplicitautograd_dispatch.h
						linalg_tensorsolve_native.h
						linalg_tensorsolve_ops.h
						linalg_vander.h
						linalg_vander_compositeimplicitautograd_dispatch.h
						linalg_vander_native.h
						linalg_vander_ops.h
						linalg_vecdot.h
						linalg_vecdot_compositeimplicitautograd_dispatch.h
						linalg_vecdot_native.h
						linalg_vecdot_ops.h
						linalg_vector_norm.h
						linalg_vector_norm_compositeexplicitautogradnonfunctional_dispatch.h
						linalg_vector_norm_cpu_dispatch.h
						linalg_vector_norm_cuda_dispatch.h
						linalg_vector_norm_meta.h
						linalg_vector_norm_meta_dispatch.h
						linalg_vector_norm_native.h
						linalg_vector_norm_ops.h
						linear.h
						linear_backward.h
						linear_backward_compositeexplicitautograd_dispatch.h
						linear_backward_native.h
						linear_backward_ops.h
						linear_compositeexplicitautograd_dispatch.h
						linear_compositeimplicitautograd_dispatch.h

						linear_native.h
						linear_ops.h
						linspace.h
						linspace_compositeexplicitautograd_dispatch.h
						linspace_cpu_dispatch.h
						linspace_cuda_dispatch.h
						linspace_meta_dispatch.h
						linspace_native.h
						linspace_ops.h
						log.h
						log10.h
						log10_compositeexplicitautogradnonfunctional_dispatch.h
						log10_cpu_dispatch.h
						log10_cuda_dispatch.h
						log10_meta.h
						log10_meta_dispatch.h
						log10_native.h
						log10_ops.h
						log1p.h
						log1p_compositeexplicitautogradnonfunctional_dispatch.h
						log1p_cpu_dispatch.h
						log1p_cuda_dispatch.h
						log1p_meta.h
						log1p_meta_dispatch.h
						log1p_native.h
						log1p_ops.h
						log2.h
						log2_compositeexplicitautogradnonfunctional_dispatch.h
						log2_cpu_dispatch.h
						log2_cuda_dispatch.h
						log2_meta.h
						log2_meta_dispatch.h
						log2_native.h
						log2_ops.h
						logaddexp.h
						logaddexp2.h
						logaddexp2_compositeexplicitautogradnonfunctional_dispatch.h
						logaddexp2_cpu_dispatch.h
						logaddexp2_cuda_dispatch.h
						logaddexp2_meta.h
						logaddexp2_meta_dispatch.h
						logaddexp2_native.h
						logaddexp2_ops.h
						logaddexp_compositeexplicitautogradnonfunctional_dispatch.h
						logaddexp_cpu_dispatch.h
						logaddexp_cuda_dispatch.h
						logaddexp_meta.h
						logaddexp_meta_dispatch.h
						logaddexp_native.h
						logaddexp_ops.h
						logcumsumexp.h

						logcumsumexp_compositeexplicitautograd_dispatch.h
						logcumsumexp_compositeimplicitautograd_dispatch.h
						logcumsumexp_native.h
						logcumsumexp_ops.h
						logdet.h
						logdet_compositeimplicitautograd_dispatch.h
						logdet_native.h
						logdet_ops.h
						logical_and.h
						logical_and_compositeexplicitautograd_dispatch.h
						logical_and_cpu_dispatch.h
						logical_and_cuda_dispatch.h
						logical_and_native.h
						logical_and_ops.h
						logical_not.h
						logical_not_compositeexplicitautograd_dispatch.h
						logical_not_cpu_dispatch.h
						logical_not_cuda_dispatch.h
						logical_not_native.h
						logical_not_ops.h
						logical_or.h
						logical_or_compositeexplicitautograd_dispatch.h
						logical_or_cpu_dispatch.h
						logical_or_cuda_dispatch.h
						logical_or_native.h
						logical_or_ops.h
						logical_xor.h
						logical_xor_compositeexplicitautograd_dispatch.h
						logical_xor_cpu_dispatch.h
						logical_xor_cuda_dispatch.h
						logical_xor_native.h
						logical_xor_ops.h
						logit.h
						logit_backward.h
						logit_backward_compositeexplicitautogradnonfunctional_dispatch.h
						logit_backward_cpu_dispatch.h
						logit_backward_cuda_dispatch.h
						logit_backward_meta.h
						logit_backward_meta_dispatch.h
						logit_backward_native.h
						logit_backward_ops.h
						logit_cpu_dispatch.h
						logit_cuda_dispatch.h
						logit_meta_dispatch.h
						logit_native.h
						logit_ops.h
						logspace.h
						logspace_compositeexplicitautograd_dispatch.h
						logspace_cpu_dispatch.h
						logspace_cuda_dispatch.h
						logspace meta_dispatch.h

					logspace_native.h
					logspace_ops.h
					logsumexp.h
					logsumexp_compositeexplicitautogradnonfunctional_dispatch.h
					logsumexp_compositeexplicitautograd_dispatch.h
					logsumexp_compositeimplicitautograd_dispatch.h
					logsumexp_native.h
					logsumexp_ops.h
					log_compositeexplicitautogradnonfunctional_dispatch.h
					log_cpu_dispatch.h
					log_cuda_dispatch.h
					log_meta.h
					log_meta_dispatch.h
					log_native.h
					log_normal.h
					log_normal_compositeexplicitautograd_dispatch.h
					log_normal_cpu_dispatch.h
					log_normal_cuda_dispatch.h
					log_normal_meta_dispatch.h
					log_normal_native.h
					log_normal_ops.h
					log_ops.h
					log_sigmoid.h
					log_sigmoid_backward.h
					log_sigmoid_backward_cpu_dispatch.h
					log_sigmoid_backward_cuda_dispatch.h
					log_sigmoid_backward_native.h
					log_sigmoid_backward_ops.h
					log_sigmoid_compositeimplicitautograd_dispatch.h
					log_sigmoid_forward.h
					log_sigmoid_forward_cpu_dispatch.h
					log_sigmoid_forward_cuda_dispatch.h
					log_sigmoid_forward_native.h
					log_sigmoid_forward_ops.h
					log_sigmoid_native.h
					log_sigmoid_ops.h
					log_softmax.h
					log_softmax_compositeexplicitautograd_dispatch.h
					log_softmax_compositeimplicitautograd_dispatch.h
					log_softmax_native.h
					log_softmax_ops.h
					lshift.h
					lshift_compositeexplicitautograd_dispatch.h
					lshift_cpu_dispatch.h
					lshift_cuda_dispatch.h
					lshift_meta_dispatch.h
					lshift_native.h
					lshift_ops.h
					lstm.h
					lstm_cell.h
					lstm_cell_compositeimplicitautograd_dispatch.h

						lstm_cell_native.h
						lstm_cell_ops.h
						lstm_compositeimplicitautograd_dispatch.h
						lstm_mps_backward.h
						lstm_mps_backward_compositeexplicitautograd_dispatch.h
						lstm_mps_backward_native.h
						lstm_mps_backward_ops.h
						lstm_native.h
						lstm_ops.h
						lt.h
						lt_compositeexplicitautogradnonfunctional_dispatch.h
						lt_cpu_dispatch.h
						lt_cuda_dispatch.h
						lt_meta.h
						lt_meta_dispatch.h
						lt_native.h
						lt_ops.h
						lu_solve.h
						lu_solve_compositeimplicitautograd_dispatch.h
						lu_solve_native.h
						lu_solve_ops.h
						lu_unpack.h
						lu_unpack_compositeexplicitautogradnonfunctional_dispatch.h
						lu_unpack_cpu_dispatch.h
						lu_unpack_cuda_dispatch.h
						lu_unpack_meta.h
						lu_unpack_meta_dispatch.h
						lu_unpack_native.h
						lu_unpack_ops.h
						margin_ranking_loss.h
						margin_ranking_loss_compositeimplicitautograd_dispatch.h
						margin_ranking_loss_native.h
						margin_ranking_loss_ops.h
						masked_fill.h
						masked_fill_compositeexplicitautograd_dispatch.h
						masked_fill_cpu_dispatch.h
						masked_fill_cuda_dispatch.h
						masked_fill_meta_dispatch.h
						masked_fill_native.h
						masked_fill_ops.h
						masked_scatter.h
						masked_scatter_backward.h
						masked_scatter_backward_compositeexplicitautograd_dispatch.h
						masked_scatter_backward_native.h
						masked_scatter_backward_ops.h
						masked_scatter_compositeexplicitautograd_dispatch.h
						masked_scatter_cpu_dispatch.h
						masked_scatter_cuda_dispatch.h
						masked_scatter_meta_dispatch.h
						masked_scatter_native.h
						masked_scatter_ops.h

						masked_select.h
						masked_select_backward.h
						masked_select_backward_compositeimplicitautograd_dispatch.h
						masked_select_backward_native.h
						masked_select_backward_ops.h
						masked_select_cpu_dispatch.h
						masked_select_cuda_dispatch.h
						masked_select_native.h
						masked_select_ops.h
						matmul.h
						matmul_backward.h
						matmul_backward_compositeexplicitautograd_dispatch.h
						matmul_backward_native.h
						matmul_backward_ops.h
						matmul_compositeimplicitautograd_dispatch.h
						matmul_native.h
						matmul_ops.h
						matrix_exp.h
						matrix_exp_backward.h
						matrix_exp_backward_compositeimplicitautograd_dispatch.h
						matrix_exp_backward_native.h
						matrix_exp_backward_ops.h
						matrix_exp_compositeimplicitautograd_dispatch.h
						matrix_exp_native.h
						matrix_exp_ops.h
						matrix_H.h
						matrix_H_compositeimplicitautograd_dispatch.h
						matrix_H_native.h
						matrix_H_ops.h
						matrix_power.h
						matrix_power_compositeimplicitautograd_dispatch.h
						matrix_power_native.h
						matrix_power_ops.h
						max.h
						maximum.h
						maximum_compositeexplicitautogradnonfunctional_dispatch.h
						maximum_cpu_dispatch.h
						maximum_cuda_dispatch.h
						maximum_meta.h
						maximum_meta_dispatch.h
						maximum_native.h
						maximum_ops.h
						max_compositeexplicitautogradnonfunctional_dispatch.h
						max_compositeimplicitautograd_dispatch.h
						max_cpu_dispatch.h
						max_cuda_dispatch.h
						max_meta.h
						max_meta_dispatch.h
						max_native.h
						max_ops.h
						max_pool1d.h

						max_pool1d_compositeimplicitautograd_dispatch.h
						max_pool1d_native.h
						max_pool1d_ops.h
						max_pool1d_with_indices.h
						max_pool1d_with_indices_compositeimplicitautograd_dispatch.h
						max_pool1d_with_indices_native.h
						max_pool1d_with_indices_ops.h
						max_pool2d.h
						max_pool2d_backward.h
						max_pool2d_backward_compositeexplicitautograd_dispatch.h
						max_pool2d_backward_native.h
						max_pool2d_backward_ops.h
						max_pool2d_compositeimplicitautograd_dispatch.h
						max_pool2d_native.h
						max_pool2d_ops.h
						max_pool2d_with_indices.h
						max_pool2d_with_indices_backward.h
						max_pool2d_with_indices_backward_compositeexplicitautogradnonfunctional_dispatch.h
						max_pool2d_with_indices_backward_cpu_dispatch.h
						max_pool2d_with_indices_backward_cuda_dispatch.h
						max_pool2d_with_indices_backward_meta.h
						max_pool2d_with_indices_backward_meta_dispatch.h
						max_pool2d_with_indices_backward_native.h
						max_pool2d_with_indices_backward_ops.h
						max_pool2d_with_indices_compositeexplicitautogradnonfunctional_dispatch.h
						max_pool2d_with_indices_cpu_dispatch.h
						max_pool2d_with_indices_cuda_dispatch.h
						max_pool2d_with_indices_meta.h
						max_pool2d_with_indices_meta_dispatch.h
						max_pool2d_with_indices_native.h
						max_pool2d_with_indices_ops.h
						max_pool3d.h
						max_pool3d_compositeimplicitautograd_dispatch.h
						max_pool3d_native.h
						max_pool3d_ops.h
						max_pool3d_with_indices.h
						max_pool3d_with_indices_backward.h
						max_pool3d_with_indices_backward_cpu_dispatch.h
						max_pool3d_with_indices_backward_cuda_dispatch.h
						max_pool3d_with_indices_backward_native.h
						max_pool3d_with_indices_backward_ops.h
						max_pool3d_with_indices_cpu_dispatch.h
						max_pool3d_with_indices_cuda_dispatch.h
						max_pool3d_with_indices_native.h
						max_pool3d_with_indices_ops.h
						max_unpool2d.h
						max_unpool2d_cpu_dispatch.h
						max_unpool2d_cuda_dispatch.h
						max_unpool2d_native.h
						max_unpool2d_ops.h
						max_unpool3d.h

						max_unpool3d_cpu_dispatch.h
						max_unpool3d_cuda_dispatch.h
						max_unpool3d_native.h
						max_unpool3d_ops.h
						mean.h
						mean_compositeexplicitautogradnonfunctional_dispatch.h
						mean_compositeexplicitautograd_dispatch.h
						mean_compositeimplicitautograd_dispatch.h
						mean_cpu_dispatch.h
						mean_cuda_dispatch.h
						mean_meta.h
						mean_meta_dispatch.h
						mean_native.h
						mean_ops.h
						median.h
						median_compositeexplicitautograd_dispatch.h
						median_compositeimplicitautograd_dispatch.h
						median_cpu_dispatch.h
						median_cuda_dispatch.h
						median_native.h
						median_ops.h
						meshgrid.h
						meshgrid_compositeimplicitautograd_dispatch.h
						meshgrid_native.h
						meshgrid_ops.h
						mH.h
						mH_compositeimplicitautograd_dispatch.h
						mH_native.h
						mH_ops.h
						min.h
						minimum.h
						minimum_compositeexplicitautogradnonfunctional_dispatch.h
						minimum_cpu_dispatch.h
						minimum_cuda_dispatch.h
						minimum_meta.h
						minimum_meta_dispatch.h
						minimum_native.h
						minimum_ops.h
						min_compositeexplicitautogradnonfunctional_dispatch.h
						min_compositeimplicitautograd_dispatch.h
						min_cpu_dispatch.h
						min_cuda_dispatch.h
						min_meta.h
						min_meta_dispatch.h
						min_native.h
						min_ops.h
						miopen_batch_norm.h
						miopen_batch_norm_backward.h
						miopen_batch_norm_backward_compositeexplicitautograd_dispatch.h
						miopen_batch_norm_backward_cuda_dispatch.h
						miopen_batch_norm_backward_native.h

						miopen_batch_norm_backward_ops.h
						miopen_batch_norm_compositeexplicitautograd_dispatch.h
						miopen_batch_norm_cuda_dispatch.h
						miopen_batch_norm_native.h
						miopen_batch_norm_ops.h
						miopen_convolution.h
						miopen_convolution_add_relu.h
						miopen_convolution_add_relu_cuda_dispatch.h
						miopen_convolution_add_relu_native.h
						miopen_convolution_add_relu_ops.h
						miopen_convolution_compositeexplicitautograd_dispatch.h
						miopen_convolution_cuda_dispatch.h
						miopen_convolution_native.h
						miopen_convolution_ops.h
						miopen_convolution_relu.h
						miopen_convolution_relu_cuda_dispatch.h
						miopen_convolution_relu_native.h
						miopen_convolution_relu_ops.h
						miopen_convolution_transpose.h
						miopen_convolution_transpose_compositeexplicitautograd_dispatch.h
						miopen_convolution_transpose_cuda_dispatch.h
						miopen_convolution_transpose_native.h
						miopen_convolution_transpose_ops.h
						miopen_depthwise_convolution.h
						miopen_depthwise_convolution_compositeexplicitautograd_dispatch.h
						miopen_depthwise_convolution_cuda_dispatch.h
						miopen_depthwise_convolution_native.h
						miopen_depthwise_convolution_ops.h
						miopen_rnn.h
						miopen_rnn_backward.h
						miopen_rnn_backward_compositeexplicitautograd_dispatch.h
						miopen_rnn_backward_cuda_dispatch.h
						miopen_rnn_backward_native.h
						miopen_rnn_backward_ops.h
						miopen_rnn_compositeexplicitautograd_dispatch.h
						miopen_rnn_cuda_dispatch.h
						miopen_rnn_native.h
						miopen_rnn_ops.h
						mish.h
						mish_backward.h
						mish_backward_compositeimplicitautograd_dispatch.h
						mish_backward_cpu_dispatch.h
						mish_backward_cuda_dispatch.h
						mish_backward_native.h
						mish_backward_ops.h
						mish_compositeexplicitautogradnonfunctional_dispatch.h
						mish_cpu_dispatch.h
						mish_cuda_dispatch.h
						mish_meta.h
						mish_meta_dispatch.h
						mish_native.h

						mish_ops.h
						mkldnn_adaptive_avg_pool2d.h
						mkldnn_adaptive_avg_pool2d_backward.h
						mkldnn_adaptive_avg_pool2d_backward_compositeexplicitautograd_dispatch.h
						mkldnn_adaptive_avg_pool2d_backward_native.h
						mkldnn_adaptive_avg_pool2d_backward_ops.h
						mkldnn_adaptive_avg_pool2d_native.h
						mkldnn_adaptive_avg_pool2d_ops.h
						mkldnn_convolution.h
						mkldnn_convolution_compositeexplicitautograd_dispatch.h
						mkldnn_convolution_native.h
						mkldnn_convolution_ops.h
						mkldnn_linear.h
						mkldnn_linear_backward.h
						mkldnn_linear_backward_compositeexplicitautograd_dispatch.h
						mkldnn_linear_backward_input.h
						mkldnn_linear_backward_input_compositeexplicitautograd_dispatch.h
						mkldnn_linear_backward_input_native.h
						mkldnn_linear_backward_input_ops.h
						mkldnn_linear_backward_native.h
						mkldnn_linear_backward_ops.h
						mkldnn_linear_backward_weights.h
						mkldnn_linear_backward_weights_compositeexplicitautograd_dispatch.h
						mkldnn_linear_backward_weights_native.h
						mkldnn_linear_backward_weights_ops.h
						mkldnn_linear_compositeexplicitautograd_dispatch.h
						mkldnn_linear_native.h
						mkldnn_linear_ops.h
						mkldnn_max_pool2d.h
						mkldnn_max_pool2d_backward.h
						mkldnn_max_pool2d_backward_compositeexplicitautograd_dispatch.h
						mkldnn_max_pool2d_backward_native.h
						mkldnn_max_pool2d_backward_ops.h
						mkldnn_max_pool2d_compositeexplicitautograd_dispatch.h
						mkldnn_max_pool2d_native.h
						mkldnn_max_pool2d_ops.h
						mkldnn_max_pool3d.h
						mkldnn_max_pool3d_backward.h
						mkldnn_max_pool3d_backward_compositeexplicitautograd_dispatch.h
						mkldnn_max_pool3d_backward_native.h
						mkldnn_max_pool3d_backward_ops.h
						mkldnn_max_pool3d_compositeexplicitautograd_dispatch.h
						mkldnn_max_pool3d_native.h
						mkldnn_max_pool3d_ops.h
						mkldnn_reorder_conv2d_weight.h
						mkldnn_reorder_conv2d_weight_compositeexplicitautograd_dispatch.h
						mkldnn_reorder_conv2d_weight_native.h
						mkldnn_reorder_conv2d_weight_ops.h
						mkldnn_reorder_conv3d_weight.h
						mkldnn_reorder_conv3d_weight_compositeexplicitautograd_dispatch.h
						mkldnn_reorder_conv3d_weight_native.h

					mse_loss_meta.h
					mse_loss_meta_dispatch.h
					mse_loss_native.h
					mse_loss_ops.h
					msort.h
					msort_compositeimplicitautograd_dispatch.h
					msort_native.h
					msort_ops.h
					mT.h
					mT_compositeimplicitautograd_dispatch.h
					mT_native.h
					mT_ops.h
					mul.h
					multilabel_margin_loss.h
					multilabel_margin_loss_backward.h
					multilabel_margin_loss_backward_cpu_dispatch.h
					multilabel_margin_loss_backward_cuda_dispatch.h
					multilabel_margin_loss_backward_native.h
					multilabel_margin_loss_backward_ops.h
					multilabel_margin_loss_compositeimplicitautograd_dispatch.h
					multilabel_margin_loss_forward.h
					multilabel_margin_loss_forward_cpu_dispatch.h
					multilabel_margin_loss_forward_cuda_dispatch.h
					multilabel_margin_loss_forward_native.h
					multilabel_margin_loss_forward_ops.h
					multilabel_margin_loss_native.h
					multilabel_margin_loss_ops.h
					multinomial.h
					multinomial_cpu_dispatch.h
					multinomial_cuda_dispatch.h
					multinomial_native.h
					multinomial_ops.h
					multiply.h
					multiply_compositeimplicitautograd_dispatch.h
					multiply_native.h
					multiply_ops.h
					multi_margin_loss.h
					multi_margin_loss_backward.h
					multi_margin_loss_backward_cpu_dispatch.h
					multi_margin_loss_backward_cuda_dispatch.h
					multi_margin_loss_backward_native.h
					multi_margin_loss_backward_ops.h
					multi_margin_loss_cpu_dispatch.h
					multi_margin_loss_cuda_dispatch.h
					multi_margin_loss_native.h
					multi_margin_loss_ops.h
					mul_compositeexplicitautogradnonfunctional_dispatch.h
					mul_compositeexplicitautograd_dispatch.h
					mul_cpu_dispatch.h
					mul_cuda_dispatch.h
					mul_meta.h

						mul_meta_dispatch.h
						mul_native.h
						mul_ops.h
						mv.h
						mvlgamma.h
						mvlgamma_compositeexplicitautograd_dispatch.h
						mvlgamma_cpu_dispatch.h
						mvlgamma_cuda_dispatch.h
						mvlgamma_native.h
						mvlgamma_ops.h
						mv_compositeexplicitautograd_dispatch.h
						mv_native.h
						mv_ops.h
						nanmean.h
						nanmean_compositeimplicitautograd_dispatch.h
						nanmean_native.h
						nanmean_ops.h
						nanmedian.h
						nanmedian_compositeexplicitautograd_dispatch.h
						nanmedian_compositeimplicitautograd_dispatch.h
						nanmedian_cpu_dispatch.h
						nanmedian_cuda_dispatch.h
						nanmedian_native.h
						nanmedian_ops.h
						nanquantile.h
						nanquantile_compositeimplicitautograd_dispatch.h
						nanquantile_native.h
						nanquantile_ops.h
						nansum.h
						nansum_cpu_dispatch.h
						nansum_cuda_dispatch.h
						nansum_native.h
						nansum_ops.h
						nan_to_num.h
						nan_to_num_compositeexplicitautograd_dispatch.h
						nan_to_num_cpu_dispatch.h
						nan_to_num_cuda_dispatch.h
						nan_to_num_native.h
						nan_to_num_ops.h
						narrow.h
						narrow_compositeimplicitautograd_dispatch.h
						narrow_copy.h
						narrow_copy_compositeexplicitautogradnonfunctional_dispatch.h
						narrow_copy_cpu_dispatch.h
						narrow_copy_native.h
						narrow_copy_ops.h
						narrow_native.h
						narrow_ops.h
						native_batch_norm.h
						native_batch_norm_backward.h
						native_batch_norm_backward_compositeexplicitautograd_dispatch.h

						native_batch_norm_backward_cpu_dispatch.h
						native_batch_norm_backward_cuda_dispatch.h
						native_batch_norm_backward_native.h
						native_batch_norm_backward_ops.h
						native_batch_norm_cpu_dispatch.h
						native_batch_norm_cuda_dispatch.h
						native_batch_norm_native.h
						native_batch_norm_ops.h
						native_channel_shuffle.h
						native_channel_shuffle_compositeimplicitautograd_dispatch.h
						native_channel_shuffle_cpu_dispatch.h
						native_channel_shuffle_native.h
						native_channel_shuffle_ops.h
						native_dropout.h
						native_dropout_backward.h
						native_dropout_backward_compositeexplicitautograd_dispatch.h
						native_dropout_backward_cpu_dispatch.h
						native_dropout_backward_cuda_dispatch.h
						native_dropout_backward_native.h
						native_dropout_backward_ops.h
						native_dropout_compositeexplicitautograd_dispatch.h
						native_dropout_cpu_dispatch.h
						native_dropout_cuda_dispatch.h
						native_dropout_native.h
						native_dropout_ops.h
						native_group_norm.h
						native_group_norm_backward.h
						native_group_norm_backward_compositeexplicitautograd_dispatch.h
						native_group_norm_backward_cpu_dispatch.h
						native_group_norm_backward_cuda_dispatch.h
						native_group_norm_backward_native.h
						native_group_norm_backward_ops.h
						native_group_norm_compositeexplicitautograd_dispatch.h
						native_group_norm_cpu_dispatch.h
						native_group_norm_cuda_dispatch.h
						native_group_norm_native.h
						native_group_norm_ops.h
						native_layer_norm.h
						native_layer_norm_backward.h
						native_layer_norm_backward_compositeexplicitautograd_dispatch.h
						native_layer_norm_backward_cpu_dispatch.h
						native_layer_norm_backward_cuda_dispatch.h
						native_layer_norm_backward_native.h
						native_layer_norm_backward_ops.h
						native_layer_norm_compositeexplicitautograd_dispatch.h
						native_layer_norm_cpu_dispatch.h
						native_layer_norm_cuda_dispatch.h
						native_layer_norm_native.h
						native_layer_norm_ops.h
						native_norm.h
						native_norm_compositeexplicitautograd_dispatch.h

						native_norm_native.h
						native_norm_ops.h
						ne.h
						neg.h
						negative.h
						negative_compositeimplicitautograd_dispatch.h
						negative_native.h
						negative_ops.h
						neg_compositeexplicitautogradnonfunctional_dispatch.h
						neg_cpu_dispatch.h
						neg_cuda_dispatch.h
						neg_meta.h
						neg_meta_dispatch.h
						neg_native.h
						neg_ops.h
						nested_to_padded_tensor.h
						nested_to_padded_tensor_compositeimplicitautograd_dispatch.h
						nested_to_padded_tensor_native.h
						nested_to_padded_tensor_ops.h
						new_empty.h
						new_empty_compositeexplicitautograd_dispatch.h
						new_empty_native.h
						new_empty_ops.h
						new_empty_strided.h
						new_empty_strided_compositeexplicitautogradnonfunctional_dispatch.h
						new_empty_strided_compositeexplicitautograd_dispatch.h
						new_empty_strided_native.h
						new_empty_strided_ops.h
						new_full.h
						new_full_compositeexplicitautograd_dispatch.h
						new_full_native.h
						new_full_ops.h
						new_ones.h
						new_ones_compositeexplicitautograd_dispatch.h
						new_ones_native.h
						new_ones_ops.h
						new_zeros.h
						new_zeros_compositeexplicitautograd_dispatch.h
						new_zeros_native.h
						new_zeros_ops.h
						nextafter.h
						nextafter_compositeexplicitautogradnonfunctional_dispatch.h
						nextafter_cpu_dispatch.h
						nextafter_cuda_dispatch.h
						nextafter_meta.h
						nextafter_meta_dispatch.h
						nextafter_native.h
						nextafter_ops.h
						ne_compositeexplicitautogradnonfunctional_dispatch.h
						ne_cpu_dispatch.h
						ne_cuda_dispatch.h

						ne_meta.h
						ne_meta_dispatch.h
						ne_native.h
						ne_ops.h
						nll_loss.h
						nll_loss2d.h
						nll_loss2d_backward.h
						nll_loss2d_backward_cpu_dispatch.h
						nll_loss2d_backward_cuda_dispatch.h
						nll_loss2d_backward_native.h
						nll_loss2d_backward_ops.h
						nll_loss2d_compositeimplicitautograd_dispatch.h
						nll_loss2d_forward.h
						nll_loss2d_forward_cpu_dispatch.h
						nll_loss2d_forward_cuda_dispatch.h
						nll_loss2d_forward_native.h
						nll_loss2d_forward_ops.h
						nll_loss2d_native.h
						nll_loss2d_ops.h
						nll_loss_backward.h
						nll_loss_backward_compositeexplicitautogradnonfunctional_dispatch.h
						nll_loss_backward_cpu_dispatch.h
						nll_loss_backward_cuda_dispatch.h
						nll_loss_backward_meta.h
						nll_loss_backward_meta_dispatch.h
						nll_loss_backward_native.h
						nll_loss_backward_ops.h
						nll_loss_compositeimplicitautograd_dispatch.h
						nll_loss_forward.h
						nll_loss_forward_compositeexplicitautogradnonfunctional_dispatch.h
						nll_loss_forward_cpu_dispatch.h
						nll_loss_forward_cuda_dispatch.h
						nll_loss_forward_meta.h
						nll_loss_forward_meta_dispatch.h
						nll_loss_forward_native.h
						nll_loss_forward_ops.h
						nll_loss_native.h
						nll_loss_nd.h
						nll_loss_nd_compositeimplicitautograd_dispatch.h
						nll_loss_nd_native.h
						nll_loss_nd_ops.h
						nll_loss_ops.h
						nonzero.h
						nonzero_cpu_dispatch.h
						nonzero_cuda_dispatch.h
						nonzero_native.h
						nonzero_numpy.h
						nonzero_numpy_compositeimplicitautograd_dispatch.h
						nonzero_numpy_native.h
						nonzero_numpy_ops.h
						nonzero_ops.h

						nonzero_static.h
						nonzero_static_cpu_dispatch.h
						nonzero_static_cuda_dispatch.h
						nonzero_static_native.h
						nonzero_static_ops.h
						norm.h
						normal.h
						normal_compositeexplicitautograd_dispatch.h
						normal_cpu_dispatch.h
						normal_cuda_dispatch.h
						normal_meta_dispatch.h
						normal_native.h
						normal_ops.h
						norm_compositeexplicitautogradnonfunctional_dispatch.h
						norm_compositeexplicitautograd_dispatch.h
						norm_compositeimplicitautograd_dispatch.h
						norm_cpu_dispatch.h
						norm_cuda_dispatch.h
						norm_except_dim.h
						norm_except_dim_compositeimplicitautograd_dispatch.h
						norm_except_dim_native.h
						norm_except_dim_ops.h
						norm_meta.h
						norm_meta_dispatch.h
						norm_native.h
						norm_ops.h
						not_equal.h
						not_equal_compositeimplicitautograd_dispatch.h
						not_equal_native.h
						not_equal_ops.h
						nuclear_norm.h
						nuclear_norm_compositeimplicitautograd_dispatch.h
						nuclear_norm_native.h
						nuclear_norm_ops.h
						numpy_T.h
						numpy_T_compositeimplicitautograd_dispatch.h
						numpy_T_native.h
						numpy_T_ops.h
						ones.h
						ones_compositeexplicitautograd_dispatch.h
						ones_like.h
						ones_like_compositeexplicitautograd_dispatch.h
						ones_like_native.h
						ones_like_ops.h
						ones_native.h
						ones_ops.h
						one_hot.h
						one_hot_compositeimplicitautograd_dispatch.h
						one_hot_native.h
						one_hot_ops.h
						or.h

					orgqr.h
					orgqr_compositeimplicitautograd_dispatch.h
					orgqr_native.h
					orgqr_ops.h
					ormqr.h
					ormqr_cpu_dispatch.h
					ormqr_cuda_dispatch.h
					ormqr_native.h
					ormqr_ops.h
					or_compositeimplicitautograd_dispatch.h
					or_native.h
					or_ops.h
					outer.h
					outer_compositeimplicitautograd_dispatch.h
					outer_native.h
					outer_ops.h
					output_nr.h
					output_nr_compositeimplicitautograd_dispatch.h
					output_nr_native.h
					output_nr_ops.h
					pad.h
					pad_compositeimplicitautograd_dispatch.h
					pad_native.h
					pad_ops.h
					pad_sequence.h
					pad_sequence_compositeimplicitautograd_dispatch.h
					pad_sequence_native.h
					pad_sequence_ops.h
					pairwise_distance.h
					pairwise_distance_compositeimplicitautograd_dispatch.h
					pairwise_distance_native.h
					pairwise_distance_ops.h
					pdist.h
					pdist_compositeimplicitautograd_dispatch.h
					pdist_native.h
					pdist_ops.h
					permute.h
					permute_compositeexplicitautograd_dispatch.h
					permute_copy.h
					permute_copy_compositeexplicitautogradnonfunctional_dispatch.h
					permute_copy_compositeexplicitautograd_dispatch.h
					permute_copy_native.h
					permute_copy_ops.h
					permute_native.h
					permute_ops.h
					pinverse.h
					pinverse_compositeimplicitautograd_dispatch.h
					pinverse_native.h
					pinverse_ops.h
					pin_memory.h
					pin_memory_compositeimplicitautograd_dispatch.h

						pin_memory_native.h
						pin_memory_ops.h
						pixel_shuffle.h
						pixel_shuffle_compositeexplicitautogradnonfunctional_dispatch.h
						pixel_shuffle_compositeexplicitautograd_dispatch.h
						pixel_shuffle_cpu_dispatch.h
						pixel_shuffle_native.h
						pixel_shuffle_ops.h
						pixel_unshuffle.h
						pixel_unshuffle_compositeexplicitautogradnonfunctional_dispatch.h
						pixel_unshuffle_compositeexplicitautograd_dispatch.h
						pixel_unshuffle_cpu_dispatch.h
						pixel_unshuffle_native.h
						pixel_unshuffle_ops.h
						poisson.h
						poisson_compositeexplicitautograd_dispatch.h
						poisson_cpu_dispatch.h
						poisson_cuda_dispatch.h
						poisson_native.h
						poisson_nll_loss.h
						poisson_nll_loss_compositeimplicitautograd_dispatch.h
						poisson_nll_loss_native.h
						poisson_nll_loss_ops.h
						poisson_ops.h
						polar.h
						polar_compositeexplicitautograd_dispatch.h
						polar_cpu_dispatch.h
						polar_cuda_dispatch.h
						polar_native.h
						polar_ops.h
						polygamma.h
						polygamma_compositeexplicitautogradnonfunctional_dispatch.h
						polygamma_compositeexplicitautograd_dispatch.h
						polygamma_cpu_dispatch.h
						polygamma_cuda_dispatch.h
						polygamma_meta.h
						polygamma_meta_dispatch.h
						polygamma_native.h
						polygamma_ops.h
						positive.h
						positive_compositeimplicitautograd_dispatch.h
						positive_native.h
						positive_ops.h
						pow.h
						pow_compositeexplicitautogradnonfunctional_dispatch.h
						pow_cpu_dispatch.h
						pow_cuda_dispatch.h
						pow_meta.h
						pow_meta_dispatch.h
						pow_native.h
						pow_ops.h

						prelu.h
						prelu_compositeimplicitautograd_dispatch.h
						prelu_native.h
						prelu_ops.h
						prod.h
						prod_compositeexplicitautogradnonfunctional_dispatch.h
						prod_compositeexplicitautograd_dispatch.h
						prod_compositeimplicitautograd_dispatch.h
						prod_cpu_dispatch.h
						prod_cuda_dispatch.h
						prod_meta.h
						prod_meta_dispatch.h
						prod_native.h
						prod_ops.h
						promote_types.h
						promote_types_compositeimplicitautograd_dispatch.h
						promote_types_native.h
						promote_types_ops.h
						put.h
						put_compositeexplicitautograd_dispatch.h
						put_cpu_dispatch.h
						put_cuda_dispatch.h
						put_meta_dispatch.h
						put_native.h
						put_ops.h
						qr.h
						qr_compositeimplicitautograd_dispatch.h
						qr_native.h
						qr_ops.h
						qscheme.h
						qscheme_native.h
						qscheme_ops.h
						quantile.h
						quantile_compositeimplicitautograd_dispatch.h
						quantile_native.h
						quantile_ops.h
						quantized_batch_norm.h
						quantized_batch_norm_compositeexplicitautograd_dispatch.h
						quantized_batch_norm_native.h
						quantized_batch_norm_ops.h
						quantized_gru_cell.h
						quantized_gru_cell_compositeimplicitautograd_dispatch.h
						quantized_gru_cell_native.h
						quantized_gru_cell_ops.h
						quantized_lstm_cell.h
						quantized_lstm_cell_compositeimplicitautograd_dispatch.h
						quantized_lstm_cell_native.h
						quantized_lstm_cell_ops.h
						quantized_max_pool1d.h
						quantized_max_pool1d_compositeexplicitautograd_dispatch.h
						quantized_max_pool1d_native.h

					quantized_max_pool1d_ops.h
					quantized_max_pool2d.h
					quantized_max_pool2d_compositeexplicitautograd_dispatch.h
					quantized_max_pool2d_native.h
					quantized_max_pool2d_ops.h
					quantized_max_pool3d.h
					quantized_max_pool3d_compositeexplicitautograd_dispatch.h
					quantized_max_pool3d_native.h
					quantized_max_pool3d_ops.h
					quantized_rnn_relu_cell.h
					quantized_rnn_relu_cell_compositeimplicitautograd_dispatch.h
					quantized_rnn_relu_cell_native.h
					quantized_rnn_relu_cell_ops.h
					quantized_rnn_tanh_cell.h
					quantized_rnn_tanh_cell_compositeimplicitautograd_dispatch.h
					quantized_rnn_tanh_cell_native.h
					quantized_rnn_tanh_cell_ops.h
					quantize_per_channel.h
					quantize_per_channel_compositeexplicitautograd_dispatch.h
					quantize_per_channel_cpu_dispatch.h
					quantize_per_channel_cuda_dispatch.h
					quantize_per_channel_native.h
					quantize_per_channel_ops.h
					quantize_per_tensor.h
					quantize_per_tensor_compositeexplicitautograd_dispatch.h
					quantize_per_tensor_cpu_dispatch.h
					quantize_per_tensor_cuda_dispatch.h
					quantize_per_tensor_dynamic.h
					quantize_per_tensor_dynamic_compositeexplicitautograd_dispatch.h
					quantize_per_tensor_dynamic_cpu_dispatch.h
					quantize_per_tensor_dynamic_cuda_dispatch.h
					quantize_per_tensor_dynamic_native.h
					quantize_per_tensor_dynamic_ops.h
					quantize_per_tensor_native.h
					quantize_per_tensor_ops.h
					q_per_channel_axis.h
					q_per_channel_axis_native.h
					q_per_channel_axis_ops.h
					q_per_channel_scales.h
					q_per_channel_scales_compositeexplicitautograd_dispatch.h
					q_per_channel_scales_native.h
					q_per_channel_scales_ops.h
					q_per_channel_zero_points.h
					q_per_channel_zero_points_compositeexplicitautograd_dispatch.h
					q_per_channel_zero_points_native.h
					q_per_channel_zero_points_ops.h
					q_scale.h
					q_scale_native.h
					q_scale_ops.h
					q_zero_point.h
					q_zero_point_native.h

						q_zero_point_ops.h
						rad2deg.h
						rad2deg_compositeexplicitautograd_dispatch.h
						rad2deg_native.h
						rad2deg_ops.h
						rand.h
						randint.h
						randint_compositeexplicitautograd_dispatch.h
						randint_like.h
						randint_like_compositeexplicitautograd_dispatch.h
						randint_like_native.h
						randint_like_ops.h
						randint_native.h
						randint_ops.h
						randn.h
						randn_compositeexplicitautograd_dispatch.h
						randn_compositeimplicitautograd_dispatch.h
						randn_like.h
						randn_like_compositeexplicitautograd_dispatch.h
						randn_like_compositeimplicitautogradnestedtensor_dispatch.h
						randn_like_native.h
						randn_like_ops.h
						randn_native.h
						randn_ops.h
						random.h
						random_compositeexplicitautograd_dispatch.h
						random_cpu_dispatch.h
						random_cuda_dispatch.h
						random_meta_dispatch.h
						random_native.h
						random_ops.h
						randperm.h
						randperm_compositeexplicitautograd_dispatch.h
						randperm_cpu_dispatch.h
						randperm_cuda_dispatch.h
						randperm_native.h
						randperm_ops.h
						rand_compositeexplicitautograd_dispatch.h
						rand_compositeimplicitautograd_dispatch.h
						rand_like.h
						rand_like_compositeexplicitautograd_dispatch.h
						rand_like_native.h
						rand_like_ops.h
						rand_native.h
						rand_ops.h
						range.h
						range_compositeexplicitautograd_dispatch.h
						range_cpu_dispatch.h
						range_cuda_dispatch.h
						range_meta_dispatch.h
						range_native.h

						reflection_pad3d.h
						reflection_pad3d_backward.h
						reflection_pad3d_backward_compositeexplicitautogradnonfunctional_dispatch.h
						reflection_pad3d_backward_cpu_dispatch.h
						reflection_pad3d_backward_cuda_dispatch.h
						reflection_pad3d_backward_meta.h
						reflection_pad3d_backward_meta_dispatch.h
						reflection_pad3d_backward_native.h
						reflection_pad3d_backward_ops.h
						reflection_pad3d_compositeexplicitautogradnonfunctional_dispatch.h
						reflection_pad3d_cpu_dispatch.h
						reflection_pad3d_cuda_dispatch.h
						reflection_pad3d_meta.h
						reflection_pad3d_meta_dispatch.h
						reflection_pad3d_native.h
						reflection_pad3d_ops.h
						relu.h
						relu6.h
						relu6_compositeimplicitautograd_dispatch.h
						relu6_native.h
						relu6_ops.h
						relu_compositeexplicitautograd_dispatch.h
						relu_cpu_dispatch.h
						relu_cuda_dispatch.h
						relu_meta_dispatch.h
						relu_native.h
						relu_ops.h
						remainder.h
						remainder_compositeexplicitautogradnonfunctional_dispatch.h
						remainder_compositeexplicitautograd_dispatch.h
						remainder_cpu_dispatch.h
						remainder_cuda_dispatch.h
						remainder_meta.h
						remainder_meta_dispatch.h
						remainder_native.h
						remainder_ops.h
						rename.h
						rename_compositeimplicitautograd_dispatch.h
						rename_native.h
						rename_ops.h
						renorm.h
						renorm_compositeexplicitautogradnonfunctional_dispatch.h
						renorm_cpu_dispatch.h
						renorm_cuda_dispatch.h
						renorm_meta.h
						renorm_meta_dispatch.h
						renorm_native.h
						renorm_ops.h
						repeat.h
						repeat_compositeexplicitautograd_dispatch.h
						repeat_interleave.h

					repeat_interleave_compositeexplicitautograd_dispatch.h
					repeat_interleave_compositeimplicitautograd_dispatch.h
					repeat_interleave_cpu_dispatch.h
					repeat_interleave_cuda_dispatch.h
					repeat_interleave_native.h
					repeat_interleave_ops.h
					repeat_native.h
					repeat_ops.h
					replication_pad1d.h
					replication_pad1d_backward.h
					replication_pad1d_backward_compositeexplicitautogradnonfunctional_dispatch.h
					replication_pad1d_backward_cpu_dispatch.h
					replication_pad1d_backward_cuda_dispatch.h
					replication_pad1d_backward_meta.h
					replication_pad1d_backward_meta_dispatch.h
					replication_pad1d_backward_native.h
					replication_pad1d_backward_ops.h
					replication_pad1d_compositeexplicitautogradnonfunctional_dispatch.h
					replication_pad1d_cpu_dispatch.h
					replication_pad1d_cuda_dispatch.h
					replication_pad1d_meta.h
					replication_pad1d_meta_dispatch.h
					replication_pad1d_native.h
					replication_pad1d_ops.h
					replication_pad2d.h
					replication_pad2d_backward.h
					replication_pad2d_backward_cpu_dispatch.h
					replication_pad2d_backward_cuda_dispatch.h
					replication_pad2d_backward_native.h
					replication_pad2d_backward_ops.h
					replication_pad2d_compositeexplicitautogradnonfunctional_dispatch.h
					replication_pad2d_cpu_dispatch.h
					replication_pad2d_cuda_dispatch.h
					replication_pad2d_meta.h
					replication_pad2d_meta_dispatch.h
					replication_pad2d_native.h
					replication_pad2d_ops.h
					replication_pad3d.h
					replication_pad3d_backward.h
					replication_pad3d_backward_cpu_dispatch.h
					replication_pad3d_backward_cuda_dispatch.h
					replication_pad3d_backward_native.h
					replication_pad3d_backward_ops.h
					replication_pad3d_compositeexplicitautogradnonfunctional_dispatch.h
					replication_pad3d_cpu_dispatch.h
					replication_pad3d_cuda_dispatch.h
					replication_pad3d_meta.h
					replication_pad3d_meta_dispatch.h
					replication_pad3d_native.h
					replication_pad3d_ops.h
					requires_grad.h

						requires_grad_compositeimplicitautograd_dispatch.h
						requires_grad_native.h
						requires_grad_ops.h
						reshape.h
						reshape_as.h
						reshape_as_compositeimplicitautogradnestedtensor_dispatch.h
						reshape_as_compositeimplicitautograd_dispatch.h
						reshape_as_native.h
						reshape_as_ops.h
						reshape_compositeimplicitautogradnestedtensor_dispatch.h
						reshape_compositeimplicitautograd_dispatch.h
						reshape_native.h
						reshape_ops.h
						resize.h
						resize_as.h
						resize_as_compositeexplicitautograd_dispatch.h
						resize_as_native.h
						resize_as_ops.h
						resize_as_sparse.h
						resize_as_sparse_compositeexplicitautograd_dispatch.h
						resize_as_sparse_meta_dispatch.h
						resize_as_sparse_native.h
						resize_as_sparse_ops.h
						resize_compositeexplicitautograd_dispatch.h
						resize_cpu_dispatch.h
						resize_cuda_dispatch.h
						resize_meta_dispatch.h
						resize_native.h
						resize_ops.h
						resolve_conj.h
						resolve_conj_compositeimplicitautograd_dispatch.h
						resolve_conj_native.h
						resolve_conj_ops.h
						resolve_neg.h
						resolve_neg_compositeimplicitautograd_dispatch.h
						resolve_neg_native.h
						resolve_neg_ops.h
						result_type.h
						result_type_compositeimplicitautograd_dispatch.h
						result_type_native.h
						result_type_ops.h
						retains_grad.h
						retains_grad_compositeimplicitautograd_dispatch.h
						retains_grad_native.h
						retains_grad_ops.h
						retain_grad.h
						retain_grad_compositeimplicitautograd_dispatch.h
						retain_grad_native.h
						retain_grad_ops.h
						rms_norm.h
						rms_norm_compositeimplicitautograd_dispatch.h

					rms_norm_native.h
					rms_norm_ops.h
					rnn_relu.h
					rnn_relu_cell.h
					rnn_relu_cell_compositeimplicitautograd_dispatch.h
					rnn_relu_cell_native.h
					rnn_relu_cell_ops.h
					rnn_relu_compositeimplicitautograd_dispatch.h
					rnn_relu_native.h
					rnn_relu_ops.h
					rnn_tanh.h
					rnn_tanh_cell.h
					rnn_tanh_cell_compositeimplicitautograd_dispatch.h
					rnn_tanh_cell_native.h
					rnn_tanh_cell_ops.h
					rnn_tanh_compositeimplicitautograd_dispatch.h
					rnn_tanh_native.h
					rnn_tanh_ops.h
					roll.h
					roll_compositeexplicitautograd_dispatch.h
					roll_cpu_dispatch.h
					roll_cuda_dispatch.h
					roll_native.h
					roll_ops.h
					rot90.h
					rot90_compositeexplicitautograd_dispatch.h
					rot90_native.h
					rot90_ops.h
					round.h
					round_compositeexplicitautogradnonfunctional_dispatch.h
					round_cpu_dispatch.h
					round_cuda_dispatch.h
					round_meta.h
					round_meta_dispatch.h
					round_native.h
					round_ops.h
					row_indices.h
					row_indices_compositeexplicitautograd_dispatch.h
					row_indices_copy.h
					row_indices_copy_compositeexplicitautogradnonfunctional_dispatch.h
					row_indices_copy_compositeexplicitautograd_dispatch.h
					row_indices_copy_native.h
					row_indices_copy_ops.h
					row_indices_native.h
					row_indices_ops.h
					row_stack.h
					row_stack_compositeimplicitautograd_dispatch.h
					row_stack_native.h
					row_stack_ops.h
					rrelu.h
					rrelu_compositeimplicitautograd_dispatch.h

						rrelu_native.h
						rrelu_ops.h
						rrelu_with_noise.h
						rrelu_with_noise_backward.h
						rrelu_with_noise_backward_compositeexplicitautograd_dispatch.h
						rrelu_with_noise_backward_native.h
						rrelu_with_noise_backward_ops.h
						rrelu_with_noise_compositeexplicitautograd_dispatch.h
						rrelu_with_noise_cpu_dispatch.h
						rrelu_with_noise_cuda_dispatch.h
						rrelu_with_noise_meta_dispatch.h
						rrelu_with_noise_native.h
						rrelu_with_noise_ops.h
						rshift.h
						rshift_compositeexplicitautograd_dispatch.h
						rshift_cpu_dispatch.h
						rshift_cuda_dispatch.h
						rshift_meta_dispatch.h
						rshift_native.h
						rshift_ops.h
						rsqrt.h
						rsqrt_compositeexplicitautogradnonfunctional_dispatch.h
						rsqrt_cpu_dispatch.h
						rsqrt_cuda_dispatch.h
						rsqrt_meta.h
						rsqrt_meta_dispatch.h
						rsqrt_native.h
						rsqrt_ops.h
						rsub.h
						rsub_compositeexplicitautograd_dispatch.h
						rsub_cpu_dispatch.h
						rsub_cuda_dispatch.h
						rsub_native.h
						rsub_ops.h
						scalar_tensor.h
						scalar_tensor_compositeexplicitautograd_dispatch.h
						scalar_tensor_native.h
						scalar_tensor_ops.h
						scaled_dot_product_attention.h
						scaled_dot_product_attention_compositeimplicitautograd_dispatch.h
						scaled_dot_product_attention_native.h
						scaled_dot_product_attention_ops.h
						scatter.h
						scatter_add.h
						scatter_add_compositeexplicitautogradnonfunctional_dispatch.h
						scatter_add_compositeimplicitautograd_dispatch.h
						scatter_add_cpu_dispatch.h
						scatter_add_cuda_dispatch.h
						scatter_add_meta.h
						scatter_add_meta_dispatch.h
						scatter add native.h

						scatter_add_ops.h
						scatter_compositeexplicitautogradnonfunctional_dispatch.h
						scatter_compositeimplicitautograd_dispatch.h
						scatter_cpu_dispatch.h
						scatter_cuda_dispatch.h
						scatter_meta.h
						scatter_meta_dispatch.h
						scatter_native.h
						scatter_ops.h
						scatter_reduce.h
						scatter_reduce_compositeexplicitautogradnonfunctional_dispatch.h
						scatter_reduce_cpu_dispatch.h
						scatter_reduce_cuda_dispatch.h
						scatter_reduce_meta.h
						scatter_reduce_meta_dispatch.h
						scatter_reduce_native.h
						scatter_reduce_ops.h
						searchsorted.h
						searchsorted_cpu_dispatch.h
						searchsorted_cuda_dispatch.h
						searchsorted_native.h
						searchsorted_ops.h
						segment_reduce.h
						segment_reduce_compositeexplicitautograd_dispatch.h
						segment_reduce_cpu_dispatch.h
						segment_reduce_cuda_dispatch.h
						segment_reduce_native.h
						segment_reduce_ops.h
						select.h
						select_backward.h
						select_backward_compositeexplicitautogradnonfunctional_dispatch.h
						select_backward_compositeexplicitautograd_dispatch.h
						select_backward_native.h
						select_backward_ops.h
						select_compositeexplicitautograd_dispatch.h
						select_compositeimplicitautograd_dispatch.h
						select_copy.h
						select_copy_compositeexplicitautogradnonfunctional_dispatch.h
						select_copy_compositeexplicitautograd_dispatch.h
						select_copy_native.h
						select_copy_ops.h
						select_native.h
						select_ops.h
						select_scatter.h
						select_scatter_compositeexplicitautogradnonfunctional_dispatch.h
						select_scatter_compositeexplicitautograd_dispatch.h
						select_scatter_native.h
						select_scatter_ops.h
						selu.h
						selu_compositeimplicitautograd_dispatch.h
						selu_native.h

						relu_ops.h
						set.h
						set_compositeexplicitautograd_dispatch.h
						set_compositeimplicitautograd_dispatch.h
						set_cpu_dispatch.h
						set_cuda_dispatch.h
						set_data.h
						set_data_compositeimplicitautograd_dispatch.h
						set_data_native.h
						set_data_ops.h
						set_meta_dispatch.h
						set_native.h
						set_ops.h
						sgn.h
						sgn_compositeexplicitautogradnonfunctional_dispatch.h
						sgn_cpu_dispatch.h
						sgn_cuda_dispatch.h
						sgn_meta.h
						sgn_meta_dispatch.h
						sgn_native.h
						sgn_ops.h
						sigmoid.h
						sigmoid_backward.h
						sigmoid_backward_compositeexplicitautogradnonfunctional_dispatch.h
						sigmoid_backward_cpu_dispatch.h
						sigmoid_backward_cuda_dispatch.h
						sigmoid_backward_meta.h
						sigmoid_backward_meta_dispatch.h
						sigmoid_backward_native.h
						sigmoid_backward_ops.h
						sigmoid_compositeexplicitautogradnonfunctional_dispatch.h
						sigmoid_cpu_dispatch.h
						sigmoid_cuda_dispatch.h
						sigmoid_meta.h
						sigmoid_meta_dispatch.h
						sigmoid_native.h
						sigmoid_ops.h
						sign.h
						signbit.h
						signbit_compositeexplicitautogradnonfunctional_dispatch.h
						signbit_cpu_dispatch.h
						signbit_cuda_dispatch.h
						signbit_meta.h
						signbit_meta_dispatch.h
						signbit_native.h
						signbit_ops.h
						sign_compositeexplicitautogradnonfunctional_dispatch.h
						sign_cpu_dispatch.h
						sign_cuda_dispatch.h
						sign_meta.h
						sign meta dispatch.h

					sign_native.h
					sign_ops.h
					silu.h
					silu_backward.h
					silu_backward_compositeexplicitautogradnonfunctional_dispatch.h
					silu_backward_compositeimplicitautograd_dispatch.h
					silu_backward_cpu_dispatch.h
					silu_backward_cuda_dispatch.h
					silu_backward_meta.h
					silu_backward_meta_dispatch.h
					silu_backward_native.h
					silu_backward_ops.h
					silu_compositeexplicitautogradnonfunctional_dispatch.h
					silu_cpu_dispatch.h
					silu_cuda_dispatch.h
					silu_meta.h
					silu_meta_dispatch.h
					silu_native.h
					silu_ops.h
					sin.h
					sinc.h
					sinc_compositeexplicitautogradnonfunctional_dispatch.h
					sinc_cpu_dispatch.h
					sinc_cuda_dispatch.h
					sinc_meta.h
					sinc_meta_dispatch.h
					sinc_native.h
					sinc_ops.h
					sinh.h
					sinh_compositeexplicitautogradnonfunctional_dispatch.h
					sinh_cpu_dispatch.h
					sinh_cuda_dispatch.h
					sinh_meta.h
					sinh_meta_dispatch.h
					sinh_native.h
					sinh_ops.h
					sin_compositeexplicitautogradnonfunctional_dispatch.h
					sin_cpu_dispatch.h
					sin_cuda_dispatch.h
					sin_meta.h
					sin_meta_dispatch.h
					sin_native.h
					sin_ops.h
					size.h
					size_compositeimplicitautograd_dispatch.h
					size_native.h
					size_ops.h
					slice.h
					slice_backward.h
					slice_backward_compositeexplicitautograd_dispatch.h
					slice_backward_native.h

							slice_backward_ops.h
							slice_compositeexplicitautograd_dispatch.h
							slice_copy.h
							slice_copy_compositeexplicitautogradnonfunctional_dispatch.h
							slice_copy_compositeexplicitautograd_dispatch.h
							slice_copy_native.h
							slice_copy_ops.h
							slice_inverse.h
							slice_inverse_compositeexplicitautograd_dispatch.h
							slice_inverse_native.h
							slice_inverse_ops.h
							slice_native.h
							slice_ops.h
							slice_scatter.h
							slice_scatter_compositeexplicitautogradnonfunctional_dispatch.h
							slice_scatter_compositeexplicitautograd_dispatch.h
							slice_scatter_native.h
							slice_scatter_ops.h
							slogdet.h
							slogdet_compositeimplicitautograd_dispatch.h
							slogdet_native.h
							slogdet_ops.h
							slow_conv3d.h
							slow_conv3d_compositeimplicitautograd_dispatch.h
							slow_conv3d_forward.h
							slow_conv3d_forward_cpu_dispatch.h
							slow_conv3d_forward_native.h
							slow_conv3d_forward_ops.h
							slow_conv3d_native.h
							slow_conv3d_ops.h
							slow_conv_dilated2d.h
							slow_conv_dilated2d_compositeexplicitautograd_dispatch.h
							slow_conv_dilated2d_cpu_dispatch.h
							slow_conv_dilated2d_cuda_dispatch.h
							slow_conv_dilated2d_native.h
							slow_conv_dilated2d_ops.h
							slow_conv_dilated3d.h
							slow_conv_dilated3d_compositeexplicitautograd_dispatch.h
							slow_conv_dilated3d_cpu_dispatch.h
							slow_conv_dilated3d_cuda_dispatch.h
							slow_conv_dilated3d_native.h
							slow_conv_dilated3d_ops.h
							slow_conv_transpose2d.h
							slow_conv_transpose2d_compositeexplicitautogradnonfunctional_dispatch.h
							slow_conv_transpose2d_cpu_dispatch.h
							slow_conv_transpose2d_cuda_dispatch.h
							slow_conv_transpose2d_meta.h
							slow_conv_transpose2d_meta_dispatch.h
							slow_conv_transpose2d_native.h
							slow_conv_transpose2d_ops.h
							slow conv transpose3d.h

						slow_conv_transpose3d_cpu_dispatch.h
						slow_conv_transpose3d_cuda_dispatch.h
						slow_conv_transpose3d_native.h
						slow_conv_transpose3d_ops.h
						smm.h
						smm_compositeimplicitautograd_dispatch.h
						smm_native.h
						smm_ops.h
						smooth_l1_loss.h
						smooth_l1_loss_backward.h
						smooth_l1_loss_backward_compositeexplicitautograd_dispatch.h
						smooth_l1_loss_backward_cpu_dispatch.h
						smooth_l1_loss_backward_cuda_dispatch.h
						smooth_l1_loss_backward_native.h
						smooth_l1_loss_backward_ops.h
						smooth_l1_loss_compositeexplicitautogradnonfunctional_dispatch.h
						smooth_l1_loss_cpu_dispatch.h
						smooth_l1_loss_cuda_dispatch.h
						smooth_l1_loss_meta.h
						smooth_l1_loss_meta_dispatch.h
						smooth_l1_loss_native.h
						smooth_l1_loss_ops.h
						softmax.h
						softmax_compositeexplicitautograd_dispatch.h
						softmax_compositeimplicitautograd_dispatch.h
						softmax_native.h
						softmax_ops.h
						softplus.h
						softplus_backward.h
						softplus_backward_compositeexplicitautogradnonfunctional_dispatch.h
						softplus_backward_cpu_dispatch.h
						softplus_backward_cuda_dispatch.h
						softplus_backward_meta.h
						softplus_backward_meta_dispatch.h
						softplus_backward_native.h
						softplus_backward_ops.h
						softplus_compositeexplicitautogradnonfunctional_dispatch.h
						softplus_cpu_dispatch.h
						softplus_cuda_dispatch.h
						softplus_meta.h
						softplus_meta_dispatch.h
						softplus_native.h
						softplus_ops.h
						softshrink.h
						softshrink_backward.h
						softshrink_backward_compositeexplicitautogradnonfunctional_dispatch.h
						softshrink_backward_cpu_dispatch.h
						softshrink_backward_cuda_dispatch.h
						softshrink_backward_meta.h
						softshrink_backward_meta_dispatch.h
						softshrink_backward_native.h

						sparse_dim.h
						sparse_dim_compositeexplicitautograd_dispatch.h
						sparse_dim_native.h
						sparse_dim_ops.h
						sparse_mask.h
						sparse_mask_compositeexplicitautograd_dispatch.h
						sparse_mask_native.h
						sparse_mask_ops.h
						sparse_resize.h
						sparse_resize_and_clear.h
						sparse_resize_and_clear_compositeexplicitautograd_dispatch.h
						sparse_resize_and_clear_meta_dispatch.h
						sparse_resize_and_clear_native.h
						sparse_resize_and_clear_ops.h
						sparse_resize_compositeexplicitautograd_dispatch.h
						sparse_resize_meta_dispatch.h
						sparse_resize_native.h
						sparse_resize_ops.h
						sparse_sampled_addmm.h
						sparse_sampled_addmm_native.h
						sparse_sampled_addmm_ops.h
						special_airy_ai.h
						special_airy_ai_compositeexplicitautogradnonfunctional_dispatch.h
						special_airy_ai_cpu_dispatch.h
						special_airy_ai_cuda_dispatch.h
						special_airy_ai_meta.h
						special_airy_ai_meta_dispatch.h
						special_airy_ai_native.h
						special_airy_ai_ops.h
						special_bessel_j0.h
						special_bessel_j0_compositeexplicitautogradnonfunctional_dispatch.h
						special_bessel_j0_cpu_dispatch.h
						special_bessel_j0_cuda_dispatch.h
						special_bessel_j0_meta.h
						special_bessel_j0_meta_dispatch.h
						special_bessel_j0_native.h
						special_bessel_j0_ops.h
						special_bessel_j1.h
						special_bessel_j1_compositeexplicitautogradnonfunctional_dispatch.h
						special_bessel_j1_cpu_dispatch.h
						special_bessel_j1_cuda_dispatch.h
						special_bessel_j1_meta.h
						special_bessel_j1_meta_dispatch.h
						special_bessel_j1_native.h
						special_bessel_j1_ops.h
						special_bessel_y0.h
						special_bessel_y0_compositeexplicitautogradnonfunctional_dispatch.h
						special_bessel_y0_cpu_dispatch.h
						special_bessel_y0_cuda_dispatch.h
						special_bessel_y0_meta.h
						special_bessel_y0_meta_dispatch.h

						special_bessel_y0_native.h
						special_bessel_y0_ops.h
						special_bessel_y1.h
						special_bessel_y1_compositeexplicitautogradnonfunctional_dispatch.h
						special_bessel_y1_cpu_dispatch.h
						special_bessel_y1_cuda_dispatch.h
						special_bessel_y1_meta.h
						special_bessel_y1_meta_dispatch.h
						special_bessel_y1_native.h
						special_bessel_y1_ops.h
						special_chebyshev_polynomial_t.h
						special_chebyshev_polynomial_t_compositeexplicitautogradnonfunctional_dispatch.h
						special_chebyshev_polynomial_t_compositeexplicitautograd_dispatch.h
						special_chebyshev_polynomial_t_cpu_dispatch.h
						special_chebyshev_polynomial_t_cuda_dispatch.h
						special_chebyshev_polynomial_t_meta.h
						special_chebyshev_polynomial_t_meta_dispatch.h
						special_chebyshev_polynomial_t_native.h
						special_chebyshev_polynomial_t_ops.h
						special_chebyshev_polynomial_u.h
						special_chebyshev_polynomial_u_compositeexplicitautogradnonfunctional_dispatch.h
						special_chebyshev_polynomial_u_compositeexplicitautograd_dispatch.h
						special_chebyshev_polynomial_u_cpu_dispatch.h
						special_chebyshev_polynomial_u_cuda_dispatch.h
						special_chebyshev_polynomial_u_meta.h
						special_chebyshev_polynomial_u_meta_dispatch.h
						special_chebyshev_polynomial_u_native.h
						special_chebyshev_polynomial_u_ops.h
						special_chebyshev_polynomial_v.h
						special_chebyshev_polynomial_v_compositeexplicitautogradnonfunctional_dispatch.h
						special_chebyshev_polynomial_v_compositeexplicitautograd_dispatch.h
						special_chebyshev_polynomial_v_cpu_dispatch.h
						special_chebyshev_polynomial_v_cuda_dispatch.h
						special_chebyshev_polynomial_v_meta.h
						special_chebyshev_polynomial_v_meta_dispatch.h
						special_chebyshev_polynomial_v_native.h
						special_chebyshev_polynomial_v_ops.h
						special_chebyshev_polynomial_w.h
						special_chebyshev_polynomial_w_compositeexplicitautogradnonfunctional_dispatch.h
						special_chebyshev_polynomial_w_compositeexplicitautograd_dispatch.h
						special_chebyshev_polynomial_w_cpu_dispatch.h
						special_chebyshev_polynomial_w_cuda_dispatch.h
						special_chebyshev_polynomial_w_meta.h
						special_chebyshev_polynomial_w_meta_dispatch.h
						special_chebyshev_polynomial_w_native.h
						special_chebyshev_polynomial_w_ops.h
						special_digamma.h
						special_digamma_compositeimplicitautograd_dispatch.h
						special_digamma_native.h
						special_digamma_ops.h
						special_entr.h

					special_entr_compositeexplicitautogradnonfunctional_dispatch.h
					special_entr_cpu_dispatch.h
					special_entr_cuda_dispatch.h
					special_entr_meta.h
					special_entr_meta_dispatch.h
					special_entr_native.h
					special_entr_ops.h
					special_erf.h
					special_erfc.h
					special_erfcx.h
					special_erfcx_compositeexplicitautogradnonfunctional_dispatch.h
					special_erfcx_cpu_dispatch.h
					special_erfcx_cuda_dispatch.h
					special_erfcx_meta.h
					special_erfcx_meta_dispatch.h
					special_erfcx_native.h
					special_erfcx_ops.h
					special_erfc_compositeimplicitautograd_dispatch.h
					special_erfc_native.h
					special_erfc_ops.h
					special_erfinv.h
					special_erfinv_compositeimplicitautograd_dispatch.h
					special_erfinv_native.h
					special_erfinv_ops.h
					special_erf_compositeimplicitautograd_dispatch.h
					special_erf_native.h
					special_erf_ops.h
					special_exp2.h
					special_exp2_compositeimplicitautograd_dispatch.h
					special_exp2_native.h
					special_exp2_ops.h
					special_expit.h
					special_expit_compositeimplicitautograd_dispatch.h
					special_expit_native.h
					special_expit_ops.h
					special_expml.h
					special_expml_compositeimplicitautograd_dispatch.h
					special_expml_native.h
					special_expml_ops.h
					special_gammainc.h
					special_gammaincc.h
					special_gammaincc_compositeimplicitautograd_dispatch.h
					special_gammaincc_native.h
					special_gammaincc_ops.h
					special_gammainc_compositeimplicitautograd_dispatch.h
					special_gammainc_native.h
					special_gammainc_ops.h
					special_gammaln.h
					special_gammaln_compositeimplicitautograd_dispatch.h
					special_gammaln_native.h
					special_gammaln_ops.h

					special_hermite_polynomial_h.h
					special_hermite_polynomial_he.h
					special_hermite_polynomial_he_compositeexplicitautogradnonfunctional_dispatch.h
					special_hermite_polynomial_he_compositeexplicitautograd_dispatch.h
					special_hermite_polynomial_he_cpu_dispatch.h
					special_hermite_polynomial_he_cuda_dispatch.h
					special_hermite_polynomial_he_meta.h
					special_hermite_polynomial_he_meta_dispatch.h
					special_hermite_polynomial_he_native.h
					special_hermite_polynomial_he_ops.h
					special_hermite_polynomial_h_compositeexplicitautogradnonfunctional_dispatch.h
					special_hermite_polynomial_h_compositeexplicitautograd_dispatch.h
					special_hermite_polynomial_h_cpu_dispatch.h
					special_hermite_polynomial_h_cuda_dispatch.h
					special_hermite_polynomial_h_meta.h
					special_hermite_polynomial_h_meta_dispatch.h
					special_hermite_polynomial_h_native.h
					special_hermite_polynomial_h_ops.h
					special_i0.h
					special_i0e.h
					special_i0e_compositeexplicitautogradnonfunctional_dispatch.h
					special_i0e_cpu_dispatch.h
					special_i0e_cuda_dispatch.h
					special_i0e_meta.h
					special_i0e_meta_dispatch.h
					special_i0e_native.h
					special_i0e_ops.h
					special_i0_compositeimplicitautograd_dispatch.h
					special_i0_native.h
					special_i0_ops.h
					special_i1.h
					special_i1e.h
					special_i1e_compositeexplicitautogradnonfunctional_dispatch.h
					special_i1e_cpu_dispatch.h
					special_i1e_cuda_dispatch.h
					special_i1e_meta.h
					special_i1e_meta_dispatch.h
					special_i1e_native.h
					special_i1e_ops.h
					special_i1_compositeexplicitautogradnonfunctional_dispatch.h
					special_i1_cpu_dispatch.h
					special_i1_cuda_dispatch.h
					special_i1_meta.h
					special_i1_meta_dispatch.h
					special_i1_native.h
					special_i1_ops.h
					special_laguerre_polynomial_l.h
					special_laguerre_polynomial_l_compositeexplicitautogradnonfunctional_dispatch.h
					special_laguerre_polynomial_l_compositeexplicitautograd_dispatch.h
					special_laguerre_polynomial_l_cpu_dispatch.h
					special_laguerre_polynomial_l_cuda_dispatch.h

					special_laguerre_polynomial_l_meta.h
					special_laguerre_polynomial_l_meta_dispatch.h
					special_laguerre_polynomial_l_native.h
					special_laguerre_polynomial_l_ops.h
					special_legendre_polynomial_p.h
					special_legendre_polynomial_p_compositeexplicitautogradnonfunctional_dispatch.h
					special_legendre_polynomial_p_compositeexplicitautograd_dispatch.h
					special_legendre_polynomial_p_cpu_dispatch.h
					special_legendre_polynomial_p_cuda_dispatch.h
					special_legendre_polynomial_p_meta.h
					special_legendre_polynomial_p_meta_dispatch.h
					special_legendre_polynomial_p_native.h
					special_legendre_polynomial_p_ops.h
					special_log1p.h
					special_log1p_compositeimplicitautograd_dispatch.h
					special_log1p_native.h
					special_log1p_ops.h
					special_logit.h
					special_logit_compositeimplicitautograd_dispatch.h
					special_logit_native.h
					special_logit_ops.h
					special_logsumexp.h
					special_logsumexp_compositeimplicitautograd_dispatch.h
					special_logsumexp_native.h
					special_logsumexp_ops.h
					special_log_ndtr.h
					special_log_ndtr_compositeexplicitautogradnonfunctional_dispatch.h
					special_log_ndtr_cpu_dispatch.h
					special_log_ndtr_cuda_dispatch.h
					special_log_ndtr_meta.h
					special_log_ndtr_meta_dispatch.h
					special_log_ndtr_native.h
					special_log_ndtr_ops.h
					special_log_softmax.h
					special_log_softmax_compositeimplicitautograd_dispatch.h
					special_log_softmax_native.h
					special_log_softmax_ops.h
					special_modified_bessel_i0.h
					special_modified_bessel_i0_compositeexplicitautogradnonfunctional_dispatch.h
					special_modified_bessel_i0_cpu_dispatch.h
					special_modified_bessel_i0_cuda_dispatch.h
					special_modified_bessel_i0_meta.h
					special_modified_bessel_i0_meta_dispatch.h
					special_modified_bessel_i0_native.h
					special_modified_bessel_i0_ops.h
					special_modified_bessel_i1.h
					special_modified_bessel_i1_compositeexplicitautogradnonfunctional_dispatch.h
					special_modified_bessel_i1_cpu_dispatch.h
					special_modified_bessel_i1_cuda_dispatch.h
					special_modified_bessel_i1_meta.h
					special_modified_bessel_i1_meta_dispatch.h

						special_modified_bessel_i1_native.h
						special_modified_bessel_i1_ops.h
						special_modified_bessel_k0.h
						special_modified_bessel_k0_compositeexplicitautogradnonfunctional_dispatch.h
						special_modified_bessel_k0_cpu_dispatch.h
						special_modified_bessel_k0_cuda_dispatch.h
						special_modified_bessel_k0_meta.h
						special_modified_bessel_k0_meta_dispatch.h
						special_modified_bessel_k0_native.h
						special_modified_bessel_k0_ops.h
						special_modified_bessel_k1.h
						special_modified_bessel_k1_compositeexplicitautogradnonfunctional_dispatch.h
						special_modified_bessel_k1_cpu_dispatch.h
						special_modified_bessel_k1_cuda_dispatch.h
						special_modified_bessel_k1_meta.h
						special_modified_bessel_k1_meta_dispatch.h
						special_modified_bessel_k1_native.h
						special_modified_bessel_k1_ops.h
						special_multigammaln.h
						special_multigammaln_compositeimplicitautograd_dispatch.h
						special_multigammaln_native.h
						special_multigammaln_ops.h
						special_ndtr.h
						special_ndtri.h
						special_ndtri_compositeexplicitautogradnonfunctional_dispatch.h
						special_ndtri_cpu_dispatch.h
						special_ndtri_cuda_dispatch.h
						special_ndtri_meta.h
						special_ndtri_meta_dispatch.h
						special_ndtri_native.h
						special_ndtri_ops.h
						special_ndtr_compositeimplicitautograd_dispatch.h
						special_ndtr_native.h
						special_ndtr_ops.h
						special_polygamma.h
						special_polygamma_compositeimplicitautograd_dispatch.h
						special_polygamma_native.h
						special_polygamma_ops.h
						special_psi.h
						special_psi_compositeimplicitautograd_dispatch.h
						special_psi_native.h
						special_psi_ops.h
						special_round.h
						special_round_compositeimplicitautograd_dispatch.h
						special_round_native.h
						special_round_ops.h
						special_scaled_modified_bessel_k0.h
						special_scaled_modified_bessel_k0_compositeexplicitautogradnonfunctional_dispatch.h
						special_scaled_modified_bessel_k0_cpu_dispatch.h
						special_scaled_modified_bessel_k0_cuda_dispatch.h
						special_scaled_modified_bessel_k0_meta.h

					special_scaled_modified_bessel_k0_meta_dispatch.h
					special_scaled_modified_bessel_k0_native.h
					special_scaled_modified_bessel_k0_ops.h
					special_scaled_modified_bessel_k1.h
					special_scaled_modified_bessel_k1_compositeexplicitautogradnonfunctional_dispatch.h
					special_scaled_modified_bessel_k1_cpu_dispatch.h
					special_scaled_modified_bessel_k1_cuda_dispatch.h
					special_scaled_modified_bessel_k1_meta.h
					special_scaled_modified_bessel_k1_meta_dispatch.h
					special_scaled_modified_bessel_k1_native.h
					special_scaled_modified_bessel_k1_ops.h
					special_shifted_chebyshev_polynomial_t.h
					special_shifted_chebyshev_polynomial_t_compositeexplicitautogradnonfunctional_dispatch.h
					special_shifted_chebyshev_polynomial_t_compositeexplicitautograd_dispatch.h
					special_shifted_chebyshev_polynomial_t_cpu_dispatch.h
					special_shifted_chebyshev_polynomial_t_cuda_dispatch.h
					special_shifted_chebyshev_polynomial_t_meta.h
					special_shifted_chebyshev_polynomial_t_meta_dispatch.h
					special_shifted_chebyshev_polynomial_t_native.h
					special_shifted_chebyshev_polynomial_t_ops.h
					special_shifted_chebyshev_polynomial_u.h
					special_shifted_chebyshev_polynomial_u_compositeexplicitautogradnonfunctional_dispatch.h
					special_shifted_chebyshev_polynomial_u_compositeexplicitautograd_dispatch.h
					special_shifted_chebyshev_polynomial_u_cpu_dispatch.h
					special_shifted_chebyshev_polynomial_u_cuda_dispatch.h
					special_shifted_chebyshev_polynomial_u_meta.h
					special_shifted_chebyshev_polynomial_u_meta_dispatch.h
					special_shifted_chebyshev_polynomial_u_native.h
					special_shifted_chebyshev_polynomial_u_ops.h
					special_shifted_chebyshev_polynomial_v.h
					special_shifted_chebyshev_polynomial_v_compositeexplicitautogradnonfunctional_dispatch.h
					special_shifted_chebyshev_polynomial_v_compositeexplicitautograd_dispatch.h
					special_shifted_chebyshev_polynomial_v_cpu_dispatch.h
					special_shifted_chebyshev_polynomial_v_cuda_dispatch.h
					special_shifted_chebyshev_polynomial_v_meta.h
					special_shifted_chebyshev_polynomial_v_meta_dispatch.h
					special_shifted_chebyshev_polynomial_v_native.h
					special_shifted_chebyshev_polynomial_v_ops.h
					special_shifted_chebyshev_polynomial_w.h
					special_shifted_chebyshev_polynomial_w_compositeexplicitautogradnonfunctional_dispatch.h
					special_shifted_chebyshev_polynomial_w_compositeexplicitautograd_dispatch.h
					special_shifted_chebyshev_polynomial_w_cpu_dispatch.h
					special_shifted_chebyshev_polynomial_w_cuda_dispatch.h
					special_shifted_chebyshev_polynomial_w_meta.h
					special_shifted_chebyshev_polynomial_w_meta_dispatch.h
					special_shifted_chebyshev_polynomial_w_native.h
					special_shifted_chebyshev_polynomial_w_ops.h
					special_sinc.h
					special_sinc_compositeimplicitautograd_dispatch.h
					special_sinc_native.h
					special_sinc_ops.h

					special_softmax.h
					special_softmax_compositeimplicitautograd_dispatch.h
					special_softmax_native.h
					special_softmax_ops.h
					special_spherical_bessel_j0.h
					special_spherical_bessel_j0_compositeexplicitautogradnonfunctional_dispatch.h
					special_spherical_bessel_j0_cpu_dispatch.h
					special_spherical_bessel_j0_cuda_dispatch.h
					special_spherical_bessel_j0_meta.h
					special_spherical_bessel_j0_meta_dispatch.h
					special_spherical_bessel_j0_native.h
					special_spherical_bessel_j0_ops.h
					special_xloglpy.h
					special_xloglpy_compositeexplicitautogradnonfunctional_dispatch.h
					special_xloglpy_compositeexplicitautograd_dispatch.h
					special_xloglpy_cpu_dispatch.h
					special_xloglpy_cuda_dispatch.h
					special_xloglpy_meta.h
					special_xloglpy_meta_dispatch.h
					special_xloglpy_native.h
					special_xloglpy_ops.h
					special_xlogy.h
					special_xlogy_compositeimplicitautograd_dispatch.h
					special_xlogy_native.h
					special_xlogy_ops.h
					special_zeta.h
					special_zeta_compositeexplicitautogradnonfunctional_dispatch.h
					special_zeta_compositeexplicitautograd_dispatch.h
					special_zeta_cpu_dispatch.h
					special_zeta_cuda_dispatch.h
					special_zeta_meta.h
					special_zeta_meta_dispatch.h
					special_zeta_native.h
					special_zeta_ops.h
					split.h
					split_compositeexplicitautograd_dispatch.h
					split_compositeimplicitautograd_dispatch.h
					split_copy.h
					split_copy_compositeexplicitautogradnonfunctional_dispatch.h
					split_copy_compositeexplicitautograd_dispatch.h
					split_copy_native.h
					split_copy_ops.h
					split_native.h
					split_ops.h
					split_with_sizes.h
					split_with_sizes_compositeexplicitautograd_dispatch.h
					split_with_sizes_copy.h
					split_with_sizes_copy_compositeexplicitautogradnonfunctional_dispatch.h
					split_with_sizes_copy_compositeexplicitautograd_dispatch.h
					split_with_sizes_copy_cuda_dispatch.h
					split_with_sizes_copy_native.h

						split_with_sizes_copy_ops.h
						split_with_sizes_native.h
						split_with_sizes_ops.h
						sqrt.h
						sqrt_compositeexplicitautogradnonfunctional_dispatch.h
						sqrt_cpu_dispatch.h
						sqrt_cuda_dispatch.h
						sqrt_meta.h
						sqrt_meta_dispatch.h
						sqrt_native.h
						sqrt_ops.h
						square.h
						square_compositeimplicitautograd_dispatch.h
						square_native.h
						square_ops.h
						squeeze.h
						squeeze_compositeexplicitautograd_dispatch.h
						squeeze_compositeimplicitautograd_dispatch.h
						squeeze_copy.h
						squeeze_copy_compositeexplicitautogradnonfunctional_dispatch.h
						squeeze_copy_compositeexplicitautograd_dispatch.h
						squeeze_copy_native.h
						squeeze_copy_ops.h
						squeeze_native.h
						squeeze_ops.h
						sspaddmm.h
						sspaddmm_compositeimplicitautograd_dispatch.h
						sspaddmm_cpu_dispatch.h
						sspaddmm_cuda_dispatch.h
						sspaddmm_native.h
						sspaddmm_ops.h
						stack.h
						stack_compositeexplicitautograd_dispatch.h
						stack_native.h
						stack_ops.h
						std.h
						std_compositeimplicitautograd_dispatch.h
						std_cpu_dispatch.h
						std_cuda_dispatch.h
						std_mean.h
						std_mean_compositeexplicitautograd_dispatch.h
						std_mean_compositeimplicitautograd_dispatch.h
						std_mean_cpu_dispatch.h
						std_mean_cuda_dispatch.h
						std_mean_native.h
						std_mean_ops.h
						std_native.h
						std_ops.h
						stft.h
						stft_compositeimplicitautograd_dispatch.h
						stft_native.h

						stft_ops.h
						stride.h
						stride_compositeimplicitautograd_dispatch.h
						stride_native.h
						stride_ops.h
						sub.h
						subtract.h
						subtract_compositeimplicitautograd_dispatch.h
						subtract_native.h
						subtract_ops.h
						sub_compositeexplicitautogradnonfunctional_dispatch.h
						sub_compositeexplicitautograd_dispatch.h
						sub_cpu_dispatch.h
						sub_cuda_dispatch.h
						sub_meta.h
						sub_meta_dispatch.h
						sub_native.h
						sub_ops.h
						sum.h
						sum_compositeexplicitautogradnonfunctional_dispatch.h
						sum_compositeexplicitautograd_dispatch.h
						sum_compositeimplicitautograd_dispatch.h
						sum_cpu_dispatch.h
						sum_cuda_dispatch.h
						sum_meta.h
						sum_meta_dispatch.h
						sum_native.h
						sum_ops.h
						sum_to_size.h
						sum_to_size_compositeimplicitautograd_dispatch.h
						sum_to_size_native.h
						sum_to_size_ops.h
						svd.h
						svd_compositeimplicitautograd_dispatch.h
						svd_native.h
						svd_ops.h
						swapaxes.h
						swapaxes_compositeimplicitautograd_dispatch.h
						swapaxes_native.h
						swapaxes_ops.h
						swapdims.h
						swapdims_compositeimplicitautograd_dispatch.h
						swapdims_native.h
						swapdims_ops.h
						sym_constrain_range.h
						sym_constrain_range_compositeexplicitautograd_dispatch.h
						sym_constrain_range_for_size.h
						sym_constrain_range_for_size_compositeexplicitautograd_dispatch.h
						sym_constrain_range_for_size_native.h
						sym_constrain_range_for_size_ops.h
						sym_constrain_range_native.h

						sym_constrain_range_ops.h
						sym_numel.h
						sym_numel_compositeimplicitautograd_dispatch.h
						sym_numel_native.h
						sym_numel_ops.h
						sym_size.h
						sym_size_compositeimplicitautograd_dispatch.h
						sym_size_native.h
						sym_size_ops.h
						sym_storage_offset.h
						sym_storage_offset_compositeimplicitautograd_dispatch.h
						sym_storage_offset_native.h
						sym_storage_offset_ops.h
						sym_stride.h
						sym_stride_compositeimplicitautograd_dispatch.h
						sym_stride_native.h
						sym_stride_ops.h
						t.h
						take.h
						take_along_dim.h
						take_along_dim_compositeimplicitautograd_dispatch.h
						take_along_dim_native.h
						take_along_dim_ops.h
						take_cpu_dispatch.h
						take_cuda_dispatch.h
						take_native.h
						take_ops.h
						tan.h
						tanh.h
						tanh_backward.h
						tanh_backward_compositeexplicitautogradnonfunctional_dispatch.h
						tanh_backward_cpu_dispatch.h
						tanh_backward_cuda_dispatch.h
						tanh_backward_meta.h
						tanh_backward_meta_dispatch.h
						tanh_backward_native.h
						tanh_backward_ops.h
						tanh_compositeexplicitautogradnonfunctional_dispatch.h
						tanh_cpu_dispatch.h
						tanh_cuda_dispatch.h
						tanh_meta.h
						tanh_meta_dispatch.h
						tanh_native.h
						tanh_ops.h
						tan_compositeexplicitautogradnonfunctional_dispatch.h
						tan_cpu_dispatch.h
						tan_cuda_dispatch.h
						tan_meta.h
						tan_meta_dispatch.h
						tan_native.h
						tan_ops.h

					tensor.h
					tensordot.h
					tensordot_compositeimplicitautograd_dispatch.h
					tensordot_native.h
					tensordot_ops.h
					tensor_split.h
					tensor_split_compositeimplicitautograd_dispatch.h
					tensor_split_native.h
					tensor_split_ops.h
					thnn_conv2d.h
					thnn_conv2d_compositeimplicitautograd_dispatch.h
					thnn_conv2d_native.h
					thnn_conv2d_ops.h
					threshold.h
					threshold_backward.h
					threshold_backward_compositeexplicitautogradnonfunctional_dispatch.h
					threshold_backward_cpu_dispatch.h
					threshold_backward_cuda_dispatch.h
					threshold_backward_meta.h
					threshold_backward_meta_dispatch.h
					threshold_backward_native.h
					threshold_backward_ops.h
					threshold_compositeexplicitautogradnonfunctional_dispatch.h
					threshold_cpu_dispatch.h
					threshold_cuda_dispatch.h
					threshold_meta.h
					threshold_meta_dispatch.h
					threshold_native.h
					threshold_ops.h
					tile.h
					tile_compositeimplicitautograd_dispatch.h
					tile_native.h
					tile_ops.h
					to.h
					topk.h
					topk_compositeexplicitautogradnonfunctional_dispatch.h
					topk_cpu_dispatch.h
					topk_cuda_dispatch.h
					topk_meta.h
					topk_meta_dispatch.h
					topk_native.h
					topk_ops.h
					to_compositeimplicitautograd_dispatch.h
					to_dense.h
					to_dense_backward.h
					to_dense_backward_compositeimplicitautograd_dispatch.h
					to_dense_backward_native.h
					to_dense_backward_ops.h
					to_dense_compositeimplicitautograd_dispatch.h
					to_dense_native.h
					to_dense_ops.h

					to_mkldnn.h
					to_mkldnn_backward.h
					to_mkldnn_backward_compositeimplicitautograd_dispatch.h
					to_mkldnn_backward_native.h
					to_mkldnn_backward_ops.h
					to_mkldnn_compositeexplicitautograd_dispatch.h
					to_mkldnn_cpu_dispatch.h
					to_mkldnn_native.h
					to_mkldnn_ops.h
					to_native.h
					to_ops.h
					to_padded_tensor.h
					to_padded_tensor_compositeexplicitautograd_dispatch.h
					to_padded_tensor_native.h
					to_padded_tensor_ops.h
					to_sparse.h
					to_sparse_bsc.h
					to_sparse_bsc_compositeimplicitautograd_dispatch.h
					to_sparse_bsc_native.h
					to_sparse_bsc_ops.h
					to_sparse_bsr.h
					to_sparse_bsr_compositeimplicitautograd_dispatch.h
					to_sparse_bsr_native.h
					to_sparse_bsr_ops.h
					to_sparse_compositeimplicitautograd_dispatch.h
					to_sparse_csc.h
					to_sparse_csc_compositeimplicitautograd_dispatch.h
					to_sparse_csc_native.h
					to_sparse_csc_ops.h
					to_sparse_csr.h
					to_sparse_csr_compositeimplicitautograd_dispatch.h
					to_sparse_csr_native.h
					to_sparse_csr_ops.h
					to_sparse_native.h
					to_sparse_ops.h
					trace.h
					trace_backward.h
					trace_backward_compositeimplicitautograd_dispatch.h
					trace_backward_native.h
					trace_backward_ops.h
					trace_compositeexplicitautograd_dispatch.h
					trace_cpu_dispatch.h
					trace_cuda_dispatch.h
					trace_native.h
					trace_ops.h
					transpose.h
					transpose_compositeexplicitautograd_dispatch.h
					transpose_compositeimplicitautograd_dispatch.h
					transpose_copy.h
					transpose_copy_compositeexplicitautogradnonfunctional_dispatch.h
					transpose_copy_compositeexplicitautograd_dispatch.h

					transpose_copy_native.h
					transpose_copy_ops.h
					transpose_native.h
					transpose_ops.h
					trapezoid.h
					trapezoid_compositeimplicitautograd_dispatch.h
					trapezoid_native.h
					trapezoid_ops.h
					trapz.h
					trapz_compositeimplicitautograd_dispatch.h
					trapz_native.h
					trapz_ops.h
					triangular_solve.h
					triangular_solve_compositeexplicitautogradnonfunctional_dispatch.h
					triangular_solve_cpu_dispatch.h
					triangular_solve_cuda_dispatch.h
					triangular_solve_meta.h
					triangular_solve_meta_dispatch.h
					triangular_solve_native.h
					triangular_solve_ops.h
					tril.h
					tril_compositeexplicitautogradnonfunctional_dispatch.h
					tril_cpu_dispatch.h
					tril_cuda_dispatch.h
					tril_indices.h
					tril_indices_compositeexplicitautograd_dispatch.h
					tril_indices_cpu_dispatch.h
					tril_indices_cuda_dispatch.h
					tril_indices_native.h
					tril_indices_ops.h
					tril_meta.h
					tril_meta_dispatch.h
					tril_native.h
					tril_ops.h
					triplet_margin_loss.h
					triplet_margin_loss_compositeimplicitautograd_dispatch.h
					triplet_margin_loss_native.h
					triplet_margin_loss_ops.h
					triu.h
					triu_compositeexplicitautogradnonfunctional_dispatch.h
					triu_cpu_dispatch.h
					triu_cuda_dispatch.h
					triu_indices.h
					triu_indices_compositeexplicitautograd_dispatch.h
					triu_indices_cpu_dispatch.h
					triu_indices_cuda_dispatch.h
					triu_indices_native.h
					triu_indices_ops.h
					triu_meta.h
					triu_meta_dispatch.h
					triu_native.h

					triu_ops.h
					true_divide.h
					true_divide_compositeimplicitautograd_dispatch.h
					true_divide_native.h
					true_divide_ops.h
					trunc.h
					trunc_compositeexplicitautogradnonfunctional_dispatch.h
					trunc_cpu_dispatch.h
					trunc_cuda_dispatch.h
					trunc_meta.h
					trunc_meta_dispatch.h
					trunc_native.h
					trunc_ops.h
					type_as.h
					type_as_compositeimplicitautograd_dispatch.h
					type_as_native.h
					type_as_ops.h
					t_compositeexplicitautograd_dispatch.h
					t_copy.h
					t_copy_compositeexplicitautogradnonfunctional_dispatch.h
					t_copy_compositeexplicitautograd_dispatch.h
					t_copy_native.h
					t_copy_ops.h
					t_native.h
					t_ops.h
					unbind.h
					unbind_compositeexplicitautograd_dispatch.h
					unbind_compositeimplicitautograd_dispatch.h
					unbind_copy.h
					unbind_copy_compositeexplicitautogradnonfunctional_dispatch.h
					unbind_copy_compositeexplicitautograd_dispatch.h
					unbind_copy_native.h
					unbind_copy_ops.h
					unbind_native.h
					unbind_ops.h
					unflatten.h
					unflatten_compositeimplicitautograd_dispatch.h
					unflatten_dense_tensors.h
					unflatten_dense_tensors_compositeimplicitautograd_dispatch.h
					unflatten_dense_tensors_native.h
					unflatten_dense_tensors_ops.h
					unflatten_native.h
					unflatten_ops.h
					unfold.h
					unfold_backward.h
					unfold_backward_compositeexplicitautograd_dispatch.h
					unfold_backward_cpu_dispatch.h
					unfold_backward_cuda_dispatch.h
					unfold_backward_native.h
					unfold_backward_ops.h
					unfold_copy.h

					unfold_copy_compositeexplicitautogradnonfunctional_dispatch.h
					unfold_copy_compositeexplicitautograd_dispatch.h
					unfold_copy_native.h
					unfold_copy_ops.h
					unfold_cpu_dispatch.h
					unfold_cuda_dispatch.h
					unfold_meta_dispatch.h
					unfold_native.h
					unfold_ops.h
					uniform.h
					uniform_compositeexplicitautograd_dispatch.h
					uniform_cpu_dispatch.h
					uniform_cuda_dispatch.h
					uniform_meta_dispatch.h
					uniform_native.h
					uniform_ops.h
					unique_consecutive.h
					unique_consecutive_compositeexplicitautograd_dispatch.h
					unique_consecutive_cpu_dispatch.h
					unique_consecutive_cuda_dispatch.h
					unique_consecutive_native.h
					unique_consecutive_ops.h
					unique_dim.h
					unique_dim_compositeexplicitautograd_dispatch.h
					unique_dim_consecutive.h
					unique_dim_consecutive_compositeexplicitautograd_dispatch.h
					unique_dim_consecutive_cpu_dispatch.h
					unique_dim_consecutive_cuda_dispatch.h
					unique_dim_consecutive_native.h
					unique_dim_consecutive_ops.h
					unique_dim_cpu_dispatch.h
					unique_dim_cuda_dispatch.h
					unique_dim_native.h
					unique_dim_ops.h
					unsafe_chunk.h
					unsafe_chunk_compositeimplicitautograd_dispatch.h
					unsafe_chunk_native.h
					unsafe_chunk_ops.h
					unsafe_split.h
					unsafe_split_compositeexplicitautograd_dispatch.h
					unsafe_split_native.h
					unsafe_split_ops.h
					unsafe_split_with_sizes.h
					unsafe_split_with_sizes_compositeexplicitautograd_dispatch.h
					unsafe_split_with_sizes_native.h
					unsafe_split_with_sizes_ops.h
					unsqueeze.h
					unsqueeze_compositeexplicitautograd_dispatch.h
					unsqueeze_copy.h
					unsqueeze_copy_compositeexplicitautogradnonfunctional_dispatch.h
					unsqueeze_copy_compositeexplicitautograd_dispatch.h

						unsqueeze_copy_native.h
						unsqueeze_copy_ops.h
						unsqueeze_native.h
						unsqueeze_ops.h
						upsample_bicubic2d.h
						upsample_bicubic2d_backward.h
						upsample_bicubic2d_backward_compositeexplicitautogradnonfunctional_dispatch.h
						upsample_bicubic2d_backward_cpu_dispatch.h
						upsample_bicubic2d_backward_cuda_dispatch.h
						upsample_bicubic2d_backward_meta.h
						upsample_bicubic2d_backward_meta_dispatch.h
						upsample_bicubic2d_backward_native.h
						upsample_bicubic2d_backward_ops.h
						upsample_bicubic2d_compositeexplicitautogradnonfunctional_dispatch.h
						upsample_bicubic2d_compositeimplicitautograd_dispatch.h
						upsample_bicubic2d_cpu_dispatch.h
						upsample_bicubic2d_cuda_dispatch.h
						upsample_bicubic2d_meta.h
						upsample_bicubic2d_meta_dispatch.h
						upsample_bicubic2d_native.h
						upsample_bicubic2d_ops.h
						upsample_bilinear2d.h
						upsample_bilinear2d_backward.h
						upsample_bilinear2d_backward_compositeexplicitautogradnonfunctional_dispatch.h
						upsample_bilinear2d_backward_cpu_dispatch.h
						upsample_bilinear2d_backward_cuda_dispatch.h
						upsample_bilinear2d_backward_meta.h
						upsample_bilinear2d_backward_meta_dispatch.h
						upsample_bilinear2d_backward_native.h
						upsample_bilinear2d_backward_ops.h
						upsample_bilinear2d_compositeexplicitautogradnonfunctional_dispatch.h
						upsample_bilinear2d_compositeexplicitautograd_dispatch.h
						upsample_bilinear2d_compositeimplicitautograd_dispatch.h
						upsample_bilinear2d_cpu_dispatch.h
						upsample_bilinear2d_cuda_dispatch.h
						upsample_bilinear2d_meta.h
						upsample_bilinear2d_meta_dispatch.h
						upsample_bilinear2d_native.h
						upsample_bilinear2d_ops.h
						upsample_linear1d.h
						upsample_linear1d_backward.h
						upsample_linear1d_backward_compositeexplicitautogradnonfunctional_dispatch.h
						upsample_linear1d_backward_cpu_dispatch.h
						upsample_linear1d_backward_cuda_dispatch.h
						upsample_linear1d_backward_meta.h
						upsample_linear1d_backward_meta_dispatch.h
						upsample_linear1d_backward_native.h
						upsample_linear1d_backward_ops.h
						upsample_linear1d_compositeexplicitautogradnonfunctional_dispatch.h
						upsample_linear1d_compositeimplicitautograd_dispatch.h
						upsample_linear1d_cpu_dispatch.h

					upsample_linear1d_cuda_dispatch.h
					upsample_linear1d_meta.h
					upsample_linear1d_meta_dispatch.h
					upsample_linear1d_native.h
					upsample_linear1d_ops.h
					upsample_nearest1d.h
					upsample_nearest1d_backward.h
					upsample_nearest1d_backward_compositeexplicitautogradnonfunctional_dispatch.h
					upsample_nearest1d_backward_cpu_dispatch.h
					upsample_nearest1d_backward_cuda_dispatch.h
					upsample_nearest1d_backward_meta.h
					upsample_nearest1d_backward_meta_dispatch.h
					upsample_nearest1d_backward_native.h
					upsample_nearest1d_backward_ops.h
					upsample_nearest1d_compositeexplicitautogradnonfunctional_dispatch.h
					upsample_nearest1d_compositeimplicitautograd_dispatch.h
					upsample_nearest1d_cpu_dispatch.h
					upsample_nearest1d_cuda_dispatch.h
					upsample_nearest1d_meta.h
					upsample_nearest1d_meta_dispatch.h
					upsample_nearest1d_native.h
					upsample_nearest1d_ops.h
					upsample_nearest2d.h
					upsample_nearest2d_backward.h
					upsample_nearest2d_backward_compositeexplicitautogradnonfunctional_dispatch.h
					upsample_nearest2d_backward_cpu_dispatch.h
					upsample_nearest2d_backward_cuda_dispatch.h
					upsample_nearest2d_backward_meta.h
					upsample_nearest2d_backward_meta_dispatch.h
					upsample_nearest2d_backward_native.h
					upsample_nearest2d_backward_ops.h
					upsample_nearest2d_compositeexplicitautogradnonfunctional_dispatch.h
					upsample_nearest2d_compositeexplicitautograd_dispatch.h
					upsample_nearest2d_compositeimplicitautograd_dispatch.h
					upsample_nearest2d_cpu_dispatch.h
					upsample_nearest2d_cuda_dispatch.h
					upsample_nearest2d_meta.h
					upsample_nearest2d_meta_dispatch.h
					upsample_nearest2d_native.h
					upsample_nearest2d_ops.h
					upsample_nearest3d.h
					upsample_nearest3d_backward.h
					upsample_nearest3d_backward_compositeexplicitautogradnonfunctional_dispatch.h
					upsample_nearest3d_backward_cpu_dispatch.h
					upsample_nearest3d_backward_cuda_dispatch.h
					upsample_nearest3d_backward_meta.h
					upsample_nearest3d_backward_meta_dispatch.h
					upsample_nearest3d_backward_native.h
					upsample_nearest3d_backward_ops.h
					upsample_nearest3d_compositeexplicitautogradnonfunctional_dispatch.h
					upsample_nearest3d_compositeimplicitautograd_dispatch.h

					upsample_nearest3d_cpu_dispatch.h
					upsample_nearest3d_cuda_dispatch.h
					upsample_nearest3d_meta.h
					upsample_nearest3d_meta_dispatch.h
					upsample_nearest3d_native.h
					upsample_nearest3d_ops.h
					upsample_trilinear3d.h
					upsample_trilinear3d_backward.h
					upsample_trilinear3d_backward_compositeexplicitautogradnonfunctional_dispatch.h
					upsample_trilinear3d_backward_cpu_dispatch.h
					upsample_trilinear3d_backward_cuda_dispatch.h
					upsample_trilinear3d_backward_meta.h
					upsample_trilinear3d_backward_meta_dispatch.h
					upsample_trilinear3d_backward_native.h
					upsample_trilinear3d_backward_ops.h
					upsample_trilinear3d_compositeexplicitautogradnonfunctional_dispatch.h
					upsample_trilinear3d_compositeimplicitautograd_dispatch.h
					upsample_trilinear3d_cpu_dispatch.h
					upsample_trilinear3d_cuda_dispatch.h
					upsample_trilinear3d_meta.h
					upsample_trilinear3d_meta_dispatch.h
					upsample_trilinear3d_native.h
					upsample_trilinear3d_ops.h
					values.h
					values_compositeexplicitautograd_dispatch.h
					values_copy.h
					values_copy_compositeexplicitautogradnonfunctional_dispatch.h
					values_copy_compositeexplicitautograd_dispatch.h
					values_copy_native.h
					values_copy_ops.h
					values_native.h
					values_ops.h
					value_selecting_reduction_backward.h
					value_selecting_reduction_backward_compositeimplicitautograd_dispatch.h
					value_selecting_reduction_backward_native.h
					value_selecting_reduction_backward_ops.h
					vander.h
					vander_compositeimplicitautograd_dispatch.h
					vander_native.h
					vander_ops.h
					var.h
					var_compositeimplicitautograd_dispatch.h
					var_cpu_dispatch.h
					var_cuda_dispatch.h
					var_mean.h
					var_mean_compositeexplicitautograd_dispatch.h
					var_mean_compositeimplicitautograd_dispatch.h
					var_mean_cpu_dispatch.h
					var_mean_cuda_dispatch.h
					var_mean_native.h
					var_mean_ops.h

						var_native.h
						var_ops.h
						vdot.h
						vdot_compositeexplicitautograd_dispatch.h
						vdot_cpu_dispatch.h
						vdot_cuda_dispatch.h
						vdot_native.h
						vdot_ops.h
						view.h
						view_as.h
						view_as_complex.h
						view_as_complex_copy.h
						view_as_complex_copy_compositeexplicitautogradnonfunctional_dispatch.h
						view_as_complex_copy_compositeexplicitautograd_dispatch.h
						view_as_complex_copy_native.h
						view_as_complex_copy_ops.h
						view_as_complex_cpu_dispatch.h
						view_as_complex_cuda_dispatch.h
						view_as_complex_meta_dispatch.h
						view_as_complex_native.h
						view_as_complex_ops.h
						view_as_compositeimplicitautograd_dispatch.h
						view_as_native.h
						view_as_ops.h
						view_as_real.h
						view_as_real_copy.h
						view_as_real_copy_compositeexplicitautogradnonfunctional_dispatch.h
						view_as_real_copy_compositeexplicitautograd_dispatch.h
						view_as_real_copy_native.h
						view_as_real_copy_ops.h
						view_as_real_cpu_dispatch.h
						view_as_real_cuda_dispatch.h
						view_as_real_meta_dispatch.h
						view_as_real_native.h
						view_as_real_ops.h
						view_compositeexplicitautograd_dispatch.h
						view_copy.h
						view_copy_compositeexplicitautogradnonfunctional_dispatch.h
						view_copy_compositeexplicitautograd_dispatch.h
						view_copy_native.h
						view_copy_ops.h
						view_cpu_dispatch.h
						view_cuda_dispatch.h
						view_meta_dispatch.h
						view_native.h
						view_ops.h
						vsplit.h
						vsplit_compositeimplicitautograd_dispatch.h
						vsplit_native.h
						vsplit_ops.h
						vstack.h

					vstack_compositeimplicitautograd_dispatch.h
					vstack_native.h
					vstack_ops.h
					where.h
					where_compositeimplicitautograd_dispatch.h
					where_cpu_dispatch.h
					where_cuda_dispatch.h
					where_native.h
					where_ops.h
					xlogy.h
					xlogy_compositeexplicitautogradnonfunctional_dispatch.h
					xlogy_compositeexplicitautograd_dispatch.h
					xlogy_cpu_dispatch.h
					xlogy_cuda_dispatch.h
					xlogy_meta.h
					xlogy_meta_dispatch.h
					xlogy_native.h
					xlogy_ops.h
					xor.h
					xor_compositeimplicitautograd_dispatch.h
					xor_native.h
					xor_ops.h
					zero.h
					zeros.h
					zeros_compositeexplicitautograd_dispatch.h
					zeros_like.h
					zeros_like_compositeexplicitautograd_dispatch.h
					zeros_like_compositeimplicitautogradnestedtensor_dispatch.h
					zeros_like_native.h
					zeros_like_ops.h
					zeros_native.h
					zeros_ops.h
					zero_compositeexplicitautograd_dispatch.h
					zero_cpu_dispatch.h
					zero_cuda_dispatch.h
					zero_meta_dispatch.h
					zero_native.h
					zero_ops.h
					_adaptive_avg_pool2d.h
					_adaptive_avg_pool2d_backward.h
					_adaptive_avg_pool2d_backward_compositeexplicitautograd_dispatch.h
					_adaptive_avg_pool2d_backward_cpu_dispatch.h
					_adaptive_avg_pool2d_backward_cuda_dispatch.h
					_adaptive_avg_pool2d_backward_native.h
					_adaptive_avg_pool2d_backward_ops.h
					_adaptive_avg_pool2d_compositeexplicitautograd_dispatch.h
					_adaptive_avg_pool2d_cpu_dispatch.h
					_adaptive_avg_pool2d_cuda_dispatch.h
					_adaptive_avg_pool2d_native.h
					_adaptive_avg_pool2d_ops.h
					_adaptive_avg_pool3d.h

						_adaptive_avg_pool3d_backward.h
						_adaptive_avg_pool3d_backward_compositeexplicitautograd_dispatch.h
						_adaptive_avg_pool3d_backward_cpu_dispatch.h
						_adaptive_avg_pool3d_backward_cuda_dispatch.h
						_adaptive_avg_pool3d_backward_native.h
						_adaptive_avg_pool3d_backward_ops.h
						_adaptive_avg_pool3d_compositeexplicitautograd_dispatch.h
						_adaptive_avg_pool3d_cpu_dispatch.h
						_adaptive_avg_pool3d_cuda_dispatch.h
						_adaptive_avg_pool3d_native.h
						_adaptive_avg_pool3d_ops.h
						_addmm_activation.h
						_addmm_activation_compositeexplicitautogradnonfunctional_dispatch.h
						_addmm_activation_cpu_dispatch.h
						_addmm_activation_cuda_dispatch.h
						_addmm_activation_meta.h
						_addmm_activation_meta_dispatch.h
						_addmm_activation_native.h
						_addmm_activation_ops.h
						_add_batch_dim.h
						_add_batch_dim_compositeimplicitautograd_dispatch.h
						_add_batch_dim_native.h
						_add_batch_dim_ops.h
						_add_relu.h
						_add_relu_compositeexplicitautograd_dispatch.h
						_add_relu_cpu_dispatch.h
						_add_relu_meta_dispatch.h
						_add_relu_native.h
						_add_relu_ops.h
						_aminmax.h
						_aminmax_compositeexplicitautograd_dispatch.h
						_aminmax_cpu_dispatch.h
						_aminmax_cuda_dispatch.h
						_aminmax_native.h
						_aminmax_ops.h
						_amp_foreach_non_finite_check_and_unscale.h
						_amp_foreach_non_finite_check_and_unscale_compositeexplicitautograd_dispatch.h
						_amp_foreach_non_finite_check_and_unscale_cpu_dispatch.h
						_amp_foreach_non_finite_check_and_unscale_cuda_dispatch.h
						_amp_foreach_non_finite_check_and_unscale_native.h
						_amp_foreach_non_finite_check_and_unscale_ops.h
						_amp_update_scale.h
						_amp_update_scale_compositeexplicitautograd_dispatch.h
						_amp_update_scale_cpu_dispatch.h
						_amp_update_scale_cuda_dispatch.h
						_amp_update_scale_meta_dispatch.h
						_amp_update_scale_native.h
						_amp_update_scale_ops.h
						_assert_async.h
						_assert_async_cpu_dispatch.h
						_assert_async_cuda_dispatch.h

						_assert_async_native.h
						_assert_async_ops.h
						_assert_scalar.h
						_assert_scalar_compositeexplicitautograd_dispatch.h
						_assert_scalar_native.h
						_assert_scalar_ops.h
						_assert_tensor_metadata.h
						_assert_tensor_metadata_compositeexplicitautograd_dispatch.h
						_assert_tensor_metadata_meta_dispatch.h
						_assert_tensor_metadata_native.h
						_assert_tensor_metadata_ops.h
						_autocast_to_full_precision.h
						_autocast_to_full_precision_compositeimplicitautograd_dispatch.h
						_autocast_to_full_precision_native.h
						_autocast_to_full_precision_ops.h
						_autocast_to_reduced_precision.h
						_autocast_to_reduced_precision_compositeimplicitautograd_dispatch.h
						_autocast_to_reduced_precision_native.h
						_autocast_to_reduced_precision_ops.h
						_backward.h
						_backward_compositeimplicitautograd_dispatch.h
						_backward_native.h
						_backward_ops.h
						_batch_norm_impl_index.h
						_batch_norm_impl_index_backward.h
						_batch_norm_impl_index_backward_compositeimplicitautograd_dispatch.h
						_batch_norm_impl_index_backward_native.h
						_batch_norm_impl_index_backward_ops.h
						_batch_norm_impl_index_compositeimplicitautograd_dispatch.h
						_batch_norm_impl_index_native.h
						_batch_norm_impl_index_ops.h
						_batch_norm_no_update.h
						_batch_norm_no_update_compositeexplicitautograd_dispatch.h
						_batch_norm_no_update_native.h
						_batch_norm_no_update_ops.h
						_batch_norm_with_update.h
						_batch_norm_with_update_compositeexplicitautograd_dispatch.h
						_batch_norm_with_update_cpu_dispatch.h
						_batch_norm_with_update_cuda_dispatch.h
						_batch_norm_with_update_native.h
						_batch_norm_with_update_ops.h
						_cast_Byte.h
						_cast_Byte_compositeimplicitautograd_dispatch.h
						_cast_Byte_native.h
						_cast_Byte_ops.h
						_cast_Char.h
						_cast_Char_compositeimplicitautograd_dispatch.h
						_cast_Char_native.h
						_cast_Char_ops.h
						_cast_Double.h
						_cast_Double_compositeimplicitautograd_dispatch.h

						_cast_Double_native.h
						_cast_Double_ops.h
						_cast_Float.h
						_cast_Float_compositeimplicitautograd_dispatch.h
						_cast_Float_native.h
						_cast_Float_ops.h
						_cast_Half.h
						_cast_Half_compositeimplicitautograd_dispatch.h
						_cast_Half_native.h
						_cast_Half_ops.h
						_cast_Int.h
						_cast_Int_compositeimplicitautograd_dispatch.h
						_cast_Int_native.h
						_cast_Int_ops.h
						_cast_Long.h
						_cast_Long_compositeimplicitautograd_dispatch.h
						_cast_Long_native.h
						_cast_Long_ops.h
						_cast_Short.h
						_cast_Short_compositeimplicitautograd_dispatch.h
						_cast_Short_native.h
						_cast_Short_ops.h
						_cdist_backward.h
						_cdist_backward_compositeexplicitautograd_dispatch.h
						_cdist_backward_cpu_dispatch.h
						_cdist_backward_cuda_dispatch.h
						_cdist_backward_native.h
						_cdist_backward_ops.h
						_cdist_forward.h
						_cdist_forward_compositeexplicitautograd_dispatch.h
						_cdist_forward_cpu_dispatch.h
						_cdist_forward_cuda_dispatch.h
						_cdist_forward_native.h
						_cdist_forward_ops.h
						_cholesky_solve_helper.h
						_cholesky_solve_helper_compositeexplicitautograd_dispatch.h
						_cholesky_solve_helper_cpu_dispatch.h
						_cholesky_solve_helper_cuda_dispatch.h
						_cholesky_solve_helper_native.h
						_cholesky_solve_helper_ops.h
						_choose_qparams_per_tensor.h
						_choose_qparams_per_tensor_compositeimplicitautograd_dispatch.h
						_choose_qparams_per_tensor_native.h
						_choose_qparams_per_tensor_ops.h
						_chunk_cat.h
						_chunk_cat_compositeexplicitautograd_dispatch.h
						_chunk_cat_cuda_dispatch.h
						_chunk_cat_native.h
						_chunk_cat_ops.h
						_coalesce.h
						_coalesced.h

						_coalesced_compositeexplicitautograd_dispatch.h
						_coalesced_meta_dispatch.h
						_coalesced_native.h
						_coalesced_ops.h
						_coalesce_compositeexplicitautograd_dispatch.h
						_coalesce_native.h
						_coalesce_ops.h
						_compute_linear_combination.h
						_compute_linear_combination_cpu_dispatch.h
						_compute_linear_combination_cuda_dispatch.h
						_compute_linear_combination_native.h
						_compute_linear_combination_ops.h
						_conj.h
						_conj_compositeexplicitautograd_dispatch.h
						_conj_copy.h
						_conj_copy_compositeexplicitautogradnonfunctional_dispatch.h
						_conj_copy_compositeexplicitautograd_dispatch.h
						_conj_copy_native.h
						_conj_copy_ops.h
						_conj_native.h
						_conj_ops.h
						_conj_physical.h
						_conj_physical_compositeexplicitautograd_dispatch.h
						_conj_physical_native.h
						_conj_physical_ops.h
						_convert_indices_from_coo_to_csr.h
						_convert_indices_from_coo_to_csr_compositeexplicitautogradnonfunctional_dispatch.h
						_convert_indices_from_coo_to_csr_cpu_dispatch.h
						_convert_indices_from_coo_to_csr_cuda_dispatch.h
						_convert_indices_from_coo_to_csr_meta.h
						_convert_indices_from_coo_to_csr_meta_dispatch.h
						_convert_indices_from_coo_to_csr_native.h
						_convert_indices_from_coo_to_csr_ops.h
						_convert_indices_from_csr_to_coo.h
						_convert_indices_from_csr_to_coo_compositeexplicitautogradnonfunctional_dispatch.h
						_convert_indices_from_csr_to_coo_cpu_dispatch.h
						_convert_indices_from_csr_to_coo_cuda_dispatch.h
						_convert_indices_from_csr_to_coo_meta.h
						_convert_indices_from_csr_to_coo_meta_dispatch.h
						_convert_indices_from_csr_to_coo_native.h
						_convert_indices_from_csr_to_coo_ops.h
						_convert_weight_to_int4pack.h
						_convert_weight_to_int4pack_cuda_dispatch.h
						_convert_weight_to_int4pack_for_cpu.h
						_convert_weight_to_int4pack_for_cpu_cpu_dispatch.h
						_convert_weight_to_int4pack_for_cpu_native.h
						_convert_weight_to_int4pack_for_cpu_ops.h
						_convert_weight_to_int4pack_native.h
						_convert_weight_to_int4pack_ops.h
						_convolution.h
						_convolution_compositeexplicitautograd_dispatch.h

						_convolution_compositeimplicitautograd_dispatch.h
						_convolution_double_backward.h
						_convolution_double_backward_compositeimplicitautograd_dispatch.h
						_convolution_double_backward_native.h
						_convolution_double_backward_ops.h
						_convolution_mode.h
						_convolution_mode_compositeimplicitautograd_dispatch.h
						_convolution_mode_native.h
						_convolution_mode_ops.h
						_convolution_native.h
						_convolution_ops.h
						_conv_depthwise2d.h
						_conv_depthwise2d_cuda_dispatch.h
						_conv_depthwise2d_native.h
						_conv_depthwise2d_ops.h
						_copy_from.h
						_copy_from_and_resize.h
						_copy_from_and_resize_compositeexplicitautograd_dispatch.h
						_copy_from_and_resize_native.h
						_copy_from_and_resize_ops.h
						_copy_from_compositeexplicitautograd_dispatch.h
						_copy_from_native.h
						_copy_from_ops.h
						_cslt_compress.h
						_cslt_compress_cuda_dispatch.h
						_cslt_compress_native.h
						_cslt_compress_ops.h
						_cslt_sparse_mm.h
						_cslt_sparse_mm_cuda_dispatch.h
						_cslt_sparse_mm_native.h
						_cslt_sparse_mm_ops.h
						_cslt_sparse_mm_search.h
						_cslt_sparse_mm_search_cuda_dispatch.h
						_cslt_sparse_mm_search_native.h
						_cslt_sparse_mm_search_ops.h
						_ctc_loss.h
						_ctc_loss_backward.h
						_ctc_loss_backward_compositeexplicitautograd_dispatch.h
						_ctc_loss_backward_cpu_dispatch.h
						_ctc_loss_backward_cuda_dispatch.h
						_ctc_loss_backward_native.h
						_ctc_loss_backward_ops.h
						_ctc_loss_compositeexplicitautograd_dispatch.h
						_ctc_loss_cpu_dispatch.h
						_ctc_loss_cuda_dispatch.h
						_ctc_loss_meta_dispatch.h
						_ctc_loss_native.h
						_ctc_loss_ops.h
						_cudnn_ctc_loss.h
						_cudnn_ctc_loss_compositeexplicitautograd_dispatch.h
						_cudnn_ctc_loss_cuda_dispatch.h

						_cudnn_ctc_loss_native.h
						_cudnn_ctc_loss_ops.h
						_cudnn_init_dropout_state.h
						_cudnn_init_dropout_state_compositeexplicitautograd_dispatch.h
						_cudnn_init_dropout_state_cuda_dispatch.h
						_cudnn_init_dropout_state_native.h
						_cudnn_init_dropout_state_ops.h
						_cudnn_rnn.h
						_cudnn_rnn_backward.h
						_cudnn_rnn_backward_compositeexplicitautograd_dispatch.h
						_cudnn_rnn_backward_cuda_dispatch.h
						_cudnn_rnn_backward_native.h
						_cudnn_rnn_backward_ops.h
						_cudnn_rnn_compositeexplicitautograd_dispatch.h
						_cudnn_rnn_cuda_dispatch.h
						_cudnn_rnn_flatten_weight.h
						_cudnn_rnn_flatten_weight_compositeexplicitautograd_dispatch.h
						_cudnn_rnn_flatten_weight_cuda_dispatch.h
						_cudnn_rnn_flatten_weight_native.h
						_cudnn_rnn_flatten_weight_ops.h
						_cudnn_rnn_native.h
						_cudnn_rnn_ops.h
						_cufft_clear_plan_cache.h
						_cufft_clear_plan_cache_compositeimplicitautograd_dispatch.h
						_cufft_clear_plan_cache_native.h
						_cufft_clear_plan_cache_ops.h
						_cufft_get_plan_cache_max_size.h
						_cufft_get_plan_cache_max_size_compositeimplicitautograd_dispatch.h
						_cufft_get_plan_cache_max_size_native.h
						_cufft_get_plan_cache_max_size_ops.h
						_cufft_get_plan_cache_size.h
						_cufft_get_plan_cache_size_compositeimplicitautograd_dispatch.h
						_cufft_get_plan_cache_size_native.h
						_cufft_get_plan_cache_size_ops.h
						_cufft_set_plan_cache_max_size.h
						_cufft_set_plan_cache_max_size_compositeimplicitautograd_dispatch.h
						_cufft_set_plan_cache_max_size_native.h
						_cufft_set_plan_cache_max_size_ops.h
						_cummax_helper.h
						_cummax_helper_cpu_dispatch.h
						_cummax_helper_cuda_dispatch.h
						_cummax_helper_native.h
						_cummax_helper_ops.h
						_cummin_helper.h
						_cummin_helper_cpu_dispatch.h
						_cummin_helper_cuda_dispatch.h
						_cummin_helper_native.h
						_cummin_helper_ops.h
						_debug_has_internal_overlap.h
						_debug_has_internal_overlap_compositeimplicitautograd_dispatch.h
						_debug_has_internal_overlap_native.h

						_debug_has_internal_overlap_ops.h
						_dimI.h
						_dimI_native.h
						_dimI_ops.h
						_dimV.h
						_dimV_native.h
						_dimV_ops.h
						_dim_arange.h
						_dim_arange_compositeimplicitautograd_dispatch.h
						_dim_arange_native.h
						_dim_arange_ops.h
						_dirichlet_grad.h
						_dirichlet_grad_compositeexplicitautograd_dispatch.h
						_dirichlet_grad_cpu_dispatch.h
						_dirichlet_grad_cuda_dispatch.h
						_dirichlet_grad_native.h
						_dirichlet_grad_ops.h
						_efficientzerotensor.h
						_efficientzerotensor_compositeexplicitautograd_dispatch.h
						_efficientzerotensor_cpu_dispatch.h
						_efficientzerotensor_cuda_dispatch.h
						_efficientzerotensor_meta_dispatch.h
						_efficientzerotensor_native.h
						_efficientzerotensor_ops.h
						_efficient_attention_backward.h
						_efficient_attention_backward_cuda_dispatch.h
						_efficient_attention_backward_native.h
						_efficient_attention_backward_ops.h
						_efficient_attention_forward.h
						_efficient_attention_forward_cuda_dispatch.h
						_efficient_attention_forward_native.h
						_efficient_attention_forward_ops.h
						_embedding_bag.h
						_embedding_bag_backward.h
						_embedding_bag_backward_cpu_dispatch.h
						_embedding_bag_backward_cuda_dispatch.h
						_embedding_bag_backward_native.h
						_embedding_bag_backward_ops.h
						_embedding_bag_compositeexplicitautograd_dispatch.h
						_embedding_bag_cpu_dispatch.h
						_embedding_bag_cuda_dispatch.h
						_embedding_bag_dense_backward.h
						_embedding_bag_dense_backward_compositeexplicitautograd_dispatch.h
						_embedding_bag_dense_backward_cpu_dispatch.h
						_embedding_bag_dense_backward_cuda_dispatch.h
						_embedding_bag_dense_backward_native.h
						_embedding_bag_dense_backward_ops.h
						_embedding_bag_forward_only.h
						_embedding_bag_forward_only_compositeexplicitautograd_dispatch.h
						_embedding_bag_forward_only_cpu_dispatch.h
						_embedding_bag_forward_only_cuda_dispatch.h

						_embedding_bag_forward_only_native.h
						_embedding_bag_forward_only_ops.h
						_embedding_bag_native.h
						_embedding_bag_ops.h
						_embedding_bag_per_sample_weights_backward.h
						_embedding_bag_per_sample_weights_backward_compositeexplicitautograd_dispatch.h
						_embedding_bag_per_sample_weights_backward_cpu_dispatch.h
						_embedding_bag_per_sample_weights_backward_cuda_dispatch.h
						_embedding_bag_per_sample_weights_backward_native.h
						_embedding_bag_per_sample_weights_backward_ops.h
						_embedding_bag_sparse_backward.h
						_embedding_bag_sparse_backward_compositeimplicitautograd_dispatch.h
						_embedding_bag_sparse_backward_native.h
						_embedding_bag_sparse_backward_ops.h
						_empty_affine_quantized.h
						_empty_affine_quantized_compositeexplicitautograd_dispatch.h
						_empty_affine_quantized_cpu_dispatch.h
						_empty_affine_quantized_native.h
						_empty_affine_quantized_ops.h
						_empty_per_channel_affine_quantized.h
						_empty_per_channel_affine_quantized_compositeexplicitautograd_dispatch.h
						_empty_per_channel_affine_quantized_cpu_dispatch.h
						_empty_per_channel_affine_quantized_native.h
						_empty_per_channel_affine_quantized_ops.h
						_euclidean_dist.h
						_euclidean_dist_compositeexplicitautograd_dispatch.h
						_euclidean_dist_native.h
						_euclidean_dist_ops.h
						_fake_quantize_learnable_per_channel_affine.h
						_fake_quantize_learnable_per_channel_affine_backward.h
						_fake_quantize_learnable_per_channel_affine_backward_cpu_dispatch.h
						_fake_quantize_learnable_per_channel_affine_backward_cuda_dispatch.h
						_fake_quantize_learnable_per_channel_affine_backward_native.h
						_fake_quantize_learnable_per_channel_affine_backward_ops.h
						_fake_quantize_learnable_per_channel_affine_compositeexplicitautograd_dispatch.h
						_fake_quantize_learnable_per_channel_affine_cpu_dispatch.h
						_fake_quantize_learnable_per_channel_affine_cuda_dispatch.h
						_fake_quantize_learnable_per_channel_affine_native.h
						_fake_quantize_learnable_per_channel_affine_ops.h
						_fake_quantize_learnable_per_tensor_affine.h
						_fake_quantize_learnable_per_tensor_affine_backward.h
						_fake_quantize_learnable_per_tensor_affine_backward_cpu_dispatch.h
						_fake_quantize_learnable_per_tensor_affine_backward_cuda_dispatch.h
						_fake_quantize_learnable_per_tensor_affine_backward_native.h
						_fake_quantize_learnable_per_tensor_affine_backward_ops.h
						_fake_quantize_learnable_per_tensor_affine_compositeexplicitautograd_dispatch.h
						_fake_quantize_learnable_per_tensor_affine_cpu_dispatch.h
						_fake_quantize_learnable_per_tensor_affine_cuda_dispatch.h
						_fake_quantize_learnable_per_tensor_affine_native.h
						_fake_quantize_learnable_per_tensor_affine_ops.h
						_fake_quantize_per_tensor_affine_cachemask_tensor_qparams.h

						_fake_quantize_per_tensor_affine_cachemask_tensor_qparams_compositeexplicitautograd_dispatch.h
						_fake_quantize_per_tensor_affine_cachemask_tensor_qparams_cpu_dispatch.h
						_fake_quantize_per_tensor_affine_cachemask_tensor_qparams_cuda_dispatch.h
						_fake_quantize_per_tensor_affine_cachemask_tensor_qparams_native.h
						_fake_quantize_per_tensor_affine_cachemask_tensor_qparams_ops.h
						_fft_c2c.h
						_fft_c2c_cpu_dispatch.h
						_fft_c2c_cuda_dispatch.h
						_fft_c2c_native.h
						_fft_c2c_ops.h
						_fft_c2r.h
						_fft_c2r_cpu_dispatch.h
						_fft_c2r_cuda_dispatch.h
						_fft_c2r_native.h
						_fft_c2r_ops.h
						_fft_r2c.h
						_fft_r2c_cpu_dispatch.h
						_fft_r2c_cuda_dispatch.h
						_fft_r2c_native.h
						_fft_r2c_ops.h
						_fill_mem_eff_dropout_mask.h
						_fill_mem_eff_dropout_mask_cuda_dispatch.h
						_fill_mem_eff_dropout_mask_meta_dispatch.h
						_fill_mem_eff_dropout_mask_native.h
						_fill_mem_eff_dropout_mask_ops.h
						_flash_attention_backward.h
						_flash_attention_backward_cuda_dispatch.h
						_flash_attention_backward_native.h
						_flash_attention_backward_ops.h
						_flash_attention_forward.h
						_flash_attention_forward_cuda_dispatch.h
						_flash_attention_forward_native.h
						_flash_attention_forward_ops.h
						_foobar.h
						_foobar_compositeexplicitautograd_dispatch.h
						_foobar_cpu_dispatch.h
						_foobar_native.h
						_foobar_ops.h
						_foreach_abs.h
						_foreach_abs_compositeexplicitautograd_dispatch.h
						_foreach_abs_cuda_dispatch.h
						_foreach_abs_native.h
						_foreach_abs_ops.h
						_foreach_acos.h
						_foreach_acos_compositeexplicitautograd_dispatch.h
						_foreach_acos_cuda_dispatch.h
						_foreach_acos_native.h
						_foreach_acos_ops.h
						_foreach_add.h
						_foreach_addcddiv.h
						_foreach_addcddiv_compositeexplicitautograd_dispatch.h

						_foreach_addcddiv_cuda_dispatch.h
						_foreach_addcddiv_native.h
						_foreach_addcddiv_ops.h
						_foreach_addcmul.h
						_foreach_addcmul_compositeexplicitautograd_dispatch.h
						_foreach_addcmul_cuda_dispatch.h
						_foreach_addcmul_native.h
						_foreach_addcmul_ops.h
						_foreach_add_compositeexplicitautograd_dispatch.h
						_foreach_add_cuda_dispatch.h
						_foreach_add_native.h
						_foreach_add_ops.h
						_foreach_asin.h
						_foreach_asin_compositeexplicitautograd_dispatch.h
						_foreach_asin_cuda_dispatch.h
						_foreach_asin_native.h
						_foreach_asin_ops.h
						_foreach_atan.h
						_foreach_atan_compositeexplicitautograd_dispatch.h
						_foreach_atan_cuda_dispatch.h
						_foreach_atan_native.h
						_foreach_atan_ops.h
						_foreach_ceil.h
						_foreach_ceil_compositeexplicitautograd_dispatch.h
						_foreach_ceil_cuda_dispatch.h
						_foreach_ceil_native.h
						_foreach_ceil_ops.h
						_foreach_clamp_max.h
						_foreach_clamp_max_compositeexplicitautograd_dispatch.h
						_foreach_clamp_max_cuda_dispatch.h
						_foreach_clamp_max_native.h
						_foreach_clamp_max_ops.h
						_foreach_clamp_min.h
						_foreach_clamp_min_compositeexplicitautograd_dispatch.h
						_foreach_clamp_min_cuda_dispatch.h
						_foreach_clamp_min_native.h
						_foreach_clamp_min_ops.h
						_foreach_copy.h
						_foreach_copy_compositeexplicitautograd_dispatch.h
						_foreach_copy_cuda_dispatch.h
						_foreach_copy_native.h
						_foreach_copy_ops.h
						_foreach_cos.h
						_foreach_cosh.h
						_foreach_cosh_compositeexplicitautograd_dispatch.h
						_foreach_cosh_cuda_dispatch.h
						_foreach_cosh_native.h
						_foreach_cosh_ops.h
						_foreach_cos_compositeexplicitautograd_dispatch.h
						_foreach_cos_cuda_dispatch.h
						foreach_cos native.h

						_foreach_reciprocal_compositeexplicitautograd_dispatch.h
						_foreach_reciprocal_cuda_dispatch.h
						_foreach_reciprocal_native.h
						_foreach_reciprocal_ops.h
						_foreach_round.h
						_foreach_round_compositeexplicitautograd_dispatch.h
						_foreach_round_cuda_dispatch.h
						_foreach_round_native.h
						_foreach_round_ops.h
						_foreach_rsqrtd.h
						_foreach_rsqrtd_compositeexplicitautograd_dispatch.h
						_foreach_rsqrtd_cuda_dispatch.h
						_foreach_rsqrtd_native.h
						_foreach_rsqrtd_ops.h
						_foreach_sigmoid.h
						_foreach_sigmoid_compositeexplicitautograd_dispatch.h
						_foreach_sigmoid_cuda_dispatch.h
						_foreach_sigmoid_native.h
						_foreach_sigmoid_ops.h
						_foreach_sign.h
						_foreach_sign_compositeexplicitautograd_dispatch.h
						_foreach_sign_cuda_dispatch.h
						_foreach_sign_native.h
						_foreach_sign_ops.h
						_foreach_sin.h
						_foreach_sinh.h
						_foreach_sinh_compositeexplicitautograd_dispatch.h
						_foreach_sinh_cuda_dispatch.h
						_foreach_sinh_native.h
						_foreach_sinh_ops.h
						_foreach_sin_compositeexplicitautograd_dispatch.h
						_foreach_sin_cuda_dispatch.h
						_foreach_sin_native.h
						_foreach_sin_ops.h
						_foreach_sqrt.h
						_foreach_sqrt_compositeexplicitautograd_dispatch.h
						_foreach_sqrt_cuda_dispatch.h
						_foreach_sqrt_native.h
						_foreach_sqrt_ops.h
						_foreach_sub.h
						_foreach_sub_compositeexplicitautograd_dispatch.h
						_foreach_sub_cuda_dispatch.h
						_foreach_sub_native.h
						_foreach_sub_ops.h
						_foreach_tan.h
						_foreach_tanh.h
						_foreach_tanh_compositeexplicitautograd_dispatch.h
						_foreach_tanh_cuda_dispatch.h
						_foreach_tanh_native.h
						_foreach_tanh_ops.h
						_foreach_tan_compositeexplicitautograd_dispatch.h

						_foreach_tan_cuda_dispatch.h
						_foreach_tan_native.h
						_foreach_tan_ops.h
						_foreach_trunc.h
						_foreach_trunc_compositeexplicitautograd_dispatch.h
						_foreach_trunc_cuda_dispatch.h
						_foreach_trunc_native.h
						_foreach_trunc_ops.h
						_foreach_zero.h
						_foreach_zero_compositeexplicitautograd_dispatch.h
						_foreach_zero_cuda_dispatch.h
						_foreach_zero_native.h
						_foreach_zero_ops.h
						_functional_assert_async.h
						_functional_assert_async_cpu_dispatch.h
						_functional_assert_async_native.h
						_functional_assert_async_ops.h
						_functional_assert_scalar.h
						_functional_assert_scalar_compositeexplicitautograd_dispatch.h
						_functional_assert_scalar_native.h
						_functional_assert_scalar_ops.h
						_functional_sym_constrain_range.h
						_functional_sym_constrain_range_compositeexplicitautograd_dispatch.h
						_functional_sym_constrain_range_for_size.h
						_functional_sym_constrain_range_for_size_compositeexplicitautograd_dispatch.h
						_functional_sym_constrain_range_for_size_native.h
						_functional_sym_constrain_range_for_size_ops.h
						_functional_sym_constrain_range_native.h
						_functional_sym_constrain_range_ops.h
						_fused_adagrad.h
						_fused_adagrad_compositeexplicitautograd_dispatch.h
						_fused_adagrad_cpu_dispatch.h
						_fused_adagrad_native.h
						_fused_adagrad_ops.h
						_fused_adam.h
						_fused_adamw.h
						_fused_adamw_compositeexplicitautograd_dispatch.h
						_fused_adamw_cpu_dispatch.h
						_fused_adamw_cuda_dispatch.h
						_fused_adamw_native.h
						_fused_adamw_ops.h
						_fused_adam_compositeexplicitautograd_dispatch.h
						_fused_adam_cpu_dispatch.h
						_fused_adam_cuda_dispatch.h
						_fused_adam_native.h
						_fused_adam_ops.h
						_fused_dropout.h
						_fused_dropout_compositeexplicitautograd_dispatch.h
						_fused_dropout_cuda_dispatch.h
						_fused_dropout_native.h
						fused_dropout_ops.h

						_fused_moving_avg_obs_fq_helper.h
						_fused_moving_avg_obs_fq_helper_compositeexplicitautograd_dispatch.h
						_fused_moving_avg_obs_fq_helper_cpu_dispatch.h
						_fused_moving_avg_obs_fq_helper_cuda_dispatch.h
						_fused_moving_avg_obs_fq_helper_native.h
						_fused_moving_avg_obs_fq_helper_ops.h
						_fused_sdp_choice.h
						_fused_sdp_choice_cpu_dispatch.h
						_fused_sdp_choice_cuda_dispatch.h
						_fused_sdp_choice_meta_dispatch.h
						_fused_sdp_choice_native.h
						_fused_sdp_choice_ops.h
						_fused_sgd.h
						_fused_sgd_compositeexplicitautograd_dispatch.h
						_fused_sgd_cpu_dispatch.h
						_fused_sgd_cuda_dispatch.h
						_fused_sgd_native.h
						_fused_sgd_ops.h
						_fw_primal.h
						_fw_primal_compositeexplicitautograd_dispatch.h
						_fw_primal_copy.h
						_fw_primal_copy_compositeexplicitautogradnonfunctional_dispatch.h
						_fw_primal_copy_compositeexplicitautograd_dispatch.h
						_fw_primal_copy_native.h
						_fw_primal_copy_ops.h
						_fw_primal_native.h
						_fw_primal_ops.h
						_gather_sparse_backward.h
						_gather_sparse_backward_compositeimplicitautograd_dispatch.h
						_gather_sparse_backward_native.h
						_gather_sparse_backward_ops.h
						_grid_sampler_2d_cpu_fallback.h
						_grid_sampler_2d_cpu_fallback_backward.h
						_grid_sampler_2d_cpu_fallback_backward_compositeimplicitautograd_dispatch.h
						_grid_sampler_2d_cpu_fallback_backward_native.h
						_grid_sampler_2d_cpu_fallback_backward_ops.h
						_grid_sampler_2d_cpu_fallback_compositeexplicitautograd_dispatch.h
						_grid_sampler_2d_cpu_fallback_native.h
						_grid_sampler_2d_cpu_fallback_ops.h
						_has_compatible_shallow_copy_type.h
						_has_compatible_shallow_copy_type_compositeimplicitautograd_dispatch.h
						_has_compatible_shallow_copy_type_native.h
						_has_compatible_shallow_copy_type_ops.h
						_has_same_storage_numel.h
						_has_same_storage_numel_compositeexplicitautograd_dispatch.h
						_has_same_storage_numel_native.h
						_has_same_storage_numel_ops.h
						_histogramdd_bin_edges.h
						_histogramdd_bin_edges_compositeexplicitautograd_dispatch.h
						_histogramdd_bin_edges_cpu_dispatch.h
						_histogramdd_bin_edges_native.h

						_histogramdd_bin_edges_ops.h
						_histogramdd_from_bin_cts.h
						_histogramdd_from_bin_cts_compositeexplicitautograd_dispatch.h
						_histogramdd_from_bin_cts_cpu_dispatch.h
						_histogramdd_from_bin_cts_native.h
						_histogramdd_from_bin_cts_ops.h
						_histogramdd_from_bin_tensors.h
						_histogramdd_from_bin_tensors_compositeexplicitautograd_dispatch.h
						_histogramdd_from_bin_tensors_cpu_dispatch.h
						_histogramdd_from_bin_tensors_native.h
						_histogramdd_from_bin_tensors_ops.h
						_index_put_impl.h
						_index_put_impl_compositeexplicitautograd_dispatch.h
						_index_put_impl_cpu_dispatch.h
						_index_put_impl_cuda_dispatch.h
						_index_put_impl_meta_dispatch.h
						_index_put_impl_native.h
						_index_put_impl_ops.h
						_indices.h
						_indices_copy.h
						_indices_copy_compositeexplicitautogradnonfunctional_dispatch.h
						_indices_copy_compositeexplicitautograd_dispatch.h
						_indices_copy_native.h
						_indices_copy_ops.h
						_indices_native.h
						_indices_ops.h
						_int_mm.h
						_int_mm_cpu_dispatch.h
						_int_mm_cuda_dispatch.h
						_int_mm_native.h
						_int_mm_ops.h
						_is_all_true.h
						_is_all_true_compositeexplicitautograd_dispatch.h
						_is_all_true_native.h
						_is_all_true_ops.h
						_is_any_true.h
						_is_any_true_compositeexplicitautograd_dispatch.h
						_is_any_true_native.h
						_is_any_true_ops.h
						_is_zerotensor.h
						_is_zerotensor_compositeimplicitautograd_dispatch.h
						_is_zerotensor_native.h
						_is_zerotensor_ops.h
						_jagged_to_padded_dense_forward.h
						_jagged_to_padded_dense_forward_cpu_dispatch.h
						_jagged_to_padded_dense_forward_cuda_dispatch.h
						_jagged_to_padded_dense_forward_native.h
						_jagged_to_padded_dense_forward_ops.h
						_lazy_clone.h
						_lazy_clone_compositeexplicitautograd_dispatch.h
						lazy clone native.h

						_lazy_clone_ops.h
						_linalg_check_errors.h
						_linalg_check_errors_compositeexplicitautograd_dispatch.h
						_linalg_check_errors_native.h
						_linalg_check_errors_ops.h
						_linalg_det.h
						_linalg_det_compositeexplicitautogradnonfunctional_dispatch.h
						_linalg_det_cpu_dispatch.h
						_linalg_det_cuda_dispatch.h
						_linalg_det_meta.h
						_linalg_det_meta_dispatch.h
						_linalg_det_native.h
						_linalg_det_ops.h
						_linalg_eigh.h
						_linalg_eigh_compositeexplicitautogradnonfunctional_dispatch.h
						_linalg_eigh_cpu_dispatch.h
						_linalg_eigh_cuda_dispatch.h
						_linalg_eigh_meta.h
						_linalg_eigh_meta_dispatch.h
						_linalg_eigh_native.h
						_linalg_eigh_ops.h
						_linalg_eigvals.h
						_linalg_eigvals_cpu_dispatch.h
						_linalg_eigvals_cuda_dispatch.h
						_linalg_eigvals_native.h
						_linalg_eigvals_ops.h
						_linalg_slogdet.h
						_linalg_slogdet_compositeexplicitautogradnonfunctional_dispatch.h
						_linalg_slogdet_cpu_dispatch.h
						_linalg_slogdet_cuda_dispatch.h
						_linalg_slogdet_meta.h
						_linalg_slogdet_meta_dispatch.h
						_linalg_slogdet_native.h
						_linalg_slogdet_ops.h
						_linalg_solve_ex.h
						_linalg_solve_ex_compositeexplicitautogradnonfunctional_dispatch.h
						_linalg_solve_ex_cpu_dispatch.h
						_linalg_solve_ex_cuda_dispatch.h
						_linalg_solve_ex_meta.h
						_linalg_solve_ex_meta_dispatch.h
						_linalg_solve_ex_native.h
						_linalg_solve_ex_ops.h
						_linalg_svd.h
						_linalg_svd_compositeexplicitautogradnonfunctional_dispatch.h
						_linalg_svd_cpu_dispatch.h
						_linalg_svd_cuda_dispatch.h
						_linalg_svd_meta.h
						_linalg_svd_meta_dispatch.h
						_linalg_svd_native.h
						_linalg_svd_ops.h
						_local_scalar_dense.h

						_local_scalar_dense_cpu_dispatch.h
						_local_scalar_dense_cuda_dispatch.h
						_local_scalar_dense_native.h
						_local_scalar_dense_ops.h
						_logcumsumexp.h
						_logcumsumexp_cpu_dispatch.h
						_logcumsumexp_cuda_dispatch.h
						_logcumsumexp_native.h
						_logcumsumexp_ops.h
						_log_softmax.h
						_log_softmax_backward_data.h
						_log_softmax_backward_data_compositeexplicitautogradnonfunctional_dispatch.h
						_log_softmax_backward_data_cpu_dispatch.h
						_log_softmax_backward_data_cuda_dispatch.h
						_log_softmax_backward_data_meta.h
						_log_softmax_backward_data_meta_dispatch.h
						_log_softmax_backward_data_native.h
						_log_softmax_backward_data_ops.h
						_log_softmax_compositeexplicitautogradnonfunctional_dispatch.h
						_log_softmax_cpu_dispatch.h
						_log_softmax_cuda_dispatch.h
						_log_softmax_meta.h
						_log_softmax_meta_dispatch.h
						_log_softmax_native.h
						_log_softmax_ops.h
						_lstm_mps.h
						_lstm_mps_compositeexplicitautograd_dispatch.h
						_lstm_mps_native.h
						_lstm_mps_ops.h
						_lu_with_info.h
						_lu_with_info_compositeimplicitautograd_dispatch.h
						_lu_with_info_native.h
						_lu_with_info_ops.h
						_make_dep_token.h
						_make_dep_token_cpu_dispatch.h
						_make_dep_token_native.h
						_make_dep_token_ops.h
						_make_dual.h
						_make_dual_compositeexplicitautograd_dispatch.h
						_make_dual_copy.h
						_make_dual_copy_compositeexplicitautogradnonfunctional_dispatch.h
						_make_dual_copy_compositeexplicitautograd_dispatch.h
						_make_dual_copy_native.h
						_make_dual_copy_ops.h
						_make_dual_native.h
						_make_dual_ops.h
						_make_per_channel_quantized_tensor.h
						_make_per_channel_quantized_tensor_compositeexplicitautograd_dispatch.h
						_make_per_channel_quantized_tensor_cpu_dispatch.h
						_make_per_channel_quantized_tensor_cuda_dispatch.h
						_make_per_channel_quantized_tensor_native.h

						_make_per_channel_quantized_tensor_ops.h
						_make_per_tensor_quantized_tensor.h
						_make_per_tensor_quantized_tensor_compositeexplicitautograd_dispatch.h
						_make_per_tensor_quantized_tensor_cpu_dispatch.h
						_make_per_tensor_quantized_tensor_cuda_dispatch.h
						_make_per_tensor_quantized_tensor_native.h
						_make_per_tensor_quantized_tensor_ops.h
						_masked_scale.h
						_masked_scale_compositeexplicitautograd_dispatch.h
						_masked_scale_cuda_dispatch.h
						_masked_scale_native.h
						_masked_scale_ops.h
						_masked_softmax.h
						_masked_softmax_backward.h
						_masked_softmax_backward_compositeexplicitautograd_dispatch.h
						_masked_softmax_backward_cpu_dispatch.h
						_masked_softmax_backward_cuda_dispatch.h
						_masked_softmax_backward_native.h
						_masked_softmax_backward_ops.h
						_masked_softmax_compositeexplicitautograd_dispatch.h
						_masked_softmax_cpu_dispatch.h
						_masked_softmax_cuda_dispatch.h
						_masked_softmax_native.h
						_masked_softmax_ops.h
						_mixed_dtypes_linear.h
						_mixed_dtypes_linear_cuda_dispatch.h
						_mixed_dtypes_linear_native.h
						_mixed_dtypes_linear_ops.h
						_mkldnn_reshape.h
						_mkldnn_reshape_compositeexplicitautograd_dispatch.h
						_mkldnn_reshape_native.h
						_mkldnn_reshape_ops.h
						_mkldnn_transpose.h
						_mkldnn_transpose_compositeexplicitautograd_dispatch.h
						_mkldnn_transpose_meta_dispatch.h
						_mkldnn_transpose_native.h
						_mkldnn_transpose_ops.h
						_mps_convolution.h
						_mps_convolution_compositeexplicitautograd_dispatch.h
						_mps_convolution_native.h
						_mps_convolution_ops.h
						_mps_convolution_transpose.h
						_mps_convolution_transpose_compositeexplicitautograd_dispatch.h
						_mps_convolution_transpose_native.h
						_mps_convolution_transpose_ops.h
						_native_batch_norm_legit.h
						_native_batch_norm_legit_compositeexplicitautograd_dispatch.h
						_native_batch_norm_legit_cpu_dispatch.h
						_native_batch_norm_legit_cuda_dispatch.h
						_native_batch_norm_legit_native.h
						_native_batch_norm_legit_no_training.h

						_native_batch_norm_legit_no_training_compositeexplicitautograd_dispatch.h
						_native_batch_norm_legit_no_training_native.h
						_native_batch_norm_legit_no_training_ops.h
						_native_batch_norm_legit_ops.h
						_native_multi_head_attention.h
						_native_multi_head_attention_compositeexplicitautograd_dispatch.h
						_native_multi_head_attention_cpu_dispatch.h
						_native_multi_head_attention_cuda_dispatch.h
						_native_multi_head_attention_native.h
						_native_multi_head_attention_ops.h
						_neg_view.h
						_neg_view_compositeexplicitautograd_dispatch.h
						_neg_view_copy.h
						_neg_view_copy_compositeexplicitautogradnonfunctional_dispatch.h
						_neg_view_copy_compositeexplicitautograd_dispatch.h
						_neg_view_copy_native.h
						_neg_view_copy_ops.h
						_neg_view_native.h
						_neg_view_ops.h
						_nested_compute_contiguous_strides_offsets.h
						_nested_compute_contiguous_strides_offsets_cpu_dispatch.h
						_nested_compute_contiguous_strides_offsets_cuda_dispatch.h
						_nested_compute_contiguous_strides_offsets_native.h
						_nested_compute_contiguous_strides_offsets_ops.h
						_nested_from_padded.h
						_nested_from_padded_and_nested_example.h
						_nested_from_padded_and_nested_example_compositeexplicitautograd_dispatch.h
						_nested_from_padded_and_nested_example_native.h
						_nested_from_padded_and_nested_example_ops.h
						_nested_from_padded_compositeexplicitautograd_dispatch.h
						_nested_from_padded_cpu_dispatch.h
						_nested_from_padded_cuda_dispatch.h
						_nested_from_padded_native.h
						_nested_from_padded_ops.h
						_nested_from_padded_tensor.h
						_nested_from_padded_tensor_native.h
						_nested_from_padded_tensor_ops.h
						_nested_get_jagged_dummy.h
						_nested_get_jagged_dummy_native.h
						_nested_get_jagged_dummy_ops.h
						_nested_get_lengths.h
						_nested_get_lengths_native.h
						_nested_get_lengths_ops.h
						_nested_get_max_seqlen.h
						_nested_get_max_seqlen_native.h
						_nested_get_max_seqlen_ops.h
						_nested_get_min_seqlen.h
						_nested_get_min_seqlen_native.h
						_nested_get_min_seqlen_ops.h
						_nested_get_offsets.h
						_nested_get_offsets_native.h

						_nested_get_offsets_ops.h
						_nested_get_ragged_idx.h
						_nested_get_ragged_idx_native.h
						_nested_get_ragged_idx_ops.h
						_nested_get_values.h
						_nested_get_values_copy.h
						_nested_get_values_copy_compositeexplicitautogradnonfunctional_dispatch.h
						_nested_get_values_copy_compositeexplicitautograd_dispatch.h
						_nested_get_values_copy_native.h
						_nested_get_values_copy_ops.h
						_nested_get_values_native.h
						_nested_get_values_ops.h
						_nested_select_backward.h
						_nested_select_backward_native.h
						_nested_select_backward_ops.h
						_nested_sum_backward.h
						_nested_sum_backward_native.h
						_nested_sum_backward_ops.h
						_nested_tensor_from_mask.h
						_nested_tensor_from_mask_compositeexplicitautograd_dispatch.h
						_nested_tensor_from_mask_cpu_dispatch.h
						_nested_tensor_from_mask_cuda_dispatch.h
						_nested_tensor_from_mask_left_aligned.h
						_nested_tensor_from_mask_left_aligned_cpu_dispatch.h
						_nested_tensor_from_mask_left_aligned_cuda_dispatch.h
						_nested_tensor_from_mask_left_aligned_native.h
						_nested_tensor_from_mask_left_aligned_ops.h
						_nested_tensor_from_mask_native.h
						_nested_tensor_from_mask_ops.h
						_nested_tensor_from_tensor_list.h
						_nested_tensor_from_tensor_list_compositeexplicitautograd_dispatch.h
						_nested_tensor_from_tensor_list_native.h
						_nested_tensor_from_tensor_list_ops.h
						_nested_tensor_size.h
						_nested_tensor_size_compositeexplicitautograd_dispatch.h
						_nested_tensor_size_native.h
						_nested_tensor_size_ops.h
						_nested_tensor_softmax_with_shape.h
						_nested_tensor_softmax_with_shape_native.h
						_nested_tensor_softmax_with_shape_ops.h
						_nested_tensor_storage_offsets.h
						_nested_tensor_storage_offsets_compositeexplicitautograd_dispatch.h
						_nested_tensor_storage_offsets_native.h
						_nested_tensor_storage_offsets_ops.h
						_nested_tensor_strides.h
						_nested_tensor_strides_compositeexplicitautograd_dispatch.h
						_nested_tensor_strides_native.h
						_nested_tensor_strides_ops.h
						_nested_view_from_buffer.h
						_nested_view_from_buffer_copy.h
						_nested_view_from_buffer_copy_compositeexplicitautogradnonfunctional_dispatch.h

						_nested_view_from_buffer_copy_compositeexplicitautograd_dispatch.h
						_nested_view_from_buffer_copy_native.h
						_nested_view_from_buffer_copy_ops.h
						_nested_view_from_buffer_cpu_dispatch.h
						_nested_view_from_buffer_cuda_dispatch.h
						_nested_view_from_buffer_native.h
						_nested_view_from_buffer_ops.h
						_nested_view_from_jagged.h
						_nested_view_from_jagged_copy.h
						_nested_view_from_jagged_copy_compositeexplicitautogradnonfunctional_dispatch.h
						_nested_view_from_jagged_copy_compositeexplicitautograd_dispatch.h
						_nested_view_from_jagged_copy_native.h
						_nested_view_from_jagged_copy_ops.h
						_nested_view_from_jagged_native.h
						_nested_view_from_jagged_ops.h
						_new_zeros_with_same_feature_meta.h
						_new_zeros_with_same_feature_meta_compositeexplicitautograd_dispatch.h
						_new_zeros_with_same_feature_meta_native.h
						_new_zeros_with_same_feature_meta_ops.h
						_nnpack_available.h
						_nnpack_available_compositeimplicitautograd_dispatch.h
						_nnpack_available_native.h
						_nnpack_available_ops.h
						_nnpack_spatial_convolution.h
						_nnpack_spatial_convolution_compositeexplicitautograd_dispatch.h
						_nnpack_spatial_convolution_native.h
						_nnpack_spatial_convolution_ops.h
						_nnz.h
						_nnz_native.h
						_nnz_ops.h
						_pack_padded_sequence.h
						_pack_padded_sequence_backward.h
						_pack_padded_sequence_backward_compositeimplicitautograd_dispatch.h
						_pack_padded_sequence_backward_native.h
						_pack_padded_sequence_backward_ops.h
						_pack_padded_sequence_compositeexplicitautograd_dispatch.h
						_pack_padded_sequence_native.h
						_pack_padded_sequence_ops.h
						_padded_dense_to_jagged_forward.h
						_padded_dense_to_jagged_forward_cpu_dispatch.h
						_padded_dense_to_jagged_forward_cuda_dispatch.h
						_padded_dense_to_jagged_forward_native.h
						_padded_dense_to_jagged_forward_ops.h
						_pad_circular.h
						_pad_circular_compositeimplicitautograd_dispatch.h
						_pad_circular_native.h
						_pad_circular_ops.h
						_pad_enum.h
						_pad_enum_compositeimplicitautograd_dispatch.h
						_pad_enum_native.h
						_pad_enum_ops.h

						_pad_packed_sequence.h
						_pad_packed_sequence_compositeimplicitautograd_dispatch.h
						_pad_packed_sequence_native.h
						_pad_packed_sequence_ops.h
						_pdist_backward.h
						_pdist_backward_compositeexplicitautograd_dispatch.h
						_pdist_backward_cpu_dispatch.h
						_pdist_backward_cuda_dispatch.h
						_pdist_backward_native.h
						_pdist_backward_ops.h
						_pdist_forward.h
						_pdist_forward_compositeexplicitautograd_dispatch.h
						_pdist_forward_cpu_dispatch.h
						_pdist_forward_cuda_dispatch.h
						_pdist_forward_native.h
						_pdist_forward_ops.h
						_pin_memory.h
						_pin_memory_compositeexplicitautograd_dispatch.h
						_pin_memory_native.h
						_pin_memory_ops.h
						_prelu_kernel.h
						_prelu_kernel_backward.h
						_prelu_kernel_backward_cpu_dispatch.h
						_prelu_kernel_backward_cuda_dispatch.h
						_prelu_kernel_backward_native.h
						_prelu_kernel_backward_ops.h
						_prelu_kernel_cpu_dispatch.h
						_prelu_kernel_cuda_dispatch.h
						_prelu_kernel_native.h
						_prelu_kernel_ops.h
						_print.h
						_print_compositeexplicitautograd_dispatch.h
						_print_native.h
						_print_ops.h
						_propagate_xla_data.h
						_propagate_xla_data_compositeimplicitautograd_dispatch.h
						_propagate_xla_data_native.h
						_propagate_xla_data_ops.h
						_remove_batch_dim.h
						_remove_batch_dim_compositeimplicitautograd_dispatch.h
						_remove_batch_dim_native.h
						_remove_batch_dim_ops.h
						_reshape_alias.h
						_reshape_alias_copy.h
						_reshape_alias_copy_compositeexplicitautogradnonfunctional_dispatch.h
						_reshape_alias_copy_compositeexplicitautograd_dispatch.h
						_reshape_alias_copy_native.h
						_reshape_alias_copy_ops.h
						_reshape_alias_cpu_dispatch.h
						_reshape_alias_cuda_dispatch.h
						_reshape_alias_meta_dispatch.h

						_reshape_alias_native.h
						_reshape_alias_ops.h
						_reshape_copy.h
						_reshape_copy_compositeexplicitautograd_dispatch.h
						_reshape_copy_native.h
						_reshape_copy_ops.h
						_reshape_from_tensor.h
						_reshape_from_tensor_compositeimplicitautograd_dispatch.h
						_reshape_from_tensor_native.h
						_reshape_from_tensor_ops.h
						_resize_output.h
						_resize_output_compositeexplicitautograd_dispatch.h
						_resize_output_meta_dispatch.h
						_resize_output_native.h
						_resize_output_ops.h
						_rowwise_prune.h
						_rowwise_prune_compositeimplicitautograd_dispatch.h
						_rowwise_prune_native.h
						_rowwise_prune_ops.h
						_safe_softmax.h
						_safe_softmax_compositeexplicitautograd_dispatch.h
						_safe_softmax_native.h
						_safe_softmax_ops.h
						_sample_dirichlet.h
						_sample_dirichlet_compositeexplicitautograd_dispatch.h
						_sample_dirichlet_cpu_dispatch.h
						_sample_dirichlet_cuda_dispatch.h
						_sample_dirichlet_native.h
						_sample_dirichlet_ops.h
						_saturate_weight_to_fp16.h
						_saturate_weight_to_fp16_compositeimplicitautograd_dispatch.h
						_saturate_weight_to_fp16_native.h
						_saturate_weight_to_fp16_ops.h
						_scaled_dot_product_attention_math.h
						_scaled_dot_product_attention_math_compositeimplicitautograd_dispatch.h
						_scaled_dot_product_attention_math_for_mps.h
						_scaled_dot_product_attention_math_for_mps_native.h
						_scaled_dot_product_attention_math_for_mps_ops.h
						_scaled_dot_product_attention_math_native.h
						_scaled_dot_product_attention_math_ops.h
						_scaled_dot_product_cudnn_attention.h
						_scaled_dot_product_cudnn_attention_backward.h
						_scaled_dot_product_cudnn_attention_backward_cuda_dispatch.h
						_scaled_dot_product_cudnn_attention_backward_native.h
						_scaled_dot_product_cudnn_attention_backward_ops.h
						_scaled_dot_product_cudnn_attention_cuda_dispatch.h
						_scaled_dot_product_cudnn_attention_native.h
						_scaled_dot_product_cudnn_attention_ops.h
						_scaled_dot_product_efficient_attention.h
						_scaled_dot_product_efficient_attention_backward.h
						_scaled_dot_product_efficient_attention_backward_cuda_dispatch.h

						_scaled_dot_product_efficient_attention_backward_native.h
						_scaled_dot_product_efficient_attention_backward_ops.h
						_scaled_dot_product_efficient_attention_cuda_dispatch.h
						_scaled_dot_product_efficient_attention_native.h
						_scaled_dot_product_efficient_attention_ops.h
						_scaled_dot_product_flash_attention.h
						_scaled_dot_product_flash_attention_backward.h
						_scaled_dot_product_flash_attention_backward_cuda_dispatch.h
						_scaled_dot_product_flash_attention_backward_native.h
						_scaled_dot_product_flash_attention_backward_ops.h
						_scaled_dot_product_flash_attention_cuda_dispatch.h
						_scaled_dot_product_flash_attention_for_cpu.h
						_scaled_dot_product_flash_attention_for_cpu_backward.h
						_scaled_dot_product_flash_attention_for_cpu_backward_cpu_dispatch.h
						_scaled_dot_product_flash_attention_for_cpu_backward_native.h
						_scaled_dot_product_flash_attention_for_cpu_backward_ops.h
						_scaled_dot_product_flash_attention_for_cpu_cpu_dispatch.h
						_scaled_dot_product_flash_attention_for_cpu_native.h
						_scaled_dot_product_flash_attention_for_cpu_ops.h
						_scaled_dot_product_flash_attention_native.h
						_scaled_dot_product_flash_attention_ops.h
						_scaled_dot_product_fused_attention_overrideable.h
						_scaled_dot_product_fused_attention_overrideable_backward.h
						_scaled_dot_product_fused_attention_overrideable_backward_compositeexplicitautograd_dispatch.h
						_scaled_dot_product_fused_attention_overrideable_backward_native.h
						_scaled_dot_product_fused_attention_overrideable_backward_ops.h
						_scaled_dot_product_fused_attention_overrideable_compositeexplicitautograd_dispatch.h
						_scaled_dot_product_fused_attention_overrideable_native.h
						_scaled_dot_product_fused_attention_overrideable_ops.h
						_scaled_mm.h
						_scaled_mm_cuda_dispatch.h
						_scaled_mm_native.h
						_scaled_mm_ops.h
						_segment_reduce_backward.h
						_segment_reduce_backward_compositeexplicitautograd_dispatch.h
						_segment_reduce_backward_cpu_dispatch.h
						_segment_reduce_backward_cuda_dispatch.h
						_segment_reduce_backward_native.h
						_segment_reduce_backward_ops.h
						_shape_as_tensor.h
						_shape_as_tensor_compositeimplicitautograd_dispatch.h
						_shape_as_tensor_native.h
						_shape_as_tensor_ops.h
						_slow_conv2d_backward.h
						_slow_conv2d_backward_compositeexplicitautograd_dispatch.h
						_slow_conv2d_backward_cpu_dispatch.h
						_slow_conv2d_backward_cuda_dispatch.h
						_slow_conv2d_backward_native.h
						_slow_conv2d_backward_ops.h
						_slow_conv2d_forward.h
						_slow_conv2d_forward_cpu_dispatch.h

						_slow_conv2d_forward_cuda_dispatch.h
						_slow_conv2d_forward_native.h
						_slow_conv2d_forward_ops.h
						_sobol_engine_draw.h
						_sobol_engine_draw_compositeimplicitautograd_dispatch.h
						_sobol_engine_draw_native.h
						_sobol_engine_draw_ops.h
						_sobol_engine_ff.h
						_sobol_engine_ff_compositeimplicitautograd_dispatch.h
						_sobol_engine_ff_native.h
						_sobol_engine_ff_ops.h
						_sobol_engine_initialize_state.h
						_sobol_engine_initialize_state_compositeimplicitautograd_dispatch.h
						_sobol_engine_initialize_state_native.h
						_sobol_engine_initialize_state_ops.h
						_sobol_engine_scramble.h
						_sobol_engine_scramble_compositeimplicitautograd_dispatch.h
						_sobol_engine_scramble_native.h
						_sobol_engine_scramble_ops.h
						_softmax.h
						_softmax_backward_data.h
						_softmax_backward_data_compositeexplicitautogradnonfunctional_dispatch.h
						_softmax_backward_data_cpu_dispatch.h
						_softmax_backward_data_cuda_dispatch.h
						_softmax_backward_data_meta.h
						_softmax_backward_data_meta_dispatch.h
						_softmax_backward_data_native.h
						_softmax_backward_data_ops.h
						_softmax_compositeexplicitautogradnonfunctional_dispatch.h
						_softmax_cpu_dispatch.h
						_softmax_cuda_dispatch.h
						_softmax_meta.h
						_softmax_meta_dispatch.h
						_softmax_native.h
						_softmax_ops.h
						_sparse_addmm.h
						_sparse_addmm_compositeexplicitautograd_dispatch.h
						_sparse_addmm_native.h
						_sparse_addmm_ops.h
						_sparse_broadcast_to.h
						_sparse_broadcast_to_copy.h
						_sparse_broadcast_to_copy_compositeexplicitautogradnonfunctional_dispatch.h
						_sparse_broadcast_to_copy_compositeexplicitautograd_dispatch.h
						_sparse_broadcast_to_copy_native.h
						_sparse_broadcast_to_copy_ops.h
						_sparse_broadcast_to_native.h
						_sparse_broadcast_to_ops.h
						_sparse_bsc_tensor_unsafe.h
						_sparse_bsc_tensor_unsafe_compositeimplicitautograd_dispatch.h
						_sparse_bsc_tensor_unsafe_native.h
						_sparse_bsc_tensor_unsafe_ops.h

						_sparse_bsr_tensor_unsafe.h
						_sparse_bsr_tensor_unsafe_compositeimplicitautograd_dispatch.h
						_sparse_bsr_tensor_unsafe_native.h
						_sparse_bsr_tensor_unsafe_ops.h
						_sparse_compressed_tensor_unsafe.h
						_sparse_compressed_tensor_unsafe_compositeimplicitautograd_dispatch.h
						_sparse_compressed_tensor_unsafe_native.h
						_sparse_compressed_tensor_unsafe_ops.h
						_sparse_compressed_tensor_with_dims.h
						_sparse_compressed_tensor_with_dims_compositeexplicitautograd_dispatch.h
						_sparse_compressed_tensor_with_dims_native.h
						_sparse_compressed_tensor_with_dims_ops.h
						_sparse_coo_tensor_unsafe.h
						_sparse_coo_tensor_unsafe_compositeimplicitautograd_dispatch.h
						_sparse_coo_tensor_unsafe_native.h
						_sparse_coo_tensor_unsafe_ops.h
						_sparse_coo_tensor_with_dims.h
						_sparse_coo_tensor_with_dims_and_tensors.h
						_sparse_coo_tensor_with_dims_and_tensors_compositeexplicitautograd_dispatch.h
						_sparse_coo_tensor_with_dims_and_tensors_meta_dispatch.h
						_sparse_coo_tensor_with_dims_and_tensors_native.h
						_sparse_coo_tensor_with_dims_and_tensors_ops.h
						_sparse_coo_tensor_with_dims_compositeexplicitautograd_dispatch.h
						_sparse_coo_tensor_with_dims_meta_dispatch.h
						_sparse_coo_tensor_with_dims_native.h
						_sparse_coo_tensor_with_dims_ops.h
						_sparse_csc_tensor_unsafe.h
						_sparse_csc_tensor_unsafe_compositeimplicitautograd_dispatch.h
						_sparse_csc_tensor_unsafe_native.h
						_sparse_csc_tensor_unsafe_ops.h
						_sparse_csr_prod.h
						_sparse_csr_prod_compositeexplicitautograd_dispatch.h
						_sparse_csr_prod_native.h
						_sparse_csr_prod_ops.h
						_sparse_csr_sum.h
						_sparse_csr_sum_compositeexplicitautograd_dispatch.h
						_sparse_csr_sum_native.h
						_sparse_csr_sum_ops.h
						_sparse_csr_tensor_unsafe.h
						_sparse_csr_tensor_unsafe_compositeimplicitautograd_dispatch.h
						_sparse_csr_tensor_unsafe_native.h
						_sparse_csr_tensor_unsafe_ops.h
						_sparse_log_softmax.h
						_sparse_log_softmax_backward_data.h
						_sparse_log_softmax_backward_data_compositeexplicitautograd_dispatch.h
						_sparse_log_softmax_backward_data_native.h
						_sparse_log_softmax_backward_data_ops.h
						_sparse_log_softmax_compositeexplicitautograd_dispatch.h
						_sparse_log_softmax_compositeimplicitautograd_dispatch.h
						_sparse_log_softmax_native.h
						_sparse_log_softmax_ops.h

						_sparse_mask_projection.h
						_sparse_mask_projection_compositeexplicitautograd_dispatch.h
						_sparse_mask_projection_native.h
						_sparse_mask_projection_ops.h
						_sparse_mm.h
						_sparse_mm_compositeimplicitautograd_dispatch.h
						_sparse_mm_native.h
						_sparse_mm_ops.h
						_sparse_mm_reduce_impl.h
						_sparse_mm_reduce_impl_backward.h
						_sparse_mm_reduce_impl_backward_native.h
						_sparse_mm_reduce_impl_backward_ops.h
						_sparse_mm_reduce_impl_native.h
						_sparse_mm_reduce_impl_ops.h
						_sparse_semi_structured_addmm.h
						_sparse_semi_structured_addmm_cuda_dispatch.h
						_sparse_semi_structured_addmm_native.h
						_sparse_semi_structured_addmm_ops.h
						_sparse_semi_structured_apply.h
						_sparse_semi_structured_apply_cuda_dispatch.h
						_sparse_semi_structured_apply_dense.h
						_sparse_semi_structured_apply_dense_cuda_dispatch.h
						_sparse_semi_structured_apply_dense_native.h
						_sparse_semi_structured_apply_dense_ops.h
						_sparse_semi_structured_apply_native.h
						_sparse_semi_structured_apply_ops.h
						_sparse_semi_structured_linear.h
						_sparse_semi_structured_linear_cuda_dispatch.h
						_sparse_semi_structured_linear_native.h
						_sparse_semi_structured_linear_ops.h
						_sparse_semi_structured_mm.h
						_sparse_semi_structured_mm_cuda_dispatch.h
						_sparse_semi_structured_mm_native.h
						_sparse_semi_structured_mm_ops.h
						_sparse_semi_structured_tile.h
						_sparse_semi_structured_tile_cuda_dispatch.h
						_sparse_semi_structured_tile_native.h
						_sparse_semi_structured_tile_ops.h
						_sparse_softmax.h
						_sparse_softmax_backward_data.h
						_sparse_softmax_backward_data_compositeexplicitautograd_dispatch.h
						_sparse_softmax_backward_data_native.h
						_sparse_softmax_backward_data_ops.h
						_sparse_softmax_compositeexplicitautograd_dispatch.h
						_sparse_softmax_compositeimplicitautograd_dispatch.h
						_sparse_softmax_native.h
						_sparse_softmax_ops.h
						_sparse_sparse_matmul.h
						_sparse_sparse_matmul_compositeexplicitautograd_dispatch.h
						_sparse_sparse_matmul_native.h
						_sparse_sparse_matmul_ops.h

						_sparse_sum.h
						_sparse_sum_backward.h
						_sparse_sum_backward_compositeexplicitautograd_dispatch.h
						_sparse_sum_backward_native.h
						_sparse_sum_backward_ops.h
						_sparse_sum_compositeexplicitautograd_dispatch.h
						_sparse_sum_compositeimplicitautograd_dispatch.h
						_sparse_sum_native.h
						_sparse_sum_ops.h
						_spdiags.h
						_spdiags_compositeexplicitautograd_dispatch.h
						_spdiags_cpu_dispatch.h
						_spdiags_native.h
						_spdiags_ops.h
						_spsolve.h
						_spsolve_native.h
						_spsolve_ops.h
						_stack.h
						_stack_compositeexplicitautograd_dispatch.h
						_stack_cpu_dispatch.h
						_stack_native.h
						_stack_ops.h
						_standard_gamma.h
						_standard_gamma_compositeexplicitautograd_dispatch.h
						_standard_gamma_cpu_dispatch.h
						_standard_gamma_cuda_dispatch.h
						_standard_gamma_grad.h
						_standard_gamma_grad_compositeexplicitautograd_dispatch.h
						_standard_gamma_grad_cpu_dispatch.h
						_standard_gamma_grad_cuda_dispatch.h
						_standard_gamma_grad_native.h
						_standard_gamma_grad_ops.h
						_standard_gamma_native.h
						_standard_gamma_ops.h
						_test_ambiguous_defaults.h
						_test_ambiguous_defaults_compositeimplicitautograd_dispatch.h
						_test_ambiguous_defaults_native.h
						_test_ambiguous_defaults_ops.h
						_test_autograd_multiple_dispatch.h
						_test_autograd_multiple_dispatch_compositeexplicitautograd_dispatch.h
						_test_autograd_multiple_dispatch_compositeimplicitautograd_dispatch.h
						_test_autograd_multiple_dispatch_native.h
						_test_autograd_multiple_dispatch_ops.h
						_test_autograd_multiple_dispatch_view.h
						_test_autograd_multiple_dispatch_view_compositeexplicitautograd_dispatch.h
						_test_autograd_multiple_dispatch_view_copy.h
						_test_autograd_multiple_dispatch_view_copy_compositeexplicitautogradnonfunctional_dispatch.h
						_test_autograd_multiple_dispatch_view_copy_compositeexplicitautograd_dispatch.h
						_test_autograd_multiple_dispatch_view_copy_native.h
						_test_autograd_multiple_dispatch_view_copy_ops.h
						_test_autograd_multiple_dispatch_view_native.h

						_test_autograd_multiple_dispatch_view_ops.h
						_test_check_tensor.h
						_test_check_tensor_compositeimplicitautograd_dispatch.h
						_test_check_tensor_native.h
						_test_check_tensor_ops.h
						_test_functorch_fallback.h
						_test_functorch_fallback_compositeexplicitautograd_dispatch.h
						_test_functorch_fallback_cpu_dispatch.h
						_test_functorch_fallback_native.h
						_test_functorch_fallback_ops.h
						_test_optional_filled_intlist.h
						_test_optional_filled_intlist_compositeexplicitautograd_dispatch.h
						_test_optional_filled_intlist_cpu_dispatch.h
						_test_optional_filled_intlist_native.h
						_test_optional_filled_intlist_ops.h
						_test_optional_floatlist.h
						_test_optional_floatlist_compositeexplicitautograd_dispatch.h
						_test_optional_floatlist_cpu_dispatch.h
						_test_optional_floatlist_native.h
						_test_optional_floatlist_ops.h
						_test_optional_intlist.h
						_test_optional_intlist_compositeexplicitautograd_dispatch.h
						_test_optional_intlist_cpu_dispatch.h
						_test_optional_intlist_native.h
						_test_optional_intlist_ops.h
						_test_parallel_materialize.h
						_test_parallel_materialize_compositeexplicitautograd_dispatch.h
						_test_parallel_materialize_native.h
						_test_parallel_materialize_ops.h
						_test_serialization_subcmul.h
						_test_serialization_subcmul_compositeimplicitautograd_dispatch.h
						_test_serialization_subcmul_native.h
						_test_serialization_subcmul_ops.h
						_test_string_default.h
						_test_string_default_compositeimplicitautograd_dispatch.h
						_test_string_default_native.h
						_test_string_default_ops.h
						_test_warn_in_autograd.h
						_test_warn_in_autograd_compositeexplicitautograd_dispatch.h
						_test_warn_in_autograd_native.h
						_test_warn_in_autograd_ops.h
						_thnn_differentiable_gru_cell_backward.h
						_thnn_differentiable_gru_cell_backward_compositeimplicitautograd_dispatch.h
						_thnn_differentiable_gru_cell_backward_native.h
						_thnn_differentiable_gru_cell_backward_ops.h
						_thnn_differentiable_lstm_cell_backward.h
						_thnn_differentiable_lstm_cell_backward_compositeimplicitautograd_dispatch.h
						_thnn_differentiable_lstm_cell_backward_native.h
						_thnn_differentiable_lstm_cell_backward_ops.h
						_thnn_fused_gru_cell.h
						_thnn_fused_gru_cell_backward.h

						_thnn_fused_gru_cell_backward_compositeexplicitautograd_dispatch.h
						_thnn_fused_gru_cell_backward_cuda_dispatch.h
						_thnn_fused_gru_cell_backward_native.h
						_thnn_fused_gru_cell_backward_ops.h
						_thnn_fused_gru_cell_compositeexplicitautograd_dispatch.h
						_thnn_fused_gru_cell_cuda_dispatch.h
						_thnn_fused_gru_cell_native.h
						_thnn_fused_gru_cell_ops.h
						_thnn_fused_lstm_cell.h
						_thnn_fused_lstm_cell_backward.h
						_thnn_fused_lstm_cell_backward_compositeimplicitautograd_dispatch.h
						_thnn_fused_lstm_cell_backward_impl.h
						_thnn_fused_lstm_cell_backward_impl_compositeexplicitautograd_dispatch.h
						_thnn_fused_lstm_cell_backward_impl_cuda_dispatch.h
						_thnn_fused_lstm_cell_backward_impl_native.h
						_thnn_fused_lstm_cell_backward_impl_ops.h
						_thnn_fused_lstm_cell_backward_native.h
						_thnn_fused_lstm_cell_backward_ops.h
						_thnn_fused_lstm_cell_compositeexplicitautograd_dispatch.h
						_thnn_fused_lstm_cell_cuda_dispatch.h
						_thnn_fused_lstm_cell_native.h
						_thnn_fused_lstm_cell_ops.h
						_to_copy.h
						_to_copy_compositeexplicitautograd_dispatch.h
						_to_copy_native.h
						_to_copy_ops.h
						_to_cpu.h
						_to_cpu_compositeimplicitautograd_dispatch.h
						_to_cpu_native.h
						_to_cpu_ops.h
						_to_dense.h
						_to_dense_compositeexplicitautograd_dispatch.h
						_to_dense_native.h
						_to_dense_ops.h
						_to_sparse.h
						_to_sparse_bsc.h
						_to_sparse_bsc_compositeexplicitautograd_dispatch.h
						_to_sparse_bsc_cpu_dispatch.h
						_to_sparse_bsc_cuda_dispatch.h
						_to_sparse_bsc_native.h
						_to_sparse_bsc_ops.h
						_to_sparse_bsr.h
						_to_sparse_bsr_compositeexplicitautograd_dispatch.h
						_to_sparse_bsr_cpu_dispatch.h
						_to_sparse_bsr_cuda_dispatch.h
						_to_sparse_bsr_native.h
						_to_sparse_bsr_ops.h
						_to_sparse_compositeexplicitautograd_dispatch.h
						_to_sparse_cpu_dispatch.h
						_to_sparse_csc.h
						_to_sparse_csc_compositeexplicitautograd_dispatch.h

						_to_sparse_csc_cpu_dispatch.h
						_to_sparse_csc_cuda_dispatch.h
						_to_sparse_csc_native.h
						_to_sparse_csc_ops.h
						_to_sparse_csr.h
						_to_sparse_csr_compositeexplicitautograd_dispatch.h
						_to_sparse_csr_cpu_dispatch.h
						_to_sparse_csr_cuda_dispatch.h
						_to_sparse_csr_native.h
						_to_sparse_csr_ops.h
						_to_sparse_cuda_dispatch.h
						_to_sparse_native.h
						_to_sparse_ops.h
						_to_sparse_semi_structured.h
						_to_sparse_semi_structured_cuda_dispatch.h
						_to_sparse_semi_structured_native.h
						_to_sparse_semi_structured_ops.h
						_transformer_encoder_layer_fwd.h
						_transformer_encoder_layer_fwd_compositeexplicitautograd_dispatch.h
						_transformer_encoder_layer_fwd_cpu_dispatch.h
						_transformer_encoder_layer_fwd_cuda_dispatch.h
						_transformer_encoder_layer_fwd_native.h
						_transformer_encoder_layer_fwd_ops.h
						_transform_bias_rescale_qkv.h
						_transform_bias_rescale_qkv_compositeexplicitautograd_dispatch.h
						_transform_bias_rescale_qkv_cpu_dispatch.h
						_transform_bias_rescale_qkv_cuda_dispatch.h
						_transform_bias_rescale_qkv_native.h
						_transform_bias_rescale_qkv_ops.h
						_trilinear.h
						_trilinear_compositeexplicitautogradnonfunctional_dispatch.h
						_trilinear_compositeexplicitautograd_dispatch.h
						_trilinear_native.h
						_trilinear_ops.h
						_triton_multi_head_attention.h
						_triton_multi_head_attention_compositeexplicitautograd_dispatch.h
						_triton_multi_head_attention_cuda_dispatch.h
						_triton_multi_head_attention_native.h
						_triton_multi_head_attention_ops.h
						_triton_scaled_dot_attention.h
						_triton_scaled_dot_attention_compositeexplicitautograd_dispatch.h
						_triton_scaled_dot_attention_cuda_dispatch.h
						_triton_scaled_dot_attention_native.h
						_triton_scaled_dot_attention_ops.h
						_unique.h
						_unique2.h
						_unique2_compositeexplicitautograd_dispatch.h
						_unique2_cpu_dispatch.h
						_unique2_cuda_dispatch.h
						_unique2_native.h
						_unique2_ops.h

						_unique_compositeexplicitautograd_dispatch.h
						_unique_cpu_dispatch.h
						_unique_cuda_dispatch.h
						_unique_native.h
						_unique_ops.h
						_unpack_dual.h
						_unpack_dual_compositeimplicitautograd_dispatch.h
						_unpack_dual_native.h
						_unpack_dual_ops.h
						_unsafe_index.h
						_unsafe_index_compositeexplicitautograd_dispatch.h
						_unsafe_index_native.h
						_unsafe_index_ops.h
						_unsafe_index_put.h
						_unsafe_index_put_compositeexplicitautograd_dispatch.h
						_unsafe_index_put_native.h
						_unsafe_index_put_ops.h
						_unsafe_masked_index.h
						_unsafe_masked_index_compositeexplicitautograd_dispatch.h
						_unsafe_masked_index_native.h
						_unsafe_masked_index_ops.h
						_unsafe_masked_index_put_accumulate.h
						_unsafe_masked_index_put_accumulate_compositeexplicitautograd_dispatch.h
						_unsafe_masked_index_put_accumulate_native.h
						_unsafe_masked_index_put_accumulate_ops.h
						_unsafe_view.h
						_unsafe_view_compositeexplicitautograd_dispatch.h
						_unsafe_view_native.h
						_unsafe_view_ops.h
						_upsample_bicubic2d_aa.h
						_upsample_bicubic2d_aa_backward.h
						_upsample_bicubic2d_aa_backward_compositeexplicitautogradnonfunctional_dispatch.h
						_upsample_bicubic2d_aa_backward_cpu_dispatch.h
						_upsample_bicubic2d_aa_backward_cuda_dispatch.h
						_upsample_bicubic2d_aa_backward_meta.h
						_upsample_bicubic2d_aa_backward_meta_dispatch.h
						_upsample_bicubic2d_aa_backward_native.h
						_upsample_bicubic2d_aa_backward_ops.h
						_upsample_bicubic2d_aa_compositeexplicitautogradnonfunctional_dispatch.h
						_upsample_bicubic2d_aa_compositeimplicitautograd_dispatch.h
						_upsample_bicubic2d_aa_cpu_dispatch.h
						_upsample_bicubic2d_aa_cuda_dispatch.h
						_upsample_bicubic2d_aa_meta.h
						_upsample_bicubic2d_aa_meta_dispatch.h
						_upsample_bicubic2d_aa_native.h
						_upsample_bicubic2d_aa_ops.h
						_upsample_bilinear2d_aa.h
						_upsample_bilinear2d_aa_backward.h
						_upsample_bilinear2d_aa_backward_compositeexplicitautogradnonfunctional_dispatch.h
						_upsample_bilinear2d_aa_backward_cpu_dispatch.h
						_upsample_bilinear2d_aa_backward_cuda_dispatch.h

						_upsample_bilinear2d_aa_backward_meta.h
						_upsample_bilinear2d_aa_backward_meta_dispatch.h
						_upsample_bilinear2d_aa_backward_native.h
						_upsample_bilinear2d_aa_backward_ops.h
						_upsample_bilinear2d_aa_compositeexplicitautogradnonfunctional_dispatch.h
						_upsample_bilinear2d_aa_compositeimplicitautograd_dispatch.h
						_upsample_bilinear2d_aa_cpu_dispatch.h
						_upsample_bilinear2d_aa_cuda_dispatch.h
						_upsample_bilinear2d_aa_meta.h
						_upsample_bilinear2d_aa_meta_dispatch.h
						_upsample_bilinear2d_aa_native.h
						_upsample_bilinear2d_aa_ops.h
						_upsample_nearest_exact1d.h
						_upsample_nearest_exact1d_backward.h
						_upsample_nearest_exact1d_backward_compositeexplicitautogradnonfunctional_dispatch.h
						_upsample_nearest_exact1d_backward_cpu_dispatch.h
						_upsample_nearest_exact1d_backward_cuda_dispatch.h
						_upsample_nearest_exact1d_backward_meta.h
						_upsample_nearest_exact1d_backward_meta_dispatch.h
						_upsample_nearest_exact1d_backward_native.h
						_upsample_nearest_exact1d_backward_ops.h
						_upsample_nearest_exact1d_compositeexplicitautogradnonfunctional_dispatch.h
						_upsample_nearest_exact1d_compositeimplicitautograd_dispatch.h
						_upsample_nearest_exact1d_cpu_dispatch.h
						_upsample_nearest_exact1d_cuda_dispatch.h
						_upsample_nearest_exact1d_meta.h
						_upsample_nearest_exact1d_meta_dispatch.h
						_upsample_nearest_exact1d_native.h
						_upsample_nearest_exact1d_ops.h
						_upsample_nearest_exact2d.h
						_upsample_nearest_exact2d_backward.h
						_upsample_nearest_exact2d_backward_compositeexplicitautogradnonfunctional_dispatch.h
						_upsample_nearest_exact2d_backward_cpu_dispatch.h
						_upsample_nearest_exact2d_backward_cuda_dispatch.h
						_upsample_nearest_exact2d_backward_meta.h
						_upsample_nearest_exact2d_backward_meta_dispatch.h
						_upsample_nearest_exact2d_backward_native.h
						_upsample_nearest_exact2d_backward_ops.h
						_upsample_nearest_exact2d_compositeexplicitautogradnonfunctional_dispatch.h
						_upsample_nearest_exact2d_compositeimplicitautograd_dispatch.h
						_upsample_nearest_exact2d_cpu_dispatch.h
						_upsample_nearest_exact2d_cuda_dispatch.h
						_upsample_nearest_exact2d_meta.h
						_upsample_nearest_exact2d_meta_dispatch.h
						_upsample_nearest_exact2d_native.h
						_upsample_nearest_exact2d_ops.h
						_upsample_nearest_exact3d.h
						_upsample_nearest_exact3d_backward.h
						_upsample_nearest_exact3d_backward_compositeexplicitautogradnonfunctional_dispatch.h
						_upsample_nearest_exact3d_backward_cpu_dispatch.h
						_upsample_nearest_exact3d_backward_cuda_dispatch.h

						_upsample_nearest_exact3d_backward_meta.h
						_upsample_nearest_exact3d_backward_meta_dispatch.h
						_upsample_nearest_exact3d_backward_native.h
						_upsample_nearest_exact3d_backward_ops.h
						_upsample_nearest_exact3d_compositeexplicitautogradnonfunctional_dispatch.h
						_upsample_nearest_exact3d_compositeimplicitautograd_dispatch.h
						_upsample_nearest_exact3d_cpu_dispatch.h
						_upsample_nearest_exact3d_cuda_dispatch.h
						_upsample_nearest_exact3d_meta.h
						_upsample_nearest_exact3d_meta_dispatch.h
						_upsample_nearest_exact3d_native.h
						_upsample_nearest_exact3d_ops.h
						_use_cudnn_ctc_loss.h
						_use_cudnn_ctc_loss_cuda_dispatch.h
						_use_cudnn_ctc_loss_native.h
						_use_cudnn_ctc_loss_ops.h
						_use_cudnn_rnn_flatten_weight.h
						_use_cudnn_rnn_flatten_weight_compositeimplicitautograd_dispatch.h
						_use_cudnn_rnn_flatten_weight_native.h
						_use_cudnn_rnn_flatten_weight_ops.h
						_validate_compressed_sparse_indices.h
						_validate_compressed_sparse_indices_cpu_dispatch.h
						_validate_compressed_sparse_indices_cuda_dispatch.h
						_validate_compressed_sparse_indices_native.h
						_validate_compressed_sparse_indices_ops.h
						_validate_sparse_bsc_tensor_args.h
						_validate_sparse_bsc_tensor_args_compositeimplicitautograd_dispatch.h
						_validate_sparse_bsc_tensor_args_native.h
						_validate_sparse_bsc_tensor_args_ops.h
						_validate_sparse_bsr_tensor_args.h
						_validate_sparse_bsr_tensor_args_compositeimplicitautograd_dispatch.h
						_validate_sparse_bsr_tensor_args_native.h
						_validate_sparse_bsr_tensor_args_ops.h
						_validate_sparse_compressed_tensor_args.h
						_validate_sparse_compressed_tensor_args_compositeimplicitautograd_dispatch.h
						_validate_sparse_compressed_tensor_args_native.h
						_validate_sparse_compressed_tensor_args_ops.h
						_validate_sparse_coo_tensor_args.h
						_validate_sparse_coo_tensor_args_compositeimplicitautograd_dispatch.h
						_validate_sparse_coo_tensor_args_native.h
						_validate_sparse_coo_tensor_args_ops.h
						_validate_sparse_csc_tensor_args.h
						_validate_sparse_csc_tensor_args_compositeimplicitautograd_dispatch.h
						_validate_sparse_csc_tensor_args_native.h
						_validate_sparse_csc_tensor_args_ops.h
						_validate_sparse_csr_tensor_args.h
						_validate_sparse_csr_tensor_args_compositeimplicitautograd_dispatch.h
						_validate_sparse_csr_tensor_args_native.h
						_validate_sparse_csr_tensor_args_ops.h
						_values.h
						_values_copy.h

						_values_copy_compositeexplicitautogradnonfunctional_dispatch.h
						_values_copy_compositeexplicitautograd_dispatch.h
						_values_copy_native.h
						_values_copy_ops.h
						_values_native.h
						_values_ops.h
						_version.h
						_version_compositeimplicitautograd_dispatch.h
						_version_native.h
						_version_ops.h
						_weight_int4pack_mm.h
						_weight_int4pack_mm_cuda_dispatch.h
						_weight_int4pack_mm_for_cpu.h
						_weight_int4pack_mm_for_cpu_cpu_dispatch.h
						_weight_int4pack_mm_for_cpu_native.h
						_weight_int4pack_mm_for_cpu_ops.h
						_weight_int4pack_mm_native.h
						_weight_int4pack_mm_ops.h
						_weight_int8pack_mm.h
						_weight_int8pack_mm_cpu_dispatch.h
						_weight_int8pack_mm_native.h
						_weight_int8pack_mm_ops.h
						_weight_norm.h
						_weight_norm_compositeimplicitautograd_dispatch.h
						_weight_norm_differentiable_backward.h
						_weight_norm_differentiable_backward_compositeimplicitautograd_dispatch.h
						_weight_norm_differentiable_backward_native.h
						_weight_norm_differentiable_backward_ops.h
						_weight_norm_interface.h
						_weight_norm_interface_backward.h
						_weight_norm_interface_backward_compositeexplicitautograd_dispatch.h
						_weight_norm_interface_backward_cpu_dispatch.h
						_weight_norm_interface_backward_cuda_dispatch.h
						_weight_norm_interface_backward_native.h
						_weight_norm_interface_backward_ops.h
						_weight_norm_interface_compositeexplicitautograd_dispatch.h
						_weight_norm_interface_cpu_dispatch.h
						_weight_norm_interface_cuda_dispatch.h
						_weight_norm_interface_native.h
						_weight_norm_interface_ops.h
						_weight_norm_native.h
						_weight_norm_ops.h
						_wrapped_linear_prepack.h
						_wrapped_linear_prepack_compositeimplicitautograd_dispatch.h
						_wrapped_linear_prepack_native.h
						_wrapped_linear_prepack_ops.h
						_wrapped_quantized_linear_prepacked.h
						_wrapped_quantized_linear_prepacked_compositeimplicitautograd_dispatch.h
						_wrapped_quantized_linear_prepacked_native.h
						_wrapped_quantized_linear_prepacked_ops.h

						+---quantized	
						QTensorImpl.h	
						Quantizer.h	
						\---xpu	
						CachingHostAllocator.h	
						PinnedMemoryAllocator.h	
						XPUContext.h	
						XPUDevice.h	
						XPUEvent.h	
						XPUGeneratorImpl.h	
						\---detail	
						XPUHooks.h	
						+---c10	
						+---core	
						alignment.h	
						Allocator.h	
						AutogradState.h	
						Backend.h	
						CachingDeviceAllocator.h	
						CompileTimeFunctionPointer.h	
						ConstantSymNodeImpl.h	
						Contiguity.h	
						CopyBytes.h	
						CPUAllocator.h	
						DefaultDtype.h	
						DefaultTensorOptions.h	
						Device.h	
						DeviceArray.h	
						DeviceGuard.h	
						DeviceType.h	
						DispatchKey.h	
						DispatchKeySet.h	
						DynamicCast.h	
						Event.h	
						GeneratorImpl.h	
						GradMode.h	
						InferenceMode.h	
						Layout.h	
						MemoryFormat.h	
						OptionalRef.h	
						PyHandleCache.h	
						QEngine.h	
						QScheme.h	
						RefCountedDeleter.h	
						SafePyObject.h	
						Scalar.h	
						ScalarType.h	
						ScalarTypeToTypeMeta.h	

							Storage.h
							StorageImpl.h
							Stream.h
							StreamGuard.h
							SymbolicShapeMeta.h
							SymBool.h
							SymFloat.h
							SymInt.h
							SymIntArrayRef.h
							SymNodeImpl.h
							TensorImpl.h
							TensorOptions.h
							thread_pool.h
							UndefinedTensorImpl.h
							WrapDimMinimal.h
							\---impl
							alloc_cpu.h
							COW.h
							COWDeleter.h
							DeviceGuardImplInterface.h
							FakeGuardImpl.h
							GPUTrace.h
							HermeticPyObjectTLS.h
							InlineDeviceGuard.h
							InlineEvent.h
							InlineStreamGuard.h
							LocalDispatchKeySet.h
							PyInterpreter.h
							PyObjectSlot.h
							PythonDispatcherTLS.h
							SizesAndStrides.h
							TorchDispatchModeTLS.h
							VirtualGuardImpl.h
							+---cuda
							CUDAAlgorithm.h
							CUDAAllocatorConfig.h
							CUDACachingAllocator.h
							CUDADeviceAssertion.h
							CUDADeviceAssertionHost.h
							CUDAException.h
							CUDAFunctions.h
							CUDAGraphsC10Utils.h
							CUDAGuard.h
							CUDAMacros.h
							CUDAMathCompat.h
							CUDAMiscFunctions.h
							CUDAStream.h
							driver_api.h

						\\---impl
						CUDAGuardImpl.h
						CUDATest.h
						+---macros
						cmake_macros.h
						Export.h
						Macros.h
						+---util
						AbortHandler.h
						accumulate.h
						AlignOf.h
						ApproximateClock.h
						Array.h
						ArrayRef.h
						Backtrace.h
						BFloat16-inl.h
						BFloat16-math.h
						BFloat16.h
						bits.h
						Bitset.h
						bit_cast.h
						C++17.h
						CallOnce.h
						complex.h
						complex_math.h
						complex_utils.h
						ConstexprCrc.h
						copysign.h
						DeadlockDetection.h
						Deprecated.h
						DimVector.h
						DynamicCounter.h
						env.h
						error.h
						Exception.h
						ExclusivelyOwned.h
						ExclusivelyOwnedTensorTraits.h
						FbcodeMaps.h
						Flags.h
						flat_hash_map.h
						Float8_e4m3fn-inl.h
						Float8_e4m3fn.h
						Float8_e4m3fnuz-inl.h
						Float8_e4m3fnuz.h
						Float8_e5m2-inl.h
						Float8_e5m2.h
						Float8_e5m2fnuz-inl.h
						Float8_e5m2fnuz.h
						Float8_fnuz_cvt.h

					floating_point_utils.h
					FunctionRef.h
					Gauge.h
					generic_math.h
					Half-inl.h
					Half.h
					hash.h
					IdWrapper.h
					int128.h
					intrusive_ptr.h
					irange.h
					Lazy.h
					LeftRight.h
					llvmMathExtras.h
					Load.h
					Logging.h
					logging_is_google_glog.h
					logging_is_not_google_glog.h
					MathConstants.h
					MaybeOwned.h
					Metaprogramming.h
					NetworkFlow.h
					numa.h
					Optional.h
					OptionalArrayRef.h
					order_preserving_flat_hash_map.h
					overflows.h
					overloaded.h
					ParallelGuard.h
					python_stub.h
					qint32.h
					qint8.h
					quint2x4.h
					quint4x2.h
					quint8.h
					Registry.h
					safe_numerics.h
					ScopeExit.h
					signal_handler.h
					SmallBuffer.h
					SmallVector.h
					sparse_bitset.h
					ssize.h
					static_tracepoint.h
					static_tracepoint_elfx86.h
					strides.h
					StringUtil.h
					string_utils.h
					string_view.h
					strong_type.h
					Synchronized.h

					tempfile.h
					ThreadLocal.h
					ThreadLocalDebugInfo.h
					thread_name.h
					Type.h
					TypeCast.h
					typeid.h
					TypeIndex.h
					TypeList.h
					TypeSafeSignMath.h
					TypeTraits.h
					Unicode.h
					UniqueVoidPtr.h
					Unroll.h
					WaitCounter.h
					WaitCounterDynamicBackend.h
					win32-headers.h
					\---xpu
					XPUCachingAllocator.h
					XPUDeviceProp.h
					XPUEException.h
					XPUFunctions.h
					XPUMacros.h
					XPUStream.h
					\---impl
					XPUGuardImpl.h
					+---caffe2
					\---serialize
					crc_alt.h
					file_adapter.h
					inline_container.h
					in_memory_adapter.h
					istream_adapter.h
					read_adapter_interface.h
					versions.h
					+---kineto
					AbstractConfig.h
					ActivityProfilerInterface.h
					ActivityTraceInterface.h
					ActivityType.h
					ClientInterface.h
					Config.h
					GenericTraceActivity.h
					IActivityProfiler.h
					ILoggerObserver.h
					ITraceActivity.h
					libkineto.h

					LoggingAPI.h
					output_base.h
					ThreadUtil.h
					time_since_epoch.h
					TraceSpan.h
					+---pybind11
					attr.h
					buffer_info.h
					cast.h
					chrono.h
					common.h
					complex.h
					eigen.h
					embed.h
					eval.h
					functional.h
					gil.h
					gil_safe_call_once.h
					iostream.h
					numpy.h
					operators.h
					options.h
					pybind11.h
					pytypes.h
					stl.h
					stl_bind.h
					type_caster_pyobject_ptr.h
					typing.h
					+---detail
					class.h
					common.h
					cpp_conduit.h
					descr.h
					exception_translation.h
					init.h
					internals.h
					typeid.h
					type_caster_base.h
					value_and_holder.h
					\---eigen
					common.h
					matrix.h
					tensor.h
					\---torch
					custom_class.h
					custom_class_detail.h
					extension.h

```

| | | | | library.h
| | | | | script.h
| | | | |
| | | | | \---csrc
| | | | | | copy_utils.h
| | | | | | CudaIPCTypes.h
| | | | | | DataLoader.h
| | | | | | Device.h
| | | | | | DeviceAccelerator.h
| | | | | | Dtype.h
| | | | | | DynamicTypes.h
| | | | | | Event.h
| | | | | | Exceptions.h
| | | | | | Export.h
| | | | | | Generator.h
| | | | | | itt_wrapper.h
| | | | | | Layout.h
| | | | | | MemoryFormat.h
| | | | | | Module.h
| | | | | | PyInterpreter.h
| | | | | | python_dimname.h
| | | | | | python_headers.h
| | | | | | QScheme.h
| | | | | | serialization.h
| | | | | | Size.h
| | | | | | Storage.h
| | | | | | StorageMethods.h
| | | | | | StorageSharing.h
| | | | | | Stream.h
| | | | | | THConcat.h
| | | | | | THP.h
| | | | | | TypeInfo.h
| | | | | | Types.h
| | | | | | utils.h
| | | | | |
| | | | | +----api
| | | | | | \---include
| | | | | | | \---torch
| | | | | | | | all.h
| | | | | | | | arg.h
| | | | | | | | autograd.h
| | | | | | | | cuda.h
| | | | | | | | data.h
| | | | | | | | enum.h
| | | | | | | | expanding_array.h
| | | | | | | | fft.h
| | | | | | | | imethod.h
| | | | | | | | jit.h
| | | | | | | | mps.h
| | | | | | | | nested.h
| | | | | | | | nn.h

```

						optim.h
						ordered_dict.h
						python.h
						serialize.h
						sparse.h
						special.h
						torch.h
						types.h
						utils.h
						version.h
						xpu.h
						+++data
						dataloader.h
						dataloader_options.h
						datasets.h
						example.h
						iterator.h
						samplers.h
						transforms.h
						worker_exception.h
						+++dataloader
						base.h
						stateful.h
						stateless.h
						+++datasets
						base.h
						chunk.h
						map.h
						mnist.h
						shared.h
						stateful.h
						tensor.h
						+++detail
						data_shuttle.h
						queue.h
						sequencers.h
						+++samplers
						base.h
						custom_batch_request.h
						distributed.h
						random.h
						sequential.h
						serialize.h
						stream.h
						\---transforms

						base.h
						collate.h
						lambda.h
						stack.h
						tensor.h
						+++detail
						static.h
						TensorDataContainer.h
						+++nn
						cloneable.h
						functional.h
						init.h
						module.h
						modules.h
						options.h
						pimpl-inl.h
						pimpl.h
						utils.h
						+++functional
						activation.h
						batchnorm.h
						conv.h
						distance.h
						dropout.h
						embedding.h
						fold.h
						instancenorm.h
						linear.h
						loss.h
						normalization.h
						padding.h
						pixelshuffle.h
						pooling.h
						upsampling.h
						vision.h
						+++modules
						activation.h
						adaptive.h
						batchnorm.h
						common.h
						conv.h
						distance.h
						dropout.h
						embedding.h
						fold.h
						instancenorm.h
						linear.h

										loss.h
										normalization.h
										padding.h
										pixelshuffle.h
										pooling.h
										rnn.h
										transformer.h
										transformercoder.h
										transformerlayer.h
										upsampling.h
										utils.h
										_functions.h
										\---container
										any.h
										any_module_holder.h
										any_value.h
										functional.h
										moduledict.h
										modulelist.h
										named_any.h
										parameterdict.h
										parameterlist.h
										sequential.h
								+---	options	
										activation.h
										adaptive.h
										batchnorm.h
										conv.h
										distance.h
										dropout.h
										embedding.h
										fold.h
										instancenorm.h
										linear.h
										loss.h
										normalization.h
										padding.h
										pixelshuffle.h
										pooling.h
										rnn.h
										transformer.h
										transformercoder.h
										transformerlayer.h
										upsampling.h
										vision.h
								+---	parallel	
										data_parallel.h

						\---utils
						clip_grad.h
						convert_parameters.h
						rnn.h
						+---optim
						adagrad.h
						adam.h
						adamw.h
						lbfgs.h
						optimizer.h
						rmsprop.h
						serialize.h
						sgd.h
						\---schedulers
						lr_scheduler.h
						reduce_on_plateau_scheduler.h
						step_lr.h
						\---serialize
						archive.h
						input-archive.h
						output-archive.h
						tensor.h
						+---autograd
						anomaly_mode.h
						autograd.h
						autograd_not_implemented_fallback.h
						cpp_hook.h
						custom_function.h
						edge.h
						engine.h
						forward_grad.h
						function.h
						FunctionsManual.h
						function_hook.h
						grad_mode.h
						graph_task.h
						InferenceMode.h
						input_buffer.h
						input_metadata.h
						jit_decomp_interface.h
						profiler.h
						profiler_kineto.h
						profiler_legacy.h
						profiler_python.h
						python_anomaly_mode.h
						python_autograd.h
						python_cpp_function.h

						python_engine.h
						python_enum_tag.h
						python_fft_functions.h
						python_function.h
						python_hook.h
						python_legacy_variable.h
						python_linalg_functions.h
						python_nested_functions.h
						python_nn_functions.h
						python_saved_variable_hooks.h
						python_sparse_functions.h
						python_special_functions.h
						python_torch_functions.h
						python_variable.h
						python_variable_indexing.h
						record_function_ops.h
						saved_variable.h
						saved_variable_hooks.h
						symbolic.h
						variable.h
						VariableTypeUtils.h
						variable_info.h
						+---functions
						accumulate_grad.h
						basic_ops.h
						comm.h
						pybind.h
						tensor.h
						utils.h
						+---generated
						Functions.h
						python_functions.h
						python_return_types.h
						VariableType.h
						variable_factories.h
						ViewFuncs.h
						\---utils
						error_messages.h
						grad_layout_contract.h
						lambda_post_hook.h
						python_arg_parsing.h
						warnings.h
						wrap_outputs.h
						+---cuda
						comm.h
						CUDAPluggableAllocator.h
						device_set.h

					Event.h
					GdsFile.h
					memory_snapshot.h
					Module.h
					nccl.h
					python_comm.h
					python_nccl.h
					Stream.h
					THCP.h
					+---distributed
					+---autograd
					+---context
					container.h
					context.h
					+---functions
					recvrpc_backward.h
					sendrpc_backward.h
					\---rpc_messages
					autograd_metadata.h
					cleanup_autograd_context_req.h
					cleanup_autograd_context_resp.h
					propagate_gradients_req.h
					propagate_gradients_resp.h
					rpc_with_autograd.h
					rpc_with_profiling_req.h
					rpc_with_profiling_resp.h
					rref_backward_req.h
					rref_backward_resp.h
					+---c10d
					Backend.hpp
					Backoff.hpp
					c10d.h
					comm.hpp
					CUDASymmetricMemory-inl.h
					CUDASymmetricMemory.hpp
					debug.h
					default_comm_hooks.hpp
					DMACnectivity.hpp
					error.h
					exception.h
					FakeProcessGroup.hpp
					FileStore.hpp
					FlightRecorder.hpp
					Functional.hpp
					GlooDeviceFactory.hpp
					GroupRegistry.hpp
					HashStore.hpp

						intra_node_comm.hpp
						logger.hpp
						logging.h
						NanCheck.hpp
						NCCLUtils.hpp
						ParamCommsUtils.hpp
						PrefixStore.hpp
						ProcessGroup.hpp
						ProcessGroupGloo.hpp
						ProcessGroupMPI.hpp
						ProcessGroupNCCL.hpp
						ProcessGroupUCC.hpp
						ProcessGroupWrapper.hpp
						PyProcessGroup.hpp
						python_comm_hook.h
						RankLocal.hpp
						reducer.hpp
						reducer_timer.hpp
						sequence_num.hpp
						socket.h
						socket_fmt.h
						Store.hpp
						SymmetricMemory.hpp
						TCPStore.hpp
						TCPStoreBackend.hpp
						TraceUtils.h
						Types.hpp
						UCCTracing.hpp
						UCCUtils.hpp
						UnixSockUtils.hpp
						Utils.hpp
						WinSockUtils.hpp
						Work.hpp
						\---rpc
						agent_utils.h
						message.h
						python_call.h
						python_functions.h
						python_remote_call.h
						python_resp.h
						python_rpc_handler.h
						py_rref.h
						request_callback.h
						request_callback_impl.h
						request_callback_no_python.h
						rpc.h
						rpc_agent.h
						rpc_command_base.h
						rref_context.h
						rref_impl.h

					rref_proto.h
					script_call.h
					script_remote_call.h
					script_resp.h
					tensorpipe_agent.h
					tensorpipe_utils.h
					torchscript_functions.h
					types.h
					unpickled_python_call.h
					unpickled_python_remote_call.h
					utils.h

					cache_entry.h
					compiled_autograd.h
					cpp_shim.h
					cpython_defs.h
					cpython_includes.h
					debug_macros.h
					eval_frame.h
					extra_state.h
					framelocals_mapping.h
					guards.h
					init.h
					python_compiled_autograd.h
					utils.h

					inductor_ops.h

					model_package_loader.h
					pybind.h

					model_container_runner.h
					model_container_runner_cpu.h
					model_container_runner_cuda.h
					model_container_runner_xpu.h
					pybind.h

					arrayref_tensor.h
					device_utils.h
					interface.h
					model.h
					model_container.h
					scalar_to_tensor.h
					sycl_runtime_wrappers.h
					thread_local.h
					utils.h

						convert_to_ssa.h
						edit_distance.h
						error_report.h
						exit_transforms.h
						function_schema_parser.h
						inline_loop_condition.h
						ir_emitter.h
						lexer.h
						mini_environment.h
						name_mangler.h
						parser.h
						parser_constants.h
						parse_string_literal.h
						resolver.h
						schema_matching.h
						schema_type_parser.h
						script_type_parser.h
						source_range.h
						source_ref.h
						strtod.h
						sugared_value.h
						tracer.h
						tree.h
						tree_views.h
						versioned_symbols.h
					----	ir
						alias_analysis.h
						attributes.h
						constants.h
						graph_node_list.h
						graph_utils.h
						ir.h
						irparser.h
						ir_views.h
						named_value.h
						node_hashing.h
						scope.h
						subgraph_matcher.h
						type_hashing.h
					----	mobile
						code.h
						debug_info.h
						file_format.h
						flatbuffer_loader.h
						frame.h
						function.h
						import.h
						import_data.h
						import_export_common.h

						interpreter.h
						method.h
						module.h
						observer.h
						parse_bytecode.h
						parse_operators.h
						prim_ops_registry.h
						profiler_edge.h
						promoted_prim_ops.h
						quantization.h
						register_ops_common_utils.h
						type_parser.h
						upgrader_mobile.h
					+	---passes
						add_if_then_else.h
						annotate_warns.h
						autocast.h
						bailout_graph.h
						batch_mm.h
						canonicalize.h
						canonicalize_graph_fuser_ops.h
						check_strict_fusion.h
						clear_profiling.h
						clear_undefinedness.h
						common_subexpression_elimination.h
						concat_opt.h
						constant_pooling.h
						constant_propagation.h
						create_autodiff_subgraphs.h
						create_functional_graphs.h
						dead_code_elimination.h
						decompose_ops.h
						device_type_analysis.h
						dtype_analysis.h
						eliminate_no_ops.h
						erase_number_types.h
						fixup_trace_scope_blocks.h
						fold_conv_bn.h
						fold_linear_bn.h
						freeze_module.h
						frozen_concat_linear.h
						frozen_conv_add_relu_fusion.h
						frozen_conv_folding.h
						frozen_graph_optimizations.h
						frozen_linear_folding.h
						frozen_linear_transpose.h
						frozen_ops_to_mkldnn.h
						fuse_linear.h
						fuse_relu.h
						graph_fuser.h

								graph_rewrite_helper.h
								guard_elimination.h
								hoist_conv_packed_params.h
								inliner.h
								inline_autodiff_subgraphs.h
								inline_forked_closures.h
								inline_fork_wait.h
								inplace_check.h
								insert_guards.h
								integer_value_refinement.h
								lift_closures.h
								liveness.h
								loop_unrolling.h
								lower_grad_of.h
								lower_graph.h
								lower_tuples.h
								metal_rewrite.h
								mkldnn_rewrite.h
								mobile_optimizer_type.h
								normalize_ops.h
								onednn_graph_fuser.h
								onnx.h
								pass_manager.h
								peephole.h
								peephole_alias_sensitive.h
								peephole_dict_idioms.h
								peephole_list_idioms.h
								peephole_non_tensor.h
								prepack_folding.h
								refine_tuple_types.h
								remove_dropout.h
								remove_exceptions.h
								remove_expands.h
								remove_inplace_ops.h
								remove_mutation.h
								remove_redundant_profiles.h
								replacement_of_old_operators.h
								requires_grad_analysis.h
								restore_mutation.h
								shape_analysis.h
								specialize_autogradzero.h
								subgraph_rewrite.h
								symbolic_shape_analysis.h
								symbolic_shape_cache.h
								symbolic_shape_runtime_fusion.h
								tensorexpr_fuser.h
								update_differentiable_graph_requires_grad.h
								value_refinement_utils.h
								variadic_ops.h
								vulkan_rewrite.h
								xnnpack_rewrite.h

						+++quantization
						dedup_module_uses.h
						finalize.h
						fusion_passes.h
						helper.h
						insert_observers.h
						insert_quant_dequant.h
						quantization_patterns.h
						quantization_type.h
						register_packed_params.h
						\---utils
						check_alias_annotation.h
						memory_dag.h
						optimization_utils.h
						op_registry.h
						subgraph_utils.h
						+++python
						init.h
						module_python.h
						pybind.h
						pybind_utils.h
						python_arg_flatten.h
						python_custom_class.h
						python_dict.h
						python_ir.h
						python_ivalue.h
						python_list.h
						python_sugared_value.h
						python_tracer.h
						python_tree_views.h
						script_init.h
						update_graph_executor_opt.h
						utf8_decoding_ignore.h
						+++runtime
						argument_spec.h
						autodiff.h
						calculate_necessary_args.h
						custom_operator.h
						decomposition_registry.h
						decomposition_registry_util.h
						exception_message.h
						graph_executor.h
						graph_executor_impl.h
						graph_iterator.h
						instruction.h
						interpreter.h
						jit_exception.h

						jit_trace.h
						logging.h
						operator.h
						operator_options.h
						print_handler.h
						profiling_graph_executor_impl.h
						profiling_record.h
						register_ops_utils.h
						script_profile.h
						serialized_shape_function_registry.h
						shape_function_registry.h
						simple_graph_executor_impl.h
						slice_indices_adjust.h
						symbolic_script.h
						symbolic_shape_registry.h
						symbolic_shape_registry_util.h
						vararg_functions.h
						variable_tensor_list.h
						+---serialization
						callstack_debug_info_serialization.h
						export.h
						export_bytecode.h
						flatbuffer_serializer.h
						flatbuffer_serializer_jit.h
						import.h
						import_export_constants.h
						import_export_functions.h
						import_export_helpers.h
						import_read.h
						import_source.h
						mobile_bytecode_generated.h
						onnx.h
						pickle.h
						pickler.h
						python_print.h
						source_range_serialization.h
						source_range_serialization_impl.h
						storage_context.h
						type_name_uniquer.h
						unpickler.h
						+---tensorexpr
						analysis.h
						block_codegen.h
						bounds_inference.h
						bounds_overlap.h
						codegen.h
						cpp_codegen.h
						cpp_intrinsics.h
						cuda_codegen.h

							cuda_random.h
							eval.h
							exceptions.h
							expr.h
							external_functions.h
							external_functions_core.h
							external_functions_registry.h
							fwd_decls.h
							graph_opt.h
							half_support.h
							hash_provider.h
							intrinsic_symbols.h
							ir.h
							ir_cloner.h
							ir_mutator.h
							ir_printer.h
							ir_simplifier.h
							ir_verifier.h
							ir_visitor.h
							kernel.h
							llvm_codegen.h
							llvm_jit.h
							loopnest.h
							loopnest_randomization.h
							lowerings.h
							mem_dependency_checker.h
							reduction.h
							registerizer.h
							stmt.h
							tensor.h
							tensorexpr_init.h
							types.h
							unique_name_manager.h
							var_substitutor.h
							\---operators
							conv2d.h
							matmul.h
							misc.h
							norm.h
							operators.h
							pointwise.h
							quantization.h
							reduction.h
							softmax.h
							\---testing
							file_check.h
							hooks_for_testing.h
							+---lazy

					+---backend
					backend_data.h
					backend_device.h
					backend_interface.h
					lowering_context.h
					+---core
					cache.h
					config.h
					debug_util.h
					dynamic_ir.h
					hash.h
					helpers.h
					ir.h
					ir_builder.h
					ir_dump_util.h
					ir_metadata.h
					ir_util.h
					lazy_graph_executor.h
					metrics.h
					multi_wait.h
					permutation_util.h
					shape.h
					shape_inference.h
					tensor.h
					tensor_impl.h
					tensor_util.h
					thread_pool.h
					trie.h
					unique.h
					util.h
					+---internal_ops
					ltc_ops.h
					\---ops
					arithmetic_ir_ops.h
					utils.h
					+---python
					python_util.h
					\---ts_backend
					config.h
					dynamic_ir.h
					ir_builder.h
					tensor_aten_ops.h
					ts_autograd_functions.h
					ts_backend_impl.h
					ts_eager_fallback.h
					ts_lowering_context.h

					ts_node.h
					ts_node_lowering.h
					+---onnx
					back_compat.h
					init.h
					onnx.h
					+---profiler
					api.h
					collection.h
					combined_traceback.h
					containers.h
					data_flow.h
					events.h
					kineto_client_interface.h
					kineto_shim.h
					perf-inl.h
					perf.h
					util.h
					+---orchestration
					observer.h
					python_tracer.h
					vulkan.h
					+---python
					combined_traceback.h
					init.h
					pybind.h
					+---standalone
					execution_trace_observer.h
					itt_observer.h
					nvtx_observer.h
					privateusel_observer.h
					+---stubs
					base.h
					\---unwind
					action.h
					communicate.h
					debug_info.h
					dwarf_enums.h
					dwarf_symbolize_enums.h
					eh_frame_hdr.h
					fast_symbolizer.h
					fde.h
					lexer.h
					line_number_program.h

					mem_file.h
					range_table.h
					sections.h
					unwind.h
					unwinder.h
					unwind_error.h
					+---tensor
					python_tensor.h
					+---utils
					byte_order.h
					cpp_stacktraces.h
					cuda_enabled.h
					device_lazy_init.h
					disable_torch_function.h
					generated_serialization_types.h
					init.h
					invalid_arguments.h
					nested.h
					numpy_stub.h
					object_ptr.h
					out_types.h
					pybind.h
					pycfunction_helpers.h
					pyobject_preservation.h
					pythoncapi_compat.h
					python_arg_parser.h
					python_compat.h
					python_dispatch.h
					python_numbers.h
					python_raii.h
					python_scalars.h
					python_strings.h
					python_stub.h
					python_symnode.h
					python_torch_function_mode.h
					python_tuples.h
					schema_info.h
					six.h
					structseq.h
					tensor_apply.h
					tensor_dtypes.h
					tensor_flatten.h
					tensor_layouts.h
					tensor_list.h
					tensor_memoryformats.h
					tensor_new.h
					tensor_numpy.h
					tensor_qschemas.h
					tensor_types.h

```

| | | | | throughput_benchmark-inl.h
| | | | | throughput_benchmark.h
| | | | | torch_dispatch_mode.h
| | | | | variadic.h
| | | | | verbose.h
| | | | |
| | | | | \---xpu
| | | | |
| | | | | Event.h
| | | | | Module.h
| | | | | Stream.h
| | | | |
| | | | +---jit
| | | | | annotations.py
| | | | | frontend.py
| | | | | generate_bytecode.py
| | | | | quantized.py
| | | | | supported_ops.py
| | | | | unsupported_tensor_ops.py
| | | | | _async.py
| | | | | _await.py
| | | | | _builtins.py
| | | | | _check.py
| | | | | _dataclass_impls.py
| | | | | _decompositions.py
| | | | | _decomposition_utils.py
| | | | | _freeze.py
| | | | | _fuser.py
| | | | | _ir_utils.py
| | | | | _logging.py
| | | | | _monkeytype_config.py
| | | | | _pickle.py
| | | | | _recursive.py
| | | | | _script.py
| | | | | _script.pyi
| | | | | _serialization.py
| | | | | _shape_functions.py
| | | | | _state.py
| | | | | _trace.py
| | | | | __init__.py
| | | | |
| | | | +---mobile
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | +---_passes
| | | | | | _property_propagation.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__

```

					_property_propagation.cpython-311.pyc
					__init__.cpython-311.pyc
					\---__pycache__
					annotations.cpython-311.pyc
					frontend.cpython-311.pyc
					generate_bytecode.cpython-311.pyc
					quantized.cpython-311.pyc
					supported_ops.cpython-311.pyc
					unsupported_tensor_ops.cpython-311.pyc
					_async.cpython-311.pyc
					_await.cpython-311.pyc
					_builtins.cpython-311.pyc
					_check.cpython-311.pyc
					_dataclass_impls.cpython-311.pyc
					_decompositions.cpython-311.pyc
					_decomposition_utils.cpython-311.pyc
					_freeze.cpython-311.pyc
					_fuser.cpython-311.pyc
					_ir_utils.cpython-311.pyc
					_logging.cpython-311.pyc
					_monkeytype_config.cpython-311.pyc
					_pickle.cpython-311.pyc
					_recursive.cpython-311.pyc
					_script.cpython-311.pyc
					_serialization.cpython-311.pyc
					_shape_functions.cpython-311.pyc
					_state.cpython-311.pyc
					_trace.cpython-311.pyc
					__init__.cpython-311.pyc
					+---lib
					asmjit.dll
					asmjit.lib
					c10.dll
					c10.lib
					cpuinfo.lib
					dnnl.lib
					fbgemm.dll
					fbgemm.lib
					fmt.lib
					kineto.lib
					libiomp5md.dll
					libiompstubs5md.dll
					libprotobuf-lite.lib
					libprotobuf.lib
					libprotoc.lib
					microkernels-prod.lib
					pthreadpool.lib
					shm.dll
					shm.lib

```

| | | | sleeef.lib
| | | | torch.dll
| | | | torch.lib
| | | | torch_cpu.dll
| | | | torch_cpu.lib
| | | | torch_global_deps.dll
| | | | torch_python.dll
| | | | torch_python.lib
| | | | uv.dll
| | | | XNNPACK.lib
| | | | _C.lib
| | | |
| | | +---linalg
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---masked
| | | | | _docs.py
| | | | | _ops.py
| | | | | __init__.py
| | | | |
| | | | +---maskedtensor
| | | | | | binary.py
| | | | | | core.py
| | | | | | creation.py
| | | | | | passthrough.py
| | | | | | reductions.py
| | | | | | unary.py
| | | | | | _ops_refs.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | binary.cpython-311.pyc
| | | | | | core.cpython-311.pyc
| | | | | | creation.cpython-311.pyc
| | | | | | passthrough.cpython-311.pyc
| | | | | | reductions.cpython-311.pyc
| | | | | | unary.cpython-311.pyc
| | | | | | _ops_refs.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__
| | | | | | _docs.cpython-311.pyc
| | | | | | _ops.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | +---monitor
| | | | | __init__.py
| | | | |

```

```

| | | | \---__pycache__
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---mps
| | | | | event.py
| | | | | profiler.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | |     event.cpython-311.pyc
| | | |     profiler.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---mtia
| | | | | memory.py
| | | | | _utils.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | |     memory.cpython-311.pyc
| | | |     _utils.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---multiprocessing
| | | | | pool.py
| | | | | queue.py
| | | | | reductions.py
| | | | | spawn.py
| | | | | _atfork.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | |     pool.cpython-311.pyc
| | | |     queue.cpython-311.pyc
| | | |     reductions.cpython-311.pyc
| | | |     spawn.cpython-311.pyc
| | | |     _atfork.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---nested
| | | | | __init__.py
| | | | |
| | | | +---_internal
| | | | | | nested_int.py
| | | | | | nested_tensor.py
| | | | | | ops.py
| | | | | | sdpa.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | |     nested_int.cpython-311.pyc

```

```

| | | | nested_tensor.cpython-311.pyc
| | | | ops.cpython-311.pyc
| | | | sdpa.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | \---__pycache__
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---nn
| | | | | common_types.py
| | | | | cpp.py
| | | | | functional.py
| | | | | functional.pyi
| | | | | grad.py
| | | | | init.py
| | | | | parameter.py
| | | | | parameter.pyi
| | | | | _reduction.py
| | | | | __init__.py
| | | | |
| | | | +---attention
| | | | | bias.py
| | | | | flex_attention.py
| | | | | _utils.py
| | | | | __init__.py
| | | | |
| | | | +---experimental
| | | | | | _paged_attention.py
| | | | | | __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | |     _paged_attention.cpython-311.pyc
| | | | | |     __init__.cpython-311.pyc
| | | | | |
| | | | | | \---__pycache__
| | | | | |     bias.cpython-311.pyc
| | | | | |     flex_attention.cpython-311.pyc
| | | | | |     _utils.cpython-311.pyc
| | | | | |     __init__.cpython-311.pyc
| | | | | |
| | | | +---backends
| | | | | thnn.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     thnn.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | +---intrinsic
| | | | | | __init__.py
| | | | | |

```

```

| | | | | +---modules
| | | | | | fused.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | fused.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | +---qat
| | | | | | __init__.py
| | | | | |
| | | | | +---modules
| | | | | | | conv_fused.py
| | | | | | | linear_fused.py
| | | | | | | linear_relu.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | \---__pycache__
| | | | | | | conv_fused.cpython-311.pyc
| | | | | | | linear_fused.cpython-311.pyc
| | | | | | | linear_relu.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | | \---__pycache__
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | +---quantized
| | | | | | __init__.py
| | | | | |
| | | | | +---dynamic
| | | | | | | __init__.py
| | | | | | |
| | | | | +---modules
| | | | | | | linear_relu.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | \---__pycache__
| | | | | | | linear_relu.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | | \---__pycache__
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | +---modules
| | | | | | | bn_relu.py
| | | | | | | conv_relu.py
| | | | | | | linear_relu.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | \---__pycache__
| | | | | | | bn_relu.cpython-311.pyc

```

```

| | | | | conv_relu.cpython-311.pyc
| | | | | linear_relu.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---modules
| | | | | activation.py
| | | | | adaptive.py
| | | | | batchnorm.py
| | | | | channelshuffle.py
| | | | | container.py
| | | | | conv.py
| | | | | distance.py
| | | | | dropout.py
| | | | | flatten.py
| | | | | fold.py
| | | | | instancenorm.py
| | | | | lazy.py
| | | | | linear.py
| | | | | loss.py
| | | | | module.py
| | | | | normalization.py
| | | | | padding.py
| | | | | pixelshuffle.py
| | | | | pooling.py
| | | | | rnn.py
| | | | | sparse.py
| | | | | transformer.py
| | | | | upsampling.py
| | | | | utils.py
| | | | | _functions.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | | activation.cpython-311.pyc
| | | | | adaptive.cpython-311.pyc
| | | | | batchnorm.cpython-311.pyc
| | | | | channelshuffle.cpython-311.pyc
| | | | | container.cpython-311.pyc
| | | | | conv.cpython-311.pyc
| | | | | distance.cpython-311.pyc
| | | | | dropout.cpython-311.pyc
| | | | | flatten.cpython-311.pyc
| | | | | fold.cpython-311.pyc
| | | | | instancenorm.cpython-311.pyc
| | | | | lazy.cpython-311.pyc

```



```

| | | | linear.cpython-311.pyc
| | | | loss.cpython-311.pyc
| | | | module.cpython-311.pyc
| | | | normalization.cpython-311.pyc
| | | | padding.cpython-311.pyc
| | | | pixelshuffle.cpython-311.pyc
| | | | pooling.cpython-311.pyc
| | | | rnn.cpython-311.pyc
| | | | sparse.cpython-311.pyc
| | | | transformer.cpython-311.pyc
| | | | upsampling.cpython-311.pyc
| | | | utils.cpython-311.pyc
| | | | _functions.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | +---parallel
| | | | | comm.py
| | | | | data_parallel.py
| | | | | distributed.py
| | | | | parallel_apply.py
| | | | | replicate.py
| | | | | scatter_gather.py
| | | | | _functions.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | | comm.cpython-311.pyc
| | | | | data_parallel.cpython-311.pyc
| | | | | distributed.cpython-311.pyc
| | | | | parallel_apply.cpython-311.pyc
| | | | | replicate.cpython-311.pyc
| | | | | scatter_gather.cpython-311.pyc
| | | | | _functions.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---qat
| | | | | | __init__.py
| | | | | |
| | | | | | +---dynamic
| | | | | | | __init__.py
| | | | | | |
| | | | | | +---modules
| | | | | | | | linear.py
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | \---__pycache__
| | | | | | | linear.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | | __init__.cpython-311.pyc

```

```

| | | | |
| | | | | +---modules
| | | | | | | conv.py
| | | | | | | embedding_ops.py
| | | | | | | linear.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | \---__pycache__
| | | | | | | conv.cpython-311.pyc
| | | | | | | embedding_ops.cpython-311.pyc
| | | | | | | linear.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | | \---__pycache__
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | +---quantizable
| | | | | | | __init__.py
| | | | | | |
| | | | | | +---modules
| | | | | | | | activation.py
| | | | | | | | rnn.py
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | \---__pycache__
| | | | | | | | activation.cpython-311.pyc
| | | | | | | | rnn.cpython-311.pyc
| | | | | | | | __init__.cpython-311.pyc
| | | | | | | |
| | | | | | | \---__pycache__
| | | | | | | | __init__.cpython-311.pyc
| | | | | | | |
| | | | | | +---quantized
| | | | | | | functional.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | +---dynamic
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | +---modules
| | | | | | | | | conv.py
| | | | | | | | | linear.py
| | | | | | | | | rnn.py
| | | | | | | | | __init__.py
| | | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | | | conv.cpython-311.pyc
| | | | | | | | | linear.cpython-311.pyc
| | | | | | | | | rnn.cpython-311.pyc
| | | | | | | | | __init__.cpython-311.pyc
| | | | | | | |

```

```

| | | | | \---__pycache__
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---modules
| | | | | |   activation.py
| | | | | |   batchnorm.py
| | | | | |   conv.py
| | | | | |   dropout.py
| | | | | |   embedding_ops.py
| | | | | |   functional_modules.py
| | | | | |   linear.py
| | | | | |   normalization.py
| | | | | |   rnn.py
| | | | | |   utils.py
| | | | | |   __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     activation.cpython-311.pyc
| | | | |     batchnorm.cpython-311.pyc
| | | | |     conv.cpython-311.pyc
| | | | |     dropout.cpython-311.pyc
| | | | |     embedding_ops.cpython-311.pyc
| | | | |     functional_modules.cpython-311.pyc
| | | | |     linear.cpython-311.pyc
| | | | |     normalization.cpython-311.pyc
| | | | |     rnn.cpython-311.pyc
| | | | |     utils.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---_reference
| | | | | |   __init__.py
| | | | |
| | | | | +---modules
| | | | | |   conv.py
| | | | | |   linear.py
| | | | | |   rnn.py
| | | | | |   sparse.py
| | | | | |   utils.py
| | | | | |   __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     conv.cpython-311.pyc
| | | | |     linear.cpython-311.pyc
| | | | |     rnn.cpython-311.pyc
| | | | |     sparse.cpython-311.pyc
| | | | |     utils.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     __init__.cpython-311.pyc
| | | | |

```

```

| | | | \---__pycache__
| | | | functional.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | +---utils
| | | | | clip_grad.py
| | | | | convert_parameters.py
| | | | | fusion.py
| | | | | init.py
| | | | | memory_format.py
| | | | | parametrizations.py
| | | | | parametrize.py
| | | | | prune.py
| | | | | rnn.py
| | | | | spectral_norm.py
| | | | | stateless.py
| | | | | weight_norm.py
| | | | | _deprecation_utils.py
| | | | | _named_member_accessor.py
| | | | | _per_sample_grad.py
| | | | | __init__.py
| | | | |
| | | | +---_expanded_weights
| | | | | conv_expanded_weights.py
| | | | | conv_utils.py
| | | | | embedding_expanded_weights.py
| | | | | expanded_weights_impl.py
| | | | | expanded_weights_utils.py
| | | | | group_norm_expanded_weights.py
| | | | | instance_norm_expanded_weights.py
| | | | | layer_norm_expanded_weights.py
| | | | | linear_expanded_weights.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | | conv_expanded_weights.cpython-311.pyc
| | | | | conv_utils.cpython-311.pyc
| | | | | embedding_expanded_weights.cpython-311.pyc
| | | | | expanded_weights_impl.cpython-311.pyc
| | | | | expanded_weights_utils.cpython-311.pyc
| | | | | group_norm_expanded_weights.cpython-311.pyc
| | | | | instance_norm_expanded_weights.cpython-311.pyc
| | | | | layer_norm_expanded_weights.cpython-311.pyc
| | | | | linear_expanded_weights.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | clip_grad.cpython-311.pyc
| | | | | convert_parameters.cpython-311.pyc
| | | | | fusion.cpython-311.pyc
| | | | | init.cpython-311.pyc

```

					memory_format.cpython-311.pyc
					parametrizations.cpython-311.pyc
					parametrize.cpython-311.pyc
					prune.cpython-311.pyc
					rnn.cpython-311.pyc
					spectral_norm.cpython-311.pyc
					stateless.cpython-311.pyc
					weight_norm.cpython-311.pyc
					_deprecation_utils.cpython-311.pyc
					_named_member_accessor.cpython-311.pyc
					_per_sample_grad.cpython-311.pyc
					__init__.cpython-311.pyc
					\---__pycache__
					common_types.cpython-311.pyc
					cpp.cpython-311.pyc
					functional.cpython-311.pyc
					grad.cpython-311.pyc
					init.cpython-311.pyc
					parameter.cpython-311.pyc
					_reduction.cpython-311.pyc
					__init__.cpython-311.pyc
					+---onnx
					errors.py
					operators.py
					symbolic_caffe2.py
					symbolic_helper.py
					symbolic_opset10.py
					symbolic_opset11.py
					symbolic_opset12.py
					symbolic_opset13.py
					symbolic_opset14.py
					symbolic_opset15.py
					symbolic_opset16.py
					symbolic_opset17.py
					symbolic_opset18.py
					symbolic_opset19.py
					symbolic_opset20.py
					symbolic_opset7.py
					symbolic_opset8.py
					symbolic_opset9.py
					utils.py
					verification.py
					_constants.py
					_deprecation.py
					_experimental.py
					_exporter_states.py
					_flags.py
					_globals.py
					_onnx_supported_ops.py

```

| | | | _type_utils.py
| | | | __init__.py
| | | |
| | | | +---_internal
| | | | | | io_adapter.py
| | | | | | jit_utils.py
| | | | | | onnxruntime.py
| | | | | | onnx_proto_utils.py
| | | | | | registration.py
| | | | | | _exporter_legacy.py
| | | | | | _lazy_import.py
| | | | | | __init__.py
| | | | |
| | | | | +---diagnostics
| | | | | | | _diagnostic.py
| | | | | | | _rules.py
| | | | | | | __init__.py
| | | | | |
| | | | | | +---infra
| | | | | | | | context.py
| | | | | | | | decorator.py
| | | | | | | | formatter.py
| | | | | | | | utils.py
| | | | | | | | _infra.py
| | | | | | | | __init__.py
| | | | | | |
| | | | | | | +---sarif
| | | | | | | | version.py
| | | | | | | | _address.py
| | | | | | | | _artifact.py
| | | | | | | | _artifact_change.py
| | | | | | | | _artifact_content.py
| | | | | | | | _artifact_location.py
| | | | | | | | _attachment.py
| | | | | | | | _code_flow.py
| | | | | | | | _configuration_override.py
| | | | | | | | _conversion.py
| | | | | | | | _edge.py
| | | | | | | | _edge_traversal.py
| | | | | | | | _exception.py
| | | | | | | | _external_properties.py
| | | | | | | | _external_property_file_reference.py
| | | | | | | | _external_property_file_references.py
| | | | | | | | _fix.py
| | | | | | | | _graph.py
| | | | | | | | _graph_traversal.py
| | | | | | | | _invocation.py
| | | | | | | | _location.py
| | | | | | | | _location_relationship.py
| | | | | | | | _logical_location.py
| | | | | | | | _message.py

```

[illegible]

								_graph_traversal.cpython-311.pyc
								_invocation.cpython-311.pyc
								_location.cpython-311.pyc
								_location_relationship.cpython-311.pyc
								_logical_location.cpython-311.pyc
								_message.cpython-311.pyc
								_multiformat_message_string.cpython-311.pyc
								_node.cpython-311.pyc
								_notification.cpython-311.pyc
								_physical_location.cpython-311.pyc
								_property_bag.cpython-311.pyc
								_rectangle.cpython-311.pyc
								_region.cpython-311.pyc
								_replacement.cpython-311.pyc
								_reporting_configuration.cpython-311.pyc
								_reporting_descriptor.cpython-311.pyc
								_reporting_descriptor_reference.cpython-311.pyc
								_reporting_descriptor_relationship.cpython-311.pyc
								_result.cpython-311.pyc
								_result_provenance.cpython-311.pyc
								_run.cpython-311.pyc
								_run_automation_details.cpython-311.pyc
								_sarif_log.cpython-311.pyc
								_special_locations.cpython-311.pyc
								_stack.cpython-311.pyc
								_stack_frame.cpython-311.pyc
								_suppression.cpython-311.pyc
								_thread_flow.cpython-311.pyc
								_thread_flow_location.cpython-311.pyc
								_tool.cpython-311.pyc
								_tool_component.cpython-311.pyc
								_tool_component_reference.cpython-311.pyc
								_translation_metadata.cpython-311.pyc
								_version_control_details.cpython-311.pyc
								_web_request.cpython-311.pyc
								_web_response.cpython-311.pyc
								__init__.cpython-311.pyc
							\---__pycache__	
								context.cpython-311.pyc
								decorator.cpython-311.pyc
								formatter.cpython-311.pyc
								utils.cpython-311.pyc
								_infra.cpython-311.pyc
								__init__.cpython-311.pyc
							\---__pycache__	
								_diagnostic.cpython-311.pyc
								_rules.cpython-311.pyc
								__init__.cpython-311.pyc


```

| | | | | +---exporter
| | | | | | | _analysis.py
| | | | | | | _building.py
| | | | | | | _capture_strategies.py
| | | | | | | _compat.py
| | | | | | | _core.py
| | | | | | | _decomp.py
| | | | | | | _dispatching.py
| | | | | | | _errors.py
| | | | | | | _fx_passes.py
| | | | | | | _ir_passes.py
| | | | | | | _isolated.py
| | | | | | | _onnx_program.py
| | | | | | | _registration.py
| | | | | | | _reporting.py
| | | | | | | _schemas.py
| | | | | | | _tensors.py
| | | | | | | _testing.py
| | | | | | | _verification.py
| | | | | | | __init__.py
| | | | | |
| | | | | +---_torchlib
| | | | | | | _torchlib_registry.py
| | | | | | | __init__.py
| | | | | |
| | | | | +---ops
| | | | | | | hop.py
| | | | | | | __init__.py
| | | | | |
| | | | | | | \---__pycache__
| | | | | | | hop.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | | | \---__pycache__
| | | | | | | _torchlib_registry.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | | | \---__pycache__
| | | | | | | _analysis.cpython-311.pyc
| | | | | | | _building.cpython-311.pyc
| | | | | | | _capture_strategies.cpython-311.pyc
| | | | | | | _compat.cpython-311.pyc
| | | | | | | _core.cpython-311.pyc
| | | | | | | _decomp.cpython-311.pyc
| | | | | | | _dispatching.cpython-311.pyc
| | | | | | | _errors.cpython-311.pyc
| | | | | | | _fx_passes.cpython-311.pyc
| | | | | | | _ir_passes.cpython-311.pyc
| | | | | | | _isolated.cpython-311.pyc
| | | | | | | _onnx_program.cpython-311.pyc
| | | | | | | _registration.cpython-311.pyc

```

```

| | | | | _reporting.cpython-311.pyc
| | | | | _schemas.cpython-311.pyc
| | | | | _tensors.cpython-311.pyc
| | | | | _testing.cpython-311.pyc
| | | | | _verification.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---fx
| | | | | decomposition_skip.py
| | | | | decomposition_table.py
| | | | | diagnostics.py
| | | | | dynamo_graph_extractor.py
| | | | | fx_onnx_interpreter.py
| | | | | fx_symbolic_graph_extractor.py
| | | | | onnxfunction_dispatcher.py
| | | | | patcher.py
| | | | | registration.py
| | | | | serialization.py
| | | | | type_utils.py
| | | | | _pass.py
| | | | | __init__.py
| | | | |
| | | | +---analysis
| | | | | unsupported_nodes.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | unsupported_nodes.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---passes
| | | | | decomp.py
| | | | | functionalization.py
| | | | | modularization.py
| | | | | readability.py
| | | | | type_promotion.py
| | | | | virtualization.py
| | | | | _utils.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | decomp.cpython-311.pyc
| | | | | functionalization.cpython-311.pyc
| | | | | modularization.cpython-311.pyc
| | | | | readability.cpython-311.pyc
| | | | | type_promotion.cpython-311.pyc
| | | | | virtualization.cpython-311.pyc
| | | | | _utils.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__

```

					decomposition_skip.cpython-311.pyc
					decomposition_table.cpython-311.pyc
					diagnostics.cpython-311.pyc
					dynamo_graph_extractor.cpython-311.pyc
					fx_onnx_interpreter.cpython-311.pyc
					fx_symbolic_graph_extractor.cpython-311.pyc
					onnxfunction_dispatcher.cpython-311.pyc
					patcher.cpython-311.pyc
					registration.cpython-311.pyc
					serialization.cpython-311.pyc
					type_utils.cpython-311.pyc
					_pass.cpython-311.pyc
					__init__.cpython-311.pyc
					\---__pycache__
					io_adapter.cpython-311.pyc
					jit_utils.cpython-311.pyc
					onnxruntime.cpython-311.pyc
					onnx_proto_utils.cpython-311.pyc
					registration.cpython-311.pyc
					_exporter_legacy.cpython-311.pyc
					_lazy_import.cpython-311.pyc
					__init__.cpython-311.pyc
					\---__pycache__
					errors.cpython-311.pyc
					operators.cpython-311.pyc
					symbolic_caffe2.cpython-311.pyc
					symbolic_helper.cpython-311.pyc
					symbolic_opset10.cpython-311.pyc
					symbolic_opset11.cpython-311.pyc
					symbolic_opset12.cpython-311.pyc
					symbolic_opset13.cpython-311.pyc
					symbolic_opset14.cpython-311.pyc
					symbolic_opset15.cpython-311.pyc
					symbolic_opset16.cpython-311.pyc
					symbolic_opset17.cpython-311.pyc
					symbolic_opset18.cpython-311.pyc
					symbolic_opset19.cpython-311.pyc
					symbolic_opset20.cpython-311.pyc
					symbolic_opset7.cpython-311.pyc
					symbolic_opset8.cpython-311.pyc
					symbolic_opset9.cpython-311.pyc
					utils.cpython-311.pyc
					verification.cpython-311.pyc
					_constants.cpython-311.pyc
					_deprecation.cpython-311.pyc
					_experimental.cpython-311.pyc
					_exporter_states.cpython-311.pyc
					_flags.cpython-311.pyc
					_globals.cpython-311.pyc

```

| | | | _onnx_supported_ops.cpython-311.pyc
| | | | _type_utils.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | +---optim
| | | | | adadelta.py
| | | | | adagrad.py
| | | | | adam.py
| | | | | adamax.py
| | | | | adamw.py
| | | | | asgd.py
| | | | | lbfgs.py
| | | | | lr_scheduler.py
| | | | | nadam.py
| | | | | optimizer.py
| | | | | radam.py
| | | | | rmsprop.py
| | | | | rprop.py
| | | | | sgd.py
| | | | | sparse_adam.py
| | | | | swa_utils.py
| | | | | _adafactor.py
| | | | | _functional.py
| | | | | __init__.py
| | | | |
| | | | +---_multi_tensor
| | | | | | __init__.py
| | | | | | __init__.pyi
| | | | | |
| | | | | \---__pycache__
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__
| | | | | | adadelta.cpython-311.pyc
| | | | | | adagrad.cpython-311.pyc
| | | | | | adam.cpython-311.pyc
| | | | | | adamax.cpython-311.pyc
| | | | | | adamw.cpython-311.pyc
| | | | | | asgd.cpython-311.pyc
| | | | | | lbfgs.cpython-311.pyc
| | | | | | lr_scheduler.cpython-311.pyc
| | | | | | nadam.cpython-311.pyc
| | | | | | optimizer.cpython-311.pyc
| | | | | | radam.cpython-311.pyc
| | | | | | rmsprop.cpython-311.pyc
| | | | | | rprop.cpython-311.pyc
| | | | | | sgd.cpython-311.pyc
| | | | | | sparse_adam.cpython-311.pyc
| | | | | | swa_utils.cpython-311.pyc
| | | | | | _adafactor.cpython-311.pyc
| | | | | | _functional.cpython-311.pyc

```

```

| | | | __init__.cpython-311.pyc
| | | |
| | | +---package
| | | | file_structure_representation.py
| | | | find_file_dependencies.py
| | | | glob_group.py
| | | | importer.py
| | | | package_exporter.py
| | | | package_importer.py
| | | | _digraph.py
| | | | _directory_reader.py
| | | | _importlib.py
| | | | _mangling.py
| | | | _mock.py
| | | | _package_pickler.py
| | | | _package_unpickler.py
| | | | _stdlib.py
| | | | __init__.py
| | | |
| | | +---analyze
| | | | find_first_use_of_broken_modules.py
| | | | is_from_package.py
| | | | trace_dependencies.py
| | | | __init__.py
| | | |
| | | \---__pycache__
| | | | find_first_use_of_broken_modules.cpython-311.pyc
| | | | is_from_package.cpython-311.pyc
| | | | trace_dependencies.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | \---__pycache__
| | | | file_structure_representation.cpython-311.pyc
| | | | find_file_dependencies.cpython-311.pyc
| | | | glob_group.cpython-311.pyc
| | | | importer.cpython-311.pyc
| | | | package_exporter.cpython-311.pyc
| | | | package_importer.cpython-311.pyc
| | | | _digraph.cpython-311.pyc
| | | | _directory_reader.cpython-311.pyc
| | | | _importlib.cpython-311.pyc
| | | | _mangling.cpython-311.pyc
| | | | _mock.cpython-311.pyc
| | | | _package_pickler.cpython-311.pyc
| | | | _package_unpickler.cpython-311.pyc
| | | | _stdlib.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | +---profiler
| | | | itt.py
| | | | profiler.py

```

```

| | | python_tracer.py
| | | _memory_profiler.py
| | | _pattern_matcher.py
| | | _utils.py
| | | __init__.py
| | |
| | | \---__pycache__
| | |     itt.cpython-311.pyc
| | |     profiler.cpython-311.pyc
| | |     python_tracer.cpython-311.pyc
| | |     _memory_profiler.cpython-311.pyc
| | |     _pattern_matcher.cpython-311.pyc
| | |     _utils.cpython-311.pyc
| | |     __init__.cpython-311.pyc
| | |
| | | +---quantization
| | | | fake_quantize.py
| | | | fuser_method_mappings.py
| | | | fuse_modules.py
| | | | observer.py
| | | | qconfig.py
| | | | quantization_mappings.py
| | | | quantize.py
| | | | quantize_fx.py
| | | | quantize_jit.py
| | | | quant_type.py
| | | | stubs.py
| | | | utils.py
| | | | _numeric_suite.py
| | | | _numeric_suite_fx.py
| | | | _quantized_conversions.py
| | | | __init__.py
| | | |
| | | | +---fx
| | | | | convert.py
| | | | | fuse.py
| | | | | fusion_patterns.py
| | | | | graph_module.py
| | | | | match_utils.py
| | | | | pattern_utils.py
| | | | | prepare.py
| | | | | quantization_patterns.py
| | | | | quantization_types.py
| | | | | utils.py
| | | | | _equalize.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | |     convert.cpython-311.pyc
| | | |     fuse.cpython-311.pyc
| | | |     fusion_patterns.cpython-311.pyc

```

```

| | | | graph_module.cpython-311.pyc
| | | | match_utils.cpython-311.pyc
| | | | pattern_utils.cpython-311.pyc
| | | | prepare.cpython-311.pyc
| | | | quantization_patterns.cpython-311.pyc
| | | | quantization_types.cpython-311.pyc
| | | | utils.cpython-311.pyc
| | | | _equalize.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | \---__pycache__
| | | |
| | | |     fake_quantize.cpython-311.pyc
| | | |     fuser_method_mappings.cpython-311.pyc
| | | |     fuse_modules.cpython-311.pyc
| | | |     observer.cpython-311.pyc
| | | |     qconfig.cpython-311.pyc
| | | |     quantization_mappings.cpython-311.pyc
| | | |     quantize.cpython-311.pyc
| | | |     quantize_fx.cpython-311.pyc
| | | |     quantize_jit.cpython-311.pyc
| | | |     quant_type.cpython-311.pyc
| | | |     stubs.cpython-311.pyc
| | | |     utils.cpython-311.pyc
| | | |     _numeric_suite.cpython-311.pyc
| | | |     _numeric_suite_fx.cpython-311.pyc
| | | |     _quantized_conversions.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---share
| | | |
| | | | | \---cmake
| | | | |
| | | | |     +---ATen
| | | | |     |
| | | | |     |     ATenConfig.cmake
| | | | |     |
| | | | |     |
| | | | |     +---Caffe2
| | | | |     |
| | | | |     |     Caffe2Config.cmake
| | | | |     |     Caffe2Targets-release.cmake
| | | | |     |     Caffe2Targets.cmake
| | | | |     |     FindCUDAToolkit.cmake
| | | | |     |     FindCUDSS.cmake
| | | | |     |     FindCUSPARSELT.cmake
| | | | |     |     FindSYCLToolkit.cmake
| | | | |     |
| | | | |     +---Modules_CUDA_fix
| | | | |     |
| | | | |     |     FindCUDA.cmake
| | | | |     |     FindCUDNN.cmake
| | | | |     |
| | | | |     |
| | | | |     | \---upstream
| | | | |     |
| | | | |     |     CMakeInitializeConfigs.cmake
| | | | |     |     FindCUDA.cmake
| | | | |     |     FindPackageHandleStandardArgs.cmake
| | | | |     |     FindPackageMessage.cmake

```

```

| | | | |
| | | | | \---FindCUDA
| | | | | make2cmake.cmake
| | | | | parse_cubin.cmake
| | | | | run_nvcc.cmake
| | | | | select_compute_arch.cmake
| | | | |
| | | | | \---public
| | | | | cuda.cmake
| | | | | gflags.cmake
| | | | | glog.cmake
| | | | | LoadHIP.cmake
| | | | | mkl.cmake
| | | | | mkldnn.cmake
| | | | | protobuf.cmake
| | | | | utils.cmake
| | | | | xpu.cmake
| | | | |
| | | | | \---Torch
| | | | | TorchConfig.cmake
| | | | | TorchConfigVersion.cmake
| | | | |
| | | | +---signal
| | | | | __init__.py
| | | | |
| | | | +---windows
| | | | | windows.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | | windows.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---sparse
| | | | | semi_structured.py
| | | | | _semi_structured_conversions.py
| | | | | _semi_structured_ops.py
| | | | | _triton_ops.py
| | | | | _triton_ops_meta.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | | semi_structured.cpython-311.pyc
| | | | | _semi_structured_conversions.cpython-311.pyc
| | | | | _semi_structured_ops.cpython-311.pyc
| | | | | _triton_ops.cpython-311.pyc
| | | | | _triton_ops_meta.cpython-311.pyc
| | | | | __init__.cpython-311.pyc

```



```

| | | |
| | | +---special
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---testing
| | | | | _comparison.py
| | | | | _creation.py
| | | | | _utils.py
| | | | | __init__.py
| | | | |
| | | +---_internal
| | | | | autocast_test_lists.py
| | | | | autograd_function_db.py
| | | | | check_kernel_launches.py
| | | | | common_cuda.py
| | | | | common_device_type.py
| | | | | common_distributed.py
| | | | | common_dist_composable.py
| | | | | common_dtype.py
| | | | | common_fsdp.py
| | | | | common_jit.py
| | | | | common_methods_invocations.py
| | | | | common_mkldnn.py
| | | | | common_modules.py
| | | | | common_nn.py
| | | | | common_optimizers.py
| | | | | common_pruning.py
| | | | | common_quantization.py
| | | | | common_quantized.py
| | | | | common_subclass.py
| | | | | common_utils.py
| | | | | composite_compliance.py
| | | | | custom_op_db.py
| | | | | custom_tensor.py
| | | | | dist_utils.py
| | | | | dynamo_test_failures.py
| | | | | fake_config_module.py
| | | | | hop_db.py
| | | | | hypothesis_utils.py
| | | | | inductor_utils.py
| | | | | jit_metaprogramming_utils.py
| | | | | jit_utils.py
| | | | | logging_tensor.py
| | | | | logging_utils.py
| | | | | quantization_torch_package_models.py
| | | | | static_module.py
| | | | | subclasses.py
| | | | | torchbind_impls.py

```

```

| | | | | triton_utils.py
| | | | | two_tensor.py
| | | | | __init__.py
| | | | |
| | | | | +---codegen
| | | | | | | __init__.py
| | | | | | |
| | | | | | \---__pycache__
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | +---data
| | | | | | | network1.py
| | | | | | | network2.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | \---__pycache__
| | | | | | | network1.cpython-311.pyc
| | | | | | | network2.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | +---distributed
| | | | | | | checkpoint_utils.py
| | | | | | | common_state_dict.py
| | | | | | | ddp_under_dist_autograd_test.py
| | | | | | | distributed_test.py
| | | | | | | distributed_utils.py
| | | | | | | fake_pg.py
| | | | | | | multi_threaded_pg.py
| | | | | | | rpc_utils.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | +---nn
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | +---api
| | | | | | | | remote_module_test.py
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | | remote_module_test.cpython-311.pyc
| | | | | | | | __init__.cpython-311.pyc
| | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | | __init__.cpython-311.pyc
| | | | | | | |
| | | | | | +---rpc
| | | | | | | dist_autograd_test.py
| | | | | | | dist_optimizer_test.py
| | | | | | | faulty_agent_rpc_test.py
| | | | | | | faulty_rpc_agent_test_fixture.py
| | | | | | | rpc_agent_test_fixture.py

```

```

| | | | | | | | | | rpc_test.py
| | | | | | | | | | tensorpipe_rpc_agent_test_fixture.py
| | | | | | | | | | __init__.py
| | | | | | | | | |
| | | | | | | | | | +---examples
| | | | | | | | | | | parameter_server_test.py
| | | | | | | | | | | reinforcement_learning_rpc_test.py
| | | | | | | | | | | __init__.py
| | | | | | | | | | |
| | | | | | | | | | \---__pycache__
| | | | | | | | | | | parameter_server_test.cpython-311.pyc
| | | | | | | | | | | reinforcement_learning_rpc_test.cpython-311.pyc
| | | | | | | | | | | __init__.cpython-311.pyc
| | | | | | | | | | |
| | | | | | | | | | +---jit
| | | | | | | | | | | dist_autograd_test.py
| | | | | | | | | | | rpc_test.py
| | | | | | | | | | | rpc_test_faulty.py
| | | | | | | | | | | __init__.py
| | | | | | | | | | |
| | | | | | | | | | \---__pycache__
| | | | | | | | | | | dist_autograd_test.cpython-311.pyc
| | | | | | | | | | | rpc_test.cpython-311.pyc
| | | | | | | | | | | rpc_test_faulty.cpython-311.pyc
| | | | | | | | | | | __init__.cpython-311.pyc
| | | | | | | | | | |
| | | | | | | | | | \---__pycache__
| | | | | | | | | | | dist_autograd_test.cpython-311.pyc
| | | | | | | | | | | dist_optimizer_test.cpython-311.pyc
| | | | | | | | | | | faulty_agent_rpc_test.cpython-311.pyc
| | | | | | | | | | | faulty_rpc_agent_test_fixture.cpython-311.pyc
| | | | | | | | | | | rpc_agent_test_fixture.cpython-311.pyc
| | | | | | | | | | | rpc_test.cpython-311.pyc
| | | | | | | | | | | tensorpipe_rpc_agent_test_fixture.cpython-311.pyc
| | | | | | | | | | | __init__.cpython-311.pyc
| | | | | | | | | | |
| | | | | | | | | | +---_shard
| | | | | | | | | | | test_common.py
| | | | | | | | | | | __init__.py
| | | | | | | | | | |
| | | | | | | | | | +---sharded_tensor
| | | | | | | | | | | _test_ops_common.py
| | | | | | | | | | | _test_st_common.py
| | | | | | | | | | | __init__.py
| | | | | | | | | | |
| | | | | | | | | | \---__pycache__
| | | | | | | | | | | _test_ops_common.cpython-311.pyc
| | | | | | | | | | | _test_st_common.cpython-311.pyc
| | | | | | | | | | | __init__.cpython-311.pyc
| | | | | | | | | | |
| | | | | | | | | | \---__pycache__

```

```

| | | | | test_common.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---_tensor
| | | | | | common_dtensor.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | common_dtensor.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | checkpoint_utils.cpython-311.pyc
| | | | | common_state_dict.cpython-311.pyc
| | | | | ddp_under_dist_autograd_test.cpython-311.pyc
| | | | | distributed_test.cpython-311.pyc
| | | | | distributed_utils.cpython-311.pyc
| | | | | fake_pg.cpython-311.pyc
| | | | | multi_threaded_pg.cpython-311.pyc
| | | | | rpc_utils.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---generated
| | | | | | annotated_fn_args.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | annotated_fn_args.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---opinfo
| | | | | | core.py
| | | | | | refs.py
| | | | | | utils.py
| | | | | | __init__.py
| | | | | |
| | | | | +---definitions
| | | | | | fft.py
| | | | | | linalg.py
| | | | | | nested.py
| | | | | | signal.py
| | | | | | sparse.py
| | | | | | special.py
| | | | | | _masked.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | fft.cpython-311.pyc
| | | | | linalg.cpython-311.pyc
| | | | | nested.cpython-311.pyc
| | | | | signal.cpython-311.pyc

```

```

| | | | | sparse.cpython-311.pyc
| | | | | special.cpython-311.pyc
| | | | | _masked.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | core.cpython-311.pyc
| | | | | refs.cpython-311.pyc
| | | | | utils.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---optests
| | | | | | aot_autograd.py
| | | | | | autograd_registration.py
| | | | | | fake_tensor.py
| | | | | | generate_tests.py
| | | | | | make_fx.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | aot_autograd.cpython-311.pyc
| | | | | | autograd_registration.cpython-311.pyc
| | | | | | fake_tensor.cpython-311.pyc
| | | | | | generate_tests.cpython-311.pyc
| | | | | | make_fx.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | +---test_module
| | | | | | future_div.py
| | | | | | no_future_div.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | future_div.cpython-311.pyc
| | | | | | no_future_div.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__
| | | | | | autocast_test_lists.cpython-311.pyc
| | | | | | autograd_function_db.cpython-311.pyc
| | | | | | check_kernel_launches.cpython-311.pyc
| | | | | | common_cuda.cpython-311.pyc
| | | | | | common_device_type.cpython-311.pyc
| | | | | | common_distributed.cpython-311.pyc
| | | | | | common_dist_composable.cpython-311.pyc
| | | | | | common_dtype.cpython-311.pyc
| | | | | | common_fsdp.cpython-311.pyc
| | | | | | common_jit.cpython-311.pyc
| | | | | | common_methods_invocations.cpython-311.pyc
| | | | | | common_mkldnn.cpython-311.pyc
| | | | | | common_modules.cpython-311.pyc

```

					common_nn.cpython-311.pyc
					common_optimizers.cpython-311.pyc
					common_pruning.cpython-311.pyc
					common_quantization.cpython-311.pyc
					common_quantized.cpython-311.pyc
					common_subclass.cpython-311.pyc
					common_utils.cpython-311.pyc
					composite_compliance.cpython-311.pyc
					custom_op_db.cpython-311.pyc
					custom_tensor.cpython-311.pyc
					dist_utils.cpython-311.pyc
					dynamo_test_failures.cpython-311.pyc
					fake_config_module.cpython-311.pyc
					hop_db.cpython-311.pyc
					hypothesis_utils.cpython-311.pyc
					inductor_utils.cpython-311.pyc
					jit_metaprogramming_utils.cpython-311.pyc
					jit_utils.cpython-311.pyc
					logging_tensor.cpython-311.pyc
					logging_utils.cpython-311.pyc
					quantization_torch_package_models.cpython-311.pyc
					static_module.cpython-311.pyc
					subclasses.cpython-311.pyc
					torchbind_impls.cpython-311.pyc
					triton_utils.cpython-311.pyc
					two_tensor.cpython-311.pyc
					__init__.cpython-311.pyc
					\---__pycache__
					_comparison.cpython-311.pyc
					_creation.cpython-311.pyc
					_utils.cpython-311.pyc
					__init__.cpython-311.pyc
					+---utils
					backend_registration.py
					bundled_inputs.py
					checkpoint.py
					collect_env.py
					cpp_backtrace.py
					cpp_extension.py
					deterministic.py
					dlpack.py
					file_baton.py
					flop_counter.py
					hooks.py
					mkldnn.py
					mobile_optimizer.py
					model_zoo.py
					module_tracker.py
					show_pickle.py

```

| | | | | throughput_benchmark.py
| | | | | weak.py
| | | | | _backport_slots.py
| | | | | _config_module.py
| | | | | _config_typing.pyi
| | | | | _content_store.py
| | | | | _contextlib.py
| | | | | _cpp_extension_versioner.py
| | | | | _cxx_pytree.py
| | | | | _device.py
| | | | | _exposed_in.py
| | | | | _foreach_utils.py
| | | | | _freeze.py
| | | | | _get_clean_triton.py
| | | | | _import_utils.py
| | | | | _mode_utils.py
| | | | | _ordered_set.py
| | | | | _python_dispatch.py
| | | | | _pytree.py
| | | | | _stats.py
| | | | | _thunk.py
| | | | | _traceback.py
| | | | | _triton.py
| | | | | _typing_utils.py
| | | | | _zip.py
| | | | | __init__.py
| | | | |
| | | | | +---backcompat
| | | | | | | __init__.py
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | |     __init__.cpython-311.pyc
| | | | | | |
| | | | | +---benchmark
| | | | | | | __init__.py
| | | | | | |
| | | | | +---examples
| | | | | | | | blas_compare_setup.py
| | | | | | | | compare.py
| | | | | | | | fuzzer.py
| | | | | | | | op_benchmark.py
| | | | | | | | simple_timeit.py
| | | | | | | | spectral_ops_fuzz_test.py
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | |     blas_compare_setup.cpython-311.pyc
| | | | | | | |     compare.cpython-311.pyc
| | | | | | | |     fuzzer.cpython-311.pyc
| | | | | | | |     op_benchmark.cpython-311.pyc
| | | | | | | |     simple_timeit.cpython-311.pyc

```

```

| | | | | spectral_ops_fuzz_test.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---op_fuzzers
| | | | | binary.py
| | | | | sparse_binary.py
| | | | | sparse_unary.py
| | | | | spectral.py
| | | | | unary.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | binary.cpython-311.pyc
| | | | | sparse_binary.cpython-311.pyc
| | | | | sparse_unary.cpython-311.pyc
| | | | | spectral.cpython-311.pyc
| | | | | unary.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---utils
| | | | | common.py
| | | | | compare.py
| | | | | compile.py
| | | | | cpp_jit.py
| | | | | fuzzer.py
| | | | | sparse_fuzzer.py
| | | | | timeit_template.cpp
| | | | | timer.py
| | | | | _stubs.py
| | | | | __init__.py
| | | | |
| | | | +---valgrind_wrapper
| | | | | | callgrind.h
| | | | | | compat_bindings.cpp
| | | | | | timer_callgrind_template.cpp
| | | | | | timer_interface.py
| | | | | | valgrind.h
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | timer_interface.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__
| | | | | | common.cpython-311.pyc
| | | | | | compare.cpython-311.pyc
| | | | | | compile.cpython-311.pyc
| | | | | | cpp_jit.cpython-311.pyc
| | | | | | fuzzer.cpython-311.pyc
| | | | | | sparse_fuzzer.cpython-311.pyc
| | | | | | timer.cpython-311.pyc

```



```

| | | | | _stubs.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---bottleneck
| | | | | | __init__.py
| | | | | | __main__.py
| | | | | |
| | | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | | | __main__.cpython-311.pyc
| | | | |
| | | | | +---data
| | | | | | backward_compatibility.py
| | | | | | dataloader.py
| | | | | | dataset.py
| | | | | | distributed.py
| | | | | | graph.py
| | | | | | graph_settings.py
| | | | | | sampler.py
| | | | | | __init__.py
| | | | | |
| | | | | +---datapipes
| | | | | | | datapipe.py
| | | | | | | datapipe.pyi
| | | | | | | gen_pyi.py
| | | | | | | _decorator.py
| | | | | | | _hook_iterator.py
| | | | | | | _typing.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | +---dataframe
| | | | | | | | dataframes.py
| | | | | | | | dataframe_wrapper.py
| | | | | | | | datapipes.py
| | | | | | | | structures.py
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | \---__pycache__
| | | | | | | | dataframes.cpython-311.pyc
| | | | | | | | dataframe_wrapper.cpython-311.pyc
| | | | | | | | datapipes.cpython-311.pyc
| | | | | | | | structures.cpython-311.pyc
| | | | | | | | __init__.cpython-311.pyc
| | | | | | | |
| | | | | | +---iter
| | | | | | | | callable.py
| | | | | | | | combinatorics.py
| | | | | | | | combining.py

```

							filelister.py
							fileopener.py
							grouping.py
							routeddecoder.py
							selecting.py
							sharding.py
							streamreader.py
							utils.py
							__init__.py
							\---__pycache__
							callable.cpython-311.pyc
							combinatorics.cpython-311.pyc
							combining.cpython-311.pyc
							filelister.cpython-311.pyc
							fileopener.cpython-311.pyc
							grouping.cpython-311.pyc
							routeddecoder.cpython-311.pyc
							selecting.cpython-311.pyc
							sharding.cpython-311.pyc
							streamreader.cpython-311.pyc
							utils.cpython-311.pyc
							__init__.cpython-311.pyc
							+---map
							callable.py
							combinatorics.py
							combining.py
							grouping.py
							utils.py
							__init__.py
							\---__pycache__
							callable.cpython-311.pyc
							combinatorics.cpython-311.pyc
							combining.cpython-311.pyc
							grouping.cpython-311.pyc
							utils.cpython-311.pyc
							__init__.cpython-311.pyc
							+---utils
							common.py
							decoder.py
							snapshot.py
							__init__.py
							\---__pycache__
							common.cpython-311.pyc
							decoder.cpython-311.pyc
							snapshot.cpython-311.pyc
							__init__.cpython-311.pyc

```

| | | | |
| | | | | \---__pycache__
| | | | |      datapipe.cpython-311.pyc
| | | | |      gen_pyi.cpython-311.pyc
| | | | |      _decorator.cpython-311.pyc
| | | | |      _hook_iterator.cpython-311.pyc
| | | | |      _typing.cpython-311.pyc
| | | | |      __init__.cpython-311.pyc
| | | | |
| | | | | +---_utils
| | | | | | collate.py
| | | | | | fetch.py
| | | | | | pin_memory.py
| | | | | | signal_handling.py
| | | | | | worker.py
| | | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |      collate.cpython-311.pyc
| | | | |      fetch.cpython-311.pyc
| | | | |      pin_memory.cpython-311.pyc
| | | | |      signal_handling.cpython-311.pyc
| | | | |      worker.cpython-311.pyc
| | | | |      __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |      backward_compatibility.cpython-311.pyc
| | | | |      dataloader.cpython-311.pyc
| | | | |      dataset.cpython-311.pyc
| | | | |      distributed.cpython-311.pyc
| | | | |      graph.cpython-311.pyc
| | | | |      graph_settings.cpython-311.pyc
| | | | |      sampler.cpython-311.pyc
| | | | |      __init__.cpython-311.pyc
| | | | |
| | | | | +---hipify
| | | | | | constants.py
| | | | | | cuda_to_hip_mappings.py
| | | | | | hipify_python.py
| | | | | | version.py
| | | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |      constants.cpython-311.pyc
| | | | |      cuda_to_hip_mappings.cpython-311.pyc
| | | | |      hipify_python.cpython-311.pyc
| | | | |      version.cpython-311.pyc
| | | | |      __init__.cpython-311.pyc
| | | | |
| | | | | +---jit
| | | | | | log_extract.py

```

```

| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     log_extract.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---model_dump
| | | | | |   code.js
| | | | | |   htm.mjs
| | | | | |   preact.mjs
| | | | | |   skeleton.html
| | | | | |   __init__.py
| | | | | |   __main__.py
| | | | | |
| | | | | \---__pycache__
| | | | |     __init__.cpython-311.pyc
| | | | |     __main__.cpython-311.pyc
| | | | |
| | | | | +---tensorboard
| | | | | |   summary.py
| | | | | |   writer.py
| | | | | |   _convert_np.py
| | | | | |   _embedding.py
| | | | | |   _onnx_graph.py
| | | | | |   _proto_graph.py
| | | | | |   _pytorch_graph.py
| | | | | |   _utils.py
| | | | | |   __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | |     summary.cpython-311.pyc
| | | | |     writer.cpython-311.pyc
| | | | |     _convert_np.cpython-311.pyc
| | | | |     _embedding.cpython-311.pyc
| | | | |     _onnx_graph.cpython-311.pyc
| | | | |     _proto_graph.cpython-311.pyc
| | | | |     _pytorch_graph.cpython-311.pyc
| | | | |     _utils.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---viz
| | | | | |   _cycles.py
| | | | | |   __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | |     _cycles.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---_strobelight
| | | | | |   cli_function_profiler.py
| | | | | |   __init__.py

```

```

| | | | |
| | | | | \---__pycache__
| | | | | cli_function_profiler.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | +---_sympy
| | | | | | functions.py
| | | | | | interp.py
| | | | | | numbers.py
| | | | | | printers.py
| | | | | | reference.py
| | | | | | singleton_int.py
| | | | | | solve.py
| | | | | | symbol.py
| | | | | | value_ranges.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | functions.cpython-311.pyc
| | | | | interp.cpython-311.pyc
| | | | | numbers.cpython-311.pyc
| | | | | printers.cpython-311.pyc
| | | | | reference.cpython-311.pyc
| | | | | singleton_int.cpython-311.pyc
| | | | | solve.cpython-311.pyc
| | | | | symbol.cpython-311.pyc
| | | | | value_ranges.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | backend_registration.cpython-311.pyc
| | | | | bundled_inputs.cpython-311.pyc
| | | | | checkpoint.cpython-311.pyc
| | | | | collect_env.cpython-311.pyc
| | | | | cpp_backtrace.cpython-311.pyc
| | | | | cpp_extension.cpython-311.pyc
| | | | | deterministic.cpython-311.pyc
| | | | | dlpack.cpython-311.pyc
| | | | | file_baton.cpython-311.pyc
| | | | | flop_counter.cpython-311.pyc
| | | | | hooks.cpython-311.pyc
| | | | | mkldnn.cpython-311.pyc
| | | | | mobile_optimizer.cpython-311.pyc
| | | | | model_zoo.cpython-311.pyc
| | | | | module_tracker.cpython-311.pyc
| | | | | show_pickle.cpython-311.pyc
| | | | | throughput_benchmark.cpython-311.pyc
| | | | | weak.cpython-311.pyc
| | | | | _backport_slots.cpython-311.pyc
| | | | | _config_module.cpython-311.pyc
| | | | | _content_store.cpython-311.pyc

```

```

| | | | _contextlib.cpython-311.pyc
| | | | _cpp_extension_versioner.cpython-311.pyc
| | | | _cxx_pytree.cpython-311.pyc
| | | | _device.cpython-311.pyc
| | | | _exposed_in.cpython-311.pyc
| | | | _foreach_utils.cpython-311.pyc
| | | | _freeze.cpython-311.pyc
| | | | _get_clean_triton.cpython-311.pyc
| | | | _import_utils.cpython-311.pyc
| | | | _mode_utils.cpython-311.pyc
| | | | _ordered_set.cpython-311.pyc
| | | | _python_dispatch.cpython-311.pyc
| | | | _pytree.cpython-311.pyc
| | | | _stats.cpython-311.pyc
| | | | _thunk.cpython-311.pyc
| | | | _traceback.cpython-311.pyc
| | | | _triton.cpython-311.pyc
| | | | _typing_utils.cpython-311.pyc
| | | | _zip.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | +---xpu
| | | | | memory.py
| | | | | random.py
| | | | | streams.py
| | | | | _gpu_trace.py
| | | | | _utils.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | memory.cpython-311.pyc
| | | | | random.cpython-311.pyc
| | | | | streams.cpython-311.pyc
| | | | | _gpu_trace.cpython-311.pyc
| | | | | _utils.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---_awaits
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---_C
| | | | | _aoti.pyi
| | | | | _autograd.pyi
| | | | | _cpu.pyi
| | | | | _cudnn.pyi
| | | | | _cusparselt.pyi
| | | | | _distributed_autograd.pyi
| | | | | _distributed_cl0d.pyi

```

```

| | | | _distributed_rpc.pyi
| | | | _distributed_rpc_testing.pyi
| | | | _export.pyi
| | | | _functions.pyi
| | | | _functorch.pyi
| | | | _instruction_counter.pyi
| | | | _itt.pyi
| | | | _lazy.pyi
| | | | _lazy_ts_backend.pyi
| | | | _monitor.pyi
| | | | _nn.pyi
| | | | _nvtx.pyi
| | | | _onnx.pyi
| | | | _profiler.pyi
| | | | _VariableFunctions.pyi
| | | | _verbose.pyi
| | | | __init__.pyi
| | | |
| | | +---_custom_op
| | | | | autograd.py
| | | | | functional.py
| | | | | impl.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | autograd.cpython-311.pyc
| | | | | functional.cpython-311.pyc
| | | | | impl.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---_decomp
| | | | | decompositions.py
| | | | | decompositions_for_jvp.py
| | | | | decompositions_for_rng.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | decompositions.cpython-311.pyc
| | | | | decompositions_for_jvp.cpython-311.pyc
| | | | | decompositions_for_rng.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---_dispatch
| | | | | python.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | python.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---_dynamo

```

					bytecode_analysis.py
					bytecode_transformation.py
					cache_size.py
					callback.py
					codegen.py
					code_context.py
					compiled_autograd.py
					comptime.py
					config.py
					convert_frame.py
					create_parameter_op.py
					current_scope_id.py
					debug_utils.py
					decorators.py
					device_interface.py
					distributed.py
					eval_frame.py
					exc.py
					external_utils.py
					funcname_cache.py
					graph_deduplication.py
					graph_region_tracker.py
					guards.py
					hooks.py
					logging.py
					metrics_context.py
					mutation_guard.py
					output_graph.py
					pgo.py
					profiler.py
					replay_record.py
					resume_execution.py
					side_effects.py
					source.py
					symbolic_convert.py
					tensor_version_op.py
					testing.py
					test_case.py
					test_minifier_common.py
					trace_rules.py
					types.py
					utils.py
					_trace_wrapped_higher_order_op.py
					__init__.py
					+++backends
					common.py
					cudagraphs.py
					debugging.py
					distributed.py
					inductor.py


```

| | | | | onnxrt.py
| | | | | registry.py
| | | | | tensorrt.py
| | | | | torchxla.py
| | | | | tvn.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | |     common.cpython-311.pyc
| | | |     cudagraphs.cpython-311.pyc
| | | |     debugging.cpython-311.pyc
| | | |     distributed.cpython-311.pyc
| | | |     inductor.cpython-311.pyc
| | | |     onnxrt.cpython-311.pyc
| | | |     registry.cpython-311.pyc
| | | |     tensorrt.cpython-311.pyc
| | | |     torchxla.cpython-311.pyc
| | | |     tvn.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---polyfills
| | | | | builtins.py
| | | | | functools.py
| | | | | itertools.py
| | | | | loader.py
| | | | | operator.py
| | | | | os.py
| | | | | pytree.py
| | | | | sys.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | |     builtins.cpython-311.pyc
| | | |     functools.cpython-311.pyc
| | | |     itertools.cpython-311.pyc
| | | |     loader.cpython-311.pyc
| | | |     operator.cpython-311.pyc
| | | |     os.cpython-311.pyc
| | | |     pytree.cpython-311.pyc
| | | |     sys.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---repro
| | | | | after_aot.py
| | | | | after_dynamo.py
| | | | | aoti.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | |     after_aot.cpython-311.pyc
| | | |     after_dynamo.cpython-311.pyc

```

```

| | | | aoti.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | +---variables
| | | | | base.py
| | | | | builder.py
| | | | | builtin.py
| | | | | constant.py
| | | | | ctx_manager.py
| | | | | dicts.py
| | | | | distributed.py
| | | | | functions.py
| | | | | higher_order_ops.py
| | | | | iter.py
| | | | | lazy.py
| | | | | lists.py
| | | | | misc.py
| | | | | nn_module.py
| | | | | optimizer.py
| | | | | script_object.py
| | | | | sdpa.py
| | | | | tensor.py
| | | | | torch.py
| | | | | torch_function.py
| | | | | user_defined.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | base.cpython-311.pyc
| | | | | builder.cpython-311.pyc
| | | | | builtin.cpython-311.pyc
| | | | | constant.cpython-311.pyc
| | | | | ctx_manager.cpython-311.pyc
| | | | | dicts.cpython-311.pyc
| | | | | distributed.cpython-311.pyc
| | | | | functions.cpython-311.pyc
| | | | | higher_order_ops.cpython-311.pyc
| | | | | iter.cpython-311.pyc
| | | | | lazy.cpython-311.pyc
| | | | | lists.cpython-311.pyc
| | | | | misc.cpython-311.pyc
| | | | | nn_module.cpython-311.pyc
| | | | | optimizer.cpython-311.pyc
| | | | | script_object.cpython-311.pyc
| | | | | sdpa.cpython-311.pyc
| | | | | tensor.cpython-311.pyc
| | | | | torch.cpython-311.pyc
| | | | | torch_function.cpython-311.pyc
| | | | | user_defined.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |

```

				\---__pycache__
				bytecode_analysis.cpython-311.pyc
				bytecode_transformation.cpython-311.pyc
				cache_size.cpython-311.pyc
				callback.cpython-311.pyc
				codegen.cpython-311.pyc
				code_context.cpython-311.pyc
				compiled_autograd.cpython-311.pyc
				comptime.cpython-311.pyc
				config.cpython-311.pyc
				convert_frame.cpython-311.pyc
				create_parameter_op.cpython-311.pyc
				current_scope_id.cpython-311.pyc
				debug_utils.cpython-311.pyc
				decorators.cpython-311.pyc
				device_interface.cpython-311.pyc
				distributed.cpython-311.pyc
				eval_frame.cpython-311.pyc
				exc.cpython-311.pyc
				external_utils.cpython-311.pyc
				funcname_cache.cpython-311.pyc
				graph_deduplication.cpython-311.pyc
				graph_region_tracker.cpython-311.pyc
				guards.cpython-311.pyc
				hooks.cpython-311.pyc
				logging.cpython-311.pyc
				metrics_context.cpython-311.pyc
				mutation_guard.cpython-311.pyc
				output_graph.cpython-311.pyc
				pgo.cpython-311.pyc
				profiler.cpython-311.pyc
				replay_record.cpython-311.pyc
				resume_execution.cpython-311.pyc
				side_effects.cpython-311.pyc
				source.cpython-311.pyc
				symbolic_convert.cpython-311.pyc
				tensor_version_op.cpython-311.pyc
				testing.cpython-311.pyc
				test_case.cpython-311.pyc
				test_minifier_common.cpython-311.pyc
				trace_rules.cpython-311.pyc
				types.cpython-311.pyc
				utils.cpython-311.pyc
				_trace_wrapped_higher_order_op.cpython-311.pyc
				__init__.cpython-311.pyc
				+---_export
				converter.py
				error.py
				non_strict_utils.py
				pass_base.py

					tools.py
					utils.py
					verifier.py
					wrappers.py
					__init__.py
					+---db
					case.py
					gen_example.py
					logging.py
					__init__.py
					+---examples
					assume_constant_result.py
					autograd_function.py
					class_method.py
					cond_branch_class_method.py
					cond_branch_nested_function.py
					cond_branch_nonlocal_variables.py
					cond_closed_over_variable.py
					cond_operands.py
					cond_predicate.py
					constrain_as_size_example.py
					constrain_as_value_example.py
					decorator.py
					dictionary.py
					dynamic_shape_assert.py
					dynamic_shape_constructor.py
					dynamic_shape_if_guard.py
					dynamic_shape_map.py
					dynamic_shape_round.py
					dynamic_shape_slicing.py
					dynamic_shape_view.py
					fn_with_kwargs.py
					list_contains.py
					list_unpack.py
					model_attr_mutation.py
					nested_function.py
					null_context_manager.py
					optional_input.py
					pytree_flatten.py
					scalar_output.py
					specialized_attribute.py
					static_for_loop.py
					static_if.py
					tensor_setattr.py
					type_reflection_method.py
					unsupported_operator.py
					user_input_mutation.py
					__init__.py

```

| | | | | \---__pycache__
| | | | |     assume_constant_result.cpython-311.pyc
| | | | |     autograd_function.cpython-311.pyc
| | | | |     class_method.cpython-311.pyc
| | | | |     cond_branch_class_method.cpython-311.pyc
| | | | |     cond_branch_nested_function.cpython-311.pyc
| | | | |     cond_branch_nonlocal_variables.cpython-311.pyc
| | | | |     cond_closed_over_variable.cpython-311.pyc
| | | | |     cond_operands.cpython-311.pyc
| | | | |     cond_predicate.cpython-311.pyc
| | | | |     constrain_as_size_example.cpython-311.pyc
| | | | |     constrain_as_value_example.cpython-311.pyc
| | | | |     decorator.cpython-311.pyc
| | | | |     dictionary.cpython-311.pyc
| | | | |     dynamic_shape_assert.cpython-311.pyc
| | | | |     dynamic_shape_constructor.cpython-311.pyc
| | | | |     dynamic_shape_if_guard.cpython-311.pyc
| | | | |     dynamic_shape_map.cpython-311.pyc
| | | | |     dynamic_shape_round.cpython-311.pyc
| | | | |     dynamic_shape_slicing.cpython-311.pyc
| | | | |     dynamic_shape_view.cpython-311.pyc
| | | | |     fn_with_kwargs.cpython-311.pyc
| | | | |     list_contains.cpython-311.pyc
| | | | |     list_unpack.cpython-311.pyc
| | | | |     model_attr_mutation.cpython-311.pyc
| | | | |     nested_function.cpython-311.pyc
| | | | |     null_context_manager.cpython-311.pyc
| | | | |     optional_input.cpython-311.pyc
| | | | |     pytree_flatten.cpython-311.pyc
| | | | |     scalar_output.cpython-311.pyc
| | | | |     specialized_attribute.cpython-311.pyc
| | | | |     static_for_loop.cpython-311.pyc
| | | | |     static_if.cpython-311.pyc
| | | | |     tensor_setattr.cpython-311.pyc
| | | | |     type_reflection_method.cpython-311.pyc
| | | | |     unsupported_operator.cpython-311.pyc
| | | | |     user_input_mutation.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     case.cpython-311.pyc
| | | | |     gen_example.cpython-311.pyc
| | | | |     logging.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---passes
| | | | |     add_runtime_assertions_for_constraints_pass.py
| | | | |     collect_tracepoints_pass.py
| | | | |     constant_folding.py
| | | | |     functionalize_side_effectful_ops_pass.py
| | | | |     insert_custom_op_guard.py

```

```

| | | | | lift_constants_pass.py
| | | | | remove_runtime_assertions.py
| | | | | replace_autocast_with_hop_pass.py
| | | | | replace_quantized_ops_with_standard_ops_pass.py
| | | | | replace_set_grad_with_hop_pass.py
| | | | | replace_view_ops_with_view_copy_ops_pass.py
| | | | | replace_with_hop_pass_util.py
| | | | | _node_metadata_hook.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     add_runtime_assertions_for_constraints_pass.cpython-311.pyc
| | | | |     collect_tracepoints_pass.cpython-311.pyc
| | | | |     constant_folding.cpython-311.pyc
| | | | |     functionalize_side_effectful_ops_pass.cpython-311.pyc
| | | | |     insert_custom_op_guard.cpython-311.pyc
| | | | |     lift_constants_pass.cpython-311.pyc
| | | | |     remove_runtime_assertions.cpython-311.pyc
| | | | |     replace_autocast_with_hop_pass.cpython-311.pyc
| | | | |     replace_quantized_ops_with_standard_ops_pass.cpython-311.pyc
| | | | |     replace_set_grad_with_hop_pass.cpython-311.pyc
| | | | |     replace_view_ops_with_view_copy_ops_pass.cpython-311.pyc
| | | | |     replace_with_hop_pass_util.cpython-311.pyc
| | | | |     _node_metadata_hook.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---pass_infra
| | | | | | node_metadata.py
| | | | | | proxy_value.py
| | | | | | __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | |     node_metadata.cpython-311.pyc
| | | | | |     proxy_value.cpython-311.pyc
| | | | | |     __init__.cpython-311.pyc
| | | | | |
| | | | | +---serde
| | | | | | aoti_schema.py
| | | | | | dynamic_shapes.py
| | | | | | schema.py
| | | | | | schema.thrift
| | | | | | schema.yaml
| | | | | | schema_check.py
| | | | | | serialize.py
| | | | | | union.py
| | | | | | __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | |     aoti_schema.cpython-311.pyc
| | | | | |     dynamic_shapes.cpython-311.pyc
| | | | | |     schema.cpython-311.pyc

```

```

| | | | schema_check.cpython-311.pyc
| | | | serialize.cpython-311.pyc
| | | | union.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | \---_pycache_
| | | |     converter.cpython-311.pyc
| | | |     error.cpython-311.pyc
| | | |     non_strict_utils.cpython-311.pyc
| | | |     pass_base.cpython-311.pyc
| | | |     tools.cpython-311.pyc
| | | |     utils.cpython-311.pyc
| | | |     verifier.cpython-311.pyc
| | | |     wrappers.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---_functorch
| | | | | aot_autograd.py
| | | | | apis.py
| | | | | autograd_function.py
| | | | | batch_norm_replacement.py
| | | | | benchmark_utils.py
| | | | | compilers.py
| | | | | compile_utils.py
| | | | | config.py
| | | | | deprecated.py
| | | | | eager_transforms.py
| | | | | functional_call.py
| | | | | fx_minifier.py
| | | | | make_functional.py
| | | | | partitioners.py
| | | | | pyfunctorch.py
| | | | | python_key.py
| | | | | pytree_hacks.py
| | | | | top_operators_github_usage.py
| | | | | utils.py
| | | | | vmap.py
| | | | | __init__.py
| | | | |
| | | | +---_activation_checkpointing
| | | | | knapsack.py
| | | | | __init__.py
| | | | |
| | | | | \---_pycache_
| | | | |     knapsack.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | +---_aot_autograd
| | | | | autograd_cache.py
| | | | | collect_metadata_analysis.py
| | | | | dispatch_and_compile_graph.py

```

					functional_utils.py
					input_output_analysis.py
					jit_compile_runtime_wrappers.py
					logging_utils.py
					runtime_wrappers.py
					schemas.py
					subclass_parametrization.py
					subclass_utils.py
					traced_function_transforms.py
					utils.py
					__init__.py
					\---__pycache__
					autograd_cache.cpython-311.pyc
					collect_metadata_analysis.cpython-311.pyc
					dispatch_and_compile_graph.cpython-311.pyc
					functional_utils.cpython-311.pyc
					input_output_analysis.cpython-311.pyc
					jit_compile_runtime_wrappers.cpython-311.pyc
					logging_utils.cpython-311.pyc
					runtime_wrappers.cpython-311.pyc
					schemas.cpython-311.pyc
					subclass_parametrization.cpython-311.pyc
					subclass_utils.cpython-311.pyc
					traced_function_transforms.cpython-311.pyc
					utils.cpython-311.pyc
					__init__.cpython-311.pyc
					\---__pycache__
					aot_autograd.cpython-311.pyc
					apis.cpython-311.pyc
					autograd_function.cpython-311.pyc
					batch_norm_replacement.cpython-311.pyc
					benchmark_utils.cpython-311.pyc
					compilers.cpython-311.pyc
					compile_utils.cpython-311.pyc
					config.cpython-311.pyc
					deprecated.cpython-311.pyc
					eager_transforms.cpython-311.pyc
					functional_call.cpython-311.pyc
					fx_minifier.cpython-311.pyc
					make_functional.cpython-311.pyc
					partitioners.cpython-311.pyc
					pyfunctorch.cpython-311.pyc
					python_key.cpython-311.pyc
					pytree_hacks.cpython-311.pyc
					top_operators_github_usage.cpython-311.pyc
					utils.cpython-311.pyc
					vmap.cpython-311.pyc
					__init__.cpython-311.pyc


```

| | | +---_higher_order_ops
| | | | | associative_scan.py
| | | | | auto_functionalize.py
| | | | | cond.py
| | | | | effects.py
| | | | | executorch_call_delegate.py
| | | | | flex_attention.py
| | | | | hints_wrap.py
| | | | | invoke_subgraph.py
| | | | | map.py
| | | | | out_dtype.py
| | | | | prim_hop_base.py
| | | | | run_const_graph.py
| | | | | scan.py
| | | | | strict_mode.py
| | | | | torchbind.py
| | | | | triton_kernel_wrap.py
| | | | | utils.py
| | | | | while_loop.py
| | | | | wrap.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | associative_scan.cpython-311.pyc
| | | | | auto_functionalize.cpython-311.pyc
| | | | | cond.cpython-311.pyc
| | | | | effects.cpython-311.pyc
| | | | | executorch_call_delegate.cpython-311.pyc
| | | | | flex_attention.cpython-311.pyc
| | | | | hints_wrap.cpython-311.pyc
| | | | | invoke_subgraph.cpython-311.pyc
| | | | | map.cpython-311.pyc
| | | | | out_dtype.cpython-311.pyc
| | | | | prim_hop_base.cpython-311.pyc
| | | | | run_const_graph.cpython-311.pyc
| | | | | scan.cpython-311.pyc
| | | | | strict_mode.cpython-311.pyc
| | | | | torchbind.cpython-311.pyc
| | | | | triton_kernel_wrap.cpython-311.pyc
| | | | | utils.cpython-311.pyc
| | | | | while_loop.cpython-311.pyc
| | | | | wrap.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---_inductor
| | | | | aoti_eager.py
| | | | | async_compile.py
| | | | | autotune_process.py
| | | | | bounds.py
| | | | | choices.py
| | | | | codecache.py

```

					comms.py
					comm_analysis.py
					comm_lowering.py
					compiler_bisector.py
					compile_fx.py
					config.py
					constant_folding.py
					cpp_builder.py
					cpu_vec_isa.py
					cuda_graph_trees.py
					cuda_graph_utils.py
					custom_graph_pass.py
					debug.py
					decomposition.py
					dependencies.py
					dtype_propagation.py
					exc.py
					extern_node_serializer.py
					freezing.py
					fx_utils.py
					graph.py
					hooks.py
					index_propagation.py
					inductor_prims.py
					ir.py
					jagged_lowerings.py
					loop_body.py
					lowering.py
					memory.py
					metrics.py
					mkldnn_ir.py
					mkldnn_lowerings.py
					mock_cache.py
					ops_handler.py
					optimize_indexing.py
					output_code.py
					pattern_matcher.py
					quantized_lowerings.py
					remote_cache.py
					scheduler.py
					select_algorithm.py
					sizevars.py
					subgraph_lowering.py
					test_case.py
					test_operators.py
					triton_bundler.py
					utils.py
					virtualized.py
					wrapper_benchmark.py
					__init__.py

```

| | | | +---autoheuristic
| | | | | | autoheuristic.py
| | | | | | autoheuristic_utils.py
| | | | | | learnedheuristic_interface.py
| | | | | | learned_heuristic_controller.py
| | | | | | __init__.py
| | | | | |
| | | | +---artifacts
| | | | | | _MixedMMA100.py
| | | | | | _MixedMMH100.py
| | | | | | _MMRankingA100.py
| | | | | | _MMRankingH100.py
| | | | | | _PadMMA100.py
| | | | | | __init__.py
| | | | | |
| | | | \---__pycache__
| | | | | | _MixedMMA100.cpython-311.pyc
| | | | | | _MixedMMH100.cpython-311.pyc
| | | | | | _MMRankingA100.cpython-311.pyc
| | | | | | _MMRankingH100.cpython-311.pyc
| | | | | | _PadMMA100.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | \---__pycache__
| | | | | | autoheuristic.cpython-311.pyc
| | | | | | autoheuristic_utils.cpython-311.pyc
| | | | | | learnedheuristic_interface.cpython-311.pyc
| | | | | | learned_heuristic_controller.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | +---codegen
| | | | | | aoti_hipify_utils.py
| | | | | | block_analysis.py
| | | | | | common.py
| | | | | | cpp.py
| | | | | | cpp_bmm_template.py
| | | | | | cpp_flex_attention_template.py
| | | | | | cpp_gemm_template.py
| | | | | | cpp_micro_gemm.py
| | | | | | cpp_prefix.h
| | | | | | cpp_template.py
| | | | | | cpp_template_kernel.py
| | | | | | cpp_utils.py
| | | | | | cpp_wrapper_cpu.py
| | | | | | cpp_wrapper_cpu_array_ref.py
| | | | | | cpp_wrapper_gpu.py
| | | | | | cpu_device_op_overrides.py
| | | | | | cuda_combined_scheduling.py
| | | | | | debug_utils.py
| | | | | | halide.py
| | | | | | memory_planning.py

```

```

| | | | multi_kernel.py
| | | | simd.py
| | | | simd_kernel_features.py
| | | | triton.py
| | | | triton_combo_kernel.py
| | | | triton_split_scan.py
| | | | triton_utils.py
| | | | wrapper.py
| | | | __init__.py
| | | |
| | | +---aoti_runtime
| | | | implementation.cpp
| | | | interface.cpp
| | | |
| | | +---cuda
| | | | | cuda_cpp_scheduling.py
| | | | | cuda_env.py
| | | | | cuda_kernel.py
| | | | | cuda_template.py
| | | | | cutlass_epilogue_gen.py
| | | | | cutlass_utils.py
| | | | | device_op_overrides.py
| | | | | gemm_template.py
| | | | | __init__.py
| | | | |
| | | | +---cutlass_lib_extensions
| | | | | | gemm_operation_extensions.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | gemm_operation_extensions.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__
| | | | | | cuda_cpp_scheduling.cpython-311.pyc
| | | | | | cuda_env.cpython-311.pyc
| | | | | | cuda_kernel.cpython-311.pyc
| | | | | | cuda_template.cpython-311.pyc
| | | | | | cutlass_epilogue_gen.cpython-311.pyc
| | | | | | cutlass_utils.cpython-311.pyc
| | | | | | device_op_overrides.cpython-311.pyc
| | | | | | gemm_template.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | +---rocm
| | | | | ck_conv_template.py
| | | | | ck_template.py
| | | | | ck_universal_gemm_template.py
| | | | | compile_command.py
| | | | | rocm_benchmark_request.py
| | | | | rocm_cpp_scheduling.py

```

```

| | | | | | rocm_kernel.py
| | | | | | rocm_template.py
| | | | | | rocm_template_buffer.py
| | | | | | __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | |     ck_conv_template.cpython-311.pyc
| | | | | |     ck_template.cpython-311.pyc
| | | | | |     ck_universal_gemm_template.cpython-311.pyc
| | | | | |     compile_command.cpython-311.pyc
| | | | | |     rocm_benchmark_request.cpython-311.pyc
| | | | | |     rocm_cpp_scheduling.cpython-311.pyc
| | | | | |     rocm_kernel.cpython-311.pyc
| | | | | |     rocm_template.cpython-311.pyc
| | | | | |     rocm_template_buffer.cpython-311.pyc
| | | | | |     __init__.cpython-311.pyc
| | | | | |
| | | | | | +---xpu
| | | | | | | device_op_overrides.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | |     device_op_overrides.cpython-311.pyc
| | | | | | |     __init__.cpython-311.pyc
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | |     aoti_hipify_utils.cpython-311.pyc
| | | | | | |     block_analysis.cpython-311.pyc
| | | | | | |     common.cpython-311.pyc
| | | | | | |     cpp.cpython-311.pyc
| | | | | | |     cpp_bmm_template.cpython-311.pyc
| | | | | | |     cpp_flex_attention_template.cpython-311.pyc
| | | | | | |     cpp_gemm_template.cpython-311.pyc
| | | | | | |     cpp_micro_gemm.cpython-311.pyc
| | | | | | |     cpp_template.cpython-311.pyc
| | | | | | |     cpp_template_kernel.cpython-311.pyc
| | | | | | |     cpp_utils.cpython-311.pyc
| | | | | | |     cpp_wrapper_cpu.cpython-311.pyc
| | | | | | |     cpp_wrapper_cpu_array_ref.cpython-311.pyc
| | | | | | |     cpp_wrapper_gpu.cpython-311.pyc
| | | | | | |     cpu_device_op_overrides.cpython-311.pyc
| | | | | | |     cuda_combined_scheduling.cpython-311.pyc
| | | | | | |     debug_utils.cpython-311.pyc
| | | | | | |     halide.cpython-311.pyc
| | | | | | |     memory_planning.cpython-311.pyc
| | | | | | |     multi_kernel.cpython-311.pyc
| | | | | | |     simd.cpython-311.pyc
| | | | | | |     simd_kernel_features.cpython-311.pyc
| | | | | | |     triton.cpython-311.pyc
| | | | | | |     triton_combo_kernel.cpython-311.pyc
| | | | | | |     triton_split_scan.cpython-311.pyc

```

```

| | | | | triton_utils.cpython-311.pyc
| | | | | wrapper.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---compile_worker
| | | | | subproc_pool.py
| | | | | watchdog.py
| | | | | __init__.py
| | | | | __main__.py
| | | | |
| | | | \---__pycache__
| | | | | subproc_pool.cpython-311.pyc
| | | | | watchdog.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | | __main__.cpython-311.pyc
| | | | |
| | | | +---fx_passes
| | | | | b2b_gemm.py
| | | | | binary_folding.py
| | | | | ddp_fusion.py
| | | | | decompose_mem_bound_mm.py
| | | | | dedupe_symint_uses.py
| | | | | efficient_conv_bn_eval.py
| | | | | freezing_patterns.py
| | | | | fuse_attention.py
| | | | | group_batch_fusion.py
| | | | | joint_graph.py
| | | | | micro_pipeline_tp.py
| | | | | misc_patterns.py
| | | | | mkldnn_fusion.py
| | | | | numeric_utils.py
| | | | | pad_mm.py
| | | | | post_grad.py
| | | | | pre_grad.py
| | | | | quantization.py
| | | | | reinplace.py
| | | | | replace_random.py
| | | | | split_cat.py
| | | | | __init__.py
| | | | |
| | | | +---serialized_patterns
| | | | | addmm_pattern.py
| | | | | bmm_pattern.py
| | | | | mm_pattern.py
| | | | | _sfdp_pattern_1.py
| | | | | _sfdp_pattern_10.py
| | | | | _sfdp_pattern_11.py
| | | | | _sfdp_pattern_12.py
| | | | | _sfdp_pattern_13.py
| | | | | _sfdp_pattern_14.py
| | | | | _sfdp_pattern_15.py

```

```

| | | | | | | _sfdp_pattern_16.py
| | | | | | | _sfdp_pattern_17.py
| | | | | | | _sfdp_pattern_18.py
| | | | | | | _sfdp_pattern_19.py
| | | | | | | _sfdp_pattern_2.py
| | | | | | | _sfdp_pattern_3.py
| | | | | | | _sfdp_pattern_4.py
| | | | | | | _sfdp_pattern_5.py
| | | | | | | _sfdp_pattern_6.py
| | | | | | | _sfdp_pattern_7.py
| | | | | | | _sfdp_pattern_8.py
| | | | | | | _sfdp_pattern_9.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | |     addmm_pattern.cpython-311.pyc
| | | | | | |     bmm_pattern.cpython-311.pyc
| | | | | | |     mm_pattern.cpython-311.pyc
| | | | | | |     _sfdp_pattern_1.cpython-311.pyc
| | | | | | |     _sfdp_pattern_10.cpython-311.pyc
| | | | | | |     _sfdp_pattern_11.cpython-311.pyc
| | | | | | |     _sfdp_pattern_12.cpython-311.pyc
| | | | | | |     _sfdp_pattern_13.cpython-311.pyc
| | | | | | |     _sfdp_pattern_14.cpython-311.pyc
| | | | | | |     _sfdp_pattern_15.cpython-311.pyc
| | | | | | |     _sfdp_pattern_16.cpython-311.pyc
| | | | | | |     _sfdp_pattern_17.cpython-311.pyc
| | | | | | |     _sfdp_pattern_18.cpython-311.pyc
| | | | | | |     _sfdp_pattern_19.cpython-311.pyc
| | | | | | |     _sfdp_pattern_2.cpython-311.pyc
| | | | | | |     _sfdp_pattern_3.cpython-311.pyc
| | | | | | |     _sfdp_pattern_4.cpython-311.pyc
| | | | | | |     _sfdp_pattern_5.cpython-311.pyc
| | | | | | |     _sfdp_pattern_6.cpython-311.pyc
| | | | | | |     _sfdp_pattern_7.cpython-311.pyc
| | | | | | |     _sfdp_pattern_8.cpython-311.pyc
| | | | | | |     _sfdp_pattern_9.cpython-311.pyc
| | | | | | |     __init__.cpython-311.pyc
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | |     b2b_gemm.cpython-311.pyc
| | | | | | |     binary_folding.cpython-311.pyc
| | | | | | |     ddp_fusion.cpython-311.pyc
| | | | | | |     decompose_mem_bound_mm.cpython-311.pyc
| | | | | | |     dedupe_symint_uses.cpython-311.pyc
| | | | | | |     efficient_conv_bn_eval.cpython-311.pyc
| | | | | | |     freezing_patterns.cpython-311.pyc
| | | | | | |     fuse_attention.cpython-311.pyc
| | | | | | |     group_batch_fusion.cpython-311.pyc
| | | | | | |     joint_graph.cpython-311.pyc
| | | | | | |     micro_pipeline_tp.cpython-311.pyc

```

```

| | | | | misc_patterns.cpython-311.pyc
| | | | | mkldnn_fusion.cpython-311.pyc
| | | | | numeric_utils.cpython-311.pyc
| | | | | pad_mm.cpython-311.pyc
| | | | | post_grad.cpython-311.pyc
| | | | | pre_grad.cpython-311.pyc
| | | | | quantization.cpython-311.pyc
| | | | | reinplace.cpython-311.pyc
| | | | | replace_random.cpython-311.pyc
| | | | | split_cat.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---kernel
| | | | | bmm.py
| | | | | conv.py
| | | | | flex_attention.py
| | | | | flex_decoding.py
| | | | | mm.py
| | | | | mm_common.py
| | | | | mm_plus_mm.py
| | | | | mm_scaled.py
| | | | | unpack_mixed_mm.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | bmm.cpython-311.pyc
| | | | | conv.cpython-311.pyc
| | | | | flex_attention.cpython-311.pyc
| | | | | flex_decoding.cpython-311.pyc
| | | | | mm.cpython-311.pyc
| | | | | mm_common.cpython-311.pyc
| | | | | mm_plus_mm.cpython-311.pyc
| | | | | mm_scaled.cpython-311.pyc
| | | | | unpack_mixed_mm.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---package
| | | | | build_package.py
| | | | | package.py
| | | | | pt2_archive_constants.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | build_package.cpython-311.pyc
| | | | | package.cpython-311.pyc
| | | | | pt2_archive_constants.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---runtime
| | | | | autotune_cache.py
| | | | | benchmarking.py

```


					cache_dir_utils.py
					compile_tasks.py
					coordinate_descent_tuner.py
					halide_helpers.py
					hints.py
					runtime_utils.py
					triton_helpers.py
					triton_heuristics.py
					__init__.py
					\---__pycache__
					autotune_cache.cpython-311.pyc
					benchmarking.cpython-311.pyc
					cache_dir_utils.cpython-311.pyc
					compile_tasks.cpython-311.pyc
					coordinate_descent_tuner.cpython-311.pyc
					halide_helpers.cpython-311.pyc
					hints.cpython-311.pyc
					runtime_utils.cpython-311.pyc
					triton_helpers.cpython-311.pyc
					triton_heuristics.cpython-311.pyc
					__init__.cpython-311.pyc
					\---__pycache__
					aoti_eager.cpython-311.pyc
					async_compile.cpython-311.pyc
					autotune_process.cpython-311.pyc
					bounds.cpython-311.pyc
					choices.cpython-311.pyc
					codecache.cpython-311.pyc
					comms.cpython-311.pyc
					comm_analysis.cpython-311.pyc
					comm_lowering.cpython-311.pyc
					compiler_bisector.cpython-311.pyc
					compile_fx.cpython-311.pyc
					config.cpython-311.pyc
					constant_folding.cpython-311.pyc
					cpp_builder.cpython-311.pyc
					cpu_vec_isa.cpython-311.pyc
					cudagraph_trees.cpython-311.pyc
					cudagraph_utils.cpython-311.pyc
					custom_graph_pass.cpython-311.pyc
					debug.cpython-311.pyc
					decomposition.cpython-311.pyc
					dependencies.cpython-311.pyc
					dtype_propagation.cpython-311.pyc
					exc.cpython-311.pyc
					extern_node_serializer.cpython-311.pyc
					freezing.cpython-311.pyc
					fx_utils.cpython-311.pyc
					graph.cpython-311.pyc

				hooks.cpython-311.pyc
				index_propagation.cpython-311.pyc
				inductor_prims.cpython-311.pyc
				ir.cpython-311.pyc
				jagged_lowerings.cpython-311.pyc
				loop_body.cpython-311.pyc
				lowering.cpython-311.pyc
				memory.cpython-311.pyc
				metrics.cpython-311.pyc
				mkldnn_ir.cpython-311.pyc
				mkldnn_lowerings.cpython-311.pyc
				mock_cache.cpython-311.pyc
				ops_handler.cpython-311.pyc
				optimize_indexing.cpython-311.pyc
				output_code.cpython-311.pyc
				pattern_matcher.cpython-311.pyc
				quantized_lowerings.cpython-311.pyc
				remote_cache.cpython-311.pyc
				scheduler.cpython-311.pyc
				select_algorithm.cpython-311.pyc
				sizevars.cpython-311.pyc
				subgraph_lowering.cpython-311.pyc
				test_case.cpython-311.pyc
				test_operators.cpython-311.pyc
				triton_bundler.cpython-311.pyc
				utils.cpython-311.pyc
				virtualized.cpython-311.pyc
				wrapper_benchmark.cpython-311.pyc
				__init__.cpython-311.pyc
			+++_lazy	
				closure.py
				computation.py
				config.py
				debug.py
				device_context.py
				extract_compiled_graph.py
				ir_cache.py
				metrics.py
				tensor_factory_functions.py
				ts_backend.py
				__init__.py
				\---__pycache__
				closure.cpython-311.pyc
				computation.cpython-311.pyc
				config.cpython-311.pyc
				debug.cpython-311.pyc
				device_context.cpython-311.pyc
				extract_compiled_graph.cpython-311.pyc
				ir_cache.cpython-311.pyc

```

| | | | metrics.cpython-311.pyc
| | | | tensor_factory_functions.cpython-311.pyc
| | | | ts_backend.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | +---_library
| | | | | autograd.py
| | | | | custom_ops.py
| | | | | fake_class_registry.py
| | | | | fake_impl.py
| | | | | infer_schema.py
| | | | | simple_registry.py
| | | | | triton.py
| | | | | utils.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | autograd.cpython-311.pyc
| | | | | custom_ops.cpython-311.pyc
| | | | | fake_class_registry.cpython-311.pyc
| | | | | fake_impl.cpython-311.pyc
| | | | | infer_schema.cpython-311.pyc
| | | | | simple_registry.cpython-311.pyc
| | | | | triton.cpython-311.pyc
| | | | | utils.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---_logging
| | | | | scribe.py
| | | | | structured.py
| | | | | _internal.py
| | | | | _registrations.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | scribe.cpython-311.pyc
| | | | | structured.cpython-311.pyc
| | | | | _internal.cpython-311.pyc
| | | | | _registrations.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---_numpy
| | | | | fft.py
| | | | | linalg.py
| | | | | random.py
| | | | | _binary_ufuncs_impl.py
| | | | | _casting_dicts.py
| | | | | _dtypes.py
| | | | | _dtypes_impl.py
| | | | | _funcs.py
| | | | | _funcs_impl.py

```

```

| | | | _getlimits.py
| | | | _ndarray.py
| | | | _normalizations.py
| | | | _reductions_impl.py
| | | | _ufuncs.py
| | | | _unary_ufuncs_impl.py
| | | | _util.py
| | | | __init__.py
| | | |
| | | +---testing
| | | | | utils.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | |     utils.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | \---__pycache__
| | | |     fft.cpython-311.pyc
| | | |     linalg.cpython-311.pyc
| | | |     random.cpython-311.pyc
| | | |     _binary_ufuncs_impl.cpython-311.pyc
| | | |     _casting_dicts.cpython-311.pyc
| | | |     _dtypes.cpython-311.pyc
| | | |     _dtypes_impl.cpython-311.pyc
| | | |     _funcs.cpython-311.pyc
| | | |     _funcs_impl.cpython-311.pyc
| | | |     _getlimits.cpython-311.pyc
| | | |     _ndarray.cpython-311.pyc
| | | |     _normalizations.cpython-311.pyc
| | | |     _reductions_impl.cpython-311.pyc
| | | |     _ufuncs.cpython-311.pyc
| | | |     _unary_ufuncs_impl.cpython-311.pyc
| | | |     _util.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | +---_prims
| | | | | context.py
| | | | | debug_prims.py
| | | | | executor.py
| | | | | rng_prims.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     context.cpython-311.pyc
| | | | |     debug_prims.cpython-311.pyc
| | | | |     executor.cpython-311.pyc
| | | | |     rng_prims.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | +---_prims_common

```

```

| | | | wrappers.py
| | | | __init__.py
| | | |
| | | | \---__pycache__
| | | |     wrappers.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---_refs
| | | | | | | | fft.py
| | | | | | | | _conversions.py
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | | +---linalg
| | | | | | | | | | __init__.py
| | | | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | |     __init__.cpython-311.pyc
| | | | | | | |
| | | | | | | | +---nn
| | | | | | | | | | __init__.py
| | | | | | | | | |
| | | | | | | | +---functional
| | | | | | | | | | | | __init__.py
| | | | | | | | | | | |
| | | | | | | | | | \---__pycache__
| | | | | | | | | |     __init__.cpython-311.pyc
| | | | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | |     __init__.cpython-311.pyc
| | | | | | | |
| | | | | | | | +---special
| | | | | | | | | | __init__.py
| | | | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | |     __init__.cpython-311.pyc
| | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | |     fft.cpython-311.pyc
| | | | | | | |     _conversions.cpython-311.pyc
| | | | | | | |     __init__.cpython-311.pyc
| | | | | | | |
| | | | | | | | +---_strobelight
| | | | | | | | | | cli_function_profiler.py
| | | | | | | | | | compile_time_profiler.py
| | | | | | | | | | __init__.py
| | | | | | | | | |
| | | | | | | | \---__pycache__
| | | | | | | |     cli_function_profiler.cpython-311.pyc
| | | | | | | |     compile_time_profiler.cpython-311.pyc
| | | | | | | |     __init__.cpython-311.pyc
| | | | | | | |

```

```

| | | +---_subclasses
| | | | | fake_impls.py
| | | | | fake_tensor.py
| | | | | fake_utils.py
| | | | | functional_tensor.py
| | | | | meta_utils.py
| | | | | schema_check_mode.py
| | | | | _fake_tensor_utils.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | fake_impls.cpython-311.pyc
| | | | | fake_tensor.cpython-311.pyc
| | | | | fake_utils.cpython-311.pyc
| | | | | functional_tensor.cpython-311.pyc
| | | | | meta_utils.cpython-311.pyc
| | | | | schema_check_mode.cpython-311.pyc
| | | | | _fake_tensor_utils.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---_vendor
| | | | | __init__.py
| | | | |
| | | | +---packaging
| | | | | | version.py
| | | | | | _structures.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | version.cpython-311.pyc
| | | | | | _structures.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | \---__pycache__
| | | | | functional.cpython-311.pyc
| | | | | hub.cpython-311.pyc
| | | | | library.cpython-311.pyc
| | | | | overrides.cpython-311.pyc
| | | | | quasirandom.cpython-311.pyc
| | | | | random.cpython-311.pyc
| | | | | return_types.cpython-311.pyc
| | | | | serialization.cpython-311.pyc
| | | | | storage.cpython-311.pyc
| | | | | torch_version.cpython-311.pyc
| | | | | types.cpython-311.pyc
| | | | | version.cpython-311.pyc
| | | | | _appdirs.cpython-311.pyc
| | | | | _classes.cpython-311.pyc

```

```

| | | _compile.cpython-311.pyc
| | | _custom_ops.cpython-311.pyc
| | | _deploy.cpython-311.pyc
| | | _environment.cpython-311.pyc
| | | _guards.cpython-311.pyc
| | | _jit_internal.cpython-311.pyc
| | | _linalg_utils.cpython-311.pyc
| | | _lobpcg.cpython-311.pyc
| | | _lowrank.cpython-311.pyc
| | | _meta_registrations.cpython-311.pyc
| | | _namedtensor_internals.cpython-311.pyc
| | | _ops.cpython-311.pyc
| | | _python_dispatcher.cpython-311.pyc
| | | _size_docs.cpython-311.pyc
| | | _sources.cpython-311.pyc
| | | _storage_docs.cpython-311.pyc
| | | _streambase.cpython-311.pyc
| | | _tensor.cpython-311.pyc
| | | _tensor_docs.cpython-311.pyc
| | | _tensor_str.cpython-311.pyc
| | | _thread_safe_fork.cpython-311.pyc
| | | _torch_docs.cpython-311.pyc
| | | _utils.cpython-311.pyc
| | | _utils_internal.cpython-311.pyc
| | | _VF.cpython-311.pyc
| | | _vmap_internals.cpython-311.pyc
| | | _weights_only_unpickler.cpython-311.pyc
| | | __config__.cpython-311.pyc
| | | __future__.cpython-311.pyc
| | | __init__.cpython-311.pyc
| | |
| | +---torch-2.6.0+cpu.dist-info
| | | entry_points.txt
| | | INSTALLER
| | | LICENSE
| | | METADATA
| | | NOTICE
| | | RECORD
| | | REQUESTED
| | | top_level.txt
| | | WHEEL
| | |
| | +---torchaudio
| | | | kaldi_io.py
| | | | version.py
| | | | __init__.py
| | | |
| | | +---backend
| | | | | common.py
| | | | | no_backend.py
| | | | | soundfile_backend.py

```

```
| | | | | sox_io_backend.py
| | | | | _no_backend.py
| | | | | _sox_io_backend.py
| | | | | __init__.py
| | | | | 
| | | | | \---__pycache__
| | | | |     common.cpython-311.pyc
| | | | |     no_backend.cpython-311.pyc
| | | | |     soundfile_backend.cpython-311.pyc
| | | | |     sox_io_backend.cpython-311.pyc
| | | | |     _no_backend.cpython-311.pyc
| | | | |     _sox_io_backend.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | | 
| | | | +---compliance
| | | | |   kaldi.py
| | | | |   __init__.py
| | | | | 
| | | | | \---__pycache__
| | | | |     kaldi.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | | 
| | | | +---datasets
| | | | |   cmuarctic.py
| | | | |   cmudict.py
| | | | |   commonvoice.py
| | | | |   dr_vctk.py
| | | | |   fluentcommands.py
| | | | |   gtzan.py
| | | | |   iemocap.py
| | | | |   librilight_limited.py
| | | | |   librimix.py
| | | | |   librispeech.py
| | | | |   librispeech_biasing.py
| | | | |   libritts.py
| | | | |   ljspeech.py
| | | | |   musdb_hq.py
| | | | |   quesstl4.py
| | | | |   snips.py
| | | | |   speechcommands.py
| | | | |   tedlium.py
| | | | |   utils.py
| | | | |   vctk.py
| | | | |   voxceleb1.py
| | | | |   yesno.py
| | | | |   __init__.py
| | | | | 
| | | | | \---__pycache__
| | | | |     cmuarctic.cpython-311.pyc
| | | | |     cmudict.cpython-311.pyc
| | | | |     commonvoice.cpython-311.pyc
```



```

| | | | dr_vctk.cpython-311.pyc
| | | | fluentcommands.cpython-311.pyc
| | | | gtzan.cpython-311.pyc
| | | | iemocap.cpython-311.pyc
| | | | librilight_limited.cpython-311.pyc
| | | | librimix.cpython-311.pyc
| | | | librispeech.cpython-311.pyc
| | | | librispeech_biasing.cpython-311.pyc
| | | | libritts.cpython-311.pyc
| | | | ljspeech.cpython-311.pyc
| | | | musdb_hq.cpython-311.pyc
| | | | quesst14.cpython-311.pyc
| | | | snips.cpython-311.pyc
| | | | speechcommands.cpython-311.pyc
| | | | tedlium.cpython-311.pyc
| | | | utils.cpython-311.pyc
| | | | vctk.cpython-311.pyc
| | | | voxceleb1.cpython-311.pyc
| | | | yesno.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | +---functional
| | | | | filtering.py
| | | | | functional.py
| | | | | _alignment.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | filtering.cpython-311.pyc
| | | | | functional.cpython-311.pyc
| | | | | _alignment.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---io
| | | | | _effector.py
| | | | | _playback.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | _effector.cpython-311.pyc
| | | | | _playback.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---lib
| | | | | libtorchaudio.pyd
| | | | | _torchaudio.pyd
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | | |

```

```

| | | +---models
| | | | | conformer.py
| | | | | conv_tasnet.py
| | | | | deepspeech.py
| | | | | emformer.py
| | | | | rnnt.py
| | | | | rnnt_decoder.py
| | | | | tacotron2.py
| | | | | wav2letter.py
| | | | | wavernn.py
| | | | | _hdemucs.py
| | | | | __init__.py
| | | | |
| | | | +---decoder
| | | | | | _ctc_decoder.py
| | | | | | _cuda_ctc_decoder.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | _ctc_decoder.cpython-311.pyc
| | | | | | _cuda_ctc_decoder.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | +---squim
| | | | | | objective.py
| | | | | | subjective.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | objective.cpython-311.pyc
| | | | | | subjective.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | +---wav2vec2
| | | | | | components.py
| | | | | | model.py
| | | | | | wavlm_attention.py
| | | | | | __init__.py
| | | | | |
| | | | +---utils
| | | | | | import_fairseq.py
| | | | | | import_huggingface.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | import_fairseq.cpython-311.pyc
| | | | | | import_huggingface.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__
| | | | | | components.cpython-311.pyc

```

```

| | | | model.cpython-311.pyc
| | | | wavlm_attention.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | \---__pycache__
| | | |     conformer.cpython-311.pyc
| | | |     conv_tasnet.cpython-311.pyc
| | | |     deepspeech.cpython-311.pyc
| | | |     emformer.cpython-311.pyc
| | | |     rnnt.cpython-311.pyc
| | | |     rnnt_decoder.cpython-311.pyc
| | | |     tacotron2.cpython-311.pyc
| | | |     wav2letter.cpython-311.pyc
| | | |     wavernn.cpython-311.pyc
| | | |     _hdemucs.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---pipelines
| | | | |   rnnt_pipeline.py
| | | | |   _source_separation_pipeline.py
| | | | |   _squim_pipeline.py
| | | | |   __init__.py
| | | | |
| | | | |   +---_tts
| | | | | |   impl.py
| | | | | |   interface.py
| | | | | |   utils.py
| | | | | |   __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | |     impl.cpython-311.pyc
| | | | | |     interface.cpython-311.pyc
| | | | | |     utils.cpython-311.pyc
| | | | | |     __init__.cpython-311.pyc
| | | | | |
| | | | |   +---_wav2vec2
| | | | | |   aligner.py
| | | | | |   impl.py
| | | | | |   utils.py
| | | | | |   __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | |     aligner.cpython-311.pyc
| | | | | |     impl.cpython-311.pyc
| | | | | |     utils.cpython-311.pyc
| | | | | |     __init__.cpython-311.pyc
| | | | | |
| | | | |   \---__pycache__
| | | | |     rnnt_pipeline.cpython-311.pyc
| | | | |     _source_separation_pipeline.cpython-311.pyc
| | | | |     _squim_pipeline.cpython-311.pyc

```

```

| | | | __init__.cpython-311.pyc
| | | |
| | | +---prototype
| | | | | __init__.py
| | | | |
| | | | +---datasets
| | | | | musan.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | musan.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---functional
| | | | | functional.py
| | | | | _dsp.py
| | | | | _rir.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | functional.cpython-311.pyc
| | | | | _dsp.cpython-311.pyc
| | | | | _rir.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---models
| | | | | conv_emformer.py
| | | | | hifi_gan.py
| | | | | rnnt.py
| | | | | rnnt_decoder.py
| | | | | _conformer_wav2vec2.py
| | | | | _emformer_hubert.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | conv_emformer.cpython-311.pyc
| | | | | hifi_gan.cpython-311.pyc
| | | | | rnnt.cpython-311.pyc
| | | | | rnnt_decoder.cpython-311.pyc
| | | | | _conformer_wav2vec2.cpython-311.pyc
| | | | | _emformer_hubert.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---pipelines
| | | | | hifigan_pipeline.py
| | | | | rnnt_pipeline.py
| | | | | __init__.py
| | | | |
| | | | +---vggish
| | | | | _vggish_impl.py
| | | | | _vggish_pipeline.py

```

```
| | | | | __init__.py
| | | | | 
| | | | | \---_pycache_
| | | | | _vggish_impl.cpython-311.pyc
| | | | | _vggish_pipeline.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | | 
| | | | | \---_pycache_
| | | | | hifigan_pipeline.cpython-311.pyc
| | | | | rnnt_pipeline.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | | 
| | | +---transforms
| | | | | _transforms.py
| | | | | __init__.py
| | | | | 
| | | | | \---_pycache_
| | | | | _transforms.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | | 
| | | | | \---_pycache_
| | | | | __init__.cpython-311.pyc
| | | | | 
| | | +---sox_effects
| | | | | sox_effects.py
| | | | | __init__.py
| | | | | 
| | | | | \---_pycache_
| | | | | sox_effects.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | | 
| | | +---transforms
| | | | | _multi_channel.py
| | | | | _transforms.py
| | | | | __init__.py
| | | | | 
| | | | | \---_pycache_
| | | | | _multi_channel.cpython-311.pyc
| | | | | _transforms.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | | 
| | | +---utils
| | | | | download.py
| | | | | ffmpeg_utils.py
| | | | | sox_utils.py
| | | | | __init__.py
| | | | | 
| | | | | \---_pycache_
| | | | | download.cpython-311.pyc
| | | | | ffmpeg_utils.cpython-311.pyc
| | | | | sox_utils.cpython-311.pyc
```

```

| | | | __init__.cpython-311.pyc
| | | |
| | | +---_backend
| | | | | backend.py
| | | | | common.py
| | | | | ffmpeg.py
| | | | | soundfile.py
| | | | | soundfile_backend.py
| | | | | sox.py
| | | | | utils.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | backend.cpython-311.pyc
| | | | | common.cpython-311.pyc
| | | | | ffmpeg.cpython-311.pyc
| | | | | soundfile.cpython-311.pyc
| | | | | soundfile_backend.cpython-311.pyc
| | | | | sox.cpython-311.pyc
| | | | | utils.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---_extension
| | | | | utils.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | utils.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---_internal
| | | | | module_utils.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | module_utils.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | kaldi_io.cpython-311.pyc
| | | | | version.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | +---torchaudio-2.6.0+cpu.dist-info
| | | | INSTALLER
| | | | LICENSE
| | | | METADATA
| | | | RECORD
| | | | REQUESTED
| | | | top_level.txt
| | | | WHEEL

```

```

| | |
| | +---torchgen
| | | | code_template.py
| | | | context.py
| | | | gen.py
| | | | gen_aoti_c_shim.py
| | | | gen_backend_stubs.py
| | | | gen_executorch.py
| | | | gen_functionalization_type.py
| | | | gen_lazy_tensor.py
| | | | gen_schema_utils.py
| | | | gen_vmap_plumbing.py
| | | | local.py
| | | | model.py
| | | | native_function_generation.py
| | | | utils.py
| | | | yaml_utils.py
| | | | __init__.py
| | |
| | | +---aoti
| | | | | fallback_ops.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | |     fallback_ops.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | +---api
| | | | | autograd.py
| | | | | cpp.py
| | | | | dispatcher.py
| | | | | functionalization.py
| | | | | lazy.py
| | | | | meta.py
| | | | | native.py
| | | | | python.py
| | | | | structured.py
| | | | | translate.py
| | | | | ufunc.py
| | | | | unboxing.py
| | | | | __init__.py
| | | | |
| | | | +---types
| | | | | | signatures.py
| | | | | | types.py
| | | | | | types_base.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | |     signatures.cpython-311.pyc
| | | | |     types.cpython-311.pyc

```

```

| | | | types_base.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | \---__pycache__
| | | |     autograd.cpython-311.pyc
| | | |     cpp.cpython-311.pyc
| | | |     dispatcher.cpython-311.pyc
| | | |     functionalization.cpython-311.pyc
| | | |     lazy.cpython-311.pyc
| | | |     meta.cpython-311.pyc
| | | |     native.cpython-311.pyc
| | | |     python.cpython-311.pyc
| | | |     structured.cpython-311.pyc
| | | |     translate.cpython-311.pyc
| | | |     ufunc.cpython-311.pyc
| | | |     unboxing.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---dest
| | | | | lazy_ir.py
| | | | | lazy_ts_lowering.py
| | | | | native_functions.py
| | | | | register_dispatch_key.py
| | | | | ufunc.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     lazy_ir.cpython-311.pyc
| | | | |     lazy_ts_lowering.cpython-311.pyc
| | | | |     native_functions.cpython-311.pyc
| | | | |     register_dispatch_key.cpython-311.pyc
| | | | |     ufunc.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | +---executorch
| | | | | model.py
| | | | | parse.py
| | | | | __init__.py
| | | | |
| | | | | +---api
| | | | | | custom_ops.py
| | | | | | et_cpp.py
| | | | | | unboxing.py
| | | | | | __init__.py
| | | | | |
| | | | | +---types
| | | | | | signatures.py
| | | | | | types.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__

```



```

| | | | signatures.cpython-311.pyc
| | | | types.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | \---__pycache__
| | | | custom_ops.cpython-311.pyc
| | | | et_cpp.cpython-311.pyc
| | | | unboxing.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | | \---__pycache__
| | | | model.cpython-311.pyc
| | | | parse.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | +---operator_versions
| | | | gen_mobile_upgraders.py
| | | | gen_mobile_upgraders_constant.py
| | | | __init__.py
| | | |
| | | | \---__pycache__
| | | | gen_mobile_upgraders.cpython-311.pyc
| | | | gen_mobile_upgraders_constant.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | +---packaged
| | | | +---ATen
| | | | | +---native
| | | | | | native_functions.yaml
| | | | | | tags.yaml
| | | | |
| | | | | \---templates
| | | | | ATenOpList.cpp
| | | | | aten_interned_strings.h
| | | | | CompositeViewCopyKernels.cpp
| | | | | DispatchKeyFunction.h
| | | | | DispatchKeyFunctions.h
| | | | | DispatchKeyFunctions_inl.h
| | | | | DispatchKeyNativeFunctions.cpp
| | | | | DispatchKeyNativeFunctions.h
| | | | | enum_tag.h
| | | | | Function.h
| | | | | FunctionalInverses.h
| | | | | Functions.cpp
| | | | | Functions.h
| | | | | LazyIr.h
| | | | | LazyNonNativeIr.h
| | | | | MethodOperators.h
| | | | | NativeFunction.h
| | | | | NativeFunctions.h
| | | | | NativeMetaFunction.h

```

					NativeMetaFunctions.h
					Operator.h
					Operators.cpp
					Operators.h
					RedispatchFunctions.cpp
					RedispatchFunctions.h
					RegisterBackendSelect.cpp
					RegisterCodegenUnboxedKernels.cpp
					RegisterDispatchDefinitions.ini
					RegisterDispatchKey.cpp
					RegisterFunctionalization.cpp
					RegisterSchema.cpp
					RegistrationDeclarations.h
					TensorBody.h
					TensorMethods.cpp
					UfuncCPU.cpp
					UfuncCPUKernel.cpp
					UfuncCUDA.cu
					UnboxingFunctions.cpp
					UnboxingFunctions.h
					\---autograd
					BUILD.bazel
					build.bzl
					context.py
					deprecated.yaml
					derivatives.yaml
					gen_annotated_fn_args.py
					gen_autograd.py
					gen_autograd_functions.py
					gen_inplace_or_view_type.py
					gen_python_functions.py
					gen_trace_type.py
					gen_variable_factories.py
					gen_variable_type.py
					gen_view_funcs.py
					load_derivatives.py
					README.md
					__init__.py
					+---templates
					ADInplaceOrViewType.cpp
					annotated_fn_args.py.in
					Functions.cpp
					Functions.h
					python_enum_tag.cpp
					python_fft_functions.cpp
					python_functions.cpp
					python_functions.h
					python_linalg_functions.cpp
					python_nested_functions.cpp

```

| | | | | python_nn_functions.cpp
| | | | | python_return_types.cpp
| | | | | python_return_types.h
| | | | | python_sparse_functions.cpp
| | | | | python_special_functions.cpp
| | | | | python_torch_functions.cpp
| | | | | python_variable_methods.cpp
| | | | | TraceType.cpp
| | | | | VariableType.cpp
| | | | | VariableType.h
| | | | | variable_factories.h
| | | | | ViewFuncs.cpp
| | | | | ViewFuncs.h
| | | | |
| | | | \---__pycache__
| | | |     context.cpython-311.pyc
| | | |     gen_annotated_fn_args.cpython-311.pyc
| | | |     gen_autograd.cpython-311.pyc
| | | |     gen_autograd_functions.cpython-311.pyc
| | | |     gen_inplace_or_view_type.cpython-311.pyc
| | | |     gen_python_functions.cpython-311.pyc
| | | |     gen_trace_type.cpython-311.pyc
| | | |     gen_variable_factories.cpython-311.pyc
| | | |     gen_variable_type.cpython-311.pyc
| | | |     gen_view_funcs.cpython-311.pyc
| | | |     load_derivatives.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---selective_build
| | | | | operator.py
| | | | | selector.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | |     operator.cpython-311.pyc
| | | |     selector.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---static_runtime
| | | | | config.py
| | | | | generator.py
| | | | | gen_static_runtime_ops.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | |     config.cpython-311.pyc
| | | |     generator.cpython-311.pyc
| | | |     gen_static_runtime_ops.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | \---__pycache__

```

```

| | | code_template.cpython-311.pyc
| | | context.cpython-311.pyc
| | | gen.cpython-311.pyc
| | | gen_aoti_c_shim.cpython-311.pyc
| | | gen_backend_stubs.cpython-311.pyc
| | | gen_executorch.cpython-311.pyc
| | | gen_functionalization_type.cpython-311.pyc
| | | gen_lazy_tensor.cpython-311.pyc
| | | gen_schema_utils.cpython-311.pyc
| | | gen_vmap_plumbing.cpython-311.pyc
| | | local.cpython-311.pyc
| | | model.cpython-311.pyc
| | | native_function_generation.cpython-311.pyc
| | | utils.cpython-311.pyc
| | | yaml_utils.cpython-311.pyc
| | | __init__.cpython-311.pyc
| | |
| | +---torchvision
| | | | extension.py
| | | | image.pyd
| | | | jpeg8.dll
| | | | libjpeg.dll
| | | | libpng16.dll
| | | | libsharpvuv.dll
| | | | libwebp.dll
| | | | utils.py
| | | | version.py
| | | | zlib.dll
| | | | _C.pyd
| | | | _internally_replaced_utils.py
| | | | _meta_registrations.py
| | | | _utils.py
| | | | __init__.py
| | | |
| | | +---datasets
| | | | | caltech.py
| | | | | celeba.py
| | | | | cifar.py
| | | | | cityscapes.py
| | | | | clevr.py
| | | | | coco.py
| | | | | country211.py
| | | | | dtd.py
| | | | | eurosat.py
| | | | | fakedata.py
| | | | | fer2013.py
| | | | | fgvc_aircraft.py
| | | | | flickr.py
| | | | | flowers102.py
| | | | | folder.py
| | | | | food101.py

```

					gtsrb.py
					hmdb51.py
					imagenet.py
					imagenette.py
					inaturalist.py
					kinetics.py
					kitti.py
					lfw.py
					lsun.py
					mnist.py
					moving_mnist.py
					omniglot.py
					oxford_iiit_pet.py
					pcam.py
					phototour.py
					places365.py
					rendered_sst2.py
					sbd.py
					sbu.py
					semeion.py
					stanford_cars.py
					stl10.py
					sun397.py
					svhn.py
					ucf101.py
					usps.py
					utils.py
					video_utils.py
					vision.py
					voc.py
					widerface.py
					_optical_flow.py
					_stereo_matching.py
					__init__.py
					+---samplers
					clip_sampler.py
					__init__.py
					\---__pycache__
					clip_sampler.cpython-311.pyc
					__init__.cpython-311.pyc
					\---__pycache__
					caltech.cpython-311.pyc
					celeba.cpython-311.pyc
					cifar.cpython-311.pyc
					cityscapes.cpython-311.pyc
					clevr.cpython-311.pyc
					coco.cpython-311.pyc
					country211.cpython-311.pyc

				dtd.cpython-311.pyc
				eurosat.cpython-311.pyc
				fakedata.cpython-311.pyc
				fer2013.cpython-311.pyc
				fgvc_aircraft.cpython-311.pyc
				flickr.cpython-311.pyc
				flowers102.cpython-311.pyc
				folder.cpython-311.pyc
				food101.cpython-311.pyc
				gtsrb.cpython-311.pyc
				hmdb51.cpython-311.pyc
				imagenet.cpython-311.pyc
				imagenette.cpython-311.pyc
				inaturalist.cpython-311.pyc
				kinetics.cpython-311.pyc
				kitti.cpython-311.pyc
				lfw.cpython-311.pyc
				lsun.cpython-311.pyc
				mnist.cpython-311.pyc
				moving_mnist.cpython-311.pyc
				omniglot.cpython-311.pyc
				oxford_iiit_pet.cpython-311.pyc
				pcam.cpython-311.pyc
				phototour.cpython-311.pyc
				places365.cpython-311.pyc
				rendered_sst2.cpython-311.pyc
				sbd.cpython-311.pyc
				sbu.cpython-311.pyc
				semeion.cpython-311.pyc
				stanford_cars.cpython-311.pyc
				stl10.cpython-311.pyc
				sun397.cpython-311.pyc
				svhn.cpython-311.pyc
				ucf101.cpython-311.pyc
				usps.cpython-311.pyc
				utils.cpython-311.pyc
				video_utils.cpython-311.pyc
				vision.cpython-311.pyc
				voc.cpython-311.pyc
				widerface.cpython-311.pyc
				_optical_flow.cpython-311.pyc
				_stereo_matching.cpython-311.pyc
				__init__.cpython-311.pyc
			+++io	
				image.py
				video.py
				video_reader.py
				_load_gpu_decoder.py
				_video_opt.py
				__init__.py

```

| | | |
| | | | \---__pycache__
| | | |     image.cpython-311.pyc
| | | |     video.cpython-311.pyc
| | | |     video_reader.cpython-311.pyc
| | | |     _load_gpu_decoder.cpython-311.pyc
| | | |     _video_opt.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---models
| | | | | alexnet.py
| | | | | convnext.py
| | | | | densenet.py
| | | | | efficientnet.py
| | | | | feature_extraction.py
| | | | | googlenet.py
| | | | | inception.py
| | | | | maxvit.py
| | | | | mnasnet.py
| | | | | mobilenet.py
| | | | | mobilenetv2.py
| | | | | mobilenetv3.py
| | | | | regnet.py
| | | | | resnet.py
| | | | | shufflenetv2.py
| | | | | squeezenet.py
| | | | | swin_transformer.py
| | | | | vgg.py
| | | | | vision_transformer.py
| | | | | _api.py
| | | | | _meta.py
| | | | | _utils.py
| | | | | __init__.py
| | | |
| | | | +---detection
| | | | | anchor_utils.py
| | | | | backbone_utils.py
| | | | | faster_rcnn.py
| | | | | fcos.py
| | | | | generalized_rcnn.py
| | | | | image_list.py
| | | | | keypoint_rcnn.py
| | | | | mask_rcnn.py
| | | | | retinanet.py
| | | | | roi_heads.py
| | | | | rpn.py
| | | | | ssd.py
| | | | | ssdlite.py
| | | | | transform.py
| | | | | _utils.py
| | | | | __init__.py

```

```

| | | | |
| | | | | \---__pycache__
| | | | |     anchor_utils.cpython-311.pyc
| | | | |     backbone_utils.cpython-311.pyc
| | | | |     faster_rcnn.cpython-311.pyc
| | | | |     fcos.cpython-311.pyc
| | | | |     generalized_rcnn.cpython-311.pyc
| | | | |     image_list.cpython-311.pyc
| | | | |     keypoint_rcnn.cpython-311.pyc
| | | | |     mask_rcnn.cpython-311.pyc
| | | | |     retinanet.cpython-311.pyc
| | | | |     roi_heads.cpython-311.pyc
| | | | |     rpn.cpython-311.pyc
| | | | |     ssd.cpython-311.pyc
| | | | |     ssdlite.cpython-311.pyc
| | | | |     transform.cpython-311.pyc
| | | | |     _utils.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---optical_flow
| | | | | | raft.py
| | | | | | _utils.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | |     raft.cpython-311.pyc
| | | | |     _utils.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---quantization
| | | | | | googlenet.py
| | | | | | inception.py
| | | | | | mobilenet.py
| | | | | | mobilenetv2.py
| | | | | | mobilenetv3.py
| | | | | | resnet.py
| | | | | | shufflenetv2.py
| | | | | | utils.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | |     googlenet.cpython-311.pyc
| | | | |     inception.cpython-311.pyc
| | | | |     mobilenet.cpython-311.pyc
| | | | |     mobilenetv2.cpython-311.pyc
| | | | |     mobilenetv3.cpython-311.pyc
| | | | |     resnet.cpython-311.pyc
| | | | |     shufflenetv2.cpython-311.pyc
| | | | |     utils.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |

```



```

| | | | +---segmentation
| | | | | | deeplabv3.py
| | | | | | fcn.py
| | | | | | lraspp.py
| | | | | | _utils.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | |     deeplabv3.cpython-311.pyc
| | | | |     fcn.cpython-311.pyc
| | | | |     lraspp.cpython-311.pyc
| | | | |     _utils.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | +---video
| | | | | | mvit.py
| | | | | | resnet.py
| | | | | | s3d.py
| | | | | | swin_transformer.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | |     mvit.cpython-311.pyc
| | | | |     resnet.cpython-311.pyc
| | | | |     s3d.cpython-311.pyc
| | | | |     swin_transformer.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     alexnet.cpython-311.pyc
| | | | |     convnext.cpython-311.pyc
| | | | |     densenet.cpython-311.pyc
| | | | |     efficientnet.cpython-311.pyc
| | | | |     feature_extraction.cpython-311.pyc
| | | | |     googlenet.cpython-311.pyc
| | | | |     inception.cpython-311.pyc
| | | | |     maxvit.cpython-311.pyc
| | | | |     mnasnet.cpython-311.pyc
| | | | |     mobilenet.cpython-311.pyc
| | | | |     mobilenetv2.cpython-311.pyc
| | | | |     mobilenetv3.cpython-311.pyc
| | | | |     regnet.cpython-311.pyc
| | | | |     resnet.cpython-311.pyc
| | | | |     shufflenetv2.cpython-311.pyc
| | | | |     squeezenet.cpython-311.pyc
| | | | |     swin_transformer.cpython-311.pyc
| | | | |     vgg.cpython-311.pyc
| | | | |     vision_transformer.cpython-311.pyc
| | | | |     _api.cpython-311.pyc
| | | | |     _meta.cpython-311.pyc
| | | | |     _utils.cpython-311.pyc

```

```

| | | | __init__.cpython-311.pyc
| | | |
| | | +---ops
| | | | boxes.py
| | | | ciou_loss.py
| | | | deform_conv.py
| | | | diou_loss.py
| | | | drop_block.py
| | | | feature_pyramid_network.py
| | | | focal_loss.py
| | | | giou_loss.py
| | | | misc.py
| | | | poolers.py
| | | | ps_roi_align.py
| | | | ps_roi_pool.py
| | | | roi_align.py
| | | | roi_pool.py
| | | | stochastic_depth.py
| | | | _box_convert.py
| | | | _register_onnx_ops.py
| | | | _utils.py
| | | | __init__.py
| | | |
| | | \---__pycache__
| | | | boxes.cpython-311.pyc
| | | | ciou_loss.cpython-311.pyc
| | | | deform_conv.cpython-311.pyc
| | | | diou_loss.cpython-311.pyc
| | | | drop_block.cpython-311.pyc
| | | | feature_pyramid_network.cpython-311.pyc
| | | | focal_loss.cpython-311.pyc
| | | | giou_loss.cpython-311.pyc
| | | | misc.cpython-311.pyc
| | | | poolers.cpython-311.pyc
| | | | ps_roi_align.cpython-311.pyc
| | | | ps_roi_pool.cpython-311.pyc
| | | | roi_align.cpython-311.pyc
| | | | roi_pool.cpython-311.pyc
| | | | stochastic_depth.cpython-311.pyc
| | | | _box_convert.cpython-311.pyc
| | | | _register_onnx_ops.cpython-311.pyc
| | | | _utils.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | +---transforms
| | | | autoaugment.py
| | | | functional.py
| | | | transforms.py
| | | | _functional_pil.py
| | | | _functional_tensor.py
| | | | _functional_video.py

```

```

| | | | _presets.py
| | | | _transforms_video.py
| | | | __init__.py
| | | |
| | | | +---v2
| | | | | _augment.py
| | | | | _auto_augment.py
| | | | | _color.py
| | | | | _container.py
| | | | | _deprecated.py
| | | | | _geometry.py
| | | | | _meta.py
| | | | | _misc.py
| | | | | _temporal.py
| | | | | _transform.py
| | | | | _type_conversion.py
| | | | | _utils.py
| | | | | __init__.py
| | | | |
| | | | +---functional
| | | | | _augment.py
| | | | | _color.py
| | | | | _deprecated.py
| | | | | _geometry.py
| | | | | _meta.py
| | | | | _misc.py
| | | | | _temporal.py
| | | | | _type_conversion.py
| | | | | _utils.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | _augment.cpython-311.pyc
| | | | | _color.cpython-311.pyc
| | | | | _deprecated.cpython-311.pyc
| | | | | _geometry.cpython-311.pyc
| | | | | _meta.cpython-311.pyc
| | | | | _misc.cpython-311.pyc
| | | | | _temporal.cpython-311.pyc
| | | | | _type_conversion.cpython-311.pyc
| | | | | _utils.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | _augment.cpython-311.pyc
| | | | | _auto_augment.cpython-311.pyc
| | | | | _color.cpython-311.pyc
| | | | | _container.cpython-311.pyc
| | | | | _deprecated.cpython-311.pyc
| | | | | _geometry.cpython-311.pyc
| | | | | _meta.cpython-311.pyc

```

```

| | | | | _misc.cpython-311.pyc
| | | | | _temporal.cpython-311.pyc
| | | | | _transform.cpython-311.pyc
| | | | | _type_conversion.cpython-311.pyc
| | | | | _utils.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     autoaugment.cpython-311.pyc
| | | | |     functional.cpython-311.pyc
| | | | |     transforms.cpython-311.pyc
| | | | |     _functional_pil.cpython-311.pyc
| | | | |     _functional_tensor.cpython-311.pyc
| | | | |     _functional_video.cpython-311.pyc
| | | | |     _presets.cpython-311.pyc
| | | | |     _transforms_video.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---tv_tensors
| | | | | | | _bounding_boxes.py
| | | | | | | _dataset_wrapper.py
| | | | | | | _image.py
| | | | | | | _mask.py
| | | | | | | _torch_function_helpers.py
| | | | | | | _tv_tensor.py
| | | | | | | _video.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | |     _bounding_boxes.cpython-311.pyc
| | | | | | |     _dataset_wrapper.cpython-311.pyc
| | | | | | |     _image.cpython-311.pyc
| | | | | | |     _mask.cpython-311.pyc
| | | | | | |     _torch_function_helpers.cpython-311.pyc
| | | | | | |     _tv_tensor.cpython-311.pyc
| | | | | | |     _video.cpython-311.pyc
| | | | | | |     __init__.cpython-311.pyc
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | |     extension.cpython-311.pyc
| | | | | | |     utils.cpython-311.pyc
| | | | | | |     version.cpython-311.pyc
| | | | | | |     _internally_replaced_utils.cpython-311.pyc
| | | | | | |     _meta_registrations.cpython-311.pyc
| | | | | | |     _utils.cpython-311.pyc
| | | | | | |     __init__.cpython-311.pyc
| | | | | | |
| | | | | +---torchvision-0.21.0+cpu.dist-info
| | | | | | | INSTALLER
| | | | | | | LICENSE
| | | | | | | METADATA

```

```

| | | RECORD
| | | REQUESTED
| | | top_level.txt
| | | WHEEL
| | |
| | +---torio
| | | | __init__.py
| | | |
| | | +---io
| | | | | _streaming_media_decoder.py
| | | | | _streaming_media_encoder.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | _streaming_media_decoder.cpython-311.pyc
| | | | | _streaming_media_encoder.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---lib
| | | | | libtorio_ffmpeg4.pyd
| | | | | libtorio_ffmpeg5.pyd
| | | | | libtorio_ffmpeg6.pyd
| | | | | _torio_ffmpeg4.pyd
| | | | | _torio_ffmpeg5.pyd
| | | | | _torio_ffmpeg6.pyd
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---utils
| | | | | ffmpeg_utils.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | ffmpeg_utils.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---_extension
| | | | | utils.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | utils.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | | |
| | +---tqdm
| | | asyncio.py

```

```

| | | | auto.py
| | | | autonotebook.py
| | | | cli.py
| | | | completion.sh
| | | | dask.py
| | | | gui.py
| | | | keras.py
| | | | notebook.py
| | | | rich.py
| | | | std.py
| | | | tk.py
| | | | tqdm.1
| | | | utils.py
| | | | version.py
| | | | _dist_ver.py
| | | | _main.py
| | | | _monitor.py
| | | | _tqdm.py
| | | | _tqdm_gui.py
| | | | _tqdm_notebook.py
| | | | _tqdm_pandas.py
| | | | _utils.py
| | | | __init__.py
| | | | __main__.py
| | | |
| | | | +---contrib
| | | | | | bells.py
| | | | | | concurrent.py
| | | | | | discord.py
| | | | | | itertools.py
| | | | | | logging.py
| | | | | | slack.py
| | | | | | telegram.py
| | | | | | utils_worker.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | bells.cpython-311.pyc
| | | | | | concurrent.cpython-311.pyc
| | | | | | discord.cpython-311.pyc
| | | | | | itertools.cpython-311.pyc
| | | | | | logging.cpython-311.pyc
| | | | | | slack.cpython-311.pyc
| | | | | | telegram.cpython-311.pyc
| | | | | | utils_worker.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__
| | | | | | asyncio.cpython-311.pyc
| | | | | | auto.cpython-311.pyc
| | | | | | autonotebook.cpython-311.pyc

```

```

| | | cli.cpython-311.pyc
| | | dask.cpython-311.pyc
| | | gui.cpython-311.pyc
| | | keras.cpython-311.pyc
| | | notebook.cpython-311.pyc
| | | rich.cpython-311.pyc
| | | std.cpython-311.pyc
| | | tk.cpython-311.pyc
| | | utils.cpython-311.pyc
| | | version.cpython-311.pyc
| | | _dist_ver.cpython-311.pyc
| | | _main.cpython-311.pyc
| | | _monitor.cpython-311.pyc
| | | _tqdm.cpython-311.pyc
| | | _tqdm_gui.cpython-311.pyc
| | | _tqdm_notebook.cpython-311.pyc
| | | _tqdm_pandas.cpython-311.pyc
| | | _utils.cpython-311.pyc
| | | __init__.cpython-311.pyc
| | | __main__.cpython-311.pyc
| | |
| | +---tqdm-4.67.1.dist-info
| | | entry_points.txt
| | | INSTALLER
| | | LICENCE
| | | METADATA
| | | RECORD
| | | top_level.txt
| | | WHEEL
| | |
| | +---typing_extensions-4.12.2.dist-info
| | | INSTALLER
| | | LICENSE
| | | METADATA
| | | RECORD
| | | WHEEL
| | |
| | +---tzdata
| | | | zones
| | | | __init__.py
| | | |
| | | +---zoneinfo
| | | | | CET
| | | | | CST6CDT
| | | | | Cuba
| | | | | EET
| | | | | Egypt
| | | | | Eire
| | | | | EST
| | | | | EST5EDT
| | | | | Factory

```

					GB
					GB-Eire
					GMT
					GMT+0
					GMT-0
					GMT0
					Greenwich
					Hongkong
					HST
					Iceland
					Iran
					iso3166.tab
					Israel
					Jamaica
					Japan
					Kwajalein
					leapseconds
					Libya
					MET
					MST
					MST7MDT
					Navajo
					NZ
					NZ-CHAT
					Poland
					Portugal
					PRC
					PST8PDT
					ROC
					ROK
					Singapore
					Turkey
					tzdata.zi
					UCT
					Universal
					UTC
					W-SU
					WET
					zone.tab
					zone1970.tab
					zonenow.tab
					Zulu
					__init__.py
					+++Africa
					Abidjan
					Accra
					Addis_Ababa
					Algiers
					Asmara
					Asmera

					Bamako
					Bangui
					Banjul
					Bissau
					Blantyre
					Brazzaville
					Bujumbura
					Cairo
					Casablanca
					Ceuta
					Conakry
					Dakar
					Dar_es_Salaam
					Djibouti
					Douala
					El_Aaiun
					Freetown
					Gaborone
					Harare
					Johannesburg
					Juba
					Kampala
					Khartoum
					Kigali
					Kinshasa
					Lagos
					Libreville
					Lome
					Luanda
					Lubumbashi
					Lusaka
					Malabo
					Maputo
					Maseru
					Mbabane
					Mogadishu
					Monrovia
					Nairobi
					Ndjamena
					Niamey
					Nouakchott
					Ouagadougou
					Porto-Novo
					Sao_Tome
					Timbuktu
					Tripoli
					Tunis
					Windhoek
					__init__.py
					\---__pycache__

					__init__.cpython-311.pyc
					+---America
					Adak
					Anchorage
					Anguilla
					Antigua
					Araguaina
					Aruba
					Asuncion
					Atikokan
					Atka
					Bahia
					Bahia_Banderas
					Barbados
					Belem
					Belize
					Blanc-Sablon
					Boa_Vista
					Bogota
					Boise
					Buenos_Aires
					Cambridge_Bay
					Campo_Grande
					Cancun
					Caracas
					Catamarca
					Cayenne
					Cayman
					Chicago
					Chihuahua
					Ciudad_Juarez
					Coral_Harbour
					Cordoba
					Costa_Rica
					Creston
					Cuiaba
					Curacao
					Danmarkshavn
					Dawson
					Dawson_Creek
					Denver
					Detroit
					Dominica
					Edmonton
					Eirunepe
					El_Salvador
					Ensenada
					Fortaleza
					Fort_Nelson
					Fort_Wayne

					Glace_Bay
					Godthab
					Goose_Bay
					Grand_Turk
					Grenada
					Guadeloupe
					Guatemala
					Guayaquil
					Guyana
					Halifax
					Havana
					Hermosillo
					Indianapolis
					Inuvik
					Iqaluit
					Jamaica
					Jujuy
					Juneau
					Knox_IN
					Kralendijk
					La_Paz
					Lima
					Los_Angeles
					Louisville
					Lower_Princes
					Maceio
					Managua
					Manaus
					Marigot
					Martinique
					Matamoros
					Mazatlan
					Mendoza
					Menominee
					Merida
					Metlakatla
					Mexico_City
					Miquelon
					Moncton
					Monterrey
					Montevideo
					Montreal
					Montserrat
					Nassau
					New_York
					Nipigon
					Nome
					Noronha
					Nuuk
					Ojinaga
					Panama

					Pangnirtung
					Paramaribo
					Phoenix
					Port-au-Prince
					Porto_Acre
					Porto_Velho
					Port_of_Spain
					Puerto_Rico
					Punta_Arenas
					Rainy_River
					Rankin_Inlet
					Recife
					Regina
					Resolute
					Rio_Branco
					Rosario
					Santarem
					Santa_Isabel
					Santiago
					Santo_Domingo
					Sao_Paulo
					Scoresbysund
					Shiprock
					Sitka
					St_Barthelemy
					St_Johns
					St_Kitts
					St_Lucia
					St_Thomas
					St_Vincent
					Swift_Current
					Tegucigalpa
					Thule
					Thunder_Bay
					Tijuana
					Toronto
					Tortola
					Vancouver
					Virgin
					Whitehorse
					Winnipeg
					Yakutat
					Yellowknife
					__init__.py
					+---Argentina
					Buenos_Aires
					Catamarca
					ComodRivadavia
					Cordoba
					Jujuy

						La_Rioja
						Mendoza
						Rio_Gallegos
						Salta
						San_Juan
						San_Luis
						Tucuman
						Ushuaia
						__init__.py
						\---__pycache__
						__init__.cpython-311.pyc
						+---Indiana
						Indianapolis
						Knox
						Marengo
						Petersburg
						Tell_City
						Vevay
						Vincennes
						Winamac
						__init__.py
						\---__pycache__
						__init__.cpython-311.pyc
						+---Kentucky
						Louisville
						Monticello
						__init__.py
						\---__pycache__
						__init__.cpython-311.pyc
						+---North_Dakota
						Beulah
						Center
						New_Salem
						__init__.py
						\---__pycache__
						__init__.cpython-311.pyc
						\---__pycache__
						__init__.cpython-311.pyc
						+---Antarctica
						Casey
						Davis
						DumontDUrville

					Macquarie
					Mawson
					McMurdo
					Palmer
					Rothera
					South_Pole
					Syowa
					Troll
					Vostok
					__init__.py
					\---__pycache__
					__init__.cpython-311.pyc
					+---Arctic
					Longyearbyen
					__init__.py
					\---__pycache__
					__init__.cpython-311.pyc
					+---Asia
					Aden
					Almaty
					Amman
					Anadyr
					Aqtau
					Aqtobe
					Ashgabat
					Ashkhabad
					Atyrau
					Baghdad
					Bahrain
					Baku
					Bangkok
					Barnaul
					Beirut
					Bishkek
					Brunei
					Calcutta
					Chita
					Choibalsan
					Chongqing
					Chungking
					Colombo
					Dacca
					Damascus
					Dhaka
					Dili
					Dubai
					Dushanbe

					Famagusta
					Gaza
					Harbin
					Hebron
					Hong_Kong
					Hovd
					Ho_Chi_Minh
					Irkutsk
					Istanbul
					Jakarta
					Jayapura
					Jerusalem
					Kabul
					Kamchatka
					Karachi
					Kashgar
					Kathmandu
					Katmandu
					Khandyga
					Kolkata
					Krasnoyarsk
					Kuala_Lumpur
					Kuching
					Kuwait
					Macao
					Macau
					Magadan
					Makassar
					Manila
					Muscat
					Nicosia
					Novokuznetsk
					Novosibirsk
					Omsk
					Oral
					Phnom_Penh
					Pontianak
					Pyongyang
					Qatar
					Qostanay
					Qyzylorda
					Rangoon
					Riyadh
					Saigon
					Sakhalin
					Samarkand
					Seoul
					Shanghai
					Singapore
					Srednekolymsk
					Taipei

					Tashkent
					Tbilisi
					Tehran
					Tel_Aviv
					Thimbu
					Thimphu
					Tokyo
					Tomsk
					Ujung_Pandang
					Ulaanbaatar
					Ulan_Bator
					Urumqi
					Ust-Nera
					Vientiane
					Vladivostok
					Yakutsk
					Yangon
					Yekaterinburg
					Yerevan
					__init__.py
					\---__pycache__
					__init__.cpython-311.pyc
					+---Atlantic
					Azores
					Bermuda
					Canary
					Cape_Verde
					Faeroe
					Faroe
					Jan_Mayen
					Madeira
					Reykjavik
					South_Georgia
					Stanley
					St_Helena
					__init__.py
					\---__pycache__
					__init__.cpython-311.pyc
					+---Australia
					ACT
					Adelaide
					Brisbane
					Broken_Hill
					Canberra
					Currie
					Darwin
					Eucla

					Hobart
					LHI
					Lindeman
					Lord_Howe
					Melbourne
					North
					NSW
					Perth
					Queensland
					South
					Sydney
					Tasmania
					Victoria
					West
					Yancowinna
					__init__.py
					\---__pycache__
					__init__.cpython-311.pyc
					+---Brazil
					Acre
					DeNoronha
					East
					West
					__init__.py
					\---__pycache__
					__init__.cpython-311.pyc
					+---Canada
					Atlantic
					Central
					Eastern
					Mountain
					Newfoundland
					Pacific
					Saskatchewan
					Yukon
					__init__.py
					\---__pycache__
					__init__.cpython-311.pyc
					+---Chile
					Continental
					EasterIsland
					__init__.py
					\---__pycache__
					__init__.cpython-311.pyc

				+	---Etc
					GMT
					GMT+0
					GMT+1
					GMT+10
					GMT+11
					GMT+12
					GMT+2
					GMT+3
					GMT+4
					GMT+5
					GMT+6
					GMT+7
					GMT+8
					GMT+9
					GMT-0
					GMT-1
					GMT-10
					GMT-11
					GMT-12
					GMT-13
					GMT-14
					GMT-2
					GMT-3
					GMT-4
					GMT-5
					GMT-6
					GMT-7
					GMT-8
					GMT-9
					GMT0
					Greenwich
					UCT
					Universal
					UTC
					Zulu
					__init__.py
					\---__pycache__
					__init__.cpython-311.pyc
				+	---Europe
					Amsterdam
					Andorra
					Astrakhan
					Athens
					Belfast
					Belgrade
					Berlin
					Bratislava

						Brussels
						Bucharest
						Budapest
						Busingen
						Chisinau
						Copenhagen
						Dublin
						Gibraltar
						Guernsey
						Helsinki
						Isle_of_Man
						Istanbul
						Jersey
						Kaliningrad
						Kiev
						Kirov
						Kyiv
						Lisbon
						Ljubljana
						London
						Luxembourg
						Madrid
						Malta
						Mariehamn
						Minsk
						Monaco
						Moscow
						Nicosia
						Oslo
						Paris
						Podgorica
						Prague
						Riga
						Rome
						Samara
						San_Marino
						Sarajevo
						Saratov
						Simferopol
						Skopje
						Sofia
						Stockholm
						Tallinn
						Tirane
						Tiraspol
						Ulyanovsk
						Uzhgorod
						Vaduz
						Vatican
						Vienna
						Vilnius

					Volgograd
					Warsaw
					Zagreb
					Zaporozhye
					Zurich
					__init__.py
					\\---__pycache__
					__init__.cpython-311.pyc
					+---Indian
					Antananarivo
					Chagos
					Christmas
					Cocos
					Comoro
					Kerguelen
					Mahe
					Maldives
					Mauritius
					Mayotte
					Reunion
					__init__.py
					\\---__pycache__
					__init__.cpython-311.pyc
					+---Mexico
					BajaNorte
					BajaSur
					General
					__init__.py
					\\---__pycache__
					__init__.cpython-311.pyc
					+---Pacific
					Apia
					Auckland
					Bougainville
					Chatham
					Chuuk
					Easter
					Efate
					Enderbury
					Fakaofo
					Fiji
					Funafuti
					Galapagos
					Gambier
					Guadalcanal

						Guam
						Honolulu
						Johnston
						Kanton
						Kiritimati
						Kosrae
						Kwajalein
						Majuro
						Marquesas
						Midway
						Nauru
						Niue
						Norfolk
						Noumea
						Pago_Pago
						Palau
						Pitcairn
						Pohnpei
						Ponape
						Port_Moresby
						Rarotonga
						Saipan
						Samoa
						Tahiti
						Tarawa
						Tongatapu
						Truk
						Wake
						Wallis
						Yap
						__init__.py
						\\---_pycache_
						__init__.cpython-311.pyc
						+---US
						Alaska
						Aleutian
						Arizona
						Central
						East-Indiana
						Eastern
						Hawaii
						Indiana-Starke
						Michigan
						Mountain
						Pacific
						Samoa
						__init__.py
						\\---_pycache_

```
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---tzdata-2025.1.dist-info
| | | | | INSTALLER
| | | | | LICENSE
| | | | | LICENSE_APACHE
| | | | | METADATA
| | | | | RECORD
| | | | | top_level.txt
| | | | | WHEEL
| | | | |
| | | +---ultralytics
| | | | | __init__.py
| | | | |
| | | | | +---assets
| | | | | | | bus.jpg
| | | | | | | zidane.jpg
| | | | | | |
| | | | | +---cfg
| | | | | | | default.yaml
| | | | | | | __init__.py
| | | | | | |
| | | | | +---datasets
| | | | | | | african-wildlife.yaml
| | | | | | | Argoverse.yaml
| | | | | | | brain-tumor.yaml
| | | | | | | carparts-seg.yaml
| | | | | | | coco-pose.yaml
| | | | | | | coco.yaml
| | | | | | | coco128-seg.yaml
| | | | | | | coco128.yaml
| | | | | | | coco8-pose.yaml
| | | | | | | coco8-seg.yaml
| | | | | | | coco8.yaml
| | | | | | | crack-seg.yaml
| | | | | | | dog-pose.yaml
| | | | | | | dota8.yaml
| | | | | | | DOTAv1.5.yaml
| | | | | | | DOTAv1.yaml
| | | | | | | GlobalWheat2020.yaml
| | | | | | | hand-keypoints.yaml
| | | | | | | ImageNet.yaml
| | | | | | | lvis.yaml
| | | | | | | medical-pills.yaml
| | | | | | | Objects365.yaml
```

					open-images-v7.yaml
					package-seg.yaml
					signature.yaml
					SKU-110K.yaml
					tiger-pose.yaml
					VisDrone.yaml
					VOC.yaml
					xView.yaml
					+---models
					+---11
					yolo11-cls-resnet18.yaml
					yolo11-cls.yaml
					yolo11-obb.yaml
					yolo11-pose.yaml
					yolo11-seg.yaml
					yolo11.yaml
					+---12
					yolo12-cls.yaml
					yolo12-obb.yaml
					yolo12-pose.yaml
					yolo12-seg.yaml
					yolo12.yaml
					+---rt-detr
					rt-detr-l.yaml
					rt-detr-resnet101.yaml
					rt-detr-resnet50.yaml
					rt-detr-x.yaml
					+---v10
					yolov10b.yaml
					yolov10l.yaml
					yolov10m.yaml
					yolov10n.yaml
					yolov10s.yaml
					yolov10x.yaml
					+---v3
					yolov3-spp.yaml
					yolov3-tiny.yaml
					yolov3.yaml
					+---v5
					yolov5-p6.yaml
					yolov5.yaml
					+---v6
					yolov6.yaml

```

| | | | +---v8
| | | | | yolov8-cls-resnet101.yaml
| | | | | yolov8-cls-resnet50.yaml
| | | | | yolov8-cls.yaml
| | | | | yolov8-ghost-p2.yaml
| | | | | yolov8-ghost-p6.yaml
| | | | | yolov8-ghost.yaml
| | | | | yolov8-obb.yaml
| | | | | yolov8-p2.yaml
| | | | | yolov8-p6.yaml
| | | | | yolov8-pose-p6.yaml
| | | | | yolov8-pose.yaml
| | | | | yolov8-rtetr.yaml
| | | | | yolov8-seg-p6.yaml
| | | | | yolov8-seg.yaml
| | | | | yolov8-world.yaml
| | | | | yolov8-worldv2.yaml
| | | | | yolov8.yaml
| | | | |
| | | | \---v9
| | | | | yolov9c-seg.yaml
| | | | | yolov9c.yaml
| | | | | yolov9e-seg.yaml
| | | | | yolov9e.yaml
| | | | | yolov9m.yaml
| | | | | yolov9s.yaml
| | | | | yolov9t.yaml
| | | | |
| | | | +---solutions
| | | | | default.yaml
| | | | |
| | | | +---trackers
| | | | | botsort.yaml
| | | | | bytetrack.yaml
| | | | |
| | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---data
| | | | | annotator.py
| | | | | augment.py
| | | | | base.py
| | | | | build.py
| | | | | converter.py
| | | | | dataset.py
| | | | | loaders.py
| | | | | split_dota.py
| | | | | utils.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__

```



```

| | | | annotator.cpython-311.pyc
| | | | augment.cpython-311.pyc
| | | | base.cpython-311.pyc
| | | | build.cpython-311.pyc
| | | | converter.cpython-311.pyc
| | | | dataset.cpython-311.pyc
| | | | loaders.cpython-311.pyc
| | | | split_dota.cpython-311.pyc
| | | | utils.cpython-311.pyc
| | | | __init__.cpython-311.pyc
| | | |
| | | +---engine
| | | | | exporter.py
| | | | | model.py
| | | | | predictor.py
| | | | | results.py
| | | | | trainer.py
| | | | | tuner.py
| | | | | validator.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | exporter.cpython-311.pyc
| | | | | model.cpython-311.pyc
| | | | | predictor.cpython-311.pyc
| | | | | results.cpython-311.pyc
| | | | | trainer.cpython-311.pyc
| | | | | tuner.cpython-311.pyc
| | | | | validator.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---hub
| | | | | auth.py
| | | | | session.py
| | | | | utils.py
| | | | | __init__.py
| | | | |
| | | | +---google
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__
| | | | | | auth.cpython-311.pyc
| | | | | | session.cpython-311.pyc
| | | | | | utils.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | +---models
| | | | | __init__.py

```

```

| | | |
| | | | +---fastsam
| | | | | | model.py
| | | | | | predict.py
| | | | | | utils.py
| | | | | | val.py
| | | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | | | model.cpython-311.pyc
| | | | | | predict.cpython-311.pyc
| | | | | | utils.cpython-311.pyc
| | | | | | val.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---nas
| | | | | | model.py
| | | | | | predict.py
| | | | | | val.py
| | | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | | | model.cpython-311.pyc
| | | | | | predict.cpython-311.pyc
| | | | | | val.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---rtdestr
| | | | | | model.py
| | | | | | predict.py
| | | | | | train.py
| | | | | | val.py
| | | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | | | model.cpython-311.pyc
| | | | | | predict.cpython-311.pyc
| | | | | | train.cpython-311.pyc
| | | | | | val.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | |
| | | | +---sam
| | | | | | amg.py
| | | | | | build.py
| | | | | | model.py
| | | | | | predict.py
| | | | | | __init__.py
| | | | |
| | | | +---modules
| | | | | | blocks.py
| | | | | | decoders.py

```

```

| | | | | encoders.py
| | | | | memory_attention.py
| | | | | sam.py
| | | | | tiny_encoder.py
| | | | | transformer.py
| | | | | utils.py
| | | | | __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     blocks.cpython-311.pyc
| | | | |     decoders.cpython-311.pyc
| | | | |     encoders.cpython-311.pyc
| | | | |     memory_attention.cpython-311.pyc
| | | | |     sam.cpython-311.pyc
| | | | |     tiny_encoder.cpython-311.pyc
| | | | |     transformer.cpython-311.pyc
| | | | |     utils.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | |     amg.cpython-311.pyc
| | | | |     build.cpython-311.pyc
| | | | |     model.cpython-311.pyc
| | | | |     predict.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---utils
| | | | |     loss.py
| | | | |     ops.py
| | | | |     __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     loss.cpython-311.pyc
| | | | |     ops.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |
| | | | | +---yolo
| | | | |     model.py
| | | | |     __init__.py
| | | | |
| | | | | +---classify
| | | | |     predict.py
| | | | |     train.py
| | | | |     val.py
| | | | |     __init__.py
| | | | |
| | | | | \---__pycache__
| | | | |     predict.cpython-311.pyc
| | | | |     train.cpython-311.pyc
| | | | |     val.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc

```

```

| | | | |
| | | | | +---detect
| | | | | | predict.py
| | | | | | train.py
| | | | | | val.py
| | | | | | __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | | predict.cpython-311.pyc
| | | | | | train.cpython-311.pyc
| | | | | | val.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | +---obb
| | | | | | predict.py
| | | | | | train.py
| | | | | | val.py
| | | | | | __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | | predict.cpython-311.pyc
| | | | | | train.cpython-311.pyc
| | | | | | val.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | +---pose
| | | | | | predict.py
| | | | | | train.py
| | | | | | val.py
| | | | | | __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | | predict.cpython-311.pyc
| | | | | | train.cpython-311.pyc
| | | | | | val.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | +---segment
| | | | | | predict.py
| | | | | | train.py
| | | | | | val.py
| | | | | | __init__.py
| | | | | |
| | | | | | \---__pycache__
| | | | | | predict.cpython-311.pyc
| | | | | | train.cpython-311.pyc
| | | | | | val.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | +---world
| | | | | | train.py

```

```

| | | | | | | train_world.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | | train.cpython-311.pyc
| | | | | | | train_world.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | | model.cpython-311.pyc
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | | | | \---__pycache__
| | | | | | | __init__.cpython-311.pyc
| | | | | | |
| | | | +---nn
| | | | | | | autobackend.py
| | | | | | | tasks.py
| | | | | | | __init__.py
| | | | | | |
| | | | | | +---modules
| | | | | | | | activation.py
| | | | | | | | block.py
| | | | | | | | conv.py
| | | | | | | | head.py
| | | | | | | | transformer.py
| | | | | | | | utils.py
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | | \---__pycache__
| | | | | | | | activation.cpython-311.pyc
| | | | | | | | block.cpython-311.pyc
| | | | | | | | conv.cpython-311.pyc
| | | | | | | | head.cpython-311.pyc
| | | | | | | | transformer.cpython-311.pyc
| | | | | | | | utils.cpython-311.pyc
| | | | | | | | __init__.cpython-311.pyc
| | | | | | | |
| | | | | | | \---__pycache__
| | | | | | | | autobackend.cpython-311.pyc
| | | | | | | | tasks.cpython-311.pyc
| | | | | | | | __init__.cpython-311.pyc
| | | | | | | |
| | | | | | +---solutions
| | | | | | | | ai_gym.py
| | | | | | | | analytics.py
| | | | | | | | distance_calculation.py
| | | | | | | | heatmap.py
| | | | | | | | instance_segmentation.py
| | | | | | | | object_blurrer.py
| | | | | | | | object_counter.py

```

```

| | | | object_cropper.py
| | | | parking_management.py
| | | | queue_management.py
| | | | region_counter.py
| | | | security_alarm.py
| | | | solutions.py
| | | | speed_estimation.py
| | | | streamlit_inference.py
| | | | trackzone.py
| | | | vision_eye.py
| | | | __init__.py
| | | |
| | | | \---__pycache__
| | | |     ai_gym.cpython-311.pyc
| | | |     analytics.cpython-311.pyc
| | | |     distance_calculation.cpython-311.pyc
| | | |     heatmap.cpython-311.pyc
| | | |     instance_segmentation.cpython-311.pyc
| | | |     object_blurrer.cpython-311.pyc
| | | |     object_counter.cpython-311.pyc
| | | |     object_cropper.cpython-311.pyc
| | | |     parking_management.cpython-311.pyc
| | | |     queue_management.cpython-311.pyc
| | | |     region_counter.cpython-311.pyc
| | | |     security_alarm.cpython-311.pyc
| | | |     solutions.cpython-311.pyc
| | | |     speed_estimation.cpython-311.pyc
| | | |     streamlit_inference.cpython-311.pyc
| | | |     trackzone.cpython-311.pyc
| | | |     vision_eye.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---trackers
| | | | |   basetrack.py
| | | | |   bot_sort.py
| | | | |   byte_tracker.py
| | | | |   track.py
| | | | |   __init__.py
| | | | |
| | | | | +---utils
| | | | | |   gmc.py
| | | | | |   kalman_filter.py
| | | | | |   matching.py
| | | | | |   __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | |     gmc.cpython-311.pyc
| | | | |     kalman_filter.cpython-311.pyc
| | | | |     matching.cpython-311.pyc
| | | | |     __init__.cpython-311.pyc
| | | | |

```

```

| | | | \---__pycache__
| | | |     basetrack.cpython-311.pyc
| | | |     bot_sort.cpython-311.pyc
| | | |     byte_tracker.cpython-311.pyc
| | | |     track.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---utils
| | | | |   autobatch.py
| | | | |   benchmarks.py
| | | | |   checks.py
| | | | |   dist.py
| | | | |   downloads.py
| | | | |   errors.py
| | | | |   files.py
| | | | |   instance.py
| | | | |   loss.py
| | | | |   metrics.py
| | | | |   ops.py
| | | | |   patches.py
| | | | |   plotting.py
| | | | |   tal.py
| | | | |   torch_utils.py
| | | | |   triton.py
| | | | |   tuner.py
| | | | |   __init__.py
| | | | |
| | | | | +---callbacks
| | | | | |   base.py
| | | | | |   clearml.py
| | | | | |   comet.py
| | | | | |   dvc.py
| | | | | |   hub.py
| | | | | |   mlflow.py
| | | | | |   neptune.py
| | | | | |   raytune.py
| | | | | |   tensorboard.py
| | | | | |   wb.py
| | | | | |   __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | |     base.cpython-311.pyc
| | | | |     clearml.cpython-311.pyc
| | | | |     comet.cpython-311.pyc
| | | | |     dvc.cpython-311.pyc
| | | | |     hub.cpython-311.pyc
| | | | |     mlflow.cpython-311.pyc
| | | | |     neptune.cpython-311.pyc
| | | | |     raytune.cpython-311.pyc
| | | | |     tensorboard.cpython-311.pyc
| | | | |     wb.cpython-311.pyc

```

```

| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | autobatch.cpython-311.pyc
| | | | | benchmarks.cpython-311.pyc
| | | | | checks.cpython-311.pyc
| | | | | dist.cpython-311.pyc
| | | | | downloads.cpython-311.pyc
| | | | | errors.cpython-311.pyc
| | | | | files.cpython-311.pyc
| | | | | instance.cpython-311.pyc
| | | | | loss.cpython-311.pyc
| | | | | metrics.cpython-311.pyc
| | | | | ops.cpython-311.pyc
| | | | | patches.cpython-311.pyc
| | | | | plotting.cpython-311.pyc
| | | | | tal.cpython-311.pyc
| | | | | torch_utils.cpython-311.pyc
| | | | | triton.cpython-311.pyc
| | | | | tuner.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | | | \---__pycache__
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---ultralalytics-8.3.94.dist-info
| | | | | entry_points.txt
| | | | | INSTALLER
| | | | | METADATA
| | | | | RECORD
| | | | | REQUESTED
| | | | | top_level.txt
| | | | | WHEEL
| | | | |
| | | | | \---licenses
| | | | | LICENSE
| | | | |
| | | +---ultralalytics_thop-2.0.14.dist-info
| | | | | INSTALLER
| | | | | LICENSE
| | | | | METADATA
| | | | | RECORD
| | | | | top_level.txt
| | | | | WHEEL
| | | | |
| | | +---uritemplate
| | | | | api.py
| | | | | orderedset.py
| | | | | py.typed
| | | | | template.py
| | | | | variable.py

```



```

| | | | __init__.py
| | | |
| | | | \---__pycache__
| | | |     api.cpython-311.pyc
| | | |     orderedset.cpython-311.pyc
| | | |     template.cpython-311.pyc
| | | |     variable.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | +---uritemplate-4.1.1.dist-info
| | | |     INSTALLER
| | | |     LICENSE
| | | |     METADATA
| | | |     RECORD
| | | |     top_level.txt
| | | |     WHEEL
| | | |
| | +---urllib3
| | | | | | connection.py
| | | | | | connectionpool.py
| | | | | | exceptions.py
| | | | | | fields.py
| | | | | | filepost.py
| | | | | | poolmanager.py
| | | | | | py.typed
| | | | | | response.py
| | | | | | _base_connection.py
| | | | | | _collections.py
| | | | | | _request_methods.py
| | | | | | _version.py
| | | | | | __init__.py
| | | | | |
| | | | | +---contrib
| | | | | | | | pyopenssl.py
| | | | | | | | socks.py
| | | | | | | | __init__.py
| | | | | | | |
| | | | | | +---emscripten
| | | | | | | | | | connection.py
| | | | | | | | | | emscripten_fetch_worker.js
| | | | | | | | | | fetch.py
| | | | | | | | | | request.py
| | | | | | | | | | response.py
| | | | | | | | | | __init__.py
| | | | | | | | | |
| | | | | | | | | \---__pycache__
| | | | | | | | |     connection.cpython-311.pyc
| | | | | | | | |     fetch.cpython-311.pyc
| | | | | | | | |     request.cpython-311.pyc
| | | | | | | | |     response.cpython-311.pyc
| | | | | | | | |     __init__.cpython-311.pyc

```

```

| | | |
| | | | \---__pycache__
| | | |     pyopenssl.cpython-311.pyc
| | | |     socks.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---http2
| | | | | connection.py
| | | | | probe.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | |     connection.cpython-311.pyc
| | | |     probe.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | +---util
| | | | | connection.py
| | | | | proxy.py
| | | | | request.py
| | | | | response.py
| | | | | retry.py
| | | | | ssltransport.py
| | | | | ssl_.py
| | | | | ssl_match_hostname.py
| | | | | timeout.py
| | | | | url.py
| | | | | util.py
| | | | | wait.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | |     connection.cpython-311.pyc
| | | |     proxy.cpython-311.pyc
| | | |     request.cpython-311.pyc
| | | |     response.cpython-311.pyc
| | | |     retry.cpython-311.pyc
| | | |     ssltransport.cpython-311.pyc
| | | |     ssl_.cpython-311.pyc
| | | |     ssl_match_hostname.cpython-311.pyc
| | | |     timeout.cpython-311.pyc
| | | |     url.cpython-311.pyc
| | | |     util.cpython-311.pyc
| | | |     wait.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | \---__pycache__
| | | | | connection.cpython-311.pyc
| | | | | connectionpool.cpython-311.pyc
| | | | | exceptions.cpython-311.pyc
| | | | | fields.cpython-311.pyc

```

```

| | | filepost.cpython-311.pyc
| | | poolmanager.cpython-311.pyc
| | | response.cpython-311.pyc
| | | _base_connection.cpython-311.pyc
| | | _collections.cpython-311.pyc
| | | _request_methods.cpython-311.pyc
| | | _version.cpython-311.pyc
| | | __init__.cpython-311.pyc
| | |
| | +---urllib3-2.3.0.dist-info
| | | | INSTALLER
| | | | METADATA
| | | | RECORD
| | | | WHEEL
| | | |
| | | \---licenses
| | | | LICENSE.txt
| | | |
| | +---uvicorn
| | | | config.py
| | | | importer.py
| | | | logging.py
| | | | main.py
| | | | py.typed
| | | | server.py
| | | | workers.py
| | | | _subprocess.py
| | | | _types.py
| | | | __init__.py
| | | | __main__.py
| | | |
| | | +---lifespan
| | | | | off.py
| | | | | on.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | off.cpython-311.pyc
| | | | | on.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---loops
| | | | | asyncio.py
| | | | | auto.py
| | | | | uvloop.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | asyncio.cpython-311.pyc
| | | | | auto.cpython-311.pyc
| | | | | uvloop.cpython-311.pyc

```

```

| | | | __init__.cpython-311.pyc
| | | |
| | | +---middleware
| | | | | asgi2.py
| | | | | message_logger.py
| | | | | proxy_headers.py
| | | | | wsgi.py
| | | | | __init__.py
| | | | |
| | | | \---__pycache__
| | | | | asgi2.cpython-311.pyc
| | | | | message_logger.cpython-311.pyc
| | | | | proxy_headers.cpython-311.pyc
| | | | | wsgi.cpython-311.pyc
| | | | | __init__.cpython-311.pyc
| | | | |
| | | +---protocols
| | | | | utils.py
| | | | | __init__.py
| | | | |
| | | | +---http
| | | | | | auto.py
| | | | | | flow_control.py
| | | | | | h11_impl.py
| | | | | | httptools_impl.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | auto.cpython-311.pyc
| | | | | | flow_control.cpython-311.pyc
| | | | | | h11_impl.cpython-311.pyc
| | | | | | httptools_impl.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | +---websockets
| | | | | | auto.py
| | | | | | websockets_impl.py
| | | | | | wsproto_impl.py
| | | | | | __init__.py
| | | | | |
| | | | | \---__pycache__
| | | | | | auto.cpython-311.pyc
| | | | | | websockets_impl.cpython-311.pyc
| | | | | | wsproto_impl.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | | \---__pycache__
| | | | | | utils.cpython-311.pyc
| | | | | | __init__.cpython-311.pyc
| | | | | |
| | | | +---supervisors

```

```

| | | | basereload.py
| | | | multiprocessing.py
| | | | statreload.py
| | | | watchfilesreload.py
| | | | __init__.py
| | | |
| | | | \---__pycache__
| | | |     basereload.cpython-311.pyc
| | | |     multiprocessing.cpython-311.pyc
| | | |     statreload.cpython-311.pyc
| | | |     watchfilesreload.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | | \---__pycache__
| | | |     config.cpython-311.pyc
| | | |     importer.cpython-311.pyc
| | | |     logging.cpython-311.pyc
| | | |     main.cpython-311.pyc
| | | |     server.cpython-311.pyc
| | | |     workers.cpython-311.pyc
| | | |     _subprocess.cpython-311.pyc
| | | |     _types.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |     __main__.cpython-311.pyc
| | | |
| | +---uvicorn-0.34.0.dist-info
| | | | entry_points.txt
| | | | INSTALLER
| | | | METADATA
| | | | RECORD
| | | | REQUESTED
| | | | WHEEL
| | | |
| | | | \---licenses
| | | |     LICENSE.md
| | | |
| | +---yaml
| | | | composer.py
| | | | constructor.py
| | | | cyaml.py
| | | | dumper.py
| | | | emitter.py
| | | | error.py
| | | | events.py
| | | | loader.py
| | | | nodes.py
| | | | parser.py
| | | | reader.py
| | | | representer.py
| | | | resolver.py
| | | | scanner.py

```

```

| | | | serializer.py
| | | | tokens.py
| | | | _yaml.cp311-win_amd64.pyd
| | | | __init__.py
| | | |
| | | | \---__pycache__
| | | |     composer.cpython-311.pyc
| | | |     constructor.cpython-311.pyc
| | | |     cyaml.cpython-311.pyc
| | | |     dumper.cpython-311.pyc
| | | |     emitter.cpython-311.pyc
| | | |     error.cpython-311.pyc
| | | |     events.cpython-311.pyc
| | | |     loader.cpython-311.pyc
| | | |     nodes.cpython-311.pyc
| | | |     parser.cpython-311.pyc
| | | |     reader.cpython-311.pyc
| | | |     representer.cpython-311.pyc
| | | |     resolver.cpython-311.pyc
| | | |     scanner.cpython-311.pyc
| | | |     serializer.cpython-311.pyc
| | | |     tokens.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | +---_distutils_hack
| | | | | | override.py
| | | | | | __init__.py
| | | | | |
| | | | \---__pycache__
| | | |     override.cpython-311.pyc
| | | |     __init__.cpython-311.pyc
| | | |
| | | +---_yaml
| | | | | | __init__.py
| | | | | |
| | | | \---__pycache__
| | | |     __init__.cpython-311.pyc
| | | |
| | | \---__pycache__
| | |     google_auth_httplib2.cpython-311.pyc
| | |     isympy.cpython-311.pyc
| | |     pylab.cpython-311.pyc
| | |     six.cpython-311.pyc
| | |     typing_extensions.cpython-311.pyc
| | |
| +---Scripts
| |     activate
| |     activate.bat
| |     Activate.ps1
| |     cpuinfo.exe
| |     deactivate.bat

```

```
| | distro.exe
| | dotenv.exe
| | f2py.exe
| | fastapi.exe
| | fonttools.exe
| | httpx.exe
| | isympy.exe
| | normalizer.exe
| | numpy-config.exe
| | openai.exe
| | pip.exe
| | pip3.11.exe
| | pip3.exe
| | pyftmerge.exe
| | pyftsubset.exe
| | pyrsa-decrypt.exe
| | pyrsa-encrypt.exe
| | pyrsa-keygen.exe
| | pyrsa-priv2pub.exe
| | pyrsa-sign.exe
| | pyrsa-verify.exe
| | python.exe
| | pythonw.exe
| | pythonw_d.exe
| | python_d.exe
| | torchfrtrace.exe
| | torchrun.exe
| | tqdm.exe
| | ttx.exe
| | ultralytics.exe
| | uvicorn.exe
| | yolo.exe
| |
| \---share
|   \---man
|     \---man1
|       isympy.1
|       ttx.1
|
\---__pycache__
      main.cpython-311.pyc
      main_without_predict.cpython-311.pyc
```