



**SILVER OAK
UNIVERSITY**
EDUCATION TO INNOVATION

Silver Oak University

SILVER OAK COLLEGE OF COMPUTER APPLICATION

DEPARTMENT OF BACHELOR OF SCIENCE

HTML Markup for Web Designers

Course Code: 4040243136

1st semester

Laboratory Manual

Collage Name :	Socca
Enroll. No. / Roll No. :	2404030400127
Name of Student:	Joshi vibhuti mishra bhei
Branch :	BSC (CS-IT)
Semester :	I
Division:	B



SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

TABLE OF CONTENT

Sr No.	Experiment Title	Page No.		Date of Start	Date of Completion	Sign	Marks (out of 10)
		From	To				
1.	Create and save simple HTML document & modifying the 1. background of HTML 2. Webpage with different colors.	1	2	7/8	9/8		
2.	Demonstrate use of 1. subscript, 2. super script, 3. align tag and 4. Format the text by using formatting tags like bold and italic.	3	6	14/8	16/8		
3.	Draw the table as given format	7	9	21/8	21/8		
4.	Create web page using metadata & <!DOCTYPE html> tag.	11	12	23/8	23/8		
5.	Create a Web page to display basic your resume	13	14	28/8	28/8		
6.	Show the use of all tags and attributes of 1. ordered list 2. unordered list.	15	17	29/8	29/8		



SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

7.	Create webpage which shows the use of hyperlink.	19	20	u19	u19		
8.	Show the use of all tags related to images.	21	22	619	618		
9.	<p>Create a webpage and use the following TAG to perform operation.</p> <ol style="list-style-type: none">1. Create a simple table with at least three rows and three columns.2. Use the <table>, <tr>, <th>, and <td> tags.3. Add a caption to the table created above using the <caption> tag.4. Add a border to your table using the border attribute in the <table> tag.5. Align the content of your table cells using the align and valign attributes.6. Change the background color of your table and its cells using the bgcolor attribute.7. Use the cellpadding and cellspacing attributes to adjust the spacing inside and between the table cells.8. Create a nested table by inserting one table inside another table's cell.	23	24	21/9	25/9		



SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

10.	Create a webpage and use the following TAG to perform operation. 1. Use the <frameset> tag to create a webpage with two frames. 2. Use the <frame> tag to define the content of each frame. 3. Specify different attributes like border, frameborder, framespacing, and marginwidth for the frames. 4. Set the width and height of the frames using the cols and rows attributes in the <frameset> tag. 5. Create a navigation menu in one frame and display the corresponding content in another frame using the target attribute in the <a> tag.	25	26	27/9	11/10	
11.	Create a webpage for online Jewellery shopping. 1. Display Menu in left frame. 2. Clicking on menu should display related webpage in right frame. 3. Keep header and footer frames to display related information.	27	28	26/10	25/10	
12.	Create web page for register online exam form filling process.	29	32	27/10	27/10	
13.	Create a Web page to display your resume.	33	35	9/11	9/11	



SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

14.

Show the use of all tags and attributes of ordered list and unordered list.

36	38	18/11	18/11		
----	----	-------	-------	--	--



SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

EXPERIMENT NO: 1

Aim: Create and save simple HTML document & modifying the

1. background of HTML
2. Webpage with different colors.

Description:

In this practical, we created a basic HTML document and applied CSS to change the background color of the webpage. Additionally, we used CSS properties to modify the color of different webpage elements like headers and paragraphs. This demonstrates the basic concept of styling HTML elements using CSS.

Procedure:

~~Step-1: Open a text Editor : use any text editor like notepad, vscode, or sublime text.~~

~~Step-2: Create an HTML Document : Start with a basic structure of HTML.~~

~~Step-3: Set the Page bgcolor : use the <style> tag within the <head> section to define CSS for bg color.~~

~~Step-4: Define section class : Add different Sections with unique colors for demonstrations.~~

~~Step-5: Save the HTML file : Save your file with a .html extension, like index.html.~~

~~Step-6: Open in a Browser : Open the file in a web browser to see the result.~~



SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

Conclusion: By using CSS in the `<style>` section, you can easily customize the bg colors on the entire webpage and individual sections. This method makes it straightforward to style and organize the visual presentation of your HTML document.

Post Practical Question:

1. How can you apply different background images instead of a color to your webpage?

Ans: You can use CSS to define the `bg-image` property in the HTML file tag $\Rightarrow <\text{style}$

2. How would you change the colors dynamically using JavaScript?

Ans: Target the colors attributes within elements styles prop.

Signature with Date of Completion	
Marks out of 10	



1 Doctype.html

& html

& heads

& titles in web page & titles

& styles

& body

Background color in red;

2

h1 s

color: green;

3

color: blue;

2

& styles

& heads

& body

& h1> This is an heading/h1>

& p> This is a Paragraph/p>

& body

& html



SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

EXPERIMENT NO: 2

Aim: Demonstrate use of

1. subscript,
2. super script,
3. align tag and
4. Format the text by using formatting tags like bold and italic.

Description:

In this practical, we demonstrated how to use:

1. **Subscript** (`<sub>`) and **superscript** (`<sup>`) tags to format text in mathematical and chemical notations.
2. **Align** attribute to control text alignment (center, right).
3. Formatting tags like **bold** (``) and **italic** (`<i>`) to emphasize specific parts of the text.

Procedure:

To use Subscript and Super Script you can use the HTML tags `<sub>` for Subscript and `<sup>` for superscript, to align text use the `<align>` attribute with a block element like `<div>` or `<p>` to format text use `` for bold and `` for italic, here's an example:


~~& Padign="center">
This is &strong> bold & /strong> and &em> italic & /em> text.
& /p>
& p>~~

~~M₂sub> y & /sub> is water and E=mc² & /sup> is a famous equation.~~



SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION



Conclusion: In conclusion, using HTML effectively allows for a variety of text formatting options, including subscript and superscript for chemical and mathematical notation as well as text alignment.

Post Practical Question:

1. Which tag is used to display text as a subscript in HTML?

- a) <sup>
- b) <sub>
- c) <script>
- d) <small>

Answer:

a) <sub>

2. Which of the following tags is used to display text as superscript in HTML?

- a) <sub>
- b) <sup>
- c) <sup>
- d) <u>



SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

Answer:

c) <sup>

3. What is the correct way to align text to the center in a paragraph using HTML?

- a) <p align="right">This is centered text</p>
- ~~b)~~

>This is centered text</p>
- c) <p style="center">This is centered text</p>
- d) <p text-align="center">This is centered text</p>

Answer:

b) <P align = "center"> This is centered text</p>

4. Which tag is used to make text bold in HTML?

- ~~a)~~
- b) <i>
- c) <u>
- d)

Answer:

c)

5. What is the purpose of the <i> tag in HTML?

- a) To underline the text
- b) To make the text bold
- ~~c)~~ To italicize the text
- d) To strike through the text

Answer:

c) To italicize the text.

6. Which tag is used to underline text in HTML?

- a) <i>
- b)
- ~~c)~~ <u>
- ~~d)~~ <sub>

Answer:

c) <u>



SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

7. Which of the following attributes is used to align text within a <p> tag?

- a) text-align
- b) align
- c) style
- d) font-align

a) text-align.

Signature with Date of Completion	
Marks out of 10	



SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

EXPERIMENT NO: 3

Aim: Draw the table as given format

Description:

In this exercise, a table is created using the `<table>`, `<tr>`, `<th>`, and `<td>` tags. The table structure was enhanced with attributes like borders, cell padding, and cell spacing. This demonstrates the creation of structured data presentation using tables in HTML.

Procedure: HTML Table Syntax - code

```
<!DOCTYPE HTML>
<html>
<head>
<title> Create table </title>
<head>
<body>
<table align="center" border="1">
<tr>
<td> Cell 1 </td>
<td> Cell 2 </td>
<td> Cell 3 </td>
</tr>
<tr>
<td> Cell 4 </td>
<td> Cell 5 </td>
<td> Cell 6 </td>
</tr>
</table>
</body>
</html>
```

Output :

cell 1	cell 2	cell 3
Cell 4	cell 5	cell 6



**SILVER OAK
UNIVERSITY**
EDUCATION TO INNOVATION

Conclusion:

Post Practical Question:

1. Which tag is used to create a table in HTML?

- a) <table>
- b) <tab>
- c) <tr>
- d) <td>

Answer:

a) <table>

2. What does the <tr> tag represent in an HTML table?

- a) A table cell
- b) A table row
- c) A table header
- d) A table caption

Answer:

b) A table row

3. Which tag is used to define a header cell in a table?

- a) <td>
- b) <th>
- c) <header>
- d) <cell>

Answer:

<th>



SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

4. What attribute is used to add a caption to a table?

- a) <caption>
- b) <tablecaption>
- c) title
- d) description

Answer:

<caption>

5. Which attribute would you use to specify the border of a table in HTML?

- a) border
- b) border-style
- c) frame
- d) cellpadding

Answer:

a) border

Signature with Date of Completion	
Marks out of 10	



SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

EXPERIMENT NO: 4

Aim: Create web page using metadata & `<!DOCTYPE html>` tag.

Description:

This practical demonstrates the use of the `<!DOCTYPE html>` declaration to specify the HTML version. It also covers the use of metadata tags like `<meta>` to define the character set, description, keywords, and other important information for the webpage. Metadata is essential for SEO and webpage responsiveness.

Procedure:

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" /> // Character encoding
    <meta name="viewport" content="width=device-width,
      initial-scale=1.0" />
    <!-- Responsive design -->
    <meta name="description" content="This is a
      simple webpage example using meta and
      title simple webpage Example the Doctype
      tag." />
  </head>
  <title> Simple Webpage Example </title>
  <style>
```

Conclusion: ~~Doctype declaration: The !Doctype html's ensure the page is rendered in standards mode according to HTML5.~~

2) Metadata: The `<head>` section contains vital elements like character encoding, responsive design settings and SEO description, enhancing browser rendering and search visibility.

Post Practical Question: Settings and SEO description, enhancing browser rendering and search visibility



SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

content structure: The <body> section includes main contents, such as heading and paragraph, guiding visitors on this page's purpose.

styling: Basic CSS enhances the visual layout, improving users experience and accessibility.

Signature with Date of Completion
Marks out of 10



Body style

Font family : Arial, sans serif
Basic styling

background color : #FFFFE0
background
color /

margin : 20px 21 * margin around
the body 12

n/a

color : #333333 * part of it goes to
from the header

2

& 1 style

& 1 head

<h1> welcome to my simple web
page </h1>
<p> this is a basic example of an
HTML document structure
with methods

& 1 ps

& 1 body

& 1 html



SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

Aim: Create a Web page to display basic your resume

EXPERIMENT NO: 5

Description:

In this practical, a simple webpage was created to showcase a basic resume layout. HTML tags such as `<h1>`, `<p>`, ``, and `<table>` are used to structure sections like personal details, education, skills, and contact information. This is useful for creating personal portfolios or professional resumes online.

Procedure:

```
<!DOCTYPE html>
<html lang="en">
<head> <!-- resume title -->
<meta charset="UTF-8"> <!-- styles -->
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title> Your Name - Resume </title>
<style> <!-- font family Arial sans-serif -->
    body { background-color: #808080; }
    <!-- head -->
    font-family: Arial, sans-serif; <!-- heads -->
    margin: 0; <!-- body -->
    padding: 20px; <!-- h1 --> <!-- h1 -->
    background-color: #f0f0f0; <!-- p --> <!-- contact info -->
    <!-- ul -->
    <!-- li -->
    <!-- text-align: center; --> <!-- h1 --> <!-- mail --> <!-- h1 -->
    padding: 10px; <!-- h2 --> <!-- education --> <!-- h2 -->
    background-color: #f0f0f0; <!-- table --> <!-- + 20px -->
    color: white; <!-- h2 --> degreeno
```



SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

<th>
<td> BSC (CS - IT) </td>
<td> XYZ university </td></tr>
<td> </td>
<td> </td>

Conclusion: This code creates basic resume
header with name and content in form of

- Header with name and content in form of
- Summary section.
- Education section with table

Post Practical Question:

- 1) What is difference between the doctype and elements?
- 2) What is the use of table in HTML?
- 3) How can I add more sections to the resume?

Signature with Date of Completion	
Marks out of 10	



SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

EXPERIMENT NO: 6

Aim: Show the use of all tags and attributes of
1. ordered list
2. unordered list.

Description:

This exercise demonstrates the use of ordered (``) and unordered (``) lists in HTML. The `` tag is used for list items. Attributes like `type`, `start`, and `reversed` for ordered lists, and bullet styling for unordered lists, are explored to enhance list formatting.

Procedure:

~~``~~
~~` Item 1 `~~
~~` Item 2 `~~
~~` Item 3 `~~
~~``~~
~~`<ol type="A" start="2" reversed>`~~
~~` Step 1 `~~
~~` Step 2 `~~
~~` Step 3 `~~

→ Nested list

~~``~~

~~` main item`~~

~~``~~

~~` sub item 1 `~~

~~``~~

~~` another main item `~~

~~``~~

~~` main step 1`~~

~~`<ol type="a">`~~

~~` sub step 2 `~~



SILVER OAK
UNIVERSITY
EDUCATION TO INNOVATION

 another main step

Order list:

• Item 3

• Item 4

Unordered list

- Item 1
- Item 2

Conclusion:

Post Practical Question:

1. Which tag is used to create an unordered list in HTML?

- a)
- b)
- c)
- d) <list>

Answer:

B

2. What is the purpose of the tag in both ordered and unordered lists?

- a) To define the list itself
- b) To represent each item within a list
- c) To create a heading for the list
- d) To style the list items

Answer:

c) To define the list itself.

3. Which attribute can be used to specify the type of bullet in an unordered list?



SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

- a) style
- b) type
- c) bullet
- d) list-style-type

Answer:

d) list-style-type

4. What tag is used to create an ordered list in HTML?

- a)
- b)
- c)
- d) <list>

Answer:

C

5. Which attribute can you use to change the numbering style of an ordered list?

- a) style
- b) type
- c) numbering
- d) format

Answer:

b) type

Signature with Date of Completion	
Marks out of 10	



SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

EXPERIMENT NO: 7

Aim: Create webpage which shows the use of hyperlink.

Description:

In this practical, hyperlinks were created using the `<a>` tag. The `href` attribute was used to link to external and internal web pages, while the `target` attribute was used to control how the linked page opens (e.g., in a new tab). This exercise is key in learning how to navigate between web pages.

Procedure:

- `<h1> Welcome to my webpage!</h1>`
- `<p> This is a simple web page demonstrating the use of hyperlink & <h2> External link </h2>`
- `<p> visit the Wikipedia website to learn about various topics`
- ~~`<h2> Internal link & <h2>`~~
- ~~`<p> visit the Wikipedia website to learn about various topics`~~
- `</body>`
- `</html>`

Conclusion: The provided HTML code demonstrates how to create a webpage featuring various types of hyperlinks including external links, internal links and many links.

Post Practical Question:

This links enhance navigation and interactivity allowing users to easily access additional resources and contact information.



SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

- What are the security implications of using hyperlinks that open in a new tab (i.e., using `target="_blank"`)?

~~Ans: Use `rel="noopener noreferrer"` this attribute combination prevents the new page from having access to the window opener object efficiently mitigating the risk of tab napping.~~
~~where ``~~

- How would you create an anchor link that scrolls to a specific section of the same webpage?

~~Ans: To create an anchor link that scrolls to a specific section of the same web page add an id attribute to the target section and use a link with a hash symbol followed by the id, for example.~~

~~` Go to Section 1D`~~
~~`<div id="section1D"> Target section 1D`~~

welcome to my webpage	
Signature with Date of Completion	
Marks out of 10	



SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

EXPERIMENT NO: 8

Aim: Show the use of all tags related to images.

Description:

This practical demonstrates the use of the `` tag to display images on a webpage. Attributes like `src` (source), `alt` (alternative text), `height`, and `width` are explored to control the display of images. It also covers image alignment and linking an image to another page using the `<a>` tag.

Procedure:

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title> image </title>
</head>
<body>
    
    <a href="#"> image with height="300px" alt="image with dimensions" </a>
</body>
</html>
```

Conclusion:

- out put
- image will be displayed with their respective attributes (e.g. with height, alt text)
 - Show these basic images.
 - image 3 with width and height (400x800)



SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

Post Practical Question:

1. Which tag is used to embed an image in an HTML document?

- a)
- b) <picture>
- c) <image>
- d) <src>

Answer:

a)

2. What attribute is essential for the tag to specify the image source?

- a) source
- b) src
- c) href
- d) file

Answer:

b) src

3. What attribute is used in the tag to provide alternative text for an image?

- a) alt
- b) title
- c) description
- d) text

Answer: a) alt

4. How do you specify a caption for an image using HTML?

- a) Using the <figcaption> tag inside the <figure> tag
- b) Using the <caption> tag
- c) Using the alt attribute
- d) Using the <label> tag

Answer: a) using the <Figcaption> tag inside the figure tag

Signature with Date of Completion	
Marks out of 10	



SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

EXPERIMENT NO: 9

Aim: Create a webpage and use the following TAG to perform operation.

1. Create a simple table with at least three rows and three columns.
2. Use the <table>, <tr>, <th>, and <td> tags.
3. Add a caption to the table created above using the <caption> tag.
4. Add a border to your table using the border attribute in the <table> tag.
5. Align the content of your table cells using the align and valign attributes.
6. Change the background color of your table and its cells using the bgcolor attribute.
7. Use the cellpadding and cellspacing attributes to adjust the spacing inside and between the table cells.
8. Create a nested table by inserting one table inside another table's cell.

Description:

This practical focuses on creating a table with at least three rows and three columns using the <table>, <tr>, <th>, and <td> tags. Features such as captions, borders, alignment, background colors, cellpadding, and cellspacing were demonstrated. Additionally, a nested table was created by placing one table inside a table cell.

Procedure:

~~<table border = "1">
<td>
<th> header1 </th>
<th> header2 </th>
<th> header3 </th>
</td>
<td>~~

~~<td> Row1, cell1, </td>~~
~~<td> Row1, cell2, </td>~~
~~<td> Row1, cell3, </td>~~

~~</td>
</td>~~



SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION ~~out put~~

<td> Row1, cell1</td>

<td> Row2, cell2 </td>

<td> Row3, cell3 </td>

</tr>

</table> ~~out put~~

Conclusion: The code is a straightforward forward implementation of an HTML table. It effectively showcases how tables help to organize information in a tabular format, which can improve data presentation and make it easier for users to digest and compare information.

Post Practical Question:

1. What are the benefits of using CSS to style tables instead of inline HTML attributes?

Ans: Benefits, including

Separation of concern,

Flexibility and reusability

Improved accessibility.

Better control and customization.

Improved SEO and etc.

2. How would you handle large tables with many rows and columns to improve readability and usability?

Ans: To improve readability and usability of large tables, paginate data, serve side processing, caching, reusability, full header rows, coling, sorting, etc.

Signature with Date of Completion	
Marks out of 10	



EXPERIMENT NO: 10

Aim: Create a webpage and use the following TAG to perform operation.

1. Use the <frameset> tag to create a webpage with two frames.
2. Use the <frame> tag to define the content of each frame.
3. Specify different attributes like border, frameborder, framespacing, and marginwidth for the frames.
4. Set the width and height of the frames using the cols and rows attributes in the <frameset> tag.
5. Create a navigation menu in one frame and display the corresponding content in another frame using the target attribute in the <a> tag.

Description:

This practical shows the use of the <frameset> and <frame> tags to create a webpage with two frames. The webpage includes a navigation menu in one frame and displays related content in another frame using the target attribute. Attributes like border, frameborder, framespacing, and marginwidth are also demonstrated to control the appearance and spacing of frames.

Procedure:

```
index.html
<!DOCTYPE html>
<html>
<frameset rows="20%,80%">
<frame border="1">
<frame src="menu.html" name="menu">
<frame src="content.html" name="content">
</frameset>
</html>
```

```
menu.html
<!DOCTYPE html>
<html>
<body>
<h2>Navigation</h2>
<ul>
<li><a href="page1.html">Content 1</a></li>
<li><a href="page2.html">Content 2</a></li>
<li><a href="page3.html">Content 3</a></li>
</ul>
</body>
</html>
```



SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

outPut.

- web page layout
- TOP Frame (navigation menu)

Conclusion: ~~navigation~~

~~Page 1~~

~~Page 2~~

~~Page 3~~

Post Practical Question:

1. What are the drawbacks of using frames in modern web development, and what alternatives exist?

~~Disadvantages of frames~~

- SCO issues
- Accessibility problem.
- Browser compatibility issues
- Security risks

~~Alternatives!~~

- CSS Layouts
- JavaScript Libraries
- Ajax
- HTML semantic elements

2. How can you handle issues related to frame security and browser compatibility?

~~Frame Security~~

- 1) use HTTPS encryption.
 - 2) set content security policy
 - 3) use sandbox attribute.
- ~~Browser compatibility~~
- 1) cross browser testing
 - 2) standard HTML + CSS
 - 3) JavaScript libraries

Signature with Date of Completion	
Marks out of 10	



SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

EXPERIMENT NO: 11

Aim: Create a webpage for online Jewellery shopping.

1. Display Menu in left frame.
2. Clicking on menu should display related webpage in right frame.
3. Keep header and footer frames to display related information.

Description:

In this exercise, a webpage is designed using frames to create a simple online jewelry shopping interface. The left frame displays the menu, and clicking on the items in the menu displays the related content in the right frame. Additionally, a header and footer are used to display additional information.

Procedure:

```
<!DOCTYPE html>
<html>
  <head>
    <title> Jewellery ShopAifice </title>
    <link rel="stylesheet" href="style.css">
  </head>
  <body>
    <div>
      <ul>
        <li><a href="#">Necklaces</a></li>
        <li><a href="#">Earrings</a></li>
        <li><a href="#">Ring</a></li>
      </ul>
      <div>
        <h2> Necklaces </h2>
        <img alt="necklaces.jpg" />
        <h2> Earrings </h2>
        <h2> Ring </h2>
      </div>
    </div>
  </body>

```



SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

• sections & styling
• header & footer
• main content with sections
• conclusion:
 - footer & copy; 2020 jewelry shop/footer
 - 1 body
 - 1 html

outPut:
This code creates a website with:
• Header with title
• Navigation menu
• Main content with sections for necklaces
• Footer with copy right information

Post Practical Question:

- How would you enhance the user experience by integrating JavaScript or CSS animations in your jewelry shopping website?

Ans: Enhance user experience on Jewelry shopping website
• Java Script
• Product mouse zoom
• 360 degree view
• Shopping cart confirmation
• CSS Animation
• Have effects, loading animation,
• Product slides

- How can you make your shopping website responsive for mobile and tablet devices?

Ans: Make your Shopping website responsive for mobile and tablet devices.

- use:
- HTML5 sleeves, media queries,
 - Bootstrap/Foundation
 - mobile first design
 - responsive images/videos, CTC.

Signature with Date of Completion	
Marks out of 10	



SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

EXPERIMENT NO: 12

Aim: Create web page for register online exam form filling process.

Description:

This practical involves creating a form for registering for an online exam. The form uses various form elements like `<input>`, `<select>`, `<textarea>`, and buttons for user input. The exercise highlights form validation, data submission, and user interaction on a webpage.

Procedure:

```
<!DOCTYPE HTML>
<html>
<head> <title> Online Exam Registration </title>
<style>
body { font-family: Arial, sans-serif; }
form { width: 50%; margin: 20px auto; border: 1px solid #ccc; padding: 10px; background-color: #f9f9f9; border-radius: 10px; }
input[type="text"], select, textarea { width: 100%; margin-bottom: 10px; border: 1px solid #ccc; padding: 5px; }
input[type="submit"] { width: 100%; border: none; background-color: #007bff; color: white; padding: 10px; border-radius: 5px; cursor: pointer; }
input[type="submit"]:hover { background-color: #0056b3; }
</style>
</head>
<body>
<h1>Online Exam Registration</h1>
<form>
<h2>Registration Form</h2>
<table>
<tr>
<td>Full Name </td>
<td><input type="text" name="name" required=""></td>
</tr>
<tr>
<td>Email ID:</td>
<td><input type="text" name="email" required=""></td>
</tr>
<tr>
<td colspan="2" style="text-align: center;">
<input type="submit" value="Register" style="width: 100%; border: none; background-color: #007bff; color: white; padding: 10px; border-radius: 5px; cursor: pointer;}>
</td>
</tr>
</table>
</form>
</body>

```



SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

Conclusion:

Q11-Q15 - P4.1

Full name _____

online examination

Email ID _____

REGISTRATION FORM

Phone number _____

PASSWORD _____

Post Practical Question:

REGISTER

1. Which HTML tag is used to create a form in a webpage?

- a) <input>
- b) <form>
- c) <register>
- d) <fieldset>

Answer: b) <form>

2. What attribute is used to specify the method of form submission in HTML?

- a) action
- b) method
- c) submit
- d) enctype

Answer:

b) method

3. Which input type would you use for a text field where users can enter their names?

- a) <input type="number">
- b) <input type="text">
- c) <input type="email">
- d) <input type="password">

Answer:

b) <input type="text">



SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

4. Which CSS property would you use to change the background color of the form?

- a) color
- b) background
- c) bgcolor
- d) background-color

Answer:

D) background-color

5. What is the purpose of the <label> tag in a form?

- a) To create a text input
- b) To provide a clickable area for form controls
- c) To define a form section
- d) To display error messages

Answer: b) TO PROVIDE A CLICKABLE AREA FOR FORM CONTROLS

6. Which CSS property is used to adjust the spacing between the form fields?

- a) margin
- b) padding
- c) border
- d) spacing

Answer: c

c) margin.

7. How can you make a field required in a form?

- a) By adding the required attribute to the input tag
- b) By using the mandatory attribute
- c) By adding required="true" in the form tag
- d) By setting the validate attribute to true

Answer:

A) by adding the required attribute to the input tag



SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

Signature with Date of Completion	
Marks out of 10	



SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

EXPERIMENT NO: 13

Aim: Create a Web page to display your resume.

1 Doctype html
<html>
<head><title>My Resume</title>
</head>
<body>
Font Family - Arial.
Tables
border: 1px solid #ccc
padding: 10px;
</style>
</head>
<body>
<h1>My Resume</h1>
<table width="80%">
<tr>
<th> colspan="2" </th>
Content in Form of <th>
<tr>
<td name="1">
<td> Smashit </td>
<td>
<td> Email </td>
<td> mail@gmail.com </td>
</td>

<td> Phone </td>
<td> 1234567890 </td>
</td>
<td>
<th colspan="2" > Education </th>
<tr>
<td> <td> University </td>
<td> Silver Oak University </td>
<td> <td> Education Date </td>
<td> 2024 </td>
<td>
<td>
<th colspan="2" > Skills </th>
<tr>
<td> <td> HTML CSS Java Python </td>
<td>
<td> <td> Tables </td>
<td> <td> Body </td>
<td>



SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

Description:

This practical involves creating a more detailed and formatted resume using HTML. Sections like personal details, education, work experience, and skills are presented using appropriate tags like `<h1>`, `<p>`, ``, and `<table>`. This showcases how HTML can be used to create professional online resumes.

Procedure:

~~Output~~
my resume
Contact Information
1 field / value
1 - 1 - 1
/ name / Vibhuti
/ Email / Vibhuti@gmail.com
/ phone / 234567890
Education
1 field / value
1 - 1 - 1
Degree / BSC (CS - IT) 21

Conclusion:

1 university / Silver Oak University
1 graduation (2021)

~~Skills~~
2 value

1 - 1 - 1

Post Practical Question: HTML, CSS, Java, Python,



SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

- What enhancements can you add to make the resume more interactive, such as using modal windows or downloadable sections?

Ans: These can enhance resume by adding interactive elements like modal windows or downloadable sections.

- Incorporate interactive elements such as downloadable sections and pd.
- Dynamic content.
- Visual Enhancements
- Downloadable formats → PDF, Word, etc.
- Social media integration for sharing portfolio.

- How would you update your resume in the future while maintaining consistency and formatting across devices?

Ans: To update resume while maintaining consistency and formatting.

- Use CSS, Frame works like Bootstrap, Tailwind CSS.
- Store on cloud storage like Google Drive.
- Test on multiple devices and browsers.
- Utilize resume builders, canvas linkedin resume.
- Update regularly to stay current.

Signature with Date of Completion	
Marks out of 10	



SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

EXPERIMENT NO: 14

Aim: Show the use of all tags and attributes of ordered list and unordered list.

Description:

In this practical, ordered and unordered lists were created using `` and `` tags. Different attributes of lists were explored, such as the `type` attribute for ordered lists (e.g., numbers, letters) and various bullet styles for unordered lists. This practical highlights how to create and style lists on a webpage.

Procedure:

use &

&

& <ol type="a">

& <ol type="i">

& <ol type="ii">

& <ol type="iii">

& <ol type="iv">

& <ol type="v">

& <ol type="vi">

Conclusion:

Output

v. Pizza

- Pepperan
- mush rooms
- Flowers
- Chocolate
- Vamila
- III Sushi
- II STACES
- I Bryogens



SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

Post Practical Question:

1. Which tag is used to create an ordered list in HTML?

- a)
- b)
- c)
- d) <list>

Answer:

(C) o D

2. What attribute can you use to specify the starting number of an ordered list?

- a) start
- b) type
- c) value
- d) number

Answer:

(a) start

3. Which of the following tags is used to define each item in a list?

- a) <item>
- b) <list-item>
- c)
- d) <element>

Answer:

(c) li's

4. What is the default bullet style for an unordered list created with the tag?

- a) Square
- b) Circle
- c) Disc
- d) None

Answer:

(c) Disc



SILVER OAK UNIVERSITY

EDUCATION TO INNOVATION

5. Which attribute can be used with the tag to change the numbering style of the list?

- a) start
- b) type
- c) style
- d) numbering

Answer:

B) type.

Signature with Date of Completion	
Marks out of 10	

Kishore