

JavaScript Array Interview Questions With Answers in 2023 - Download Free PDF!

There are many different careers that involve JavaScript which is a high-level, dynamically typed programming language that is used primarily for front-end web development. Some of the most common job roles requiring JavaScript skills include understanding numerous concepts. One of the most asked topics in **JavaScript interview questions** is Array. It is very important that candidates are well aware of the array related interview questions in JavaScript. [Testbook Skill Academy](#) has come up with some of the most common **JavaScript array interview questions**.

[Free JavaScript Course With Certificate Online - Join Now!](#)



- What you will get with SuperCoaching -

- ✓ Courses by Super Teachers
- ✓ All Exams Covered
- ✓ Daily Live Classes by Experts
- ✓ Daily Live Classes by Experts
- ✓ Practice Questions
- ✓ Quick Doubt Resolution by Experts

- Top Courses and Complete Study Material Included -

Crack **RPF Constable/SI** with India's Best Teachers & Coachings

Get 3 Months SuperCoaching @ just

~~₹1999~~ **₹325**

 **Your Total Savings ₹1674**

Purchase Now

Want to know more about this Super Coaching ?

[Explore SuperCoaching Now](#)

Concept of Array in JavaScript

Before diving deep into the array interview questions in JavaScript, let's first go through what is the use case scenario of **array in JavaScript**. So basically, in JavaScript, an array is a collection of values stored in a single variable. It is a special type of object that has numbered elements, where each element can contain any type of data, including other arrays. Arrays in JavaScript are zero-indexed, meaning that the first element has an index of 0, the second has an index of 1, and so on. They can be created using the square bracket notation or the Array constructor and can be manipulated using a variety of built-in methods such as `push()`, `pop()`, `slice()`, and `splice()`.

JavaScript Array Interview Questions in 2023

To brush up on the basics of JavaScript, we have compiled the most important JavaScript array interview questions and answers below. Go through each of the questions and get ready for the latest JavaScript.

Question 1: How do you create an empty array in JavaScript?

Answer: You can create an empty array in JavaScript using either of the following methods:

- Using array literal syntax: `let arr = [];`
- Using the `Array()` constructor: `let arr = new Array();`

Question 2: How do you access the first and last elements of an array?

Answer: You can access the first element of an array using index 0 and the last element using the index `array.length - 1`. For example:

```
let arr = [1, 2, 3, 4];
let firstElement = arr[0]; // 1
let lastElement = arr[arr.length - 1]; // 4
```

Question 3: How do you add an element to the end of an array?

Answer: You can add an element to the end of an array using the `push()` method. For example:

```
let arr = [1, 2, 3];
arr.push(4);
console.log(arr); // [1, 2, 3, 4]
```

Question 4: How do you remove the last element from an array?

Answer: You can remove the last element from an array using the `pop()` method. For example:

```
let arr = [1, 2, 3, 4];
arr.pop(4);
console.log(arr); // [1, 2, 3]
```

Question 5: How do you loop through an array in JavaScript?

Answer: You can loop through an array using either a `for` loop or a `forEach()` method. For example:

- Using a `for` loop:

```
let arr = [1, 2, 3];

for (let i = 0; i < arr.length; i++) {

  console.log(arr[i]);

}
```

- Using the `forEach()` method:

```
let arr = [1, 2, 3];

arr.forEach(function(element) {

  console.log(element);

})
```

```
});
```

Question 6: How do you check if an element exists in an array?

Answer: You can check if an element exists in an array using the `indexOf()` method. If the element is not found, `indexOf()` returns -1. For example:

```
let arr = [1, 2, 3];

if (arr.indexOf(2) !== -1) {

  console.log('Element found');

} else {

  console.log('Element not found');

}
```

Question 7: How do you remove an element from an array at a specific index?

Answer: You can remove an element from an array at a specific index using the `splice()` method. For example, to remove the element at index 2:

```
let arr = [1, 2, 3];

arr.splice(2, 1);

console.log(arr); // [1, 2]
```

Question 8: How do you concatenate two arrays in JavaScript?

Answer: You can concatenate two arrays using the `concat()` method. For example:

```
let arr1 = [1, 2];

let arr2 = [3, 4];

let newArr = arr1.concat(arr2);

console.log(newArr); // [1, 2, 3, 4]
```

After these basic JavaScript array interview questions, below we have provided some **array interview questions in JavaScript for experienced** candidates.

Flatten Array JavaScript Interview Questions With Answers

In this section of JS interview questions now is time for some of the top flatten array JavaScript interview questions. Check JavaScript interview questions on the flattened array below.

Question 1: Write a function to flatten a nested array in JavaScript.

Answer:

```
function flattenArray(arr) {

  return arr.reduce(function(flat, toFlatten) {

    return flat.concat(Array.isArray(toFlatten) ? flattenArray(toFlatten) : toFlatten);

  }, []);

}
```

```
} , []);
```

```
}
```

Question 2: What does the reduce() method do in the flattenArray() function above?

Answer: The reduce() method in JavaScript takes an array and applies a function to each element, accumulating the result into a single value. In the flattenArray() function above, the reduce() method is used to concatenate the current element (either a flattened sub-array or a non-array value) to the flattened array so far.

Question 3: Can you give an example of a nested array that the flattenArray() function would be able to flatten?

Answer 3: Sure! Here's an example of a nested array that the flattenArray() function would be able to flatten:

```
var nestedArray = [1, [2, [3, 4], 5], 6];
```

```
flattenArray(nestedArray); // returns [1, 2, 3, 4, 5, 6]
```

Question 4: Can you explain how the flat() method can be used to flatten an array in JavaScript?

Answer: The flat() method is a built-in method in JavaScript that can be used to flatten an array. It takes a depth parameter, which specifies how many levels of nested arrays should be flattened. If no depth parameter is provided, it defaults to 1. Here's an example usage:

```
var nestedArray = [1, [2, [3, 4], 5], 6];
```

```
nestedArray.flat(2); // returns [1, 2, 3, 4, 5, 6]
```

Question 5: What are some potential issues to watch out for when flattening arrays in JavaScript?

Answer: One potential issue to watch out for is the risk of creating a very large flattened array, which could lead to performance issues or memory errors. Another issue to be aware of is the possibility of circular references in nested arrays, which could cause infinite recursion if not handled properly. Finally, different flattening methods (e.g. using reduce() vs. using flat()) may have different performance characteristics, so it's important to choose the method that's most appropriate for your use case.

JavaScript Array Manipulation Interview Questions With Answers

JavaScript Array Manipulation refers to the process of changing the content of an array in JavaScript. Among the **JavaScript array coding interview questions**, this topic is given extra importance.

Question 1: What is the difference between .map() and .forEach()?

Answer:

.map() and .forEach() are both array methods that allow you to loop through an array, but they differ in what they return.

- .map() returns a new array with the same length as the original array, where each element is the result of applying a callback function to the original element.
- .forEach() does not return anything, but it simply executes a callback function on each element of the array.

Example:

```
const numbers = [1, 2, 3, 4, 5];
```

```
const doubledNumbers = numbers.map(num => num * 2);  
  
console.log(doubledNumbers); // [2, 4, 6, 8, 10]  
  
numbers.forEach(num => console.log(num * 2)); // 2, 4, 6, 8, 10
```

Question 2: How do you remove an element from an array in JavaScript?

Answer: You can remove an element from an array using the `.splice()` method. This method modifies the original array by removing or replacing existing elements and/or adding new elements.

Example:

```
const fruits = ['apple', 'banana', 'orange', 'mango'];  
  
// remove 'orange'  
  
fruits.splice(2, 1);  
  
console.log(fruits); // ['apple', 'banana', 'mango']
```

In this example, we use the `.splice()` method to remove the third element (index 2) in the `fruits` array.

Question 3: What is the difference between `.filter()` and `.find()`?

Answer: Both `.filter()` and `.find()` are array methods that allow you to search for elements in an array that meet certain criteria.

- `.filter()` returns a new array with all elements that pass a certain test provided by a callback function.
- `.find()` returns the value of the first element in the array that passes a certain test provided by a callback function.

Example:

```
const numbers = [1, 2, 3, 4, 5];  
  
const evenNumbers = numbers.filter(num => num % 2 === 0);  
  
console.log(evenNumbers); // [2, 4]  
  
const firstEvenNumber = numbers.find(num => num % 2 === 0);  
  
console.log(firstEvenNumber); // 2
```

In this example, we use the `.filter()` method to create a new array with only the even numbers in the `numbers` array. We use the `.find()` method to return the first even number in the `numbers` array.

Question 4: How do you sort an array in JavaScript?

Answer: You can sort an array using the `.sort()` method. This method modifies the original array by sorting its elements in place.

Example:

```
const fruits = ['banana', 'apple', 'orange', 'mango'];  
  
fruits.sort();  
  
console.log(fruits); // ['apple', 'banana', 'mango', 'orange']
```

In this example, we use the `.sort()` method to sort the `fruits` array in alphabetical order.

Question 5: How do you flatten a nested array in JavaScript?

You can flatten a nested array (i.e. an array that contains other arrays as elements) using the `.flat()` method. This method returns a new array with all sub-array elements concatenated into it recursively up to the specified depth.

Example:

```
const numbers = [1, 2, [3, 4], [5, [6, 7]]];  
  
const flattenedNumbers = numbers.flat(2);  
  
console.log(flattenedNumbers); // [1, 2, 3, 4,
```

We hope you found this article on JavaScript Array interview questions informative and helpful. To gain a complete understanding of the domain you can join the web development online course offered by Testbook Skill Academy. To learn more about the web development tools for free download [Testbook Skill Academy App](#) Now!

[Report An Error](#)



The image shows a promotional banner for the Testbook app. On the left, a smartphone displays the app's interface, which includes a 'Select Your Target Exam' section with buttons for 'SBI Clerk Mains', 'SBI PO', 'UPSC NDA', 'UPSC PCS Prelims', 'SSC CHSL Tier II (2019)', 'UDC NET', 'UPSC Civil Services', and 'CTET'. Below this is a search bar with the text 'Search for exams like "IBPS PO"'. The banner itself has a dark blue background. The Testbook logo is in the top left. The main heading is 'The Complete Exam Preparation Platform'. Below this, three boxes highlight features: 'Free 20000+ Practice Questions', '15000+ MockTest & Quizzes', and 'Free 2000+ Video Lessons & PDF Notes'. A large green button labeled 'START LEARNING' is in the center. On the right, text says 'Trusted by 1.5 Crore Students' and 'Download the App From', followed by a 'GET IT ON Google Play' button.