ITBDataProcess

May 22, 2021

0.0.1 Import some jupyter spesific modules

```
[1]: %load_ext autoreload
     %autoreload 2
     #%matplotlib notebook

     from jupyterthemes import jtplot
     jtplot.style(theme='grade3')
```

0.0.2 Import some necessary modules

```
[2]: import numpy as np

     from matplotlib import cm
     import matplotlib.pyplot as plt
     import matplotlib.ticker as mticker
     from mpl_toolkits.mplot3d import Axes3D
```

0.0.3 Import data from Data Pool Class

```
[3]: from itb_data_pool import ITBDataPool
     datpol = ITBDataPool()

     print((' '.join(datpol.All_Vars[0:2]).replace('self.', '')))
     print((' '.join(datpol.All_Vars[2:6]).replace('self.', '')))
     print('\n')
     print((' '.join(datpol.All_Vars[6:9]).replace('self.', '')))
     print('\n')
     print((' '.join(datpol.All_Vars[9:13]).replace('self.', '')))
     print((' '.join(datpol.All_Vars[13:17]).replace('self.', '')))
     print('\n')
     print((' '.join(datpol.All_Vars[17:21]).replace('self.', '')))
     print((' '.join(datpol.All_Vars[21:25]).replace('self.', '')))
     print('\n')
     print((' '.join(datpol.All_Vars[25:29]).replace('self.', '')))
     print((' '.join(datpol.All_Vars[29:33]).replace('self.', '')))
```

```
NoUnitNoHP_Second NoUnitNoHP_Data
```

```
NoUnitMiniso_Second NoUnitMiniso_Data NoUnitBose_Second NoUnitBose_Data


Ukur_Freq Ukur_OutUp Ukur_OutDown


Day1_Bose1_Up Day1_Bose1_Down Day1_Bose2_Up Day1_Bose2_Down
Day1_Miniso1_Up Day1_Miniso1_Down Day1_Miniso2_Up Day1_Miniso2_Down


Day2_Bose1_Up Day2_Bose1_Down Day2_Bose2_Up Day2_Bose2_Down
Day2_Miniso1_Up Day2_Miniso1_Down Day2_Miniso2_Up Day2_Miniso2_Down


Day3_Bose1_Up Day3_Bose1_Down Day3_Bose2_Up Day3_Bose2_Down
Day3_Miniso1_Up Day3_Miniso1_Down Day3_Miniso2_Up Day3_Miniso2_Down
```

0.0.4 Plot 3D in dB [SPL] function

```python
[4]: def PlotSPL3D(xlabel, ydata, zdata):
         Xlabel = xlabel
         Xtick = np.arange(len(Xlabel))
         X = Xtick
         Y = ydata
         Z = zdata

         X, Y = np.meshgrid(X,Y)

         fig = plt.figure(figsize=(8,5), dpi= 100, facecolor='w', edgecolor='k')
         ax = plt.axes(projection='3d')
         surf = ax.plot_surface(X, Y, Z, cmap=cm.coolwarm)
         ax.set_xticks(Xtick.tolist())
         ax.set_xticklabels(Xlabel,rotation=90)
         #ax.set_xlabel('Frequency')
         ax.set_ylabel('Seconds')
         #ax.set_zlabel('dB [SPL]')
         ax.set_zlim(0,110)
         fig.colorbar(surf, shrink=0.3, aspect=5)
         plt.show()
```

0.0.5 Plot point in dB [SPL]

```python
[5]: def PlotSPLPoint(xdata,ydata,judul='grafik'):
         fig = plt.figure(figsize=(5,5), dpi= 100, facecolor='w', edgecolor='k')
         plt.plot(xdata, ydata, '-o', label=judul)
         plt.xticks(xdata)
         plt.xlabel('Out Scale')
```

```
plt.ylabel('SPL (dB)')
plt.ylim(0, 110)
plt.legend(loc='best')
plt.show()
```

0.0.6 Plot point each frequency in dB [SPL]

```
[6]: def PlotSPLEachFreq(array_in,judul='grafik'):
         fig, axs = plt.subplots(3,2,figsize=(12,6))
         axs[0, 0].plot(datpol.Ukur_OutUp, array_in[0,:])
         axs[0, 0].set_title("250 Hz")
         axs[1, 0].plot(datpol.Ukur_OutUp, array_in[1,:])
         axs[1, 0].set_title("500 Hz")
         axs[2, 0].plot(datpol.Ukur_OutUp, array_in[2,:])
         axs[2, 0].set_title("1000 Hz")
         axs[0, 1].plot(datpol.Ukur_OutUp, array_in[3,:])
         axs[0, 1].set_title("2000 Hz")
         axs[1, 1].plot(datpol.Ukur_OutUp, array_in[4,:])
         axs[1, 1].set_title("4000 Hz")
         axs[2, 1].plot(datpol.Ukur_OutUp, array_in[5,:])
         axs[2, 1].set_title("8000 Hz")
         fig.tight_layout()
         plt.show()
```

0.0.7 Plot 2 groups of data

```
[7]: def PlotSPLGroup(xdata, y0a, y0b, y0c, label0, y1a, y1b, y1c, label1, yrange):
         fig = plt.figure(figsize=(12,4), dpi= 100, facecolor='w', edgecolor='k')

         plt.plot(xdata, y0a, '-ro', label=label0)
         plt.plot(xdata, y0b, '-ro')
         plt.plot(xdata, y0b, '-ro')

         plt.plot(xdata, y1a, '-bo', label=label1)
         plt.plot(xdata, y1b, '-bo')
         plt.plot(xdata, y1b, '-bo')

         plt.xticks(datpol.Ukur_Freq)
         plt.xlabel('freq Hz')
         plt.ylabel('SPL (dB)')
         plt.ylim(yrange[0], yrange[1])
         plt.legend(loc='lower right')
         plt.show()
```

0.0.8 Average Output

```
[8]: def Array3Avg(array_in):
         array_out = (array_in[0] + array_in[1] + array_in[2])/3
         return np.around(array_out,1)
```

0.0.9 Estimasi model setiap frekuensi

```
[9]: def FreqEstim(array_in):
         c0 = np.polyfit(datpol.Ukur_OutUp, array_in[0,:], deg=3)
         print(250,np.around(c0,2))
         c1 = np.polyfit(datpol.Ukur_OutUp, array_in[1,:], deg=3)
         print(500,np.around(c1,2))
         c2 = np.polyfit(datpol.Ukur_OutUp, array_in[2,:], deg=3)
         print(1000,np.around(c2,2))
         c3 = np.polyfit(datpol.Ukur_OutUp, array_in[3,:], deg=3)
         print(2000,np.around(c3,2))
         c4 = np.polyfit(datpol.Ukur_OutUp, array_in[4,:], deg=3)
         print(4000,np.around(c4,2))
         c5 = np.polyfit(datpol.Ukur_OutUp, array_in[5,:], deg=3)
         print(8000,np.around(c5,2))

         model = np.around(np.array([c0,c1,c2,c3,c4,c5]),2)

         return model
```

0.0.10 Histeresis Calculation

Hitung standar deviasi setiap elemen matrix dalam satu hari pengukuran

```
[10]: def HistCalc(array_in_up, array_in_down):
          array_in_down = array_in_down[:,:,::-1]
          array_out = np.zeros((6,9))

          for j in range(6):
              for i in range(9):
                  array_elm = np.array([array_in_up[0,j,i], array_in_down[0,j,i],
                                        array_in_up[1,j,i], array_in_down[1,j,i],
                                        array_in_up[2,j,i], array_in_down[2,j,i]])

                  array_stdev = np.std(array_elm)
                  array_out[j,i] = np.around(array_stdev,1)

          return array_out
```

0.0.11 Ground Data Tanpa Prototype and Tanpa Headphone

Showing only Left channel since can represent of Right channel

Komentar Jika satuan data adalah dB [SPL], maka data dasar mencapai di atas 40 dB akan terasa aneh untuk suatu *un-echoic chamber*, kecuali ada pengaturan tertentu dan pembobotan khusus yang perlu dikonfirmasi kembali.

```
[11]: PlotSPL3D(
         datpol.Octave_FreqStr[0::2], #Take Left Only
         datpol.NoUnitNoHP_Second,
         datpol.NoUnitNoHP_Data[:,0::2]) #Take Left Only
```


0.0.12 Ground Data Headphone Miniso tanpa Prototype

```
[12]: PlotSPL3D(
         datpol.Octave_FreqStr[0::2], #Take Left Only
         datpol.NoUnitMiniso_Second,
         datpol.NoUnitMiniso_Data[:,0::2]) #Take Left Only
```

0.0.13 Ground Data Headphone BOSE tanpa Prototype

```
[13]: PlotSPL3D(
          datpol.Octave_FreqStr[0::2], #Take Left Only
          datpol.NoUnitBose_Second,
          datpol.NoUnitBose_Data[:,0::2]) #Take Left Only
```

```
[14]: PlotSPLGroup(datpol.Ukur_Freq, datpol.Day1_Bose1_Up[0,:,0], datpol.
      ↪Day1_Bose1_Up[1,:,0], datpol.Day1_Bose1_Up[2,:,0], 'Bose',
                datpol.NoUnitBose_Data[2,8:20:2], datpol.NoUnitBose_Data[4,8:20:
      ↪2], datpol.NoUnitBose_Data[6,8:20:2], 'Latar', [15,45])
```

```
[15]: PlotSPLGroup(datpol.Ukur_Freq, datpol.Day1_Bose2_Up[0,:,0], datpol.
      →Day1_Bose2_Up[1,:,0], datpol.Day1_Bose2_Up[2,:,0], 'Bose',
              datpol.NoUnitBose_Data[2,8:20:2], datpol.NoUnitBose_Data[4,8:20:
      →2], datpol.NoUnitBose_Data[6,8:20:2], 'Latar', [15,45])
```



```
[16]: PlotSPLGroup(datpol.Ukur_Freq, datpol.Day1_Miniso1_Up[0,:,0], datpol.
      →Day1_Miniso1_Up[1,:,0], datpol.Day1_Miniso1_Up[2,:,0], 'Miniso',
              datpol.NoUnitMiniso_Data[2,8:20:2], datpol.NoUnitMiniso_Data[4,8:20:
      →2], datpol.NoUnitMiniso_Data[6,8:20:2], 'Latar', [30, 50])
```



```
[17]: PlotSPLGroup(datpol.Ukur_Freq, datpol.Day1_Miniso2_Up[0,:,0], datpol.
      →Day1_Miniso2_Up[1,:,0], datpol.Day1_Miniso2_Up[2,:,0], 'Miniso',
              datpol.NoUnitMiniso_Data[2,8:20:2], datpol.NoUnitMiniso_Data[4,8:20:
      →2], datpol.NoUnitMiniso_Data[6,8:20:2], 'Latar', [30, 50])
```

```
[18]: PlotSPLGroup(datpol.Ukur_Freq, datpol.Day1_Miniso1_Up[0,:,0], datpol.
      →Day1_Miniso1_Up[1,:,0], datpol.Day1_Miniso1_Up[2,:,0], 'Miniso',
              datpol.Day1_Bose1_Up[0,:,0], datpol.Day1_Bose1_Up[1,:,0], datpol.
      →Day1_Bose1_Up[2,:,0], 'Bose', [30,50])
```


0.0.14 Average Array Bose

Prototype Unit 1

```
[19]: avg_bose_u1_up = (Array3Avg(datpol.Day1_Bose1_Up) +
                        Array3Avg(datpol.Day2_Bose1_Up) +
                        Array3Avg(datpol.Day3_Bose1_Up))/3
      avg_bose_u1_up = np.around(avg_bose_u1_up,1)

      avg_bose_u1_down = (Array3Avg(datpol.Day1_Bose1_Down) +
                          Array3Avg(datpol.Day2_Bose1_Down) +
                          Array3Avg(datpol.Day3_Bose1_Down))/3
      avg_bose_u1_down = np.around(avg_bose_u1_down,1)
```

9

```
avg_bose_u1 = (avg_bose_u1_up + avg_bose_u1_down[:,::-1])/2
avg_bose_u1 = np.around(avg_bose_u1,1)
print(avg_bose_u1)
```

```
[[34.9 36.4 40.  44.6 52.  56.1 62.1 68.2 74.2]
 [35.3 37.4 41.4 46.6 52.2 58.2 64.2 70.3 76.4]
 [39.2 42.4 47.  52.5 58.3 64.3 70.3 76.4 82.4]
 [36.8 38.2 41.2 45.8 51.2 57.2 63.2 69.3 75.3]
 [41.4 44.  48.2 53.4 59.2 65.1 71.2 77.2 83.2]
 [42.  43.1 45.9 50.2 55.7 61.5 67.5 73.5 79.6]]
```

Plot grafik setiap frekuensi

[20]:
```
PlotSPLEachFreq(avg_bose_u1, "Prototype A")
```


Estimasi model polynomial

[21]:
```
bose_u1 = FreqEstim(avg_bose_u1)
```

```
250 [-0.05  1.03 -0.59 34.21]
500 [-0.05  0.93  0.09 34.15]
1000 [-0.04  0.69  1.72 36.69]
2000 [-0.06  1.15 -1.58 37.22]
4000 [-0.04  0.85  0.68 39.78]
8000 [-0.06  1.2  -1.99 42.79]
```

Prototype Unit 2

[22]:
```
avg_bose_u2_up = (Array3Avg(datpol.Day1_Bose2_Up) +
                  Array3Avg(datpol.Day2_Bose2_Up) +
                  Array3Avg(datpol.Day3_Bose2_Up))/3
```

```
avg_bose_u2_up = np.around(avg_bose_u2_up,1)

avg_bose_u2_down = (Array3Avg(datpol.Day1_Bose2_Down) +
                    Array3Avg(datpol.Day2_Bose2_Down) +
                    Array3Avg(datpol.Day3_Bose2_Down))/3
avg_bose_u2_down = np.around(avg_bose_u2_down,1)

avg_bose_u2 = (avg_bose_u2_up + avg_bose_u2_down[:,::-1])/2
avg_bose_u2 = np.around(avg_bose_u2,1)
print(avg_bose_u2)
```

```
[[34.8 36.  39.8 44.6 49.9 55.8 61.9 68.  74. ]
 [35.2 37.2 41.2 46.4 52.  58.  64.1 70.2 76.2]
 [38.9 42.1 46.8 52.2 58.  64.  70.1 76.1 82.1]
 [36.7 38.  41.  45.5 51.  56.9 63.  69.  75.1]
 [41.3 43.8 47.9 53.2 59.  64.9 70.9 77.  83. ]
 [41.8 43.  45.6 49.8 55.2 61.  67.  73.  79. ]]
```

[23]: `PlotSPLEachFreq(avg_bose_u2, "Prototype B")`

[24]: `bose_u2 = FreqEstim(avg_bose_u2)`

```
250  [-0.05  1.08 -1.    34.56]
500  [-0.05  0.98 -0.12 34.21]
1000 [-0.04  0.69  1.74 36.38]
2000 [-0.06  1.17 -1.69 37.21]
4000 [-0.04  0.87  0.55 39.77]
8000 [-0.06  1.19 -2.06 42.73]
```

Selisih Matrix Unit 1 dan Unit 2

11

```
[25]: bose_u1 - bose_u2
```

```
[25]: array([[ 0.  , -0.05,  0.41, -0.35],
             [ 0.  , -0.05,  0.21, -0.06],
             [ 0.  ,  0.  , -0.02,  0.31],
             [ 0.  , -0.02,  0.11,  0.01],
             [ 0.  , -0.02,  0.13,  0.01],
             [ 0.  ,  0.01,  0.07,  0.06]])
```

0.0.15 Efek histeresis

```
[26]: stdev_u1_d1 = HistCalc(datpol.Day1_Bose1_Up,datpol.Day1_Bose1_Down)
      print(stdev_u1_d1)
```

```
[[ 0.2  0.3  0.2  0.2 11.8  0.1  0.1  0.   0.1]
 [ 0.2  0.   0.2  0.1  0.   0.   0.   0.1  0. ]
 [ 0.1  0.1  0.   0.   0.   0.   0.   0.   0. ]
 [ 0.   0.   0.1  0.1  0.1  0.   0.   0.   0. ]
 [ 0.1  0.1  0.1  0.   0.   0.   0.   0.   0. ]
 [ 0.1  0.1  0.1  0.1  0.   0.   0.   0.   0. ]]
```

```
[27]: stdev_u1_d2 = HistCalc(datpol.Day2_Bose1_Up,datpol.Day2_Bose1_Down)
      print(stdev_u1_d2)
```

```
[[0.1 0.1 0.2 0.1 0.1 0.  0.  0.  0. ]
 [0.1 0.1 0.1 0.1 0.1 0.  0.  0.  0. ]
 [0.1 0.1 0.  0.  0.  0.  0.  0.  0. ]
 [0.1 0.1 0.1 0.1 0.  0.  0.  0.  0. ]
 [0.1 0.1 0.1 0.  0.  0.  0.  0.  0. ]
 [0.1 0.1 0.1 0.1 0.  0.  0.  0.  0. ]]
```

```
[28]: stdev_u1_d3 = HistCalc(datpol.Day3_Bose1_Up,datpol.Day3_Bose1_Down)
      print(stdev_u1_d3)
```

```
[[0.1 0.2 0.2 0.1 0.2 0.  0.  0.  0. ]
 [0.2 0.1 0.1 0.1 0.1 0.1 0.  0.  0. ]
 [0.1 0.1 0.1 0.  0.  0.  0.  0.  0. ]
 [0.1 0.1 0.1 0.1 0.  0.  0.  0.  0. ]
 [0.2 0.1 0.1 0.  0.  0.  0.  0.  0. ]
 [0.1 0.  0.1 0.  0.1 0.  0.  0.  0. ]]
```

```
[29]: stdev_u2_d1 = HistCalc(datpol.Day1_Bose2_Up,datpol.Day1_Bose2_Down)
      print(stdev_u2_d1)
```

```
[[0.3 0.1 0.2 0.1 0.1 0.1 0.  0.  0. ]
 [0.2 0.1 0.1 0.1 0.1 0.  0.  0.1 0. ]
 [0.1 0.1 0.1 0.1 0.  0.  0.  0.  0. ]
 [0.1 0.1 0.1 0.  0.1 0.  0.  0.  0. ]
 [0.1 0.1 0.1 0.  0.  0.  0.  0.  0. ]
 [0.1 0.1 0.1 0.1 0.  0.  0.  0.  0. ]]
```

```
[30]: stdev_u2_d2 = HistCalc(datpol.Day2_Bose2_Up,datpol.Day2_Bose2_Down)
      print(stdev_u2_d2)
```

```
[[0.1 0.2 0.2 0.2 0.1 0.1 0.  0.1 0.1]
 [0.2 0.1 0.1 0.1 0.1 0.  0.  0.  0. ]
 [0.1 0.1 0.1 0.1 0.  0.  0.  0.  0. ]
 [0.1 0.1 0.1 0.1 0.1 0.  1.1 0.  0. ]
 [0.1 0.1 0.1 0.1 0.  0.  0.  0.  0. ]
 [0.1 0.1 0.1 0.1 0.  0.  0.  0.  0. ]]
```

```
[31]: stdev_u2_d3 = HistCalc(datpol.Day3_Bose2_Up,datpol.Day3_Bose2_Down)
      print(stdev_u2_d3)
```

```
[[0.1 0.2 0.1 0.1 0.1 0.1 0.1 0.  0. ]
 [0.  0.4 0.2 0.2 0.  0.  0.  0.  0. ]
 [0.2 0.1 0.  0.  0.1 0.  0.  0.  0. ]
 [0.1 0.1 0.  0.1 0.  0.  0.  0.  0. ]
 [0.1 0.1 0.1 0.  0.  0.  0.  0.  0. ]
 [0.1 0.1 0.  0.  0.  0.  0.  0.  0. ]]
```

```
[ ]:
```