# RANDOM FOREST FOR MOBILE

# In [6]:

```
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns
```

# In [7]:

test\_df=pd.read\_csv(r"C:\Users\RAkesh\Downloads\Mobile\_Price\_Classification\_test.csv
test\_df

## Out[7]:

blue	clock_speed	dual_sim	fc	four_g	int_memory	m_dep	mobile_wt	 рс	px_height	px_width
1	1.8	1	14	0	5	0.1	193	 16	226	1412
1	0.5	1	4	1	61	0.8	191	 12	746	857
1	2.8	0	1	0	27	0.9	186	 4	1270	1366
0	0.5	1	18	1	25	0.5	96	 20	295	1752
0	1.4	0	11	1	49	0.5	108	 18	749	810
1	1.9	0	0	1	54	0.5	170	 17	644	913
0	1.8	1	0	0	13	0.9	186	 2	1152	1632
0	1.4	0	1	1	8	0.5	80	 12	477	825
1	0.5	1	0	0	50	0.4	171	 12	38	832
1	0.5	0	4	1	35	0.1	140	 19	457	608
4							_			•
4										)

## In [38]:

train\_df=pd.read\_csv(r"C:\Users\RAMADEVI SURIPAKA\Downloads\Mobile\_Price\_Classification\_train.organized

# Out[38]:

	battery_power	blue	clock_speed	dual_sim	fc	four_g	int_memory	m_dep	mobile_wt	n_cc
0	842	0	2.2	0	1	0	7	0.6	188	
1	1021	1	0.5	1	0	1	53	0.7	136	
2	563	1	0.5	1	2	1	41	0.9	145	
3	615	1	2.5	0	0	0	10	0.8	131	
4	1821	1	1.2	0	13	1	44	0.6	141	
1995	794	1	0.5	1	0	1	2	0.8	106	
1996	1965	1	2.6	1	0	0	39	0.2	187	
1997	1911	0	0.9	1	1	1	36	0.7	108	
1998	1512	0	0.9	0	4	1	46	0.1	145	
1999	510	1	2.0	1	5	1	45	0.9	168	

2000 rows × 21 columns

In [9]:

train\_df.info()

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 2000 entries, 0 to 1999
Data columns (total 21 columns):

Jaca	columns (total	ZI COIUMINS):	
#	Column	Non-Null Count	Dtype
0	battery_power	2000 non-null	int64
1	blue	2000 non-null	int64
2	clock_speed	2000 non-null	float64
3	dual_sim	2000 non-null	int64
4	fc	2000 non-null	int64
5	four_g	2000 non-null	int64
6	int_memory	2000 non-null	int64
7	m_dep	2000 non-null	float64
8	mobile_wt	2000 non-null	int64
9	n_cores	2000 non-null	int64
10	рс	2000 non-null	int64
11	px_height	2000 non-null	int64
12	px_width	2000 non-null	int64
13	ram	2000 non-null	int64
14	sc_h	2000 non-null	int64
15	SC_W	2000 non-null	int64
16	talk_time	2000 non-null	int64
17	three_g	2000 non-null	int64
18	touch_screen	2000 non-null	int64
19	wifi	2000 non-null	int64
20	price_range	2000 non-null	int64
dtype	es: float64(2),	int64(19)	
-	200.0		

memory usage: 328.2 KB

```
In [10]:
```

```
test_df.info()
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 1000 entries, 0 to 999
Data columns (total 21 columns):
 #
     Column
                    Non-Null Count
                                     Dtype
     _____
                    -----
---
                                     ____
 0
     id
                    1000 non-null
                                     int64
 1
                    1000 non-null
     battery_power
                                     int64
 2
                    1000 non-null
                                     int64
 3
     clock_speed
                    1000 non-null
                                     float64
 4
                    1000 non-null
     dual_sim
                                     int64
 5
     fc
                    1000 non-null
                                     int64
 6
                    1000 non-null
                                     int64
     four_g
 7
                    1000 non-null
     int memory
                                     int64
 8
                    1000 non-null
     m dep
                                     float64
 9
                    1000 non-null
     mobile_wt
                                     int64
 10
     n_cores
                    1000 non-null
                                     int64
                    1000 non-null
 11
     рс
                                     int64
 12
     px_height
                    1000 non-null
                                     int64
 13
                    1000 non-null
                                     int64
     px_width
                    1000 non-null
 14
                                     int64
    ram
 15
     sc h
                    1000 non-null
                                     int64
 16 sc_w
                    1000 non-null
                                     int64
 17 talk_time
                    1000 non-null
                                     int64
    three_g
                    1000 non-null
 18
                                     int64
 19
                    1000 non-null
                                     int64
    touch_screen
                    1000 non-null
 20 wifi
                                     int64
dtypes: float64(2), int64(19)
memory usage: 164.2 KB
In [11]:
x=train_df.drop('ram',axis=1)
y=train_df['ram']
In [12]:
x=test_df.drop('ram',axis=1)
y=test_df['ram']
In [13]:
train_df['dual_sim'].value_counts()
Out[13]:
dual sim
     1019
0
      981
Name: count, dtype: int64
```

# In [14]:

```
test_df['dual_sim'].value_counts()
```

# Out[14]:

dual\_sim
1 517
0 483

Name: count, dtype: int64

# In [39]:

```
T={"three_g":{'Yes':1,'No':0}}
train_df=train_df.replace(T)
train_df
```

# Out[39]:

dual_sim	fc	four_g	int_memory	m_dep	mobile_wt	n_cores	 px_height	px_width	ram	sc_h
0	1	0	7	0.6	188	2	 20	756	2549	9
1	0	1	53	0.7	136	3	 905	1988	2631	17
1	2	1	41	0.9	145	5	 1263	1716	2603	11
0	0	0	10	0.8	131	6	 1216	1786	2769	16
0	13	1	44	0.6	141	2	 1208	1212	1411	8
1	0	1	2	0.8	106	6	 1222	1890	668	13
1	0	0	39	0.2	187	4	 915	1965	2032	11
1	1	1	36	0.7	108	8	 868	1632	3057	9
0	4	1	46	0.1	145	5	 336	670	869	18
1	5	1	45	0.9	168	6	 483	754	3919	19

localhost:8888/notebooks/Downloads/mobile using random forest.ipynb

# In [40]:

```
T={"three_g":{'Yes':1,'No':0}}
test_df=test_df.replace(T)
test_df
```

# Out[40]:

blue	clock_speed	dual_sim	fc	four_g	int_memory	m_dep	mobile_wt	 рс	px_height	px_width
1	1.8	1	14	0	5	0.1	193	 16	226	1412
1	0.5	1	4	1	61	0.8	191	 12	746	857
1	2.8	0	1	0	27	0.9	186	 4	1270	1366
0	0.5	1	18	1	25	0.5	96	 20	295	1752
0	1.4	0	11	1	49	0.5	108	 18	749	810
1	1.9	0	0	1	54	0.5	170	 17	644	913
0	1.8	1	0	0	13	0.9	186	 2	1152	1632
0	1.4	0	1	1	8	0.5	80	 12	477	825
1	0.5	1	0	0	50	0.4	171	 12	38	832
1	0.5	0	4	1	35	0.1	140	 19	457	608

# In [91]:

```
x=train_df.drop('touch_screen',axis=1)
y=train_df['touch_screen']
train_df
```

# Out[91]:

	battery_power	blue	clock_speed	dual_sim	fc	four_g	int_memory	m_dep	mobile_wt	n_cc
0	842	0	2.2	0	1	0	7	0.6	188	
1	1021	1	0.5	1	0	1	53	0.7	136	
2	563	1	0.5	1	2	1	41	0.9	145	
3	615	1	2.5	0	0	0	10	0.8	131	
4	1821	1	1.2	0	13	1	44	0.6	141	
		•••								
1995	794	1	0.5	1	0	1	2	0.8	106	
1996	1965	1	2.6	1	0	0	39	0.2	187	
1997	1911	0	0.9	1	1	1	36	0.7	108	
1998	1512	0	0.9	0	4	1	46	0.1	145	
1999	510	1	2.0	1	5	1	45	0.9	168	

2000 rows × 21 columns

•

```
In [93]:
```

```
x=test_df.drop('touch_screen',axis=1)
y=test_df['touch_screen']
```

#### In [94]:

```
from sklearn.model_selection import train_test_split
x_train,x_test,y_train,y_test=train_test_split(x,y,train_size=0.7,random_state=42)
x_train.shape,x_test.shape
```

## Out[94]:

```
((700, 20), (300, 20))
```

### In [95]:

```
from sklearn.ensemble import RandomForestClassifier
rfc=RandomForestClassifier()
rfc.fit(x_train,y_train)
```

#### Out[95]:

```
r RandomForestClassifier
RandomForestClassifier()
```

### In [96]:

```
rf=RandomForestClassifier()
```

#### In [97]:

## In [98]:

```
from sklearn.model_selection import GridSearchCV
grid_search=GridSearchCV(estimator=rf,param_grid=params,cv=2,scoring='accuracy')
grid_search.fit(x_train,y_train)
```

#### Out[98]:

```
► GridSearchCV

► estimator: RandomForestClassifier

► RandomForestClassifier
```

### In [99]:

```
grid_search.best_score_
```

### Out[99]:

#### 0.5171428571428571

#### In [100]:

```
rf_best=grid_search.best_estimator_
print(rf_best)
```

RandomForestClassifier(max\_depth=2, min\_samples\_leaf=50, n\_estimators=10)

### In [101]:

```
from sklearn.tree import plot_tree
plt.figure(figsize=(80,40))
plot_tree(rf_best.estimators_[5],feature_names=x.columns,class_names=['Yes','No'],filled=True)
```

id <= 117.5 gini = 0.5 samples = 439 value = [360, 340] class = Yes

gini = 0.465 samples = 50 value = [48, 28] class = Yes battery\_power <= 1181.5 gini = 0.5 samples = 389 value = [312, 312] class = Yes

gini = 0.497 samples = 181 value = [159, 136] class = Yes

gini = 0.498 samples = 208 value = [153, 176] class = No

### In [102]:

```
from sklearn.tree import plot_tree
plt.figure(figsize=(80,40))
plot_tree(rf_best.estimators_[7],feature_names=x.columns,class_names=['Yes','No'],filled=True)
```

id <= 119.0 gini = 0.5 samples = 451 value = [342, 358] class = No

gini = 0.484 samples = 55 value = [49, 34] class = Yes sc\_w <= 7.5 gini = 0.499 samples = 396 value = [293, 324] class = No

gini = 0.484 samples = 275 value = [178, 255] class = No gini = 0.469 samples = 121 value = [115, 69] class = Yes

# In [106]:

```
rf_best.feature_importances_
```

### Out[106]:

```
array([0.11987777, 0.07440228, 0.
      0.1303988 , 0.00580689, 0.03909404, 0.
                                                   , 0.02121682,
                , 0.06259255, 0.09687229, 0.07520894, 0.13973031,
      0.01461708, 0.08582806, 0.13435419, 0.
                                              , 0.
                                                               ])
```

# In [107]:

```
imp_df=pd.DataFrame({'Varname':x_train.columns,"Imp":rf_best.feature_importances_})
imp_df.sort_values(by="Imp",ascending=False)
```

## Out[107]:

	Varname	lmp
14	ram	0.139730
17	talk_time	0.134354
5	fc	0.130399
0	id	0.119878
12	px_height	0.096872
16	sc_w	0.085828
13	px_width	0.075209
1	battery_power	0.074402
11	рс	0.062593
7	int_memory	0.039094
9	mobile_wt	0.021217
15	sc_h	0.014617
6	four_g	0.005807
18	three_g	0.000000
10	n_cores	0.000000
8	m_dep	0.000000
4	dual_sim	0.000000
3	clock_speed	0.000000
2	blue	0.000000
19	wifi	0.000000

## In [ ]:

# In [ ]:

In [ ]:		
In [ ]:		
In [ ]:		
In [ ]:		