

Security Operations Center - Threat Analysis Report

Threat Level: LOW | **Total Alerts:** 7 **Generated:**
2025-11-05T23:17:39.979Z

Executive Summary

Seven low-severity alerts were detected, all classified as internal outbound traffic from a Linux system (10.0.2.15) to external Ubuntu package repositories. The alerts are consistent with routine system package updates using APT, characterized by standard HTTP GET requests to `security.ubuntu.com` and `sg.archive.ubuntu.com`. No malicious indicators were observed in the HTTP context, including status codes (200, 304), URL patterns, or data transfer volumes. The traffic originated from an internal host and was directed to trusted, official Ubuntu mirrors in the United Kingdom and Singapore. All alerts are non-suspicious and align with normal system maintenance activity. No infrastructure or external threats were identified. The analysis confirms these events as benign system operations.

Key Findings

- All alerts are related to APT package management activity on an internal Linux system.
- Traffic is outbound to official Ubuntu mirrors (`security.ubuntu.com`, `sg.archive.ubuntu.com`).
- HTTP methods are GET, with valid status codes (200, 304), indicating successful, non-malicious requests.
- No data exfiltration, C2 communication, or suspicious payloads observed.
- Geolocation data confirms traffic to known infrastructure in the UK and Singapore—expected for official package updates.

Top Priority Threats

IP Address	Type	Country	Direction	Activity	Severity	Confidence	Count
185.125.190.83	External	United Kingdom	Outbound	APT package update	LOW	High	1
202.79.180.254	External	Singapore	Outbound	APT package update	LOW	High	1
185.125.190.83	External	United Kingdom	Outbound	APT package update	LOW	High	1
185.125.190.83	External	United Kingdom	Outbound	APT package update	LOW	High	1
202.79.180.254	External	Singapore	Outbound	APT package update	LOW	High	1

Immediate Actions Required

1. Confirm system 10.0.2.15 is a managed, authorized host.
2. Verify APT update schedule is consistent with organizational patch management policy.
3. Ensure no unauthorized package repositories are configured on the host.

4. Monitor for unexpected changes in APT behavior (e.g., POST requests, non-standard URLs).
5. No blocking or quarantine actions required—traffic is legitimate.

Analysis Complete Report generated: 2025-11-06 07:17:57 Threat level: LOW Priority actions: 0 identified