

LEADWAY MARINE SERVICES LIMITED

IFICATE OF RE-INSP

THIS IS TO CERTIFY THAT: the liferaft detailed below has been inspected, repaired, tested and found to be in compliance with requirement from: (SOLAS 74/76) and the manufacturer in accordance with IMO Regulatory. A7613

				INFLAT	ABLI	CLI	FERAFT			
Shin	Information:	Name of Ship:	ENLS	UPERIOR		Port	of Registry:	LAG	OS	1
Ship	THIO MALION.	IMO No.:				Intern	national Call Sign:			1
		Flag State of Ship:	NIGE	RIA	Legisland	Ship	Owner: EL	SHCO	N NIGERIA LIMITED	1
Inde	ntification:	Type: CSM		Capacity:	DEDCO	VIC.	Serial No:		Date of manufacture:	-
				-			A112009	1		-
		Fabric type: NATURAL RU	BBER	25	m/inside	9	1 m/outsid	de	Max stowage height:	
Cylin	nders:	Serial No:	Con	tents Co ₂ :	Conte	ents N ₂ :	: Last Hydro	o. Test	Date of Manuf.	
		599881	3.6	(G	0.25	KG	08/202	1	04/2011	
		599902	3.6k	(G	0.25	KG	08/202	1	04/2011	
			1 1 1 1 E 1 E 1 E 1 E 1 E 1 E 1 E 1 E 1							
Equi	ipments:	Unit:]	Гуре:			Serial No:		Expired date:	_
		Emergency pack	S	OLAS PA	CKA	A	1120091		08/2023	
		EPIRB:		N/A						(Industrial Control of
		HRU test]
				QTY	EXP. DA	TE			QTY EXP. DATE	
		Food Ration		25packs	The state of the s				1box 02/2024	
		Drinking water		75pints					1pcs 02/2024]
		Parachute rocket		4pcs			And the Control of th	e Aid	3pcs 05/2026	
		Buoyant smoke si	gnal]
		Red hand flare		6pcs	03/2024	IRe	epair Kit		1pc 01/2025	J
Tests	s: <u>.</u>	NAP-test:	(Gas inflation to	est:	F	Floor seam test:		Load test davit-launche	d:
		Yes/no: YES	1	Yes/no: YES		Ye	es/no: NO		Yes/no: NO	
		Latest test*: 08/2021		Latest test*:08	8/2021		Latest test*:		Latest test*=	
		Working Pressure T	est: P	ressure Releas	se Valve Te	est: B	last Test:		Hydro-Test	ROMANS
		Yes/no: YES	· ·	Yes/no: YES		Ye	es/no: YES		Yes/no: YES	
		Latest test*:08/2021				La	atest test*: 08/202	1	Latest test*: 08/2021	
			*	Latest test date (Mo	nthly/year)					
Veri	fication:									7
		Date of inspection	1:						Date issued to ship:	
	COMMISTRATIO	07/10/2022	Length of painter: 25 m/inside 1 m/outside Contents Co.: Contents N2: Last Hydro. Test Date of Manuf. 3.6KG 0.25KG 08/2021 04/2011 3.6KG 0.25KG 08/2021 04/2011 Type: Serial No: Expired date: SOLAS PACK A A1120091 08/2023 N/A A1120091 08/2023 N/A COTY EXP. DATE 25packs 05/2026 First Aid Kit 1box 02/2024 075pints 05/2026 Self Activated Battery 1pcs 02/2024 05/2018 Signal 4pcs 03/2024 Thermal Protective Aid 3pcs 05/2026 Signal 2pcs 04/2024 Dry Cells Battery 2Pairs 11/2023 6pcs 03/2024 Repair Kit 1pc 01/2025 Gas inflation test: Floor seam test: Load test davit-launched: Yes/no: YES Yes/no: NO Yes/no: NO Yes/no: NO Yes/no: NO Yes/no: YES Note test*: Blast Test: Hydro-Test Yes/no: YES Yes/no: YES Yes/no: YES Yes/no: YES Yes/no: YES Yes/no: YES Note test*: 08/2021 Latest test*: 08/2021 Latest test*: 08/2021 **Latest test*: 08/2021 **Latest t							
	TO THE PARTY OF TH	National Marine authority ID No: NIMASA/2348	/006							
	ALOGRAPH A		requires	servicing 12 mo	nth from th	e latest i	inspection date in	CENT		

PORT HARCOURT

LEADWAY MARINE SERVICES LT 07/18/2007 For authorised servicing station

HEAD OFFICE: 118 IWOFE ROAD, OFF WHIMPEY JUNCTION. PORT HARCOURT, NIGERIA. TEL: +234 -8033094638, 08124999115 FAX: +234-84-230238 LAGOS OFFICE: 34B CREEK ROAD, APAPA, LAGOS. GHANA OFFICE: HOUSE NO. 7, LANE 6 CONDOR CRESCENT, COMMUNITY 11, TEMA, GHANA. BRANCHES: ONNE PORT, CALABAR & WARRI.

INSPECTION SHEET FOR CONTROL POINTS OF LIFERAFT

Type: CSM Serial No. A1120091 Manuf. Date: 05/2011 Cert. 9268

Control Points	Result/remark	Control points	Result/remar	k Control points	Result/remark
Outer canopy	OK	Viewing port	OK	Seat for emergency pack	OK
Inner canopy	OK	Lithium cell	OK	Container	OK
Reflective tap	Reflective tap OK		OK	Marks on container	OK
Rain collector	OK	Inner light	OK	Container rubber seal	OK
Joint between U/L tubes	OK	Inlet valve	OK	Container liner edge of container	OK
Joint between F/L tubes	OK	Deflation value	OK	edge of container	OK
Righting belt	Righting belt OK		OK	Emergency pack type	e OK
Water pocket	OK	Safety valve	OK	Emergency bag	OK
Boarding ramp	OK	Non-return valve in arch tube	OK	Plastic bag	OK
Boarding handrail	OK	Hoses	OK	Painter plug	OK
I/O lifeline	OK	Rescue quoit & line	OK	Operating head	OK
Closure for canopy opening	OK	Safety knife & bag	OK		
Marks on raft	OK	radar responder	OK	Painter and actuating line	OK OK
Towing patch	OK	radar reflector	OK		
Water collecting bag	OK	Sea anchor	OK		
Cylinder wrapping cloth	OK	Cylinder bag	OK		
EXTRA CONTROL FOR DAVI	T- LAUNCHED		All the same		
Lifting belt and patch		Blowing line and patch		Line for fixing container	OK
Shackle	OK	Boarding cloth a	and line	OK	
HYDROSTATIC RELEASES UI	TIN	e see an	The same	All are or	
Type HAMMAR	OK			Weak-link cord	OK
FINAL CONTROL			T Keel mall		7 1
Identification card	OK	Log book	OK	Painter connect	ion OK
Raft lights		Shackle	OK	Marks	OK

Inspector____

Date: 07/10/2022

This certificate will be made in one original to be kept by the ship and three copies, each one for below companies and distributed by the services station:

SHIP OWNER: **ELSHCON NIGERIA LIMITED** Service Station: **LEADWAY MARINE SERVICES LTD.**

INFLATABLE LIFERAFT INSPECTION AND TEST REPORT

Name of Ship ENL SUPERIOR Port of registry LAGOS Cert. No. 9268

2)PC -0.1				Serial N	o. A1120	091		Emergency pack type A				
Manuf. date C	5/2009			Date this	sinspection	10/2022	2	Date Nex	t inspection	10/2023		
		WI	P test (I	ζpa; ⁰C)					safety valve t	est (Kpa)		
Test item Time on Temp. on			Press. on	Time off	Temp. of	f P	ress. off	Open Close				
Upper tube	9.00	270	2	69.1	10.00	27c	6	9.2				
Lower tube	"		"	"	11	"		11				
		e a principal	NC 4 SOLE				100		Boarding	Open		
Floor									Ramp valve (Kpa)	Close		
			NAP	test (Kpa: 0	C)		00838			FS test		
Upper tube												
Lower tube										GI test		
Floor												
10% overload sus	spension test		Seams I	oetween floor	and tube che	cked			Repair or renev	v part:		
Cylinder serial No.	Date wat	ter		Total weight (kg)		CO ₂ weight (kg)						
G F 1	tes	st	0.1		weight (kg) weight (kg) C ₂ H ₂ OH (ml)							
Cylinder renew	Y Yes/	NO	Cylin	der refill	Yes/No	Date of fil	ung			<u> </u>		

Equipment	Origin	Expiration	Equipment	Origin	Equipment	Origin	Renew
Food ration	Ok	05/2026	Waterproof torch	Ok	Sea anchor	Olc	
Fresh water	Ok	05/2026	Drink vessel	Ok	Paddle & bag	Ok	
Hand flare	Ok	03/2024	Fishing tackle	Ok	Sponge	Ok	
Parachute rocket	Ok	03/2024	Tin opener	Ok	Thermal protective aids	Ok	
Buoyant smoke signal	Ok	04/2024	Immediate action card	Ok	rescue quoit and line	Ok	
Anti-seasick- ness medicine	Olk	10/2024	Survivors manual	Ok	repair kit	Ok	
First aid kit	Ok	02/2024	Instr. Manual	Ok	Scissors	Ok	- 3
Light cell	Ok		Log book	Ok	Safety knife	Ok	
Spare bulb	Ok		Seasickness bag	Ok	Sand paper	Ok	
Radar reflector	Ok		Whistle	Ok	Life-saving signals	Ok	
Torch Battery	OK	11/2023	Bellows	Ok	Signal mirror	Ok	
Mucilage	Ok		Bailer	Ok	Spare painter	Ok	
Rubber Solution	OK	01/2025					

Inspector _

Date: 07/10/2022



LEADWAY MARINE SERVICES LIMITED

CERTIFICATE OF RE-INSPECTION

THIS IS TO CERTIFY THAT: the liferaft detailed below has been inspected, repaired, tested and found to be in compliance with requirement from: (SOLAS 74/76) and the manufacturer in accordance with IMO Regulatory. A7613

			INFLAT	ABLI	LIF	FERAFT			
Ship Information:	Name of Ship:	ENLS	UPERIOR		Port o	of Registry: LA	GOS		
Ship thrormation.	IMO No.:				Interna	tional Call Sign:			
	Flag State of Ship:	VIGE	RIA		Ship C	Owner: ELSH	CON NIGERIA LIMITED		
			Capacity:			Serial No:			
Indentification:	Type: CSM		25 F	PERSO		A1120092	Date of manufacture: 05/2011		
	Fabric type: NATURAL RU	BBER	Length 25	of painter: m/insid e)	1 m/outside	Max stowage height:		
Cylinders:	Serial No:	Con	tents Co ₂ :	Conte	ents N ₂ :	Last Hydro. Te	est Date of Manuf.		
	MM1420	3.6K	(G	0.25	KG	08/2021	04/2011		
	MM1422	3.6	(G	0.25	KG	08/2021	04/2011		
Equipments:	Unit:]	Type:		S	erial No:	Expired date:		
	Emergency pack:	S	OLAS PAC	CKA	A1	1120092	08/2023		
	EPIRB:		N/A						
	HRU test								
			QTY EXP. DAT		TE		QTY EXP. DATE		
	Food Ration		25packs	05/2020		st Aid Kit	1box 02/2024		
	Drinking water		75pints	05/2026		f Activated Battery			
	Parachute rocket s		4pcs	03/2024	The second second	ermal Protective Ai			
	Buoyant smoke sig	<u>jnal</u>	2pcs	04/202		Cells Battery	2Pairs 11/2023		
	Red hand flare		6pcs	03/2024	IKe	pair Kit	1 1pc 01/2025		
Tests:	NAP-test:	-	Gas inflation te	st:	1	oor seam test:	Load test davit-launched:		
	Yes/no: YES		Yes/no: YES		Yes	/no: NO	Yes/no: NO		
	Latest test*: 08/2021		Latest test*:08	3/2021	L	atest test*:	Latest test*=		
	Working Pressure Te		ressure Releas	e Valve Te		ast Test:	Hydro-Test		
	Yes/no: YES		Yes/no: YES			/no: YES	Yes/no: YES		
	Latest test*:08/2021		Latest test*:08 Latest test date (Mon		Late	est test*: 08/2021	Latest test*: 08/2021		
			Laitest test date (1910)	uniyiyeni j					
Verification:									
		Servicing S	tation nam	e and No:	LEADWAY MARINE	Date issued to ship:			
CHINISTRAT	07/10/2022		SERVICES LTI), PORT HA	07/10/2022				
AND	THO ON			Next Servicing Date					
3 10	National Marine authority ID No:		Remarks/mod	dification:	SATISF	FACTORY	1		
E CO	NIMASA/2348/	006	ANNUAL S	ERVICIN	IG AND	CERTIFICATION	06/10/2023		
THE REMINISTRATE OF THE PROPERTY OF THE PROPER	This Inflatable liferaft re	equires s	servicing 12 mor	th from th	e latest ins	spection date in accor	dance with SOLAS regulation		
3	B					A MARCH	THE CONTRACTOR		

DISTRICT SURVEYOR
PORT HARCOURT

CERTIFIED
COPY
LEADWAY MARGINE SERVECES LTD
For authorised servicing station

HEAD OFFICE: 118 IWOFE ROAD, OFF WHIMPEY JUNCTION. PORT HARCOURT, NIGERIA. TEL: +234 -8033094638, 08124999115 FAX: +234-84-230238 LAGOS OFFICE: 34B CREEK ROAD, APAPA, LAGOS. GHANA OFFICE: HOUSE NO. 7, LANE 6 CONDOR CRESCENT, COMMUNITY 11, TEMA, GHANA. BRANCHES: ONNE PORT, CALABAR & WARRI.

INSPECTION SHEET FOR CONTROL POINTS OF LIFERAFT

Type: CSM Serial No. A1120092 Manuf. Date: 05/2011 Cert. 9269

Control Points	Result/remark	Control points	Result/remar	k Control points	Result/remark
Outer canopy	OK	Viewing port	OK	Seat for emergency pack	OK
Inner canopy	OK	Lithium cell	OK	Container	OK
Reflective tap	OK	Pos. indicating light	OK	Marks on container	OK
Rain collector	OK	Inner light	OK	Container rubber seal	OK
Joint between U/L tubes	OK	Inlet valve	OK Container liner edge of container		OK
Joint between F/L tubes	OK	Deflation value	OK	edge of container	OK
Righting belt	OK	Deflation/toping up valve	OK		
Water pocket	OK	Safety valve	OK	Emergency bag	OK
Boarding ramp	OK	Non-return valve in arch tube	OK	Plastic bag	OK
Boarding handrail	OK	Hoses	OK	Painter plug	OK
I/O lifeline	OK	Rescue quoit & line	OK	Operating head	OK
Closure for canopy opening	ОК	Safety knife & bag	OK		
Marks on raft	OK	radar responder	OK	Painter and actuating line	OK
Towing patch	OK	radar reflector	OK		
Water collecting bag	OK	Sea anchor	OK		
Cylinder wrapping cloth	OK	Cylinder bag	OK		
EXTRA CONTROL FOR DAVI	T- LAUNCHED		T. P. Albania		
Lifting belt and patch	OK	Blowing line and patch		Line for fixing container	OK
Shackle	OK	Boarding cloth a	and line (OK	
HYDROSTATIC RELEASES UI	NIT		S ASSESSMENT AND	All aller are	E-2-1
Type HAMMAR	OK			Weak-link cord	OK
FINAL CONTROL					
Identification card	OK	Log book	OK	Painter connect	ion OK
Raft lights	R. SERVIO	Shackle	OK	Marks	OK

Inspector

Date: 07/10/2022

This certificate will be made in one original to be kept by the ship and three copies, each one for below companies and distributed by the services station:

SHIP OWNER: **ELSHCON NIGERIA LIMITED**Service Station: **LEADWAY MARINE SERVICES LTD.**

INFLATABLE LIFERAFT INSPECTION AND TEST REPORT

Name of Ship ENL SUPERIOR Port of registry LAGOS Cert. No. 9269

Type CSM				o. A1120	0092	Emerg	Emergency pack type A Date Next inspection 10/2023				
Manuf. date 0	Manuf. date 05/2009 WP test (K)				10/2022	Date N					
		WP test	(Kpa; °C)				safety valve	test (Kpa)			
Test item	Time on	Temp. or	n Press. on	Time off	Temp. off	Press. off	Open	Close			
Upper tube	9.00	27c	69.1	10.00	27c	69.2					
Lower tube	"	"	"	11	"	"					
							Boarding	Open			
Floor							Ramp valve (Kpa)	Close			
		N/	AP test (Kpa: 0	C)				FS test			
Upper tube								-			
Lower tube								GI test			
Floor		1									
10% overload sus	pension test	Sean	ns between floor	and tube che	ecked		Repair or rene	w part:			
Cylinder serial No.	Date wat		Total weight		CO ₂ weight	N ₂ weig	THE PARTY OF THE P	C ₂ H ₂ OH			
33144 1101	press		(kg)		(kg)	(kg		(ml)			
Cylinder renew	Yes/	No Cy	linder refill	Yes/No	Date of filling	ng					

Equipment	Origin	Expiration	Equipment	Origin	Equipment	Origin	Renew
Food ration	Ok	05/2026	Waterproof torch	Ok	Sea anchor	Ok	
Fresh water	Ok	05/2026	Drink vessel	Ok	Paddle & bag	Ok	1
Hand flare	Ok	03/2024	Fishing tackle	Ok	Sponge	Ok	
Parachute rocket	Ok	03/2024	Tin opener	Ok	Thermal protective aids	Ok	
Buoyant smoke signal	Ok	04/2024	Immediate action card	Ok	rescue quoit and line	Ok	
Anti-seasick- ness medicine	Ok	10/2024	Survivors manual	Ok	repair kit	Ok	
First aid kit	Ok	02/2024	Instr. Manual	Ok	Scissors	Ok	
Light cell	Ok		Log book	Ok	Safety knife	Ok	
Spare bulb	Ok	nama <mark>etikekanasakens</mark>	Seasickness bag	Ok	Sand paper	Ok	
Radar reflector	Ok		Whistle	Ok	Life-saving signals	Ok	
Torch Battery	OK	11/2023	Bellows	Ok	Signal mirror	Ok	
Mucilage	Ok		Bailer	Olk	Spare painter	Ok	
Rubber Solution	OK INE SERVICES	01/2025					

Inspector

18 Iwofe Rd

Date: 07/10/2022

-2-