

LEADWAY MARINE SERVICES LIMITED

CERTIFICATE OF RE-INSPECTION

THIS IS TO CERTIFY THAT: the liferaft detailed below has been inspected, repaired, tested and found to be in compliance with requirement from: (SOLAS 74/76) and the manufacturer in accordance with IMO Regulatory. A7613

		INFLATABLE ENL SUPERIOR			_					
Ship Information:	Name of Ship:			1	Por	t of Registry:	LAGO	15		
	IMO No.:	9596	442		Call	Sign:	5NY	F		
	Flag State of Ship:	NIGE	RIA		Ship	p Owner:	ELSHC	ON NIGER	IA LIMITED	
ndentification:	Type: CSM		Capacity: 25 P	ERSON	s	Serial No: A1120091		Date of 05/2	manufacture 011	
	Fabric type: NATURAL RU	JBBER	Length o	of painter: m/inside		1 m/outsi	de	Max ste	owage height n	
'ylinders:	Serial No: Co		Contents Co.: Contents		s N,	Last Hy	dro Test	Mfg	Date	
	599881	3.6	3.6KG 0.25KG		G	G 07/201		06/2011		
	599902	3.6	SKG	0.25H	G	07/20	16	06/	2011	
	Unit:	7	Гуре:			Serial No:		Expire	d date:	
Equipments:	Emergency pack	k: SOLAS PA		CKA A1120091		A1120091		07/2021		
	EPIRB:	N	I/A	16.						
			HAMMAR			539085		07/2022		
			QTY EXP. DA		E	E		QTY	EXP. DATI	
	Food Ration		25packs	09/2021		irst Aid Kit		1box	01/2022	
	Drinking water		75pints	08/2023 Self Acti		Self Activated Ba	ttery	1pcs	09/2021	
	Parachute rocket	signal	4pcs	01/2022	T	hermal Protectiv	e Aid	3pcs	11/2021	
	Buoyant smoke s			01/2022		ry Cells Battery		2Pairs		
	Red hand flare	Self-III	6pcs	02/2022	LF	Radar Reflector		1pc	10/2021	
ests:	NAP-test:	(as inflation te	st:	4	Floor seam test:		Load test	davit-Iaunch	
	Yes/no: YES	1	Yes/no: NO			es/no: NO		Yes/no: N	10	
	Latest test*: 07/2020	0	Latest test*:		1	Latest test*:	Direct land	Latest test	t:	
	Working Pressure	Fest: P	ressure Releas	e Valve Tes	t:]	Blast Test:	THE	Hydro-Tes	st	
	Yes/no: YES		Yes/no: YES		1	es/no: YES		Yes/no: N	10	
	The state of the s		Latest test*:07	/2020	I.	atest test*: 07/202	20	Latest tes	(*:	
Verification:	Date of inspection 21/07/2020	0:	Latest test ate (Mon Servicing S	tation name	I.		RINE	Latest test*: Date issued to ship:		
<i>(</i>)	National Marine authority ID No: NIMASA/2348		Remarks/mod	and the same of		SFACTORY ND CERTIFICAT			vicing Dat	

This Inflatable liferaft requires servicing 12 month from the latest inspection date in accordance with SOLAS regulation



118 IWOFE ROAD, OFF WHIMPEY JUNCTION. PORT HARCOURT, NIGERIA. TEL: +234 -8033094638, 08124999115 FAX: +234-84-230238

E-mail: leadwaymannesafety@gmail.com Website: www.leadwaymanne.com.ng

INSPECTION SHEET FOR CONTROL POINTS OF LIFERAFT

Type: CSM Serial No. A1120091 Manuf. Date: 05/2011 Cert. 3761

Control Points	Result/remark	Control points	Result/remar	k Control points	Result/remark
Outer canopy	OK	Viewing port	ОК	Seat for emergency pack	OK
Inner canopy	OK	Lithium cell	OK	Container	OK
Reflective tap	OK	Pos. Indicating	OK	Marks on container	OK
Rain collector	OK	Inner light	OK	Container rubber sea	ol OK
Joint between U/L tubes	OK	Inlet valve	OK	Container liner edge of container	OK
Joint between F/L tubes	OK	Deflation value	OK	edge of container	OK
Righting belt	OK	Deflation/toping up valve	ОК	Emergency pack typ	oe OK
Water pocket	OK	Safety valve	OK	Emergency bag	OK
Boarding ramp	OK	Non-return valve in arch tube	OK	Plastic bag	OK
Boarding handrail	OK	HORSEs	OK	Painter plug	OK
I/O lifeline	OK	Rescue quoit & line	ОК	Operating head	OK
Closure for canopy opening	OK	Safety knife & bag	OK		
Marks on raft	OK	radar responder	OK	Painter and actuatin line	g OK
Towing patch	OK	radar reflector	OK		
Water collecting bag	ОК	Sea anchor	OK	LATE AND LOS	
Cylinder wrapping cloth	OK	Cylinder bag	OK		BESTER LINE
EXTRA CONTROL FOR DAVI	r- LAUNCHED		Alman		
Lifting belt and patch	OK	Blowing line and patch	ASSES HARRY	ine for fixing ontainer	OK
Shackle	ОК	Boarding cloth	and line C	OK .	
HYDROSTATIC RELEASES UN	dit				
Type HAMMAR	OK	NIN UNIXALI		Weak-link cord	OK
FINAL CONTROL	SERVICE SERVICES	SHIP LINE BOOK			E ESTAT PERCE
Identification card	OK	Log book	OK	Painter connec	tion OK
Raft lights ONAT	SERVICES .	Shackle	OK	Marks	OK

Inspector Date 21 11 40

Date: 21/07/2020

This certificate will be made in one original to be kept by the ship and three copies, each one for below companies and distributed by the services station:

SHIP OWNER: ELSHCON NIGERIA LIMITED

Service Station: LEADWAY MARINE SERVICES LTD





INFLATABLE LIFERAFT INSPECTION AND TEST REPORT

LAGOS	Cert. No.	3/01	
	LAGOS	LAGOS Cert. No.	LAGOS Cert. No. 3761

Type CSM			Serial N	o. A112	0091	I	Emergen	cy pack type	A
Manuf. date 0	5/2011	403300	Date thi	s inspection	07/202	1 0	Date Nex	ct inspection	07/2021
		WP test (Kpa; °C)	Di Silisi				safety valve t	est (Kpa)
Test item	Time on	Temp. on	Press. on	Time off	Temp. of	Pres	ss. off	Open	Close
Upper tube	9.00	27c	69.1	10.00	27c	69	.2		
Lower tube	"	"	11	"	"		ır		
								Boarding	Open
Floor								Ramp valve (Kpa)	Close
		NAF	test (Kpa: 6	C)	ALUED 12	HALE			FS test
Upper tube	REAL PROPERTY.						HER SO		
Lower tube	EREST HELIS						I way at		GI test
Floor		HEER E				118	10000		
10% overload susp	sension test	Seams	between floor	and tube che	ecked	Ne 2 39	IS STATE	Repair or renew part:	
Cylinder serial No.	Date water	STAR DOMESTIC	Total weight	48	CO ₂ weight		N ₂ weight		C₂H₂OH
	pressi	23 MARCH 19	(kg)	4 22 2	(kg)	HER LEE	(kg)	K	(ml)
Cylinder renew	Yes/N	lo Cylin	nder refill	Yes/No	Date of fil	ling	450		

Equipment	Origin	EXP.	Equipment	Origin	Renew	Equipment	Origin	EXP.
Food ration	Ok	09/2021	Waterproof torch	Ok		Sea anchor	Ok	
Fresh water	Ok	08/2023	Drink vessel	Ok	HE HEL	Paddle & bag	Ok	Maria 1
Hand flare	Ok	02/2022	Fishing tackle	Ok		Sponge	Ok	HALL
Parachute rocket	Ok	01/2022	Tin opener	Ok	110 EESE	Thermal protective aids	Ok	11/2021
Buoyant smoke signal	Ok	01/2022	Immediate action card	Ok		rescue quoit and line	Ok	
Anti-seasick- ness medicine		08/2021	Survivors manual	Ok		repair kit	Ok	
First aid kit	Ok	01/2022	Instr. Manual	Ok		Scissors	Ok	Hamilton
Light cell	Ok	09/2021	Log book	Ok		Safety knife	Ok	
Spare bulb	Ok	S ISH HE USER!	Seasickness bag	Ok		Sand paper	Ok	FESTIVE S
Radar reflector	Ok	10/2021	Whistle	Ok		Life-saving signals	Ok	
Torch Battery		08/2021	Bellows	Ok		Signal mirror	Ok	
mucilage	Ok		Bailer	Ok		Spare painter	Ok	
		MARINE SERVA						

Inspector

RC NO:461498

Date: 21/07/2020

RC NO:461498



LEADWAY MARINE SERVICES LIMITED

ERTIFICATE OF RE-INSPECTION

THIS IS TO CERTIFY THAT: the liferaft detailed below has been inspected, repaired, tested and found to be in compliance with requirement from: (SOLAS 74/76) and the manufacturer in accordance with IMO Regulatory, A7613

Ship Information:	Name of Ship:	ENL	SUPERIOR	3	Port o	f Registry:	LAGO	OS		
ship Information:	IMO No.:	-	6442		Call Si		5NY			
	Flag State of Ship:	NIGE			Ship C			Date of O5/2 Max states 18 / O7/2 Max states 18 / O7/2 Expired O7/2 O7/2 O7/2 O7/2 O7/2 O7/2 O7/2 O7/2 O7/2 Load test 19c Load test 19c Load test 19c Latest test Hydro-Test 19c Latest test Hydro-Test 19c Ves/no: Natest test 19c Latest test 19c Latest test 19c Next Sen	NA LIMITED	
ndentification:	Type: CSM		Capacity:	PERSON	s	Serial No: A1120092		Date of	manufacture	
	Fabric type: NATURAL RU	JBBER 28		of painter: m/inside 1		1 m/outsid	HEEP.	Max stowage heigh		
ylinders:	Serial No: Co		ntents Co.	Content	s N ₂ :	Last Hyd	iro Tes	t Mfg	Date	
	MM1420	1	.85KG	0.526KG		G 07/2016		07/	2011	
	MM1422	8	.85KG	0.526	KG	07/20	16	07/	2011	
quipments:	Unit:		Type:		S	erial No:		Expire	d date:	
quipments	Emergency pack	c c	SOLAS PAG	CKA	(A A1120092			07/2021		
	EPIRB:		N/A							
	HRU test		HAMMAR	HAMMAR		539854		07/2	022	
				QTY EXP. DAT				QTY	EXP. DAT	
	Food Ration		25packs			First Aid Kit		1box	01/2022	
	Drinking water		75pints			Self Activated Battery		1pcs	09/2021	
	Parachute rocket	signal		01/2022	The	rmal Protective	Aid	3pcs	11/2021	
	Buoyant smoke s			01/2022		Cells Battery		2Pairs		
	Red hand flare		6pcs	02/2022	IRac	lar Reflector	100	1pc	10/2021	
sts:	NAP-test:		Gas inflation te	st:	Flo	or seam test:		Load test	davit-launch	
	Yes/no: YES		Yes/no: NO			no: NO	450	Yes/no: NO		
	Latest test*: 07/2020	0	Latest test*:	st*:		Latest test*:		Latest test*:		
	Working Pressure	l'est:	Pressure Release	e Valve Test	: Bla	st Test:		Hydro-Tes	t	
	Yes/no: YES		Yes/no: YES			Yes/no: YES		Yes/no: NO		
	Latest test*:07/2020		Latest test*:07/2020 *Latest test date (Monthly/year)			est test*: 07/202	0	Latest test*:		
rification:	Date of inspection 21/07/2020		Servicing Station name and No: LEADWAY SERVICES LTD, PORT HARCOURT, NIGERIA-				The state of the s		ACCORDING TO STOLEN	
42	National Marine authority ID No: NIMASA/2348		Remarks/mod	0	anagement.	ACTORY		Next Sen 20/07/	vicing Date	



allen. 22.07.2020

INSPECTION SHEET FOR CONTROL POINTS OF LIFERAFT

Type: CSM

Serial No. A1120092

Manuf. Date: 05/2011

Cert. 3762

Control Points	Result/remark	Control points	Result/remar	k Control points	Result/remark
Outer canopy	OK	Viewing port	OK	Seat for emergency pack	OK
Inner canopy	OK	Lithium cell	OK	Container	OK
Reflective tap	OK	Pos. Indicating	OK	Marks on container	OK
Rain collector	OK	Inner light	OK	Container rubber seal	OK
Joint between U/L tubes	OK	Inlet valve	OK	Container liner edge of container	OK
Joint between F/L tubes	OK	Defiation value	OK	edge of container	OK
Righting belt	OK	Deflation/toping up valve	OK	Emergency pack type	OK
Water pocket	OK	Safety valve	OK	Emergency bag	OK
Boarding ramp	ОК	Non-return valve in arch tube	OK	Plastic bag	OK
Boarding handrail	OK	HORSEs	OK	Painter plug	OK
I/O lifeline	ок	Rescue quoit & line	OK	Operating head	OK
Closure for canopy opening	ОК	Safety knife & bag	OK		
Marks on raft	OK	radar responder	OK	Painter and actuating line	OK
Towing patch	ОК	radar reflector	OK		THE PLEASE
Water collecting bag	OK	Sea anchor	OK	THE RESERVE	SHIP BOOK
Cylinder wrapping cloth	OK	Cylinder bag	OK		dinte prize
EXTRA CONTROL FOR DAVI	T- LAUNCHED				
Lifting belt and patch	OK	Blowing line and patch	WELL THE WATER	Line for fixing container	OK
Shackle	OK	Boarding cloth	and line	OK	LIGHTER LANGES
HYDROSTATIC RELEASES UI	NIT	AND THE RESERVE OF THE PERSON			
Type HAMMAR	OK			Weak-link cord	OK
FINAL CONTROL	STATE OF THE PARTY OF		SERVED FOR	A LEAST ON MANUAL SERVICES	
Identification card	OK	Log book	OK	Painter connection	on OK
Raft lights	SERVICE.	Shackle	OK	Marks	OK

Inspector

Date: 21/07/2020

This certificate will be made in one original to be kept by the ship and three copies, each one for below companies and distributed by the services station:

SHIP OWNER: ELSHCON NIGERIA LIMITED

Service Station: LEADWAY MARINE SERVICES LTD





INFLATABLE LIFERAFT INSPECTION AND TEST REPORT

Name of Ship ENL SUPERIOR

Port of registry LAGOS

Cert. No.

3762

Type CSM	MEN HIE	HELES		Serial N	o. A112	0092	BULL	Emergen	cy pack type	A		
Manuf, date 05	5/2011	DESH	93 113	Date this inspection 07/2020				Date Next inspection 07/2021				
SECTION S	Mary Cills	WP	test (K	pa; °C)		and the	alati.	Laborate and	safety valve t	test (Kpa)		
Test item	Time on	Temp.	on I	Press. on	Time off	Temp.	off I	ress, off	Open	Close		
Upper tube	9.00	27c		69.1	10.00	27c		59.2				
Lower tube	"	"		"	11	"		II .				
									Boarding	Open		
Floor									Ramp valve (Kpa)	Close		
	THE THE	E IS BITT	NAP to	est (Kpa: 0	C)			lan i		FS test		
Upper tube		HIER II	To Hill		10 MARIS							
Lower tube		133180			A SAME					GI test		
Floor		133				BREE	118					
10% overload suspe	ension test	Se	eams be	tween floor	and tube che	ecked	OSSER		Repair or renev	w part:		
Cylinder serial No.	Date wat	8893		Total weight	A SE	CO ₂ weight		N ₂ weight		C ₂ H ₂ OH		
	press	2-21		(kg)	A BIB	(kg)	MITTER!	(kg)		(ml)		
Cylinder renew	Yes/	No	Cylind	er refill	Yes No	Date of	filling	W 30	10 J. 5445	HOLLD LESSES		

Equipment	Origin	EXP.	Equipment	Origin	Renew	Equipment	Origin	EXP.
Food ration	Ok	09/2021	Waterproof torch	Ok		Sea anchor	Ok	
Fresh water	Ok	08/2023	Drink vessel	Ok	LET LEED	Paddle & bag	Ok	
Hand flare	Ok	02/2022	Fishing tackle	Ok	HH	Sponge	Ok	Halleys
Parachute rocket	Ok	01/2022	Tin opener	Ok	LEG LESS	Thermal protective aids	Ok	11/2021
Buoyant smoke signal	Ok	01/2022	Immediate action card	Ok		rescue quoit and line	Ok	
Anti-seasick- ness medicine		08/2021	Survivors manual	Ok		repair kit	Ok	
First aid kit	Ok	01/2022	Instr. Manual	Ok	fir the	Scissors	Ok	
Light cell	Ok	09/2021	Log book	Ok	HE HER	Safety knife	Ok	HERES !
Spare bulb	Ok		Seasickness bag	Ok	128 H38	Sand paper	Ok	
Radar reflector	Ok	10/2021	Whistle	Ok		Life-saving signals	Ok	
Torch Battery		08/2021	Bellows	Ok		Signal mirror	Ok	
mucilage	Ok		Bailer	Ok		Spare painter	Ok	
SINE FULLY	5-22-2-37-2-D-15-15-1	775	DATE OF THE PROPERTY OF THE			Maria Santa		

Inspector Sign 217/20

RC NO:461498

Date: 21/07/2020

RC NO:461498