Conf. Apache2 Port

Default:

```
GNU nano 4.8

VirtualHost *:80>

# The ServerName directive sets the request scheme, hostname and port that
# the server uses to identify itself. This is used when creating
# redirection URLs. In the context of virtual hosts, the ServerName
# specifies what hostname must appear in the request's Host: header to
# match this virtual host. For the default virtual host (this file) this
# value is not decisive as it is used as a last resort host regardless.
# However, you must set it for any further virtual host explicitly.
# ServerName www.example.com

ServerAdmin webmasterglocalhost
DocumentRoot /var/www/html

# Available loglevels: trace8, ..., trace1, debug, info, notice, warn,
# error, crit, alert, emerg.
# It is also possible to configure the loglevel for particular
# modules, e.g.
# LogLevel info ssl:warn

ErrorLog ${APACHE_LOG_DIR}/error.log
CustomLog ${APACHE_LOG_DIR}/excess.log combined

# For most configuration files from conf-available/, which are
# enabled or disabled at a global level, it is possible to
# include a line for only one particular virtual host. For example the
# following line enables the CGI configuration for this host only
# after it has been globally disabled with "a2disconf".

*/VirtualHost>
```

Portadmin.conf:

```
/etc/apache2/sites-enabled/portadmin.conf

VirtualHost *:85>
ServerAdmin webmaster@portadmin.com
DocumentRoot "/var/www/html/portadmin.com
ServerName portadmin.com
ServerAlias www.portadmin.com
ErrorLog "portadmin.com-error.log"
CustomLog "prova.com-acces.log" combined
</VirtualHost>
```

Ports.conf:

```
GNU nano 4.8

# If you just change the port or add more ports here, you will likely also
# have to change the VirtualHost statement in
# /etc/apache2/sites-enabled/000-default.conf


Listen 80
Listen 85
<IfModule ssl_module>
    Listen 443
</IfModule mod_gnutls.c>
    Listen 443
</IfModule mod_gnutls.c>
    Listen 443
</IfModule mod_gnutls.c>
```

Conf. Apache2 Port

Sites-Enabled:

```
vicent@vicentserver:/etc/apache2/sites-enabled$ ls -l
total 0
lrwxrwxrwx 1 root root 35 oct 5 15:45 000-default.conf -> ../sites-available/000-default.conf
lrwxrwxrwx 1 root root 33 oct 4 14:59 portadmin.conf -> ../sites-available/portadmin.conf
```

WEBS:



Conf. Apache2 Port 2