


Quectel EC200A Series

IoT/ M2M-optimized
LTE Cat 4 Module



EC200A-EU-HA_QuecPython Release Notes

LTE Standard Module Series

Rev. EC200A-EU-HA_QuecPython_Firmware_Release_Notes_V0109

Date: 2024-09-10

Our aim is to provide customers with timely and comprehensive service. For any assistance, please contact our company headquarters:

Quectel Wireless Solutions Co., Ltd.

Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai 200233, China

Tel: +86 21 5108 6236

Email: info@quectel.com

Or our local office. For more information, please visit:

<http://www.quectel.com/support/sales.htm>.

For technical support, or to report documentation errors, please visit:

<http://www.quectel.com/support/technical.htm>

Or email to support@quectel.com.

Disclaimer

While Quectel has made efforts to assure the accuracy of this document, unless otherwise provided by valid agreement, Quectel assumes no liability resulting from any inaccuracies or omissions in this document, or from use of the information obtained herein. Quectel reserves the right to make changes to any contents described herein and reserves the right to revise this document and to make changes from time to time in content hereof with no obligation to notify any person of revisions or changes. Before using any updated software, please read this statement carefully. By accessing or using the said software you irrevocably and unconditionally accept and confirm that you agree to be bound by this statement. In the event you disagree with any provision hereof and would not like to be bound by this statement you shall cease use of the said software immediately.

Duty of Confidentiality

The Receiving Party shall keep confidential all documentation and information provided by Quectel, except when the specific permission has been granted by Quectel. The Receiving Party shall not access or use Quectel's documentation and information for any purpose except as expressly provided herein. Furthermore, the Receiving Party shall not disclose any of the Quectel's documentation and information to any third party without the prior written consent by Quectel. For any noncompliance to the above requirements, unauthorized use, or other illegal or malicious use of the documentation and information, Quectel will reserve the right to take legal action.

Copyright

The information contained here is proprietary technical information of Quectel Wireless Solutions Co., Ltd. Transmitting, reproducing, disseminating and editing this document as well as using the content without permission are forbidden. Offenders will be held liable for payment of damages. All rights are reserved in the event of a patent grant or registration of a utility model or design.

Copyright © Quectel Wireless Solutions Co., Ltd. 2024. All rights reserved.

Contents

Contents	2
1. Release Content	3
2. Matters Needing Attention	3
3. Release History	4
3.1. Firmware Release History	4
3.2. New Features	4
3.3. Improved Features	5
3.4. Known Issues	5
4. Functions List.....	6

Quectel
Confidential

1. Release Content

This document provides the Release Notes for EC200A-EU-HA_QuecPython. The current release includes the following firmware packages.

Package	Firmware Version
Firmware	EC200AEUHAR01A09M16_OCPU_QPY
Toolchain	Helios_toolchain_1.4.1.exe

2. Matters Needing Attention

SN	Item
[1]	To prevent the frequently erase and write of the SIM card due to the frequent changes in network information, affecting the service life of the SIM card, the network information is not updated by default, and GUTI and other network information are saved when the module is turned off normally with <i>Power.powerDown()</i> . The normal shutdown method is recommended.
[2]	To extend the service life of flash, it is recommended that the total number of operations related to power-on/off, CFUN switching, SIM card hot plugging, or dual-SIM switching should not exceed 30 times per day.
[3]	Please make sure that the APN has been set correctly before network registration.
[4]	For UART transmission, it is recommended to add hardware flow control to reduce the risk of data loss during transmission.
[5]	The module turns on the remap function by default. This function is suitable for most operators' LTE network scenarios.
[6]	During the FOTA upgrade process, it is necessary to ensure the stable power supply of the module. If the power is disconnected during the upgrade, there is a small probability that the flash will be damaged.
[7]	During the module shut-down process, the main UART output garbled data when it is turned off.
[8]	The 32 KHz (clock source) output from the module has an error within 20 PPM. Do not provide it to the peripherals with high accuracy demand.

3. Release History

3.1. Firmware Release History

Firmware Version	Description
EC200AEUHAR01A09M16_OCPU_QPY	Mass production
EC200AEUHAR01A08M16_OCPU_QPY	Mass production

3.2. New Features

EC200AEUHAR01A09M16_OCPU_QPY	
Item	Brief Description
Audio Play	Add the automatic control feature for the audio PA.
DFOTA	Support the firmware download with HTTPS two-way authentication in FOTA upgrades.
FOTA	Add <i>ipvtype</i> to the constructors of the request and app_fota modules. The default value of <i>ipvtype</i> is 0, that is, IPv4, and <i>ipvtype</i> can be set to 1, that is, IPv6.
FOTA	Add <i>public_key</i> in <i>fota_obj.httpDownload()</i> to support the signature verification feature.
HTTP	Support IPv6 in the request module.
SD	Add the SD card feature.
SSL	Add the feature of CA certificate configuration in the ussl module.
General	Add the ECDSA384 signature verification feature.
General	Add <i>PowerKey.powerKeyEventRegister()</i> to register the callback function for the PowerKey-related events.
General	Add <i>utime.localtime_ex()</i> and <i>utime.mktime_ex()</i> to solve the problem that the old functions may cause time conversion errors in scenarios of non-UTC+8 zones because they are only applicable to the UTC+8 zone.
General	Support IPv6 in FTP(S).
General	Add the boot logo feature.
EC200AEUHAR01A08M16_OCPU_QPY	
Item	Brief Description

/ /

3.3. Improved Features

EC200AEUHAR01A09M16_OCPU_QPY	
Item	Brief Description
PING	Limit the range of <i>SIZE</i> for the PING feature.
UART	Solve the problem that the module may abnormally function due to UART exceptions.
UART	Solve the problem that data may be lost via UART transmission when the host continuously sends a large amount of data (> 8 KiB) to the module.
EC200AEUHAR01A08M16_OCPU_QPY	
Item	Brief Description
/	/

3.4. Known Issues

Item	Bug Description
/	/

NOTE

Verification Environment is shown below. For more details, please contact Quectel technical support.
 USB Driver: Quectel_Windows_USB_DriverA_Customer_V1.1.13
 QPYcom Tool: QPYcom_V3.5

4. Functions List

Category	Item	Supported Version (Since)	Note
Basic Function	(U)SIM	EC200AEUHAR01A08M16_OCPU_QPY	/
	Data Call	EC200AEUHAR01A08M16_OCPU_QPY	/
	FILE	EC200AEUHAR01A08M16_OCPU_QPY	/
	PhoneBook	EC200AEUHAR01A08M16_OCPU_QPY	/
	SMS	EC200AEUHAR01A08M16_OCPU_QPY	/
	Voice Call	EC200AEUHAR01A08M16_OCPU_QPY	/
Protocol Function	FTP	EC200AEUHAR01A08M16_OCPU_QPY	/
	FTPS	EC200AEUHAR01A08M16_OCPU_QPY	/
	HTTP	EC200AEUHAR01A08M16_OCPU_QPY	/
	HTTPS	EC200AEUHAR01A08M16_OCPU_QPY	/
	LwM2M	EC200AEUHAR01A08M16_OCPU_QPY	/
	MQTT	EC200AEUHAR01A08M16_OCPU_QPY	/
	NITZ	EC200AEUHAR01A08M16_OCPU_QPY	/
	NTP	EC200AEUHAR01A08M16_OCPU_QPY	/
	PING	EC200AEUHAR01A08M16_OCPU_QPY	/
	SSL	EC200AEUHAR01A08M16_OCPU_QPY	/
Special Function	TCP/UDP	EC200AEUHAR01A08M16_OCPU_QPY	/
	ADC	EC200AEUHAR01A08M16_OCPU_QPY	/
	Alarm	EC200AEUHAR01A08M16_OCPU_QPY	/
	CSD	EC200AEUHAR01A08M16_OCPU_QPY	/
	DFOTA	EC200AEUHAR01A08M16_OCPU_QPY	/
	Device Info	EC200AEUHAR01A08M16_OCPU_QPY	/
	EINT	EC200AEUHAR01A08M16_OCPU_QPY	/

Ethernet	EC200AEUHAR01A08M16_OCPU_QPY	/
ESIM	EC200AEUHAR01A08M16_OCPU_QPY	/
FOTA	EC200AEUHAR01A08M16_OCPU_QPY	/
GPIO	EC200AEUHAR01A08M16_OCPU_QPY	/
I2C	EC200AEUHAR01A08M16_OCPU_QPY	/
Low Power	EC200AEUHAR01A08M16_OCPU_QPY	/
Modem	EC200AEUHAR01A08M16_OCPU_QPY	/
PWM	EC200AEUHAR01A08M16_OCPU_QPY	/
SIM Detection	EC200AEUHAR01A08M16_OCPU_QPY	/
SPI	EC200AEUHAR01A08M16_OCPU_QPY	/
Timer	EC200AEUHAR01A08M16_OCPU_QPY	/
UART	EC200AEUHAR01A08M16_OCPU_QPY	/
Encryption and Decryption	EC200AEUHAR01A08M16_OCPU_QPY	/

About Quectel

Quectel's passion for a smarter world drives us to accelerate IoT innovation. As a highly customer-centric organization, we are a global IoT solution provider backed by outstanding support and services. Our growing global team of 5,900 professionals sets the pace for innovation in cellular, automotive, smart, GNSS, satellite, Wi-Fi and Bluetooth modules as well as antennas and services.

With regional offices and support across the globe, our international leadership is devoted to advancing IoT and building a smarter world.

