



Java User Input (Scanner)

Previous

Next >

Java User Input

The Scanner class is used to get user input, and it is found in the java.util package.

To use the Scanner class, create an object of the class and use any of the available methods found in the Scanner class documentation. In our example, we will use the nextLine() method, which is used to read Strings:

Example

```
import java.util.Scanner; // Import the Scanner class
class Main {
  public static void main(String[] args) {
    Scanner myObj = new Scanner(System.in); // Create a Scanner object
    System.out.println("Enter username");
    String userName = myObj.nextLine(); // Read user input
    System.out.println("Username is: " + userName); // Output user input
 }
```

Run Example »

Input Types

In the example above, we used the nextLine() method, which is used to read Strings. To read other types, look at the table below:

Method	Description
nextBoolean()	Reads a boolean value from the user
nextByte()	Reads a byte value from the user
nextDouble()	Reads a double value from the user
nextFloat()	Reads a float value from the user
nextInt()	Reads a int value from the user
nextLine()	Reads a String value from the user
nextLong()	Reads a long value from the user
nextShort()	Reads a short value from the user

In the example below, we use different methods to read data of various types:

Example

```
import java.util.Scanner;
class Main {
 public static void main(String[] args) {
    Scanner myObj = new Scanner(System.in);
   System.out.println("Enter name, age and salary:");
    // String input
    String name = myObj.nextLine();
```

```
int age = myObj.nextInt();
    double salary = myObj.nextDouble();
   // Output input by user
   System.out.println("Name: " + name);
    System.out.println("Age: " + age);
   System.out.println("Salary: " + salary);
 }
}
```

MORE ▼

HTML CSS

Run Example »

Note: If you enter wrong input (e.g. text in a numerical input), you will get an exception/error message (like "InputMismatchException").

You can read more about exceptions and how to handle errors in the <u>Exceptions chapter</u>.

< Previous</pre>

Next >

COLOR PICKER



LIKE US







HTML

certification today!



View options

HOW TO

Tabs Dropdowns Accordions Side Navigation Top Navigation **Modal Boxes Progress Bars** Parallax Login Form **HTML Includes** Google Maps Range Sliders **Tooltips** Slideshow Filter List Sort List

Certificates

HTML

CSS

And more

REPORT ERROR

FORUM

ABOUT

SHOP

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
C++ Tutorial
jQuery Tutorial

Top References

HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
Angular Reference
jQuery Reference

Top Examples

CSS



How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples
XML Examples

Web Certificates

jQuery Examples

HTML Certificate
CSS Certificate
JavaScript Certificate
SQL Certificate
Python Certificate
PHP Certificate
Bootstrap Certificate
XML Certificate
jQuery Certificate

Get Certified »

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookie and privacy policy.

Copyright 1999-2021 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.

