TD 3 - Quantifying and deciding

Beta · 2026-10-14-students-1, 14 October 2026

Beta: this resource may still change before its session. The site is updated in place; the pack version above identifies what you read.

> Beta. Pack 2026-10-14-students-1. Set your machine up with Before TD 1.

Module: Trustworthy generative AI. Session 3 (11 December), 13:30 to 18:00.

You have traces on five models, a vote that abstains without a majority, a wrong consensus that has been explained and a routing rule. This session puts a cost on each configuration, chooses the one that a named use case justifies, and defends it in the oral presentation. At 18:00, your cost table is handed in, your three slides are presented and your repository is checked.

What you can do by the end of the session

- Compute the API-equivalent cost of a configuration from the tokens in your traces and the dated price of a paid route, keeping the real spend separate.
- Build the configuration table: calls, tokens, equivalent cost, real spend, correct answers, abstentions, errors.
- Choose the configuration for a named use case from what an error costs in it, and write it up in three slides.
- Defend the decision before a panel from the traces.

Material provided

- Your traces from TD 1 and 2, the table of the twenty vote decisions, your routing rule and the simulator outputs.
- methode-cout-en: the guided method, the dated prices of the paid routes of the kit models, the configuration table to fill in.
- portefeuille-modeles-en and its CSV: price per million tokens and access routes of the sixty pairs.
- The assessment sheet, on your table since TD 1: nine outcomes, three per session, each marked 0, 1 or 2.

Schedule

Time	Step	Expected output
13:30 to 14:30	**Step 1**: the configuration table and their costs	configuration table

Time	Step	Expected output
14:30 to 15:15	**Step 2**: the configuration for a named use case, the three slides	slides
15:15 to 15:30	Break	
15:30 to 17:30	**Step 3**: oral presentations, 20 minutes per sub-group (proposal, school approval pending)	oral presentation marks
17:30 to 18:00	Final marking; GitHub repository and video checked	grid filled in

If the school places the oral presentation in the week of 14 December, step 3 becomes the finalisation of the video and the repository, and final marking follows the oral presentation.

Step 1 - The configuration table (13:30 to 14:30)

For each configuration, take from your traces:

- the calls made, retries included; for a quorum, every model queried; for your rule, the model it calls on each question;
- the input and output tokens, reasoning included when the provider counts it in the output;
- the API-equivalent cost: tokens multiplied by the dated price of a paid route of the same model, formula and prices in methode-cout-en;
- the real spend: native cost when supplied, otherwise zero only from evidence of the free plan used (source/date); leave the native trace field empty if absent, and write N/A if spend cannot be established;
- the correct answers, the abstentions and the errors on the twenty questions.

Configurations to quantify: the cheapest single model that is correct on the whole family, the best single model, the 2-of-3 quorum of the panel, the 3-of-5 quorum if your traces allow it, and your routing rule. A replay line keeps the counters of the pilot run; it is not consumption of the day.

Deliverable of the step: the configuration table, one line per configuration, API-equivalent cost and real spend in two separate columns, prices dated and sourced.

If a price for the exact same model or a token measure is missing, mark the configuration total N/A and state the coverage (known calls/total calls). A known subtotal is labelled as such; it is not the cost of the complete configuration. At least three configurations may be costed or explicitly unquantifiable with evidence, as C1 states. A partly unquantifiable configuration needs a stated assumption or further measurement before any complete annual projection.

Step 2 - The decision and the three slides (14:30 to 15:15)

Name a use case for the assistant: internal dashboard, figure displayed to the customer, amount paid over to a partner, or another case written down. Write what an error costs in it. Choose the configuration whose cost per question is justified by that error cost and by the frequency of errors read in your traces. A frequency over twenty questions is an observation of the exercise; write it as such. It establishes no general error rate, permanent ranking or error bound guaranteed by quorum.

The three slides:

1. **The models compared**: the models x questions table from TD 1, the cause of the failures, the sheet of the five models in the portfolio.
2. **The quorum and the wrong consensus**: the decisions of the vote, the abstentions, the identified real or synthetic case where consensus was false and what would have detected it.
3. **The recommended configuration** for the named use case: the cost of an error, the routing rule, the check, the cost per question in two columns, what your work does not cover.

Deliverable of the step: the three slides and the completed GitHub repository.

Step 3 - The oral presentation (15:30 to 17:30)

Twenty minutes per sub-group (proposal, school approval pending), in parallel in the room. Each member presents one part: reference and traces, vote, wrong consensus, rule, costs, decision, repository and video. The panel's questions refer back to the traces: where this figure comes from, which line shows it.

The sub-group's GitHub repository contains: `reference-td1.csv`, the trace tables, `skeleton-multi-llm-en.py` with the vote, the wrong consensus commented, the routing rule and the simulator outputs, the configuration table, the three slides, the prompts as they are and the demonstration video (one call, the verdict, the vote).

What is expected (the evaluated artefacts)

1. The configuration table with their costs, prices dated and sourced.
2. The named use case, the cost of an error, the chosen configuration.
3. The three slides.
4. The complete GitHub repository and the demonstration video.

Hand-in and session report

At the end of TD 3, add `reports/td3.md` to your sub-group's public Git repository, shared from TD 1 to TD 3. Describe the work attempted and completed, successes and failures with links to the results and traces, observed causes and hypotheses, limitations, each member's contribution and next steps. Identify replayed or synthetic examples explicitly.

Commit the report with the code, prompts and evidence. Update your entry in the same Moodle hand-in area with the full repository URL, the session's full commit hash and a link to the report at that commit. Retain earlier TD entries and reports. Check that the repository opens without signing in. Follow the hand-in dates announced in Moodle.

What is valued

- **Two cost columns that do not mix**: real spend and API equivalent, each with its source.
- **A decision derived from the cost of the error**, not from the most powerful model available.
- **Written limitations**: what the twenty questions do not cover, what the simulator assumes.
- **An oral presentation that refers back to the traces** for every figure put forward.