






Aula 01 – Primeiros Passos no JS

Guilherme Henrique de Souza

guilherme.souza@etec.sp.gov.br

guilherme.souza183@fatec.sp.gov.br







Criação dos Componentes

Guilherme Henrique de Souza

guilherme.souza@etec.sp.gov.br

guilherme.souza183@fatec.sp.gov.br






Implementando o componente App.js

Guilherme Henrique de Souza

guilherme.souza@etec.sp.gov.br

guilherme.souza183@fatec.sp.gov.br



Clique 2x para
abrir este
componente

Open files

App.js

Project

assets

components

AssetExample.js

Cadastro.js

estilos.js

Home.js

Lista.js

App.js

package.json

README.md

1

import { StyleSheet, Text, View } from 'react-native';

2

3

// You can import supported modules from npm

4

import { Card } from 'react-native-paper';

5

6

// or any files within the Snack

7

import AssetExample from './components/AssetExample';

8

9

export default function App() {

10

return (

11

<View style={styles.container}>

12

<Text style={styles.paragraph}>

13

Change code in the editor and watch it change on your phone!

14

</Text>

15

<Card>

16

<AssetExample />

17

</Card>

18

</View>

19

);

20

}

21

22

const styles = StyleSheet.create({

23

container: {

24

flex: 1,

25

justifyContent: 'center',

26

backgroundColor: '#ecf0f1',

27

padding: 8,

28

},

29

paragraph: {

30

margin: 24,

31

fontSize: 18,

32

fontWeight: 'bold',

33

textAlign: 'center',

Expo Docs

Save

My Device

Android

iOS

Web

Change code in the editor and watch it change on your phone! Save to get a shareable url.

Local files and assets can be imported by dragging and dropping them into the editor



No errors

Prettier

Editor


Expo

v54.0.0

Devices 1

Preview

Apague o conteúdo deste arquivo



Aula204 - Snack

snack.expo.dev/@guilhermehsouza16/aula204

Aula204

All changes saved less than 20 seconds ago. ✓

Expo Docs

Save

📄

⬇

⌘

GS

Open files

App.js

Project

assets

components

AssetExample.js

Cadastro.js

estilos.js

Home.js

Lista.js

App.js

package.json

README.md

1 // Importação das bibliotecas

2 import { NavigationContainer } from '@react-navigation/native';

3 import { createDrawerNavigator } from '@react-navigation/drawer';

4

My Device

Android

iOS

Web

🔗

Did you know: You can turn off automatic updates under Devices in the footer?

Unable to resolve module '@react-navigation/native.js'

Evaluating @react-navigation/native.js

Evaluating App.js

Loading App.js

Error: Unable to resolve module 'module://@react-navigation/native.js'

at Object.eval (@react-navigation.native:1)

at eval (@react-navigation.native

at eval (@react-navigation.native

at eval (<anonymous>)

at Object.eval (App.js:2)

at eval (App.js

at eval (App.js


at eval (<anonymous>)

App.js (2:37) '@react-navigation/native' is not defined in dependencies. Add dependency

Prettier {} Editor ⚙ Expo v54.0.0 Devices 1 Preview 🔵

Professor: Guilherme Henrique de Souza (guilherme.souza@etec.sp.gov.br ou guilherme.souza183@fatec.sp.gov.br)

```
1  // Importação das bibliotecas
2  import { NavigationContainer } from '@react-navigation/native';
3  import { createDrawerNavigator } from '@react-navigation/drawer';
4  |
```



```
import { NavigationContainer } from '@react-navigation/native';
import { createDrawerNavigator } from '@react-navigation/drawer';
```

Aula204 - Snack

snack.expo.dev/@guilhermehsouza16/aula204

Aula204

All changes saved less than 20 seconds ago. ✓

Expo Docs

Save

📄

⬇

⌘

GS

Open files

App.js

Project

assets

components

AssetExample.js

Cadastro.js

estilos.js

Home.js

Lista.js

App.js

package.json

README.md

1

// Importação das bibliotecas

2

import { NavigationContainer } from '@react-navigation/native';

3

import { createDrawerNavigator } from '@react-navigation/drawer';

4

My Device

Android

iOS

Web

🔗

Did you know: You can turn off automatic updates under Devices in the footer?

Unable to resolve module '@react-navigation/native.js'

Evaluating @react-navigation/native.js

Evaluating App.js

Loading App.js

Error: Unable to resolve module 'module://@react-navigation/native.js'

at Object.eval (@react-navigation.native:1)

at eval (@react-navigation.native

at eval (@react-navigation.native

at eval (<anonymous>)

at Object.eval (App.js:2)

at eval (App.js

at eval (App.js

at eval (<anonymous>)

App.js (2:37) '@react-navigation/native' is not defined in dependencies. [Add dependency](#)

Prettier {} Editor ⚙ Expo v54.0.0 Devices 1 Preview 🔵

Clique

⬇

Professor: Guilherme Henrique de Souza (guilherme.souza@etec.sp.gov.br ou guilherme.souza183@fatec.sp.gov.br)

Aula204 - Snack

snack.expo.dev/@guilhermehsouza16/aula204

Aula204

Last saved 8 minutes ago.

Expo Docs

Save

GS

Open files

App.js

Project

assets

components

AssetExample.js

Cadastro.js

estilos.js

Home.js

Lista.js

App.js

package.json

README.md

1

// Importação das bibliotecas

2

import { NavigationContainer } from '@react-navigation/native';

3

import { createDrawerNavigator } from '@react-navigation/drawer';

4

My Device

Android

iOS

Web

Did you know: You can turn off automatic updates under Devices in the footer?

Unable to resolve module '@react-navigation/drawer.js'

Evaluating @react-navigation/drawer.js

Evaluating App.js

Loading App.js

Error: Unable to resolve module 'module://@react-navigation/drawer.js'

at Object.eval (@react-navigation.drawer:1)

at eval (@react-navigation.drawer

at eval (@react-navigation.drawer

at eval (<anonymous>)

at Object.eval (App.js:3)

at eval (App.js

at eval (App.js

at eval (<anonymous>)

Clique

App.js (3:39) '@react-navigation/drawer' is not defined in dependencies. Add dependency

Prettier Editor Expo v54.0.0 Devices 1 Preview

The screenshot shows the Expo Snack web editor interface. The browser address bar displays `snack.expo.dev/@guilhermehsouza16/aula204`. The project name is **Aula204**, with a note "Last saved less than 5 seconds ago." The left sidebar shows the file explorer with a tree structure: **Open files** (App.js), **Project** (assets, components, AssetExample.js, Cadastro.js, estilos.js, Home.js, Lista.js, App.js, package.json, README.md). The main editor displays the following code:

```
1 // Importação das bibliotecas
2 import { NavigationContainer } from '@react-navigation/native';
3 import { createDrawerNavigator } from '@react-navigation/drawer';
4
```

On the right, there are tabs for **My Device**, **Android**, **iOS**, and **Web** (selected). Below the tabs is a red error message box:

Did you know: You can turn off automatic updates under Devices in the footer?

No default export of 'App.js' to render!

Error: No default export of 'App.js' to render!

At the bottom of the interface, a status bar shows a red error message: `package.json (6:5) '@react-navigation/drawer' requires peer-dependency 'react-native-gesture-handler'. Add depende`. Other icons include Prettier, Editor, Expo, version `v54.0.0`, `Devices 1`, and a `Preview` toggle.

A yellow oval with a red border and a downward-pointing arrow contains the word **Clique**, indicating where to click to resolve the error.

Aula204 - Snack

snack.expo.dev/@guilhermehsouza16/aula204

Aula204

Last saved less than 5 seconds ago.

Expo Docs

Save

GS

Open files

App.js

Project

assets

components

AssetExample.js

Cadastro.js

estilos.js

Home.js

Lista.js

App.js

package.json

README.md

1

// Importação das bibliotecas

2

import { NavigationContainer } from '@react-navigation/native';

3

import { createDrawerNavigator } from '@react-navigation/drawer';

4

My Device

Android

iOS

Web

Did you know: You can turn off automatic updates under Devices in the footer?

No default export of 'App.js' to render!

Error: No default export of 'App.js' to render!

package.json (6:5) '@react-navigation/drawer' requires peer-dependency 'react-native-reanimated'. Add dependency

Prettier

Editor

Expo

v54.0.0

Devices 1

Preview

Clique

Professor: Guilherme Henrique de Souza (guilherme.souza@etec.sp.gov.br ou guilherme.souza183@fatec.sp.gov.br)

Aula204 - Snack

snack.expo.dev/@guilhermehsouza16/aula204

Aula204

Last saved less than 20 seconds ago.

Expo Docs

Save

GS

Open files

App.js

Project

assets

components

AssetExample.js

Cadastro.js

estilos.js

Home.js

Lista.js

App.js

package.json

README.md

1 // Importação das bibliotecas

2 import { NavigationContainer } from '@react-navigation/native';

3 import { createDrawerNavigator } from '@react-navigation/drawer';

4

My Device

Android

iOS

Web

Did you know: You can turn off automatic updates under Devices in the footer?

No default export of 'App.js' to render!

Error: No default export of 'App.js' to render!

package.json (6:5) '@react-navigation/drawer' requires peer-dependency 'react-native-safe-area-context'. Add depend

Prettier

Editor

Expo

v54.0.0

Devices 1

Preview

Clique

Professor: Guilherme Henrique de Souza (guilherme.souza@etec.sp.gov.br ou guilherme.souza183@fatec.sp.gov.br)

Aula204 - Snack

snack.expo.dev/@guilhermehsouza16/aula204

Aula204

Last saved half a minute ago.

Expo Docs

Save

GS

Open files

App.js

Project

assets

components

AssetExample.js

Cadastro.js

estilos.js

Home.js

Lista.js

App.js

package.json

README.md

1 // Importação das bibliotecas

2 import { NavigationContainer } from '@react-navigation/native';

3 import { createDrawerNavigator } from '@react-navigation/drawer';

4

My Device

Android

iOS

Web

Did you know: You can turn off automatic updates under Devices in the footer?

No default export of 'App.js' to render!

Error: No default export of 'App.js' to render!

package.json (6:5) '@react-navigation/drawer' requires peer-dependency 'react-native-screens'. Add dependency

Prettier

Editor

Expo

v54.0.0

Devices 1

Preview

Clique

Professor: Guilherme Henrique de Souza (guilherme.souza@etec.sp.gov.br ou guilherme.souza183@fatec.sp.gov.br)

The screenshot shows the Expo Snack web editor interface. The browser tab is titled "Aula204 - Snack" and the URL is "snack.expo.dev/@guilhermehsouza16/aula204". The project name is "Aula204" and it was last saved less than 20 seconds ago. The left sidebar shows the file explorer with "App.js" selected. The main editor displays the following code:

```
1 // Importação das bibliotecas
2 import { NavigationContainer } from '@react-navigation/native';
3 import { createDrawerNavigator } from '@react-navigation/drawer';
4
```

On the right, there are tabs for "My Device", "Android", "iOS", and "Web". A red error message is displayed in a box on the right side of the editor:

Did you know: You can turn off automatic updates under Devices in the footer?

No default export of 'App.js' to render!

Error: No default export of 'App.js' to render!

A large yellow circle with the word "Erro" (Error) in the center is overlaid on the editor, with a red arrow pointing to the error message in the footer.

The footer of the editor shows a red error bar with the message "No default export of 'App.js' to render!". Other footer elements include "Prettier", "Editor", "Expo v54.0.0", "Devices 1", and a "Preview" toggle switch.

```
// Importação das bibliotecas
import { NavigationContainer } from '@react-navigation/native';
import { createDrawerNavigator } from '@react-navigation/drawer';
```

```
// Importação do useState
import { useState } from 'react';
```

Digite este código

```
export default function App()
{
  const Drawer = createDrawerNavigator();

  // este será o vetor principal
  const [alunos, setAlunos] = useState([]);
}
```

Digite este código

useState([])

Aula204 - Snack

snack.expo.dev/@guilhermehsouza16/aula204

Aula204

All changes saved . ✓

Expo Docs

Save

My Device

Android

iOS

Web

Open files

App.js

Project

assets

components

AssetExample.js

Cadastro.js

estilos.js

Home.js

Lista.js

App.js

package.json

README.md

```
1 // Importação das bibliotecas
2 import { NavigationContainer } from '@react-navigation/native';
3 import { createDrawerNavigator } from '@react-navigation/drawer';
4
5 //Importação do useState
6 import { useState } from 'react';
7
8 export default function App()
9 {
10   const Drawer = createDrawerNavigator();
11
12   // este será o vetor principal
13   const [alunos, setAlunos] = useState([]);
14
15
16 }
```

Resultado Parcial

No errors

Prettier {} Editor Expo v54.0.0 Devices 1 Preview

```
// este será o vetor principal  
const [alunos, setAlunos] = useState([]);
```

```
return (  
  <NavigationContainer >  
    <Drawer.Navigator>  
      <Drawer.Screen name="Home" />  
      <Drawer.Screen name="Cadastro" />  
      <Drawer.Screen name="Lista" />  
    </Drawer.Navigator>  
  </NavigationContainer>  
</>  
);  
}
```



Digite este
código

Aula204 - Snack

snack.expo.dev/@guilhermehsouza16/aula204

Aula204

All changes saved . ✓

Expo Docs

Save

<>

GS

Open files

App.js

Project

assets

components

AssetExample.js

Cadastro.js

estilos.js

Home.js

Lista.js

App.js

package.json

README.md

```
1 // Importação das bibliotecas
2 import { NavigationContainer } from '@react-navigation/native';
3 import { createDrawerNavigator } from '@react-navigation/drawer';
4
5 // Importação do useState
6 import { useState } from 'react';
7
8 export default function App()
9 {
10   const Drawer = createDrawerNavigator();
11
12   // este será o vetor principal
13   const [alunos, setAlunos] = useState([]);
14
15   return (
16     <NavigationContainer >
17       <Drawer.Navigator>
18
19         <Drawer.Screen name="Home" />
20         <Drawer.Screen name="Cadastro" />
21         <Drawer.Screen name="Lista" />
22
23       </Drawer.Navigator>
24     </NavigationContainer>
25   );
26 }
27
```

My Device

Android

iOS

Web

≡ Home

Resultado Parcial

✓ No errors

Prettier {} Editor Expo v54.0.0 Devices 1 Preview

Professor: Guilherme Henrique de Souza (guilherme.souza@etec.sp.gov.br ou guilherme.souza183@fatec.sp.gov.br)

Aula204 - Snack

snack.expo.dev/@guilhermehsouza16/aula204

Aula204

All changes saved 2 minutes ago. ✓

Open files

App.js

Project

assets

components

AssetExample.js

Cadastro.js

estilos.js

Home.js

Lista.js

App.js

package.json

README.md

1 // Importação das bibliotecas

2 import { NavigationContainer } from '@react-navigation/native';

3 import { createDrawerNavigator } from '@react-navigation/drawer';

4

5 // Importação do useState

6 import { useState } from 'react';

7

8 export default function App()

9 {

10 const Drawer = createDrawerNavigator();

11

12 // este será o vetor principal

13 const [alunos, setAlunos] = useState([]);

14

15 return (

16 <NavigationContainer >

17 <Drawer.Navigator>

18

19 <Drawer.Screen name="Home" />

20 <Drawer.Screen name="Cadastro" />

21 <Drawer.Screen name="Lista" />

22

23 </Drawer.Navigator>

24 </NavigationContainer>

25);

26 }

27

Expo Docs

Save

My Device

Android

iOS

Web

Resultado Parcial

Home

Cadastro

Lista

No errors

Prettier {}

Editor


Expo

v54.0.0

Devices 1

Preview

Professor: Guilherme Henrique de Souza (guilherme.souza@etec.sp.gov.br ou guilherme.souza183@fatec.sp.gov.br)


A decorative graphic consisting of a light green circle on the left and a horizontal bar extending to the right. The bar has a light green gradient and is framed by dark green brackets at both ends. The title text is centered within this bar.

Implementando o componente estilos.js


Guilherme Henrique de Souza

guilherme.souza@etec.sp.gov.br

guilherme.souza183@fatec.sp.gov.br



Clique 2x para
abrir este
componente



```
1 import { StyleSheet } from "react-native";
```

```
2  
3 const styles = StyleSheet.create({  
4  
5  
6  
7 });  
8
```

```
9 export default styles;
```

Digite este código

Digite este código

Digite este código

```
const styles = StyleSheet.create({
```

```
  container1: {  
    flex: 1,  
    padding: 20,  
    backgroundColor: "#f5f5f5",  
    alignItems : "center",  
    justifyContent : "center"  
  },
```



Digite este
código

```
});
```

```
export default styles;
```

```
    justifyContent : center  
  },
```

```
  container2: {  
    flex: 1,  
    padding: 20,  
    backgroundColor: "#f5f5f5"  
  },
```

```
});
```



Digite este
código

```
backgroundColor: "#f5f5f5"  
},
```

```
titulo: {  
  fontSize: 28,  
  fontWeight: "bold",  
  marginBottom: 20,  
  textAlign: "center",  
  color: "#930000"  
},
```



Digite este
código

```
});
```

```
export default styles;
```

```
color: "#930000"  
},
```

```
texto: {  
  fontSize: 18,  
  marginBottom: 15,  
  textAlign: "center"  
},
```

```
});
```




Digite este
código

The screenshot shows the Expo Snack editor interface. The left sidebar displays the project structure with files like App.js, estilos.js, and components. The main editor area contains the following code:

```
1 import { StyleSheet } from "react-native";
2
3 const styles = StyleSheet.create({
4
5   container1: {
6     flex: 1,
7     padding: 20,
8     backgroundColor: "#f5f5f5",
9     alignItems: "center",
10    justifyContent: "center"
11  },
12
13   container2: {
14     flex: 1,
15     padding: 20,
16     backgroundColor: "#f5f5f5"
17   },
18
19   titulo: {
20     fontSize: 28,
21     fontWeight: "bold",
22     marginBottom: 20,
23     textAlign: "center",
24     color: "#930000"
25   },
26
27   texto: {
28     fontSize: 18,
29     marginBottom: 15,
30     textAlign: "center"
31   },
32
33 });
34
35 export default styles;
```

A green oval labeled "Código Completo" is positioned on the right side of the code editor. Two green arrows originate from this oval: one points to the opening curly brace of the `const styles = StyleSheet.create({` block on line 3, and the other points to the closing curly brace of the `export default styles;` block on line 35.




Implementando o componente Home.js


Guilherme Henrique de Souza

guilherme.souza@etec.sp.gov.br

guilherme.souza183@fatec.sp.gov.br



Clique 2x para
abrir este
componente



Digite este código

```
import { View, Text } from "react-native";  
  
import styles from "../components/estilos";
```

```
1  import { View, Text } from "react-native";
2
3  import styles from "../components/estilos";
4
5  export default function Home()
6  {
7
8      return (
9          <View style={styles.container1}>
10
11
12          </View>
13      );
14  }
```



Digite este
código

```
export default function Home()  
{  
  return (  
    <View style={styles.container1}>  
      <Text style={styles.titulo}>  
        Sistema de Cadastro de Alunos  
      </Text>  
    </View>  
  );  
}
```



Digite este
código

```
Sistema de Cadastro de Alunos
```

```
</Text>
```

```
<Text style={styles.texto}>
```

```
O objetivo deste aplicativo é  
desenvolver um app capaz de receber  
dados e armazenar em um vetor, e depois  
exibi-lo em uma FlatList
```

```
</Text>
```

```
</View>
```

```
);
```

```
}
```



Digite este
código

```
        dados e armazenar em um vetor, e depois  
        exibi-lo em uma FlatList  
    </Text>  
  
    <Text style={styles.texto}>  
        Desenvolvido pelo aluno Guilherme H. Souza  
    </Text>  
  
</View>  
);  
}
```

Digite este
código

Aula204 - Snack

snack.expo.dev/@guilhermehsouza16/aula204

Aula204

All changes saved . ✓

Expo Docs

Save

My Device

Android

iOS

Web

Open files

Home.js

Project

assets

components

AssetExample.js

Cadastro.js

estilos.js

Home.js

Lista.js

App.js

package.json

README.md

```
1 import { View, Text } from "react-native";
2
3 import styles from "../components/estilos";
4
5 export default function Home()
6 {
7
8   return (
9     <View style={styles.container1}>
10
11       <Text style={styles.titulo}>
12         Sistema de Cadastro de Alunos
13       </Text>
14
15       <Text style={styles.texto}>
16         O objetivo deste aplicativo é
17         desenvolver um app capaz de receber
18         dados e armazenar em um vetor, e depois
19         exibi-lo em uma FlatList
20       </Text>
21
22       <Text style={styles.texto}>
23         Desenvolvido pelo aluno Guilherme H. Souza
24       </Text>
25
26     </View>
27   );
28 }
```

Home

No errors

Prettier {} Editor Expo v54.0.0 Devices 1 Preview

Código Completo


A decorative graphic consisting of a light green circle on the left and a horizontal bar extending to the right. The bar has a light green gradient and is framed by dark green brackets at both ends.

Alterando o componente App.js

Guilherme Henrique de Souza

guilherme.souza@etec.sp.gov.br

guilherme.souza183@fatec.sp.gov.br



Clique 2x para
abrir este
componente

Aula204 - Snack

snack.expo.dev/@guilhermehsouza16/aula204

Aula204

All changes saved 4 minutes ago. ✓

Expo Docs

Save

My Device

Android

iOS

Web

Open files

App.js

Project

assets

components

AssetExample.js

Cadastro.js

estilos.js

Home.js

Lista.js

App.js

package.json

README.md

```
1 // Importação das bibliotecas
2 import { NavigationContainer } from '@react-navigation/native';
3 import { createDrawerNavigator } from '@react-navigation/drawer';
4
5 // Importação do useState
6 import { useState } from 'react';
7
8 export default function App()
9 {
10   const Drawer = createDrawerNavigator();
11
12   // este será o vetor principal
13   const [alunos, setAlunos] = useState([]);
14
15   return (
16     <NavigationContainer >
17       <Drawer.Navigator>
18         <Drawer.Screen name="Home" />
19         <Drawer.Screen name="Cadastro" />
20         <Drawer.Screen name="Lista" />
21       </Drawer.Navigator>
22     </NavigationContainer>
23   );
24 }
25
26
27
```

Home

Vamos alterar aqui

Professor: Guilherme Henrique de Souza (guilherme.souza@etec.sp.gov.br ou guilherme.souza183@fatec.sp.gov.br)

```
4
5 //Importação do useState
6 import { useState } from 'react';
7
8 // Importação das telas
9 import Home from "../components/Home";
10
11 export default function App()
12 {
13   const Drawer = createDrawerNavigator();
```



Digite este
código

```
return (  
  <NavigationContainer >  
    <Drawer.Navigator>  
  
      <Drawer.Screen name="Home" component={Home} />  
      <Drawer.Screen name="Cadastro" />  
      <Drawer.Screen name="Lista" />  
    </Drawer.Navigator>  
  </NavigationContainer>  
)
```

Inclua esta
código para
associar o
componente com
a tela



The screenshot displays the Expo Snack web editor interface. The top bar shows the project name 'Aula204 - Snack' and the URL 'snack.expo.dev/@guilhermehsouza16/aula204'. The left sidebar contains a file explorer with 'App.js' selected. The main editor shows the following code:

```
1 // Importação das bibliotecas
2 import { NavigationContainer } from '@react-navigation/native';
3 import { createDrawerNavigator } from '@react-navigation/drawer';
4
5 // Importação do useState
6 import { useState } from 'react';
7
8 // Importação das telas
9 import Home from "../components/Home";
10
11 export default function App()
12 {
13   const Drawer = createDrawerNavigator();
14
15   // este será o vetor principal
16   const [alunos, setAlunos] = useState([]);
17
18   return (
19     <NavigationContainer >
20       <Drawer.Navigator>
21         <Drawer.Screen name="Home" component={Home} />
22         <Drawer.Screen name="Cadastro" />
23         <Drawer.Screen name="Lista" />
24       </Drawer.Navigator>
25     </NavigationContainer>
26   );
27 }
```


On the right, the web preview shows a mobile app interface with a hamburger menu icon and the title 'Home'. The main content area displays:

Sistema de Cadastro de Alunos

O objetivo deste aplicativo é desenvolver um app capaz de receber dados e armazenar em um vetor, e depois exibi-lo em uma FlatList

Desenvolvido pelo aluno Guilherme H. Souza

A green arrow labeled 'Resultado Parcial' points to the preview area.




Implementando o componente Cadastro.js


Guilherme Henrique de Souza

guilherme.souza@etec.sp.gov.br

guilherme.souza183@fatec.sp.gov.br



Clique 2x para
abrir este
componente



Digite as
importações
abaixo



```
import { View, Text, TextInput, TouchableOpacity } from 'react-native';  
  
import { useState } from 'react';  
  
import styles from '../components/estilos';
```

```
import { View, Text, TextInput, TouchableOpacity } from 'react-native';

import { useState } from 'react';

import styles from '../components/estilos';

export default function Cadastro( {alunos,setAlunos} )
{
}
|
```

Note a
presença das
{ }

Digite o código
ao lado

```
export default function Cadastro( {alunos,setAlunos} )  
{  
  // Variáveis de estado  
  const [nome, setNome] = useState('');  
  const [curso, setCurso] = useState('');  
  const [idade, setIdade] = useState('');  
}
```



Digite as
variáveis de
estado

```
// Variáveis de estado
```

```
const [nome, setNome] = useState('');
```

```
const [curso, setCurso] = useState('');
```

```
const [idade, setIdade] = useState('');
```

```
// Função cadastrar
```

```
function cadastrarAluno()
```

```
{
```

```
}
```



Digite a função
cadastraAluno

```
// Função cadastrar  
function cadastrarAluno()  
{  
  
}
```

```
return (  
  <View style={styles.container2}>  
  
  </View>  
);
```

Observe a
classe
container2

Digite o
return

```
}  
  
return (  
  <View style={styles.container2}>  
    <Text style={styles.titulo}>  
      Cadastro de Alunos  
    </Text>  
  </View>  
)  
);  
}
```

Digite o
código ao
lado

```
Cadastro de Alunos
```

```
</Text>
```

```
<Text style={styles.paragrafo}>
```

```
  Digite o nome:
```

```
</Text>
```

```
<TextInput
```

```
  style={styles.input}
```

```
  value={nome}
```

```
  onChangeText={setNome} />
```

```
</View>
```

```
);
```

```
}
```

Digite o
código ao
lado


```
value={nome}  
onChangeText={setNome} />
```

```
<Text style={styles.paragrafo}>
```

```
  Digite o curso
```

```
</Text>
```

```
<TextInput
```

```
  style={styles.input}
```

```
  value={curso}
```

```
  onChangeText={setCurso} />
```

```
</View>
```

```
);
```

```
}
```

Digite o
código ao
lado

```
style={styles.input}  
value={curso}  
onChangeText={setCurso} />
```

```
<Text style={styles.paragrafo}>  
  Digite a idade  
</Text>
```

```
<TextInput  
  style={styles.input}  
  value={idade}  
  onChangeText={setIdade}  
  keyboardType="numeric" />
```

```
</View>
```

```
);
```

```
}
```

Digite o
código ao
lado

Digite o código
abaixo

```
onChangeText={setIdade}  
keyboardType="numeric" />  
  
    <TouchableOpacity style={styles.botao} onPress={cadastrarAluno}>  
        <Text style={styles.botaoTexto}>Cadastrar</Text>  
    </TouchableOpacity>  
  
</View>  
);
```