

Title:

Why Women Get Migraines More Often

Keywords:

migraine, women, hormones, estrogen, menstrual migraine, perimenopause, pregnancy, triggers, stress, headache, migraine management, neuro-hormonal

Short Description:

Migraines affect women more than men, often linked to hormonal changes and daily triggers. This article explores why migraines are more common in women and provides tips to reduce attacks.

Why Women Get Migraines More Often

Migraines affect women far more than men, and the numbers make that clear.

According to data published, the [global prevalence of migraine is 20.7% in women compared to 9.7% in men](#). In simple terms, women are about twice as likely to experience migraines as men.

For many women, these migraines don't appear out of nowhere.

They often show up around menstruation, during pregnancy, after childbirth, or as menopause approaches. This pattern leaves a lot of women asking the same question: *Why does this keep happening at certain stages of my life?*

To answer that, we need to look closely at what's happening inside the female body, especially the role of hormones.

How Hormones Play a Big Role in Migraines

The biggest reason women get migraines more often than men is hormonal changes, especially changes in a hormone called estrogen.

Estrogen affects how the brain handles pain. When estrogen levels are steady, the brain is usually calmer. But when estrogen drops suddenly, it can trigger a migraine attack.

This is why migraines in women often follow a pattern.

Here's how hormones come into play:

- **Before or during menstruation:** Estrogen levels drop sharply just before a period, which can trigger migraines in many women. (This is often called menstrual migraine)
- **During pregnancy:** Estrogen stays high and stable for months. Many women notice their migraines improve during this time.
- **After childbirth:** Estrogen drops quickly after delivery, and migraines may return or become worse.
- **Perimenopause:** Hormone levels rise and fall unpredictably, which can increase migraine attacks.
- **After menopause:** Once hormones settle at a lower level, migraines often reduce for many women.

Research consistently shows this link between [estrogen changes and migraines in women](#).

So, migraines in women are not random or *"in the head."* They are often the brain's response to hormonal shifts happening in the body.

What's Happening Inside the Brain During a Migraine

A migraine is not just pain.

It starts in the brain, and women's brains may be more sensitive to migraine triggers, especially when hormones are changing.

One key player is a chemical in the brain called [CGRP \(calcitonin gene-related peptide\)](#). [This chemical is released during migraine attacks and causes inflammation and pain around the brain.](#)

Hormonal changes can make this process easier to trigger.

What research shows:

- Estrogen affects how pain signals move in the brain.
- When estrogen drops, pain pathways become more active.
- This makes the brain more likely to react strongly to things like stress, lack of sleep, hunger, or strong smells.

In simple terms, hormonal changes can lower the brain's pain threshold, meaning things that wouldn't normally cause a migraine can suddenly trigger one.

This helps explain why a woman might tolerate stress well at one time of the month, but get a migraine from the same stress at another time.

Everyday Triggers That Affect Women More

Hormones may set the stage, but everyday life often pulls the trigger. Many things women deal with daily can make migraines more frequent or worse.

Some common triggers include:

1. **Stress:** Work pressure, family responsibilities, and emotional stress can easily trigger migraines.
2. **Poor or irregular sleep:** Sleeping too little or too much can affect the brain.
3. **Skiping meals:** Long hours without food can drop blood sugar and trigger attacks.
4. **Strong smells:** Perfumes, fuel, cleaning chemicals, or cooking fumes.

5. **Weather changes:** Heat, humidity, or sudden rain, something many women are very familiar with.

Women often juggle multiple roles at once, and this constant demand on the body and mind can increase migraine frequency, especially when combined with hormonal changes.

Why Tracking Your Cycle and Migraines Matters

Many women treat migraines as something that just “*comes and goes*,” but paying attention to when they happen can be very helpful.

Because hormones play such a big role, migraines often follow a pattern linked to the menstrual cycle or major life stages.

Keeping track helps you:

- Notice if migraines come before or during your period
- See if they worsen during stressful weeks
- Identify triggers like skipped meals, poor sleep, or heat
- Know when to prepare ahead of time

It can be as simple as noting the date, how bad the pain was, and what was happening around that time.

When women bring this information to a doctor, it becomes easier to:

- Confirm if the migraine is hormone-related
- Choose better treatment options
- Avoid unnecessary medications that may not help

When you know your own pattern, it puts you back in control.

How Women Can Reduce Migraine Attacks

While you can't always control hormones, there are steps that can help reduce how often migraines happen and how severe they get.

Tips that can help:

1. **Track your cycle and migraines:** Knowing patterns helps you prepare and prevent attacks.
2. **Manage stress:** Simple things like short breaks, deep breathing, or light exercise can make a difference.

3. **Prioritize sleep:** Aim for regular sleep times and enough rest each night.
4. **Eat regularly:** Don't skip meals, and stay hydrated.
5. **Avoid known triggers:** These could include strong smells, bright lights, or certain foods that tend to trigger your migraines.
6. **Talk to a doctor:** Sometimes preventive medications or hormone-based treatments are needed, especially if migraines follow your menstrual cycle.

Conclusion

Migraines can be tough, especially when they come at certain times in life.

Paying attention to your body, hormones, and daily habits can make managing them a bit easier.

I'd love to hear from you: have you noticed patterns in your migraines, or found ways to reduce attacks?

Share your thoughts or experiences in the comments. Your story could help another woman going through the same thing.

Researched by ***Victoria Odueso***