



Terms


- █ Breslow
- █ Cartilage
- █ Central intraepidermal component of melanoma
- █ Dermal component of melanoma
- █ Intra-epidermal melanoma
- █ Lateral intraepidermal component of melanoma
- █ Naevus
- █ Normal dermis
- █ Normal epidermis
- █ Normal epidermis (with papillary dermis)
- █ Normal sub-cutaneous tissue
- █ Sub-cutaneous component of melanoma
- █ Ulceration

Terms

Brachow









Terms

- Breslow
- Cartilage
- Central intraepidermal component of melanoma
- Dermal component of melanoma
- Intra-epidermal melanoma
- Lateral intraepidermal component of melanoma
- Naevus
- Normal dermis
- Normal epidermis
- Normal epidermis (with papillary dermis)
- Normal sub-cutaneous tissue
- Sub-cutaneous component of melanoma
- Ulceration






Terms

- Breslow
- Cartilage
- Central intraepidermal component of melanoma
- Dermal component of melanoma
- Intra-epidermal melanoma
- Lateral intraepidermal component of melanoma
- Naevus
- Normal dermis
- Normal epidermis
- Normal epidermis (with papillary dermis)
- Normal sub-cutaneous tissue
- Sub-cutaneous component of melanoma
- Ulceration


**Terms**

- Breslow
- Cartilage
- Central intraepidermal component of melanoma
- Dermal component of melanoma
- Intra-epidermal melanoma
- Lateral intraepidermal component of melanoma
- Naevus
- Normal dermis
- Normal epidermis
- Normal epidermis (with papillary dermis)
- Normal sub-cutaneous tissue
- Sub-cutaneous component of melanoma
- Ulceration




Terms


- Breslow
- Cartilage
- Central intraepidermal component of melanoma
- Dermal component of melanoma
- Intra-epidermal melanoma
- Lateral intraepidermal component of melanoma
- Naevus
- Normal dermis
- Normal epidermis
- Normal epidermis (with papillary dermis)
- Normal sub-cutaneous tissue
- Sub-cutaneous component of melanoma
- Ulceration




Terms

- Breslow
- Cartilage
- Central intraepidermal component of melanoma
- Dermal component of melanoma
- Intra-epidermal melanoma
- Lateral intraepidermal component of melanoma
- Naevus
- Normal dermis
- Normal epidermis
- Normal epidermis (with papillary dermis)
- Normal sub-cutaneous tissue
- Sub-cutaneous component of melanoma
- Ulceration









Terms

- Breslow
- Cartilage
- Central intraepidermal component of melanoma
- Dermal component of melanoma
- Intra-epidermal melanoma
- Lateral intraepidermal component of melanoma
- Naevus
- Normal dermis
- Normal epidermis
- Normal epidermis (with papillary dermis)
- Normal sub-cutaneous tissue
- Sub-cutaneous component of melanoma
- Ulceration




Terms

- Breslow
- Cartilage
- Central intraepidermal component of melanoma
- Dermal component of melanoma
- Intra-epidermal melanoma
- Lateral intraepidermal component of melanoma
- Naevus
- Normal dermis
- Normal epidermis
- Normal epidermis (with papillary dermis)
- Normal sub-cutaneous tissue
- Sub-cutaneous component of melanoma
- Ulceration

**Terms**


- Breslow
- Cartilage
- Central intraepidermal component of melanoma
- Dermal component of melanoma
- Intra-epidermal melanoma
- Lateral intraepidermal component of melanoma
- Naevus
- Normal dermis
- Normal epidermis
- Normal epidermis (with papillary dermis)
- Normal sub-cutaneous tissue
- Sub-cutaneous component of melanoma
- Ulceration



Terms


- Breslow
- Cartilage
- Central intraepidermal component of melanoma
- Dermal component of melanoma
- Intra-epidermal melanoma
- Lateral intraepidermal component of melanoma
- Naevus
- Normal dermis
- Normal epidermis
- Normal epidermis (with papillary dermis)
- Normal sub-cutaneous tissue
- Sub-cutaneous component of melanoma
- Ulceration

vhbby3u4.tif




Terms

- Breslow
- Cartilage
- Central intraepidermal component of melanoma
- Dermal component of melanoma
- Intra-epidermal melanoma
- Lateral intraepidermal component of melanoma
- Naevus
- Normal dermis
- Normal epidermis
- Normal epidermis (with papillary dermis)
- Normal sub-cutaneous tissue
- Sub-cutaneous component of melanoma
- Ulceration




Terms

- Breslow
- Cartilage
- Central intraepidermal component of melanoma
- Dermal component of melanoma
- Intra-epidermal melanoma
- Lateral intraepidermal component of melanoma
- Naevus
- Normal dermis
- Normal epidermis
- Normal epidermis (with papillary dermis)
- Normal sub-cutaneous tissue
- Sub-cutaneous component of melanoma
- Ulceration




8
Magnific
x: 85339




Terms


- Breslow
- Cartilage
- Central intraepidermal component of melanoma
- Dermal component of melanoma
- Intra-epidermal melanoma
- Lateral intraepidermal component of melanoma
- Naevus
- Normal dermis
- Normal epidermis
- Normal epidermis (with papillary dermis)
- Normal sub-cutaneous tissue
- Sub-cutaneous component of melanoma
- Ulceration

841 μm
Magnification: 1
x: 89943 y:




**Terms**

- Breslow
- Cartilage
- Central intraepidermal component of melanoma
- Dermal component of melanoma
- Intra-epidermal melanoma
- Lateral intraepidermal component of melanoma
- Naevus
- Normal dermis
- Normal epidermis
- Normal epidermis (with papillary dermis)
- Normal sub-cutaneous tissue
- Sub-cutaneous component of melanoma
- Ulceration




Terms

- Breslow
- Cartilage
- Central intraepidermal component of melanoma
- Dermal component of melanoma
- Intra-epidermal melanoma
- Lateral intraepidermal component of melanoma
- Naevus
- Normal dermis
- Normal epidermis
- Normal epidermis (with papillary dermis)
- Normal sub-cutaneous tissue
- Sub-cutaneous component of melanoma
- Ulceration




Terms

- Breslow
- Cartilage
- Central intraepidermal component of melanoma
- Dermal component of melanoma
- Intra-epidermal melanoma
- Lateral intraepidermal component of melanoma
- Naevus
- Normal dermis
- Normal epidermis
- Normal epidermis (with papillary dermis)
- Normal sub-cutaneous tissue
- Sub-cutaneous component of melanoma
- Ulceration


**Terms**



- Breslow
- Cartilage
- Central intraepidermal component of melanoma
- Dermal component of melanoma
- Intra-epidermal melanoma
- Lateral intraepidermal component of melanoma
- Naevus
- Normal dermis
- Normal epidermis
- Normal epidermis (with papillary dermis)
- Normal sub-cutaneous tissue
- Sub-cutaneous component of melanoma
- Ulceration



Terms

- Breslow
- Cartilage
- Central intraepidermal component of melanoma
- Dermal component of melanoma
- Intra-epidermal melanoma
- Lateral intraepidermal component of melanoma
- Naevus
- Normal dermis
- Normal epidermis
- Normal epidermis (with papillary dermis)
- Normal sub-cutaneous tissue
- Sub-cutaneous component of melanoma
- Ulceration






**Terms**

- █ Breslow
- █ Cartilage
- █ Central intraepidermal component of melanoma
- █ Dermal component of melanoma
- █ Intra-epidermal melanoma
- █ Lateral intraepidermal component of melanoma
- █ Naevus
- █ Normal dermis
- █ Normal epidermis
- █ Normal epidermis (with papillary dermis)
- █ Normal sub-cutaneous tissue
- █ Sub-cutaneous component of melanoma
- █ Ulceration


Terms

- █ Breslow
- █ Cartilage
- █ Central intraepidermal component of melanoma
- █ Dermal component of melanoma
- █ Intra-epidermal melanoma
- █ Lateral intraepidermal component of melanoma
- █ Naevus
- █ Normal dermis
- █ Normal epidermis
- █ Normal epidermis (with papillary dermis)
- █ Normal sub-cutaneous tissue
- █ Sub-cutaneous component of melanoma
- █ Ulceration






rpx5d2nw.tif




x: 68



Terms

- Breslow
- Cartilage
- Central intraepidermal component of melanoma
- Dermal component of melanoma
- Intra-epidermal melanoma
- Lateral intraepidermal component of melanoma
- Naevus
- Normal dermis
- Normal epidermis
- Normal epidermis (with papillary dermis)
- Normal sub-cutaneous tissue
- Sub-cutaneous component of melanoma
- Ulceration



Terms


- Breslow
- Cartilage
- Central intraepidermal component of melanoma
- Dermal component of melanoma
- Intra-epidermal melanoma
- Lateral intraepidermal component of melanoma
- Naevus
- Normal dermis
- Normal epidermis
- Normal epidermis (with papillary dermis)
- Normal sub-cutaneous tissue
- Sub-cutaneous component of melanoma
- Ulceration



Terms

- Breslow
- Cartilage
- Central intraepidermal component of melanoma
- Dermal component of melanoma
- Intra-epidermal melanoma
- Lateral intraepidermal component of melanoma
- Naevus
- Normal dermis
- Normal epidermis
- Normal epidermis (with papillary dermis)
- Normal sub-cutaneous tissue
- Sub-cutaneous component of melanoma
- Ulceration

0lpq7lpw.tif




Terms

- Breslow
- Cartilage
- Central intraepidermal component of melanoma
- Dermal component of melanoma
- Intra-epidermal melanoma
- Lateral intraepidermal component of melanoma
- Naevus
- Normal dermis
- Normal epidermis
- Normal epidermis (with papillary dermis)
- Normal sub-cutaneous tissue
- Sub-cutaneous component of melanoma
- Ulceration



Terms

- Breslow
- Cartilage
- Central intraepidermal component of melanoma
- Dermal component of melanoma
- Intra-epidermal melanoma
- Lateral intraepidermal component of melanoma
- Naevus
- Normal dermis
- Normal epidermis
- Normal epidermis (with papillary dermis)
- Normal sub-cutaneous tissue
- Sub-cutaneous component of melanoma
- Ulceration




Terms

- Breslow
- Cartilage
- Central intraepidermal component of melanoma
- Dermal component of melanoma
- Intra-epidermal melanoma
- Lateral intraepidermal component of melanoma
- Naevus
- Normal dermis
- Normal epidermis
- Normal epidermis (with papillary dermis)
- Normal sub-cutaneous tissue
- Sub-cutaneous component of melanoma
- Ulceration




Terms

- Breslow
- Cartilage
- Central intraepidermal component of melanoma
- Dermal component of melanoma
- Intra-epidermal melanoma
- Lateral intraepidermal component of melanoma
- Naevus
- Normal dermis
- Normal epidermis
- Normal epidermis (with papillary dermis)
- Normal sub-cutaneous tissue
- Sub-cutaneous component of melanoma
- Ulceration




Terms

- Breslow
- Cartilage
- Central intraepidermal component of melanoma
- Dermal component of melanoma
- Intra-epidermal melanoma
- Lateral intraepidermal component of melanoma
- Naevus
- Normal dermis
- Normal epidermis
- Normal epidermis (with papillary dermis)
- Normal sub-cutaneous tissue
- Sub-cutaneous component of melanoma
- Ulceration




Terms

- Breslow
- Cartilage
- Central intraepidermal component of melanoma
- Dermal component of melanoma
- Intra-epidermal melanoma
- Lateral intraepidermal component of melanoma
- Naevus
- Normal dermis
- Normal epidermis
- Normal epidermis (with papillary dermis)
- Normal sub-cutaneous tissue
- Sub-cutaneous component of melanoma
- Ulceration




Terms


- Breslow
- Cartilage
- Central intraepidermal component of melanoma
- Dermal component of melanoma
- Intra-epidermal melanoma
- Lateral intraepidermal component of melanoma
- Naevus
- Normal dermis
- Normal epidermis
- Normal epidermis (with papillary dermis)
- Normal sub-cutaneous tissue
- Sub-cutaneous component of melanoma
- Ulceration



Terms

- Breslow
- Cartilage
- Central intraepidermal component of melanoma
- Dermal component of melanoma
- Intra-epidermal melanoma
- Lateral intraepidermal component of melanoma
- Naevus
- Normal dermis





Terms

- Breslow
- Cartilage
- Central intraepidermal component of melanoma
- Dermal component of melanoma
- Intra-epidermal melanoma
- Lateral intraepidermal component of melanoma
- Naevus
- Normal dermis
- Non-keratinized