Penalized Portfolio Optimization

Victor Ding

New Canaan High School

November 3, 2026

Abstract

This research reviews practical considerations of long-short portfolio optimization problems. It studies a few penalty forms to address the limitations of pure constraints.

The Alpha Gate penalizes excess turnover above a soft threshold, with a higher hard bound acting as a strict safeguard. Regularization penalties widely used in regression are adapted to prune noisy trades. Elastic Net and the Berhu function both use L_1 and L_2 penalties on turnovers, but differently: Elastic Net keeps both active at every trade size, whereas Berhu applies L_1 below a threshold and L_2 above it.

We run various experiments with these penalties on ten years of daily long-short equity signals, evaluating turnover control, target-tracking loss, and trade sparsity across parameter ranges.

1 Introduction

Modern portfolio construction is fundamentally an optimization problem. Typically, a starting portfolio of existing positions is adjusted to a final portfolio. Position limits, attribute-exposure limits, and turnover budgets are standard constraints in quantitative portfolio management.

Since each constraint shrinks the feasible set of solutions, proliferating constraints can leave only a tiny feasible region. This problem is amplified by estimation error and data noise in the model inputs. Hard constraints alone are therefore overly rigid and often unsatisfactory.

This paper primarily studies penalty mechanisms for softening these rigidities. Our research proceeds as follows. We outline the framework in Section 2, where we review the various technicalities and practicalities of constrained portfolio optimization. We formalize the Alpha Gate as a soft turnover cap in Section 3. Section 4 covers Elastic Net and Berhu penalties used to prune noisy trades. In Section 5, we use numerical experiments to illustrate the features and effectiveness of these penalty forms. Along the way, we also discuss the considerations for the choice of various penalty parameters. We highlight some important outstanding issues for future research in Section 6.

2 Implementation Framework

This section sets out the theoretical framework used in the remainder of the paper. We lay out the optimization problem with all the common constraints on long-short portfolios. We also discuss the techniques for handling non-differentiability and non-convexity.

2.1 Objective Functions and Convexity

Modern portfolio construction involves optimizing an objective function defined over a vector of n asset positions $w \in \mathbb{R}^n$, where positive (negative) values represent long (short) positions. An example of a classic objective function is Markowitz's Mean-Variance framework:

$$\min_w \left[\frac{\lambda}{2} w^\top \Sigma w - r^\top w \right], \tag{1}$$

where r is a vector of expected returns, λ is an exogenous risk-aversion parameter, and Σ is a covariance matrix of asset returns. The design is driven by the desire to strike a balance between risks and payoffs.

Objective functions can take other forms, such as the squared L_2 from a target vector $\tilde{w} \in \mathbb{R}^n$. A given vector $\tilde{w}$ can be a benchmark portfolio to track, or a target portfolio driven by some forecasting models. It is often desirable to mimic such a portfolio as closely as possible. One reasonable approach is to minimize this objective:

$$\min_w \|w - \tilde{w}\|_2^2. \tag{2}$$

A positive semi-definite covariance matrix Γ can also be incorporated to generalize the above objective function further:

$$\min_w \left[\frac{1}{2}(w-\tilde{w})^\top \Gamma (w-\tilde{w})\right] = \min_w \left[\frac{1}{2} w^\top \Gamma w - \tilde{w}^\top \Gamma w\right]. \tag{3}$$

Mathematically, this expression is a special case of (1).

A majority of portfolio construction problems can be formulated as optimizing certain quadratic forms like the above subject to some linear constraints. While potential payoffs are often uncertain, transaction costs are incurred upon execution. Turnover budgets and individual turnovers are often imposed, so a solution is discouraged from chasing marginal benefits with excessive transaction costs. Other typical constraints include limit on risk exposures.

Objective function (1) is convex if Σ is positive semi-definite. The optimization problem of such an objective function has a global optimal solution if the constraints also maintain a convex feasible set.

Let us focus on minimizing the family of objectives with a quadratic term $q(w)$, which captures the conventional Mean-Variance problem (1) and target tracking problem (3). Such objectives are within the reach of Disciplined Convex Programming (DCP). DCP problems can be easily solved with DCP solvers.

Linear equalities, and inequalities define hyperplanes and half-spaces respectively. Half-spaces, along with second-order cones, define convex sets. Hyperplanes are affine, and thus convex sets. When feasible sets are convex, optimization is often far more efficient and accurate. Because of this, we show a preference for preserving convexity of the overall feasible region. For constraints that are non-smooth but inherently convex (such as absolute value or piecewise functions), we use exact epigraph reformulations with auxiliary variables. For constraints that are truly non-convex, we employ convex restrictions to approximate the feasible space while maintaining computational tractability.

2.2 Constraints

Inputs such as return estimates, risk model coefficients, and target forecasts in $\tilde{w}$ are all estimates subject to estimation errors and data noise. Thus, a problem subject to overly permissive constraints is susceptible to concentrated positions with potentially poor signals. On the other hand, we also look to avoid overly tight constraints. While constraints have their purposes and those like turnover and position limits may even serve as a natural form of regularization on model solutions, each one shrinks the feasible set of potential solutions. Tight constraints may force solutions that reflect little of their intended objective functions. Ideally, constraints should be set such that they do not "drive" the solution; instead a solution should be dictated primarily by the objective function.

Hard constraints that bound turnover and other portfolio characteristics have certain downsides. We prefer to impose them to reflect practical and risk limits, rather than determining optimality.

Violating a hard constraint by a negligible amount and by a comparatively huge amount has the same effect, meaning rounding errors, tiny violations, and genuine infeasibility are treated equally. Furthermore, some powerful signals may warrant trading significantly more, either of individual assets or across the entire portfolio when the risk-adjusted payoffs far exceed the likely incurred transaction costs. In those cases, it is desirable to permit certain violations of hard constraints. To achieve this, we introduce soft constraints.

Soft constraints allow breaches of some thresholds while discouraging large ones by adding a penalty to the objective function. We will consider three distinct types of soft constraints: a turnover penalty, an Elastic Net, and a Berhu penalty.

Position limits can be represented as

$$\underline{w} \leq w \leq \overline{w},$$

where constant vectors $\underline{w} \in \mathbb{R}^n$ and $\overline{w} \in \mathbb{R}^n$ are lower and upper bounds, respectively.

Similarly, limits on each individual turnover are represented by $|w - w^*| \leq t$, where constant $t \in \mathbb{R}^n$ defines individual turnover bounds, and w^* represents the starting weight vector. Turnover bounds can be essentially incorporated into position limits because w^* is a constant vector.

We define an attribute as a characteristic of an asset. It is common to cap portfolio exposures to sectors and industries. Equity style factors (growth, momentum, value, etc.) are also types of attributes widely used in risk modeling. An asset can have exposures to multiple attributes. For example, although a small tech startup can have exposure to just the technology sector, a conglomerate operates in several. Attribute exposures can also be negative. Smaller companies, for example, tend to have negative exposures to size factors.

We express n assets' exposure in m attributes with an $m \times n$ matrix $\mathbf{S}$. A hypothetical $\mathbf{S}$ for n assets across various attributes is shown in Table 1. The total portfolio exposures to the m factors are $\mathbf{S}w$. The exposure limits can be represented as

$$\underline{s} \leq \mathbf{S}w \leq \overline{s}, \tag{4}$$

where $\underline{s}$ and $\overline{s}$ are lower and upper exposure bounds, respectively.

Net exposure, equal to the value of long positions minus the value of short positions, is a special form of attributes. It can be captured as a row of ones in $\mathbf{S}$.

A constant upper bound $T > 0$ may be imposed on total turnover as

$$\|w^* - w\|_1 \leq T. \tag{5}$$

This introduces a total budget over the sum of individual turnovers. In practice, individual turnover limits t are often set such that $T < \sum_i t_i$; otherwise, the total turnover cap will become redundant. Total turnover can be further generalized with a weighting vector $c > 0$ such that

$$c^\top |w^* - w| \leq T. \tag{6}$$

Table 1: Example Factor Loading Matrix.

	Assets				
	1	**2**	**3**	...	n
Finance	0.10	0.40	0.20	...	A_n
Energy	0.13	0.20	0.30	...	B_n
Communication	0.06	0.04	0.10	...	C_n
...	...	...	...	...	...
Growth	0.70	0.30	0.20	...	D_n
Momentum	-1.0	-0.30	0.10	...	E_n
...	...	...	...	...	...

The vector c and T may represent some transaction cost estimates and a budget limit, respectively. When turnovers are equally weighted, constraint (6) becomes (5).

The constraint (5) or (6) is not directly supported by many solvers. Although convex, it is not affine, and is not differentiable at w^*. We introduce the slack vector $f \in \mathbb{R}^n$, such that

$$|w^* - w| \leq f, \quad c^\top f \leq T. \tag{7}$$

A feasible f exists if and only if $c^\top |w^* - w| \leq T$. Hence, (7) and (6) define the same feasible set of w.

Gross exposure, $|w\|_1$, is another measure often involved in some constraints, as it is often desirable to keep a specific amount of capital invested in a portfolio. It is common to limit the gross exposure (leverage) by an upper bound G as

$$\|w\|_1 \leq G. \tag{8}$$

This is still a convex constraint like that on total turnovers. But the optimal solution may find it cheaper to settle at a gross exposure far less than G, effectively underinvesting with available capital. It is thus attractive to place a lower bound $\underline{G}$ on the gross exposure as well. When $G = \underline{G}$, the constraint becomes an equality

$$\|w\|_1 = G. \tag{9}$$

In long-only or short-only portfolios, absolute value signs in (9) can be trivially removed so that it becomes a convex constraint. But the presence of a lower bound or equality constraints in long-short portfolios makes the feasible set non-convex, which poses a problem for most solvers. We will address this non-convexity in section 2.3.

2.3 Global Optimality Conditions and Difficulties of Gross Exposure

Suppose a quadratic objective is bounded by affine constraints that create a convex feasible set. The Karush-Kuhn-Tucker (KKT) conditions [1] define the framework for determining optimality.

In an optimization setting with quadratic objective function, a positive semi-definite Hessian matrix ensures the convexity of the objective. When constraints are affine, the feasible set is also convex. Under such conditions, a local optimal minimum is also the global minimum and its solution can be calculated via DCP.

A well-behaved covariance matrix Σ in (1) is positive semi-definite, so is Γ in (3). Almost all the constraints discussed so far are also convex except for gross exposure.

A set $\mathcal{C} \subset \mathbb{R}^n$ is convex if and only if for any two points a and b in $\mathcal{C}$ and every $\theta \in [0, 1]$ the following is true:

$$\theta a + (1 - \theta)b \in \mathcal{C}. \tag{10}$$

We will prove that for a fixed $G > 0$, the set $\mathcal{S} = \{w \in \mathbb{R}^n : \|w\|_1 = G\}$ is not convex. This argument does not restrict itself to properties of the L_1 norm. Rather, it uses two axioms every norm satisfies:

1. Absolute Homogeneity: $\|\alpha w\| = |\alpha|\|w\|$ for any scalar α.
2. Positive definiteness: $\|w\| = 0 \Leftrightarrow w = 0$.

Take any $w \in \mathcal{S}$. By homogeneity with $\alpha = -1$, we have

$$\|-w\|_1 = |-1| \cdot \|w\|_1 = \|w\|_1 = G.$$

This implies $-w \in \mathcal{S}$. For $\theta = \frac{1}{2}$, we have $\theta w + (1 - \theta)(-w) = 0 \notin \mathcal{S}$. Therefore, the set $\mathcal{S}$ is not convex.

The non-convexity arises from the uncertain signs of the optimal solution, which are not known prior to the solution process. We can rewrite w as $w^+ - w^-$, where both w^+ and w^- are nonnegative vectors in $\mathbb{R}^n$. This allows us to represent G as $e^\top(w^+ + w^-)$. The problem is that $w_i^+ w_i^-$ must equal 0 for all i or a solver will freely choose them to hit the target G. Even Mixed-Integer Convex Programming (MICP) will have difficulty finding an optimal solution in a timely and resource-efficient manner when n is reasonably large.

One way to overcome this is forcing the signs of $\{w_i\}$ according to some rules prior to setting up the gross exposure constraint. Let $G^+ > 0$ be the desired long exposure, and $G^- < 0$ be the negative counterpart. The total gross exposure becomes $G^+ - G^- = G$. For tracking problems of (3), we propose to match the sign of w to that of $\tilde{w}$ such that

$$\begin{aligned} &w_i \geq 0, \quad \forall i \in \mathcal{W}^+ := \{i \mid \tilde{w}_i > 0\}, \\ &w_i \leq 0, \quad \forall i \in \mathcal{W}^- := \{i \mid \tilde{w}_i < 0\}, \\ &w_i = 0, \quad \forall i \in \mathcal{W}^0 := \{i \mid \tilde{w}_i = 0\}. \end{aligned} \tag{11}$$

Furthermore, we require that

$$\sum_{i \in \mathcal{W}^+} w_i = G^+, \quad \sum_{i \in \mathcal{W}^-} w_i = G^-.$$

The price is that the feasible set is effectively shrunk, and consequently may not yield the same global optimal solution of the original problem.

Other local search methods may improve upon this approach:

- Solve the original problem with inequality (8), and use the signs of the solution vector to derive $\mathcal{W}^+$, $\mathcal{W}^-$, and $\mathcal{W}^0$. Solve the problem with the equality constraint along with the determined signs.
- After one iteration, flip the signs of assets with $|w_i|$ inside a small band ϵ to update $\mathcal{W}^+$, $\mathcal{W}^-$, and $\mathcal{W}^0$. Solve again. If there is improvement, increase ϵ and repeat. If not, stop.
- Solve the original problem with inequality (8), and scale all the weights such that $\|w\|_1 = G$. Feed the results back to iterate.
- An approach in the same spirit as the penalty forms discussed later is to introduce a slack variable $g \geq 0$ such that $\|w\|_1 + g = G$, and a penalty term ηg. A sufficiently large parameter η will cause g to be 0 at the optimal solution. Fix the signs according to the solutions of this penalized optimization and solve the original problem without the penalty term.

Unfortunately, these are all heuristic approaches to resolve sign uncertainty prior to the optimization. None of these approaches can guarantee the global optimum. As long as the feasible set is not expanded like (8), the objective functions across various heuristic approaches can be compared to each other to evaluate the improvement of each step.

3 Hard and Soft Caps of Transaction Costs

Trading from w^* to w incurs transaction costs. It is thus desirable to balance the objective function and turnover to avoid paying deterministic upfront costs for insignificant or uncertain transactions. Imposing a hard budget limit on total turnover, however, handicaps portfolio construction from achieving its objective. Instead, we should explore the potential trade-offs of excessive turnovers.

In addition to a hard upper bound T on total turnover (5) or as its replacement, we introduce a slack variable $z \geq 0$ to relax a constant soft bound $\tilde{T} > 0$ such that

$$\|w - w^*\|_1 \leq \tilde{T} + z,$$

and add a penalty term to the objective function $q(\cdot)$,

$$p(z) = \alpha z^2. \tag{12}$$

This term will be referred to as Alpha Gate. The exogenous parameter $\alpha > 0$ determines the cost of going above $\tilde{T}$. The variable z will be optimized along with w. The quadratic term has the benefit of having a comparable magnitude with many objective function forms of $q(w)$ such that the choice of α is more intuitive. It is completely reasonable to replace it with $\alpha|z|$. The presence of an absolute value poses no technical difficulty here given that $z \geq 0$.

This formulation is very intuitive. The total turnover is allowed to exceed $\tilde{T}$, but pays a penalty to do so. If turnover is less than $\tilde{T}$, no penalty is paid. The larger the value of α, the more strongly the total turnover is discouraged from exceeding $\tilde{T}$, and vice versa. This "soft cap" is not a rigid hard bound, allowing some room to trade more when situation dictates it. When both a "hard cap" and a "soft cap" are present, we generally have $\tilde{T} < T$ in that T serves as a rigid safeguard on the total turnover.

4 Regularization of Noisy Trades

While individual turnover and transaction budget constraints are common in portfolio construction, it is also desirable to reduce the number of inconsequential small trades. They are either results of some computational or statistical noises, or are simply too insignificant to justify the execution or handling costs. Eliminating such small trades also gives the turnover budget to other assets.

We wish to induce a degree of sparsity in a portfolio's turnovers, pruning noisy trades. A popular method to encourage sparsity involves setting a certain threshold for $|w_i - w_i^*|$, below which those $\{w_i\}$ will be forced to stay at $\{w_i^*\}$, meaning no trade allowed. However, this ad-hoc rule may be too rigid, and the threshold setting also seems rather arbitrary.

This problem is very similar to variable selection in various regression frameworks where coefficients of some variables are shrunk towards zero to yield parsimonious models. It is thus not surprising that similar techniques can be employed to regularize $|w - w^*|$.

4.1 Elastic Net

Ridge Regression [6] softens estimated coefficients through a scaled L_2 norm. Lasso regression [12] utilizes an L_1 norm instead. The Elastic Net [14] uses both L_1 and L_2 norms simultaneously. This concept can be adopted for portfolio optimization, penalizing turnovers:

$$\gamma \left[\beta \|w - w^*\|_1 + \frac{1-\beta}{2} \|w - w^*\|_2^2 \right], \tag{13}$$

where $0 \leq \beta \leq 1$ and $\gamma > 0$ are adjustable exogenous parameters. It can be added to a base quadratic objective $q(\cdot)$ along with other penalty terms such as (12). Each term in the objective is either an L_1 norm, L_2 norm, or a quadratic function. Since all scalars α, β, and γ are positive, the entire objective function maintains its convexity.

The L_1 penalty promotes sparsity, driving small turnovers to 0. The L_2 penalty promotes smoothness. It prevents related trades from swinging violently with tiny input changes. Turnovers

among correlated assets are distributed more evenly than with only an L_1 penalty. For example, the L_2 penalty resulting from two turnovers 0.2 and 0.2 is smaller than the penalty resulting from 0.1 and 0.3, even though the total turnover is the same. The parameter β governs relative strength of penalties between the two terms.

The parameter γ controls the overall scale of this penalty term relative to the objective function $q(\cdot)$. A larger $\gamma\beta$ reflects a higher marginal cost of initiating a new trade, pushing some small trades towards zero.

4.2 Berhu (Reverse Huber) Loss

Elastic Net penalties in the last section subject trades to both L_1 and L_2 penalties, regardless of the magnitude of a trade. It tends to reduce turnovers indiscriminately. The Berhu (Reverse Huber) loss [9] is a piecewise function that contains either an L_1 or L_2 penalty over non-overlapping regions.

Frequently used in regressions, the Huber's loss function of q_i with a threshold scalar $\epsilon > 0$ takes the form

$$h(q_i) = \begin{cases} \frac{q_i^2}{2\epsilon}, & |q_i| \le \epsilon, \\ |q_i| - \frac{\epsilon}{2}, & |q_i| > \epsilon. \end{cases} \tag{14}$$

It applies a quadratic penalty for small deviations, and a linear penalty for large deviations. This dampens the influence of extreme outliers in regression while maintaining differentiability throughout. It can serve as a drop-in replacement for the L_2 loss function (2). Because of reduced responses to large deviations, it may reduce the incentive to match extreme target positions aggressively, which in some cases may also lead to lower turnovers.

Berhu Loss, also known as Reverse Huber's loss, inverts the order of the quadratic and linear functions. Given $y_i = w_i - w_i^*$, the Berhu Loss is defined as

$$b(y_i) = \begin{cases} |y_i|, & |y_i| \le \epsilon, \\ \frac{y_i^2+\epsilon^2}{2\epsilon}, & |y_i| > \epsilon. \end{cases} \tag{15}$$

The Berhu function works similarly to Elastic Net, but only applies either an L_1 norm or L_2 norm at a time. For minor weight adjustments where $|y_i| \le \epsilon$, the penalty is linear, promoting sparsity. For significant weight adjustments where $|y_i| \ge \epsilon$, the penalty becomes quadratic and tend to spread trades across assets.

Intuitively, both Elastic Net and Berhu function preserve non-differentiable vertices, which provide opportunities for some $\{y_i\}$ to drop to zero. An Elastic Net also adds curved edges that offer surfaces for the loss contour to settle where highly correlated ones are involved. The Berhu function shrinks the areas of straight edges. Both encourage more control variables to go towards zero upon contact with the objective contour at the optimal solution, just in slightly different fashions. Once a turnover exceeds ϵ, the Berhu Loss becomes quadratic while the Elastic Net still maintains an L_1 term. In the parameter range studied here where $\epsilon \ll 1$, this quadratic term is




Figure 1: Huber's Loss (Left) and Berhu Loss (Right)

larger than the quadratic term of the Elastic Net with the same γ. This comparison is parameter dependent in general. A properly chosen ϵ can apply L_1 penalty to some trades while subjecting the rest to L_2 penalty.

One advantage that Elastic Net maintains over the Berhu function is in its handling of correlated trades. Since only L_1 penalty is effective for the trade magnitudes below ϵ, the Berhu shrinkage is highly sensitive to correlated trades whose magnitudes are also below ϵ, just like Lasso is over such reduced space. It, however, may not be a serious issue because the affected trades must be highly correlated and at the same time have magnitudes less than ϵ.

The Berhu function is convex and continuous everywhere. That said, its piecewise nature makes it difficult to implement directly into a solver, as many solvers do not accept piecewise functions natively or have a designated Berhu function. To resolve this, we will create an epigraph formulation with auxiliary variables.

Define two non-negative vectors $u \geq 0$ and $v \geq 0$ subject to the following constraints for all i:

$$u_i + v_i \geq |y_i|, \quad u_i \leq \epsilon.$$

The Berhu Loss then becomes

$$b(y) = \sum_i \left(u_i + v_i + \frac{v_i^2}{2\epsilon} \right). \tag{16}$$

When $|y_i| \leq \epsilon$, to minimize the penalty, the solver will set $v_i = 0$ because the quadratic penalty term $\frac{v_i^2}{2\epsilon}$ grows more rapidly than the linear term u_i, being more "expensive" in the objective function. The constraint $u_i + v_i \geq |y_i|$ forces $u_i = |y_i|$, making the penalty exactly $|y_i|$, matching the linear branch of (15). When $|y_i| > \epsilon$, the minimizer pushes u_i to its upper bound ϵ, resulting in v_i being non-zero $v_i = |y_i| - \epsilon$, while the cost becomes $\frac{y_i^2 + \epsilon^2}{2\epsilon}$. This matches the value of the quadratic branch of (15).

A penalty term based on (16) can be defined as

$$b_t(y) = \gamma \sum \left(u_i + v_i + \frac{v_i^2}{2\epsilon} \right) = \gamma \sum_i \left[|y_i| + \frac{1}{2\epsilon} \max[|y_i| - \epsilon, 0]^2 \right], \tag{17}$$

where $\gamma > 0$ is an exogenous scale coefficient that determines the scale of this term relative to the objective function $q(\cdot)$ and other penalty terms present. All terms in the objective function introduced so far are either quadratic or linear, so the objective function remains convex.

Threshold ϵ is the knot where the penalty transitions from linear to quadratic. A small ϵ means that the optimizer switches to quadratic penalties at very small turnover values, likely resulting in fewer turnovers reduced to exactly 0. A larger ϵ means the penalty remains linear for a wider range of turnovers, penalizing those trades less aggressively and also qualifying them to be pruned. The choice of ϵ is highly sensitive to data scales, and depends on the nature of data.

5 Numerical Experiments

An ideal set of penalty parameters should exert the least amount of influence while achieving the intended objectives. For example, a set of regularization parameters for Elastic Net or Berhu penalty is ideal when they are the least aggressive while shrinking just enough number of trades to zero consistently. An Alpha Gate is ideal when it pushes the realized total turnover to narrowly fluctuate around a preferred stable level between $\tilde{T}$ and T.

If the target portfolio weights are derived with some stable modeling process, a set of penalty parameters can be evaluated based on its consistency over a sample period. In this section, we set out to study the behaviors of three penalty forms introduced so far.

We base our numerical experiments on a proprietary dataset provided by a hedge fund manager. The dataset contains 10 years of daily trading signals for the most liquid US stocks and their attribute matrices. There are three signal series intended as target portfolio weights, varying in natural turnovers. They were generated from some quantitative models that were not concerned with various portfolio construction considerations. Our objective is to implement long-short portfolios that replicate these target weights as closely as possible subject to various constraints. We focus on a special form of loss function (3) with Γ being an identity matrix,

$$\min_{w} \|w - \tilde{w}\|_2^2,$$

where $\tilde{w}$ represents a target model weight vector.

Let $\mathcal{D}_1$, $\mathcal{D}_2$, and $\mathcal{D}_3$ represent the three signal series from this dataset. Table 2 contains their summary statistics. All the portfolio weights are net of their means and then normalized by the gross exposures. Because $\mathcal{D}_1$ has the highest natural turnovers, the turnover constraints are most likely to bind for this series; we therefore use $\mathcal{D}_1$ as the main diagnostic series in the studies below.

5.1 Experimental Design and Metric Definitions

To maintain comparability, we define a common set of constraints for all the experiments (all vector inequalities are element-wise):

$$\|w\|_1 = 2, \tag{18a}$$

$$e^\top w = 0, \tag{18b}$$

Table 2: Summary Statistics of the Raw Dataset (01/04/2016 – 12/31/2025)

	$\mathcal{D}_1$	$\mathcal{D}_2$	$\mathcal{D}_3$
Daily Average of Number of Qualified Stocks	2,201	2,201	2,201
Daily Average of Meaningful Positions ($> 10^{-8}$)	$1,223$	$1,667$	$1,862$
Daily Average of Total Turnover (%)	131.7	91.83	76.75
Daily Average of Position Standard Deviations (%)	0.154	0.159	0.165
Daily Average of Max Position Sizes (%)	1.400	1.558	1.810
Daily Average of Max Change Magnitudes (%)	1.117	0.957	0.938

$$|w| \leq 0.04, \tag{18c}$$

$$|w - w^*| \leq 0.02, \tag{18d}$$

$$\|w - w^*\|_1 \leq 0.7, \tag{18e}$$

$$|\mathbf{S}w| \leq 0.001. \tag{18f}$$

The rules outlined in (11) are applied to eliminate the non-convexity due to the gross exposure constraint (18a). The net exposure constraint (18b), along with (18a), implies that both the total long and short book size equal 1. Often portfolio weights are discussed in terms of long book sizes. But in our setup, all the portfolio units are normalized to 2 effectively. The position constraint (18c) limits all the positions below 4% of the gross book size, while (18d) limits the individual trade magnitudes below 2%. The total turnover constraint (18e) caps that at 70%. The attribute matrix $\mathbf{S}$ in (18f) has 30 rows, corresponding to the most important 30 risk attributes, which caps those exposures at 0.001. These constraints are quite common in actual trading environments.

Let the first trading day of the dataset be day 0. For each day $k = 1, 2, \ldots, d$, the starting positions w^* of each signal series $\mathcal{D}_i$ are set to the target positions $\tilde{w}$ of that series from day $k-1$ and the signals from day k are used as the target positions for that day. The underlying assumption is that each day's targets are perfectly realized. This allows us to solve each day independently rather than tracking realized positions that are path-dependent. Since the purpose of this study is to investigate the characteristics of various penalty forms, this setup isolates the optimization problems from cumulative effects of constraints and penalties over time. On each day, the same attribute matrix $\mathbf{S}$ is used for all three signals to facilitate comparisons across series.

The experiments are built on top of the CVXPY modeling layer [3]. As a robustness check, we ran the optimizations with both Clarabel [5] and PIQP [11], two recent efficient solvers with native sparse-matrix support, and obtained consistent results. The Position constraints (18c) and individual turnover constraints (18d) are represented as diagonal blocks. The epigraph reformulations further enlarge the problem dimension and add more sparse rows. We exploit this structure to construct all the matrices in sparse form.

We ran a baseline case with these standard constraints for signal series $\mathcal{D}_i$ where $i = 1, 2, 3$. For $\mathcal{D}_i$ on each day k, we computed a few metric series with the optimization solutions of w:

Table 3: Baseline Results

	$\mathcal{D}_1$	$\mathcal{D}_2$	$\mathcal{D}_3$
Average $\{o_k^{(0,i)}\}$	0.700	0.700	0.700
Average $\{c_k^{(0,i)}\}$	0.961	0.984	0.988
Average $\{z_k^{(0,i)}\}$	0.452	0.250	0.162
Average $\{l_k^{(0,i)}\}(\times 10^{-4})$	4.068	1.687	1.319

- $o_k^{(0,i)}$: realized total turnover $\|w - w^*\|_1$;
- $l_k^{(0,i)}$: realized loss function $\|w - \tilde{w}\|_2^2$;
- $c_k^{(0,i)}$: correlation between the optimal solution w and target $\tilde{w}$;
- $z_k^{(0,i)}$: fraction of optimized trades with $|w_i - w_i^*| < 10^{-8}$.

The results are presented in table 3. All three signals have natural turnovers above the limit of 70%, causing the constraint (18e) to be binding across the board. The constraints also push the correlations between the solution weights and the target weights away from 1. Since the natural signal turnovers decrease from $\mathcal{D}_1$ to $\mathcal{D}_3$, the hard turnover limit places decreasing pressure on the solutions. This is evident from the correlations between the solution weights and the target weights, and the realized loss functions. There is decreasing distortion from the targets in the solutions from $\mathcal{D}_1$ to $\mathcal{D}_3$.

For the experiments involving Elastic Net penalty (13), let $e(\beta, \gamma)$ be the experiment with parameter (β, γ). We represent the corresponding metric series as $\{l_k^{(e,i)}(\beta,\gamma)\}$ (without the penalty term), $\{c_k^{(e,i)}(\beta,\gamma)\}$, and $\{z_k^{(e,i)}(\beta,\gamma)\}$, respectively. Similarly for Berhu penalty (17), we have $\{l_k^{(b,i)}(\epsilon,\gamma)\}$, $\{c_k^{(b,i)}(\epsilon,\gamma)\}$, and $\{z_k^{(b,i)}(\epsilon,\gamma)\}$, respectively. For those involving Alpha Gating (12), we have $\{l_k^{(a,i)}(\alpha)\}$, $\{c_k^{(a,i)}(\alpha)\}$, and $\{o_k^{(a,i)}(\alpha)\}$ instead of $\{z_k^{(a,i)}(\alpha)\}$.

Based on these metric series, we calculated the following averages over d days:

$$L^{(e,i)}(\beta,\gamma) = \frac{1}{d}\sum_{k=1}^{d}\left[l_k^{(e,i)}(\beta,\gamma) \div l_k^{(0,i)}\right],$$

$$C^{(e,i)}(\beta,\gamma) = \frac{1}{d}\sum_{k=1}^{d}\left[c_k^{(e,i)}(\beta,\gamma) - c_k^{(0,i)}\right],$$

$$Z^{(e,i)}(\beta,\gamma) = \frac{1}{d}\sum_{k=1}^{d}\left[z_k^{(e,i)}(\beta,\gamma) - z_k^{(0,i)}\right],$$

$$L^{(b,i)}(\epsilon,\gamma) = \frac{1}{d}\sum_{k=1}^{d}\left[l_k^{(b,i)}(\epsilon,\gamma) \div l_k^{(0,i)}\right],$$

$$C^{(b,i)}(\epsilon,\gamma) = \frac{1}{d}\sum_{k=1}^{d}\left[c_k^{(b,i)}(\epsilon,\gamma) - c_k^{(0,i)}\right],$$

$$Z^{(b,i)}(\epsilon,\gamma) = \frac{1}{d}\sum_{k=1}^{d}\left[z_k^{(b,i)}(\epsilon,\gamma) - z_k^{(0,i)}\right],$$

$$L^{(a,i)}(\alpha) = \frac{1}{d}\sum_{k=1}^{d}\left[l_k^{(a,i)}(\alpha) \div l_k^{(0,i)}\right],$$

$$C^{(a,i)}(\alpha) = \frac{1}{d}\sum_{k=1}^{d}\left[c_k^{(a,i)}(\alpha) - c_k^{(0,i)}\right],$$

$$O^{(a,i)}(\alpha) = \frac{1}{d}\sum_{k=1}^{d}\left[o_k^{(a,i)}(\alpha) - o_k^{(0,i)}\right].$$

The loss ratio $L^{(\cdot,i)}$ measures the realized impact on the objective function of a penalty term for $\mathcal{D}_i$. A bigger value indicates that the penalty pushes the solutions further away from the original objective. Since a penalty increases $\{l_k^{(\cdot,i)}\}$ over the corresponding $\{l_k^{(0,i)}\}$, the resulting loss ratio $L^{(\cdot,i)}$ should be no less than 1.

The correlation difference $C^{(\cdot,i)}$ is another measure of the impact of a penalty function. An ideal solution should have a high correlation with the target portfolio. The presence of constraints is likely to force the correlation series below 1, and a penalty term is likely to further reduce them. The correlation difference is likely to be negative and decreases further as the penalty becomes more aggressive.

The zero trade difference $Z^{(\cdot,i)}$ measures the effectiveness of a penalty term in pruning noisy trades. A positive (negative) value means that more (less) trades are shrunk to zero on average than those in the corresponding baseline solutions.

The turnover difference $O^{(\cdot,i)}$ measures the effectiveness of a penalty term in damping the total turnovers below the hard threshold. A negative (positive) value means that a penalty reduces (increases) the total turnovers relative to the corresponding baseline portfolios. Since the total turnover constraint (18e) is always binding in the baseline portfolios, turnover differences are always non-positive.

These statistics may also serve as the criteria in choosing penalty parameters, similar to how we evaluate various penalty forms and associated parameters. For each parameter setting, we ran optimizations over the entire sample period for all the three signal series. They exhibit similar patterns except that decreasing natural turnovers from $\mathcal{D}_1$ to $\mathcal{D}_3$ cause decreasing distortions from constraints and penalties. We shall base our discussions on the experiments on $\mathcal{D}_1$. The corresponding results of $\mathcal{D}_2$ and $\mathcal{D}_3$ are shown in the appendix.

In setting parameters for experiments, we started with a coarse set of parameters over a wide range. After each batch run, we focused on the range of parameters that have more desirable properties with finer search grid of those parameters. A few iterations were usually carried out. This helped reduce the search space, but also resulted in uneven concentration of data points over some areas of the parameter spaces.




Figure 2: $\mathcal{D}_1$ Alpha Gating

5.2 Impacts of Alpha Gating

Given the hard total turnover limit 0.7, we fix the soft bound $\tilde{T}$ at 0.4 for our experiments of Alpha Gating. The α parameter in (12) dictates the relative importance between the loss function and the quadratic excess of total turnover over the soft threshold. The loss function is basically a sum of squared individual deviations from the target weights, while the penalty term is a squared total turnover from the initial positions in excess of a constant. The choice of α is dependent on the relative magnitudes of these two terms.

Plots of averages $L^{(a,1)}(\alpha)$, $C^{(a,1)}(\alpha)$, and $O^{(a,1)}(\alpha)$ in relation to the penalty parameter α are shown in Figure 2. They all behave as expected.

The penalty starts kicking in once the total turnover exceeds 0.4. Both $C^{(a,1)}$ and $L^{(a,1)}$ keep deteriorating as long as the total turnover stays above the soft bound at 0.4 below which the penalty term becomes zero. The loss ratio $L^{(a,1)}$ rises sharply at first and then decelerates as $O^{(a,1)}$ also plateaus. Initially, $O^{(a,1)}$ decreases precipitously as α increases, then later asymptotes at a value of around -0.24. This implies the realized turnover approaches 0.46. Considering that $T = 0.7$ and $\tilde{T} = 0.4$ and that constraints are binding without penalty, Alpha Gating successfully acts as a soft barrier. The values of α used in the experiments are largely concentrated between 10^{-3} and 10^{-1} to illustrate more rapid change over that range.

The asymptotes in the three graphs reveal that increasing α beyond ≈ 0.1 results in close to no reduction in turnover $O^{(a,1)}(\alpha)$, but continues to slowly diminish correlations and increase loss ratios. Past this point, further distorting solutions to cater to the aggressive penalty yields only small reduction in turnover. There is no longer much value in increasing α further if the goal is to control total turnovers.


A drop in realized average total turnovers by as much as 20% can be achieved with a relatively small α, corresponding to about 2% drop in $C^{(a,1)}$. At the same time, the realized loss function almost doubles with such a penalty. The increase in the loss function is somewhat expected because

reduction in turnovers will almost always increase the loss function whether the limit is soft or hard.

5.3 Impacts of Berhu and Elastic Net Penalties

Elastic Net is similar to dialing two switches. The L_1 penalty discourages small trades, and the L_2 penalty, which is always active, spreads trades and discourages very large ones. The penalty applies both effects at each trade size. Meanwhile, Berhu is a pure L_1 penalty for small trades and a pure L_2 penalty for large ones. Both penalty forms also penalize turnovers as a side effect. Plots of Berhu and Elastic Net experiments are displayed in Figure 3.

In the plots of Elastic Nets, parameter β took values over $(0, 1]$, and γ over $[5 \times 10^{-3}, 6 \times 10^{-2}]$. A zero β is not meaningful in pruning noisy trades. A β of 1 is also unlikely to be desirable because a pure Lasso form is very sensitive to highly correlated features. In our use cases, some trades are bound to be correlated so that the solutions with $\beta = 1$ may also result in great variation in selecting which trades to prune. In the plots of Berhu penalties, parameter ϵ was spread over $(10^{-5}, 5 \times 10^{-4})$, matching the typical target weights in our dataset, while γ was selected over $[5 \times 10^{-5}, 10^{-1}]$.



(a) $Z^{(e,1)}(\beta, \gamma)$ (b) $C^{(e,1)}(\beta, \gamma)$ (c) $L^{(e,1)}(\beta, \gamma)$

(d) $Z^{(b,1)}(\epsilon, \gamma)$ (e) $C^{(b,1)}(\epsilon, \gamma)$ (f) $L^{(b,1)}(\epsilon, \gamma)$

Figure 3: $\mathcal{D}_1$ Elastic Net and Berhu Penalties

In an objective function with an Elastic Net penalty, the marginal cost of a trade quantity vector y is $\gamma[\beta + (1 - \beta)|y|]$. With a Berhu penalty, it becomes γ for $|y| \leq \epsilon$, and $\frac{\gamma|y|}{\epsilon}$ elsewhere. In an Elastic Net, the composite coefficient on the L_1 penalty is $\gamma\beta$, which applies to the entire range of y. Meanwhile, an increase in γ in a Berhu penalty is reflected directly on the L_1 penalty as long

as $|y|$ falls below ϵ, beyond which the penalty is on the L_2. It is the L_1 penalty that is mainly responsible for trade sparsity. Their difference is reflected in the plots of $Z^{(e,1)}$ and $Z^{(b,1)}$.

In general, $Z^{(e,1)}$ is not very sensitive to the choice β except when β is below 0.5. Where $Z^{(e,1)}$ is insensitive to γ, a bigger γ still negatively impacts $C^{(e,1)}$ and $L^{(e,1)}$, continuously pushing the solution away from the target. Therefore, a sensible strategy calls for a reasonably large β while keeping γ as small as possible in an Elastic Net penalty.

That is quite different from the Berhu cases, where a large γ increases the sensitivity of $Z^{(b,1)}$ to ϵ, but decreases the sensitivities of both $C^{(b,1)}$ and $L^{(b,1)}$. Overall, $Z^{(b,1)}$ is very sensitive to ϵ across all the choices of γ. For the trades of magnitudes below ϵ, an increase in γ represents a direct increase in the L_1 penalty on them. In contrast, a larger γ represents an increase in both L_1 and L_2 terms across all the trades in an Elastic Net penalty. For the trades qualified for the L_1 penalty according to ϵ of a Berhu penalty, their sensitivity to γ is higher with Berhu penalties than with Elastic Net penalties provided $\beta < 1$.

A small ϵ, however, may cause $Z^{(b,1)}$ to drop below 0, meaning that Berhu penalties may actually increase numbers of noisy trades. Intuitively, a smaller ϵ subjects a greater number of trades to L_2 penalty, spreading small trades instead of pruning them. Therefore, it is critical to choose an ϵ that makes L_1 penalty effective over a decent portion of a portfolio.

With an appropriate ϵ, $C^{(b,1)}$ has a larger flat area of relatively high values, where correlations stay close to the baseline value. This implies that a proper choice of ϵ affords more room to find a superior choice of γ to Elastic Nets as long as only a modest number of noisy trades need to be pruned.

6 Concluding Remarks

The penalized portfolio optimization techniques studied in this paper address two deficiencies of the conventional approach. The first one concerns rigid constraints that sometimes end up driving the solution. The Alpha Gate introduced in Section 3 directly incorporates violation of a soft threshold as a penalty term in an objective function. It can be viewed as a flexible constraint that can be stretched to some degree. The second one serves as a shrinkage mechanism, similar to variable selection in regression settings. The regularization methods introduced in Section 4 aim to eliminate some noisy trades. Our numerical experiments demonstrate that these penalty approaches can be very effective in achieving their respective objectives while paying modest costs.

A main concern with penalty terms is that they tend to add biases to original objective functions. This is particularly true in the case of regularization methods. One way to mitigate the biases is to follow a common practice in regression studies. After identifying relevant features, a regression is often run with only the selected features. In the context of penalized portfolio optimization, the trades whose magnitudes fall below a tiny threshold can be forced to zero and another optimization is then performed without such a penalty term. This should reduce the biases of the optimal solution. Similarly, after a solution with Alpha Gating realizes a total turnover, it may be used as

the hard turnover limit in the optimization without that Alpha Gating penalty.

Another way to mitigate penalty biases takes the form of non-convex penalty functions. The SCAD penalty [4] and the MCP penalty [13] can be applied to $|w - w^*|$ to prune noisy trades. Like Elastic Net and Berhu penalties, these penalty functions are non-differentiable at zero, allowing for sparsity. But unlike those convex penalties, they are concave elsewhere. Consequently, their marginal penalties reach zero as $|w-w^*|$ increases and the total penalty stops increasing. Effectively, such penalty forms set a ceiling on the penalty biases. However, non-convexity of these functions makes it very difficult to optimize.

More systematic procedures and objective criteria to select penalty parameters also warrant further research.

Appendix

A Additional Alpha Gating Plots




Figure 4: $\mathcal{D}_2$ Alpha Gating





Figure 5: $\mathcal{D}_3$ Alpha Gating


B Additional Elastic Net and Berhu Plots



(a) $Z^{(e,2)}(\beta,\gamma)$ (b) $C^{(e,2)}(\beta,\gamma)$ (c) $L^{(e,2)}(\beta,\gamma)$

(d) $Z^{(b,2)}(\epsilon,\gamma)$ (e) $C^{(b,2)}(\epsilon,\gamma)$ (f) $L^{(b,2)}(\epsilon,\gamma)$

Figure 6: $\mathcal{D}_2$ Elastic Net and Berhu Penalties



(a) $Z^{(e,3)}(\beta,\gamma)$ (b) $C^{(e,3)}(\beta,\gamma)$ (c) $L^{(e,3)}(\beta,\gamma)$

(d) $Z^{(b,3)}(\epsilon,\gamma)$ (e) $C^{(b,3)}(\epsilon,\gamma)$ (f) $L^{(b,3)}(\epsilon,\gamma)$

Figure 7: $\mathcal{D}_3$ Elastic Net and Berhu Penalties

References

[1] Stephen Boyd and Lieven Vandenberghe. *Convex Optimization*. Cambridge University Press, Cambridge, UK, 2004.

[2] Victor DeMiguel, Lorenzo Garlappi, Francisco J. Nogales, and Raman Uppal. A generalized approach to portfolio optimization: Improving performance by constraining portfolio norms. *Management Science*, 55(5):798–812, 2009.

[3] Steven Diamond and Stephen Boyd. CVXPY: A Python-embedded modeling language for convex optimization. *Journal of Machine Learning Research*, 17(83):1–5, 2016.

[4] Jianqing Fan and Runze Li. Variable selection via nonconcave penalized likelihood and its oracle properties. *Journal of the American Statistical Association*, 96(456):1348–1360, 2001.

[5] Paul J. Goulart and Yuwen Chen. Clarabel: An interior-point solver for conic programs with quadratic objectives, 2024.

[6] Arthur E. Hoerl and Robert W. Kennard. Ridge regression: Biased estimation for nonorthogonal problems. *Technometrics*, 12(1):55–67, 1970.

[7] Sophie Lambert-Lacroix and Laurent Zwald. The adaptive berhu penalty in robust regression. *Journal of Nonparametric Statistics*, 28(3):487–514, 2016.

[8] Harry Markowitz. Portfolio selection. *The Journal of Finance*, 7(1):77–91, 1952.

[9] Art B. Owen. A robust hybrid of Lasso and Ridge regression. *Contemporary Mathematics*, 443:59–72, 2007.

[10] Edward E. Qian, Ronald H. Hua, and Eric H. Sorensen. *Quantitative Equity Portfolio Management: Modern Techniques and Applications*. Chapman and Hall/CRC Financial Mathematics Series. Chapman and Hall/CRC, 2007.

[11] Roland Schwan, Yuning Jiang, Daniel Kuhn, and Colin N. Jones. PIQP: A proximal interior-point quadratic programming solver. In *2023 62nd IEEE Conference on Decision and Control (CDC)*, pages 1088–1093, 2023.

[12] Robert Tibshirani. Regression shrinkage and selection via the lasso. *Journal of the Royal Statistical Society: Series B*, 58(1):267–288, 1996.

[13] Cun-Hui Zhang. Nearly unbiased variable selection under minimax concave penalty. *The Annals of Statistics*, 38(2):894–942, 2010.

[14] Hui Zou and Trevor Hastie. Regularization and variable selection via the elastic net. *Journal of the Royal Statistical Society: Series B*, 67(2):301–320, 2005.