MySQL Client (MariaDB 12.1 (

```
ERROR 1054 (42S22): Unknown column 's.firstName' in 'SELECT'
MariaDB [mynewpaltz]> Select s.firstName, s.mi, s.lastName, s.ssn from Stude
ntTable as s inner join EnrollmentTable on s.snn = e.ssn having count(e.cour
seID) = 5;
ERROR 1054 (42S22): Unknown column 's.snn' in 'ON'
MariaDB [mynewpaltz]> Select s.firstName, s.mi, s.lastName, s.ssn from Stude
ntTable as s inner join EnrollmentTable on s.ssn = e.ssn having count(e.cour
seID) = 5;
ERROR 1054 (42S22): Unknown column 'e.ssn' in 'ON'
MariaDB [mynewpaltz]> Select s.firstName, s.mi, s.lastName, s.ssn from Stude
ntTable as s inner join EnrollmentTable as e on s.ssn = e.ssn having count(e
.courseID) = 5;
Empty set (0.005 sec)

MariaDB [mynewpaltz]> Select s.firstName, s.mi, s.lastName, s.ssn from Stude
ntTable as s inner join EnrollmentTable as e on s.ssn = e.ssn group by s.ssn
, s.firstName, s.mi, s.lastName having count(e.courseID) = 5;
+-----------+------+----------+-----------+
| firstName | mi   | lastName | ssn       |
+-----------+------+----------+-----------+
| Kevin     | O    | Green    | 100000041 |
| Michelle  | P    | Adams    | 100000042 |
| Brian     | Q    | Nelson   | 100000043 |
| Carol     | R    | Baker    | 100000044 |
| Edward    | S    | Hall     | 100000045 |
| Ronald    | U    | Campbell | 100000047 |
| Melissa   | V    | Mitchell | 100000048 |
| Timothy   | W    | Carter   | 100000049 |
| Deborah   | X    | Roberts  | 100000050 |
| Stephanie | Z    | Phillips | 100000052 |
| Jeffrey   | A    | Evans    | 100000053 |
| Rebecca   | B    | Turner   | 100000054 |
| Ryan      | C    | Diaz     | 100000055 |
| Laura     | D    | Parker   | 100000056 |
| Sharon    | F    | Edwards  | 100000058 |
| Gary      | G    | Collins  | 100000059 |
| Cynthia   | H    | Reyes    | 100000060 |
+-----------+------+----------+-----------+
17 rows in set (0.018 sec)

MariaDB [mynewpaltz]>
```

MySQL Client (MariaDB 12.1 (

```
.courseID) = 5;
Empty set (0.005 sec)

MariaDB [mynewpaltz]> Select s.firstName, s.mi, s.lastName, s.ssn from Stude
ntTable as s inner join EnrollmentTable as e on s.ssn = e.ssn group by s.ssn
, s.firstName, s.mi, s.lastName having count(e.courseID) = 5;
+-----------+------+----------+-----------+
| firstName | mi   | lastName | ssn       |
+-----------+------+----------+-----------+
| Kevin     | O    | Green    | 100000041 |
| Michelle  | P    | Adams    | 100000042 |
| Brian     | Q    | Nelson   | 100000043 |
| Carol     | R    | Baker    | 100000044 |
| Edward    | S    | Hall     | 100000045 |
| Ronald    | U    | Campbell | 100000047 |
| Melissa   | V    | Mitchell | 100000048 |
| Timothy   | W    | Carter   | 100000049 |
| Deborah   | X    | Roberts  | 100000050 |
| Stephanie | Z    | Phillips | 100000052 |
| Jeffrey   | A    | Evans    | 100000053 |
| Rebecca   | B    | Turner   | 100000054 |
| Ryan      | C    | Diaz     | 100000055 |
| Laura     | D    | Parker   | 100000056 |
| Sharon    | F    | Edwards  | 100000058 |
| Gary      | G    | Collins  | 100000059 |
| Cynthia   | H    | Reyes    | 100000060 |
+-----------+------+----------+-----------+
17 rows in set (0.018 sec)

MariaDB [mynewpaltz]> Select s.firstName, s.mi, s.lastName, s.ssn from Stude
ntTable as s inner join EnrollmentTable as e on s.ssn = e.ssn group by s.ssn
, s.firstName, s.mi, s.lastName having count(e.courseID) = 4;
+-----------+------+----------+-----------+
| firstName | mi   | lastName | ssn       |
+-----------+------+----------+-----------+
| Amanda    | T    | Rivera   | 100000046 |
| Jacob     | E    | Cruz     | 100000057 |
+-----------+------+----------+-----------+
2 rows in set (0.003 sec)

MariaDB [mynewpaltz]>
```

MySQL Client (MariaDB 12.1 (

```
+-----------+------+----------+-----------+
17 rows in set (0.018 sec)

MariaDB [mynewpaltz]> Select s.firstName, s.mi, s.lastName, s.ssn from Stude
ntTable as s inner join EnrollmentTable as e on s.ssn = e.ssn group by s.ssn
, s.firstName, s.mi, s.lastName having count(e.courseID) = 4;
+-----------+------+----------+-----------+
| firstName | mi   | lastName | ssn       |
+-----------+------+----------+-----------+
| Amanda    | T    | Rivera   | 100000046 |
| Jacob     | E    | Cruz     | 100000057 |
+-----------+------+----------+-----------+
2 rows in set (0.003 sec)

MariaDB [mynewpaltz]> Select s.firstName, s.mi, s.lastName, s.ssn from Stude
ntTable as s inner join EnrollmentTable as e on s.ssn = e.ssn group by s.ssn
, s.firstName, s.mi, s.lastName having count(e.courseID) = 3;
+-------------+------+-----------+-----------+
| firstName   | mi   | lastName  | ssn       |
+-------------+------+-----------+-----------+
| James       | A    | Smith     | 100000001 |
| Mary        | B    | Johnson   | 100000002 |
| Robert      | C    | Williams  | 100000003 |
| Patricia    | D    | Brown     | 100000004 |
| John        | E    | Jones     | 100000005 |
| Jennifer    | F    | Garcia    | 100000006 |
| Michael     | G    | Miller    | 100000007 |
| Linda       | H    | Davis     | 100000008 |
| David       | I    | Rodriguez | 100000009 |
| Elizabeth   | J    | Martinez  | 100000010 |
| William     | K    | Hernandez | 100000011 |
| Barbara     | L    | Lopez     | 100000012 |
| Richard     | M    | Gonzalez  | 100000013 |
| Susan       | N    | Wilson    | 100000014 |
| Joseph      | O    | Anderson  | 100000015 |
| Jessica     | P    | Thomas    | 100000016 |
| Thomas      | Q    | Taylor    | 100000017 |
| Sarah       | R    | Moore     | 100000018 |
| Christopher | S    | Jackson   | 100000019 |
| Karen       | T    | Martin    | 100000020 |
+-------------+------+-----------+-----------+
```

MySQL Client (MariaDB 12.1 (

```
MariaDB [mynewpaltz]> Select s.firstName, s.mi, s.lastName, s.ssn from Stude
ntTable as s inner join EnrollmentTable as e on s.ssn = e.ssn group by s.ssn
, s.firstName, s.mi, s.lastName having count(e.courseID) = 2;
+-----------+------+------------+-----------+
| firstName | mi   | lastName   | ssn       |
+-----------+------+------------+-----------+
| Nicholas  | I    | Stewart    | 100000061 |
| Kathleen  | J    | Morris     | 100000062 |
| Eric      | K    | Morales    | 100000063 |
| Amy       | L    | Murphy     | 100000064 |
| Stephen   | M    | Cook       | 100000065 |
| Shirley   | N    | Rogers     | 100000066 |
| Jonathan  | O    | Gutierrez  | 100000067 |
| Angela    | P    | Ortiz      | 100000068 |
| Larry     | Q    | Morgan     | 100000069 |
| Helen     | R    | Cooper     | 100000070 |
| Justin    | S    | Peterson   | 100000071 |
| Anna      | T    | Bailey     | 100000072 |
| Scott     | U    | Reed       | 100000073 |
| Brenda    | V    | Kelly      | 100000074 |
| Brandon   | W    | Howard     | 100000075 |
| Pamela    | X    | Ramos      | 100000076 |
| Frank     | Y    | Kim        | 100000077 |
| Nicole    | Z    | Foster     | 100000078 |
| Benjamin  | A    | Alvarado   | 100000079 |
| Emma      | B    | Washington | 100000080 |
| Gregory   | C    | Butler     | 100000081 |
| Samantha  | D    | Simmons    | 100000082 |
| Samuel    | E    | Foster     | 100000083 |
| Katherine | F    | Gonzales   | 100000084 |
| Raymond   | G    | Bryant     | 100000085 |
| Christine | H    | Alexander  | 100000086 |
| Patrick   | I    | Russell    | 100000087 |
| Debra     | J    | Griffin    | 100000088 |
| Alexander | K    | Diaz       | 100000089 |
| Rachel    | L    | Hayes      | 100000090 |
| Janet     | N    | Ford       | 100000092 |
| Dennis    | O    | Hamilton   | 100000093 |
| Catherine | P    | Graham     | 100000094 |
| Jerry     | Q    | Sullivan   | 100000095 |
| Maria     | R    | Wallace    | 100000096 |
```

MySQL Client (MariaDB 12.1 (

```
+-----------+
| MATH      |
| MATH      |
| CS        |
| CS        |
| ENGR      |
| ENGR      |
+-----------+
6 rows in set (0.001 sec)

MariaDB [mynewpaltz]> Select c.subjectID from CourseTable as c where c.numOf
Credits = 3;
+-----------+
| subjectID |
+-----------+
| MATH      |
| MATH      |
| MATH      |
| CS        |
| CS        |
| CS        |
| ENGL      |
| ENGL      |
| ENGL      |
| ENGL      |
| ENGL      |
| ENGR      |
| ENGR      |
+-----------+
13 rows in set (0.001 sec)

MariaDB [mynewpaltz]> Select c.subjectID from CourseTable as c where c.numOf
Credits = 2;
+-----------+
| subjectID |
+-----------+
| ENGR      |
+-----------+
1 row in set (0.001 sec)

MariaDB [mynewpaltz]>
```

MySQL Client (MariaDB 12.1 (

```
6 rows in set (0.015 sec)

MariaDB [mynewpaltz]> Select c.subjectID from CourceTable as c where c.numOf
Credits = 3;
ERROR 1146 (42S02): Table 'mynewpaltz.courcetable' doesn't exist
MariaDB [mynewpaltz]> Select c.subjectID from CourseTable as c where c.numOf
Credits = 4;
+-----------+
| subjectID |
+-----------+
| MATH      |
| MATH      |
| CS        |
| CS        |
| ENGR      |
| ENGR      |
+-----------+
6 rows in set (0.001 sec)

MariaDB [mynewpaltz]> Select c.subjectID from CourseTable as c where c.numOf
Credits = 3;
+-----------+
| subjectID |
+-----------+
| MATH      |
| MATH      |
| MATH      |
| CS        |
| CS        |
| CS        |
| ENGL      |
| ENGL      |
| ENGL      |
| ENGL      |
| ENGL      |
| ENGR      |
| ENGR      |
+-----------+
13 rows in set (0.001 sec)

MariaDB [mynewpaltz]>
```

MySQL Client (MariaDB 12.1 (

```
6 rows in set (0.001 sec)

MariaDB [mynewpaltz]> Select c.subjectID from CourseTable as c where c.numOf
Credits = 3;
+-----------+
| subjectID |
+-----------+
| MATH      |
| MATH      |
| MATH      |
| CS        |
| CS        |
| CS        |
| ENGL      |
| ENGL      |
| ENGL      |
| ENGL      |
| ENGL      |
| ENGR      |
| ENGR      |
+-----------+
13 rows in set (0.001 sec)

MariaDB [mynewpaltz]> Select c.subjectID from CourseTable as c where c.numOf
Credits = 2;
+-----------+
| subjectID |
+-----------+
| ENGR      |
+-----------+
1 row in set (0.001 sec)

MariaDB [mynewpaltz]> Select c.subjectID from CourseTable as c where c.numOf
Credits = 5;
Empty set (0.001 sec)

MariaDB [mynewpaltz]> Select c.subjectID from CourseTable as c where c.numOf
Credits = 1;
Empty set (0.001 sec)

MariaDB [mynewpaltz]>
```

MySQL Client (MariaDB 12.1 (

```
+-----------+
| ENGR      |
+-----------+
1 row in set (0.001 sec)

MariaDB [mynewpaltz]> Select c.subjectID from CourseTable as c where c.numOf
Credits = 5;
Empty set (0.001 sec)

MariaDB [mynewpaltz]> Select c.subjectID from CourseTable as c where c.numOf
Credits = 1;
Empty set (0.001 sec)

MariaDB [mynewpaltz]> Select s.firstName, s.mi, s.lastName, e.grade from stu
dentTable as s inner join enrollmenttable as e on s.deptID = e.courseID;
Empty set, 100 warnings (0.019 sec)

MariaDB [mynewpaltz]> Select s.firstName, s.mi, s.lastName, e.grade from stu
dentTable as s inner join enrollmenttable as e on s.ssn = e.ssn;
+-------------+------+------------+-------+
| firstName   | mi   | lastName   | grade |
+-------------+------+------------+-------+
| James       | A    | Smith      | A     |
| James       | A    | Smith      | B     |
| James       | A    | Smith      | A     |
| Mary        | B    | Johnson    | B     |
| Mary        | B    | Johnson    | C     |
| Mary        | B    | Johnson    | B     |
| Robert      | C    | Williams   | A     |
| Robert      | C    | Williams   | A     |
| Robert      | C    | Williams   | C     |
| Patricia    | D    | Brown      | B     |
| Patricia    | D    | Brown      | B     |
| Patricia    | D    | Brown      | A     |
| John        | E    | Jones      | C     |
| John        | E    | Jones      | A     |
| John        | E    | Jones      | B     |
| Jennifer    | F    | Garcia     | B     |
| Jennifer    | F    | Garcia     | C     |
| Jennifer    | F    | Garcia     | A     |
| Michael     | G    | Miller     | A     |
```

MySQL Client (MariaDB 12.1 (

```
|          450 | CS        |           13 |
+--------------+-----------+--------------+
1 row in set (0.009 sec)

MariaDB [mynewpaltz]> select courseid, count(ssn) from enrollmenttable;
+----------+------------+
| courseid | count(ssn) |
+----------+------------+
|        1 |        251 |
+----------+------------+
1 row in set (0.001 sec)

MariaDB [mynewpaltz]> select courseid, count(ssn) from enrollmenttable group
 by courseid order by courseid;
+----------+------------+
| courseid | count(ssn) |
+----------+------------+
|        1 |         13 |
|        2 |         13 |
|        3 |         12 |
|        4 |         14 |
|        5 |         13 |
|        6 |         11 |
|        7 |         13 |
|        8 |         13 |
|        9 |         12 |
|       10 |         13 |
|       11 |         14 |
|       12 |         13 |
|       13 |         14 |
|       14 |         14 |
|       15 |         12 |
|       16 |         12 |
|       17 |         12 |
|       18 |         12 |
|       19 |         11 |
|       20 |         10 |
+----------+------------+
20 rows in set (0.015 sec)

MariaDB [mynewpaltz]>
```

MySQL Client (MariaDB 12.1 (

```
| Tyler       | S    | Woods      | C     |
| Heather     | T    | Cole       | C     |
| Heather     | T    | Cole       | A     |
| Aaron       | U    | West       | B     |
| Aaron       | U    | West       | B     |
| Diane       | V    | Jordan     | A     |
| Diane       | V    | Jordan     | C     |
+-------------+------+------------+-------+
251 rows in set (0.002 sec)

MariaDB [mynewpaltz]> Select c.coursenumber, c.subjectid, count(e.ssn) from
Courcetable as c inner join Enrollmenttable as e on c.courseid = e.courseid;

ERROR 1146 (42S02): Table 'mynewpaltz.courcetable' doesn't exist
MariaDB [mynewpaltz]> Select c.coursenumber, c.subjectid, count(e.ssn) from
Coursetable as c inner join Enrollmenttable as e on c.courseid = e.courseid;

+--------------+-----------+--------------+
| coursenumber | subjectid | count(e.ssn) |
+--------------+-----------+--------------+
|          101 | MATH      |          251 |
+--------------+-----------+--------------+
1 row in set (0.001 sec)

MariaDB [mynewpaltz]> Select c.coursenumber, c.subjectid, count(e.ssn) from
Coursetable as c left join Enrollmenttable as e where e.courseid = 10 on c.c
ourseid = e.courseid;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual t
hat corresponds to your MariaDB server version for the right syntax to use n
ear 'where e.courseid = 10 on c.courseid = e.courseid' at line 1
MariaDB [mynewpaltz]> Select c.coursenumber, c.subjectid, count(e.ssn) from
Coursetable as c inner join Enrollmenttable as e on c.courseid = e.courseid
where e.courseid = 10;
+--------------+-----------+--------------+
| coursenumber | subjectid | count(e.ssn) |
+--------------+-----------+--------------+
|          450 | CS        |           13 |
+--------------+-----------+--------------+
1 row in set (0.009 sec)

MariaDB [mynewpaltz]>
```

MySQL Client (MariaDB 12.1 (

```
|          450 | CS        |           13 |
+--------------+-----------+--------------+
1 row in set (0.009 sec)

MariaDB [mynewpaltz]> select courseid, count(ssn) from enrollmenttable;
+----------+------------+
| courseid | count(ssn) |
+----------+------------+
|        1 |        251 |
+----------+------------+
1 row in set (0.001 sec)

MariaDB [mynewpaltz]> select courseid, count(ssn) from enrollmenttable group
 by courseid order by courseid;
+----------+------------+
| courseid | count(ssn) |
+----------+------------+
|        1 |         13 |
|        2 |         13 |
|        3 |         12 |
|        4 |         14 |
|        5 |         13 |
|        6 |         11 |
|        7 |         13 |
|        8 |         13 |
|        9 |         12 |
|       10 |         13 |
|       11 |         14 |
|       12 |         13 |
|       13 |         14 |
|       14 |         14 |
|       15 |         12 |
|       16 |         12 |
|       17 |         12 |
|       18 |         12 |
|       19 |         11 |
|       20 |         10 |
+----------+------------+
20 rows in set (0.015 sec)

MariaDB [mynewpaltz]>
```

MySQL Client (MariaDB 12.1 (

```
MariaDB [mynewpaltz]> select s.firstname, s.lastname, s.ssn, sum(c.numofcred
its) from studenttable as s inner join enrollmenttable as e on s.ssn = e.ssn
 inner join courseTable as c on e.courseid = c.courseid group by s.ssn, s.fi
rstname, s.lastname order by s.lastname, s.firstname;
+-------------+------------+-----------+--------------------+
| firstname   | lastname   | ssn       | sum(c.numofcredits) |
+-------------+------------+-----------+--------------------+
| Michelle    | Adams      | 100000042 |                 17 |
| Christine   | Alexander  | 100000086 |                  6 |
| Paul        | Allen      | 100000033 |                  3 |
| Benjamin    | Alvarado   | 100000079 |                  7 |
| Joseph      | Anderson   | 100000015 |                 10 |
| Anna        | Bailey     | 100000072 |                  6 |
| Carol       | Baker      | 100000044 |                 16 |
| Patricia    | Brown      | 100000004 |                  9 |
| Raymond     | Bryant     | 100000085 |                  6 |
| Gregory     | Butler     | 100000081 |                  6 |
| Ronald      | Campbell   | 100000047 |                 16 |
| Timothy     | Carter     | 100000049 |                 16 |
| Mark        | Clark      | 100000027 |                  3 |
| Heather     | Cole       | 100000098 |                  7 |
| Gary        | Collins    | 100000059 |                 16 |
| Stephen     | Cook       | 100000065 |                  6 |
| Helen       | Cooper     | 100000070 |                  7 |
| Jacob       | Cruz       | 100000057 |                 12 |
| Linda       | Davis      | 100000008 |                 10 |
| Alexander   | Diaz       | 100000089 |                  6 |
| Ryan        | Diaz       | 100000055 |                 15 |
| Sharon      | Edwards    | 100000058 |                 16 |
| Jeffrey     | Evans      | 100000053 |                 16 |
| Donna       | Flores     | 100000040 |                  4 |
| Janet       | Ford       | 100000092 |                  6 |
| Nicole      | Foster     | 100000078 |                  7 |
| Samuel      | Foster     | 100000083 |                  6 |
| Jennifer    | Garcia     | 100000006 |                 10 |
| Katherine   | Gonzales   | 100000084 |                  7 |
| Richard     | Gonzalez   | 100000013 |                  9 |
| Catherine   | Graham     | 100000094 |                  6 |
| Kevin       | Green      | 100000041 |                 17 |
| Debra       | Griffin    | 100000088 |                  6 |
| Jonathan    | Gutierrez  | 100000067 |                  5 |
```